

GIS REGISTRY
Cover Sheet

March, 2010
(RR 5367)

Source Property Information

BRRTS #:

ACTIVITY NAME:

PROPERTY ADDRESS:

MUNICIPALITY:

PARCEL ID #:

CLOSURE DATE:

FID #:

DATCP #:

COMM #:

***WTM COORDINATES:**

X: **Y:**

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
- Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

- Groundwater Contamination > ES (236)**
- Contamination in ROW
- Off-Source Contamination
- (note: for list of off-source properties see "Impacted Off-Source Property" form)*
- Soil Contamination > *RCL or **SSRCL (232)**
- Contamination in ROW
- Off-Source Contamination
- (note: for list of off-source properties see "Impacted Off-Source Property" form)*

Land Use Controls:

- N/A (Not Applicable)
- Soil: maintain industrial zoning (220)
- (note: soil contamination concentrations between non-industrial and industrial levels)*
- Structural Impediment (224)
- Site Specific Condition (228)
- Cover or Barrier (222)
- (note: maintenance plan for groundwater or direct contact)*
- Vapor Mitigation (226)
- Maintain Liability Exemption (230)
- (note: local government unit or economic development corporation was directed to take a response action)*

Monitoring Wells:

Are all monitoring wells properly abandoned per NR 141? (234)

- Yes No N/A

** Residual Contaminant Level*
***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:	02-05-233131	(No Dashes)	PARCEL ID #:	VH-747-B-758		
ACTIVITY NAME:	Integrated Design Corp (Former)		WTM COORDINATES: X:	672897	Y:	458592

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Continuing Obligation Cover Letter** (for property owners affected by residual contamination and/or continuing obligations)
- Conditional Closure Letter**
- Certificate of Completion (COC)** (for VPLE sites)

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: Exhibit B Title: Certified Survey Map
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

- Maps must be no larger than 11 x 17 inches unless the map is submitted electronically.
- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 Title: Site Location Map
 - Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2 Title: Base Map
 - Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: Title:

BRRTS #: 02-05-233131

ACTIVITY NAME: Integrated Design Corp (Former)

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: 3 Title: A-A' Cross-Section

Figure #: Title:

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: 6 Title: Groundwater Sampling Results

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: Figure 4c Title: Groundwater Contour Map - 8/31/00

Figure #: Title:

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 11 x 17 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: Title:

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 2A, 2B Title: Groundwater Sampling Results, Groundwater MW and Piezometer Sampling Results

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 1 Title: Groundwater Elevations

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: Title:

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 02-05-233131

ACTIVITY NAME: Integrated Design Corp (Former)

NOTIFICATIONS

Source Property

Not Applicable

Letter To Current Source Property Owner: If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

Not Applicable

Letter To "Off-Source" Property Owners: Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying any off-source property owner.

Deed of "Off-Source" Property: The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.

Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

Certified Survey Map: A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).

Figure #:


Title:

Letter To "Governmental Unit/Right-Of-Way" Owners: Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters:

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
Northeast Region Headquarters
2984 Shawano Avenue
Green Bay WI 54313-6727

Scott Walker, Governor
Cathy Stepp, Secretary
Jean Romback-Bartels, Acting Regional Dir.
Telephone 920-662-5100
FAX 920-662-5413
TTY Access via relay - 711



September 23, 2011

Mr. Kelley Krouth
AMI, Inc.
2325 Pamperin Road
Howard, Wisconsin 54313

Subject: Final Case Closure with Continuing Obligations, AMI, Inc. (Formerly Integrated Design Corporation), 2325 Pamperin Road, Howard, Wisconsin 54313
WDNR BRRTS Activity #: 02-05-233131

Dear Mr. Krouth:

On November 13, 2000, the Northeast Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On December 14, 2000, the previous property owner (Rick Nuetzel) was notified that the Closure Committee had granted conditional closure to this case.

There were two conditions for closure; first that a groundwater use restriction be filed with the property's deed with Brown County due to the remaining groundwater contamination, and second, that all of the groundwater monitoring wells be properly abandoned. The groundwater use restriction was not immediately filed. Then on November 1, 2001, a change in Wisconsin Administrative Code went into effect that no longer required that groundwater use restrictions be filed with property deeds. Rather, sites were now to be placed on the Department's Registry of Closed Remediation Sites Internet Webpage. Then owner Rick Nuetzel was given his choice of to either file the groundwater use restriction or go with the new registry – he chose the registry. On January 24, 2002, the Department received the registry fee from Mr. Nuetzel but no monitoring well abandonment documentation. The Department made several requests for the abandonment documentation in the years that followed. On September 15, 2010, the well abandonment documentation was received. Because of the length of time between the conditional closure and actual well abandonment, I wanted to conduct an inspection of the abandoned wells which I then did on July 18, 2011. This inspection was done on by driving through the parking lot and observing the abandoned wells. I apologize for the delay in getting out to the site for the confirmation inspection.

The Department reviewed the case closure request regarding the chlorinated compounds in the groundwater at this site. Based on the correspondence and data provided, it appears that your case meets the closure requirements in ch. NR 726, Wisconsin Administrative Code. **The Department considers this case closed and no further investigation or remediation is required at this time.** However, you and future property owners must comply with certain continuing obligations as explained in this letter.

GIS Registry

This site will be listed on the Remediation and Redevelopment Program's internet accessible GIS Registry, to provide notice of residual contamination, and of any continuing obligations. The continuing obligations for this site are summarized below:

Mr. Kelley Krouth
September 23, 2011
Page 2

- Groundwater contamination is present above Chapter NR 140 enforcement standards

All site information is also on file at the Northeast Regional DNR office, at 2984 Shawano Avenue, Green Bay, Wisconsin. This letter and information that was submitted with the closure request application will be included on the GIS Registry, in a PDF attachment. To review the sites on the GIS Registry web page, visit the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If the property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4) (w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which you and any subsequent property owners must adhere. You must pass on the information about these continuing obligations to the next property owner or owners. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code.

Residual Groundwater Contamination

Groundwater impacted by chlorinated compound contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present on this contaminated property, as shown on the attached map.

Vapor Migration

In addition, depending on site-specific conditions, construction over contaminated materials may result in vapor migration of contaminants into enclosed structures or migration along newly placed underground utility lines. The potential for vapor inhalation and means of mitigation should be evaluated when planning any future redevelopment, and measures should be taken to ensure the continued protection of public health, safety, welfare and the environment at the site.

Dewatering Permits

The Department's Watershed Management Program regulates point source discharges of contaminated water, including discharges to surface waters, storm sewers, pits or to the ground surface. This includes discharges from construction related dewatering activities, including utility and building construction.

Mr. Kelley Krouth
September 23, 2011
Page 3

Based on the concentrations of contaminants remaining in groundwater at this location, it appears likely that dewatering activities would require a permit from the Watershed Management Program. If you or any other person plan to conduct such activities, you or that person must contact that program, and if necessary, apply for the necessary discharge permit. Additional information regarding discharge permits is available at <http://www.dnr.state.wi.us/org/water/wm/www/>

The following DNR fact sheet, RR-819, "Continuing Obligations for Environmental Protection" has been included with this letter, to help explain a property owner's responsibility for continuing obligations on their property. If the fact sheet is lost, you may obtain a copy at <http://dnr.wi.gov/org/aw/rr/archives/pubs/RR819.pdf>.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact me at the address above, by calling 920-662-5161, by fax at 920-662-5197, or by email at alan.nass@wisconsin.gov.

Yours truly,


Alan Thomas Nass, P.G., P.S.S., Acting Team Supervisor
Northeast Region Remediation & Redevelopment Program

Attachments

Remaining Groundwater Contamination Map
RR 819



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott McCallum, Governor
Darrell Bazzell, Secretary
Ronald W. Kazmierczak, Regional Director

Northeast Region Headquarters
1125 N. Military Ave., P.O. Box 10448
Green Bay, Wisconsin 54307-0448
Telephone 920-492-5800
FAX 920-492-5913
TTY 920-492-5912

December 10, 2001

Mr. Rick Nuetzel
IDC of Green Bay, LLP
PO Box 12765
Green Bay, WI 54307-2765

SUBJECT: Closure condition for Integrated Design Corp; 2325
Pamperin Road; Howard, Wisconsin
WDNR BRRTS ID #: 02-05-233131

Dear Mr. Nuetzel:

The purpose of this letter is twofold:

1. To notify you of a change to NR 726 Wisconsin Administrative Code that impacts the requirements for closure of cases such as yours, where the Department has approved closure pending your filing a Groundwater Use Restriction at the County Register of Deeds office.
2. To outline your options for receiving final closure of the above referenced groundwater contamination case.

Changes to Closure Requirements

As of November 1, 2001, a change in the Wisconsin Administrative Code removed the requirement that a property owner file a Groundwater Use Restriction with the property deed for cases with remaining groundwater contamination. Instead, the Department will now be placing information (maps, laboratory sample data, etc.) regarding the investigation and cleanup of such properties on the Department's Registry of Closed Remediation Sites Internet Webpage which can be viewed at <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/mapApp.htm>.

This change also impacts cases where groundwater contamination from a source property is impacting off-site properties. Please contact your project manager referenced below for additional details.

Property Owner Options

On December 14, 2000, the Department notified you that the above referenced case had been approved for closure pending the filing of a Groundwater Use Restriction. Since that time, the Department has not received proof that the restriction has been filed. Because you were

approved for conditional closure prior to November 1, 2001, you now have two options for receiving final closure:

1. You may pay a \$250.00 fee and the Department will place documents from the case file on the Registry of Closed Remediation Sites Internet Webpage. If you choose this option, you will not be required to file documents with your deed at the Register of Deeds office.

OR

2. You may file a Groundwater Use Restriction with your property deed at the Brown County Register of Deeds. The Department will then place documents from the case file on the Registry of Closed Remediation Sites Internet Webpage. You will not be charged the \$250.00 fee.

Please note that, whichever option you choose, you are still required to comply with any other conditions of closure (monitoring well abandonment forms, soil disposal documents, etc.) outlined in the Department's letter sent to you at the time of conditional closure approval.

Within 14 days of receipt of this notice, please inform the Department of which option you intend to pursue.


The Department appreciates your efforts to restore the environment at this site. If you have any questions about this letter, please contact your project manager, Alan Nass, in Green Bay at (920) 492-5921.

Thank you.

Sincerely,



Carrie Rackey
Program Assistant
Bureau for Remediation and Redevelopment



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
Ronald W. Kazmierczak, Regional Director

Northeast Region Headquarters
1125 N. Military Ave., P.O. Box 10448
Green Bay, Wisconsin 54307-0448
Telephone 920-492-5800
FAX 920-492-5913
TDD 920-492-5912

December 14, 2000

Mr. Rick Nuetzel
IDC of Green Bay, LLP
P.O. Box 12765
Green Bay, Wisconsin 54307-2765

Subject: Case Closure with Groundwater Use Restriction, Integrated Design Corporation,
2325 Pamperin Road, Howard, Wisconsin BRRTS # : 02-05-233131

Dear Mr. Nuetzel:

The Bureau for Remediation and Redevelopment's Northeast Region Closure Committee has reviewed the above referenced case and has agreed to close this case pending the completion and filing of a groundwater use restriction. This groundwater use restriction will state that inaccessible groundwater contamination may remain at this site and that additional remedial action is not feasible at this time. The document would be placed in the file with the deed running with the property.

Only when the groundwater use restriction has been finalized and filed with Brown County and proof of filing the groundwater use restriction has been received by the Department, can this site be closed. To expedite the completion of the groundwater use restriction and closure process, the Department requests that you submit the following:

- a complete, legible and unabbreviated legal description of the property
- a copy of the most recent deed for your property
- available maps, such as a survey map, showing the property boundaries, building outlines, and monitoring well/piezometer locations

If you do not have these documents they can be obtained from the Brown County Register of Deeds. Once this information is received, the Department will send you a draft copy of the groundwater use restriction containing language regarding the remaining chlorinated compound contamination.

If the draft is accurate and acceptable, please sign it, file it with the Register of Deeds office and return a copy of the signed and filed restriction to the Department for our records. The Department must also receive documentation of proper abandonment of any and all monitoring wells, extraction wells, piezometers, sumps, and soil venting systems if you do not intend to perform long term monitoring at your site. Once all this information is received, the site will be conditionally closed.

Mr. Rick Nuetzel
December 14, 2000
Page 2

This groundwater use restriction is an option that the Department can offer in order to conditionally close this site. If you choose not to accept this option you will need to perform additional investigation and cleanup of the remaining contamination. Within **14 days** of receipt of this notice please submit a letter to the Department documenting your intentions.

If you have any additional relevant information concerning this matter which was not formerly provided to the Department, you should submit this information to the Department for reevaluation.

If you have any questions, please contact me in Green Bay at 920-492-5861.

Yours truly,



Alan Thomas Nass, P.G., P.S.
Hydrogeologist

cc: Ken Yass, McLarenHart, Inc., W239 N2890, Unit D, Pewaukee, Wisconsin 53072

2325 PAMPERIN Rd = Lot #1
2357 PAMPERIN Rd = Lot #2

5868

1682289

CERTIFIED SURVEY MAP




SURVEYOR'S CERTIFICATE

I, David J. Chrouser, Registered Land Surveyor, do hereby certify that I have surveyed, divided and mapped all of Lot 56 and 57 of the recorded plat of "Village of Howard Industrial Park First Addition", and all of Vacated Russet Court lying adjacent to Lot 57, Section 4, T24N-R20E, Village of Howard, Brown County, Wisconsin, more fully described on sheet 2:

That such plat is a correct representation of all the exterior boundaries of the land survey and the division thereof. That I have made such a survey, land division and plat by the direction of the owners listed hereon. That I have fully complied with the provisions of Chapter 236, section 236.34 of the Wisconsin Statutes, the Village of Howard, and the Brown County Planning Commission in surveying, dividing and mapping the same.

David J. Chrouser

David J. Chrouser
January 7, 1999
Revised March 18, 1999



- See Detail "A"
- LEGEND**
- 1"X24" iron pipe weighing 1.13 lbs/lin ft set
 - ⊙ P.K. Nail set
 - ⊙ Railroad Spike Set
 - 2" iron pipe found
 - 1" iron pipe found
 - ⊙ Brown County Monument (Brass cap in concrete)

Note:
There is an ESA that exists on subject parcel, see restrictive covenant for the definition.

Bearings referenced to the East line of the SE 1/4, Section 4 T24N-R20E, assumed to be N00°06'34"W

MAU & ASSOCIATES
LAND SURVEYING * CIVIL ENGINEERING

CLIENT: IDC
DATE DRAFTED: 1/5/99
AUTOCAD DRAWING NO.: I-25698A
DRAFTED BY: JJM

SCALE: 1" = 200'
Sheet One of Three
Project No.: I-25698
Drawing No.: L-4784


Legal Description


All of Lot 56 and 57 of the recorded plat of "Village of Howard Industrial Park First Addition", Volume 17, Plats, Page 95, Brown County Records, and all of the vacated Russett Court lying adjacent to said Lot 57, all being located in part of the SE 1/4-NE 1/4, SW 1/4-NE1/4, and the, NE 1/4-SE 1/4, Section 4, T24N-R20E, Village of Howard, Brown County, Wisconsin, more fully described as follows:

Commencing at the East 1/4 Corner of Section 4, T24N-R20E; thence S87°32'28"W, 940.04 feet along the East-West 1/4 line of said Section 4 to the Point of Beginning; thence S00°05'39"E, 31.39 feet along the West right-of-way of Gruber Road; thence N87°58'43"W, 385.77 feet along the South line of Lot 56 of the recorded plat of "Village of Howard Industrial Park First Addition"; thence S87°33'38"W, 387.50 feet along the South line and the extension of Lot 57 of said recorded plat; thence N01°20'52"W, 399.78 feet along the West line of the vacated Russett Court; thence N87°33'41"E, 782.08 feet along the South right-of-way of Pamperin Road; thence S00°05'39"E, 398.67 feet along the West right-of-way of Gruber Road to the Point of Beginning.

Parcel contains 316,637 square feet \ 7.27 acres more or less.


Subject to easements and restrictions of record.


David J. Chrouser S-1579
January 7, 1999




VILLAGE BOARD RESOLUTION

Resolved that this Certified Survey Map which has been duly filed for approval of the Village Board of Howard, Brown County, Wisconsin, be and is hereby approved. I hereby certify that this is a true and correct copy of a resolution adopted by the Village Board of Howard on this 22 day of Feb, 1999.


~~Kevin Anderson~~ Sharon Davidson
Howard Village Administrator Deputy Clerk

BROWN COUNTY PLANNING COMMISSION

Approved for the Brown County Plan Commission this 18th day of March, 1999.


Martin Olajniczak
Senior Planner



Sheet Two of Three
Project No.: I-25698
Drawing No.: L-4784

1682289

Corporate Owner's Certificate

(LCP)
Integrated Design Corp., a Wisconsin corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, does hereby certify that said corporation caused the land on this plat to be surveyed and mapped as represented hereon. Integrated Design Corp. does further certify that this certified survey map is required to be submitted to the Brown County Planning Commission and the Village of Howard for approval or objection in accordance with current Land Subdivision Ordinances.


In Witness Whereof, the said Integrated Design Corp. has caused these presents to be signed by Daniel C. Leanna, it's Vice President on this 1 day of February, 1999.


Daniel C. Leanna

Personally came before me this 1 day of February, 1999, the above named officer of said corporation and acknowledged that he executed the forgoing instrument as such officer as the deed of said corporation, by its authority:


Notary Public
Brown County, Wisconsin
STATE OF WISCONSIN]
COUNTY OF BROWN] SS

My Commission expires 10-28-2001

REGISTER'S OFFICE
Brown Co. Wis.
Received for record the 18th
day of March A.D. 1999
at 1:14 o'clock P M.
and recorded in Vol. 38 of
Certified Survey Maps on Page 298

Register of Deeds
1400

WISCONSIN
★ DAVID J. CHROUSER ★
S-1579
GREEN BAY,
WIS.
LAND SURVEYOR

1-8-98

Sheet Three of Three
Project No.: I-25698
Drawing No.: L-4784

NELSON & SCHMELING

Attorneys at Law
130 East Walnut Street
P.O. Box 22130
Green Bay, Wisconsin 54305-2130

Michael D. Willis
Brian R. Mudd
Sharren B. Rose
Thomas W. Roznowski
Eric W. Hansen

Writer's email: mdwillis@nslawfirm.com

Telephone 920-432-1400
Fax 920-432-1460

Of Counsel: Robert E. Nelson
Todd J. Schmeling

RECEIVED
JUN 21 2013
WI DNR - GREEN BAY

June 20, 2013

Mr. Alan Nass
State of Wisconsin
Department of Natural Resources
2984 Shawano Ave.
Green Bay, WI 54313-6727

Re: 2325 Pamperin Road

Dear Mr. Nass:


I am the attorney for Pamperin Road Properties LLC.

Pamperin Road Properties LLC is a Wisconsin limited liability company which is the owner of the real property located at 2325 Pamperin Road. A copy of the deed establishing ownership is enclosed.

Pursuant to the Operating Agreement of Pamperin Road Properties LLC, Mr. Kelley T. Krouth is the managing member. As the managing member, Mr. Krouth has the power and authority to make all management decisions on behalf of the entity.


If you have any further questions concerning this matter, please contact me.

Very truly yours,



Michael D. Willis, of
Nelson & Schmeling


MDW:bt
enclosures



SOURCE: USGS GREEN BAY WEST
 QUADRANGLE, 7.5 MINUTE SERIES, 1992.



APPROXIMATE SCALE




DRWN: KWY	CHK'D:
JOB#: 10.000.1104.002.001	DATE: 12/28/99

FIGURE 1
SITE LOCATION MAP
INTEGRATED DESIGN CORPORATION VILLAGE OF HOWARD, WISCONSIN



DRAWING NUMBER 1
 CHECKED BY K.W.Y.
 MED 9/17/99
 APPROVED BY
 DRAWN BY
 UPDATED:
 D:\c:\staff\mrd\org\projects\integrated.dwg
 CURRENT PROJECT #10.0001104-001



DATE: 10-05-99	FIGURE 2	DRAWING NUMBER
SCALE: AS SHOWN		

BASEMAP
 HOWARD, WISCONSIN
 PREPARED FOR
 IDC of Green Bay, LLP

LEGEND

- ⊕ MW-1 Monitoring Well Location (Sampled April 2000)
- ⊕ GP-2 Geoprobe Boring Location (September 1999)
- ⊕ GP-1 to GP-19 Geoprobe Boring Locations

Notes: 1,1,1-TCA = 1,1,1-Trichloroethane

- OH - Overhead Electric
- PP - Power Pole
- SS - Sanitary Sewer
- E - Underground Electric
- W - Water
- T - Underground Telephone
- G - Natural Gas
- ⊕ - Fire Hydrant


SCALE

0 20 40 feet

DRAWN BY: MED
CHECKED BY: KWK
UPDATED: 9/17/99
APPROVED BY:

DWG: o:\staff\ndruga\projects\integrated.dwg

CURRENT PROJECT #10.0001104.001



A

A'

A - A' CROSS-SECTION
HOWARD, WISCONSIN
PREPARED FOR
IDC of Green Bay, LLP

DATE: 9/17/99
SCALE: AS SHOWN

FIGURE 3 DRAWING NUMBER



GP-9	
1,1,1-trichloroethane	<0.3
1,1-dichloroethane	<0.15
1,1-dichloroethane	<0.11
1,2-dichloroethane	<0.35
chloromethane	<0.21
benzene	0.36

MW-2	
1,1,1-trichloroethane	<0.3
1,1-dichloroethane	<0.15
1,1-dichloroethane	<0.11
1,2-dichloroethane	<0.35
chloromethane	<0.21
benzene	<0.19

GP-6	
1,1,1-trichloroethane	11
1,1-dichloroethane	4.7
1,1-dichloroethane	1.7*
1,2-dichloroethane	<0.35
chloromethane	<0.21
benzene	0.33

GP-7	
1,1,1-trichloroethane	18
1,1-dichloroethane	12
1,1-dichloroethane	1.5*
1,2-dichloroethane	<0.35
chloromethane	<0.21
benzene	0.5*

MW-3	
1,1,1-trichloroethane	<0.3
1,1-dichloroethane	<0.15
1,1-dichloroethane	<0.11
1,2-dichloroethane	<0.35
chloromethane	<0.21
benzene	<0.19

GP-8	
1,1,1-trichloroethane	<0.3
1,1-dichloroethane	<0.15
1,1-dichloroethane	<0.11
1,2-dichloroethane	<0.35
chloromethane	<0.21
benzene	0.4

MW-1	
1,1,1-trichloroethane	140**
1,1-dichloroethane	37
1,1-dichloroethane	13**
1,2-dichloroethane	6.4**
chloromethane	<0.21
benzene	0.39

GP-10	
1,1,1-trichloroethane	<0.3
1,1-dichloroethane	<0.15
1,1-dichloroethane	<0.11
1,2-dichloroethane	<0.35
chloromethane	<0.21
benzene	0.34

GP-17	
1,1,1-trichloroethane	<0.3
1,1-dichloroethane	<0.15
1,1-dichloroethane	<0.11
1,2-dichloroethane	<0.35
chloromethane	4.5**
benzene	0.24

GP-1	
1,1,1-trichloroethane	376**
1,1-dichloroethane	53
1,1-dichloroethane	33**
1,2-dichloroethane	20**
chloromethane	<0.21
benzene	0.65**

GP-2	
1,1,1-trichloroethane	9.8
1,1-dichloroethane	4.2
1,1-dichloroethane	<0.11
1,2-dichloroethane	<0.35
chloromethane	<0.21
benzene	0.28

GP-18	
1,1,1-trichloroethane	125*
1,1-dichloroethane	409*
1,1-dichloroethane	35**
1,2-dichloroethane	<8.8
chloromethane	<5.4
benzene	<4.7

GP-19	
1,1,1-trichloroethane	50*
1,1-dichloroethane	65
1,1-dichloroethane	15**
1,2-dichloroethane	2.7*
chloromethane	4.2**
benzene	<0.19

GP-4	
1,1,1-trichloroethane	788**
1,1-dichloroethane	236*
1,1-dichloroethane	188**
1,2-dichloroethane	75**
chloromethane	<0.21
benzene	0.29

GP-5	
1,1,1-trichloroethane	170*
1,1-dichloroethane	36
1,1-dichloroethane	47**
1,2-dichloroethane	1.3*
chloromethane	<0.21
benzene	0.31

GP-15	
1,1,1-trichloroethane	<0.3
1,1-dichloroethane	<0.15
1,1-dichloroethane	<0.11
1,2-dichloroethane	<0.35
chloromethane	<0.21
benzene	<0.19

GP-3	
1,1,1-trichloroethane	19
1,1-dichloroethane	21
1,1-dichloroethane	2.9*
1,2-dichloroethane	<0.35
chloromethane	<0.21
benzene	0.29

GP-16	
1,1,1-trichloroethane	<0.3
1,1-dichloroethane	<0.15
1,1-dichloroethane	<0.11
1,2-dichloroethane	<0.35
chloromethane	<0.21
benzene	0.22

MW-4	
1,1,1-trichloroethane	<0.3
1,1-dichloroethane	<0.15
1,1-dichloroethane	<0.11
1,2-dichloroethane	<0.35
chloromethane	<0.21
benzene	<0.19

GP-11	
1,1,1-trichloroethane	<0.3
1,1-dichloroethane	<0.15
1,1-dichloroethane	<0.11
1,2-dichloroethane	<0.35
chloromethane	<0.21
benzene	0.26

GP-12	
1,1,1-trichloroethane	<0.3
1,1-dichloroethane	<0.15
1,1-dichloroethane	<0.11
1,2-dichloroethane	<0.35
chloromethane	<0.21
benzene	0.27

GP-14	
1,1,1-trichloroethane	<0.3
1,1-dichloroethane	<0.15
1,1-dichloroethane	<0.11
1,2-dichloroethane	<0.35
chloromethane	<0.21
benzene	0.28

GP-13	
1,1,1-trichloroethane	<0.3
1,1-dichloroethane	<0.15
1,1-dichloroethane	<0.11
1,2-dichloroethane	<0.35
chloromethane	<0.21
benzene	0.41

DATE: 10-05-99
 SCALE: AS SHOWN
FIGURE 6
 DRAWING NUMBER

GROUNDWATER SAMPLING RESULTS
 HOWARD, WISCONSIN
 PREPARED FOR
 IDC of Green Bay, LLP


LEGEND

- ⊕ MW-1 Monitoring Well Location (Sampled April 2000)
- ⊕ GP-2 Geoprobe Boring Location (September 1999)
- ** = Indicates NR140 ES Exceedance
- * = Indicates NR140 PAL Exceedance
- NA = Not Analyzed
- Approx. Extent of NR140 ES Exceedances
- - - - - Approx. Extent of NR140 PAL Exceedances

All concentrations given in ug/l

Notes: 1,1,1-TCA = 1,1,1-Trichloroethane

- OH - Overhead Electric
- PP - Power Pole
- SS - Sanitary Sewer
- E - Underground Electric
- W - Water
- T - Underground Telephone
- G - Natural Gas
- ⊕ - Fire Hydrant



DRAWING NUMBER 1
 KRW
 CHECKED BY
 APPROVED BY
 MED 9/17/99
 DRAWN BY
 UPDATED
 D:\c:\mcl\mcl\org\projects\integrated.dwg
 CURRENT PROJECT #10.0001104.001

PROPERTY BOUNDARY




Pamperin Road

PROPERTY BOUNDARY

Gruber Road

PROPERTY BOUNDARY



DRAWING NUMBER
1

KWY

CHECKED BY
APPROVED BY

MED
9/17/99

DRAWN BY
UPDATED:

DWG: C:\staff\undarpa\projects\integrated.dwg

CURRENT PROJECT #10.0001104.001

DATE: 10-05-99	FIGURE 4C	DRAWING NUMBER
SCALE: AS SHOWN		
GROUNDWATER CONTOUR MAP - 8/31/00		
HOWARD, WISCONSIN		
PREPARED FOR		
IDC of Green Bay, LLP		

- LEGEND**
- ⊕ MW-1 Monitoring Well Location - January, 2000
 - ⊕ PZ-1 Piezometer Location - September, 2000
 - ⊕ GP-2 Geoprobe Boring Location (September 1999)
 - ⊕ = Interpolated Groundwater Flow Direction

(591.80) = Groundwater Elevation on 8/31/2000

- Notes: 1,1,1-TCA = 1,1,1-Trichloroethane
- OH - Overhead Electric
 - PP - Power Pole
 - SS - Sanitary Sewer
 - E - Underground Electric
 - W - Water
 - T - Underground Telephone
 - G - Natural Gas
 - ⊕ - Fire Hydrant




Table 2 A
 Groundwater Sampling Results
 (Samples Collected from Temporary Wells)
 Integrated Design Corp., Village of Howard, Wisconsin

Parameters	NR140 Standards		GP-1	GP-2	GP-3	GP-4	GP-5	GP-6	GP-7	GP-8		GP-9	GP-10	GP-11	GP-12	GP-13	GP-14	GP-15	GP-16	GP-17		GP-18	GP-19	
	ES	PAL	9/10/99	9/10/99	9/10/99	9/10/99	9/10/99	9/29/99	9/29/99	9/29/99	Dup.	9/29/99	9/29/99	9/29/99	9/29/99	9/29/99	9/29/99	9/29/99	9/29/99	9/29/99	9/30/99	Dup.	9/30/99	9/30/99
VOCs, µg/l																								
1,1,1-Trichloroethane	200	40	376	9.8	19	788	170	11	18	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
1,1-Dichloroethane	850	85	53	4.2	21	236	36	4.7	12	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	125	50
1,1-Dichloroethene	7	0.7	33	<0.11	2.9	188	47	1.7	1.5	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.15	409	65
1,2-Dichloroethane	5	0.5	20	<0.35	<0.35	75	1.3	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35
1,3-Dichloropropane	--	--	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Benzene	5	0.5	0.65	0.28 ¹⁰	0.29 ¹⁰	0.29 ¹⁰	0.31 ¹⁰	0.33 ¹⁰	0.5 ¹⁰	0.4 ¹⁰	0.4 ¹⁰	0.36 ¹⁰	0.34 ¹⁰	0.26 ¹⁰	0.27 ¹⁰	0.41 ¹⁰	0.28 ¹⁰	<0.19	0.22 ¹⁰	<0.19	0.24 ¹⁰	<0.19	0.24 ¹⁰	<0.19
Chloroethane	400	80	<0.5	<0.5	<0.5	16	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Chloroform	6	0.6	<0.18	<0.18	<0.18	0.27 ¹⁰	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Chloromethane	3	0.3	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21
Dichlorodifluoromethane	1000	200	<0.27	<0.27	24	28	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
Ethylbenzene	700	140	0.38 ¹⁰	0.38 ¹⁰	0.37 ¹⁰	0.3 ¹⁰	0.37 ¹⁰	0.37 ¹⁰	0.33 ¹⁰	0.44 ¹⁰	0.48 ¹⁰	0.32 ¹⁰	0.27 ¹⁰	<0.19	0.24 ¹⁰	0.36 ¹⁰	0.31 ¹⁰	<0.19	0.27 ¹⁰	<0.19	0.28 ¹⁰	<0.19	0.28 ¹⁰	<0.19
Naphthalene	40	8	<0.082	0.26 ¹⁰	0.27 ¹⁰	0.25 ¹⁰	0.34	<0.082	0.9	1.2	0.85	0.57	<0.082	0.5	0.23 ¹⁰	0.39	0.67	0.23 ¹⁰	<0.082	0.75	2.0	<2.1	0.15 ¹⁰	11
n-Butylbenzene	--	--	<0.040	<0.040	0.046 ¹⁰	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040
p-Isopropyltoluene	--	--	<0.12	<0.12	<0.12	<0.12	<0.12	0.15 ¹⁰	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12
Toluene	343	68.6	0.92	1.1	1.1	0.92	1.3	0.96	1.4	1.4	1.5	1.2	0.95	0.85	0.9	1.1	0.94	0.38	0.62	0.77	1.1	<2.8	0.52	<0.12
Trichloroethene	5	0.5	<0.21	<0.21	<0.21	0.37 ¹⁰	<0.21	0.34 ¹⁰	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21
1,2,4-Trimethylbenzene	480 ¹²	96 ¹²	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46
1,3,5-Trimethylbenzene	480 ¹²	96 ¹²	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35
Total Xylenes	620	124	0.41 ¹⁰	0.75 ¹⁰	0.90 ¹⁰	0.79 ¹⁰	1.09 ¹⁰	0.79 ¹⁰	0.92 ¹⁰	1.29 ¹⁰	1.22 ¹⁰	0.81 ¹⁰	0.42 ¹⁰	0.4 ¹⁰	<0.57	0.86 ¹⁰	0.4 ¹⁰	<0.57	<0.57	0.73 ¹⁰	1.65 ¹⁰	<14.3	<0.57	<0.57
DRO, µg/l	--	--	2,480	---	620	460	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Depth to Clay	--	--	NE	8	10	10	10	12	7.8	8	8	7	10	7.8	NE	NE	NE	NE	11	10	10	NE	11.5	---

- Notes:
- VOCs - Volatile Organic Compounds, analyzed by EPA Method 8260
 - DRO - Diesel Range Organics, analyzed by the Wisconsin Modified Method
 - µg/l - micrograms per liter
 - ES - NR140, WAC Enforcement Standard exceedance
 - PAL - NR140, WAC Preventive Action Limit exceedance
 - Bolded data indicates parameter detected above the lab detection limit
 - No NR 140 standard established at time report was published
 - Samples collected by McLaren/Hart Milwaukee, and analyzed by REL Analytical Laboratory in Green Bay, WI
 - Not sampled
 - The reported result is less than the practical quantitation limit (PQL)
 - Dup - Duplicate sample
 - NR140 ES and PAL is for the combined concentration of 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene
 - Depth to clay is in feet below the ground surface
 - NE - Not encountered

Table 2 *B*
 Groundwater Monitoring Well and Piezometer Sampling Results
 Integrated Design Corp., Village of Howard, Wisconsin

Parameters	NR140 Standards		MW-1					MW-2			MW-3			MW-4			PZ-1	
	ES	PAL	1/19/00	1/19/00 Dup.	4/13/00	4/13/00 Dup.	8/31/00	1/19/00	4/13/00	8/31/00	1/19/00	4/13/00	8/31/00	1/19/00	4/13/00	8/31/00	9/22/00	Dup.
VOCs, µg/l																		
1,1,1-Trichloroethane	200	40	233	256	140	134	100	<0.3	<0.13	<0.25	<0.3	<0.13	<0.25	<0.3	<0.13	<0.25	<0.25	<0.25
1,1-Dichloroethane	850	85	39	44	37	36	27	<0.15	<0.098	<0.25	<0.15	<0.098	<0.25	<0.15	<0.098	<0.25	<0.25	<0.25
1,1-Dichloroethene	7	0.7	9.9	12	13	13	11	<0.11	<0.18	<0.25	<0.11	<0.18	<0.25	<0.11	<0.18	<0.25	<0.25	<0.25
1,2-Dichloroethane	5	0.5	<0.35	<0.35	6.4	6.4	<0.25	<0.35	<0.35	<0.25	<0.35	<0.35	<0.25	<0.35	<0.35	<0.25	<0.25	<0.25
cis-1,2-Dichloroethene	7	0.7	<0.19	0.28⁷	<0.19	<0.19	<0.25	<0.19	<0.19	<0.25	<0.19	<0.19	<0.25	<0.19	<0.19	<0.25	<0.25	<0.25
trans-1,2-Dichloroethene	100	20	0.73	1.6	<0.17	<0.17	<0.25	<0.21	<0.17	<0.25	<0.21	<0.17	<0.25	<0.21	<0.17	<0.25	<0.25	<0.25
Benzene	5	0.5	0.32⁷	0.39⁷	<0.19	<0.19	<0.10	<0.19	<0.19	<0.10	<0.19	<0.19	<0.10	<0.19	<0.19	<0.10	<0.25	<0.25
Carbon Tetrachloride	5	0.5	<0.23	0.3⁷	<0.23	<0.23	<0.25	<0.23	<0.23	<0.25	<0.23	<0.23	<0.25	<0.23	<0.23	<0.25	<0.25	<0.25
Chloroethane	400	80	<0.5	<0.5	0.32⁷	1.7	1.4	<0.5	<0.28	<0.25	<0.5	<0.28	<0.25	<0.5	<0.28	<0.25	<0.25	<0.25
Dichlorodifluoromethane	1000	200	<0.27	<0.27	1.3	1.4	<0.25	<0.27	<0.21	<0.25	<0.27	<0.21	<0.25	<0.27	<0.21	<0.25	<0.25	<0.25
Naphthalene	40	8	0.3	0.39	<0.082	<0.082	<0.25	0.44	<0.082	<0.25	0.89	<0.082	<0.25	0.62	<0.082	<0.25	<0.25	<0.25
Methylene Chloride	5	0.5	<0.12	<0.12	<0.25	<0.25	0.45 L	<0.12	<0.25	0.31 L	<0.12	<0.25	<0.25	<0.12	<0.25	2.5 L	0.90 L	0.81 L
n-Propylbenzene	--	--	<0.36	0.4⁷	<0.12	<0.012	<0.25	<0.36	<0.12	<0.25	0.53⁷	<0.12	<0.25	0.36⁷	<0.12	<0.25	<0.25	<0.25
Toluene	343	68.6	0.26⁷	0.34⁷	<0.11	<0.11	<0.10	0.13⁷	<0.11	<0.10	0.16⁷	<0.11	<0.10	<0.11	<0.11	<0.10	0.19 F	0.14 F
1,2,4-Trimethylbenzene	480⁹	96⁹	3.0	4.0	<0.12	<0.12	<0.10	2.0	<0.12	<0.10	6.3	<0.12	<0.10	4.1	<0.12	<0.10	<0.10	<0.10
1,3,5-Trimethylbenzene	480⁹	96⁹	1.2	1.4	<0.11	<0.11	<0.10	0.6⁷	<0.11	<0.10	2.1	<0.11	<0.10	1.4	<0.11	<0.10	<0.10	<0.10
Total Xylenes	620	124	0.78⁷	0.88⁷	<0.3	<0.3	<0.25	<0.39	<0.3	<0.25	1.1⁷	<0.3	<0.25	<0.39	<0.3	<0.25	<0.25	<0.25
PAHs, µg/l																		
1-Methylnaphthalene	--	--	0.62	0.48	<0.25	---	---	0.60	<0.25	---	1.1	<0.25	---	0.76	<0.25	---	---	---
2-Methylnaphthalene	--	--	0.45	0.47	<0.22	---	---	0.80	<0.22	---	1.3	<0.22	---	0.75	<0.22	---	---	---
Naphthalene	40	8	0.37	0.51	<0.17	---	---	0.57	<0.17	---	0.87	<0.17	---	0.69	<0.17	---	---	---
Chrysene	0.2	0.02	<0.068	<0.068	<0.18	---	---	0.07⁷	<0.18	---	<0.18	<0.18	---	0.29	<0.18	---	---	---
Fluoranthene	400	80	<0.075	<0.075	<0.2	---	---	<0.076	<0.2	---	<0.2	<0.2	---	0.45	<0.2	---	---	---
Phenanthrene	--	--	<0.052	<0.052	<0.14	---	---	<0.052	<0.14	---	<0.14	<0.14	---	0.92	<0.14	---	---	---
Pyrene	250	50	<0.037	<0.037	<0.097	---	---	<0.037	<0.097	---	<0.097	<0.097	---	0.50	<0.097	---	---	---

Notes:

- VOCs - Volatile Organic Compounds, analyzed by EPA Method 8260; only the VOCs detected in these monitoring wells are listed on this table.
- PAHs - Polycyclic Aromatic Hydrocarbons, analyzed by EPA Method 8310; only the PAHs detected in these monitoring wells are listed on this table.
- ES - NR140, WAC Enforcement Standard exceedance
- PAL - NR140, WAC Preventive Action Limit exceedance
- Bolded data indicates parameter detected above the lab detection limit
- No NR 140 standard established at time report was published
- The reported result is less than the practical quantitation limit (PQL)
- All samples listed were collected by McLaren/Hart Milwaukee; analyses for 1/19/00 and 4/13/00 were performed by REL; 8/31/00 and 9/22/00 analyses were performed by Test America
- NR140 ES and PAL is for the combined concentration of 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene
- F - toluene was also detected in the field blank at a concentration of 0.39 µg/l.
- L - the reported methylene chloride result in these samples was flagged as likely being laboratory contaminants.

Table 1
Groundwater Elevations
Integrated Design Corp., Village of Howard, Wisconsin

Well No.	Ground Surface ⁽²⁾	Top of PVC ⁽²⁾	Date: 1/19/00		Date: 4/13/00		Date: 8/31/00	
			Depth to Water ⁽¹⁾	Water Table Elevation ⁽²⁾	Depth to Water ⁽¹⁾	Water Table Elevation ⁽²⁾	Depth to Water ⁽¹⁾	Water Table Elevation ⁽²⁾
MW-1	597.03	596.75	7.94	588.81	4.18	592.57	4.38	592.37
MW-2	596.37	596.09	8.24	587.85	3.64	592.45	4.45	591.64
MW-3	595.68	595.28	7.91	587.37	3.80	591.48	4.20	591.08
MW-4	596.33	596.03	8.68	587.35	3.69	592.34	4.23	591.80

Notes:

⁽¹⁾ Measured in feet below top of PVC.

⁽²⁾ Measured in feet, referenced to site benchmark

(Benchmark = northwest side of hydrant lip; hydrant located at northeast corner of the property; benchmark elevation = 595.00 Mean