

GIS REGISTRY INFORMATION

SITE NAME:	Super Stop Quik Mart								
BRRTS #:	03-05-001245			FID #	(if appropriate):				
COMMERCE # (if appropriate):	54304-5323-71								
CLOSURE DATE:	2/21/06								
STREET ADDRESS:	871 Hansen Rd								
CITY:	Green Bay								
SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):	X =	673155		Y =	446449				
CONTAMINATED MEDIA:	Groundwater	<input type="checkbox"/>	Soil	<input type="checkbox"/>	Both	<input checked="" type="checkbox"/>			
OFF-SOURCE GW CONTAMINATION >ES:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>					
• IF YES, STREET ADDRESS:	2815 S. Oneida Street								
• GPS COORDINATES (meters in WTM91 projection):	X =	673146		Y =	446430				
OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>					
• IF YES, STREET ADDRESS 1:	2815 S. Oneida Street								
• GPS COORDINATES (meters in WTM91 projection):	X =	673146		Y =	446430				
CONTAMINATION IN RIGHT OF WAY:	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>					
<u>DOCUMENTS NEEDED</u>									
Closure Letter, and any conditional closure letter issued									x
Copy of most recent deed, including legal description, for all affected properties									x
Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties									x
County Parcel ID number, if used for county, for all affected properties									x
Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.									x
Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.									x
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)									x
Tables of Latest Soil Analytical Results (no shading or cross-hatching)									x
Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.									x
GW: Table of water level elevations, with sampling dates, and free product noted if present									x
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)									x
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour									x
Geologic cross-sections, if required for SI. (8.5x14' if paper copy)									na
RP certified statement that legal descriptions are complete and accurate.									x
Copies of off-source notification letters (if applicable) The RP is the owner of the off-site property.									na
Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)									na
Copy of (soil or land use) deed restriction (s) or deed notice if any required as a condition of closure									na



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
2129 Jackson Street
Oshkosh, Wisconsin 54901-1805
TDD #: (608) 264-8777
Fax #: (920) 424-0217
Jim Doyle, Governor
Mary P. Burke, Secretary

February 21, 2006

Mr. Wayne Franzen
Super Stop Quik Mart
PO Box 12468
Green Bay, WI 54307-2468

RE: Final Closure

Commerce # 54304-5323-71 **WDNR BRRTS # 03-05-001245**
Super Stop Quik Mart, 871 Hansen Road, Green Bay

Dear Mr. Franzen:

The Wisconsin Department of Commerce (Commerce) has received the items required as the condition for closure of the site referenced above. This case is now listed as "closed" on the Commerce database and will be included on the Wisconsin Department of Natural Resources (WDNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual soil and groundwater contamination. It is in your best interest to keep all documentation related to the environmental activities that were conducted.

If residual contamination is encountered in the future, it must be managed in accordance with all applicable state and federal regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (920) 424-0046.

Sincerely,

A handwritten signature in black ink, appearing to read "Robert H. Klauk". The signature is written in a cursive style with a long, sweeping underline.

Robert H. Klauk
Hydrogeologist
Site Review Section

cc: Mark O. Love - Shaw Environmental, Inc.
Case File



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
2129 Jackson Street
Oshkosh, Wisconsin 54901-1805
TDD #: (608) 264-8777
Fax #: (920) 424-0217
Jim Doyle, Governor
Mary P. Burke, Secretary

September 15, 2005

Mr. Wayne Franzen
Super Stop Quik Mart
PO Box 12468
Green Bay, WI 54307-2468

RE: **Conditional Case Closure**

Commerce # 54304-5323-71 WDNR BRRTS # 03-05-001245
Super Stop Quik Mart, 871 Hansen Road, Green Bay

Dear Mr. Franzen:

The Wisconsin Department of Commerce (Commerce) has reviewed the request for case closure, prepared by Shaw Environmental & Infrastructure, Inc., for the site referenced above. It is understood that residual soil and groundwater contamination remain on-site. Commerce has determined that this site does not pose a significant threat to the environment and human health. No further investigation or remedial action is necessary.

The following condition must be satisfied to obtain final closure:

- Documentation of the abandonment (WDNR Abandonment Form 3300-5B) of groundwater monitoring wells MW-1 through MW-7.

This letter serves as your written notice of "no further action." Timely filing of your final PECFA claim is encouraged. If your claim is not received within 120 days of the date of this letter, interest costs incurred after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (920) 424-0046.

Sincerely,

A handwritten signature in black ink, appearing to read "Robert H. Klauk". The signature is fluid and cursive, with a long horizontal stroke extending to the right.

Robert H. Klauk
Hydrogeologist
Site Review Section

cc: Mark O. Love - Shaw Environmental & Infrastructure, Inc.
Case File

1788510

STATE BAR OF WISCONSIN FORM 3 - 1999

QUIT CLAIM DEED

Document Number

BROWN COUNTY REGISTER OF DEEDS CATHY WILLIQUETTE

2001 JAN -4 A 9 02

This Deed, made between Wayne W. Franzen and Sandra M. Franzen, husband and wife

Grantor, and Franzen Family Limited Partnership, a Wisconsin limited partnership

Grantee.

Grantor quit claims to Grantee the following described real estate in Brown County, State of Wisconsin: (if more space is needed, please attach addendum): See Addendum A attached hereto and incorporated herein by reference.

FEE 77.25 (15m) EXEMPT

Recording Area

120

Name and Return Address

Mark A. Bartels Stelloflug, Janssen, Nell, Hammer, Kirschling & Bartels, S.C. P.O. Box 5637 De Pere, WI 54115

VA-178-8-1

Parcel Identification Number (PIN)

This is not homestead property. (is) (is not)

Together with all appurtenant rights, title and interests.

Dated this 7th day of December, 2000.

Wayne W. Franzen
* Wayne W. Franzen

Sandra M. Franzen
* Sandra M. Franzen

AUTHENTICATION

Signature(s) _____

authenticated this _____ day of _____, _____

ACKNOWLEDGMENT

STATE OF WISCONSIN)
) ss.

BROWN County.)
Personally came before me this 7th day of December, 2000 the above named

Wayne W. Franzen and Sandra M. Franzen, husband and wife

to me known to be the person _____ who executed the foregoing instrument and acknowledged the same.

Christine M. Pautake
* Christine M. Pautake
Notary Public, State of Wisconsin
My Commission is permanent. (If not, state expiration date: 9/7/03)

TITLE: MEMBER STATE BAR OF WISCONSIN (If not, _____ authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Attorney Mark A. Bartels

(Signatures may be authenticated or acknowledged. Both are not necessary.)

*Names of persons signing in any capacity must be typed or printed below their signature.

QUIT CLAIM DEED

STATE BAR OF WISCONSIN FORM No. 3-1999

Produced with ZipForm™ by RE FormsNet, LLC 18025 Fifteen Mile Road, Clinton Township Michigan 48038, (800) 383-9805

Stelloflug, Janssen, Nell & Hammer 315 Reid St., de Pere WI 54115-2130

Phone: (920) 336-5766

Fax: (920) 336-5769

03055199.UFD

Lot 1 of 42 csm 292

1788510

ADDENDUM A

Lot 3, Volume 29 Certified Survey Maps, Page 168, Map No. 4563, said map being part of Lots 3 and 4, George Langton's Subdivision, in the Village of Ashwaubenon, Brown County, Wisconsin;

AND

Part of Lot Two (2) Volume 13 Certified Survey Maps, Page 259, Map No. 2736, Brown County Records, said map being part of George Langton's Subdivision of the North 7/9 of Private Claim 25, West Side of Fox River, Village of Ashwaubenon, Brown County, Wisconsin, described by: Commencing at the northwesterly corner of the said Lot 2; thence South 63 degrees 48 minutes 08 seconds East along the northeasterly line of the said Lot 2 a distance of 125.74 feet to the point of beginning; thence continuing along the said northeasterly line South 63 degrees 48 minutes 08 seconds East 81.00 feet; thence South 26 degrees 11 minutes 52 seconds West 0.90 feet; thence North 63 degrees 48 minutes 08 seconds West 81.00 feet; thence North 26 degrees 11 minutes 52 seconds East 0.90 feet to the point of beginning. Subject to easements and restrictions of record.

CERTIFIED SURVEY MAP

I, Larry D. Blatchford, Registered Land Surveyor, do hereby certify that I have surveyed, divided and mapped part of Lot 2, Volume 13, Certified Survey Maps, page 259 and part of Lot 3, Volume 29, Certified Survey Maps, page 168, both Brown County Records, being part of George Langton's Subdivision of the North 7/8 of Private Claim 25, West Side of the Fox River, Village of Ashwaubenon, Brown County, Wisconsin, more fully described on sheet 2:



That such plat is a correct representation of all the exterior boundaries of the land survey and the division thereof. That I have made such a survey, land division and plat by the direction of the owners listed hereon. That I have fully complied with the provisions of Chapter 236, section 236.34 of the Wisconsin Statutes, the Village of Ashwaubenon, and the Brown County Planning Commission in surveying, dividing and mapping the same.

Larry D. Blatchford
 April 17, 2001
 Revised: May 18, 2001
 Revised: June 5, 2001



LEGEND

- 1"X24" Iron pipe weighing 1.13 lbs/lin ft set
- 1" Iron pipe found
- ⊕ Brown County Monument
- P.K. NAIL SET



ONEIDA STREET
 C.T.H. "AAA"
 50'

MAU & ASSOCIATES
 LAND SURVEYING * CIVIL ENGINEERING

CLIENT: WAYNE FRANZEN
 DATE DRAFTED: SEPTEMBER 18, 2000
 AUTOCAD DRAWING NO.: F-13183B
 DRAFTED BY: BAR

SCALE: 1"=50'

Sheet One of Three
 Project No.: F-13183
 Drawing No.: L-5365

I, Larry D. Blatchford, Registered Land Surveyor, do hereby certify that I have surveyed, divided and mapped part of Lot 2, Volume 13, Certified Survey Maps, page 259 and part of Lot 3, Volume 29, Certified Survey Maps, page 168, both Brown County Records, being part of George Langton's Subdivision of the North 1/2 of Private Claim 25, West Side of the Fox River, Village of Ashwaubenon, Brown County, Wisconsin, more fully described as follows:

Beginning at the Northeast corner of Lot 3, Volume 29, Certified Survey Maps, page 168, Brown County Records; thence S26°11'52"W, 254.34 feet along the East line of said Lot 3; thence N63°48'08"W, 256.06 feet along the South line and extension of said Lot 3; thence 157.55 feet along the Easterly right of way of C.T.H. "AAA", also known as Oneida Street being the arc of a 713.94 foot radius curve to the right whose long chord bears N07°23'28"E, 157.23 feet; thence 100.08 feet along said right of way being the arc of a 713.94 foot radius curve to the right whose long chord bears N17°14'19"E, 100.00 feet; thence S42°07'56"E, 34.53 feet along the North line of said Lot 3, 29—CSM—168; thence S63°40'37"E, 70.63 feet along said North line; thence S26°19'23"W, 10.00 feet; thence S63°40'37"E, 78.11 feet; thence N26°19'23"E 30.12 feet to the North Line of said Lot 3; thence S63°40'37"E, 141.44 feet along said North line to the point of beginning.

Parcel contains 71,591 sq. ft. / 1.64 acres, more or less.
Parcel subject to easements and restrictions of record.


That such plat is a correct representation of all the exterior boundaries of the land survey and the division thereof. That I have made such a survey, land division and plat by the direction of the owners listed hereon. That I have fully complied with the provisions of Chapter 236, section 236.34 of the Wisconsin Statutes, the Village of Ashwaubenon, and the Brown County Planning Commission in surveying, dividing and mapping the same.


Larry D. Blatchford S-1541
April 17, 2001
Revised: May 18, 2001
Revised: June 5, 2001



BROWN COUNTY PLANNING COMMISSION

Approved for the Brown County Plan Commission this 10th day of July, 2001.



Martin Olejniczak
Senior Planner



CERTIFICATE FOR THE VILLAGE OF ASHWAUBENON

Approved for the Village of Ashwaubenon this 6th day of June, 2001.


Charlotte Nelson
Village Clerk



CURVE DATA

<p>Curve: 1-3 Arc Length: 157.55' Radius: 713.94' Chord Length: 157.23' Chord Bearing: S07°23'28"W Central Angle: 12°38'37" Tangent Bearings: S01°04'09.5"W N13°42'46.5"E</p>	<p>Curve: 1-2 Arc Length: 100.08' Radius: 713.94' Chord Length: 100.00' Chord Bearing: N05°05'07"E Central Angle: 08°01'55"</p>	<p>Curve: 2-3 Arc Length: 57.47' Radius: 713.94' Chord Length: 57.45' Chord Bearing: N11°24'25.5"E Central Angle: 04°36'42"</p>	<p>Curve: 3-4 Arc Length: 100.08' Radius: 713.94' Chord Length: 100.00' Chord Bearing: N17°14'19"E Central Angle: 08°01'54" Tangent Bearings: S13°13'22"W N21°15'16"E</p>
---	---	---	---

Sheet Two of Three
Project No.: F-13183
Drawing No.: L-5365

1788508

STATE BAR OF WISCONSIN FORM 3 - 1999

QUIT CLAIM DEED

Document Number

This Deed, made between Wayne W. Franzen and Sandra M. Franzen, husband and wife

Grantor, and Franzen Family Limited Partnership, a Wisconsin limited partnership

Grantee.

Grantor quit claims to Grantee the following described real estate in Brown County, State of Wisconsin: (if more space is needed, please attach addendum):

See Addendum A attached hereto and incorporated herein by reference.

BROWN COUNTY REGISTER OF DEEDS CATHY WILLIQUETTE

2001 JAN -4 A 9 01

Recording Area

120

Name and Return Address

Mark A. Bartels
Stellflug, Janssen, Nell, Hammer,
Kirschling & Bartels, S.C.
P.O. Box 5637
De Pere, WI 54115

FEE
77.25 (15m)
EXEMPT

VA-178-23

Together with all appurtenant rights, title and interests.

Parcel Identification Number (PIN)

This is not homestead property.
(is) (is not)

Dated this 7th day of December, 2000.

Wayne W. Franzen
* Wayne W. Franzen

Sandra M. Franzen
* Sandra M. Franzen

AUTHENTICATION

Signature(s) _____

authenticated this _____ day of _____,

ACKNOWLEDGMENT

STATE OF WISCONSIN)
) ss.
BROWN County.)
Personally came before me this 7th day of
December, 2000 the above named
Wayne W. Franzen and Sandra M. Franzen, husband and wife

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, _____
authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Attorney Mark A. Bartels

(Signatures may be authenticated or acknowledged. Both are not necessary.)

to me known to be the person s who executed the foregoing instrument and acknowledged the same.

Christine M. Pawlak
* Christine M. Pawlak
Notary Public, State of Wisconsin
My Commission is permanent. (If not, state expiration date:
9/7/03)

*Names of persons signing in any capacity must be typed or printed below their signature.

LOT 2 of 42 Csm 292

1788508

ADDENDUM A

Part of Lot 2, Volume 13 Certified Survey Maps, Page 259, Map No. 2736, said map being part of Lot 4, George Langton's Subdivision of the North 7/9 of Private Claim 25, West side of Fox River, Village of Ashwaubenon, Brown County, Wisconsin, described as: Beginning at the northwest corner of said Lot 2, said corner being on the easterly right-of-way of County Trunk Highway "AAA", also known as Oneida Street; thence South $63^{\circ}48'08''$ East, 206.74 feet along the north line of said Lot 2; thence South $26^{\circ}11'52''$ West 148.83 feet to the north line of Lot 1, Volume 20 Certified Survey Maps, Page 19, Map No. 3556; thence North $63^{\circ}48'08''$ West 156.06 feet along said north line to the easterly right-of-way of County Trunk Highway "AAA"; thence 157.55 feet along said right-of-way being the arc of a 713.94 foot radius curve to the right whose long chord bears North $07^{\circ}23'28''$ East 157.23 feet to the point of beginning, EXCEPTING THEREFROM that part thereof described in Jacket 17733 Records, Image 33.


1826358

6401

CERTIFIED SURVEY MAP

I, Larry D. Blatchford, Registered Land Surveyor, do hereby certify that I have surveyed, divided and mapped part of Lot 2, Volume 13, Certified Survey Maps, page 259 and all of Lot 3, Volume 29, Certified Survey Maps, page 168, both Brown County Records, being part of George Langton's Subdivision of the North 7/8 of Private Claim 25, West Side of the Fox River, Village of Ashwaubenon, Brown County, Wisconsin, more fully described on sheet 2:

That such plat is a correct representation of all the exterior boundaries of the land survey and the division thereof. That I have made such a survey, land division and plat by the direction of the owners listed hereon. That I have fully complied with the provisions of Chapter 236, section 236.34 of the Wisconsin Statutes, the Village of Ashwaubenon, and the Brown County Planning Commission in surveying, dividing and mapping the same.



Larry D. Blatchford
 April 17, 2001
 Revised: May 18, 2001
 Revised: June 5, 2001



- LEGEND**
- 1"X24" iron pipe weighing 1.13 lbs/lin ft set
 - 1" iron pipe found
 - ⊕ Brown County Monument
 - ⊙ P.K. NAIL SET

MAU & ASSOCIATES
 LAND SURVEYING * CIVIL ENGINEERING

CLIENT: WAYNE FRANZEN
 DATE DRAFTED: SEPTEMBER 18, 2000
 AUTOCAD DRAWING NO.: F-13183B
 DRAFTED BY: BAR

SCALE: 1"=50'

Sheet One of Three
 Project No.: F-13183
 Drawing No.: L-5365


I, Larry D. Blatchford, Registered Land Surveyor, do hereby certify that I have surveyed, divided and mapped part of Lot 2, Volume 13, Certified Survey Maps, page 259 and part of Lot 3, Volume 29, Certified Survey Maps, page 168, both Brown County Records, being part of George Langton's Subdivision of the North 1/4 of Private Claim 25, West Side of the Fox River, Village of Ashwaubenon, Brown County, Wisconsin, more fully described as follows:

Beginning at the Northeast corner of Lot 3, Volume 29, Certified Survey Maps, page 168, Brown County Records; thence S26°11'52"W, 254.34 feet along the East line of said Lot 3; thence N63°48'08"W, 258.06 feet along the South line and extension of said Lot 3; thence 157.55 feet along the Easterly right of way of C.T.H. "AAA", also known as Oneida Street being the arc of a 713.94 foot radius curve to the right whose long chord bears N07°23'28"E, 157.23 feet; thence 100.08 feet along said right of way being the arc of a 713.94 foot radius curve to the right whose long chord bears N17°14'19"E, 100.00 feet; thence S42°07'56"E, 34.53 feet along the North line of said Lot 3, 29-CSM-168; thence S63°40'37"E, 70.63 feet along said North line; thence S26°19'23"W, 10.00 feet; thence S63°40'37"E, 78.11 feet; thence N26°19'23"E 30.12 feet to the North Line of said Lot 3; thence S63°40'37"E, 141.44 feet along said North line to the point of beginning.

Parcel contains 71,591 sq. ft. / 1.64 acres, more or less.
Parcel subject to easements and restrictions of record.


That such plat is a correct representation of all the exterior boundaries of the land survey and the division thereof. That I have made such a survey, land division and plat by the direction of the owners listed hereon. That I have fully complied with the provisions of Chapter 236, section 236.34 of the Wisconsin Statutes, the Village of Ashwaubenon, and the Brown County Planning Commission in surveying, dividing and mapping the same.


Larry D. Blatchford S-1541
April 17, 2001
Revised: May 18, 2001
Revised: June 5, 2001



BROWN COUNTY PLANNING COMMISSION

Approved for the Brown County Plan Commission this 10th day of July, 2001.



Martin Olejniczak
Senior Planner



CERTIFICATE FOR THE VILLAGE OF ASHWAUBENON

Approved for the Village of Ashwaubenon this 15th day of June, 2001.


Charlotte Nelson
Village Clerk



CURVE DATA

Curve 1-3
Arc Length: 157.55'
Radius: 713.94'
Chord Length: 157.23'
Chord Bearing: S07°23'28"W
Central Angle: 12°38'37"
Tangent Bearings:
S01°04'09.5"W
N13°42'46.5"E

Curve 1-2
Arc Length: 100.08'
Radius: 713.94'
Chord Length: 100.00'
Chord Bearing: N05°05'07"E
Central Angle: 08°01'55"

Curve 2-3
Arc Length: 57.47'
Radius: 713.94'
Chord Length: 57.45'
Chord Bearing: N11°24'25.5"E
Central Angle: 04°36'42"

Curve 3-4
Arc Length: 100.08'
Radius: 713.94'
Chord Length: 100.00'
Chord Bearing: N17°14'19"E
Central Angle: 08°01'54"
Tangent Bearings:
S13°13'22"W
N21°15'16"E

Sheet Two of Three
Project No.: F-13183
Drawing No.: L-5365

1826358

OWNER'S CERTIFICATE

Franzen Family LTD Partnership
As Owners, We hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided, mapped and dedicated as represented hereon. We also certify that this Certified Survey Map is required to be submitted to the Village of Ashwaubenon and the Brown County Planning Commission for approval or objection in accordance with the current Land Subdivision Ordinances.

Wayne W. Franzen
Wayne W. Franzen
Franzen Family LTD Partnership

Sandra M. Franzen
Sandra M. Franzen
Franzen Family LTD Partnership

Personally came before me this 23 day of Nov, 2001, the above named owners, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Debra M. Augustus

Notary Public
Brown County, Wisconsin

My Commission Expires 9-30-01

STATE OF WISCONSIN

COUNTY OF BROWN




RESTRICTIVE COVENANTS

- 1) The land on all side and rear lot lines of all lots shall be graded by the property owner and maintained by the abutting property owners to provide for adequate drainage of surface water.
- 2) Each lot owner shall grade the property to conform to the adopted sidewalk grade elevation and maintain said elevation for future sidewalks.
- 3) No poles, pedestals or buried cable are to be placed so as to disturb any survey stake or obstruct vision along any lot lines or street line, a disturbance of a survey stake by anyone is a violation of section 236.32 of the Wisconsin Statutes.

REGISTER'S OFFICE
Brown Co. Wis.
Received for record the
day of July AD. 2001
at 12:49 o'clock P. M.
and recorded in Vol. 43 of
Certified Survey Maps on Page 292
Carl Lindquist
Register of Deeds

1400

Sheet Three of Three
Project No.: F-13183
Drawing No.: L-5365



		790 MARVELLE LANE GREEN BAY, WISCONSIN 54304 (920) 497-8910	
		Shaw Environmental & Infrastructure, Inc.	
REV. NO.:	DRAWING DATE:	ACAD FILE:	
	5/9/2005	980256.site plan	
SITE PLAN VIEW MAP			
CLIENT:		PM:	
SUPER STOP QUIK MART			
LOCATION:		PE/RG:	
GREEN BAY, WISCONSIN			
DESIGNED:	DETAILED:	PROJECT NO.:	FIGURE:
MOL	MOL	980256/680084	1

TABLE 1
Groundwater Sample Laboratory Analytical Results
Super Stop Quik Mart
Green Bay, Wisconsin

Well	Sample Date	Benzene	Ethyl-benzene	MTBE	Toluene	1,2,4-TMB	1,3,5-TMB	Total Xylenes
MW-1	9/17/1998	0.14	<0.22	<0.16	0.22	<0.22	<0.29	<0.23
	11/10/1998	<0.10	<0.25	<0.25	<0.10	<0.10	<0.10	<0.25
	2/22/1999	<0.13	<0.22	<0.16	<0.20	<0.22	<0.29	<0.23
	6/1/1999	<0.26	<0.24	<0.22	<0.21	<0.86	<0.54	<1.34
	9/7/1999	NA	NA	NA	NA	NA	NA	NA
	3/7/2000	NA	NA	NA	NA	NA	NA	NA
	5/8/2001	NA	NA	NA	NA	NA	NA	NA
	11/27/2001	NA	NA	NA	NA	NA	NA	NA
	5/11/2004	NA	NA	NA	NA	NA	NA	NA
	2/2/2005	<0.14	<0.40	<0.36	<0.36	<0.39	<0.40	<1.1
MW-2	9/17/1998	<0.13	<0.22	<0.16	0.25	<0.22	<0.29	0.23
	11/10/1998	<0.31	<0.26	<0.66	2.9	<0.27	<0.18	<1.0
	2/22/1999	<0.13	<0.22	<0.16	6.5	<0.22	<0.29	<0.23
	6/1/1999	<0.26	<0.24	<0.22	3.1	<0.86	<0.54	<1.34
	9/7/1999	NA	NA	NA	NA	NA	NA	NA
	3/7/2000	NA	NA	NA	NA	NA	NA	NA
	5/8/2001	NA	NA	NA	NA	NA	NA	NA
	11/27/2001	NA	NA	NA	NA	NA	NA	NA
	5/11/2004	NA	NA	NA	NA	NA	NA	NA
	2/2/2005	<0.14	<0.40	<0.36	<0.36	<0.39	<0.40	<1.1
NR 140 ES		5	343	60	1,000	480*		10,000
NE 140 PAL		0.5	68.6	12	200	96*		1,000

Notes: All results are reported in ppb, unless otherwise noted

(Continued)

Bold indicates value equals or exceeds the NR 140 Enforcement Standards.

Italics indicates value equals or exceeds the NR 140 Preventive Action Limit.

(*): NR 140 Enforcement Standard and NR 140 Preventive Action Limit based on total TMB concentrations.

DRO: Diesel Range Organics

NA: Not Analyzed

GRO: Gasoline Range Organics

NS: No Standard

DCA: Dichloroethane

ES: Enforcement Standard

MTBE: Methyl t-butyl ether

PAL: Preventive Action Limit

TMB: Trimethylbenzene

TABLE 1 (Continued)
Groundwater Sample Laboratory Analytical Results
Super Stop Quik Mart
Green Bay, Wisconsin

Well	Sample Date	Benzene	Ethyl-benzene	MTBE	Toluene	1,2,4-TMB	1,3,5-TMB	Total Xylenes
MW-3	9/17/1998	1,200	15	450	4.1	41	5.6	370
	11/10/1998	2,000	44	280	<24	120	24	1,000
	2/22/1999	1,700	69	290	6.9	130	18	1,000
	6/1/1999	2,100	100	330	13	170	36	1,316
	9/7/1999	1,800	14	290	7.2	170	34	1,216
	3/7/2000	736	<2.5	145	2.99	72.9	8.76	161
	5/8/2001	3.0	<0.22	31	<0.41	0.47	<0.34	0.81
	11/27/2001	NA	NA	NA	NA	NA	NA	NA
	5/11/2004	86	<0.4	65	<0.36	1.9	<0.4	<6.66
	2/2/2005	49	<0.40	45	<0.36	0.64	<0.40	<2.66
MW-4	9/17/1998	130	28	60	1.1	120	0.79	79
	11/10/1998	280	110	170	3.4	200	1.7	96
	2/22/1999	390	160	220	5.6	220	3.6	390
	6/1/1999	260	150	180	2.3	260	6.8	238.4
	9/7/1999	750	79	260	1.5	250	3.9	93.6
	3/7/2000	238	8.73	809	2.54	224	<5.0	27.5
	5/8/2001	3.5	1.6	530	0.54	3.8	<0.34	2.3
	11/27/2001	NA	NA	NA	NA	NA	NA	NA
	5/11/2004	1.1	<0.4	35	<0.36	<0.39	<0.4	<1.1
	2/2/2005	<0.14	<0.40	77	<0.36	<0.39	<0.40	<1.1
NR 140 ES	5	343	60	1,000	480*		10,000	
NE 140 PAL	0.5	68.6	12	200	96*		1,000	

Notes: All results are reported in ppb, unless otherwise noted

Bold indicates value equals or exceeds the NR 140 Enforcement Standards.

Italics indicates value equals or exceeds the NR 140 Preventive Action Limit.

(*): NR 140 Enforcement Standard and NR 140 Preventive Action Limit based on total TMB concentrations.

DRO: Diesel Range Organics

NA: Not Analyzed

GRO: Gasoline Range Organics

NS: No Standard

DCA: Dichloroethane

ES: Enforcement Standard

MTBE: Methyl t-butyl ether

PAL: Preventive Action Limit

TMB: Trimethylbenzene

(Continued)

TABLE 1 (Continued)
Groundwater Sample Laboratory Analytical Results
Super Stop Quik Mart
Green Bay, Wisconsin

Well	Sample Date	Benzene	Ethyl-benzene	MTBE	Toluene	1,2,4-TMB	1,3,5-TMB	Total Xylenes
MW-5	9/17/1998	0.39	<0.22	0.52	<0.20	0.53	<0.29	0.35
	11/10/1998	<0.10	<0.25	<0.25	<0.10	<0.10	<0.10	<0.25
	2/22/1999	<0.13	<0.22	<0.16	<0.20	<0.22	<0.29	<0.23
	6/1/1999	<0.26	<0.24	<0.22	<0.21	<0.86	<0.54	<1.34
	9/7/1999	NA	NA	NA	NA	NA	NA	NA
	3/7/2000	NA	NA	NA	NA	NA	NA	NA
	5/8/2001	NA	NA	NA	NA	NA	NA	NA
	11/27/2001	NA	NA	NA	NA	NA	NA	NA
	5/1/2004	NA	NA	NA	NA	NA	NA	NA
	2/2/2005	<0.14	<0.40	<0.36	<0.36	<0.39	<0.40	<1.1
MW-6	9/17/1998	<0.13	<0.22	1.7	<0.20	<0.22	<0.29	<0.23
	11/10/1998	<0.10	<0.25	20	<0.10	<0.10	<0.10	<0.25
	2/22/1999	<0.13	<0.22	3.8	<0.20	<0.22	<0.29	<0.23
	6/1/1999	<0.26	<0.24	3.4	<0.21	<0.86	<0.54	<1.34
	9/7/1999	NA	NA	NA	NA	NA	NA	NA
	3/7/2000	NA	NA	NA	NA	NA	NA	NA
	5/8/2001	NA	NA	NA	NA	NA	NA	NA
	11/27/2001	NA	NA	NA	NA	NA	NA	NA
	5/11/2004	NA	NA	NA	NA	NA	NA	NA
	2/2/2005	<0.14	<0.40	1.9	<0.36	<0.39	<0.40	<1.1
NR 140 ES	5	343	60	1,000	480*		10,000	
NE 140 PAL	0.5	68.6	12	200	96*		1,000	

Notes: All results are reported in ppb, unless otherwise noted

Bold indicates value equals or exceeds the NR 140 Enforcement Standards.

Italics indicates value equals or exceeds the NR 140 Preventive Action Limit.

(*): NR 140 Enforcement Standard and NR 140 Preventive Action Limit based on total TMB concentrations.

DRO: Diesel Range Organics

NA: Not Analyzed

GRO: Gasoline Range Organics

NS: No Standard

DCA: Dichloroethane

ES: Enforcement Standard

MTBE: Methyl t-butyl ether

PAL: Preventive Action Limit

TMB: Trimethylbenzene

(Continued)

TABLE 1 (Continued)
Groundwater Sample Laboratory Analytical Results
Super Stop Quik Mart
Green Bay, Wisconsin

Well	Sample Date	Benzene	Ethyl-benzene	MTBE	Toluene	1,2,4-TMB	1,3,5-TMB	Total Xylenes
MW-7	9/17/1998	<0.13	<0.22	<0.16	<0.20	<0.22	<0.29	<0.23
	11/10/1998	<0.31	<0.26	<0.66	<0.48	<0.27	<0.18	<1.0
	2/22/1999	<0.13	<0.22	<0.16	<0.20	<0.22	<0.29	<0.23
	6/1/1999	<0.26	<0.24	<0.22	<0.21	<0.86	<0.54	<1.34
	9/7/1999	<0.26	<0.24	<0.22	<0.21	<0.86	<0.54	<1.34
	3/7/2000	<0.5	<0.5	<0.2	<0.5	<1.00	<1.00	<0.5
	5/8/2001	1.6	2.2	<0.46	0.43	2.7	0.91	2.4
	11/27/2001	<0.21	<0.22	<0.46	<0.41	<0.26	<0.34	<0.69
	5/11/2004	NA	NA	NA	NA	NA	NA	NA
	2/2/2005	<0.14	<0.40	<0.36	<0.36	<0.39	<0.40	<1.1
NR 140 ES		5	343	60	1,000	480*		10,000
NE 140 PAL		0.5	68.6	12	200	96*		1,000

Notes: All results are reported in ppb, unless otherwise noted.
Bold indicates value equals or exceeds the NR 140 Enforcement Standards.
Italics indicates value equals or exceeds the NR 140 Preventive Action Limit.

(*): NR 140 Enforcement Standard and NR 140 Preventive Action Limit based on total TMB concentrations.

DRO:	Diesel Range Organics	NA:	Not Analyzed
GRO:	Gasoline Range Organics	NS:	No Standard
DCA:	Dichloroethane	ES:	Enforcement Standard
MTBE:	Methyl t-butyl ether	PAL:	Preventive Action Limit
TMB:	Trimethylbenzene		

Table 1
Soil Analytical Results
April 28, 1994
Super Stop
Ashwaubenon, Wisconsin

Sampling Location	Depth (Feet)	Benzene (ug/kg)	Ethyl-benzene (ug/kg)	Toluene (ug/kg)	Total Xylenes (ug/kg)	GRO (mg/kg)	DRO (mg/kg)	Lead (mg/kg)	Benzo(a) Anthracene (ug/kg)	Benzo(b) Fluoranthene (ug/kg)	Chrysene (ug/kg)	Fluoranthene (ug/kg)	Indeno (1,2,3-cd) Pyrene (ug/kg)
Groundwater Monitoring Well Samples													
SS-MW-05	4-6	<1.3	<1.3	<1.3	<2.6	<3.1	<4.4	7.0	<1.0	<0.8	<1.0	<0.8	<0.8
	12-14	<1.3	<1.3	<1.3	<2.6	<3.3	<4.2	7.5	NA	NA	NA	NA	NA
SS-MW-06	4-6	<1.3	<1.3	<1.3	<2.6	<3.2	<4.7	12	1.4	1.6	1.4	2.6	2.8
	12-14	<1.3	<1.3	<1.3	<2.6	<3.2	<4.4	3.6	NA	NA	NA	NA	NA
SS-MW-07	6-8	<1.3	<1.3	<1.3	<2.6	<3.2	<4.4	22	<1.1	<0.9	<1.1	<1.3	<0.9
	14-16	<1.4	<1.4	<1.4	<2.8	<3.5	<5.1	12	NA	NA	NA	NA	NA
Quality Assurance/Quality Control Samples													
Duplicate Sample SS-MW-06D	4-6	<1.2	<1.2	<1.2	<2.4	<3.1	<5.4	NA	1.0	0.9	1.1	1.8	1.3
Wisconsin Department of Natural Resources Interim Closeout Guidelines (NR 720)*													
		5.5	2900	1500	4100	100/250	100/250	250/500	NE	NE	NE	NE	NE

< = Compound was not detected above detection limit shown.

NA = Not Analyzed

NE = No Established Standard

* = Based upon proposed Chapter NR 720 standards and are applicable when specific site criteria are met. The two values (100/250) are dependent upon the site-specific permeability of the soil type present.

Table 5-4

Soil Analytical Summary

Super Stop Qwik Mart
Ashwaubenon, Wisconsin

Sampling Location	Sampling Date	Sampling Depth (feet)	Benzene (ug/kg)	Ethyl-benzene (ug/kg)	Methyl t-butyl ether (ug/kg)	Toluene (ug/kg)	1,2,4-Trimethyl benzene (ug/kg)	1,3,5-Trimethyl benzene (ug/kg)	M/P-xylene (ug/kg)	O-xylene (ug/kg)	Gasoline Range Organics (mg/kg)	Diesel Range Organics (mg/kg)	Total Lead (mg/kg)
MW-01	12/03/92	10-12	<30	<30	<30	<30	<30	<30	<30	<30	<2	<2	0.7
	12/03/92	14-16	<30	<30	<30	<30	<30	<30	<30	<30	<2	<2	<0.6
MW-02	12/02/92	12-14	<30	<30	<30	<30	<30	<30	<30	<30	<2	<2	0.6
	12/02/92	16-18	<30	<30	<30	<30	<30	<30	<30	<30	<2	<2	0.6
MW-03	12/04/92	4-6	<30	<30	<30	<30	<30	<30	<30	<30	<2	<2	1.9
	12/04/92	8-10	470	51	300	<30	<30	<30	110	42	<2	<2	<0.5
MW-04	12/07/92	4-6	750	<30	56	<30	<30	<30	56	<30	4	<2	1.7
	12/07/92	8-10	110	<30	<30	33	440	350	1900	540	6	<2	0.6
SB-05	12/03/92	4-6	1100	400	<30	32	200	180	460	250	21	<2	2.6
	12/03/92	12-14	63	<30	<30	<30	<30	<30	<30	<30	<2	<2	<0.5
SB-06	12/02/92	10-12	110	<30	<30	<30	<30	<30	210	96	<2	<2	1.1
	12/02/92	14-16	160	<30	<30	<30	<30	<30	150	76	<2	<2	<0.6
SB-07	12/08/92	6-8	<30	<30	<30	<30	<30	<30	<30	<30	<2	<2	0.7
	12/08/92	10-12	<30	<30	<30	<30	<30	<30	<30	<30	<2	<2	0.8
SB-08	12/04/92	4-6	12000	<300	<300	68000	52000	46000	94000	36000	1100	230	4.3
	12/04/92	8-10	7000	<300	310	11000	9700	8400	19000	7000	170	10	1.7
SB-09	12/03/92	6-8	<30	<30	<30	<30	<30	<30	<30	<30	<2	<2	3.1
	12/03/92	10-12	160	<30	<30	<30	<30	<30	<30	<30	<2	<2	<0.5
SB-10	12/07/92	4-6	<30	<30	<30	<30	<30	<30	<30	<30	3*	8*	2.5
	12/07/92	8-10	400	<30	<30	<30	31	<30	65	<30	2	<2	<0.5
SB-11	12/08/92	6-8	<30	<30	<30	<30	<30	<30	<30	<30	<2	<2	<0.6
	12/08/92	12-14	<30	<30	1400	<30	<30	<30	<30	<30	<2	<2	<0.7
SB-12	12/03/92	8-10	<30	<30	<30	<30	<30	<30	<30	<30	<2	<2	<0.5
	12/03/92	18-20	<30	<30	<30	<30	<30	<30	<30	<30	<2	<2	<0.6

* : Laboratory analytical comment - No diesel pattern match observed, an increase in baseline with peaks at end of window was observed.
 SB-12 : Analytical results for SB-12 are identified as SB-13 on the laboratory data sheets. SB-12 samples were incorrectly identified as SB-13 during field sampling.

ug/kg : micrograms per kilogram
 mg/kg : milligrams per kilogram
 < : Analyte was not identified above the minimum detection limit shown.

TABLE 1
Soil Sample Laboratory Analytical Results
Super Stop Quik Mart
Green Bay, Wisconsin

Sample ID	Sample Depth (feet)	Benzene	Ethyl-benzene	MTBE	Toluene	1,2,4-TMB	1,3,5-TMB	Total Xylenes
EX-1	Tank Fill	199	515	<29	176	1,520	422	2,580
EX-2	8	76	123	<67	185	160	43	567
EX-3	7	1,360	1,360	<248	631	2,230	681	8,170
EX-4	12	203	155	<30	812	1,190	382	2,150
EX-5	5	867	1,790	<64	2,040	6,760	2,040	8,800
EX-6	5	<31	<31	<31	<31	110	33	163
EX-7	5	<31	<31	<31	<31	<31	<31	<94
EX-8	6	43	45	<31	<31	161	53	174
EX-9	7	313	163	<31	43	163	54	601
EX-10	5	<120	909	<62	<62	5,480	1,870	4,110
NR 720 Soil Standard		5.5	2900	NS	1,500	NS	NS	4,100

Notes: All results are reported in ppb, unless otherwise noted

Bold indicates value equals or exceeds the NR 720 Generic Soil Standard


MTBE: Methyl t-butyl ether

TMB: Trimethylbenzene

NS: No Standard

Checked by: JDU

Approved by: Mar



 Shaw Environmental & Infrastructure, Inc.		790 MARVELLE LANE GREEN BAY, WISCONSIN 54304 (920) 497-8910	
		REV. NO.:	DRAWING DATE: 5/9/2005
GROUNDWATER MTBE DISTRIBUTION (2/2/05)			
CLIENT:	SUPER STOP QUIK MART		PM:
LOCATION:	GREEN BAY, WISCONSIN		PE/RG:
DESIGNED: MOL	DETAILED: MOL	PROJECT NO.: 980256/680084	FIGURE: 2

**TABLE 2
Groundwater Elevation Data
Super Stop Quik Mart
Green Bay, Wisconsin**

Well	Top-of-Casing Elevation	Top-of-Screen Elevation	Date	Top-of-Casing to Water (feet)	Groundwater Elevation
MW-1	596.78	586.78	9/17/1998	7.79	588.99
			11/10/1998	8.05	588.73
			2/22/1999	8.38	588.40
			6/1/1999	7.47	589.31
			9/7/1999	8.03	588.75
			3/3/2000	8.18	588.60
			5/8/2001	7.00	589.78
			11/27/2001	NA	NA
			5/11/2004	6.57	590.21
			2/2/2005	8.72	588.06
MW-2	596.39	583.89	9/17/1988	8.45	587.94
			11/10/1998	5.50	590.89
			2/22/1999	6.13	590.26
			6/1/1999	5.14	591.25
			9/7/1999	5.58	590.81
			3/3/2000	6.23	590.16
			5/8/2001	4.63	591.76
			11/27/2001	NA	NA
			5/11/2004	4.51	591.88
			2/2/2005	5.43	590.96
MW-3	596.47	586.47	9/17/1988	6.91	589.56
			11/10/1998	8.10	588.37
			2/22/1999	8.24	588.23
			6/1/1999	7.60	588.87
			9/7/1999	7.90	588.57
			3/3/2000	8.64	587.83
			5/8/2001	7.50	588.97
			11/27/2001	NA	NA
			5/11/2004	6.45	590.02
			2/2/2005	8.35	588.12

(Continued)


TABLE 2 (Continued)
Groundwater Elevation Data
Super Stop Quik Mart
Green Bay, Wisconsin

Well	Top-of-Casing Elevation	Top-of-Screen Elevation	Date	Top-of-Casing to Water (feet)	Groundwater Elevation
MW-4	596.24	589.74	9/17/1998	7.46	588.78
			11/10/1998	7.83	588.41
			2/22/1999	7.57	588.67
			6/1/1999	6.97	589.27
			9/7/1999	7.56	588.68
			3/3/2000	7.48	588.76
			5/8/2001	6.37	589.87
			11/27/2001	NA	NA
			5/11/2004	5.74	590.5
			2/2/2005	7.99	588.25
MW-5	597.56	592.56	9/17/1988	7.28	590.28
			11/10/1998	7.59	589.91
			2/22/1999	7.61	589.95
			6/1/1999	7.02	590.54
			9/7/1999	7.25	590.31
			3/3/2000	7.36	590.20
			5/8/2001	6.69	590.87
			11/27/2001	NA	NA
			5/11/2004	6.55	591.01
2/2/2005	7.78	589.78			
MW-6	596.43	591.43	9/17/1988	6.95	589.48
			11/10/1998	10.52	585.91
			2/22/1999	10.61	585.82
			6/1/1999	9.82	586.61
			9/7/1999	10.19	586.24
			3/3/2000	10.88	585.55
			5/8/2001	8.75	587.68
			11/27/2001	NA	NA
			5/11/2004	8.00	588.43
2/2/2005	10.62	585.81			

(Continued)

TABLE 2 (Continued)
Groundwater Elevation Data
Super Stop Quik Mart
Green Bay, Wisconsin

Well	Top-of-Casing Elevation	Top-of-Screen Elevation	Date	Top-of-Casing to Water (feet)	Groundwater Elevation
MW-7	596.43	590.93	9/17/1988	5.61	590.82
			11/10/1998	5.29	591.14
			2/22/1999	4.03	592.40
			6/1/1999	3.98	592.45
			9/7/1999	5.29	591.14
			3/3/2000	4.04	592.39
			5/8/2001	3.42	593.01
			11/27/2001	4.85	591.58
			5/11/2004	3.72	592.71
			2/2/2005	6.39	590.04



ONEIDA STREET

HANSEN ROAD

ASPHALT

GRASS

MW-5
(<1.3)

ASPHALT

SUPER LUBE BUILDING

ROYAL CLEANERS DRY CLEANING
SUPER WASH CAR WASH

ASPHALT

SB-07
(<30)

MW-2
(<30)

SIDEWALK

MW-3

SB-08
(12000)

EX-7
(31)

EX-5
(867)

EX-6
(31)

EX-8
(43)

EX-10
(120)

EX-9
(867)

EX-4
(203)

EX-3
(1360)

EX-2
(76)

EX-1
(400)

SB-11
(<30)

SB-05
(1100)

SB-01
(<30)

SB-10
(400)

SB-9
(<30)

FORMER CANOPY

MW-6
(<1.3)

SUPER STOP

GRASS SIGN

MW-1
(<30)

SOIL EXCAVATION

SB-12
(<30)

ASPHALT

MW-4
(750)

MW-7
(<1.3)

COMMERCIAL BUILDING


GRASS

CERTIFICATE OF LEGAL DESCRIPTION

I hereby certify on behalf of the responsible party, the legal description provided below is a true and accurate description of the property located at 871 Hansen Road, City of Green Bay, Brown County, Wisconsin.

Beginning at the Northeast corner of Lot 3, Volume 29, Certified Survey Maps, Page 168, Brown County Records; thence S26° 11'52"W, 254.34 feet along the East line of said Lot 3; thence N63°48'08"W, 256.06 feet along the South line and extension of Said Lot 3; thence 157.55 along the Easterly right of way of C.T.H. "AAA", also known as Oneida Street being an arc of a 713.94 foot radius curve to the right whose long chord bears N07°23'28"E, 157.23 feet; thence 100.08 feet along said right of way being the arc of a 713.94 foot radius curve to the right whose long chord bears N17°14'19"E, 100.00 feet, thence S42°07'56"E, 34.53 feet along said North Line of said Lot 3, 29-CSM-168; thence S63°40'37"E, 70.63 feet along said North line; thence S26°19'23"W, 10.00 feet, thence S63°40'37"E, 78.11 feet; thence N26°19'23"E 30.12 feet to the North Line of said Lot 3; thence S63°40'37"E, 141.44 feet along said North line to the point of beginning.

TAX KEY NUMBER VA-178-8-1



Signature

5-9-05

Date

GEOGRAPHIC POSTIONING

The Geographic Position of the contaminated site boundary based upon the WTM91 Interactive Map is 673162, 446455.