


FILE



State of Wisconsin | DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor  
George E. Meyer, Secretary  
Ronald W. Kazmierczak, Regional Director

Northeast Region Headquarters  
1125 N. Military Ave., P.O. Box 10448  
Green Bay, Wisconsin 54307-0448  
Telephone 920-492-5800  
FAX 920-492-5913  
TDD 920-492-5912

September 28, 2000

Village of Ashwaubenon  
Attn: Steve Kubacki  
2155 Holmgren Way  
Ashwaubenon, WI 54304

SUBJECT: Case Closure of the Ashwaubenon Village Garage site,  
2341 Holmgren Way, Ashwaubenon, WI  
BRRTS # 03-05-167866

Dear Mr. Kubacki:

On March 24, 1999, the above-named site was reviewed by the Bureau for Remediation and Redevelopment's Northeast Region Closeout Committee to determine whether the case qualified for closeout under ch. NR 726, Wis. Adm. Code. This panel reviews environmental remediation cases for compliance with state laws, standards, and guidelines to maintain consistency in the closeout of cases. The committee has approved the closure of this case.

Upon receiving the monitoring well abandonment forms on May 13, 1999 and the signed restriction on September 25, 2000, the Department considers the above referenced case "closed", having determined that no further action is necessary at the site at this time. The site will now be listed as closed in the WDNR tracking system.

Based on the investigative documentation provided to the Department, it appears that the petroleum contamination at the above-named site is in compliance with the requirements of chs. NR 700 to NR 726, Wis. Adm. Code. However, this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicate that contamination on or from the site poses a threat to public health, safety or welfare to the environment.

Thank you for your and your consultant's cooperation and cleanup efforts during this process. If you have any questions regarding the content of this letter, please contact Keld Lauridsen at (920) 492-5921.

Sincerely,



A handwritten signature in cursive script, appearing to read "Scott C. Miller".

Scott C. Miller  
Hydrogeologist  
Bureau for Remediation & Redevelopment

cc: Jackie Mirkes, STS Consultants, 1035 Kepler Drive,  
Green Bay, WI 54311-8320  
Dennis M. Duffy, Wetting, Calewarts, Duffy & Maxwell, 716 Pine Street,  
P.O. Box 488, Green Bay, WI 54305-0488

CERTIFIED SURVEY MAP  
PART OF PRIVATE CLAIM #19, PRIVATE CLAIM #30, AND PART OF VOLUME 6, PAGES 187-188  
OF CERTIFIED SURVEY MAPS, OF THE BROWN COUNTY REGISTRY, LOCATED IN SAID PRIVATE  
CLAIMS, WEST SIDE OF FOX RIVER, VILLAGE OF ASHWAUBENON, BROWN COUNTY, WISCONSIN.

DWG FullPath: G:\archive\571grass\survey\cod50100\csm100.dwg  
Last saved date/time: 03/30/00 02:02pm  
Plot Date/time: 03/30/00 02:02pm



UNPLATTED LAND

C9
D = 89°53'57"
R = 12.00'
L = 18.83'
LCB = 16.95'
T.B. IN = S26°08'01"W
T.B. OUT = S63°58'02"E

UNPLATTED LAND

C6
D = 20°01'08"
R = 560.00'
L = 382.15'
LCB = 194.66'
T.B. IN = N02°57'22"W
T.B. OUT = N07°03'11"E

UNPLATTED LAND

C4
D = 17°28'09"
R = 640.00'
L = 194.76'
LCB = 194.01'
T.B. IN = S04°28'14"W
T.B. OUT = N12°57'55"W

UNPLATTED LAND

C5
D = 33°46'33"
R = 640.00'
L = 377.28'
LCB = 371.84'
T.B. IN = S20°48'38"W
T.B. OUT = N12°57'55"W

S. LINE P.C.19  
N. LINE P.C.30

C3
D = 16°20'24"
R = 640.00'
L = 182.52'
LCB = 181.90'
T.B. IN = S20°48'38"W
T.B. OUT = N04°28'14"E

LOT 1, C.S.M. #4875  
V. 51, Pg. 228-229

SE Corner P.C. 30  
West side Fox River  
(file of record  
from 6-CSM-187)

NORTH REFERENCED TO THE  
BROWN COUNTY COORDINATE SYSTEM.  
(SOUTH LINE OF CORMIER ROAD  
BEARING N 63°58'02" W)

○ DENOTES 1" IRON PIPE FOUND  
● DENOTES 1" IRON PIPE SET  
◆ BROWN COUNTY MONUMENT (COMPUTED POINT)  
✕ CHISELED "X" PLACED IN SIDEWALK

**K&A**  
KAPUR & ASSOCIATES  
CONSULTING ENGINEERS  
7711 N. PORT WASHINGTON RD.  
MILWAUKEE, WI 53217

CERTIFIED SURVEY MAP

PART OF PRIVATE CLAIM #19, PRIVATE CLAIM #30, AND PART OF VOLUME 6, PAGES 187-188 OF CERTIFIED SURVEY MAPS, OF THE BROWN COUNTY REGISTRY, LOCATED IN SAID PRIVATE CLAIMS, WEST SIDE OF FOX RIVER, VILLAGE OF ASHWAUBENON, BROWN COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE

I hereby certify that by the direction of the Village of Ashwaubenon, I have surveyed, divided, and mapped the land shown and described hereon, being that part of Private Claim #19, Private Claim #30, and part of Volume 6, Pages 187-188 of Certified Survey Maps of the Brown County Registry, located in said Private Claims, West side of Fox River, Village of Ashwaubenon, Brown County, Wisconsin, described as follows:

Beginning at the northerly corner of Certified Survey Map located in Volume 6 of Certified Survey Maps of the Brown County Registry, on Pages 187-188, located in Private Claims 19 and 30, West side of Fox River, Village of Ashwaubenon, Brown County, Wisconsin, said point being located on the southerly line of Cormier Road; thence South 27°22'38" West, along the easterly line of said Certified Survey Map, 602.32 feet to the northwest corner of Lot 1 of Certified Survey Map #4875, located in Volume 31 of Certified Survey Maps of the Brown County Registry, on Pages 228-229, located in said Private Claim 30; thence North 64°03'22" West, along the westerly extension of the northerly line of said C.S.M.#4875, 88.67 feet to a point on a curve on the easterly line of relocated Holmgren Way, as situated on the Holmgren Way Relocation Order No. 12-5-97; thence southwesterly along the arc of a curve to the right and also along said easterly line of relocated Holmgren Way, 182.52 feet, said curve having a radius of 640.00 feet and a chord bearing South 12°38'26" West, 181.90 feet; thence South 03°44'11" East, 55.14 feet to the northerly line of Willard Drive; thence North 64°03'22" West, along said northerly line of Willard Drive, 331.82 feet to the northeast corner of Willard Drive and former Holmgren Way, as situated prior to said Holmgren Way Relocation Order; thence North 26°08'01" East, along the easterly line of former Holmgren Way, as situated prior to said Relocation Order, 815.65 feet to a point on a curve on the easterly line of Holmgren Way; thence northeasterly along the arc of a curve to the right, 18.83 feet to a point on the southerly line of Cormier Road, said curve having a radius of 12.00 feet and a chord bearing North 71°04'59" East, 16.96 feet; thence South 63°58'02" East, along said southerly line of Cormier Road, 351.68 feet to the point of beginning.

Containing 281,257 Sq. Ft. or 6.458 Ac. more or less.

I further certify that this is a correct representation of the exterior boundaries of the land surveyed and described hereon and that I have fully complied with the provisions of Section 236.34 of the Wisconsin Statutes, the Village of Ashwaubenon and the Brown County Planning Commission in surveying, dividing, and mapping said land.

Dated this 30<sup>TH</sup> day of MARCH, 2000.

Erik A. Gustafson S-2329



CERTIFICATE OF THE VILLAGE OF ASHWAUBENON

This land division is hereby approved and the road dedication accepted by the Village of Ashwaubenon and acknowledge said division as being in conformance with the Village land division requirements in surveying, dividing, mapping and dedication of said land.

Dated this 10<sup>th</sup> day of May, 2000.

Charlotte E. Nelson, Ashwaubenon Village Clerk




CERTIFICATE OF THE BROWN COUNTY PLANNING COMMISSION

This land division is hereby approved by the Brown County Planning Commission and being in conformance with the Brown County land division requirements.

Dated this 15<sup>th</sup> day of May, 2000.

Martin Olejniczak, Senior Planner



DWG FullPath: G:\archive\571gross\survey\cad50100\csm100.dwg Last saved date/time: 03/30/00 11:49am Plot Date/Time: 03/30/00 01:40pm

CERTIFIED SURVEY MAP

PART OF PRIVATE CLAIM #19, PRIVATE CLAIM #30, AND PART OF VOLUME 6, PAGES 187-188 OF CERTIFIED SURVEY MAPS, OF THE BROWN COUNTY REGISTRY, LOCATED IN SAID PRIVATE CLAIMS, WEST SIDE OF FOX RIVER, VILLAGE OF ASHWAUBENON, BROWN COUNTY, WISCONSIN.

OWNER'S CERTIFICATE OF DEDICATION

As owner, the Village of Ashwaubenon hereby certifies that it has caused the land shown and described on this Certified Survey Map to be surveyed, divided, and mapped as represented herein. We also certify that this certified survey map is required to be submitted to the Village of Ashwaubenon and the Brown County Planning Commission for approval or objection in accordance with current land subdivision requirements.

*Ted Pamperin*  
Ted Pamperin, Village President

*Charlotte E. Nelson*  
Charlotte E. Nelson, Village Clerk

(State of Wisconsin)  
(County of Brown) SS.


The previous named Ted Pamperin and Charlotte E. Nelson, to me known to be the persons who executed the foregoing instrument and acknowledge the same, have personally come before me this 13<sup>th</sup> day of April, 2000.

*Lynne Dejean*  
Notary Public, Brown County, Wisconsin.  
My Commission expires 10-22-00



SURVEYOR:  
KAPUR & ASSOCIATES  
7711 N. PORT WASHINGTON RD.  
MILWAUKEE, WI 53217  
(414) 351-6668

OWNERS:  
VILLAGE OF ASHWAUBENON  
2155 HOLMGREN WAY  
ASHWAUBENON, WI 54304-4605  
(920) 492-2308



REGISTER'S OFFICE  
Brown Co. Wis.  
Received for record the 15<sup>th</sup>  
day of May A.D. 2000  
at 12:00 o'clock P.M.  
and recorded in Vol. 40 of  
Certified Survey Maps on Page 317  
*Scott Lindquist*  
Register of Deeds

140

DWG FullPath: C:\archive\571gross\_survey\cod50100\csm100.dwg  
Last saved date/time: 03/30/00 11:49am  
Plot Date/Time: 03/30/00 01:41pm

1768947

BROWN COUNTY  
REGISTER OF DEEDS  
CATHY WILLIQUETTE

2000 AUG 23 A 10:30

Document Number

GROUNDWATER USE RESTRICTION

Declaration of Restrictions

In Re: Lot 3 of the property described in Exhibit A,  
(Certified Survey Map No. 6140), hereby attached and  
made a part of this restriction.

STATE OF WISCONSIN            )  
  ) ss  
COUNTY OF BROWN            )

Recording Area

Name and Return Address  
Dennis M. Duffy  
PO Box 488  
Green Bay WI 54305-4391

22/1

VA-117-14

Parcel Identification Number (PIN)

WHEREAS, the Village of Ashwaubenon is the owner of the above-described property.

WHEREAS, one or more petroleum discharges have occurred on this property.  
Petroleum-contaminated groundwater above ch. NR 140, Wis. Adm. Code enforcement  
standards existed on this property at the following location(s) on the following date(s):

May 15, 1998, Monitoring Well 2 (MW-2) had benzene at 599 micrograms per liter  
(ug/L) and Methyl-Tert-Butyl-Ether (MTBE) at 360 ug/L; January 5, 1999, Sump one  
(Sump-1) had benzene at 66.6 ug/L and MTBE at 587 ug/L. Location of the Sump-1 and  
MW-2 is provided on Figure 1 attached and made part of this restriction.

WHEREAS, it is the desire and intention of the property owner to impose on the property  
restrictions which will make it unnecessary to conduct further groundwater or soil  
remediation activities on the property at the present time.

WHEREAS, natural attenuation has been approved by the Department of Natural  
Resources to remediate groundwater contamination exceeding ch. NR 140, Wis. Adm.  
Code groundwater standards within the boundaries of this property.

WHEREAS, construction of wells where the water quality does not comply with drinking  
water standards in ch. NR 809, Wis. Adm. Code is restricted by chs. NR 811 and NR  
812, Wis. Adm. Code. Special well construction standards or water treatment  
requirements, or both, or well construction prohibitions may apply.

NOW THEREFORE, the owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitation and restrictions:

Anyone who proposes to construct or reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater, or its successor agency, to determine what specific requirements are applicable, prior to constructing or reconstructing a well on this property. No well may be constructed on this property unless applicable requirements are met.

If construction is proposed on this property that will require dewatering, or if groundwater is to be otherwise extracted from this property, while this groundwater use restriction is in effect, the groundwater shall be sampled and analyzed for contaminants that were previously detected on the property and any extracted groundwater shall be managed in compliance with applicable statutes and rules.

This restriction is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring the above-described property whether by descent, devise, purchase or otherwise. This restriction benefits and is enforceable by the Wisconsin Department of Natural Resources, its successors or assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that one or more of the restrictions set forth in this covenant is no longer required. Upon the receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein can be extinguished. If the Department determines that the restrictions can be extinguished, an affidavit, attached to a copy of the Department's written determination, may be recorded to give notice that this deed restriction, or portions of this deed restriction, are no longer binding.

By signing this document, the Village President and the Village Clerk assert that they are duly authorized to sign this document on behalf of the Village of Ashwaubenon.

IN WITNESS WHEREOF, the owner of the property has executed this Declaration of Restrictions, this 21<sup>st</sup> day of August, 2000.

Signature: *Ted Pamperin*

Printed Name: Ted Pamperin

Title: Village President

Signature: *Charlotte E. Nelson*

Printed Name: Charlotte E. Nelson

Title: Village Clerk

Subscribed and sworn to before me  
this 21<sup>st</sup> day of August, 2000

*Lynne Degeneffe*

Notary Public, State of Wisconsin

My commission 10-22-00

Lynne Degeneffe



This document was drafted by the Wisconsin Department of Natural Resources based on information provided by Dennis M. Duffy of Wieting, Calewatts, Duffy & Maxwell.




MAP SOURCE: MODIFIED FROM DE PERE, WIS. U.S.G.S. QUADRANGLE DATED 1992.



STS Consultants Ltd  
Consulting Engineers

VILLAGE OF ASHWAUBENON  
GARAGE AND PROPERTY  
SITE LOCATION DIAGRAM  
2341 HOLMGREN WAY  
VILLAGE OF ASHWAUBENON, WISCONSIN

PLANNED BY	P.D.P. 16-19-92
DESIGNED BY	C.D.T. 16-19-92
APPROVED BY	PRB 16-24-92
SAMPLE	SCALE
1:443F001	1" = 2000'
PROJECT NO.	FIGURE NO.
23143XF	1



STS Consultants Ltd.  
Consulting Engineers

VILLAGE OF ASHWAUBENON  
GARAGE AND PROPERTY  
GROUNDWATER CONTOUR MAP  
JANUARY 4, 1999  
2341 HOLMGREN WAY  
VILLAGE OF ASHWAUBENON, WISCONSIN

DRAWN BY	RAB	2-28-99
CHECKED BY	PJM	2-28-99
APPROVED BY		
CADFILE	SCALE	
g4143w03B.dwg	1"=40'	
STS PROJECT NO.	FIGURE NO.	
23143W	3	

Table 3  
Summary of Groundwater Analytical Results  
Ashwaubenon Garage, Ashwaubenon

Revised

Analyte	Date	MW-1		MW-2		MW-3		MW-4		MW-5		MW-6		MW-7		PAL	ES	
		12/1/97	5/15/98	1/5/99	12/1/97	5/15/98	1/5/99	12/1/97	5/15/98	1/5/99	5/15/98	1/5/99	5/15/98	1/5/99	5/15/98			1/5/99
Lead	Metal	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
PAH																		
Acenaphthene		<2	NA	<2	NA	<2	NA	<2	NA	<2	NA	<2	NA	<2	NA	<2	NA	15
Acenaphthylene		<3	NA	<3	NA	<3	NA	<3	NA	<3	NA	<3	NA	<3	NA	<3	NA	NE
Anthracene		<0.2	NA	<0.2	NA	<0.2	NA	<0.2	NA	<0.2	NA	<0.2	NA	<0.2	NA	<0.2	NA	NE
Benz(a)anthracene		<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	NE
Benzo(b)fluoranthene		<0.2	NA	<0.2	NA	<0.2	NA	<0.2	NA	<0.2	NA	<0.2	NA	<0.2	NA	<0.2	NA	0.2
Benzo(k)fluoranthene		<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	NE
Benzo(a,h)pyrene		<0.4	NA	<0.4	NA	<0.4	NA	<0.4	NA	<0.4	NA	<0.4	NA	<0.4	NA	<0.4	NA	NE
Chrysene		<0.21	NA	<0.21	NA	<0.21	NA	<0.21	NA	<0.21	NA	<0.21	NA	<0.21	NA	<0.21	NA	NE
Dibenz(a,h)anthracene		<0.4	NA	<0.4	NA	<0.4	NA	<0.4	NA	<0.4	NA	<0.4	NA	<0.4	NA	<0.4	NA	NE
Fluoranthene		<0.42	NA	<0.42	NA	<0.42	NA	<0.42	NA	<0.42	NA	<0.42	NA	<0.42	NA	<0.42	NA	NE
Fluorene		<0.27	NA	<0.27	NA	<0.27	NA	<0.27	NA	<0.27	NA	<0.27	NA	<0.27	NA	<0.27	NA	NE
fluor(1,2,3-cd)pyrene		<0.2	NA	<0.2	NA	<0.2	NA	<0.2	NA	<0.2	NA	<0.2	NA	<0.2	NA	<0.2	NA	NE
1-Methylnaphthalene		<1	NA	<1	NA	<1	NA	<1	NA	<1	NA	<1	NA	<1	NA	<1	NA	NE
2-Methylnaphthalene		<1	NA	<1	NA	<1	NA	<1	NA	<1	NA	<1	NA	<1	NA	<1	NA	NE
Naphthalene		<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	NE
Phenanthrene		<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	NE
Pyrene		<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	<0.1	NA	NE
<b>PCOC/VOOC</b>																		
Benzene	1500	ug/L	<0.5	ug/L	<0.5	ug/L	<0.5	ug/L	<0.5	ug/L	<0.5	ug/L	<0.5	ug/L	<0.5	ug/L	<0.5	5
n-Butylbenzene		ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	NE
1,1-Dichloroethane		ug/L	<0.31	ug/L	<0.31	ug/L	<0.31	ug/L	<0.31	ug/L	<0.31	ug/L	<0.31	ug/L	<0.31	ug/L	<0.31	850
Ethylbenzene		ug/L	<0.68	ug/L	<0.68	ug/L	<0.68	ug/L	<0.68	ug/L	<0.68	ug/L	<0.68	ug/L	<0.68	ug/L	<0.68	700
Isopropylbenzene		ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	NE
MTBE	600	ug/L	<0.21	ug/L	<0.21	ug/L	<0.21	ug/L	<0.21	ug/L	<0.21	ug/L	<0.21	ug/L	<0.21	ug/L	<0.21	12
n-Propylbenzene		ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	ug/L	<0.38	60
Toluene		ug/L	<1.5	ug/L	<1.5	ug/L	<1.5	ug/L	<1.5	ug/L	<1.5	ug/L	<1.5	ug/L	<1.5	ug/L	<1.5	NE
Naphthalene		ug/L	<1.0	ug/L	<1.0	ug/L	<1.0	ug/L	<1.0	ug/L	<1.0	ug/L	<1.0	ug/L	<1.0	ug/L	<1.0	NE
Total Trimehylbenzene		ug/L	<1	ug/L	<1	ug/L	<1	ug/L	<1	ug/L	<1	ug/L	<1	ug/L	<1	ug/L	<1	NE
Xylenes		ug/L	<1.2	ug/L	<1.2	ug/L	<1.2	ug/L	<1.2	ug/L	<1.2	ug/L	<1.2	ug/L	<1.2	ug/L	<1.2	NE

PAH - Polynuclear Aromatic Hydrocarbon  
 VOC - Volatile Organic Compound  
 PAL - NR 140 Preventive Action Limit, established October, 1996  
 ES - NR 140 Enforcement Standard, established October, 1996  
 NA - Not Analyzed  
 NE - Not Established  
 NR - Not Analyzed  
 NR 140 ES Exceedence  
 NR 140 PAL Exceedence

- Route To:
- Solid Waste
  - Emergency Response
  - Wastewater
  - Superfund
  - Haz. Waste
  - Underground Tanks
  - Water Resources
  - Other

DNR Facility/Project Name <b>Ashwaubenon Garage &amp; Property</b>			License/Permit/Monitoring Number		Boring Number <b>B-15</b>	
Boring Drilled By (Firm name and name of crew chief) <b>EDS, Inc. - T. Simonar - STS Project No. 23143W</b>			Date Drilling Started <b>03/25/98</b>		Date Drilling Completed <b>03/25/98</b>	
Drilling Method <b>Solid-Stem Auger</b>			Final Static Water Level Feet MSL		Surface Elevation Feet MSL	
Facility Well No.		Unique Well No.		Common Well Name		Borehole Diameter <b>4.0</b> Inches
Boring Location State Plane <b>N, E</b>			Lat <b>01 N</b>		Local Grid Location (If applicable)	
1/4 of		1/4 of Section <b>T 23 N, R30</b>		E Long <b>01 W</b>		<input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W

County <b>Brown</b>		DNR County Code <b>05</b>		Civil Town/City/ or Village <b>Ashwaubenon</b>	
------------------------	--	------------------------------	--	---	--

Number and Type	Sample Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments			
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200				
1	1.0	2/1'	2	Fill: 0.2 feet asphalt - 0.2 feet concrete - medium gravel				3							SS		
2	2.0	12/1'	4	Reddish brown silty clay - trace gray mottling - moist to wet - very stiff to soft - lacustrine	CL											SS	
3	2.0	5/1'	6													1	SS
4	2.0	9/1'	8													2	SS
5	2.0	7/1'	12													2	SS
				Reddish brown silty clay - some fine to medium silty sand - trace fine gravel - wet soft - lacustrine	CL												
				End of Boring Boring advanced from 0.0 feet to 12.5 feet by solid-stem auger Boring abandoned with chipped bentonite													

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>STS Consultants, Ltd.</b> 1035 Kepler Drive, Green Bay, Wisconsin Tel: 920-468-1978, Fax: 920-468-3312
---------------	---