

GIS REGISTRY

Cover Sheet

July, 2008
(RR 5367)

Source Property Information

BRRTS #:

ACTIVITY NAME:

PROPERTY ADDRESS:

MUNICIPALITY:

PARCEL ID #:

CLOSURE DATE:

FID #:

DATCP #:

COMM #:

*WTM COORDINATES:

X: Y:

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
 Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Land Use Controls:

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between residential and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government or economic
development corporation)*

Monitoring wells properly abandoned? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: PARCEL ID #:

ACTIVITY NAME: WTM COORDINATES: X: Y:

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title:**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

- Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.
- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 **Title: Site Location**
 - Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 1 **Title: Site/Geoprobe/Monitoring Well Configuration**
 - Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 4 **Title: Extent of Soil Contamination Exceeding NR 720 RCL's**

BRRTS #: 03-05-543246

ACTIVITY NAME: Country Express

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: 3 **Title: Geologic Cross Section A-A'**

Figure #: 5 **Title: Vertical Extent of Soil Benzene Contamination**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: 6 **Title: Extent of Groundwater Contamination Exceeding NR 140 ES**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 7 **Title: Potentiometric Surface Map (6/23/07)**

Figure #: **Title:**

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 1 **Title: Soil Sample Laboratory Analytical Results**

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 1 **Title: Groundwater Sample Laboratory Analytical Results**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 1 **Title: Groundwater Sample Laboratory Analytical Results**

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: **Title:**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-05-543246

ACTIVITY NAME: Country Express

NOTIFICATIONS

Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:

- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters:



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
2129 Jackson Street
Oshkosh, Wisconsin 54901-1805
Contact Through Relay
Fax #: (920) 424-0217
Jim Doyle, Governor
Jack L. Fischer, A.I.A., Secretary

September 29, 2008

Mr. Gary Krull
Krull, Inc.
483 Woods Court
Mesquite, NV 89027

RE: **Final Closure**

Commerce # 54115-9217-01-B DNR BRRTS # 03-05-543246
Country Express, 2601 Monroe Road, De Pere

Dear Mr. Krull:

The Wisconsin Department of Commerce (Commerce) has received all items required as the condition for closure of the site referenced above. This site is now listed as "closed" on the Commerce database and will be included on the Department of Natural Resources (DNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual soil and groundwater contamination. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If you intend to construct or reconstruct a potable well on this property, you must get prior DNR approval.

If soil is excavated, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present, the property owner at the time of excavation must determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable State regulations and standards. Costs for sampling and excavation activities conducted after case closure are not eligible for PECFA reimbursement. However, if it is determined that any undisturbed remaining petroleum contamination poses a threat, the case may be reopened and further investigation or remediation may be required. If this case is reopened, any original claim under the PECFA fund would also reopen and you may apply for assistance to the extent of remaining eligibility.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (920) 303-5410.

Sincerely,

A handwritten signature in black ink that reads "Beth A. Erdman". The signature is written in a cursive, flowing style.

Beth A. Erdman
Senior Hydrogeologist
Site Review Section

cc: Joseph Ramcheck-Endeavor Environmental Services, Inc.
Shreeji Oil LLC, 2601 Monroe Road, De Pere, WI 54115



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
2129 Jackson Street
Oshkosh, Wisconsin 54901-1805
TDD #: (608) 264-8777
Fax #: (920) 424-0217
Jim Doyle, Governor
Jack L. Fischer, A.I.A., Secretary

September 9, 2008

Mr. Gary Krull
Krull, Inc.
483 Woods Court
Mesquite, NV 89027

RE: **Conditional Case Closure**

Commerce # 54115-9217-01-B DNR BRRTS # 03-05-543246
Country Express, 2601 Monroe Road, De Pere

Dear Mr. Krull:

The Wisconsin Department of Commerce (Commerce) has reviewed the request for case closure prepared by your consultant, Endeavor Environmental Services, Inc., for the site referenced above. It is understood that residual soil and groundwater contamination remain on site. Commerce has determined that this site does not pose a significant threat to the environment and human health. No further investigation or remedial action is necessary.

The following condition must be satisfied to obtain final closure:

- Documentation (WDNR Form 3300-5B) of abandonment of monitoring wells MW-1 through MW-6, MW-10, MW-11, MW-20, MW-30 and MW-31.

Information submitted with your closure request will be included on the Department of Natural Resources (DNR) GIS Registry of Closed Remediation Sites. All sites on the Registry can be viewed via the Remediation and Redevelopment (RR) Sites Map at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. Because residual contamination remains at the time of case closure, if you intend to construct or reconstruct a potable well on this property, you must get prior DNR approval.

All current and future owners and occupants of the property need to be aware that if soil is excavated, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present, the property owner at the time of excavation must determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. Costs for sampling and excavation activities conducted after the date of this letter are not eligible for PECFA reimbursement.

Timely filing of your final PECFA claim (if applicable) is encouraged. If your claim is not received within 120 days of the date of this letter, interest costs incurred after 60 days from the date of this letter will not be eligible for PECFA reimbursement.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (920) 303-5410.

Sincerely,

A handwritten signature in black ink that reads "Beth A. Erdman". The signature is fluid and cursive, with the first letters of the first and last names being capitalized and prominent.

Beth A. Erdman
Senior Hydrogeologist
Site Review Section

cc: Mark Love-Endeavor Environmental Services, Inc.
Shreeji Oil LLC, 2601 Monroe Road, De Pere, WI, 54115

WARRANTY DEED

2302907

CATHY WILLIQUETTE
BROWN COUNTY RECORDER
GREEN BAY, WI

RECORDED ON
03/09/2007 10:29:35AM

REC FEE: 11.00
TRANS FEE: 5950.50
EXEMPT #
PAGES: 1

This Deed, made between **DGK Investments, LLC, a Wisconsin Limited Liability Company**

Grantor and **Shreeji Oil, LLC, a Wisconsin Limited Liability Company**

Grantee,

Grantor, for a valuable consideration, conveys to

Grantee the following described real estate in **Brown County**, State of Wisconsin:

RETURN TO:

Shreeji Oil, LLC
2601 Monroe Road
DePere, WI 54115

Tax Parcel No. B-287

FA 1594208

Part of Private Claim 20, East side of Fox River, Village of Bellevue, Brown County, Wisconsin, more fully described as follows:


Beginning at the Southeast Corner of Private Claim 20, East side of Fox River; thence N 64° 46' 09" W, 1447.16 feet along the South line of Private Claim 20 to the easterly right-of-way of County Trunk Highway "GV"; thence 244.69 feet along said right-of-way being the arc of a 11,379.16 foot radius curve to the right whose long chord bears N 32° 39' 18" E, 244.68 feet; thence N 69° 25' 16" E, 214.04 feet along the southerly right-of-way of State Trunk Highway "172"; thence S 74° 05' 08" E, 615.04 feet along said right-of-way; thence S 66° 40' 44" E, 302.52 feet along said right-of-way; thence S 74° 05' 08" E, 361.84 feet along said right-of-way to the east line of Private Claim 20; thence S 25° 13' 52" W, 564.33 feet along said east line to the point of beginning.

Together with all and singular the hereditaments and appurtenances thereunto belonging; and **DGK Investments, LLC** warrant that the title is good, indefeasible in fee simple and free and clear of encumbrances except recorded restrictions, covenants, easements of record and all applicable zoning ordinances, and will warrant and defend the same.

Dated: ~~February 1, 2007~~
March

DGK Investments, LLC, a Wisconsin Limited Liability Company


By: Gary L. Krull, Member


By: Diane C. Krull, Member

AUTHENTICATION

Signature(s)

authenticated this ____ day of February, 2007
TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, authorized by (4,6) 706.06, Wis. Stats)

THIS INSTRUMENT WAS DRAFTED BY
Attorney Marvin P. Ripp

(Signatures may be authenticated or acknowledged. Both are not necessary.)



ACKNOWLEDGEMENT

State of Wisconsin

SS:

Brown County
Personally came before me this 1st day of ~~February~~ March, 2007 the above named Gary L. Krull to me known to be the person(s) who executed the foregoing instrument and acknowledge the same.

*
Notary Public Outagamie County, Wisconsin

My Commission is permanent.
If not, state expiration date:

1-4-2009

January 15, 2008

Mrs. Beth Erdman
Wisconsin Department of Commerce
2129 Jackson Street
Oshkosh, Wisconsin 549011-1805

**RE: GIS Registry and Closure Request
Country Express Auto/Truck Stop
2601 Monroe Road
De Pere, Wisconsin 54115
Endeavor Project No. P05522.41**

BRRTS No. 03-05-543246

Dear Mrs. Erdman,


I believe that the legal description for the above referenced property, Parcel Identification No. B-287, as listed below is complete and accurate.


Part of Private Claim 20, East side of Fox River, Village of Bellevue, Brown County, Wisconsin, more fully described as follows:

Beginning at the Southwest Corner of Private Claim 20, East side of Fox River; thence N 64° 46' 09" West, 1447.16 feet along the South line of Private Claim 20 to the easterly right-of-way of County Trunk Highway GV; thence 244.69 feet along said right-of-way being the arc of a 11,379.16 foot radius curve to the right whose long chord bears N 32° 39' 18" East, 244.68 feet; thence N 69° 25' 16" East, 214.04 feet along the southerly right-of-way of State Trunk Highway 172; thence S 74° 05' 08" East, 615.04 feet along said right-of-way; thence S 66° 40' 44" East, 302.52 feet along said right-of-way; thence S 74° 05' 08" East, 361.84 feet along said right-of-way to the east line of Private Claim 20; thence S 25° 13' 52" West, 564.33 feet along said east line to the point of beginning.

This statement is in conjunction with the Wisconsin Department of Commerce GIS Registry Packet, PUB-RR-688.

Sincerely,


Gary Krull
483 Woods Court
Mesquite, NV 89027



(USGS 1992)
 BELLEVUE QUADRANGLE





FIGURE 1
 SITE LOCATION
 COUNTRY EXPRESS AUTO/TRUCK STOP
 TOWN OF BELLEVUE, WISCONSIN

SCALE AS NOTED	SHEET NO. 1 OF 1	DWG NO. P05522.41.1.1	DATE 11/11/05	SIZE A	FILE 0	CHK'D	APP'D
----------------	------------------	-----------------------	---------------	--------	--------	-------	-------




LEGEND

- GEOPROBE BORING
- ⊕ MONITORING WELL

FIGURE 1
 SITE / GEOPROBE / MONITORING WELL
 CONFIGURATION
 COUNTRY EXPRESS AUTO / TRUCK STOP
 GREEN BAY, WISCONSIN

SCALE 1" = 30'	SHEET NO. 1 OF 1	DWG NO. POSS22.41.1.2	DATE 9/2/08	SIZE B	DRWN BY MOL	REVISED BY BT	AP'D
-------------------	---------------------	--------------------------	----------------	-----------	----------------	------------------	------



LEGEND

• GEOPROBE BORING


⊕ MONITORING WELL

— EXTENT OF SOIL CONTAMINATION EXCEEDING NR720 GENERIC SOIL STANDARDS

NR720 GENERIC SOIL STANDARD FOR BENZENE IS 5.5ppb

FIGURE 4
 EXTENT OF SOIL CONTAMINATION EXCEEDING NR 720 RCLs
 COUNTRY EXPRESS AUTO / TRUCK STOP
 GREEN BAY, WISCONSIN


SCALE 1" = 30'	SHEET NO. 1 OF 1	DWG NO. POS522.41.4.2	DATE 8/2/08	SIZE B	DRWN BY SVO	FILE NO. 87	REVISED BY HCL	APP'D
-------------------	---------------------	--------------------------	----------------	-----------	----------------	----------------	-------------------	-------



SCALE
HORIZONTAL 1"=20'
VERTICAL 1"=5'

LEGEND


-  SAND/GRAVEL FILL
-  CLAY/CLAYEY SANDS
-  SAND/SILTY SANDS
-  WELL SCREEN



SECTION DETAIL

FIGURE 3
GEOLOGIC CROSS SECTION A - A¹
COUNTRY EXPRESS AUTO/TRUCK STOP
GREEN BAY, WISCONSIN

SCALE	SHEET NO.	DWG NO.	DATE	SIZE	DRWN BY	FILE	REVISED	APP'D
SEE NOTE	1 OF 1	P05522.41.3.1	1/04/08	A	SVD	B7		



LEGEND

- SAND/GRAVEL FILL
- CLAY/CLAYEY SANDS
- SAND/SILTY SANDS
- WELL SCREEN
- EXTENT OF SOIL BENZENE CONTAMINATION
- SAMPLE LOCATION

SCALE
 HORIZONTAL 1"=20'
 VERTICAL 1"=5'





FIGURE 5
 VERTICAL EXTENT OF SOIL
 BENZENE CONTAMINATION
 COUNTRY EXPRESS AUTO/TRUCK STOP
 GREEN BAY, WISCONSIN

SCALE	SHEET NO.	DWG NO.	DATE	SIZE	DRWN BY	FILE	REVISED	APP'D
SEE NOTE	1 OF 1	PO5522.41.5.1	1/04/08	A	SVD	B7		



LEGEND

- ⊕ MONITORING WELL
- EXTENT OF CONTAMINATION EXCEEDING NR140 ENFORCEMENT STANDARDS

FIGURE 6
 EXTENT OF GROUNDWATER
 CONTAMINATION EXCEEDING NR140 ES
 COUNTRY EXPRESS AUTO / TRUCK STOP
 GREEN BAY, WISCONSIN

SCALE	SHEET NO.	DWG NO.	DATE	SIZE	DRWN BY	FILE	REVISED	APP'D
1" = 30'	1 OF 1	PO5522.41.6.2	9/02/08	B	SVO	87	NEL	




FIGURE 7
 POTENTIOMETRIC SURFACE MAP
 (6/23/07)
 COUNTRY EXPRESS AUTO / TRUCK STOP
 GREEN BAY, WISCONSIN

SCALE	SHEET NO.	DWG NO.	DATE	SIZE	DRWN BY	FILE	REVISED	APP'D
1" = 30'	1 OF 1	POSS22.41.7.2	9/2/08	B	SVO	87	MDL	

Table 1
Soil Sample Laboratory Analytical Results
Country Express
Bellevue, Wisconsin

Sample ID	Sample Date	Sample Interval (ft bgs)	PID (ppm eq)	GRO	DRO	Benzene	Ethyl-benzene	Toluene	Total Xylenes	Naphthalene	1,2,4-TMB	1,3,5-TMB	MTBE	sec-Butyl-benzene	Isopropyl-benzene	p-Isopropyl toluene	n-Propyl-benzene
GP-1, S-3	05/19/2005	4.0 - 6.0	24	7.9	NA	<25	57	<25	440	NA	950	210	<25	NA	NA	NA	NA
GP-2, S-3	05/19/2005	4.0 - 6.0	2.8	<2.8	NA	<25	<25	<25	<75	NA	<25	<25	<25	NA	NA	NA	NA
GP-3, S-3	05/19/2005	4.0 - 6.0	2.0	<2.9	NA	<25	<25	<25	<75	NA	<25	<26	<25	NA	NA	NA	NA
GP-4, S-3	05/19/2005	4.0 - 6.0	1.2	<3.1	NA	<25	<25	<25	<75	NA	33	<27	<25	NA	NA	NA	NA
GP-5, S-3	05/19/2005	4.0 - 6.0	2.8	<3.1	NA	<25	<25	<25	<75	NA	<25	<28	65	NA	NA	NA	NA
GP-5, S-4	05/19/2005	6.0 - 8.0	6.2	<3.1	NA	<25	<25	<25	<75	NA	<25	<29	41	NA	NA	NA	NA
GP-6, S-3	05/19/2005	4.0 - 6.0	6.2	63	NA	<25	<25	<25	72	NA	210	<30	37	NA	NA	NA	NA
GP-7, S-3	05/19/2005	4.0 - 6.0	15	NA	180	<25	52	<25	<75	NA	210	<31	<25	NA	NA	NA	NA
GP-8, S-3	05/19/2005	4.0 - 6.0	24	NA	1,700	<120	1,200	190	5,500	NA	8,100	4,400	<120	NA	NA	NA	NA
GP-9, S-3	05/19/2005	4.0 - 6.0	1.2	NA	5.1	<25	<25	<25	<75	NA	<25	<25	<25	NA	NA	NA	NA
GP-10, S-3	05/19/2005	4.0 - 6.0	0.4	NA	<4.5	<25	<25	<25	<75	NA	<25	<25	<25	NA	NA	NA	NA
GP-11, S-4	05/19/2005	6.0 - 8.0	7.8	NA	<4.6	<25	<25	<25	<75	NA	<25	<25	<25	NA	NA	NA	NA
GP-12, S-4	05/19/2005	6.0 - 8.0	1.2	NA	<4.1	<25	<25	<25	29	NA	77	<25	<25	NA	NA	NA	NA
GP-13, S-3	05/19/2005	4.0 - 6.0	2.0	NA	<4.2	<25	<25	<25	<75	NA	<25	<25	<25	NA	NA	NA	NA
MW-2, S-3	12/27/2005	4.0 - 6.0	0.0	<3.0	NA	<25	<25	<25	<75	<25	<25	<25	<25	<25	<25	<25	<25
MW-3, S-3	12/27/2005	4.0 - 6.0	5.1	<3.1	NA	<25	<25	<25	<75	<25	<25	<25	<25	<25	<25	<25	<25
MW-3, S-5	12/27/2005	8.0 - 10.0	0.0	<3.1	NA	<25	<25	<25	<75	<25	<25	<25	53	<25	<25	<25	<25
MW-4, S-3	12/27/2005	4.0 - 6.0	6.2	<2.8	NA	<25	<25	<25	<75	<25	<25	<25	<25	<25	<25	<25	<25
MW-4, S-5	12/27/2005	8.0 - 10.0	8.4	<3.1	NA	<25	<25	<25	<75	<25	<25	<25	<25	<25	<25	<25	<25
MW-5, S-2	12/27/2005	2.0 - 4.0	12.2	NA	NA	<25	<25	<25	<75	<25	<25	<25	<25	<25	<25	<25	<25
MW-5, S-3	12/27/2005	4.0 - 6.0	9.3	3.3	NA	<25	<25	<25	<75	<25	<25	<25	<25	<25	<25	<25	<25
MW-5, S-6	12/27/2005	10.0 - 12.0	7.6	<3.1	NA	<25	<25	<25	<75	<25	<25	<25	<25	<25	<25	<25	<25
MW-6, S-2	12/27/2005	2.0 - 4.0	9.8	NA	NA	<25	<25	<25	<75	<25	<25	<25	<25	<25	<25	<25	<25
MW-6, S-3	12/27/2005	4.0 - 6.0	285	6.5	NA	<25	<25	<25	<75	<25	<25	<25	<25	<25	<25	<25	<25
MW-6, S-5	12/27/2005	8.0 - 10.0	4.2	<3.0	NA	<25	<25	<25	<75	<25	<25	<25	<25	<25	<25	<25	<25
GP-20, S-2	01/12/2006	2.0 - 4.0	7.9	NA	NA	<28	<28	<28	<95	<56	<28	<28	<28	<28	<28	<28	<28
GP-20, S-3	01/12/2006	4.0 - 6.0	6.3	<6.7	NA	<33	<33	<33	<110	<67	<33	<33	<33	<33	<33	<33	<33
GP-20, S-4	01/12/2006	6.0 - 8.0	0.1	<6.8	NA	<31	<31	<31	<110	<62	<31	<31	<31	<31	<31	<31	<31
GP-21, S-3	01/12/2006	4.0 - 6.0	2.9	<6.0	NA	<30	<30	<30	<100	<60	<30	<30	<30	<30	<30	<30	<30
GP-22, S-2	01/12/2006	2.0 - 4.0	20	NA	NA	<27	<27	<27	<91	<54	<27	<27	<27	<27	<27	<27	<27
GP-22, S-3	01/12/2006	4.0 - 6.0	7.9	<6.0	NA	<30	<30	<30	<100	<60	<30	<30	62	<30	<30	<30	<30
GP-23, S-3	01/12/2006	4.0 - 6.0	314	550	NA	1,000	13,000	2,400	68,000	4,100	49,000	16,000	<310	1,100	2,100	500	8,000
GP-23, S-4	01/12/2006	6.0 - 8.0	22	<6.2	NA	<31	<31	<31	<110	<62	<31	<31	490	<31	<31	<31	<31
GP-24, S-2	01/12/2006	2.0 - 4.0	24	NA	NA	<28	<28	<28	<94	<55	<28	<28	<28	<28	<28	<28	<28
GP-30, S-3	02/27/2006	4.0 - 6.0	20	<6.7	NA	<33	<33	<33	<100	NA	<33	<33	<33	NA	NA	NA	NA
GP-31, S-3	02/27/2006	4.0 - 6.0	1.9	<6.1	NA	<30	<30	<30	<91	NA	<30	<30	<30	NA	NA	NA	NA
GP-32, S-2	02/27/2006	2.0 - 4.0	126	190	NA	<390	4,500	160	18,000	NA	13,000	4,100	<30	NA	NA	NA	NA
GP-32, S-3	02/27/2006	4.0 - 6.0	7,000	1,200	NA	<610	27,000	9,700	140,000	NA	73,000	23,000	<610	NA	NA	NA	NA
GP-33, S-3	02/27/2006	4.0 - 6.0	10.4	7.4	NA	130	240	<30	640	NA	590	150	<30	NA	NA	NA	NA
MW-30, S-3	03/11/2008	4.0 - 6.0	0.3	NA	NA	<25	<25	<25	<75	<25	<25	<25	<25	NA	NA	NA	NA
MW-31, S-3	03/11/2008	4.0 - 6.0	3.2	NA	NA	<25	<25	<25	<75	<25	71.5	<25	<25	NA	NA	NA	NA
NR 720.09 RCLs				100	100	5.5	2,900	1,500	4,100	NS	NS	NS	NS	NS	NS	NS	NS
NR 746.06 Table 1 (free product indicator)				NS	NS	8,500	4,600	38,000	42,000	2,700	83,000	11,000	NS	NS	NS	NS	NS
NR 746.06 Table 2 (direct contact standard)				NS	NS	1,100	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Notes:

All concentrations reported in parts per billion, except GRO and Lead reported in parts per million

Bold value represents an exceedance of the WDNR NR720 Generic Soil Standard

bgs: below ground surface
ppm eq: part per million equivalent
GRO: gasoline range organics
TMB: trimethylbenzene

MTBE: methyl tert-butyl ether
NA: not analyzed/not applicable
NS: no standard
WDNR: Wisconsin Department of Natural Resources

Table 1
Groundwater Sample Laboratory Analytical Results
Country Express
De Pere, Wisconsin

Sample Date	Benzene	Ethyl-benzene	Toluene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	n-butyl-benzene	sec-butyl-benzene	tert-butyl-benzene	Isopropyl-benzene	n-Propyl-benzene	Chloro-methane	GW Depth (ft btoc)
GP-1	Top of Well Screen (msl):				Length of Well Screen: 10 feet										
5/19/2005	<0.14	<0.40	<0.36	<1.10	0.53	0.61	NA	NA	NA	NA	NA	NA	NA	NA	NA
GP-3	Top of Well Screen (msl):				Length of Well Screen: 10 feet										
5/19/2005	0.17	<0.40	0.66	<1.10	<0.79	0.39	NA	NA	NA	NA	NA	NA	NA	NA	NA
GP-5	Top of Well Screen (msl):				Length of Well Screen: 10 feet										
5/19/2005	<0.55	<1.6	<1.4	<4.4	<3.2	470	NA	NA	NA	NA	NA	NA	NA	NA	NA
GP-6	Top of Well Screen (msl):				Length of Well Screen: 10 feet										
5/19/2005	140	3.3	2.1	1.9	<4.0	590	NA	NA	NA	NA	NA	NA	NA	NA	NA
GP-32	Top of Well Screen (msl):				Length of Well Screen: 10 feet										
2/27/2006	80	830	130	4,200	1,680	130	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1	Top of Well Screen (msl):				Length of Well Screen: 10 feet										
1/9/2006	<0.20	<0.50	<0.20	<0.50	<0.40	<0.50	0.28	<0.50	<0.20	<0.25	<0.20	<0.20	<0.50	0.70	NA
6/22/2006	<0.14	<0.40	<0.36	<1.10	<0.79	<0.36	<0.47	NA	NA	NA	NA	NA	NA	NA	4.51
9/28/2006	<0.31	<0.50	<0.30	<0.92	<0.71	<0.30	<0.80	NA	NA	NA	NA	NA	NA	NA	4.74
12/12/2006	<0.31	<0.50	<0.30	<0.92	<0.71	<0.30	<0.80	NA	NA	NA	NA	NA	NA	NA	5.25
3/23/2007	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.80
6/12/2007	<0.14	<0.40	<0.36	<1.10	<0.79	<0.36	<0.47	NA	NA	NA	NA	NA	NA	NA	4.18
3/14/2008	<0.31	<0.50	<0.30	<0.92	<0.71	<0.30	<0.80	NA	NA	NA	NA	NA	NA	NA	5.42
6/9/2008	<0.14	<0.40	<0.36	<1.10	<0.79	<0.36	<0.47	NA	NA	NA	NA	NA	NA	NA	3.00
MW-2	Top of Well Screen (msl):				Length of Well Screen: 10 feet										
1/9/2006	<0.20	<0.50	<0.20	<0.50	<0.40	<0.50	<0.25	<0.50	<0.20	<0.25	<0.20	<0.20	<0.50	0.74	NA
6/22/2006	<0.14	<0.40	<0.36	<1.10	<0.79	<0.36	<0.47	NA	NA	NA	NA	NA	NA	NA	2.70
9/28/2006	<0.31	<0.50	<0.30	<0.92	<0.71	<0.30	<0.80	NA	NA	NA	NA	NA	NA	NA	3.85
12/12/2006	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	5.10
3/23/2007	<0.14	<0.40	<0.36	<1.10	<0.79	<0.36	<0.47	NA	NA	NA	NA	NA	NA	NA	2.77
6/12/2007	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.99
3/14/2008	<0.31	<0.50	<0.30	<0.92	<0.71	<0.30	<0.80	NA	NA	NA	NA	NA	NA	NA	3.36
6/9/2008	<0.14	<0.40	<0.36	<1.10	<0.79	<0.36	<0.47	NA	NA	NA	NA	NA	NA	NA	1.39
NR 140 ES	5	700	1,000	10,000	480	60	40	5	NS	NS	NS	NS	NS	3	--
NR 140 PAL	0.5	140	200	1,000	96	12	8	0.5	NS	NS	NS	NS	NS	0.3	--

a Estimated concentration below laboratory quantitation level

Note: Trip blank for 03/14/2008 sample session had detectable toluene (0.664^a ppb)

All concentrations reported in parts per billion

Bold value represents exceedance of NR 140 enforcement standard

Italicized values represent exceedance of NR 140 preventive action limits

ft btoc: feet below top of casing

TMB: trimethylbenzene

MTBE: methyl tert-butyl ether

1,2-DCA: 1,2-Dichloroethane

1,2-DCA: 1,2-Dichloroethane

NA: not analyzed/not applicable

NR: Natural Resources

ES: Enforcement Standard

PAL: Preventive Action Limit

NS: no standard/not sampled

Table 1 (continued)
Groundwater Sample Laboratory Analytical Results
Country Express
De Pere, Wisconsin

Sample Date	Benzene	Ethyl-benzene	Toluene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	n-butyl-benzene	sec-butyl-benzene	tert-butyl-benzene	Isopropyl-benzene	n-Propyl-benzene	Chloro-methane	GW Depth (ft btoc)
MW-3		Top of Well Screen (msl):			Length of Well Screen: 10 feet										
1/9/2006	<0.20	<0.50	<0.20	<0.50	<0.40	<0.50	<0.25	<0.50	<0.20	<0.25	<0.20	<0.20	<0.50	0.96	NA
6/22/2006	4.3	<0.40	<0.36	<1.10	<0.79	100	<0.47	NA	NA	NA	NA	NA	NA	NA	5.00
9/28/2006	<0.31	<0.50	<0.30	<0.92	<0.71	92.7	<0.80	NA	NA	NA	NA	NA	NA	NA	5.58
12/12/2006	<0.31	<0.50	<0.30	<0.92	<0.71	97.5	<0.80	NA	NA	NA	NA	NA	NA	NA	5.72
3/23/2007	<0.14	<0.40	<0.36	<1.10	<0.79	46	<0.47	NA	NA	NA	NA	NA	NA	NA	5.34
6/12/2007	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	5.06
3/14/2008	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	5.81
6/9/2008	<0.14	<0.40	<0.36	<1.10	<0.79	60.5	<0.47	NA	NA	NA	NA	NA	NA	NA	4.02
MW-4		Top of Well Screen (msl):			Length of Well Screen: 10 feet										
1/9/2006	<0.20	<0.50	<0.20	<0.50	<0.40	<0.50	<0.25	<0.50	<0.20	<0.25	<0.20	<0.20	<0.50	0.70	NA
6/22/2006	<0.14	<0.40	<0.36	<1.10	<0.79	<0.36	<0.47	NA	NA	NA	NA	NA	NA	NA	4.03
9/28/2006	<0.31	<0.50	<0.30	<0.92	<0.71	<0.30	<0.80	NA	NA	NA	NA	NA	NA	NA	5.39
12/12/2006	<0.31	<0.50	<0.30	<0.92	<0.71	<0.30	<0.80	NA	NA	NA	NA	NA	NA	NA	5.43
3/23/2007	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.71
6/12/2007	<0.14	<0.40	<0.36	<1.10	<0.79	<0.36	<0.47	NA	NA	NA	NA	NA	NA	NA	4.75
3/14/2008	<0.31	<0.50	<0.30	<0.92	<0.71	<0.30	<0.80	NA	NA	NA	NA	NA	NA	NA	3.35
6/9/2008	<0.14	<0.40	<0.36	<1.10	<0.79	<0.36	<0.47	NA	NA	NA	NA	NA	NA	NA	3.37
MW-5		Top of Well Screen (msl):			Length of Well Screen: 10 feet										
1/9/2006	<0.20	<0.50	<0.20	<0.50	<0.40	91	<0.25	<0.50	<0.20	<0.25	<0.20	<0.20	<0.50	0.52	NA
6/22/2006	32	4.6	<0.36	<1.10	<0.79	130	<0.47	NA	NA	NA	NA	NA	NA	NA	4.42
9/28/2006	<0.31	<0.50	<0.30	<0.92	<0.71	77.9	<0.80	NA	NA	NA	NA	NA	NA	NA	5.33
12/12/2006	<0.31	<0.50	<0.30	<0.92	<0.71	66.9	<0.80	NA	NA	NA	NA	NA	NA	NA	5.41
3/23/2007	<0.14	<0.40	<0.36	<1.10	<0.79	52	<0.47	NA	NA	NA	NA	NA	NA	NA	4.95
6/12/2007	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.86
3/14/2008	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	5.10
6/9/2008	62.9	8.1	<0.36	7.5	0.75J	84.7	<0.47	NA	NA	NA	NA	NA	NA	NA	3.98
NR 140 ES	5	700	1,000	10,000	480	60	40	5	NS	NS	NS	NS	NS	3	--
NR 140 PAL	0.5	140	200	1,000	96	12	8	0.5	NS	NS	NS	NS	NS	0.3	--

a Estimated concentration below laboratory quantitation level

Note: Trip blank for 03/14/2008 sample session had detectable toluene (0.664^a ppb)

All concentrations reported in parts per billion

Bold value represents exceedance of NR 140 enforcement standard

Italicized values represent exceedance of NR 140 preventive action limits

ft btoc: feet below top of casing

TMB: trimethylbenzene

MTBE: methyl tert-butyl ether

1,2-DCA: 1,2-Dichloroethane

J: Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

1,2-DCA: 1,2-Dichloroethane

NA: not analyzed/not applicable

NR: Natural Resources

ES: Enforcement Standard

PAL: Preventive Action Limit

NS: no standard/not sampled

Table 1 (continued)
Groundwater Sample Laboratory Analytical Results
Country Express
De Pere, Wisconsin

Sample Date	Benzene	Ethyl-benzene	Toluene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	n-butyl-benzene	sec-butyl-benzene	tert-butyl-benzene	Isopropyl-benzene	n-Propyl-benzene	Chloro-methane	GW Depth (ft btoc)	
MW-6		Top of Well Screen (msl):				Length of Well Screen: 10 feet										
1/9/2006	43	<0.50	<0.20	<0.50	0.42	9.2	<0.25	<0.50	<0.20	<0.25	<0.20	<0.20	<0.50	0.68	NA	
6/22/2006	6.1	0.48	<0.36	<1.10	<0.79	140	<0.47	NA	NA	NA	NA	NA	NA	NA	NA	
9/28/2006	2.0	<0.50	<0.30	<0.92	<0.71	110	<0.80	NA	NA	NA	NA	NA	NA	NA	4.66	
12/12/2006	1.0	0.56 ^a	<0.30	<0.92	<0.71	82.3	<0.80	NA	NA	NA	NA	NA	NA	NA	5.10	
3/23/2007	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.79	
6/12/2007	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.35	
3/14/2008	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	5.03	
6/9/2008	25.9	0.85 ^J	<0.36	<1.10	<0.79	69.7	<0.47	NA	NA	NA	NA	NA	NA	NA	3.29	
MW-10		Top of Well Screen (msl):				Length of Well Screen: 10 feet										
2/8/2006	<0.20	<0.50	<0.20	<0.50	<0.40	<0.50	<0.25	<0.50	<0.20	<0.25	<0.20	<0.20	<0.50	<0.20	NA	
6/22/2006	<0.14	<0.40	<0.36	<1.10	<0.79	<0.36	<0.47	NA	NA	NA	NA	NA	NA	NA	6.05	
9/28/2006	<0.31	<0.50	<0.30	<0.92	<0.71	<0.30	<0.80	NA	NA	NA	NA	NA	NA	NA	6.75	
12/12/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.85	
3/23/2007	<0.14	<0.40	<0.36	<1.10	<0.79	<0.36	<0.47	NA	NA	NA	NA	NA	NA	NA	6.72	
6/12/2007	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	6.27	
3/14/2008	<0.31	<0.50	<0.30	<0.92	<0.71	<0.30	<0.80	NA	NA	NA	NA	NA	NA	NA	6.62	
6/9/2008	<0.14	<0.40	<0.36	<1.10	<0.79	<0.36	<0.47	NA	NA	NA	NA	NA	NA	NA	5.64	
MW-11		Top of Well Screen (msl):				Length of Well Screen: 10 feet										
1/31/2006	<0.20	<0.50	<0.20	<0.50	<0.40	<0.50	<0.25	<0.50	<0.20	<0.25	<0.20	<0.20	<0.50	<0.20	NA	
6/22/2006	<0.14	<0.40	<0.36	<1.10	<0.79	<0.36	<0.47	NA	NA	NA	NA	NA	NA	NA	4.89	
9/28/2006	<0.31	<0.50	<0.30	<0.92	<0.71	<0.30	<0.80	NA	NA	NA	NA	NA	NA	NA	5.66	
12/12/2006	<0.31	<0.50	<0.30	<0.92	<0.71	<0.30	<0.80	NA	NA	NA	NA	NA	NA	NA	5.82	
3/23/2007	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	5.49	
6/12/2007	<0.14	<0.40	<0.36	<1.10	<0.79	<0.36	<0.47	NA	NA	NA	NA	NA	NA	NA	5.14	
3/14/2008	<0.31	<0.50	<0.30	<0.92	<0.71	<0.30	<0.80	NA	NA	NA	NA	NA	NA	NA	5.62	
6/9/2008	<0.14	<0.40	<0.36	<1.10	<0.79	<0.36	<0.47	NA	NA	NA	NA	NA	NA	NA	4.50	
NR 140 ES	5	700	1,000	10,000	480	60	40	5	NS	NS	NS	NS	NS	3	--	
NR 140 PAL	0.5	140	200	1,000	96	12	8	0.5	NS	NS	NS	NS	NS	0.3	--	

^a Estimated concentration below laboratory quantitation level

Note: Trip blank for 03/14/2008 sample session had detectable toluene (0.664^a ppb)

All concentrations reported in parts per billion

Bold value represents exceedance of NR 140 enforcement standard

Italicized values represent exceedance of NR 140 preventive action limits

ft btoc: feet below top of casing

TMB: trimethylbenzene

MTBE: methyl tert-butyl ether

1,2-DCA: 1,2-Dichloroethane

J: Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

1,2-DCA: 1,2-Dichloroethane

NA: not analyzed/not applicable

NR: Natural Resources

ES: Enforcement Standard

PAL: Preventive Action Limit

NS: no standard/not sampled

Table 1 (continued)
 Groundwater Sample Laboratory Analytical Results
 Country Express
 De Pere, Wisconsin

Sample Date	Benzene	Ethyl-benzene	Toluene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	n-butyl-benzene	sec-butyl-benzene	tert-butyl-benzene	Isopropyl-benzene	n-Propyl-benzene	Chloro-methane	GW Depth (ft btoc)	
MW-20		Top of Well Screen (msl):			Length of Well Screen: 10 feet											
3/31/2006	30	21	27	590	92	510	7.1	<0.90	<2.3	<2.2	<2.4	<1.5	<2.0	<0.60	4.48	
6/22/2006	91	380	1.8	345.5	248	660	47	NA	NA	NA	NA	NA	NA	NA	4.18	
9/28/2006	30.4	138	<3.0	27.2	18.9	679	<8.0	NA	NA	NA	NA	NA	NA	NA	4.94	
12/12/2006	42.4	59.6	<3.0	13.4	36.5	804	<8.0	NA	NA	NA	NA	NA	NA	NA	4.95	
3/23/2007	21	38	3.5	66	27	720	<2.3	NA	NA	NA	NA	NA	NA	NA	4.68	
6/12/2007	51	75	<1.8	<5.5	15	630	<2.3	NA	NA	NA	NA	NA	NA	NA	4.69	
3/14/2008	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	5.39	
6/9/2008	84.7	462	2.3J	141.1	132.1J	613	41.3	NA	NA	NA	NA	NA	NA	NA	3.68	
MW-30		Top of Well Screen (msl):			Length of Well Screen: 10 feet											
3/14/2008	54.7	6.62	0.75 ^a	69.6	16.5	23.8	2.57	NA	NA	NA	NA	NA	NA	NA	5.55	
4/14/2008	2.6	3.1	<0.36	7.26	3.2	12.5	<0.47	NA	NA	NA	NA	NA	NA	NA	2.32	
6/9/2008	0.29J	<0.40	<0.36	<1.10	<0.79	2.1J	<0.47	NA	NA	NA	NA	NA	NA	NA	4.91	
MW-31		Top of Well Screen (msl):			Length of Well Screen: 10 feet											
3/14/2008	0.70 ^a	2.64	1.19	19.7	18.3	2.35	1.46	NA	NA	NA	NA	NA	NA	NA	6.98	
6/9/2008	<0.14	<0.40	<0.36	<1.10	3.3	0.65J	2.6	NA	NA	NA	NA	NA	NA	NA	5.47	
NR 140 ES	5	700	1,000	10,000	480	60	40	5	NS	NS	NS	NS	NS	3	--	
NR 140 PAL	0.5	140	200	1,000	96	12	8	0.5	NS	NS	NS	NS	NS	0.3	--	

^a Estimated concentration below laboratory quantitation level

Note: Trip blank for 03/14/2008 sample session had detectable toluene (0.664^a ppb)

All concentrations reported in parts per billion

Bold value represents exceedance of NR 140 enforcement standard

Italicized values represent exceedance of NR 140 preventive action limits

ft btoc: feet below top of casing

TMB: trimethylbenzene

MTBE: methyl tert-butyl ether

1,2-DCA: 1,2-Dichloroethane

J: Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

1,2-DCA: 1,2-Dichloroethane

NA: not analyzed/not applicable

NR: Natural Resources

ES: Enforcement Standard

PAL: Preventive Action Limit

NS: no standard/not sampled

January 15, 2008

Shreeji Oil LLC
2601 Monroe Road
De Pere, Wisconsin 541115

**Re: Notification of Residual Contamination
Country Express Auto/Truck Stop
2601 Monroe Road
De Pere, Wisconsin 54115**

BRRTS No. 03-05-543246

This letter is being sent to you as the current owner of the above referenced property. Environmental monitoring performed at the property has shown that groundwater contamination exceeding ch. NR 140 enforcement standards, and soil contamination exceeding ch. NR 720 generic soil standards remain on the property. Site closure is being requested at this time, and in accordance with the requirements of s. NR 726.05 (2) (b) 4, and (3) (a) 4.g., the following information is being provided.

Soil and groundwater petroleum contamination exists on the property located at 2601 Monroe Road. The levels of benzene and methyl tert-butyl ether (MTBE) contamination in the groundwater on your property are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code. The level of gasoline range organics (GRO) and various petroleum volatile organic compound (PVOC) contamination in the soil on your property are above the Wisconsin Department of Natural Resources (WDNR) soil RCLs found in chapter NR 720, Wisconsin Administrative Code. However, our environmental consultant, Endeavor Environmental Services, Inc. has informed me that the groundwater contaminant plume is stable or receding and will naturally degrade over time and that the soil contaminant plume has been defined, a portion of which was excavated, and the remaining contamination will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726 Wisconsin Administrative Code, and I will be requesting that the Wisconsin Department of Commerce accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.”

Even though the source of the identified soil contamination is on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this soil contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. To obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination, you may visit <http://www.dnr.state.wi.us/org/aw/rr/archives/pubs/RR589.pdf> or call 608-267-3859.

The Wisconsin Department of Commerce will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure

should not be granted for this site. If you would like to submit any information to the Wisconsin Department of Commerce that is relevant to this closure request, you should mail that information to:

Beth Erdman
Wisconsin Department of Commerce
2129 Jackson Street
Oshkosh, WI 54901-0217


If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on Department of Natural Resources' internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Once the Department makes a decision on my closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at <http://www.dnr.wi.gov/org/aw/rr/gis/index.htm><http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf>. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to obtain approval from a regional water supply specialist in DNR's Drinking Water and Groundwater Program. The well-construction application, form 3300-254, may be accessed through the GIS Registry web address in the preceding paragraph.

If you need more information, you may contact me at 483 Woods Court, Mesquite, Nevada 89027, or you may contact Beth Erdman at (920) 303-5410.

Sincerely,



Gary Krull
Responsible Party

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Signature <input type="checkbox"/> Agent <input type="checkbox"/> Addressee <i>Susan Wanner</i></p>
<p>1. Article Addressed to:</p> <p style="text-align: center;">Shreeji Oil, LLC 2601 Monroe Road DePere, WI 54115</p>	<p>B. Received by (Printed Name) C. Date of Delivery <i>Susan Wanner</i> <i>1-24-08</i></p>
<p>2. Article Number (Transfer from service label)</p>	<p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p> <p>3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>
<p>7006 2760 0003 1837 4437</p>	