

GIS REGISTRY

Cover Sheet

March, 2010
(RR 5367)

Source Property Information

BRRTS #:

ACTIVITY NAME:

PROPERTY ADDRESS:

MUNICIPALITY:

PARCEL ID #:

CLOSURE DATE:

FID #:

DATCP #:

COMM #:

*WTM COORDINATES:

X: Y:

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
- Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

- Contamination in ROW
- Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property" form)*

Soil Contamination > *RCL or **SSRCL (232)

- Contamination in ROW
- Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property" form)*

Land Use Controls:

- N/A (Not Applicable)
- Soil: maintain industrial zoning (220)
*(note: soil contamination concentrations
between non-industrial and industrial levels)*
- Structural Impediment (224)
- Site Specific Condition (228)

- Cover or Barrier (222)
*(note: maintenance plan for
groundwater or direct contact)*
- Vapor Mitigation (226)
- Maintain Liability Exemption (230)
*(note: local government unit or economic
development corporation was directed to
take a response action)*

Monitoring Wells:

Are all monitoring wells properly abandoned per NR 141? (234)

- Yes No N/A

** Residual Contaminant Level
**Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: PARCEL ID #:
ACTIVITY NAME: WTM COORDINATES: X: Y:

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Continuing Obligation Cover Letter** (for property owners affected by residual contamination and/or continuing obligations)
- Conditional Closure Letter**
- Certificate of Completion (COC)** (for VPLE sites)

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title: Certified Survey Map**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

- Maps must be no larger than 11 x 17 inches unless the map is submitted electronically.
- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 **Title: Site Location and Local Topography**
 - Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2 **Title: Soil Sample Location Map**
 - Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 4 **Title: Estimated Extent of Remaining Soil Contamination**

BRRTS #: 03-05-550655

ACTIVITY NAME: Kadant Grantek Inc

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: **Title:**

Figure #: **Title:**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: 3 **Title: Monitoring Well Location Map**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 5 **Title: Groundwater Elevation Contour Map April 22, 2010**

Figure #: **Title:**

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 11 x 17 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 2 **Title: Soil Laboratory Analytical Data Summary**

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 3 **Title: Groundwater Laboratory Analytical Data Summary**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 4 **Title: Groundwater Elevation Data**

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: **Title:**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-05-550655

ACTIVITY NAME: Kadant Grantek Inc

NOTIFICATIONS

Source Property

Not Applicable

Letter To Current Source Property Owner: If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

Not Applicable

Letter To "Off-Source" Property Owners: Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying any off-source property owner.

Deed of "Off-Source" Property: The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.

Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

Letter To "Governmental Unit/Right-Of-Way" Owners: Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters:



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
375 City Center, Suite I
Oshkosh, Wisconsin 54901-1805
TTY: Contact Through Relay
Fax: (920) 424-0217
Scott Walker, Governor
Paul F. Jadin, Secretary

April 7, 2011

Mr. Tom Fetterly
Kadant Grantek Inc.
607 Liberty Street
Green Bay, WI 54304

RE: **Final Closure**

Commerce # 54304-3705-07-A DNR BRRTS # 03-05-550655
Kadant Grantek Inc., 607 Liberty Street, Green Bay

Dear Mr. Fetterly:

The Wisconsin Department of Commerce (Commerce) has received the items required as the condition for closure of the site referenced above. This site is now listed as "closed" on the Commerce database and will be included on the Department of Natural Resources (DNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual soil and groundwater contamination.

All current and future owners and occupants of the property need to be aware that excavation of contaminated soil may pose a hazard. If soil is excavated, the property owner at the time of excavation must have the soil sampled and analyzed to determine if residual contamination remains. If sampling confirms that contamination is present, the property owner at the time of excavation must determine whether the material is solid waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules.

Costs for sampling and excavation activities conducted after case closure are not eligible for PECFA reimbursement. However, if it is determined that any undisturbed remaining petroleum contamination poses a threat, the case may be reopened and further investigation or remediation may be required. If this case is reopened, any original claim under the PECFA fund would also reopen and you may apply for assistance to the extent of remaining eligibility. It is in your best interest to keep all documentation related to environmental activities at your site.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (920) 424-0046.

Sincerely,

A handwritten signature in black ink that reads "Robert H. Klauk". The signature is written in a cursive style.

Robert H. Klauk
Senior Hydrogeologist
Site Review Section

cc: Kevin R. Eibenholz - Robert E. Lee & Associates, Inc.



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
375 City Center, Suite I
Oshkosh, Wisconsin 54901-1805
TTY: Contact Through Relay
Fax: (920) 424-0217
Scott Walker, Governor
Paul F. Jadin, Secretary

March 17, 2011

Mr. Tom Fetterly
Kadant Grantek Inc
607 Liberty Street
Green Bay, WI 54304

RE: **Conditional Case Closure**

Commerce # 54304-3705-07-A DNR BRRTS # 03-05-550655
Kadant Grantek Inc., 607 Liberty Street, Green Bay

Dear Mr. Fetterly:

The Wisconsin Department of Commerce (Commerce) has reviewed the request for case closure, prepared by Robert E. Lee & Associates, Inc., for the site referenced above. It is understood that residual soil and groundwater contamination remain on site. Commerce has determined that this site does not pose a significant threat to human health and the environment. No further investigation or remedial action is necessary.

The following condition must be satisfied to obtain final closure:

- Documentation of the abandonment (WDNR Abandonment Form 3300-5B) of temporary groundwater monitoring wells TW1 through TW-4.

Information submitted with your closure request will be included on the Department of Natural Resources (DNR) GIS Registry of Closed Remediation Sites. Because residual contamination remains at the time of case closure, if you intend to construct or reconstruct a potable well on this property, you must get prior DNR approval.

All current and future owners and occupants of the property need to be aware that excavation of contaminated soil may pose a hazard. Special precautions may be needed to prevent inhalation, ingestion or dermal contact with the residual contamination when it is removed. If soil is excavated, the property owner at the time of excavation must have the soil sampled and analyzed to determine if residual contamination remains. If sampling confirms that contamination is present, the property owner at the time of excavation must determine if the material is a solid waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. Costs for sampling and excavation activities conducted after the date of this letter are not eligible for PECFA reimbursement.

Depending on site-specific conditions, construction over contaminated materials may result in vapor migration into enclosed structures or along newly placed underground utility lines. The potential for vapor inhalation and migration should be evaluated when planning any future redevelopment, and measures should be taken to ensure the continued protection of public health, safety, welfare and the environment at the site.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (920) 424-0046.

Sincerely,

Robert H. Klauk
Site Review Section

cc: Kevin R. Eibenholz - Robert E. Lee & Associates, Inc.

DOCUMENT NO.

1507842

EXHIBIT C

STATE BAR OF WISCONSIN FORM 1 - 1982
WARRANTY DEED

J 27143 I 01

THIS SPACE RESERVED FOR RECORDING DATA

REGISTER OF DEEDS
BROWN COUNTY

'96 JUL 3 PM 2 40

CATHY WILLIQUETTE
REGISTER OF DEEDS

This Deed, made between GRANULATION TECHNOLOGY, INC., a Wisconsin corporation

and GRANTEK INC., a Wisconsin corporation, Grantor,

Witnesseth, That the said Grantor, for a valuable consideration

conveys to Grantee the following described real estate in Brown County, State of Wisconsin:

RETURN TO

1200
G B ABST

Tax Parcel No: 1-1413-2

Lot 1 of Volume 22, Certified Survey Maps, Page 126, said map being located in Lots 2, 3 and 6, C.L.A. Tanks Subdivision of Private Claim 12 and the North 1/2 of Private Claim 13 West according to the recorded Plat thereof, in the City of Green Bay, West side of Fox River, Brown County, Wisconsin.

TRANSFER
\$2,067.00
FEE

This is not homestead property.
~~(is)~~ (is not)

Together with all and singular the hereditaments and appurtenances thereunto belonging; And Granulation Technology, Inc., a Wisconsin corporation warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except those listed on Schedule A attached hereto and made a part hereof,

and will warrant and defend the same.


Dated this 1st day of July, 1996

GRANULATION TECHNOLOGY, INC.

(SEAL) By: Donald R. Bauters (SEAL)

* Donald R. Bauters, Treasurer

(SEAL)



AUTHENTICATION

Signature(s) _____

authenticated this _____ day of _____, 19____

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Kevin A. Delorey, Quarles & Brady

P.O. Box 2113, Madison, WI 53701-2113

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF ~~WISCONSIN~~
ILLINOIS

Cook County.

Personally came before me this 1st day of July, 1996 the above named Donald R. Bauters

to me known to be the person who executed the foregoing instrument and acknowledged the same.

Dolores Hall
Notary Public Cook County, IL County, WIS IL.
My Commission is permanent. (If not, state expiration date: 10-16, 1998.)

*Names of persons signing in any capacity should be typed or printed below their signatures.

WARRANTY DEED

STATE BAR OF WISCONSIN
FORM No. 1 - 1982

OFFICIAL SEAL

Dolores Hall
Notary Public, State of Illinois

Wisconsin Legal Blank Co. Inc.
Waukegan, Wis.

1507842

J 27143 I 02

SCHEDULE A

Encumbrances

1. General taxes for the year 1996 not yet due or payable.
2. Covenants, conditions, and restrictions as contained on said Certified Survey Map and reciting as follows: The land on all side and rear lot lines of all lots shall be graded by the subdivider and maintained by the property owners to provide for adequate drainage of surface water. Each lot owner shall grade the property abutting a street to conform to the adopted sidewalk grade elevation and maintain said elevation for future sidewalks.
3. 12' utility easement and 15' building setback line both along the Northerly line of the subject premises as depicted on said Certified Survey Map.
4. Easement granted in an instrument executed by and between Granulation Technology, Inc., a Wisconsin corporation and Wisconsin Public Service Corporation, a Wisconsin corporation, dated August 24, 1990, and recorded in the Office of the Register of Deeds for Brown County, Wisconsin, on September 17, 1990 in 16057 of Records, on 27, as Document Number 1224908.
5. Second installment of general taxes for the year 1995.

CERTIFIED SURVEY MAP

SURVEYOR'S CERTIFICATE

I, David W. Mau, Registered Land Surveyor, do hereby certify that I have surveyed, divided and mapped part of Lots 2, 3 and 6 of C.L.A. Tank's Subdivision of Private Claim 12, City of Green Bay, West Side Fox River, Brown County, Wisconsin, described on Sheet Two.

That such plat is a correct representation of all the exterior boundaries of the land survey and the division thereof. That I have made such a survey, land division and plat by the direction of the owners listed hereon. That I have fully complied with the provisions of Chapter 236, section 236.34 of the Wisconsin Statutes, the City of Green Bay in surveying, dividing and mapping the same.


David W. Mau
 David W. Mau S-1030
 October 12, 1989




- LEGEND**
- 1" x 24" Iron pipe weighing 1.13 lbs./lin. foot set.
 - Point on line 1" I.P. found.
 - Brown Co. mon.
 - 1-1/2" Iron pipe found

NW Corner P.C. 12, W.S.F.R.
 Brass cap in concrete

Bearings referenced to the C/L of Liberty Street assumed to be S64°00'00"E.



NE Corner P.C. 12, W.S.F.R.
 Found stone



Sheet One of Three
 Project No.: F-17988
 Drawing No.: L-2514A

STATEMENT OF PROPERTY LEGAL DESCRIPTION


Kadant GranTek, Inc. is providing this signed statement as it relates to the Kadant GranTek, Inc. property located at 607 Liberty Street, Green Bay, Wisconsin (the Site) and BRRTS case #03-05-550655. This is believed to be the only property that is within, or partially within, the contaminated Site's boundaries and it is believed that the legal description described on the attached property deed for the Site is complete and accurate.

Rick L. Yoder
Signature

2/1/2011
Date

Rick L. Yoder
Name

V. P. OPERATIONS
Title



MAP USED - GREEN BAY WEST QUAD - 1992
 MAP USED - DE PERE QUAD - 1992

SITE LOCATION AND LOCAL TOPOGRAPHY

KADANT GRAN TEK, INC.
 607 LIBERTY STREET
 GREEN BAY, WISCONSIN




1" = 2000'


Robert E. Lee & Associates, Inc.
 ENGINEERING, SURVEYING, ENVIRONMENTAL SERVICES
 4664 GOLDEN POND PARK COURT
 HOBART, WI 54155
 INTERNET: www.releeinc.com


PHONE: (920) 662-9641
 FAX: (920) 662-9141

FIGURE 1



LEGEND

-  SOIL BORING LOCATION
-  SOIL SAMPLE LOCATION
-  EXTENT OF FOOTING EXCAVATION




**KADANT GRAN TEK, INC
607 LIBERTY STREET
GREEN BAY, WISCONSIN**

SOIL SAMPLE LOCATION MAP

Robert E. Lee & Associates, Inc.
ENGINEERING, SURVEYING, ENVIRONMENTAL SERVICES
4664 GOLDEN POND PARK COURT
HOBART, WI 54155 PHONE: (920) 662-9641
INTERNET: www.releeinc.com FAX: (920) 662-9141

\\4800\4838\4838001\dwg\SITE PLAN.dwg
date: Jan 21, 2011 - 1:48pm

FIGURE 2



LEGEND

-  SOIL BORING LOCATION
-  SOIL SAMPLE LOCATION
-  ESTIMATED EXTENT OF REMAINING SOIL CONTAMINATION

**KADANT GRAN TEK, INC
607 LIBERTY STREET
GREEN BAY, WISCONSIN**

**ESTIMATED EXTENT OF REMAINING
SOIL CONTAMINATION**

Robert E. Lee & Associates, Inc.
ENGINEERING, SURVEYING, ENVIRONMENTAL SERVICES
4664 GOLDEN POND PARK COURT
HOBART, WI 54155 PHONE: (920) 662-9641
INTERNET: www.releeinc.com FAX: (920) 662-9141

F:\4800\4838\4838001\dwg\SITE PLAN.dwg
Date: Jan 25, 2011 - 8:59am

FIGURE 4



LEGEND

-  TEMPORARY WELL LOCATION
-  ESTIMATED EXTENT OF GROUNDWATER CONTAMINATION IN EXCESS OF NR 140 ENFORCEMENT STANDARD


KADANT GRAN TEK, INC
607 LIBERTY STREET
GREEN BAY, WISCONSIN

MONITORING WELL LOCATION MAP

Robert E. Lee & Associates, Inc.
 ENGINEERING, SURVEYING, ENVIRONMENTAL SERVICES
 4664 GOLDEN POND PARK COURT
 HOBART, WI 54155 PHONE: (920) 662-9641
 INTERNET: www.releeinc.com FAX: (920) 662-9141

\\4800\4838\4838001\dwg\SITE PLAN.dwg
 Date: Jan 21, 2011 - 1:55pm

FIGURE 3



LEGEND

-  TEMPORARY WELL LOCATION
-  GROUNDWATER ELEVATION CONTOUR
-  GROUNDWATER FLOW DIRECTION

**KADANT GRAN TEK, INC
607 LIBERTY STREET
GREEN BAY, WISCONSIN**

**GROUNDWATER ELEVATION CONTOUR MAP
APRIL 22, 2010**

Robert E. Lee & Associates, Inc.
ENGINEERING, SURVEYING, ENVIRONMENTAL SERVICES
4664 GOLDEN POND PARK COURT
HOBART, WI 54155 PHONE: (920) 662-9541
INTERNET: www.releeinc.com FAX: (920) 662-9141

\\4800\4838\4838001\dwg\SITE PLAN.dwg
ote: Jan. 25, 2011 - 2:53pm

FIGURE 5

TABLE 2
SOIL LABORATORY ANALYTICAL DATA SUMMARY
KADANT GRANTEK, INC., GREEN BAY, WISCONSIN

Boring Sample ID Depth Date	Stockpile	B-102	B-202	B-302	B-402	B-502	B-602	B-702	NR 720.09 Industrial RCLs
	---	2-4'	2-4'	2-4'	2-4'	2-4'	2-4'	2-4'	
	12/4/2007	1/11/2008	1/11/2008	1/11/2008	1/11/2008	1/11/2008	1/11/2008	1/18/2008	
Metals (mg/kg)									
Lead	24	5	31	3	3.4	4.1	4	4.8	500

Boring Sample ID Depth Date	Stockpile	B-102	B-202	B-302	B-402	B-502	B-602	B-702	Suggested RCLs	
	---	2-4'	2-4'	2-4'	2-4'	2-4'	2-4'	2-4'	Groundwater Pathway	Direct Contact for Industrial Sites
	12/4/2007	1/11/2008	1/11/2008	1/11/2008	1/11/2008	1/11/2008	1/11/2008	1/11/2008	1/18/2008	
PAHs (µg/kg)										
Acenaphthene	NA	< 7.2	99	2250	< 7.2	< 7.2	< 7.2	< 7.2	38,000	60,000,000
Acenaphthylene	NA	< 7	26.2	820	< 7	< 7	< 7	< 7	700	360,000
Anthracene	NA	< 14	60	430	< 14	< 14	< 14	< 14	3,000,000	300,000,000
Benzo(a)anthracene	NA	< 15	520	191 J	< 15	18 J	< 15	< 15	17,000	3,900
Benzo(a)pyrene	NA	< 15	750	< 150	< 15	< 15	< 15	< 15	48,000	390
Benzo(b)fluoranthene	NA	< 8.1	1490	209 J	< 8.1	22.4 J	< 8.1	< 8.1	360,000	3,900
Benzo(g,h,i)perylene	NA	< 14	360	< 140	< 14	< 14	< 14	< 14	6,800,000	39,000
Benzo(k)fluoranthene	NA	< 11	410	< 110	< 11	< 11	< 11	< 11	870,000	39,000
Chrysene	NA	< 13	860	< 130	< 13	17.1 J	< 13	< 13	37,000	390,000
Dibenz(a,h)anthracene	NA	< 11	65	< 110	< 11	< 11	< 11	< 11	38,000	390
Fluoranthene	NA	< 13	1550	400 J	< 13	33 J	< 13	< 13	500,000	40,000,000
Fluorene	NA	< 8.5	158	5600	< 8.5	< 8.5	< 8.5	< 8.5	100,000	40,000,000
Indeno(1,2,3-cd)pyrene	NA	< 10	320	< 100	< 10	< 10	< 10	< 10	680,000	3,900
1-Methyl naphthalene	NA	71	860	27700	17.1 J	< 13	< 13	< 13	23,000	70,000,000
2-Methyl naphthalene	NA	117	37 J	< 170	< 17	< 17	< 17	< 17	20,000	40,000,000
Naphthalene	NA	79	57	350 J	< 12	< 12	< 12	< 12	400	110,000
Phenanthrene	NA	< 15	340	11200	< 15	20.7 J	< 15	< 15	1,800	390,000
Pyrene	NA	< 13	1610	790	< 13	30.1 J	< 13	< 13	8,700,000	30,000,000

Key:

mg/kg = Milligrams per Kilogram

µg/kg = Micrograms per Kilogram

"J" = Analyte detected between laboratory limit of detection and limit of quantitation.

NE = Not Established

RCLs = Residual Contaminant Levels

NA = Not Analyzed

10 = analyte detected in excess of suggested RCL

TABLE 2, continued
SOIL LABORATORY ANALYTICAL DATA SUMMARY
KADANT GRANTEK, INC., GREEN BAY, WISCONSIN

Boring Sample ID	Stockpile	B-102	B-202	B-302	B-402	B-502	B-602	B-702	NR 720.09 RCLs	NR 748.06 Table 1 Values	NR 748.06 Table 2 Values
		2-4'	2-4'	2-4'	2-4'	2-4'	2-4'	2-4'			
Depth	—	—	—	—	—	—	—	—	—	—	—
Date	12/4/2007	1/11/2008	1/11/2008	1/11/2008	1/11/2008	1/11/2008	1/11/2008	1/11/2008	—	—	—
Diesel Range Organics (mg/kg)	NA	15	324	3710	< 10	< 10	< 10	< 10	250.0	NE	NE
Gasoline Range Organics (mg/kg)	< 10	47	80	650	< 10	< 10	< 10	< 10	250.0	NE	NE
VOCs (µg/kg)											
Benzene	< 25	95	143	< 25	< 25	< 25	< 25	< 25	5.5	8,500	1,100
Bromobenzene	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Bromodichloromethane	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Bromoform	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
tert-Butylbenzene	< 25	< 25	< 25	84	< 25	< 25	< 25	< 25	NE	NE	NE
sec-Butylbenzene	< 25	105	27.3 J	480	< 25	< 25	< 25	< 25	NE	NE	NE
n-Butylbenzene	< 25	279	76	620	< 25	< 25	< 25	< 25	NE	NE	NE
Carbon Tetrachloride	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Chlorobenzene	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Chloroethane	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Chloroform	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Chloromethane	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
2-Chlorotoluene	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
4-Chlorotoluene	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
1,2-Dibromo-3-chloropropane	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Dibromochloromethane	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
1,4-Dichlorobenzene	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
1,3-Dichlorobenzene	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
1,2-Dichlorobenzene	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Dichlorodifluoromethane	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
1,2-Dichloroethane	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	4.9	600	540
1,1-Dichloroethane	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
1,1-Dichloroethene	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
cis-1,2-Dichloroethene	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
trans-1,2-Dichloroethene	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
1,2-Dichloropropane	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
2,2-Dichloropropane	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
1,3-Dichloropropane	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Diisopropyl Ether	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
EDB (1,2-Dibromoethane)	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Ethylbenzene	< 25	56	35 J	25.9 J	< 25	< 25	< 25	< 25	2,900	4,600	NE
Hexachlorobutadiene	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Isopropylbenzene	< 25	291	183	114	< 25	< 25	< 25	< 25	NE	NE	NE
p-Isopropyltoluene	< 25	138	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Methylene Chloride	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Methyl-tert-butyl ether	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	2,700	NE
Naphthalene	74	305	154	1010	< 25	< 25	< 25	< 25	NE	2,700	NE
n-Propylbenzene	< 25	690	282	191	< 25	< 25	< 25	< 25	NE	NE	NE
1,1,2,2-Tetrachloroethane	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
1,1,1,2-Tetrachloroethane	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Tetrachloroethene	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Toluene	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	1,500	38,000	NE
1,2,4-Trichlorobenzene	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
1,2,3-Trichlorobenzene	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
1,1,1-Trichloroethane	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
1,1,2-Trichloroethane	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Trichloroethene	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Trichlorofluoromethane	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
1,2,4-Trimethylbenzene	< 25	44 J	59 J	46 J	< 25	< 25	< 25	< 25	NE	83,000	NE
1,3,5-Trimethylbenzene	< 25	41 J	< 25	< 25	< 25	< 25	< 25	< 25	NE	11,000	NE
Vinyl chloride	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	NE	NE	NE
Xylenes	< 75	< 75	66 J	54 J	< 75	< 75	< 75	< 75	4,100	42,000	NE

Key:
 *J = Analyte detected between laboratory limit of detection and limit of quantitation
 µg/kg = Micrograms per Kilogram
 mg/kg = Milligrams per Kilogram
 NE = Not Established
 NA = Not Analyzed
 RCLs = Residual Contaminant Levels
 = analyte detected in excess of RCL

**TABLE 3 GROUNDWATER LABORATORY ANALYTICAL DATA SUMMARY
KADANT GRANTEK, INC., GREEN BAY, WISCONSIN**

Parameter	NR 140 ES	NR 140 PAL	TW-1			TW-2			TW-3			TW-4		
			4/17/2008	5/1/2009	4/22/2010	4/17/2008	5/1/2009	4/22/2010	4/17/2008	5/1/2009	4/22/2010	4/17/2008	5/1/2009	4/22/2010
Metals (µg/L)														
Lead	15	1.5	3	6.4 J	4.1	< 0.7	---	---	< 0.7	---	---	< 0.7	---	---

Parameter	NR 140 ES	NR 140 PAL	TW-1			TW-2			TW-3			TW-4		
			4/17/2008	5/1/2009	4/22/2010	4/17/2008	5/1/2009	4/22/2010	4/17/2008	5/1/2009	4/22/2010	4/17/2008	5/1/2009	4/22/2010
PAHs (µg/L)														
Acenaphthene	NE	NE	2.29	---	---	< 0.013	---	---	0.023 J	---	---	< 0.013	---	---
Acenaphthylene	NE	NE	< 0.75	---	---	< 0.015	---	---	< 0.015	---	---	< 0.015	---	---
Anthracene	3000	600	< 0.7	---	---	< 0.014	---	---	< 0.014	---	---	0.043 J	---	---
Benzo(a)anthracene	NE	NE	< 0.85	---	---	< 0.017	---	---	< 0.017	---	---	0.046 J	---	---
Benzo(a)pyrene	0.2	0.02	< 0.8	---	---	< 0.016	---	---	< 0.016	---	---	0.054	---	---
Benzo(b)fluoranthene	0.2	0.02	< 0.5	---	---	< 0.01	---	---	< 0.01	---	---	0.078	---	---
Benzo(g,h,i)perylene	NE	NE	< 1	---	---	< 0.02	---	---	< 0.02	---	---	0.046	---	---
Benzo(k)fluoranthene	NE	NE	< 1.15	---	---	< 0.023	---	---	< 0.023	---	---	0.031 J	---	---
Chrysene	0.2	0.02	< 1	---	---	< 0.02	---	---	< 0.02	---	---	0.056 J	---	---
Dibenz(a,h)anthracene	NE	NE	< 0.6	---	---	< 0.012	---	---	< 0.012	---	---	< 0.012	---	---
Fluoranthene	400	80	< 0.8	---	---	< 0.016	---	---	< 0.016	---	---	0.138	---	---
Fluorene	400	80	3.9	---	---	< 0.015	---	---	0.023 J	---	---	0.020 J	---	---
Indeno(1,2,3-cd)pyrene	NE	NE	< 0.65	---	---	< 0.013	---	---	< 0.013	---	---	0.038 J	---	---
1-Methyl naphthalene	NE	NE	82	---	---	< 0.018	---	---	0.21	---	---	0.033 J	---	---
2-Methyl naphthalene	NE	NE	122	---	---	< 0.016	---	---	0.031 J	---	---	0.057	---	---
Naphthalene	100	10	33	---	---	< 0.015	---	---	0.085	---	---	0.069	---	---
Phenanthrene	NE	NE	5.4	---	---	< 0.017	---	---	0.017 J	---	---	0.106	---	---
Pyrene	250	50	< 0.8	---	---	< 0.016	---	---	< 0.016	---	---	0.085	---	---

NE = Not Established
 --- = Not Analyzed
 ND = Not Detected
 PAHs = Polynuclear aromatic Hydrocarbons
 J = Analyte detected between Limit of Detection
 and Limit of Quantitation

100	= Exceeds the Chapter NR140 Enforcement Standard (ES)
10	= Exceeds the Chapter NR140 Preventive Action Limit (PAL)

TABLE 3 GROUNDWATER LABORATORY ANALYTICAL DATA SUMMARY, continued
KADANT GRANTEK, INC., GREEN BAY, WISCONSIN

Parameter	NR 140 ES	NR 140 PAL	TW-1			TW-2			TW-3			TW-4		
			4/17/2008	5/1/2009	4/22/2010	4/17/2008	5/1/2009	4/22/2010	4/17/2008	5/1/2009	4/22/2010	4/17/2008	5/1/2009	4/22/2010
VOCs (ug/L)														
Benzene	5	0.5	820	840	1030	< 0.24	< 0.23	< 0.4	0.31 J	< 0.23	< 0.4	< 0.24	< 0.23	< 0.4
Bromobenzene	NE	NE	< 22	---	---	< 0.44	---	---	< 0.44	---	---	< 0.44	---	---
Bromodichloromethane	0.6	0.06	< 15	---	---	< 0.3	---	---	< 0.3	---	---	< 0.3	---	---
Bromoform	4.4	0.44	< 35	---	---	< 0.7	---	---	< 0.7	---	---	< 0.7	---	---
n-Butylbenzene	NE	NE	< 27.5	---	---	< 0.55	---	---	< 0.55	---	---	< 0.55	---	---
sec-Butylbenzene	NE	NE	< 36.5	---	---	< 0.73	---	---	< 0.73	---	---	< 0.73	---	---
tert-Butylbenzene	NE	NE	< 16	---	---	< 0.32	---	---	< 0.32	---	---	< 0.32	---	---
Carbon Tetrachloride	5	0.5	< 15	---	---	< 0.3	---	---	< 0.3	---	---	< 0.3	---	---
Chlorobenzene	NE	NE	< 19.5	---	---	< 0.39	---	---	< 0.39	---	---	< 0.39	---	---
Chloroethane	400	80	< 48.5	---	---	< 0.97	---	---	< 0.97	---	---	< 0.97	---	---
Chloroform	6	0.8	< 23.5	---	---	< 0.47	---	---	< 0.47	---	---	< 0.47	---	---
Chloromethane	30	3	< 25	---	---	< 0.5	---	---	< 0.5	---	---	< 0.5	---	---
2-Chlorotoluene	NE	NE	< 20.5	---	---	< 0.41	---	---	< 0.41	---	---	< 0.41	---	---
4-Chlorotoluene	NE	NE	< 15	---	---	< 0.3	---	---	< 0.3	---	---	< 0.3	---	---
1,2-Dibromo-3-chloropropane	0.2	0.02	< 85	---	---	< 1.7	---	---	< 1.7	---	---	< 1.7	---	---
Dibromochloromethane	60	6	< 20	---	---	< 0.4	---	---	< 0.4	---	---	< 0.4	---	---
1,2-Dibromoethane (EDB)	0.05	0.005	< 38	---	---	< 0.76	---	---	< 0.76	---	---	< 0.76	---	---
1,2-Dichlorobenzene	600	60	< 44	---	---	< 0.88	---	---	< 0.88	---	---	< 0.88	---	---
1,3-Dichlorobenzene	600	120	< 33.5	---	---	< 0.67	---	---	< 0.67	---	---	< 0.67	---	---
1,4-Dichlorobenzene	75	15	< 37	---	---	< 0.74	---	---	< 0.74	---	---	< 0.74	---	---
Dichlorodifluoromethane	1000	200	< 38	---	---	< 0.76	---	---	< 0.76	---	---	< 0.76	---	---
1,1-Dichloroethane	850	85	< 29.5	---	---	< 0.59	---	---	< 0.59	---	---	< 0.59	---	---
1,2-Dichloroethane	5	0.5	< 20.5	---	---	< 0.41	---	---	< 0.41	---	---	< 0.41	---	---
1,1-Dichloroethene	7	0.7	< 25	---	---	< 0.5	---	---	< 0.5	---	---	< 0.5	---	---
cis-1,2-Dichloroethene	70	7	< 22	---	---	< 0.44	---	---	< 0.44	---	---	< 0.44	---	---
trans-1,2-Dichloroethene	100	20	< 30.5	---	---	< 0.61	---	---	< 0.61	---	---	< 0.61	---	---
1,2-Dichloropropane	5	0.5	< 13.5	---	---	< 0.27	---	---	< 0.27	---	---	< 0.27	---	---
1,3-Dichloropropane	NE	NE	< 20	---	---	< 0.4	---	---	< 0.4	---	---	< 0.4	---	---
2,2-Dichloropropane	NE	NE	< 26.5	---	---	< 0.53	---	---	< 0.53	---	---	< 0.53	---	---
Diisopropyl Ether	NE	NE	< 18.5	---	---	< 0.37	---	---	< 0.37	---	---	< 0.37	---	---
Ethylbenzene	700	140	198	364	630	< 0.35	< 0.40	< 0.65	0.49 J	< 0.40	< 0.65	0.49 J	< 0.40	< 0.65
Hexachlorobutadiene	NE	NE	< 85	---	---	< 1.7	---	---	< 1.7	---	---	< 1.7	---	---
Isopropylbenzene	NE	NE	< 30	---	---	< 0.6	---	---	< 0.6	---	---	< 0.6	---	---
p-Isopropyltoluene	NE	NE	< 38.5	---	---	< 0.77	---	---	< 0.77	---	---	< 0.77	---	---
Methylene Chloride	NE	NE	< 49.5	---	---	< 0.99	---	---	< 0.99	---	---	< 0.99	---	---
Methyl-tert-butyl ether	60	12	< 35	< 1.8	< 4.9	< 0.7	< 0.36	< 0.49	< 0.7	< 0.36	< 0.49	< 0.7	< 0.36	< 0.49
Naphthalene	100	10	< 90	134	184	< 1.8	< 0.47	< 1.2	< 1.8	< 0.47	< 1.2	< 1.8	< 0.47	< 1.2
n-Propylbenzene	NE	NE	48 J	---	---	< 0.54	---	---	< 0.54	---	---	< 0.54	---	---
1,1,1,2-Tetrachloroethane	70	7	< 16	---	---	< 0.32	---	---	< 0.32	---	---	< 0.32	---	---
1,1,2,2-Tetrachloroethane	0.2	0.02	< 25	---	---	< 0.5	---	---	< 0.5	---	---	< 0.5	---	---
Tetrachloroethene	5	0.5	< 25	---	---	< 0.5	---	---	< 0.5	---	---	< 0.5	---	---
Toluene	800	160	< 19.5	6.4	11.7 J	< 0.39	< 0.36	< 0.86	1.45	< 0.36	< 0.86	1.45	< 0.36	< 0.86
1,2,3-Trichlorobenzene	NE	NE	< 80	---	---	< 1.6	---	---	< 1.6	---	---	< 1.6	---	---
1,2,4-Trichlorobenzene	70	14	< 55	---	---	< 1.1	---	---	< 1.1	---	---	< 1.1	---	---
1,1,1-Trichloroethane	200	40	< 14	---	---	< 0.28	---	---	< 0.28	---	---	< 0.28	---	---
1,1,2-Trichloroethane	5	0.5	< 19.5	---	---	< 0.39	---	---	< 0.39	---	---	< 0.39	---	---
Trichloroethene	5	0.5	< 23.5	---	---	< 0.47	---	---	< 0.47	---	---	< 0.47	---	---
Trichlorofluoromethane	NE	NE	< 40.5	---	---	< 0.81	---	---	< 0.81	---	---	< 0.81	---	---
1,2,4-Trimethylbenzene	480	96	282	433	560	< 0.51	< 0.39	< 0.76	< 0.51	< 0.39	< 0.76	< 0.51	< 0.39	< 0.76
1,3,5-Trimethylbenzene	NE	NE	41	47	112	< 0.23	< 0.40	< 0.73	< 0.23	< 0.40	< 0.73	< 0.23	< 0.40	< 0.73
Vinyl chloride	0.2	0.02	< 10	---	---	< 0.2	---	---	< 0.2	---	---	< 0.2	---	---
Xylenes	10000	1000	97 J	84.2	93 J	< 1.67	< 1.1	< 2.15	< 1.67	< 1.1	< 2.15	< 1.67	< 1.1	< 2.15

NE = Not Established
 --- = Not Analyzed
 ND = Not Detected
 VOCs = Volatile Organic Compounds
 J = Analyte detected between Limit of Detection and Limit of Quantitation
 100 = Exceeds the Chapter NR140 Enforcement Standard (ES)
 10 = Exceeds the Chapter NR140 Preventive Action Limit (PAL)

**TABLE 4 GROUNDWATER ELEVATION DATA
KADANT GRANTEK, INC., GREEN BAY, WISCONSIN**

Well: TW-1
 Screen Interval: 5-10 feet
 Ground Surface Elevation: ---
 Riser Pipe Elevation: 99.29

Measurement Date	Depth to Water		Groundwater Elevation
	Below Riser	Below Ground	
04/17/08	1.83	---	97.46
05/01/09	1.69	---	97.60
04/22/10	2.48	---	96.81

Well: TW-2
 Screen Interval: 5-10 feet
 Ground Surface Elevation: ---
 Riser Pipe Elevation: 99.46

Measurement Date	Depth to Water		Groundwater Elevation
	Below Riser	Below Ground	
04/17/08	7.12	---	92.34
05/01/09	1.28	---	98.18
04/22/10	1.58	---	97.88

Well: TW-3
 Screen Interval: 5-10 feet
 Ground Surface Elevation: ---
 Riser Pipe Elevation: 99.08

Measurement Date	Depth to Water		Groundwater Elevation
	Below Riser	Below Ground	
04/17/08	2.16	---	96.92
05/01/09	1.38	---	97.70
04/22/10	1.91	---	97.17

Well: TW-4
 Screen Interval: 5-10 feet
 Ground Surface Elevation: ---
 Riser Pipe Elevation: 99.75

Measurement Date	Depth to Water		Groundwater Elevation
	Below Riser	Below Ground	
04/17/08	1.71	---	98.04
05/01/09	1.34	---	98.41
04/22/10	2.33	---	97.42