

GIS REGISTRY

Cover Sheet

July, 2008
(RR 5367)

Source Property Information

BRRTS #:

03-08-001213

ACTIVITY NAME:

Wink Mart (Winkler Oil)-WIDOT

PROPERTY ADDRESS:

W 415 Veterans Ave (Sth55)

MUNICIPALITY:

Sherwood

PARCEL ID #:

179-40-0201

CLOSURE DATE: May 27, 2008

FID #:

308000220

DATCP #:

COMM #:

54169999915

*WTM COORDINATES:

X: 659060

Y: 412650

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

Approximate Center Of Contaminant Source

Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Land Use Controls:

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between residential and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government or economic
development corporation)*

Monitoring wells properly abandoned? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: 03-08-001213 PARCEL ID #: 179-40-0201

ACTIVITY NAME: Wink Mart (Winkler Oil)-WIDOT WTM COORDINATES: X: 659060 Y: 412650

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title:**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: None **Title: Site Location Map**
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2 **Title: Site Plan (Current)**
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: F-4 **Title: Estimated Extent of Soil Contamination Exceeding NR746 Direct Contact Soil Std.**

BRRTS #: 03-08-001213

ACTIVITY NAME: Wink Mart (Winkler Oil)-WIDOT

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: **Title: Soil Boring Cross-Sections**

Figure #: 1&2 **Title: 2 sheets - each one titled "Soil Boring Cross-Sections"**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: 2 **Title: General Extent of NR140 PAL and ES Exceedences in Groundwater**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 2 **Title: Groundwater Contour Map 10/25/2007**

Figure #: **Title:**

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 1,2&3 **Title: Soil Analytic Test Results-Post Remediation**

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: **Title: Groundwater Analytical Results Summary**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 4 **Title: Historic GW Elevations (feet) & GW Sampling Data Table for Wink Mart**

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: **Title:**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-08-001213

ACTIVITY NAME: Wink Mart (Winkler Oil)-WIDOT

NOTIFICATIONS

Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:

- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters: 2



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Ronald W. Kazmierczak, Regional Director

Northeast Region Headquarters
2984 Shawano Ave., P.O. Box 10448
Green Bay, Wisconsin 54307-0448
Telephone 920-662-5100
FAX 920-662-5413
TTY Access via relay - 711

May 27, 2008

Don Winkler
Winkler Oil Company, Inc
PO Box 70
Chilton, WI 53014

SUBJECT: Final Case Closure with Land Use Limitations or Conditions
Wink Mart (Winkler Oil) WI DOT, W415 Veterans Avenue, Sherwood, WI
WDNR BRRTS Activity #: 03-08-001213

Dear Mr. Winkler:

On February 22, 2008, the Northeast Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On February 26, 2008, you were notified that the Closure Committee had granted conditional closure to this case.

On May 13, 2008, the Department received correspondence indicating that you have complied with the requirements of closure. Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

GIS Registry

The conditions of case closure set out below in this letter require that your site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- If a structural impediment that obstructs a complete site investigation or cleanup is removed or modified, additional environmental work must be completed
- Pavement, an engineered cover or a soil barrier must be maintained over contaminated soil and the state must approve any changes to this barrier
- Groundwater contamination is present above Chapter NR 140 enforcement standards

Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at

<http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which the current property owner and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. It is the Department's intent to conduct inspections in the future to ensure that the conditions included in this letter including compliance with referenced maintenance plans are met.

Remaining Residual Soil Contamination

Pursuant to s. 292.12(2)(a), Wis. Stats., the pavement or other impervious cap that currently exists in the location shown on the attached map shall be maintained in compliance with the **attached maintenance plan** in order to minimize the infiltration of water and prevent additional groundwater contamination that would violate the groundwater quality standards in ch. NR 140, Wis. Adm. Code, and to prevent direct contact with residual soil contamination that might otherwise pose a threat to human health. If soil in the specific locations described above is excavated in the future, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

The attached maintenance plan and inspection log are to be kept up-to-date and on-site, and the inspection log need only be submitted to the Department upon request.

Prohibited Activities

The following activities are prohibited on any portion of the property where [pavement, a building foundation, soil cover, engineered cap or other barrier] is required as shown on the attached map, unless prior written approval has been obtained from the Wisconsin Department of Natural Resources: 1) removal of the existing barrier; 2) replacement with another barrier; 3) excavating or grading of the land surface; 4) filling on capped or paved areas; 5) plowing for agricultural cultivation; or 6) construction or placement of a building or other structure.

Remaining Residual Groundwater Contamination

Groundwater impacted by petroleum related contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present both on the contaminated property and in the right-of-way. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact Vickie Taddy at 920-662-5178.

Sincerely,

Bruce Urben
Northeast Region
Remediation & Redevelopment Team Supervisor

cc: Jason Powell, METCO (electronic copy sent)
Tom Reinsch, Condon Oil Co., 126 East Jackson St., Ripon, WI 54971
Beth Erdman, WI Dept of Commerce (electronic copy sent)

PAVEMENT COVER MAINTENANCE PLAN

February 21, 2006

Winkmart

Property Located at:

W415 Veterans Avenue, Sherwood, WI 54169

FID # 308000220, WDNR BRRTS # 03-08-001213

See attached deed for legal description. (TAX # 179-40-0201)

Introduction

This document is the Maintenance Plan for a pavement cover at the above-referenced property in accordance with the requirements of s. NR 724.13(2), Wisconsin Administrative Code. The maintenance activities relate to the existing paved surface occupying the area over the contaminated soil on the property. The contaminated soil is impacted by Gasoline Range Organics, 1,2,4 & 1,3,5-Trimethylbenzene, Benzene, Ethylbenzene, Xylene, Naphthalene, Toluene, and Lead. The location of the paved surface to be maintained in accordance with this Maintenance Plan, as well as the impacted soil are identified in the attached map (Exhibit A).

Cover Purpose

The paved surface over the contaminated soil serve as a barrier to prevent direct human contact with residual soil contaminants that might otherwise pose a threat to human health. These paved surfaces also act as a partial infiltration barrier to minimize future soil-to-groundwater contaminant migration that would violate the groundwater standards in ch. NR 140, Wisconsin Administrative Code. Based on the current and future use of the property, the barrier should function as intended unless disturbed.

Annual Inspection

The paved surface overlying the contaminated soil as depicted in Exhibit A will be inspected once a year, normally in the spring after all snow and ice is gone, for deterioration, cracks and other potential problems that can cause additional infiltration into or exposure to underlying soils. The inspections will be performed to evaluate damage due to settling, exposure to the weather, wear from traffic, increasing age and other factors. Any area where soils have become or are likely to become exposed will be documented. A log of the inspections and any repairs will be maintained by the property owner and is included as Exhibit B, Cap Inspection Log. The log will include recommendations for necessary repair of any areas where underlying soils are exposed. Once repairs are completed, they will be documented in the inspection log.

Maintenance Activities

If problems are noted during the annual inspections or at any other time during the year, repairs will be scheduled as soon as practical. Repairs can include patching and filling operations or they can include larger resurfacing or construction operations. In the event that necessary maintenance activities expose the underlying soil, the owner must inform maintenance workers of the direct contact exposure hazard and provide them with appropriate personal protection equipment ("PPE"). The owner must also sample any soil that is excavated from the site or property prior to disposal to ascertain if contaminants remain. The soil must be treated, stored and disposed of by the owner in accordance with applicable local, state and federal law.

In the event the paved surface overlying the contaminated soil are removed or replaced, the replacement barrier must be, at a minimum, equally impervious as the original paved surfaces. Any replacement barrier will be subject to the same maintenance and inspection guidelines as outlined in this Maintenance Plan unless indicated otherwise by the WDNR or its successor.

The property owner, in order to maintain the integrity of the paved surfaces, will maintain a copy of this Maintenance Plan at the property or on site and make it available to all interested parties (i.e. on-site or on-property employees, contractors, future property owners, etc.) for viewing.

Amendment or Withdrawal of Maintenance Plan

This Maintenance Plan can be amended or withdrawn by the property owner and its successors with the written approval of WDNR.

Contact Information

January 2006

Site or Property Owner and Operator:

Tom Reinsch
Condon Oil Company
P.O. Box 184
Ripon, WI 54971
(920) 748-3186

Consultant: Jason T. Powell
METCO
2956 Airport Road
La Crosse WI, 54603
(608) 781-8879

WDNR: ~~Lisa Evanson~~ Vickie Taddy
2984 Shawano Ave,
P.O. Box 10448
Greenbay, WI 54307-0448
(920) 662-5164



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Ronald W. Kazmierczak, Regional Director

Northeast Region Headquarters
2984 Shawano Ave., P.O. Box 10448
Green Bay, Wisconsin 54307-0448
Telephone 920-662-5100
FAX 920-662-5413
TTY Access via relay - 711

February 26, 2008

Don Winkler
Winkler Oil Company
P.O. Box 70
Chilton, WI 53014

Subject: Conditional Closure Decision,
With Requirements to Achieve Final Closure,
Winkmart (Winkler Oil) WI DOT, W415 Veterans Avenue, Sherwood, Wisconsin
WDNR BRRTS Activity # 03-08-001213

Dear Mr. Winkler:

On February 22, 2008, the Northeast Region Closure Committee reviewed your request for closure of the case described above. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the petroleum contamination on the site from the vicinity of the former underground storage tanks that were located on the property appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

The monitoring wells and other remediation system wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to Vickie Taddy on Form 3300-005 found at <http://dnr.wi.gov/org/water/dwg/gw/> or provided by the Department of Natural Resources.

Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Once that work is completed, please send appropriate documentation regarding the treatment or disposal of the remaining purge water, waste and/or soil piles.

There is residual soil and/or groundwater contamination in a public street or highway right-of-way at this site. Section NR 726.05(2)(a)4, Wis. Adm. Code, requires you to provide written notification of the presence of residual soil (and groundwater contamination, if present) to the clerk of the town and county or municipality where the right-of-way is located and to the municipal department or state

agency that maintains the right-of-way. Section NR 726.05(2)(b)4, Wis. Adm. Code, requires you to also provide written notice of the presence of residual groundwater contamination to the owner of any properties that you do not own within this site that do not have soil contamination if they are affected by groundwater contamination. These notifications must include warnings that excavation of potentially contaminated soil or groundwater may pose inhalation or other direct contact hazards and will require soil and groundwater sampling and analysis, as well as proper storage, treatment, or disposal of any excavated materials, based upon the results of the analysis. Thank you for having already provided copies of the written notifications that have been sent.

When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 920-662-5178.

Sincerely,



Vickie Taddy
Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Beth Erdman, Wisconsin Department of Commerce (electronic copy)
Jason Powell, METCO (electronic copy)

Document No.
256448

J 3334 I 12

WARRANTY DEED

Winkler Oil Co., Inc., a Wisconsin corporation, conveys and warrants to B. Kent Bauman the following described real estate in Calumet County, State of Wisconsin:

Lot Number One (1) Block Number Two (2) of Henry Stuhser's Addition to the Village of Sherwood, Calumet County, Wisconsin, according to the recorded plat thereof.

Less and excepting therefrom premises conveyed to State of Wisconsin Department of Transportation recorded in Jacket 3033, Image 22-23, as Document No. 248587.

Tax Key No. 179-40-0201

Grantor warrants good title to the above described property, free and clear of all liens and encumbrances except municipal and zoning ordinances and all easements and restrictions of record.

Dated this 18th day of March, 1996.

TRANSFER

\$ 240.00
FEE

WINKLER OIL CO., INC.

BY:

Don L. Winkler
DON L. WINKLER Secretary

AUTHENTICATION

Signature of Don L. Winkler, Secretary of the above named corporation authenticated this 18th day of March, 1996.

James P. Burnett
JAMES P. BURNETT
Title: Member, State Bar of Wisconsin

This Instrument was Drafted by Attorney James P. Burnett.

This Space Reserved for Recording Data

REGISTERS OFFICE
CALUMET COUNTY WI

Received for Record 25
day of APRIL A.D., 1996
8:00 o'clock A M. and Recorded in
Jacket 3334 Image 12

Donna Schommer
Register

Bd 10.00

Return To:
Timothy M. Dempsey
Firstar Bank Building
P.O. Box 886
Oshkosh, WI 54902-0886

THIS DEED, made by WINKLER OIL CO., INC.
a corporation duly organized and existing under the laws of the State of Wis.
and duly authorized to transact business in the State of Wisconsin, with its principal place
of business at 19 W MAIN ST
City of CHILTON County of Calumet
State of Wisconsin grantor, conveys and
warrants the property described below to STATE OF WISCONSIN DEPARTMENT OF
TRANSPORTATION
grantee, for the sum of Two Thousand Four Hundred and
No/100 (\$ 2400.00) DOLLARS

"NOTICE OF RIGHT TO APPEAL"

Any person named in this deed may make an appeal from the amount of compensation
within six months after the date of recording of this deed as set forth in s. 32.05(2a)
Wisconsin Statutes. For the purpose of any such appeal, the amount of compensation
stated on the deed shall be treated as the award, and the date the deed is recorded shall
be treated as the date of taking and the date of evaluation.

Other persons having an interest of record in the property: VALLEY BANK

(Tax key # 179-40-0201)

LEGAL DESCRIPTION

Fee Title in and to the following tract of land in the Village of Sherwood, Calumet
County, Wisconsin, described as:

All that land of the owner in Lot 1, Block 2, Henry Stuhser's Addition, being part
of the NW¼-SW¼ of Section 29, T20N, R19E, lying within the following described traverse:

Commencing at the west one-quarter corner of said Section 29; thence along the west
line of the SW¼ of said Section 29, S 00°22'53"E a distance of 1,307.82 feet to the south
line of the NW¼-SW¼ of said Section 29; thence along said south line, N 89°40'47"E a
distance of 1,164.16 feet; thence N 20°40'21"E a distance of 40.18 feet to a point on the
existing northerly right of way line of Clifton Road to the point of beginning; thence
continuing N 20°40'21"E a distance of 24.14 feet to a point on the existing southwesterly
right of way line of STH 55-114; thence along said existing line, S 45°55'41"E a distance
of 30.21 feet; thence along the arc of a 220 foot radius curve to the right having a long
chord which bears S 36°10'40"E and is 2.13 feet in length to the intersection point of
STH 55-114 and the northerly right of way line of Clifton Road; thence along said
northerly line, S 89°43'44"W a distance of 31.49 feet to the point of beginning.

Said new right of way contains 0.008 acre more or less.

Also a temporary limited easement for sloping: being 10 feet in width lying
adjacent to and parallel to the existing STH 55-114 right of way line, extending from
Station 421+75 southeasterly to the westerly line of the above described parcel in that
land of the owner in Lot 1, Block 2, Henry Stuhser's Addition, including for such purpose
(Con't.)

The undersigned certify that this instrument is being executed pursuant to a resolution of the board of directors (or shareholders, if authorized
by law) of grantor corporation.

CORPORATE ACKNOWLEDGEMENT

WINKLER OIL CO, INC

(Corporation Name)

[Signature]

(Officer Signature)

PRESIDENT

(Print Name, Title)

[Signature]

(Officer Signature)

SECT.

(Print Name, Title)

May 9 1995
(Date)

State of Wisconsin

CALUMET County

On the above date, this instrument was acknowledged
before me by the named person(s) or officers.

[Signature]

(Signature, Notary Public, State of Wisconsin)

ROBERT J. KALES

(Print or Type Name, Notary Public, State of Wisconsin)

April 7 1996

(Date Commission Expires)

This space reserved for recording data

REGISTERS OFFICE
CALUMET COUNTY WI

Received for Record 5
day of JUNE A.D. 19 95
11:30 o'clock A.M. and Recorded In
Jacket 3033 Imz: 22-23

Donna Schommer
Register:

Chg 12.00

Return to: Wisconsin Department of Transportation
944 Vanderperran Way
Green Bay, WI 54304-0080

DEED BY CORPORATION (Con't.)

the right to operate necessary equipment therein, the right of ingress and egress, as long as required for such public purpose, including the right to preserve, protect, remove or plant thereon any vegetation that the highway authorities deem desirable to prevent erosion of the soil.

Said temporary limited easement shall terminate upon completion of the construction project for which this instrument is given.

Tax No. 179-40-0201

LEGAL DESCRIPTION (property at W415 Veterans Avenue, Sherwood, Wisconsin)

Lot Number One (1) Block Number Two (2) of Henry Stuhser's Addition to the Village of Sherwood, Calumet County, Wisconsin, according to the recorded plat thereof.

Less and excepting therefrom premises conveyed to State of Wisconsin Department of Transportation recorded in Jacket 3033, Image 22-23, as Document No. 248587



Stock No. 26273


LOT 1, BLOCK 2, HENRY STUHSE'S ADDITION TO THE VILLAGE OF SHERWOOD AND PART OF THE NORTHWEST QUARTER OF THE SOUTHWEST QUARTER OF SECTION 29, TOWNSHIP 20 NORTH, RANGE 19 EAST, VILLAGE OF SHERWOOD, CALUMET COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE

The property as shown and described on this map was surveyed under my direction and control according to the Wisconsin Administrative Code, Chapter A-E 7, Minimum Standards for Property Surveys and is a correct representation of said survey, to the best of my knowledge and belief.



*James G. Mayer
October 25, 1996.*



BEARINGS REFERENCED TO GRID NORTH.

SCALE 1" = 60'

WEST 1/4 CORNER SECTION 29-20-19
 $S00^{\circ}22'42''E$ 1,307.88'
 $S00^{\circ}22'42''E$ 2,615.75'

SOUTHWEST CORNER SECTION 29-20-19
 $N45^{\circ}55'20''E$ 138.06'
 $N89^{\circ}41'08''E$ 323.27'

- LEGEND
- 1" x 24" IRON PIPE SET WEIGHING 1.13 LBS./FT.
 - P. K. NAIL SET.
 - ⊗ CHISELLED CROSS SET
 - ⊙ EX. CAL. CO. MON.

MAYER LAND SURVEYING
 N5698 LAKE SHORE DRIVE
 HILBERT, WI. 439-1761

SURVEYED FOR
 CONDON COMPANIES
 126 E. JACKSON
 RIPON, WI.

THIS INSTRUMENT DRAFTED BY *James G. Mayer*

WDNR BRRTS Case #: 03-08-001213


WDNR Site Name: Winkmart

Geographic Information System (GIS) Registry of Closed Remediation Sites



In compliance with the revisions to the NR 700 rule series requiring certain closed sites to be listed on the Geographic Information System (GIS) Registry of Closed Remediation Sites (Registry) effective Nov., 2001, I have provided the following information.

To the best of my knowledge the legal descriptions provided and attached to this statement are complete and accurate.

Responsible Party: THOMAS R. REINSCH V.P.
(print name/title)




(signature) 10-6-05
(date)

TOPOI map printed on 09/09/05 from "Wisconsin.tpo" and "Untitled.tpg"
NAD27 88°15'00" W



SITE LOCATION MAP – CONTOUR INTERVAL 10 FEET
WINKMART – SHERWOOD, WI
SEAMLESS USGS TOPOGRAPHIC MAPS ON CD-ROM

METCO
Environmental Consulting, Fuel System Design, Installation and Service
2956 Airport Road – La Crosse, WI 54603 608-781-8879



- ▣ MW4 - EXISTING MONITORING WELL, TYP.
- △ RS - EXISTING RECOVERY SUMP, TYP.
- BS-1 - DOT Soil Boring - 1992
- ▲ B1 - Soil Boring - 1993/1994
- ⊕ AMW-1 - Monitoring Well - 2003 (Advanced Consulting)

FIGURE 2 - SITE PLAN (CURRENT)



MILLER ENGINEERS SCIENTISTS
 5308 South Twelfth Street
 Sheboygan, Wisconsin 53081
 414-458-6164

WINKLER OIL COMPANY
 SHERWOOD WINK MART
 W415 VETERANS AVENUE
 SHERWOOD, WISCONSIN

NO.	DATE	DESCRIPTION	BY
2	5-24-00	UPDATE SITE PLAN	SCM
1	6-18-97	ADD MW7 AND MW9	SAB

SCALE	DATE	BY	SHEET
HOR. 1"=30'	5-24-00	SCM	F-2
JOB	VER.	CK	OF
13510E4D		TWG	

Modified by METCO 9/12/05 ED



⊞ MW4 - EXISTING MONITORING WELL, TYP.
 △ RS - EXISTING RECOVERY SUMP, TYP.

FIGURE 4 - ESTIMATED EXTENT OF SOIL CONTAMINATION EXCEEDING NR 746 DIRECT CONTACT SOIL STD


MILLER ENGINEERS SCIENTISTS
 5308 South Twelfth Street
 Sheboygan, Wisconsin 53081
 414-458-6164

WINKLER OIL COMPANY
 SHERWOOD WINK MART
 W415 VETERANS AVENUE
 SHERWOOD, WISCONSIN

NO.	DATE	DESCRIPTION	BY	VER.	SCALE	DATE	BY	VER.	SHEET
2	5-24-00	UPDATE SITE PLAN	SCM			5-24-00	SCM		F-4 of
1	8-18-97	ADD MW7 AND MW9	SAB		HOR. 1"=30'		CK	TWG	

⊞ MW5

⊞ MW4




LEGEND

- ◆ SOIL BORING & MONITORING WELL
- △ SOIL BORING
- × ADVENT, INC. SOIL BORING


○ B10/MW5

◆ B9/MW4



ENVIRONMENTAL ASSESSMENTS, INC. APPLETON, WISCONSIN	TITLE: Soil Boring Cross-sections.	FIGURE #
	PROJECT: WINKMART W415 VETERANS AVE. (HWY. 55) SHERWOOD, WISCONSIN	SCALE : 1" = 40'
	DRAWN BY: B. GIRARD	

A ————— A'



EOB = END OF BORING

NOT TO SCALE

ENVIRONMENTAL
ASSESSMENTS, INC.

APPLETON, WISCONSIN

TITLE:

Soil Boring Cross-sections.


FIGURE # 1

PROJECT:

WINKMART
W415 VETERANS AVE. (HWY. 55)
SHERWOOD, WISCONSIN

SCALE : NONE



DRAWN BY: B. GIRARD



EOB = END OF BORING

NOT TO SCALE

ENVIRONMENTAL ASSESSMENTS, INC. APPLETON, WISCONSIN	TITLE: Soil Boring Cross-sections.	FIGURE # 2
	PROJECT: WINKMART W415 VETERANS AVE. (HWY. 55) SHERWOOD, WISCONSIN	SCALE : NONE
		DRAWN BY: B. GIRARD



- ⊞ MW4 - EXISTING MONITORING WELL, TYP.
- △ RS - EXISTING RECOVERY SUMP, TYP.
- B5-1 - DOT Soil Boring - 1992
- ▲ B1 - Soil Boring - 1993/1994
- ⊕ AMW-1 - Monitoring Well - 2003 (Advanced Consulting)

tent of NR140 PAZ and ES exceedences in groundwater



FIGURE 2 - SITE PLAN (CURRENT)

MILLER ENGINEERS SCIENTISTS
6308 South Twelfth Street
Sheboygan, Wisconsin 53081
414-458-6164

WINKLER OIL COMPANY
SHERWOOD WINK MART
W415 VETERANS AVENUE
SHERWOOD, WISCONSIN

NO.	DATE	DESCRIPTION	BY	VER.	SCALE	DATE	BY	CHK	SHEET
2	5-24-00	UPDATE SITE PLAN	SCM			5-24-00	SCM		F-2 of
1	8-18-97	ADD MW7 AND MW8	SAB		HOR. 1"=30'			TWC	
						JOB			
						13510E4D			

Modified by METCO 9/12/05 ED
Modified by METCO 1/31/08



- ☐ MW4 - EXISTING MONITORING WELL, TYP.
- △ RS - EXISTING RECOVERY SUMP, TYP.
- B5-1 - DOT Soil Boring - 1992
- ▲ B1 - Soil Boring - 1993/1994
- ⊕ AMW-1 - Monitoring Well - 2003 (Advanced Consulting)

Note: Water elevation is based on on-site bench mark

FIGURE 2 - SITE PLAN (CURRENT)			
MILLER ENGINEERS SCIENTISTS		5308 South Twelfth Street Sheboygan, Wisconsin 53081 414-458-6164	
WINKLER OIL COMPANY SHERWOOD WINK MART W415 VETERANS AVENUE SHERWOOD, WISCONSIN			
NO.	DATE	DESCRIPTION	BY
2	5-24-00	UPDATE SITE PLAN	SCM
1	6-18-97	ADD MW7 AND MW9	SAB
SCALE	DATE	BY	SHEET
HOR. 1"=30'	5-24-00	SCM	F-2
JOB	13510E4D	CK	TWG

Modified by METCO 1/17/2008-AU

Table 1. Soil Analytical Results
Wink Mart
W 415 Veterans Ave.
Sherwood, WI 54169

AMW-1
AMW-2

Boring ID	Sample Description	Date	Depth Feet	Benzene ug/kg	Ethylbenzene ug/kg	MTBE ug/kg	Toluene ug/kg	1,2-DCA ug/kg	1,2,4-Trimethylbenzene ug/kg	1,3,5-Trimethylbenzene ug/kg	Xylenes ug/kg
B1	B-1	06/20/2003	4'	<30	<30	<30	<30	N/A	<30	<30	<89
B2	B-1	06/20/2003	8'	<30	<30	35	<30	N/A	<30	<30	<91
B3	B-1	06/20/2003	20'	<31	<31	<31	<31	N/A	<31	<31	<94
B4	B-2	06/20/2003	4'	<31	<31	<31	<31	N/A	<31	<31	<93
B5	B-2	06/20/2003	8'	<30	<30	<30	<30	N/A	<30	<30	<89
B6	B-2	06/20/2003	20'	<30	<30	<30	<30	N/A	<30	<30	<90
RCL	---	---	---	8500	4600	N/A	38000	600	83000	11000	42000
DCC				1100	N/A	N/A	N/A	540	N/A	N/A	N/A

RCL= NR 746 Table 1 Indicators of Residual Petroleum P ug/kg= micrograms per kilogram

DCC= NR 746 Table 2 Protection of Human Health From Direct Contact with Contaminated Soil(top 4ft)

GRO=Gasoline Range Organics

mg/kg= milligram per kilogram

MTBE=Methyl tertiary butyl ether

Shaded cells indicate exceedances of NR 746 DCC

NA=Not Available

NS=No Standards

Bold=exceeds RCL

Post-Remediation

TABLE 2
Soil Analytic Test Results-Limit Samples

Winkler Oil Company
Sherwood Wink Mart
Sherwood, Wisconsin

Project #: 13510E

Analyte (ug/kg)	Sample Number														NR 720	NR 746
	S82	S87	S93	S94	S95	S96	S105	S108	S113	S121	S124	S125	S132	Soil Standards	Direct Contact Soil Standards	
Depth (feet)	3	3	3.5	11.5	4.5	2.5	4	4	3.5	8	3.5	3.5	3.5			
Benzene	<29	538	<29	<32	<29	687	7,130	1,360	1,560	12,800	590	820	7,950	5.5	1,100	
Ethylbenzene	110	1,950	<29	<32	<29	6,990	11,500	543	4,690	1,170	2,400	4,440	489	2,900	400,000	
MTBE	<29	<57	210	356	223	<310	<287	<28	<150	<42	<250	<28	239	--	--	
Toluene	<29	149	<29	<32	<29	412	4,020	52	3,130	5,950	1,500	558	250	1,500	670,000	
1,2,4-Trimethylbenzene	49	950	<29	<32	<29	52,400	20,700	339	9,990	100	6,100	8,430	284	--	--	
1,3,5-Trimethylbenzene	<29	49	<29	<32	<29	17,500	6,090	<28	3,130	<29	3,100	2,160	<140	--	--	
Xylenes	<88	686	<88	<95	<41	32,500	44,800	464	13,200	2,100	11,000	20,500	398	4,100	470,000	
1,2-Dichloroethane	--	--	--	--	38	<310	--	<28	<150	--	--	--	<140	4.9	540	
Naphthalene	--	--	--	--	<29	6,120	--	124	2,170	--	--	--	159	--	--	
Total PVOC	159	4,322	210	356	--	--	94,240	--	--	22,120	24,690	36,908	--	--	--	
Total VOC	--	--	--	--	261	130,508	--	3,186	44,625	--	--	--	82,280	--	--	
GRO (mg/kg)	22	40	<5.8	<6.4	<5.9	649	345	26	90	32	--	90	11	250	--	

Analyte (ug/kg)	Sample Number													NR 720	NR 746
	S133	S143	S144	S145	S146	S153	S154	S155	S158	S159	S162	S167	S168	Soil Standards	Direct Contact Soil Standards
Depth (feet)	4	2	4	2	4	7	4	2	7	3.5	3	3	3		
Benzene	29	1,930	6,330	3,380	1,390	10,200	4,660	44,000	251	6,770	1,290	411	220	5.5	1,100
Ethylbenzene	56	46,900	6,100	46,200	4,160	4,380	3,520	147,000	513	21,800	2,460	646	1,470	2,900	400,000
MTBE	<25	<600	<58	<625	<139	<69	<28	<1,600	468	<290	94	129	45	--	--
Toluene	94	13,200	322	51,200	335	378	250	427,000	<29	32,100	<29	<29	<31	1,500	670,000
1,2,4-Trimethylbenzene	160	114,000	10,700	150,000	9,120	694	2,390	347,000	627	43,600	4,910	4,820	4,520	--	--
1,3,5-Trimethylbenzene	62	33,700	3,340	46,200	2,890	110	648	107,000	285	14,900	1,170	1,150	281	--	--
Xylenes	260	253,000	17,300	288,000	15,000	3,900	14,800	747,000	<86	95,300	8,420	4,470	2,320	4,100	470,000
1,2-Dichloroethane	--	<600	<58	<625	<139	--	--	<1,600	--	<290	<29	<31	<31	4.9	540
Naphthalene	--	18,100	2,190	26,200	1,960	--	--	56,000	--	5,860	971	623	598	--	--
Total PVOC	661	--	--	--	--	19,662	26,268	--	2,144	--	--	--	--	--	--
Total VOC	--	506,440	49,172	642,380	36,667	--	--	1.98E+6	--	229,428	20,343	13,334	10,355	--	--
GRO (mg/kg)	--	1,560	84	2,380	87	27	50	5,600	13	758	43	51	35	250	--
Lead (mg/kg)	--	--	--	--	--	--	--	--	--	15	9.7	11	9.2	50	--

-- = Not Sampled

PVOC = Petroleum Volatile Organic Compounds (Method SW 8020)

GRO = Gasoline Range Organics (WDNR Method)

Exceeds NR 720 Soil Standards

Exceeds NR 746 Direct Contact Soil Standards (Contaminant Concentration apply only to soil in upper 4 feet)

TABLE 3
Soil Analytic Test Results—Limit Samples

Winkler Oil Company
 Sherwood Wink Mart
 Project # 13510E

Analyte (ppb)	S21	S33	S36	S40	S45	S57	S58	S64	S65	S68	S69	S71	S72	S76	S77	NR 720 Soil Standards
Benzene	ND	ND	630	ND	ND	1000	ND	510	1600	760	3000	29	370	52	1600	5.5
Ethylbenzene	160	ND	860	ND	ND	180	ND	1800	5800	3900	22000	ND	1000	490	1800	2,900
MTBE	ND	ND	ND	ND	ND	120	36	240	ND	ND	ND	49	ND	ND	58	--
Toluene	ND	ND	95	ND	ND	89	ND	ND	210	540	11000	ND	ND	110	96	1,500
1,2,4 Trimethylbenzene	330	56	700	ND	ND	940	33	3000	9500	8900	59000	50	770	2600	2100	--
1,3,5 Trimethylbenzene	260	46	800	ND	ND	160	ND	280	3000	3100	19000	ND	360	850	310	--
Xylenes	375	ND	1000	ND	ND	341	34	940	7340	14300	88000	56	1350	1880	1320	--
Total PVOC	1125	102	4085	ND	ND	2830	103	6770	27450	31500	202000	184	3850	5982	7284	4,100
Depth (feet)	4	5	7	4	4	8	8	6	5	4.5	4.5	5	4.5	5	8	--
GRO (ppm)	31	11	14	15	ND	21	ND	73	120	190	990	6.1	73	31	22	100
DRO (ppm)	—	—	—	—	—	—	—	—	—	—	—	—	—	21	—	100

- = Not Sampled
- BOLD** = Exceeds NR 720 Standards (February 1996)
- ND = Compound Not Detected
- PVOC = Petroleum Volatile Organic Compounds (EPA Method 8020)
- GRO = Gasoline Range Organics (WI Modified GRO Method)
- DRO = Diesel Range Organics (WI Modified DRO Method)

NA13510E/SORB0696.WB2

Post-remediation

Groundwater Analytical Results Summary
Winkmart LUST Site BRRTS# 03-08-001213

Well MW-1

PVC Elevation = 98.42 (feet)

Date	1,2-DCA (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
3/4/1994	NS	ND	ND	7.8	NS	ND	ND	ND
12/8/1994	NS	ND	ND	16	NS	ND	ND	ND
3/20/1995	NS	ND	ND	14	NS	ND	ND	ND
6/26/1995	NS	ND	ND	10.6	NS	ND	ND	ND
9/25/1995	NS	ND	ND	32	NS	ND	ND	ND
2/21/1996	NS	ND	ND	15	NS	ND	ND	ND
8/2/1996	NS	ND	ND	23	NS	ND	ND	ND
4/9/1997	NS	ND	ND	30	NS	ND	ND	ND
8/14/1997	NS	ND	ND	24	NS	ND	ND	ND
4/13/1998	NS	8.1	<0.22	36	NS	<0.20	<0.29	<0.23
8/27/1999	NS	9.7	<0.22	47	NS	0.2	<0.29	0.29
1/27/2000	9.4	0.76	<0.25	67	NS	<0.10	<0.29	<0.25
4/4/2000	NS	0.28	<0.22	59	NS	<0.20	<0.29	<0.23
4/28/2004	8	<0.20	<0.50	86	<0.25	<0.20	<0.40	<0.50
9/6/2006	NS	<0.17	<0.2	123	NS	<0.59	<1.36	<1.28
12/6/2006	NS	<0.17	<1	119	NS	<0.78	<1.95	<2.84
4/26/2007	NS	<0.47	<0.38	91	NS	<0.46	<1.57	<0.99
10/25/2007	NS	<0.47	<0.38	86	NS	<0.46	<1.57	<0.99

Well MW-2

PVC Elevation = 99.84 (feet)

Date	1,2-DCA (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
3/4/1994	NS	7.7	10	ND	NS	56	17.4	53
12/8/1994	NS	ND	ND	ND	NS	ND	ND	ND
3/20/1995	NS	ND	ND	ND	NS	ND	ND	ND
6/26/1995	NS	ND	ND	ND	NS	ND	ND	ND
9/25/1995	NS	ND	ND	ND	NS	ND	ND	ND
2/21/1996	NS	ND	ND	ND	NS	ND	ND	ND
8/2/1996	NS	ND	ND	ND	NS	ND	ND	ND
4/9/1997	NS	ND	ND	ND	NS	0.9	ND	ND
8/14/1997	NS	ND	ND	ND	NS	ND	ND	ND
4/13/1998	NS	<0.13	<0.22	<0.16	NS	<0.20	<0.29	<0.23
1/27/2000	NS	<0.13	<0.22	<0.16	NS	<0.20	<0.29	<0.23
4/4/2000	NS	<0.13	<0.22	<0.16	NS	<0.20	<0.29	<0.23
9/6/2006	NOT SAMPLED							
12/6/2006	NOT SAMPLED							
4/26/2007	NOT SAMPLED							
10/25/2007	NOT SAMPLED							

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Me
ND = No Detects

Groundwater Analytical Results Summary
Winkmart LUST Site BRRTS# 03-08-001213

Well MW-3

PVC Elevation = 99.93 (feet)

Date	1,2-DCA (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
3/4/1994	NS	ND	ND	50	NS	ND	ND	ND
12/8/1994	NS	ND	ND	70	NS	ND	ND	ND
3/20/1995	NS	67	3.0	58	NS	3.9	ND	5.1
6/26/1995	NS	3.1	ND	53	NS	ND	ND	ND
9/25/1995	NS	0.7	ND	40	NS	ND	ND	ND
2/21/1996	NS	ND	ND	79	NS	ND	ND	ND
8/2/1996	NS	ND	ND	55	NS	ND	ND	ND
4/9/1997	NS	2.5	ND	53	NS	ND	ND	ND
8/14/1997	NS	ND	ND	35	NS	ND	ND	ND
4/13/1998	NS	<0.13	<0.22	54	NS	<0.20	<0.29	<0.23
1/27/2000	UNABLE TO LOCATE DUE TO SNOW PILES							
4/4/2000	NS	0.15	<0.22	72	NS	<0.20	<0.29	<0.23
4/28/2004	<0.50	<0.20	<0.50	<0.50	<0.25	<0.20	<0.40	<0.50
9/6/2006	NOT SAMPLED							
12/6/2006	NOT SAMPLED							
4/26/2007	NOT SAMPLED							
10/25/2007	NOT SAMPLED							

Well MW-4

PVC Elevation = 100.74 (feet)

Date	1,2-DCA (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
12/8/1994	NS	ND	ND	ND	NS	ND	ND	ND
3/20/1995	NS	ND	ND	ND	NS	ND	ND	ND
6/26/1995	NS	ND	ND	ND	NS	ND	ND	ND
9/25/1995	NS	3.1	ND	53	NS	ND	ND	ND
2/21/1996	NS	ND	ND	ND	NS	ND	ND	ND
8/2/1996	NS	ND	ND	ND	NS	ND	ND	ND
4/9/1997	NS	ND	ND	ND	NS	ND	ND	ND
8/14/1997	NS	ND	ND	ND	NS	ND	ND	ND
1/27/2000	NS	<0.13	<0.22	<0.16	NS	0.77	<0.29	<0.23
4/4/2000	NS	<0.13	<0.22	<0.16	NS	<0.20	<0.29	<0.23
9/6/2006	NOT SAMPLED							
12/6/2006	NOT SAMPLED							
4/26/2007	NOT SAMPLED							
10/25/2007	NOT SAMPLED							

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Me

Groundwater Analytical Results Summary
Winkmart LUST Site BRRTS# 03-08-001213

Well MW-5

PVC Elevation = 101.71 (feet)

Date	1,2-DCA (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
12/8/1994	NS	ND	ND	ND	NS	ND	ND	ND
3/20/1995	NS	ND	ND	ND	NS	ND	ND	ND
6/26/1995	NS	ND	ND	ND	NS	ND	ND	ND
9/25/1995	NS	ND	ND	ND	NS	ND	ND	ND
2/21/1996	NS	ND	ND	ND	NS	ND	ND	ND
8/2/1996	NS	ND	ND	ND	NS	ND	ND	ND
4/9/1997	NS	ND	ND	ND	NS	ND	ND	ND
8/14/1997	NS	ND	ND	ND	NS	ND	ND	ND
4/13/1998	NOT TESTED							
1/27/2000	UNABLE TO LOCATE DUE TO SNOW PILES							
4/4/2000	NS	<0.13	<0.22	<0.16	NS	<0.20	<0.29	<0.23
9/6/2006	NOT SAMPLED							
12/6/2006	NOT SAMPLED							
4/26/2007	NOT SAMPLED							
10/25/2007	NOT SAMPLED							

Well MW-6

PVC Elevation = 0 (feet)

Date	1,2-DCA (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
12/8/1994	NS	ND	1.6	561	NS	ND	5.3	2.5
3/20/1995	NS	<i>3.1</i>	2.3	820	NS	0.8	6.5	5.4
6/26/1995	NS	10	4.9	830	NS	1.36	3.04	6.15
9/25/1995	NS	21	4.1	1100	NS	2.3	5.6	0.3
2/21/1996	NS	18	ND	1180	NS	ND	3.2	ND
6/27/1996	Well Abandoned							

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Me

Groundwater Analytical Results Summary
Winkmart LUST Site BRRTS# 03-08-001213

Well MW-7

PVC Elevation = 100.47 (feet)

Date	1,2-DCA (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
6/26/1995	NS	ND	ND	ND	NS	ND	ND	ND
9/25/1995	NS	ND	ND	ND	NS	ND	ND	ND
2/21/1996	NS	ND	ND	ND	NS	ND	ND	ND
8/2/1996	NS	ND	ND	ND	NS	ND	ND	ND
4/9/1997	NS	ND	ND	ND	NS	ND	ND	ND
8/14/1997	NS	ND	ND	ND	NS	ND	ND	ND
4/13/1998	NOT TESTED							
1/27/2000	NS	<0.13	<0.22	<0.16	NS	<0.20	<0.29	<0.23
4/4/2000	NS	<0.13	<0.22	<0.16	NS	<0.20	<0.29	<0.23
4/28/2004	<0.50	<0.20	<0.50	<0.50	<0.25	<0.20	<0.40	<0.50
9/6/2006	NOT SAMPLED							
12/6/2006	NOT SAMPLED							
4/26/2007	NOT SAMPLED							
10/25/2007	NOT SAMPLED							

Well MW-8

PVC Elevation = 0 (feet)

Date	1,2-DCA (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
6/26/1995	NS	ND	ND	ND	NS	ND	ND	ND
9/25/1995	NS	ND	ND	ND	NS	ND	ND	ND
2/21/1996	NS	ND	ND	ND	NS	ND	ND	ND
7/8/1996	Well Abandoned							

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Me

Groundwater Analytical Results Summary
Winkmart LUST Site BRRTS# 03-08-001213

Well MW-9

PVC Elevation = 98.54 (feet)

Date	1,2-DCA (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
6/26/1995	NS	ND	ND	ND	NS	ND	ND	ND
9/25/1995	NS	ND	ND	ND	NS	ND	ND	ND
2/21/1996	NS	ND	ND	ND	NS	ND	ND	ND
8/2/1996	NS	ND	ND	ND	NS	ND	ND	ND
4/9/1997	NS	ND	ND	ND	NS	ND	ND	ND
8/14/1997	NS	ND	ND	ND	NS	ND	ND	ND
4/13/1998	NOT TESTED							
1/27/2000	NOT TESTED							
4/4/2000	NS	<0.13	<0.22	<0.16	NS	<0.20	<0.29	<0.23
9/6/2006	NOT SAMPLED							
12/6/2006	NOT SAMPLED							
4/26/2007	NOT SAMPLED							
10/25/2007	NOT SAMPLED							

Well RS-1

PVC Elevation = 99.43 (feet)

Date	1,2-DCA (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
8/2/1996	NS	190	ND	2900	NS	ND	ND	ND
4/9/1997	NS	1200	18	1200	NS	120	11.3	64
8/14/1997	NS	6000	96	5300	NS	22	45	ND
4/13/1998	NS	1600	45	900	NS	140	18	87
8/27/1999	NS	1100	30	660	NS	5.6	3.4	5.2
1/27/2000	<0.25	3.8	<0.25	9.5	NS	0.22	0.14	<0.25
4/4/2000	<0.5	110	0.56	65	NS	18	0.64	54
4/28/2004	<0.50	<0.20	<0.50	28	<0.25	<0.20	<0.40	<0.50
9/6/2006	NOT SAMPLED							
4/26/2007	NS	<0.47	<0.38	70	NS	<0.46	<1.57	0.67-1.27
10/25/2007	NS	<0.47	<0.38	71	NS	<0.46	<1.57	<0.99

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Me

Groundwater Analytical Results Summary
Winkmart LUST Site BRRTS# 03-08-001213

Well RS-2

PVC Elevation = 0 (feet)

Date	1,2-DCA (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
4/4/2000	<5	970	250	96	53	11	397.6	510
4/28/2004	<0.50	<0.20	<0.50	<0.50	<0.25	<0.20	<0.40	<0.50
9/6/2006	NOT SAMPLED							
4/26/2007	NOT SAMPLED							
10/25/2007	NOT SAMPLED							

Well AMW-1

PVC Elevation = 0 (feet)

Date	1,2-DCA (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
4/28/2004	<0.50	<0.20	<0.50	<0.50	<0.25	<0.20	<0.40	<0.50
9/6/2006	NOT SAMPLED							
4/26/2007	NS	<0.47	<0.38	<0.52	NS	<0.46	<1.57	<0.99
10/25/2007	NS	<0.47	<0.38	<0.52	NS	<0.46	<1.57	<0.99

Well AMW-2

PVC Elevation = 0 (feet)

Date	1,2-DCA (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
4/28/2004	<0.50	<0.20	<0.50	<0.50	<0.25	<0.20	<0.40	<0.50
9/6/2006	NOT SAMPLED							
4/26/2007	NOT SAMPLED							
10/25/2007	NOT SAMPLED							

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Me

GROUNDWATER SAMPLING DATA TABLE FOR WINKMART BRRTS# 03-08-001213
BY METCO

WELL SAMPLING CONDUCTED ON OCTOBER 26, 2007

Well Name	MW-1	MW-2	MW-3	MW-4	MW-5	MW-7	MW-9	RS1	RS2	AMW-1	AMW-2	TRIP BLANK
PVC Casing Elevation in Feet (Site Specific)	98.42	99.84	99.93	100.74	101.71	100.47	98.54	99.43	==	==	==	==
Watertable Elevation in Feet (Site Specific)	93.28	97.02	94.70	98.12	95.68	97.08	92.38	92.17	==	==	==	==
Depth to Groundwater in Feet	5.14	2.82	5.23	2.62	6.03	3.39	6.16	7.26	3.01	14.11	10.17	==
Amount Purged in Gallons	8	==	==	==	==	==	==	2	==	5	==	==
Time to Purge in Minutes	10	==	==	==	==	==	==	5	==	10	==	==
Purged Dry?	NO	==	==	==	==	==	==	NO	==	NO	==	==
Color	TAN	==	==	==	==	==	==	CLEAR	==	CLEAR	==	==
Petroleum Odors	NO	==	==	==	==	==	==	YES	==	NO	==	==
Petroleum Sheens	NO	==	==	==	==	==	==	NO	==	NO	==	==
Turbidity (high, medium, low, clear)	LOW	==	==	==	==	==	==	LOW	==	LOW	==	==
Benzene/ppb	< 0.47	ns	ns	ns	ns	ns	ns	< 0.47	ns	< 0.47	ns	< 0.47
Ethylbenzene/ppb	< 0.38	ns	ns	ns	ns	ns	ns	< 0.38	ns	< 0.38	ns	< 0.38
Methyl tert-butyl ether (MTBE)/ppb	86	ns	ns	ns	ns	ns	ns	71	ns	< 0.52	ns	< 0.52
Toluene/ppb	< 0.46	ns	ns	ns	ns	ns	ns	< 0.46	ns	< 0.46	ns	< 0.46
1,2,4-Trimethylbenzene/ppb	< 1.2	ns	ns	ns	ns	ns	ns	< 1.2	ns	< 1.2	ns	< 1.2
1,3,5-Trimethylbenzene/ppb	< 0.37	ns	ns	ns	ns	ns	ns	< 0.37	ns	< 0.37	ns	< 0.37
m&p-Xylene/ppb	< 0.67	ns	ns	ns	ns	ns	ns	< 0.67	ns	< 0.67	ns	< 0.67
o-Xylene/ppb	< 0.32	ns	ns	ns	ns	ns	ns	< 0.32	ns	< 0.32	ns	< 0.32

NOTE: Bold = detects ns = not sampled

"J" Flag: Analyte detected between LOD and LOQ

TABLE 4
Historic Ground Water Elevations (feet)

Winkler Oil Company
Sherwood Wink Mart
Project # 13510E

	MW1	MW2	MW3	MW4	MW5	MW7	MW9	RS1
Top of PVC	98.42	99.84	99.93	100.74	101.71	100.47	98.54	99.43
Top of Screen	88.11	92.14	91.00	98.04	98.99	97.81	95.79	96.70

DATE	MW1	MW2	MW3	MW4	MW5	MW7	MW9	RS1
2-Aug-96	90.27	93.83	88.63	94.46	96.11	94.35	91.13	91.80
9-Apr-97	93.35	90.18	96.73	97.54	97.40	97.12	94.98	92.09
13-Jun-97	91.08	97.17	86.10	95.00	96.64	97.37	91.54	92.16
14-Aug-97	93.45	96.45	87.98	95.29	96.00	96.23	91.31	92.01
13-Apr-98	92.17	97.13	-----	-----	97.34	97.89	93.71	92.07
27-Jan-00	92.61	95.48	-----	94.43	-----	94.19	-----	90.48
4-Apr-00	89.65	95.74	95.18	97.45	97.34	97.67	92.84	92.07

----- = Not Tested

All elevations are relative to top bolt F.H. NW Corner Meehl St. & Veteran's Avenue (elev. 100).

IA.13510EH2OELEV.wb2

December 12, 2005

Tom Reinsch
Condon Oil Company
P.O. Box 184
Ripon, WI 54971-0184

Dear Mr. Reinsch

Groundwater contamination exists on your property located at W415 Veterans Avenue, Sherwood, Wisconsin. The source of this groundwater contamination appears to have originated from former petroleum underground storage tank systems that existed on your property.

Since I (Don Winkler) am the "responsible party" for the contamination on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wis. Stat., including allowing access to your property for environmental investigation or cleanup, if access is required. A copy of the WDNR's Fact Sheet 10: *Guidance for Dealing with Properties Affected by Off-Site Contamination* (publication #RR-589) is attached for your review.

The levels of Methyl tert-butyl ether (MTBE) contamination in the groundwater on your property are above the state groundwater enforcement standards ("ES") found in chapter NR 140, Wis. Adm. Code. However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable and in the process receding and will naturally degrade over time. The environmental consultants believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapters NR 726 and NR 746 Wis. Adm. Code. Therefore, I will be requesting that the Wisconsin Department of Natural Resources ("WDNR") accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the WDNR will not be requiring any further investigation or active cleanup action to be taken, other than the reliance on natural attenuation.

The WDNR will not review my closure request for at least 30 days after the date of this letter. As a potentially affected property owner, you have the right to contact the WDNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the WDNR that is relevant to this closure request, you should mail that information to Lisa Evenson, WDNR – Green Bay Office, 2984 Shawano Avenue, Green Bay, WI 54313.

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds the ES will be listed on the WDNR's geographic information


system ("GIS") Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above the ES was found at the time that the case was closed. This GIS Registry is available to the general public on the WDNR's internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

The Village of Sherwood has a community owned and operated water system which supplies potable water to your property. However, should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards maybe necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) and also contact the Drinking Water program within the WDNR to determine if there is a need for special well construction standards.

Once the WDNR makes a decision on my closure request, it will be documented in a letter. If the WDNR grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at www.gomapout.dnr.state.wi.us/org/at/et/geo/gwur/. A copy of the closure letter is included as part of the site file on the "GIS Registry of Closed Remediation Sites."

If you need more information, please contact me at either P.O. Box 70, Chilton, WI 53014 or (920) 849-7728 or Ms. Evenson at either the WDNR address noted above or at (920) 662-5164.

Sincerely,



Don Winkler

Enclosures: legal description, WDNR Publication # RR-589, map, table of analytical results

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

REINSCH
 DON OIL COMPANY
 EAST JACKSON P.O. BOX 184
 INWI 5 4971

COMPLETE THIS SECTION ON DELIVERY

A. Signature Agent
Melanie Wichman Addressee

B. Received by (Printed Name) Addressee
Melanie Wichman Other Person

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No



Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number (Transfer from service label) **7004 2890 0000 6942 6616**

PS Form 3811, August 2001

Domestic Return Receipt

102595-02-M-1540



2956 Airport Road ♦ La Crosse, Wisconsin 54603

COPY

608-781-8879 ♦ 800-552-2932 ♦ Fax: 608-781-8893 ♦ E-mail: rona@metcohq.com

September 12, 2005

Josh Van Lieshout
Village of Sherwood
P.O. Box 279
Sherwood, WI 54169

Notification: Winkmart Leaking Underground Storage Tank (LUST) Site (BRRTS # 03-08-001213), Conditional Case Closure Notification

Dear Mr. Van Lieshout,

I am writing on behalf of Mr. Donald Winkler to inform you that groundwater contamination from the Winkmart LUST site, located at W415 Veterans Avenue, Sherwood, WI, exists within the right of way of Veterans Avenue.

A Case Summary and Close Out Request is being submitted to the WDNR for the Winkmart site. Case closure means that the WDNR will not be requiring any further investigation or cleanup action to be taken. As part of the required closure documentation, you are hereby notified that residual petroleum hydrocarbon contamination exists in groundwater within the right-of-way of Veterans Avenue to the east of the Winkmart site. Groundwater contamination was found to exist in the area of the removed UST's and dispensers and appears to be migrating toward the northwest. Groundwater contamination exceeding the NR140 Enforcement Standards (ES) exists in the road right of way of Veterans Avenue to the east of the subject property. Depth to groundwater in this area is approximately 3-9 feet and smear zone contamination (caused by a fluctuating watertable) exists from approximately 3-9 feet below ground surface. We are enclosing a site map displaying an inferred groundwater contamination plume and a table of the most recent groundwater analytical results.

If you have any questions, or require more detailed information, please contact me at METCO's La Crosse office (608-781-8879).

Sincerely,

Jason T. Powell
Staff Scientist

Enclosure: Map and Table

c: Lisa Evanson – WDNR
Donald Winkler – Client

Notification of Contamination within the Right of Way

County: Calumet

Highway: State Highway 55/114 (Veterans Avenue)

Site Name: Winkmart

Site Address: W415 Veterans Avenue, Sherwood, WI 54169

BRRTS Number: 03-08-001213

PECFA Number: 54169-9999-15-A

FID Number: 308000220

Owner's Name: Donald Winkler

Owner's Address: P.O. Box 70, Chilton, WI 53014

Consulting Firm: METCO

Consultant Contact: Jason Powell

Consultant Address: 2956 Airport Road, La Crosse, WI 54603

Consultant Phone, Fax and E-mail: (608) 781-8879, (608) 781-8893, jasonp@metcohq.com

Soil contamination? Yes (smear zone)

Depth to contaminated soil: 3 feet

Vertical extent of contaminated soil: (e.g. from 3 feet to 9 feet below ground surface)

Groundwater contamination? Yes

Depth to water table: 3 to 9 feet

Describe the type(s) of contamination present. Petroleum contamination (gasoline)

Brief summary of cleanup activity: Approximately 3,170 tons of petroleum contaminated soil was removed from the site. Residual soil contamination consists of smear zone contamination at the watertable.

Attach a current plume map for groundwater contamination

Attach a current plume map for soil contamination

Diana Symiczek

From: TeBeest, Sharlene [sharlene.tebeest@dot.state.wi.us]
Sent: Monday, September 19, 2005 5:17 PM
To: 'Diana Symiczek'
Subject: RE: Winkmart - Notice of Contamination within the Right of Way

Thank you Diana, I've received your notification for the Winkmart site in Sherwood, WI.
Please keep a copy of this e-mail for your file, it is the only confirmation you will receive.

Shar Te Beest
Hazardous Materials Specialist
Wisconsin Department of Transportation Division of Transportation Systems Development
Bureau of Equity and Environmental Services Phone (608) 266-1476; Fax (608) 266-7818;
Cell (608) 692-4546
e-mail: sharlene.tebeest@dot.state.wi.us
<<mailto:sharlene.tebeest@dot.state.wi.us>>

-----Original Message-----

From: Diana Symiczek [<mailto:dianaajs@metcohq.com>]
Sent: Tuesday, September 13, 2005 8:24 AM
To: 'DOT - Sharlene TeBeest'
Subject: Winkmart - Notice of Contamination within the Right of Way

Sincerely,

Diana Symiczek
METCO
2956 Airport Road
La Crosse, WI 54603
Phone: 608-781-8879
Fax: 608-781-8893