



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott McCallum, Governor
Darrell Bazzell, Secretary
Ronald W. Kazmierczak, Regional Director

Northeast Region Headquarters
1125 N. Military Ave., P.O. Box 10448
Green Bay, Wisconsin 54307-0448
Telephone 920-492-5800
FAX 920-492-5913
TTY 920-492-5912

May 31, 2001

Mr. Lou Penpek
Amerequip Corporation
1711 Wisconsin Avenue
New Holstein, WI 53061

SUBJECT: Case closure with a Groundwater Use Restriction for the Amerequip Corp.
site, 1711 Wisconsin Avenue, New Holstein, WI
WDNR BRRTS # 03-08-101045

Dear Mr. Penpek:

On January 2, 2001, your request for closure of the case described above was reviewed by the Wisconsin Department of Natural Resources Northeast Region Closure Committee. This committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, it appears at this time the site has been investigated and remediated to the extent practicable under current site conditions and that the condition of closure (filing of a groundwater use restriction) has been met. Your case has been closed under s. NR 726.05, Wis. Adm. Code on May 30, 2001.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me in Green Bay at (920) 492-5921.

Sincerely,

Keld B. Lauridsen
Hydrogeologist
Remediation & Redevelopment Program

cc: Scott Prill, Reinhart, Boerner, Van Deuren, Norris & Rieselbach, S.C.
1000 North Water Street, P.O. Box 514000, Milwaukee, WI 53203-3400
Bradd Seegers, Sigma Environmental Services,
1800 West Rogers Avenue, Appleton, WI 54914

Groundwater, or its successor agency, to determine what specific requirements are applicable, prior to constructing or reconstructing a well on this property. No well may be constructed on this property unless applicable requirements are met.

If construction is proposed on this property that will require dewatering, or if groundwater is to be otherwise extracted from this property, while this groundwater use restriction is in effect, the groundwater shall be sampled and analyzed for contaminants that were previously detected on the property and any extracted groundwater shall be managed in compliance with applicable statutes and rules.

This restriction is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring the above-described property whether by descent, devise, purchase or otherwise. This restriction benefits and is enforceable by the Wisconsin Department of Natural Resources, its successors or assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that one or more of the restrictions set forth in this covenant is no longer required. Upon the receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein can be extinguished. If the Department determines that the restrictions can be extinguished, an affidavit, attached to a copy of the Department's written determination, may be recorded to give notice that this deed restriction, or portions of this deed restriction, are no longer binding.

By signing this document, Michael O. Festge asserts that he/she is duly authorized to sign this document on behalf of Amerequip Corporation.

IN WITNESS WHEREOF, the owner of the property has executed this Declaration of Restrictions, this 7th day of May, 2001.

Signature: Michael O. Festge
Printed Name: Michael O. Festge
Title: President

Subscribed and sworn to before me
this 7 day of May, 2001.

Notary Public, State of Wisconsin
My commission 8/7/02



Exhibit A

PARCEL NO. 1 Plan+ 1

Part of Outlot 14, all of Outlot 15 and part of Outlot 16, all being in the NE 1/4 of the NE 1/4 of Section 15, T17N, R20E, and all of Outlots 24, 25, 26 and part of Outlots 27 and 31, all being in the NW 1/4 of the NE 1/4 of Section 15, T17N, R20E, all being in the City of New Holstein, Calumet County, Wisconsin. More fully described as follows: Beginning at the NW corner of Outlot 24; thence N89°-16'-13"E, 159.00 feet; thence North, 132.00 feet to the south line of Wisconsin Avenue; N89°-44'-20"E, 115.50 feet along said south line; thence S0°-08'-31"E, 132.00 feet; thence N89°-44'-20"E, 105.00 feet; thence S0°-19'-13"E, 74.00 feet; thence N89°-44'-20"E, 50.00 feet; thence N0°-18'-58"W, 74.00 feet; thence N89°-44'-20"E, 19.88 feet; thence S0°-36'-15"E, 260.10 feet; thence S89°-44'-02"W, 292.61 feet (recorded as 290.40 feet) along the North line of Illinois Avenue; thence N71°-26'-37"W, 168.55 feet (recorded as 167.96 feet) along said North line; thence North, 204.45 feet along the East line of Harrison Street to the point of beginning. Subject to all Easements and Restrictions of Record.

J 5633 I 05

This indenture, Made this 21st day of January A. D., 1983,
 between Chromalloy American Corporation (Successor to Arps Corporation), a Corporation duly organized
 and existing under and by virtue of the laws of the State of Delaware, located at St. Louis, Missouri,
 party of the first part, and Arps Manufacturing, Inc.,
 a Corporation duly organized and existing under and by virtue of the laws of the State of Delaware, located at 1711 Wisconsin Ave.,
Wisconsin, party of the second part.

Witnesseth That the said party of the first part, for and in consideration of the sum of ONE DOLLAR (\$1.00) and
other good and valuable consideration
 to it paid by the said party of the second part, the receipt whereof is hereby confessed and acknowledged, has given, granted, bargained, sold,
 remised, released and quit-claimed, and by these presents does give, grant, bargain, sell, remise, release and quit-claim unto the said party of
 the second part, and to its successors and assigns forever, the following described real estate, situated in the County of Calumet
 _____, State of Wisconsin, to-wit:

SEE ATTACHED EXHIBIT "A"

167094

3,900.00

REGISTERS OFFICE
 CALUMET COUNTY, WI

Received for Record 28
 day of January A.D., 1983
 11:56 a.m. H. M. and Recorded in
 Book 294 Page 31-32

[Signature]
 Register
 Ad 6.00
 Valley title

We have and in hold the same, together with all and singular the appurtenances and privileges thereunto belonging or in any
 wise thereunto appertaining, and all the estate, right, title, interest and claim whatsoever of the said party of the first part, either in law or
 equity, either in possession or expectancy of, to the only proper use, benefit and behoof of said party of the second part, its successors and
 assigns FOREVER.


In Witness Whereof, the said Chromalloy American Corporation
 party of the first part, has caused these presents to be signed by James A. Silkwood, its Director of corporate develop-
 and countersigned by John J. Dowling, III, its Assistant Secretary, at Chicago, Illinois,
 this 21st day of January, A. D., 1983.

SIGNED AND SEALED IN PRESENCE OF



CHROMALLOY AMERICAN CORPORATION
 Corporate Name

[Signature]
 James A. Silkwood, Director - Corporate Development

Countersigned:
[Signature]
 John J. Dowling, III
 Assistant Secretary




NW 1/4 of NE 1/4 Sec. 15 T. 17N R. 20E





WISCONSIN

ADAPTED FROM U.S.G.S. 7.5 MINUTE SERIES, KIEL, WISCONSIN QUADRANGLE DATED 1974



AMEREQUIP 1711 WISCONSIN AVE., NEW HOLSTEIN, WI		 SIGMA ENVIRONMENTAL SERVICES INC.
DATE: 9-15-97	DR. BY: TMM	DR.# 3635-001
SITE LOCATION MAP		SCALE: SEE ABOVE
FIGURE 1		



● > ES
 ● > PAL
 ○ = CLEAN

LEGEND

- = SUMP LOCATION
- = MONITORING WELL LOCATION
- G — = UNDERGROUND GAS LINE
- STP — = UNDERGROUND STORM SEWER
- WM — = UNDERGROUND WATER MAIN
- SAMP — = UNDERGROUND SANITARY SEWER
- U — = OVERHEAD UTILITY LINE
- E — = UNDERGROUND ELECTRIC LINE
- - - = GROUNDWATER CONTOUR LINE. CONTOUR INTERVAL = 0.5'
- () = STATIC GROUNDWATER LEVEL (7-18-00)
- = GROUNDWATER FLOW DIRECTION



NOTE:
 MAP BASED ON SURVEY PERFORMED ON 4-22-98,
 BY LAND INFORMATION SERVICES, INC.

AMEREQUIP CORPORATION 1711 WISCONSIN AVE., NEW HOLSTEIN, WI		 SIGMA <small>ENVIRONMENTAL SERVICES, INC.</small>
DATE: 9-29-00	DR. BY: BEB	
GROUNDWATER CONTOUR MAP (7-18-00)		SCALE: 1" = 60' FIGURE 4

TABLE 3
GROUNDWATER LABORATORY ANALYTICAL RESULTS
AMEREQUIP CORPORATION
 1711 Wisconsin Avenue
 New Holstein, Wisconsin

Date Sampled	Units	MW-1				Sump-1				ES	PAL	
		09/18/1996	12/06/1996	07/01/1997	04/08/1998	04/07/1999	07/13/1999	10/07/1999	01/11/2000			07/18/2000
Benzene	µg/l	4,500	4,700	3,400	2,000	17,000	4,000	2,900	150	19	5	0.5
Toluene	µg/l	10,000	5,400	6,400	14,000	9,600	670	53	2.2	3.6	1000	200
Ethylbenzene	µg/l	380	1,500	1,900	2,700	240	54	73	1.7	1.2	700	140
Xylenes	µg/l	2,400	5,400	6,200	9,400	7,860	540	99	<3.3	0.91	10000	1000
1,4-Dichlorobenzene	µg/l	<6.5	<13	<46	<14	<30	<7.5	<7.5	<1.5	<0.42	75	15
1,2-Dichloroethane	µg/l	320	87	<28	3.2	580	160	120	70	36	5	0.5
cis-1,2-Dichloroethylene	µg/l	16	<29	<64	<16	1,100	300	1,200	640	430	70	7
trans-1,2-Dichloroethylene	µg/l	BDL	<23	<22	<19	1,700	320	310	230	94	100	20
Methylene Chloride	µg/l	BDL	<400	<58	<15	<36	23	<9	2.1	<0.57	5	0.5
Naphthalene	µg/l	91	170	520	320	42	<8.8	<8.8	<1.7	<0.53	40	8
Trichloroethene	µg/l	BDL	<18	<26	<24	4,700	1,300	69	130	120	5	0.5
1,2,4-Trimethylbenzene	µg/l	97	400	910	1,100	100	24	18	<1.1	<0.4	480*	96*
1,3,5-Trimethylbenzene	µg/l	72	190	330	420	45	13	<6.8	<1.4	<0.63	480*	96*
Vinyl Chloride	µg/l	<27.0	<54	<9	<7.5	<20	<5	<5	<1.0	<0.87	0.2	0.02

Key:

- µg/l = micrograms per liter
- ES = WI Administrative Code Chapter NR 140 Enforcement Standard
- PAL = WI Administrative Code Chapter NR 140 Preventive Action Limit
- * = 1,2,4- and 1,3,5-Trimethylbenzenes combined

Note: Monitoring well MW-1 was abandoned during remedial excavation activities in March 1999.

TABLE 3 (cont.)
GROUNDWATER LABORATORY ANALYTICAL RESULTS
AMEREQUIP CORPORATION
 1711 Wisconsin Avenue
 New Holstein, Wisconsin

Date Sampled	Units	MW-2									ES	PAL
		09/18/1996	12/06/1996	07/01/1997	04/08/1998	04/07/1999	07/13/1999	10/07/1999	01/11/2000	07/18/2000		
Benzene	µg/l	4,700	3,000	210	1,200	1,300	1.6	<0.27	<0.27	<0.39	5	0.5
Toluene	µg/l	8.6	8.7	<1.5	<7	<2.7	3.8	<0.27	<0.27	<0.37	1000	200
Ethylbenzene	µg/l	5.6	16	<0.68	<6.8	<3.2	<0.32	<0.32	<0.32	<0.4	700	140
Xylenes	µg/l	<0.9	<24.6	<1.78	<19.4	<6.7	<0.67	<0.67	<0.67	<1.43	10000	1000
1,4-Dichlorobenzene	µg/l	<0.13	<2.6	<0.23	<5.6	<3.0	<0.30	<0.30	<0.30	<0.42	75	15
1,2-Dichloroethane	µg/l	18	<17.2	1.2	3.8	<3.7	<0.37	<0.37	<0.37	<0.35	5	0.5
cis-1,2-Dichloroethylene	µg/l	0.32	<5.8	<0.32	<6.4	<2.8	<0.28	<0.28	<0.28	<0.37	70	7
trans-1,2-Dichloroethylene	µg/l	BDL	<4.6	<0.11	<7.6	<7.9	<0.79	<0.79	<0.79	<0.43	100	20
Methylene Chloride	µg/l	BDL	<80	<0.29	<5.8	<3.6	0.4	<0.36	1.5	<0.57	5	0.5
Naphthalene	µg/l	0.46	9	<1	<18	<3.5	<0.35	<0.35	<0.35	<0.53	40	8
Trichloroethene	µg/l	BDL	<3.6	<0.13	<10	<3.7	<0.37	<0.37	<0.37	<0.46	5	0.5
1,2,4-Trimethylbenzene	µg/l	0.92	<11.4	<1	<7	<2.2	<0.22	<0.22	<0.22	<0.4	480*	96*
1,3,5-Trimethylbenzene	µg/l	<0.57	<11.4	<0.86	<13	<2.7	<0.27	<0.27	<0.27	<0.63	480*	96*
Vinyl Chloride	µg/l	6.7	<10.8	0.114	0.82	3.0	<0.20	<0.20	<0.20	<0.87	0.2	0.02

Key:

- µg/l = micrograms per liter
- ES = WI Administrative Code Chapter NR 140 Enforcement Standard
- PAL = WI Administrative Code Chapter NR 140 Preventive Action Limit
- * = 1,2,4- and 1,3,5-Trimethylbenzenes combined

Note: Remedial excavation activities completed in March 1999.

TABLE 3 (cont.)
GROUNDWATER LABORATORY ANALYTICAL RESULTS
AMEREQUIP CORPORATION
 1711 Wisconsin Avenue
 New Holstein, Wisconsin

Date Sampled	Units	<i>PIE</i> MW-3									ES	PAL
		09/18/1996	12/06/1996	07/01/1997	04/08/1998	04/07/1999	07/13/1999	10/07/1999	01/11/2000	07/18/2000		
Benzene	µg/l	<0.26	<0.26	0.41	<0.32	<0.27	0.28	0.39	<0.27	<0.39	5	0.5
Toluene	µg/l	<0.69	<0.69	<1.5	<0.35	<0.27	3.7	<0.27	<0.27	<0.37	1000	200
Ethylbenzene	µg/l	<0.32	<0.32	<0.68	<0.34	<0.32	<0.32	<0.32	<0.32	<0.4	700	140
Xylenes	µg/l	<0.9	<1.23	<1.78	<0.98	<0.57	<0.67	<0.67	<0.67	<1.43	10000	1000
1,4-Dichlorobenzene	µg/l	<0.13	<0.13	<0.23	<0.28	<0.30	<0.30	<0.30	<0.30	<0.42	75	15
1,2-Dichloroethane	µg/l	<0.86	<0.86	<0.14	<0.39	<0.37	<0.37	<0.37	<0.37	<0.35	5	0.5
cis-1,2-Dichloroethylene	µg/l	<0.29	<0.29	<0.23	<0.32	<0.28	<0.28	<0.28	<0.28	<0.37	70	7
trans-1,2-Dichloroethylene	µg/l	BDL	<0.23	<0.11	<0.38	<0.79	<0.79	<0.79	<0.79	<0.43	100	20
Methylene Chloride	µg/l	BDL	<4	<0.29	<0.29	0.65	<0.36	<0.36	1.3	<0.57	5	0.5
Naphthalene	µg/l	<0.41	<0.41	<1	<0.88	<0.35	<0.35	<0.35	<0.35	<0.53	40	8
Trichloroethene	µg/l	BDL	<0.18	<0.13	<0.48	<0.37	<0.37	<0.37	<0.37	<0.46	5	0.5
1,2,4-Trimethylbenzene	µg/l	<0.57	<0.57	<1	<0.35	<0.22	<0.22	<0.22	<0.22	<0.4	480*	96*
1,3,5-Trimethylbenzene	µg/l	<0.57	<0.57	<0.86	<0.64	<0.27	<0.27	<0.27	<0.27	<0.63	480*	96*
Vinyl Chloride	µg/l	11	23	24	28	24	40	68	28	73	0.2	0.02

Key:

- µg/l = micrograms per liter
- ES = WI Administrative Code Chapter NR 140 Enforcement Standard
- PAL = WI Administrative Code Chapter NR 140 Preventive Action Limit
- * = 1,2,4- and 1,3,5-Trimethylbenzenes combined

Note: Remedial excavation activities completed in March 1999.

GROUNDWATER LABORATORY ANALYTICAL RESULTS

AMEREQUIP CORPORATION

1711 Wisconsin Avenue

New Holstein, Wisconsin

CLEAN

Date Sampled	Units	MW-4								ES	PAL
		12/06/1996	07/01/1997	04/08/1998	04/07/1999	07/13/1999	10/07/1999	01/11/2000	07/18/2000		
Benzene	µg/l	<0.26	0.44	<0.32	<0.27	0.32	<0.27	<0.27	<0.39	5	0.5
Toluene	µg/l	<0.69	<1.5	<0.35	<0.27	4.9	<0.27	<0.27	<0.37	1000	200
Ethylbenzene	µg/l	<0.32	<0.68	<0.34	<0.32	<0.32	<0.32	<0.32	<0.4	700	140
Xylenes	µg/l	<1.23	<1.78	<0.98	<0.67	0.26	<0.67	<0.67	0.68	10000	1000
1,4-Dichlorobenzene	µg/l	<0.13	<0.23	<0.28	<0.30	<0.30	<0.30	<0.30	<0.42	75	15
1,2-Dichloroethane	µg/l	<0.86	0.64	<0.36	<0.37	<0.37	<0.37	<0.37	<0.35	5	0.5
cis-1,2-Dichloroethylene	µg/l	<0.29	<0.23	0.57	0.31	0.31	<0.28	<0.28	<0.37	70	7
trans-1,2-Dichloroethylene	µg/l	<0.23	<0.11	<0.38	<0.79	<0.79	<0.79	<0.79	<0.43	100	20
Methylene Chloride	µg/l	<4	<0.29	<0.29	<0.36	0.67	<0.36	0.75	<0.57	5	0.5
Naphthalene	µg/l	<0.41	<1	<0.88	<0.35	<0.35	<0.35	<0.35	<0.53	40	8
Trichloroethene	µg/l	<0.18	<0.13	<0.48	<0.37	<0.37	<0.37	<0.37	<0.46	5	0.5
1,2,4-Trimethylbenzene	µg/l	<0.57	<1	<0.35	0.35	0.32	0.24	<0.22	0.57	480*	96*
1,3,5-Trimethylbenzene	µg/l	<0.57	<0.86	<0.64	0.29	0.39	<0.27	<0.27	0.88	480*	96*
Vinyl Chloride	µg/l	7.2	13	10	14	24	8.8	5.7	22	0.2	0.02

Key:

µg/l = micrograms per liter

ES = WI Administrative Code Chapter NR 140 Enforcement Standard

PAL = WI Administrative Code Chapter NR 140 Preventive Action Limit

* = 1,2,4- and 1,3,5-Trimethylbenzenes combined

Note: Remedial excavation activities completed in March 1999.

TABLE 3 (cont.)

GROUNDWATER LABORATORY ANALYTICAL RESULTS

AMEREQUIP CORPORATION

1711 Wisconsin Avenue

New Holstein, Wisconsin

CLEAN

Date Sampled	Units	MW-5							ES	PAL
		12/06/1996	07/01/1997	04/07/1999	07/13/1999	10/07/1999	01/11/2000	07/18/2000		
Benzene	µg/l	<0.26	<0.21	<0.27	<0.27	<0.27	<0.27	<0.39	5	0.5
Toluene	µg/l	<0.69	<1.5	<0.27	4.6	<0.27	<0.27	<0.37	1000	200
Ethylbenzene	µg/l	<0.32	<0.68	<0.32	<0.32	<0.32	<0.32	<0.4	700	140
Xylenes	µg/l	0.71	<1.78	<0.67	<0.67	<0.67	<0.67	<1.43	10000	1000
1,4-Dichlorobenzene	µg/l	0.23	0.28	<0.30	<0.30	<0.30	<0.30	<0.42	75	15
1,2-Dichloroethane	µg/l	<0.86	<0.14	<0.37	<0.37	<0.37	<0.37	<0.35	5	0.5
cis-1,2-Dichloroethylene	µg/l	<0.29	<0.23	<0.28	0.28	<0.28	<0.28	<0.37	70	7
trans-1,2-Dichloroethylene	µg/l	<0.23	<0.11	<0.79	<0.79	<0.79	<0.79	<0.43	100	20
Methylene Chloride	µg/l	<4	<0.29	<0.36	0.44	<0.36	1.4	<0.57	5	0.5
Naphthalene	µg/l	<0.41	<1	<0.35	<0.35	<0.35	<0.35	<0.53	40	8
Trichloroethene	µg/l	<0.18	<0.13	<0.37	<0.37	<0.37	<0.37	<0.46	5	0.5
1,2,4-Trimethylbenzene	µg/l	<0.57	<1	<0.22	<0.22	<0.22	<0.22	<0.4	480*	96*
1,3,5-Trimethylbenzene	µg/l	1.1	<0.86	<0.27	<0.27	<0.27	<0.27	<0.63	480*	96*
Vinyl Chloride	µg/l	<0.54	<0.045	0.40	0.64	0.59	<0.20	<0.87	0.2	0.02

Key:

µg/l = micrograms per liter

ES = WI Administrative Code Chapter NR 140 Enforcement Standard

PAL = WI Administrative Code Chapter NR 140 Preventive Action Limit

* = 1,2,4- and 1,3,5-Trimethylbenzenes combined

Note: Remedial excavation activities completed in March 1999.

TABLE 3 (cont.)
GROUNDWATER LABORATORY ANALYTICAL RESULTS
AMEREQUIP CORPORATION
 1711 Wisconsin Avenue
 New Holstein, Wisconsin

CLEAN

Date Sampled	Units	MW-6								ES	PAL
		12/06/1996	07/01/1997	04/08/1998	04/07/1999	07/13/1999	10/07/1999	01/11/2000	07/18/2000		
Benzene	µg/l	<0.26	0.48	<0.32	0.35	0.41	0.42	0.32	<0.39	5	0.5
Toluene	µg/l	<0.69	<1.5	<0.35	<0.27	4.3	<0.27	<0.27	<0.37	1000	200
Ethylbenzene	µg/l	0.36	<0.68	<0.34	<0.32	<0.32	<0.32	<0.32	<0.4	700	140
Xylenes	µg/l	1.3	<1.78	<0.98	<0.67	<0.67	0.24	<0.67	<1.43	10000	1000
1,4-Dichlorobenzene	µg/l	0.24	<0.23	<0.28	<0.30	<0.30	<0.30	<0.30	<0.42	75	15
1,2-Dichloroethane	µg/l	0.34	0.48	<0.36	<0.37	<0.37	<0.37	<0.37	<0.35	5	0.5
cis-1,2-Dichloroethylene	µg/l	<0.29	0.57	0.43	0.40	0.41	0.37	<0.28	0.49	70	7
trans-1,2-Dichloroethylene	µg/l	<0.23	<0.11	<0.38	<0.79	<0.79	<0.79	<0.79	<0.43	100	20
Methylene Chloride	µg/l	<4	<0.29	<0.29	<0.36	0.49	<0.36	1.2	<0.57	5	0.5
Naphthalene	µg/l	<0.41	<1	<0.88	<0.35	<0.35	<0.35	<0.35	<0.53	40	8
Trichloroethene	µg/l	<0.18	<0.13	<0.48	<0.37	<0.37	<0.37	<0.37	<0.46	5	0.5
1,2,4-Trimethylbenzene	µg/l	<0.57	<1	<0.35	<0.22	<0.22	<0.22	<0.22	<0.4	480*	96*
1,3,5-Trimethylbenzene	µg/l	1	<0.86	<0.64	<0.27	<0.27	<0.27	<0.27	<0.63	480*	96*
Vinyl Chloride	µg/l	15	14	28	27	41	32	18	49	0.2	0.02

Key:

- µg/l = micrograms per liter
- ES = WI Administrative Code Chapter NR 140 Enforcement Standard
- PAL = WI Administrative Code Chapter NR 140 Preventive Action Limit
- * = 1,2,4- and 1,3,5-Trimethylbenzenes combined

Note: Remedial excavation activities completed in March 1999.

GROUNDWATER LABORATORY ANALYTICAL RESULTS

AMEREQUIP CORPORATION

1711 Wisconsin Avenue

New Holstein, Wisconsin

CLEAN

Date Sampled	Units	MW-9						ES	PAL
		04/08/1998	04/07/1999	07/13/1999	10/07/1999	01/11/2000	07/18/2000		
Benzene	µg/l	<0.32	<0.27	<0.27	<0.27	<0.27	<0.39	5	0.5
Toluene	µg/l	<0.35	<0.27	4.4	<0.27	<0.27	<0.37	1000	200
Ethylbenzene	µg/l	<0.34	<0.32	<0.32	<0.32	<0.32	<0.4	700	140
Xylenes	µg/l	<0.98	<0.67	<0.67	<0.67	<0.67	<1.43	10000	1000
1,4-Dichlorobenzene	µg/l	<0.28	<0.30	<0.30	<0.30	<0.30	<0.42	75	15
1,2-Dichloroethane	µg/l	<0.36	<0.37	<0.37	<0.37	<0.37	<0.35	5	0.5
cis-1,2-Dichloroethylene	µg/l	<0.32	<0.28	<0.28	<0.28	<0.28	<0.37	70	7
trans-1,2-Dichloroethylene	µg/l	<0.38	<0.79	<0.79	<0.79	<0.79	<0.43	100	20
Methylene Chloride	µg/l	<0.29	<0.36	0.45	<0.36	1.3	<0.57	5	0.5
Naphthalene	µg/l	<0.88	<0.35	<0.35	<0.35	<0.35	<0.53	40	8
Trichloroethene	µg/l	<0.48	<0.37	<0.37	<0.37	<0.37	<0.46	5	0.5
1,2,4-Trimethylbenzene	µg/l	<0.35	<0.22	<0.22	<0.22	<0.22	<0.4	480*	96*
1,3,5-Trimethylbenzene	µg/l	<0.64	<0.27	<0.27	<0.27	<0.27	<0.63	480*	96*
Vinyl Chloride	µg/l	<0.15	<0.20	<0.20	<0.20	<0.20	<0.87	0.2	0.02

Key:


µg/l = micrograms per liter

ES = WI Administrative Code Chapter NR 140 Enforcement Standard

PAL = WI Administrative Code Chapter NR 140 Preventive Action Limit

* = 1,2,4- and 1,3,5-Trimethylbenzenes combined


Note: Remedial excavation activities completed in March 1999.



ELEVATION RELATIVE TO MEAN SEA LEVEL (IN FEET)

USCS SYMBOLS	
	GM - SILTY GRAVELS, GRAVEL - SAND- SILT MIXTURES.
	SP - POORLY - GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES.
	SM - SILTY - SANDS, SAND - SILT MIXTURES.
	ML - INORGANIC SILTS AND VERY FINE SANDS, ROCK FLOUR, SILTY OR CLAYEY FINE SANDS OR CLAYEY SILTS WITH SLIGHT PLASTICITY.
	CL - INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS, SAND CLAYS, SILTY CLAYS, LEAN CLAYS.

LEGEND	
	NR = NO RECOVERY
	- - - WELL SCREEN



CROSS SECTION LOCATION
1" = 20'

NOTES:
HORIZONTAL SCALE 1" = 20'
VERTICAL SCALE 1" = 5'

AMEREQUIP 1711 WISCONSIN AVE., NEW HOLSTEIN, WI		 ENVIRONMENTAL SERVICES INC.
DATE: 9-29-00	DR. BY: TMM	
GEOLOGIC CROSS SECTION A - A'		SCALE: SEE NOTE
		FIGURE 1