

GIS REGISTRY

Cover Sheet

March, 2010
(RR 5367)

Source Property Information

BRRTS #:

ACTIVITY NAME:

PROPERTY ADDRESS:

MUNICIPALITY:

PARCEL ID #:

CLOSURE DATE:

FID #:

DATCP #:

COMM #:

*WTM COORDINATES:

X: **Y:**

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
- Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property" form)*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property" form)*

Land Use Controls:

N/A (Not Applicable)

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between non-industrial and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government unit or economic
development corporation was directed to
take a response action)*

Monitoring Wells:

Are all monitoring wells properly abandoned per NR 141? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: 03-15-000305 PARCEL ID #: 1270033262522W1

ACTIVITY NAME: Kiehnaus Standard WTM COORDINATES: X: 719743 Y: 471512

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: 3 Title: Site Plat Map
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 Title: Site Location Map
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2 Title: Site Detail Map
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2b Title: Site Detail Map

BRRTS #: 03-15-000305

ACTIVITY NAME: Kiehnaus Standard

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: 5 **Title: Site Cross Section Map**

Figure #: 5 **Title: Geologic Cross Section B-B'**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: 6 **Title: Groundwater Isoconcentration Map**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 4 **Title: 8/26/09 Groundwater Flow Map**

Figure #: **Title:**

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 1 **Title: Summary of Lab Analysis Geoprobe and Soil Boring Samples**

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 2 **Title: Summary of Groundwater Analytical Data**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 3 **Title: Summary of Groundwater Elevation Data**

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: **Title:**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-15-000305

ACTIVITY NAME: Kiehnaus Standard

NOTIFICATIONS

Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.
Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.
Number of "Off-Source" Letters:
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).
Number of "Governmental Unit/Right-Of-Way Owner" Letters: 1



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Ronald W. Kazmierczak, Regional Director

Northeast Region Headquarters
2984 Shawano Ave.
Green Bay, Wisconsin 54313-6727
Telephone 920-662-5100
FAX 920-662-5413
TTY Access via relay - 711

March 23, 2010

Vernon Kiehnau
130 S. Highway 42
Forestville, WI 54901

SUBJECT: Final Case Closure
Kiehnau Standard, 130 S. HWY, Forestville, WI
WDNR BRRTS Activity #: 03-15-000305

Dear Kiehnau:

On January, 27, 2010, the Northeast Regional Closure Committee reviewed your request for closure of the case described above. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. On February 2, 2010, you were notified that the Closure Committee had granted conditional closure to this case. On March 17, 2010, the Department received information or documentation indicating that you have complied with the requirements for final closure.

Based on the correspondence and data provided, it appears that your case meets the closure requirements in ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wisconsin Administrative Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

GIS Registry

The conditions of case closure set out below in this letter require that this site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- Groundwater contamination is present above Chapter NR 140 enforcement standards

This letter and information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at:

<http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If the property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Residual Soil Contamination

Residual soil contamination remains at TW2, MW3, MW4, KS3, and KS4, as indicated in the information submitted to the Department of Natural Resources. If soil in the specific locations described above is excavated in the future, then pursuant to ch. NR 718 or, if applicable, ch. 289, Stats., and chs. 500 to 536, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material is considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken to prevent a direct contact health threat to humans.

Residual Groundwater Contamination

Groundwater impacted by petroleum contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present on this contaminated property. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact me at 920-662-5178.

Sincerely,



Vickie W. Taddy
Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Erin Mader, Bay Environmental, ecopy: eemader@bayenvironmental.com
Robert Klauk, Dept. of Commerce, ecopy: Robert.Klauk@wisconsin.gov



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Ronald W. Kazmierczak, Regional Director

Northeast Region Headquarters
2984 Shawano Ave.
Green Bay, Wisconsin 54313-6727
Telephone 920-662-5100
FAX 920-662-5413
TTY Access via relay - 711

February 2, 2010

Vernon Kiehnau
130 S. Highway 42
Forestville, WI 54901

Subject: Conditional Closure Decision,
With Requirements to Achieve Final Closure
Kiehnau Standard, 130 S. HWY, Forestville, WI,
WDNR BRRTS Activity # 03-15-000305

Dear Mr. Kiehnau:

On January 27, 2010, the Northeast Regional Closure Committee reviewed your request for closure of the case described above. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Committee has determined that the petroleum contamination on the site appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

Monitoring Well Abandonment

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to Vickie Taddy on Form 3300-005 found at <http://dnr.wi.gov/org/water/dwg/gw/> or provided by the Department of Natural Resources.

Purge Water, Waste and Soil Pile Removal

Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Once that work is completed, please send appropriate documentation regarding the treatment or disposal of the remaining purge water, waste and/or soil piles.

Right-of-Way Notification

There is residual soil and/or groundwater contamination in a public street or highway right-of-way at this site. Section NR 726.05(2)(a)4, Wis. Adm. Code, requires you to provide written notification of the presence of residual soil and groundwater contamination to the clerk of the town and county or municipality where the right-of-way is located and to the municipal department or state agency that

maintains the right-of-way. A revised contaminate plume maps should be submitted to me that shows the contamination in the right-of-way.


When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 920-662-5178.

Sincerely,



Vickie Taddy
Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Erin Mader, Bay Environmental, ecopy: eemader@bayenvironmental.com
Robert Klauk, Dept. of Commerce, ecopy: Robert.Klauk@wisconsin.gov

489667

WARRANTY DEED
VOL 451 PAGE 627

RECORDED
Time... 10:10 A.M.

SEP 25 1989

This Deed, made between Douglas M. Haag, Anthony L. Schlise and Dorothy Schmitz, a/k/a Dorothy V. Schmitz
*a/k/a Anthony J. Schlise Grantor,
and Vernon R. Kiehnau and Mary Kiehnau, husband and wife, as survivorship marital property

Marilyn Opdin
REGISTER OF DEEDS
DOOR COUNTY WIS.

By: Vernon Kiehnau
239 Lucerne Forestelle

Witnesseth, That the said Grantor, for a valuable consideration \$1.00 and other good and valuable consideration conveys to Grantee the following described real estate in Door

County, State of Wisconsin: A parcel of land located in the Northwest Quarter (NW 1/4) of the Northwest Quarter (NW 1/4), Section Thirty-three (33) Township Twenty-six (26) North, Range Twenty-five (25) East, Village of Forestville, Door County, Wisconsin, more specifically described as follows: Commencing at the Northwest corner of the Northwest Quarter (NW 1/4), Section Thirty-three (33), Township Twenty-six (26) North, Range Twenty-five (25) East, thence South along the West line of said Section a distance of Two Hundred Eight and 75/100 (208.75) feet to the point of beginning, thence East a distance of Two Hundred Thirty Nine (239) feet, thence South a distance of Fifty Five and 25/100 (55.25) feet, thence East a distance of Two Hundred Fifty Six (256) feet to a point on a line extended South and being an extension of the West line of parcel described in Volume 88 of Deeds, on page 143, Door County Register of Deeds Office, thence South a distance of One Hundred Thirty and 3/10 (130.3) feet, more or less to a point Thirty-eight (38) feet Eight (8) inches North of the Southernmost South line of the South line of parcel described in Volume 62 of Deeds, page 181, Door County Register of Deeds Office, thence West a distance of Four Hundred Forty (440) feet more or less to the centerline of State Trunk Highway 42, thence Northerly along said centerline of State Trunk Highway 42 to the point of beginning. Further conveying grantors right, title and interest in easement as set forth in Warranty Deed dated November 25, 1966 and recorded December 1, 1966 in Volume 177 of Records, on page 165, Door County Register of Deeds Office. (continued on reverse side hereof)

RETURN TO P, S, W, J, and N

Tax Parcel No: 127-00-33262522D1

This deed is given in fulfillment of a Land Contract between the parties herein, recorded August 22, 1979 in Volume 323 of Records, page 162, Document #412135, This is not homestead property. Door County Records.

Together with all and singular the hereditaments and appurtenances thereunto belonging; WHZ U-2 TRANSFER \$6800

And Grantors warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except municipal and zoning ordinances, recorded easements for public utilities and recorded building and use restrictions and covenants, if any, and any liens or encumbrances created or suffered to be created by the acts or defaults of the grantee, (continued on reverse side hereof) and will warrant and defend the same.

Dated this September 26, 1989

Douglas M. Haag (SEAL)
Anthony L. Schlise (SEAL)
a/k/a Anthony J. Schlise

Dorothy Schmitz (SEAL)
Dorothy Schmitz, a/k/a Dorothy V. Schmitz (SEAL)

*Additional Acknowledgments Continued On Reverse Side.

AUTHENTICATION

Signature(s)

authenticated this day of 19

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Attorney Mark A. Jinkins

Sturgeon Bay, WI 54235

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN

Door County, ss.

Personally came before me this 26th day of September, 1989 the above named

Dorothy Schmitz, a/k/a Dorothy V. Schmitz

to me known to be the person who executed the foregoing instrument and acknowledged the same.

Mark A. Jinkins

Notary Public County, Wis. My Commission is permanent. (If not, state expiration date: 19)

*Names of persons signing in any capacity should be typed or printed below their signatures.

*Acknowledgments Continued...

STATE OF WISCONSIN)
) SS
COUNTY OF DOOR)

Personally came before me this 15th day of September, 1989,
the above-named Anthony L. Schlise to me known to be the person
who executed the foregoing instrument and acknowledge the same.

Mary Gilbert
MARY GILBERT
Notary Public; Door County, WI
My Commission expires: 2/4/1990



STATE OF WISCONSIN)
) SS
COUNTY OF Manitowoc)

Personally came before me this 11th day of September, 1989,
the above-named Douglas M. Haag to me known to be the person who
executed the foregoing instrument and acknowledge the same.

Delma L. Torrison
Delma L. Torrison
Notary Public; Manitowoc County, WI
My Commission expires: March 15, 1992



Description continued from reverse side hereof...

Subject to Utility easements of record; and Rights of the Public in State Trunk Highway 42.
Together with and subject to all rights, title, and interest in well and water
right agreement set forth in Warranty Deed dated November 25, 1966 and recorded
December 1, 1966 in Volume 177 of Records, on page 165, Door County Register of Deeds Office.

Exceptions to warranty continued from reverse side hereof...

and easement for ingress and egress over the S 20 feet of the herein described real estate, said
easement retained by Vendors, their heirs, successors and assigns in the Land Contract
recorded 8/4/1977 in Volume 301 Door Co. Rec., page 115, Document No. 396195.




Figure 3
Site Plat Map

130 S. Forestville Ave
Forestville, Wisconsin

Obtained from Door County Land Information
Office

CSM
Vol. 8
Pg. 5



Client:
Vernon Kiehnau

Date: Nov. 2009

Scale:

Drawn By: EEM




"I, Vernon Kiehnau, believe that the enclosed legal description is for the Kiehnau Standard LUST site located at 130 S. Forestville Road, Forestville, Wisconsin."

Vernon R. Kiehnau
Responsible Party

12-2-09
Date

Figure 1: Site Location Map



Legend

Major Highways

- Interstate
- State Highway
- U.S. Highways
- County Roads
- Local Roads
- 24K County Boundaries
- 24K Open Water
- 24K Rivers and Shorelines
- Intermittent
- Fluctuating
- Perennial

0 2000 4000 6000 ft.



Scale: 1:21,167

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Notes: Kiehnau Standard
130 S Forestville Ave
Forestville, WI




Figure:	Figure 2 Site Detail Map	
Site Location:	Kiehnau Standard 130 S Hwy 42 Forestville, Wisconsin	
Source:	Obtained from Door County GIS	Client: Mr. Vernon Kiehnau
		Date: September 2007
		Scale: Not to Scale Drawn By: EED

TW-3
MW-1

Potable Well

Sanitary Sewer

Est. Extent of
NR 720 Exceedance

Gravel

Sump

MW-4

Service Station

Underground Gas Line

MW-3


Door

Hwy 42

Concrete

MW-2


Figure:	Figure 2b Site Detail Map	
Site Location:	Kiehnau Standard 130 S. Hwy 42 Forestville, Wisconsin	
Source:		Client: Mr. Vernon Kiehnau
		Date: Nov. 2009
		Scale: 1" = 20'
		Drawn By: EEM



<i>Figure:</i>	Figure 5 Site Cross Section Map	
<i>Site Location:</i>	Kiehnau Standard 130 S. Hwy 42 Forestville, Wisconsin	
<i>Source:</i>		<i>Client:</i> Mr. Vernon Kiehnau
		<i>Date:</i> Nov. 2009
		<i>Scale:</i> 1" = 20'
		<i>Drawn By:</i> EEM



Figure 5
Geologic Cross Section - Kiehnau Standard






Figure	Figure 6 Groundwater Isoconcentration Map	
Site Location	Kiehnau Standard 130 S. Hwy 42 Forestville, Wisconsin	
Source		Client: Mr. Vernon Kiehnau
		Date: Nov. 2009
		Scale: 1" = 20'
		Drawn By: EEM







Figure:	Figure 4 8/26/09 Groundwater Flow Map	
Site Location:	Kiehnau Standard 130 S Hwy 42 Forestville, Wisconsin	
Source:	Obtained from Door County GIS	Client: Mr. Vernon Kiehnau
		Date: August 2009
		Scale: Not to Scale Drawn By: EEM

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GEOPROBE AND SOIL BORING SAMPLES

Page 1 of 1

PARAMETER (µg/L)	Standard	B1-3 (TW1)	B2-4 (TW2)	B3-4 (TW3)	B4-3 (MW1)	B5-4 (MW2)	B6-4 (MW3)
SAMPLE DATE	-	12/7/01 - Geoprobe			8/27/02 - Drilling		
SAMPLE DEPTH (feet)	-	4.0-6.0	6.0-8.0	6.0-8.0	4.0-6.0	6.0-8.0	6.0-8.0
PVOCs (µg/kg)							
BENZENE	5.5	< 25	3,500	< 25	< 25	< 25	4,600
ETHYLBENZENE	2900	< 25	6,400	< 25	< 25	< 25	17,000
MTBE	-	< 25	< 250	< 25	< 25	< 25	< 25
NAPHTHALENE	-	< 25	1,300	< 25	< 25	< 25	NA
TOLUENE	1500	29	15,000	< 25	< 25	< 25	16,000
1,2,4-TRIMETHYLBENZENE	-	< 25	9,000	< 25	< 25	< 25	27,000
1,3,5-TRIMETHYLBENZENE	-	< 25	3,500	< 25	< 25	< 25	8,600
XYLENES	4100	< 50	28,400	< 50	< 75	< 75	65,000
Gasoline Range Organics (mg/kg)	250*	< 10	170	< 10	< 10	< 10	450
Total Lead (mg/kg)	50	< 6	7.5	< 6	5.0	5.9	4.2

Bold = sample concentration detected above the DNR soil standard

NA = not analyzed

* A permeability test was not run on these samples. The DNR standard for less permeable soils has been used because these samples are clayey soils.

Table 1: Summary of Soil Analytical Data
Kiehnau Service, 130 S. Forestville Ave., Forestville, WI
BRRTS #03-15-000305, Commerce #54213-9762-30-A

Sample	Sample Date	(ug/kg) micrograms per kilogram										
		GRO (mg/kg)	Benzene	Ethylbenzene	MTBE	Toluene	Total Xylenes	1,2,4 TMB	1,3,5 TMB	Total TMBs	Naphthalene	Lead (mg/kg)
MW-10 (MW-4)	8/19/2005	280	<62	4800	74	1600	18700	1400	4900	18900	1700	5.2
GP-1	8/17/2007	na	<25	<25	<25	<25	<75	<25	<25	<50	<25	na
<i>NR 746 Table 1 Exceedance</i>			8500	4600		38000	42000	8300	11000		2700	
<i>NR 746 Table 2 Exceedance</i>			1100									
NR 720 RCL Exceedance		100	5.5	2900		1500	4100					50

na - not analyzed

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
SOIL SAMPLES

PARAMETER	STANDARD	KS-1	KS-2	KS-3	KS-4	KS-5
SAMPLE DATE	-	10/18/89				
SAMPLE DEPTH (feet)		5	10.5	6	6	8
TPH as GASOLINE (mg/kg)	250*	0.9	4.7	232	279	21

Samples in exceedance of the standard are not highlighted because they are saturated soil samples.

* A permeability test was not run on these samples. The DNR standard for less permeable soil has been used because these samples are clayey soils.

Kiehnau Standard, Forestville, Wisconsin
Table 2: Summary of Groundwater Analytical Data
BRRTS #03-15-000305, Commerce #54213-9762-30-A

Sample	Sample Date	PVOC + naphthalene detections* (ug/L, micrograms per liter)										
		Benzene	Ethylbenzene	MTBE	Toluene	M/P-xylene	Orth-xylene	Total Xylenes	1,3,5-TMB	1,2,4-TMB	Total TMBs	Naphthalene
MW-2	10/14/2002	<0.45	<0.82	1.3	<0.68	<1.7	<0.77	<2.47	<0.94	<0.92	<1.86	na
	9/9/2005	<0.14	<0.40	1.7	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
	2/2/2006	<0.14	<0.40	1.1	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
	5/23/2006	<0.14	<0.40	1.1	<0.36	<0.74	<0.36	<1.2	<0.40	<0.39	<0.79	<0.47
	8/11/2006	<0.14	<0.40	1.6	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	na
	8/17/2007	<0.14	<0.40	1.6	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
	8/26/2008	<0.14	<0.40	1.0J	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
	2/24/2009	<0.23	<0.40	<0.36	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
	8/26/2009	<0.23	<0.40	<0.36	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
<i>NR 140.10 PAL</i>		<i>0.5</i>	<i>140</i>	<i>12</i>	<i>200</i>			<i>1000</i>			<i>96</i>	<i>10</i>
NR 140.10 ES		5	700	60	1000			10000			480	100

Italics: NR 140.10 PAL exceedance

Bold: NR 140.10 ES exceedance

na: not analyzed

ns: not sampled

10/14/02 analytical data reported by Omni Associates

Kiehnau Standard, Forestville, Wisconsin
Table 2: Summary of Groundwater Analytical Data
BRRTS #03-15-000305, Commerce #54213-9762-30-A

Sample	Sample Date	PVOC + naphthalene detections* (ug/L, micrograms per liter)										
		Benzene	Ethylbenzene	MTBE	Toluene	M/P-xylene	Orth-xylene	Total Xylenes	1,3,5-TMB	1,2,4-TMB	Total TMBs	Naphthalene
MW-3	10/14/2002	1400	600	49	140	1200	490	1690	100	430	530	49
	9/22/2005	2500	800	<7.2	910	2400	880	3280	160	670	830	83
	2/2/2006	1100	570	<3.6	350	2400	990	4380	340	1700	2040	230
	5/23/2006	2700	660	<9.0	1200	2100	830	2930	310	1500	1810	170
	8/11/2006	2600	760	<9.0	170	2600	690	3290	390	1700	2090	na
	8/17/2007	2500	710	<7.2	82	2400	170	2570	310	1500	1810	160
	8/26/2008	658	222	0.76J	27.6	607	31.8	638.8	55.3	294	349.3	36.9
	2/24/2009	1360	318	<7.2	103	1380	317	1697	124	820	944	69.5
	8/26/2009	484	245	4.4J	38.3	1360	162	1522	123	737	860	106
<i>NR 140.10 PAL</i>		<i>0.5</i>	<i>140</i>	<i>12</i>	<i>200</i>			<i>1000</i>			<i>96</i>	<i>10</i>
NR 140.10 ES		5	700	60	1000			10000			480	100

Italics: NR 140.10 PAL exceedance

Bold: NR 140.10 ES exceedance

na: not analyzed

ns: not sampled

10/14/02 analytical data reported by Omni Associates

Kiehnau Standard, Forestville, Wisconsin
Table 2: Summary of Groundwater Analytical Data
BRRTS #03-15-000305, Commerce #54213-9762-30-A

Sample	Sample Date	PVOC + naphthalene detections* (ug/L, micrograms per liter)										Naphthalene	p-Isopropyl toluene	Isopropyl benzene	n-Propyl benzene	
		Benzene	Ethylbenzene	MTBE	Toluene	M/P-xylene	Orth-xylene	Total Xylenes	1,3,5-TMB	1,2,4-TMB	Total TMBs					
MW-4	9/9/2005	2.5	15	<0.61	31	200	200	400	40	45	85	1.2	2.8	1.6	2.3	
	2/2/2006	3.9	4	2.8	0.71	1.5	0.8	2.3	2.8	1	3.8	0.53	na	na	na	
	5/23/2006	6	4.9	1.7	0.56	1.6	0.75	2.35	3.9	1.6	5.5	0.57	na	na	na	
	8/11/2006	8	2.2	1.7	<0.36	<0.74	<0.36	<1.1	1.4	<0.39	1.4	0.74	na	na	na	
	8/17/2007	3.1	<0.40	1.6	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47	na	na	na	
	8/26/2008	0.29J	<0.40	1.2J	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47	na	na	na	
	2/24/2009	<0.23	<0.40	1	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47	na	na	na	
	8/26/2009	<0.23	<0.40	0.81J	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47	na	na	na	
<i>NR 140.10 PAL</i>		<i>0.5</i>	<i>140</i>	<i>12</i>	<i>200</i>			<i>1000</i>			<i>96</i>	<i>10</i>				
NR 140.10 ES		5	700	60	1000			10000			480	100				

Italics: NR 140.10 PAL exceedance

Bold: NR 140.10 ES exceedance

na: not analyzed

ns: not sampled

Kiehnau Standard, Forestville, Wisconsin
Table 2: Summary of Groundwater Analytical Data
BRRTS #03-15-000305, Commerce #54213-9762-30-A

Sample	Sample Date	PVOC + naphthalene detections* (ug/L, micrograms per liter)										
		Benzene	Ethylbenzene	MTBE	Toluene	M/P-xylene	Orth-xylene	Total Xylenes	1,3,5-TMB	1,2,4-TMB	Total TMBs	Naphthalene
Sump	9/9/2005	<0.14	<0.40	0.79	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
	2/2/2006	34	6.4	1.1	7.1	10	5.1	15.1	1.2	4.3	5.5	<0.47
	5/23/2006	1.6	4.8	0.93	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
	8/11/2006	<0.14	<0.40	0.46	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	na
	8/17/2007	<0.14	<0.40	0.37	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
	8/26/2008	<0.14	<0.40	1.0J	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
	2/24/2009	<0.23	<0.40	1.1	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
	8/26/2009	<0.23	<0.40	0.37J	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
<i>NR 140.10 PAL</i>		<i>0.5</i>	<i>140</i>	<i>12</i>	<i>200</i>			<i>1000</i>			<i>96</i>	<i>10</i>
NR 140.10 ES		5	700	60	1000			10000			480	100

Italics: NR 140.10 PAL exceedance

Bold: NR 140.10 ES exceedance

na: not analyzed

ns: not sampled

TABLE 2
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER MONITORING WELLS - HISTORICAL

PARAMETER (µg/L)	ES	PAL	SUMP									
			DATE	5/15/95	12/23/98	3/22/99	4/21/99	7/15/99	10/25/99	2/1/00	6/22/00	12/17/01
DETECTED VOCs/PVOCs												
BENZENE	5	0.5	11	1.2 ‡	2.1 ‡	5 ‡	18 ‡	34 ‡	<0.32	21 ‡	<0.21	1.1 ‡
ETHYLBENZENE	700	140	9.5	3.1	1.4	2	110	51	<0.34	46	<0.22	<0.82
MTBE	60	12	2.0	1.2	1.1	1.2	<0.31	1	<0.31	<0.47	0.78	1.9
NAPHTHALENE	40	8	NA	NA	NA	NA	NA	NA	NA	NA	<0.69	NA
TOLUENE	1000	200	ND	0.76	2.1	<0.35	1.7	0.68	<0.35	1.2	<0.41	<0.68
1,2,4-TRIMETHYLBENZENE	480	96	ND	<0.35	0.64	<0.35	49	<0.34	<0.35	10	<0.26	<0.92
1,3,5-TRIMETHYLBENZENE	(total)	(total)	ND	<0.64	<0.64	<0.64	<0.64	<0.35	<0.64	<0.63	<0.34	<0.94
m&p-XYLENE	10,000	1000	ND	<1.0	1.5	<1.0	30	<0.67	<0.66	<1.4	<0.69	<1.7
o-XYLENE	(total)	(total)	ND	(total)	(total)	(total)	<0.32	<0.37	<0.32	(total)	(total)	<0.77

ES = enforcement standard
PAL = preventive action limit
ND = not detected NA = not analyzed

‡ The sump is being monitored to assess the effectiveness of the remedial efforts. The ES and PAL are shown for comparative purposes only. The sump is not constructed in a manner which allows it to be used as an NR 140 point of enforcement.

TABLE 4
SUMMARY OF LABORATORY ANALYSIS
PRIVATE WELL -HISTORICAL

PARAMETER (µg/L)	ES	PAL	Private Well			
SAMPLE DATE	-	-	8/24/00	12/17/01		
DETECTED VOCs (µg/L)						
BENZENE	5	0.5	< 0.21	< 0.21		
ETHYLBENZENE	700	140	< 0.22	< 0.22		
MTBE	60	12	< 0.46	< 0.46		
NAPHTHALENE	40	8	NA	NA		
TOLUENE	1000	200	< 0.41	< 0.41		
1,2,4-TRIMETHYLBENZENE	480	96	< 0.26	< 0.26		
1,3,5-TRIMETHYLBENZENE			< 0.34	< 0.34		
m&p-XYLENE	10,000	1000	< 0.43	< 0.43		
o-XYLENE			< 0.26	< 0.26		

ES = enforcement standard

PAL = preventive action limit

NA = not analyzed

Bold = sample concentrations detected above the ES for regulated points of enforcement

Italics = sample concentrations detected above the PAL for regulated points of enforcement

Kiehnau Standard, Forestville, Wisconsin
Table 2: Summary of Groundwater Analytical Data
BRRTS #03-15-000305, Commerce #54213-9762-30-A

Sample	Sample Date	PVOC + naphthalene detections* (ug/L, micrograms per liter)									Total TMBs	Naphthalene
		Benzene	Ethylbenzene	MTBE	Toluene	M/P-xylene	Orth-xylene	Total Xylenes	1,3,5-TMB	1,2,4-TMB		
Golwitzer	8/17/2007	<0.14	<0.40	<0.36	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
	2/24/2009	<0.23	<0.40	<0.36	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
<i>NR 140.10 PAL</i>		<i>0.5</i>	<i>140</i>	<i>12</i>	<i>200</i>			<i>1000</i>			<i>96</i>	<i>10</i>
NR 140.10 ES		5	700	60	1000			10000			480	100

Italics: NR 140.10 PAL exceedance

Bold: NR 140.10 ES exceedance

na: not analyzed

ns: not sampled

Kiehnau Standard, Forestville, Wisconsin
Table 2: Summary of Groundwater Analytical Data
BRRTS #03-15-000305, Commerce #54213-9762-30-A

Sample	Sample Date	PVOC + naphthalene detections* (ug/L, micrograms per liter)										
		Benzene	Ethylbenzene	MTBE	Toluene	M/P-xylene	Orth-xylene	Total Xylenes	1,3,5-TMB	1,2,4-TMB	Total TMBs	Naphthalene
Karnitz	8/17/2007	<0.14	<0.40	<0.36	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
	2/24/2009	<0.23	<0.40	<0.36	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
<i>NR 140.10 PAL</i>		<i>0.5</i>	<i>140</i>	<i>12</i>	<i>200</i>			<i>1000</i>			<i>96</i>	<i>10</i>
NR 140.10 ES		5	700	60	1000			10000			480	100

Italics: NR 140.10 PAL exceedance
Bold: NR 140.10 ES exceedance
na: not analyzed
ns: not sampled

Kiehnau Standard, Forestville, Wisconsin
Table 2: Summary of Groundwater Analytical Data
BRRTS #03-15-000305, Commerce #54213-9762-30-A

Sample	Sample Date	VOC detections* (ug/L, micrograms per liter)										
		Benzene	Ethylbenzene	MTBE	Toluene	M/P-xylene	Orth-xylene	Total Xylenes	1,3,5-TMB	1,2,4-TMB	Total TMBs	Naphthalene
TW-10	8/30/2007	<0.41	<0.54	<0.61	<0.67	<1.8	<0.83	<2.63	<0.83	<0.97	<1.8	<0.74
	8/26/2008	<0.14	<0.40	<0.36	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
	2/24/2009	<0.23	<0.40	<0.36	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
	8/26/2009	<0.23	<0.40	<0.36	<0.36	<0.74	<0.36	<1.1	<0.40	<0.39	<0.79	<0.47
<i>NR 140.10 PAL</i>		<i>0.5</i>	<i>140</i>	<i>12</i>	<i>200</i>			<i>1000</i>			<i>96</i>	<i>10</i>
NR 140.10 ES		5	700	60	1000			10000			480	100

Italics: NR 140.10 PAL exceedance

Bold: NR 140.10 ES exceedance

na: not analyzed

ns: not sampled

N1523A98
KIEHNAU SERVICE STATION

TABLE 3
SUMMARY OF LABORATORY ANALYSIS
TEMPORARY WELL SAMPLES

PARAMETER (µg/L)	ES	PAL	TW1	TW2	TW3
SAMPLE DATE	-	-	12/17/01		
PVOCs					
BENZENE	5.5	0.5	< 0.21	380	< 0.21
ETHYLBENZENE	700	140	< 0.22	<i>550</i>	< 0.22
MTBE	60	12	1.9	< 23	< 0.46
NAPHTHALENE	40	8	< 0.69	89	< 0.69
TOLUENE	1000	200	< 0.41	2000	< 0.41
1,2,4-TRIMETHYLBENZENE	480	96	< 0.26	740	< 0.26
1,3,5-TRIMETHYLBENZENE	(combined)	(combined)	< 0.34	330	< 0.34
M&P-XYLENE	10,000	1000	< 0.43	<i>2500</i>	< 0.43
O-XYLENE	(combined)	(combined)	< 0.26	<i>1000</i>	< 0.26

Bold = enforcement standard (ES) exceedance
Italics = preventive action limit (PAL) exceedance

TW1 = temporary monitoring well I.D.

Note: Temporary wells are not constructed in a manner which allows them to be used as NR 140 points of enforcement. The ES and PAL are shown for comparative purposes only.

Table 3
Summary of Groundwater Elevation Data
Kiehnau Standard - WDNR BRRTS #03-15-00305, COMM #54213-9762-30-A

Monitoring Point	PVC (MSL)	Top of Well Screen	Field Events	Date	Field Water Level	Water Table (MSL)
MW-1	99.31			9/22/2005	7.84	91.47
				2/1/2006	3.53	95.78
				5/23/2006	2.95	96.36
				8/11/2006	4.64	94.67
				8/17/2007	5.93	93.38
				8/26/2008	6.51	92.8
				2/24/2009	ns	ns
				8/26/2009	5.9	93.41
MW-2	98.43			9/22/2005	8.55	89.88
				2/1/2006	6.18	92.25
				5/23/2006	6.47	91.96
				8/11/2006	6.72	91.71
				8/17/2007	6.87	91.56
				8/26/2008	6.94	91.49
				2/24/2009	7.38	91.05
				8/26/2009	6.9	91.53
MW-3	98.16			9/22/2005	6.32	91.84
				2/1/2006	6.19	91.97
				5/23/2006	6.36	91.8
				8/11/2006	6.14	92.02
				8/17/2007	6.38	91.78
				8/26/2008	6.58	91.58
				2/24/2009	6.45	91.71
				8/26/2009	6.4	91.76
MW-4	99.08			9/22/2005	7.27	91.81
				2/1/2006	5.68	93.4
				5/23/2006	6.07	93.01
				8/11/2006	6.32	92.76
				8/17/2007	6.82	92.26
				8/26/2008	6.78	92.3
				2/24/2009	6.58	92.5
				8/26/2009	6.46	92.62

Note: 2/24/09 well plug covered with ice, not able to obtain reading

COPY

January 29, 2010.

RIGHT-OF-WAY

Sharlene Te Beest
Hazardous Material Specialist
WisDOT Bureau of Equity and Environmental Services
PO Box 7965
Madison, WI 53707-7965

Sent via e-mail

RE: Notification of Residual Groundwater Contamination within Right-of-Way
Kiehnau Standard, 130 S. Hwy 42, Forestville, Door County, Wisconsin
BRRTS #03-15-00305, Commerce #54213-9762-30-A, FID #415120970


Dear Ms. Te Beest:

In accordance with Wis. Adm. Code ch. NR 726, Bay Environmental Strategies, Inc. (BAY) is providing written notification of residual soil and groundwater contamination within the Highway 42 right-of-way adjacent to the above referenced property. Soil contamination was encountered between approximately 6 and 8 ft. bgs. The soil contamination was encountered during storm sewer installation. The water table is present at approximately 6 to 7 ft. bgs. Groundwater contamination consists of benzene, total TMBs and naphthalene over the Wisconsin Administrative Code NR 140 Enforcement Standard. You should be aware of this contamination so that contingencies can be developed prior to any excavation activities within that area. Excavation of potentially contaminated soil and groundwater may pose inhalation or other direct contact hazards and will require sampling and analysis, as well as proper storage, treatment, or disposal of any excavated materials, based upon the results of the analysis.

Laboratory results of soil and groundwater samples collected suggest that on-site contamination has migrated off-site. To date, a total of 16 groundwater monitoring rounds have been conducted from four monitoring wells, a sump, and a temporary well. A site map showing the extent of soil and groundwater contamination is enclosed for future reference.

If you have any questions regarding the information provided, please contact me at (920) 433-0300 or eemader@bayenvironmental.com.

Sincerely,

BAY ENVIRONMENTAL STRATEGIES, INC.

Erin Mader
Environmental Technician



James Rabideau, PG, PSS
President

Enclosure

Cc: Vernon Kiehnau, 239 Lucerne Drive, Forestville, WI 54213
Keld Lauridsen, WDNR, 2984 Shawano Ave, Green Bay, WI 54307

RIGHT-OF-WAY

Erin Mader

From: TeBeest, Sharlene - DOT [Sharlene.TeBeest@dot.wi.gov]
Sent: Friday, January 29, 2010 10:55 AM
To: 'Erin Mader'
Subject: RE: Notification of Contamination within Right of Way

Erin,

I've received the notification for

**Kiehnau Standard, 130 S. Hwy 42, Forestville, Door County, Wisconsin
BRRTS #03-15-00305, Commerce #54213-9762-30-A, FID #415120**

Shar

Sharlene Te Beest
Hazardous Materials Specialist
WisDOT Bureau of Equity and Environmental Services
sharlene.tebeest@dot.wi.gov
phone 608-266-1476
fax 608-264-6667
cell 608-692-4546
4802 Sheboygan Ave. Room 451
PO Box 7965
Madison, WI 53707-7965

From: Erin Mader [mailto:eemader@bayenvironmental.com]
Sent: Friday, January 29, 2010 10:20 AM
To: TeBeest, Sharlene - DOT
Subject: Notification of Contamination within Right of Way

Shar,

Attached is a notification of contamination within a right of way. Please respond upon receipt of this e-mail for my records.

Thank you,

Erin Mader
Bay Environmental Strategies, Inc.
529 S. Jefferson St., Ste. 10
Green Bay, WI 54301
Direct Line- 920 884-0220
Main Line- 920 433-0300
www.bayenvironmental.com

1/29/2010