

GIS REGISTRY INFORMATION

SITE NAME: A TO Z HYDRAULIC
BRRTS #: 03-20-001927
CLOSURE DATE: 06/27/2002
STREET ADDRESS: W8236 LINCOLN AVENUE
CITY: LAMARTINE

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 635148 Y= 363228

OFF-SOURCE CONTAMINATION (>ES): Yes No

IF YES, STREET ADDRESS 1: W8235 LINCOLN AVENUE

GPS COORDINATES (meters in WTM91 projection): X= 635164 Y= 363274

IF YES, STREET ADDRESS 2: W8226 LINCOLN AVENUE

GPS COORDINATES (meters in WTM91 projection): X= 635188 Y= 363229


IF YES, STREET ADDRESS 3: W8250 LINCOLN AVENUE

GPS COORDINATES (meters in WTM91 projection): X= 635129 Y= 363190

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- | | |
|---|-------------------------------------|
| Closure Letter, and any conditional closure letter issued | <input checked="" type="checkbox"/> |
| Copy of most recent deed, including legal description, for all affected properties | <input checked="" type="checkbox"/> |
| Certified survey map or relevant portion of the recorded plat map (<i>if referenced in the legal description</i>) for all affected properties | <input checked="" type="checkbox"/> |
| County Parcel ID number, <i>if used for county</i> , for all affected properties | <input checked="" type="checkbox"/> |
| Location Map which outlines all properties within contaminated site boundaries in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy) | <input checked="" type="checkbox"/> |
| Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) | <input checked="" type="checkbox"/> |
| Tables of Latest Groundwater Analytical Results (no shading or cross-hatching) | <input checked="" type="checkbox"/> |
| Isoconcentration map(s), <i>if available from site investigation (SI)</i> (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of contamination defined. If not available, include the following 2 types of maps: | <input type="checkbox"/> |
| Latest groundwater flow/monitoring well location map | <input checked="" type="checkbox"/> |
| Latest extent of contaminant plume map | <input checked="" type="checkbox"/> |
| Geologic cross-sections, <i>if available from SI</i> . (8.5x14' if paper copy) | <input checked="" type="checkbox"/> |
| RP certified statement that legal descriptions are complete and accurate | <input checked="" type="checkbox"/> |
| Copies of off-source notification letters (if applicable) | <input checked="" type="checkbox"/> |
| Letter informing ROW owner of residual contamination (if applicable) | <input checked="" type="checkbox"/> |
| Copy of (soil or land use) deed restriction(s) or deed notice <i>if any required as a condition of closure</i> . | <input type="checkbox"/> |



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott McCallum, Governor
Darrell Bazzell, Secretary
Ronald W. Kazmierczak, Regional Director

Oshkosh Service Center
625 E. County Rd Y, Suite 700
Oshkosh, Wisconsin 54901-9731
Telephone 920-424-3050
FAX 920-424-4404

June 28, 2002

D. Mueller Industries
Attn: Mr. Don Mueller
PO Box 37
Oakfield WI 53065

SUBJECT: Final Case Closure By Closure Committee With Conditions Met
A to Z Hydraulic, W8236 Lincoln Avenue, Lamartine, WI
WDNR BRRTS #: 03-20-001927

Dear Mr. Mueller:

On April 8, 2002, your site as described above was reviewed for closure by the Northeast Region Closure Committee. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases.

On June 27, 2002, the Department received correspondence indicating that you have complied with the conditions of closure. Conditions of closure were the addition of the site to the WDNR GIS Registry and abandonment of all monitoring wells with the exception of MW-9. Responsibility for MW-9 was transferred to the Town of Lamartine.. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

DOCUMENT NO.

WARRANTY DEED
STATE BAR OF WISCONSIN FORM 2 - 1982

441617

ITEM Dia

THIS SPACE RESERVED FOR RECORDING DATA

REGISTER'S OFFICE

Fond du Lac County Wis.
Recorded at 8:00 M

AMERICAN BANK OF FOND DU LAC

JUL 13 1987

conveys and warrants to D. MUELLER INDUSTRIES, INC.,
a Wisconsin corporation

Vol. 952 Records Page 730-731
MARY A. BRICKLE
REGISTER OF DEEDS

the following described real estate in Fond du Lac County,
State of Wisconsin:

RETURN TO
Robert V. Edgerton #6
P. O. Box 1276
Fond du Lac, WI 54935

Tax Parcel No: T12-34-2.18

Lands located in the Town of Lamartine, Fond du Lac County,
Wisconsin, more particularly described in Exhibit "A"
attached hereto.

TRANSFER
\$120.00
FEE

This is not homestead property.
(is) (is not)

Exception to warranties: easements of record, if any.

Dated this 8th day of July, 19 87

(SEAL) AMERICAN BANK OF FOND DU LAC (SEAL)
(SEAL) By Dale G. Brooks, President (SEAL)
(SEAL) Attest Paul O. Olm, Cashier (SEAL)

AUTHENTICATION

ACKNOWLEDGMENT

Signature(s)

STATE OF WISCONSIN

EXHIBIT "A"

Commencing in the center of the Military Road, 16 rods and 8 feet Westerly from the center of the Seven Mile Creek, thence Southwesterly on the center of Military Road, 13 rod, 13 feet and 7 inches, thence in a Southeasterly direction, 12 rods and 15 feet and 6 inches to the center of the Creek crossing the center of a hard head stone buried in said Creek bank 1 rod from the center of said Creek, thence ~~Northwesterly~~ ^{Northwesterly} on the center line of said Creek 12 rods, 3 feet and 5 inches to the Southwest corner of a lot known as C. S. Nash estate, thence Northwesterly 9 rods, 3 feet to the place of beginning, crossing the center of a hard head placed in the bank of said Creek, 1 rod from the center thereof. Above land located in the North West $\frac{1}{4}$ of the Northeast $\frac{1}{4}$ of Section 34 in Township 15 North, of Range 16 East, Fond du Lac County, Wisconsin.


EXCEPTING THEREFROM lands conveyed to Kenneth L. Basler and wife by Warranty Deed recorded in Volume 761 of Records on page 893.

NE 1/4
Section
Town 1
Range

T12-15-16-34-C
Sec. 34
Town 15
Range 16

Legends

- SUBDIVISION/PLAT
- ROAD ROW
- RAILROAD ROW
- ROAD CENTERLINE
- HYDRO/PARCEL
- PARCEL
- ROAD ROW (NPI)
- MUNICIPAL BOUNDARY
- SECTION
- QTR & QTR
- EASEMENT
- LOT LINE NPF
- HYDRO LINE NPF
- MEANDER
- VACATION OF DEDICATION
- BLOCK SYMBOL
- PLAT OF SURVEY
- DEDICATED ROW
- VACATED ROW
- FEE SIMPLE ROW
- RAIL ROW
- SUBDIVISIONS
- CSM



574371

State Bar of Wisconsin Form 2 1987
WARRANTY DEED

DOCUMENT NO

RECEIVED FOR RECORD

VOL 1223 PAGE 564-565

95 JUN -1 PM 2:37

Mrs. C. Brielle

REGISTER OF DEEDS
FOND DU LAC COUNTY, WI

Randall E. Dines and Laurie A. Dines, f/k/a
Laurie A. Kollmann, husband and wife

conveys and warrants to Dawn M. Castro

THIS SPACE RESERVED FOR RECORDING DATA

NAME AND RETURN ADDRESS

Dawn M. Castro
219 W. Waupun St, #1
Oakfield, WI 53065

the following described real estate in Fond du Lac
County, State of Wisconsin.

T12-15-16-99-SM-195
(Parcel Identification Number)

TRANSFER
\$ 86.⁷⁰
FEE

See Attached Exhibit A for Legal Description

This is ~~(is not)~~ homestead property

Exception to warranties: easements and restrictions of record, applicable zoning and building ordinances.

Dated this 1st day of June, 19 95.

(SEAL) Randall E. Dines (SEAL)
• RANDALL E. DINES
(SEAL) Laurie A. Dines? (SEAL)
• LAURIE A. DINES

AUTHENTICATION

ACKNOWLEDGMENT

Signature(s) _____
authenticated this _____ day of _____, 19 _____

STATE OF WISCONSIN }
Fond du Lac County, } ss.
Personally came before me this 1st day of June, 19 95 the above named

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, authorized by 8706.06, Wis. Stats.)

Randall E. DINES and Laurie A. DINES

THIS INSTRUMENT WAS DRAFTED BY
Attorney Kathryn M. Bullon

to me known to be the person _____ who executed the foregoing instrument and acknowledge the same.

Karla S. Jansen
• Karla S. Jansen
Notary Public Fond du Lac _____ County, Wis.
My commission is permanent (if not, state expiration date: 7/17, 19 98)

EXHIBIT A TO WARRANTY DEED

DINES TO CASTRO.

A parcel of land located in Lot Thirty-Five (35) of the Village of Seven Mile Creek and in the Northwest Quarter (NW 1/4) of the Northeast Quarter (NE 1/4) of Section Thirty-Four (34), Township Fifteen (15) North, Range Sixteen (16) East, Town of Lamartine, Fond du Lac County, Wisconsin, and more particularly described as follows:

Commencing at the Northwest corner of said Northeast Quarter of Section 34 and going thence North 89 degrees 46 minutes 18 seconds East, 647.96 feet along the North line of said Northeast Quarter; thence South 29 degrees 15 minutes 30 seconds East, 320.66 feet to the center line of C.T.H. "CC" (now known as Lincoln Ave.); thence North 44 degrees 26 minutes 23 seconds East, 32.24 feet to the place of beginning for the description of this parcel, which is on said center line and is described as follows:

1. Thence Northeasterly, 104.40 feet along said center line and the arc of a curve to the right having a radius of 387.30 feet and a chord bearing North 35 degrees 23 minutes 45 seconds East 103.02 feet.
2. Thence South 36 degrees 52 minutes 04 second East, 131.45 feet along a line agreed upon by the adjacent property owners to a meander line along the Northwesterly side of the Seven Mile Creek.
3. Thence South 36 degrees 32 minutes 22 seconds West, 99.13 feet along said meander line to its end for this parcel.
4. Thence North 39 degrees 59 minutes 28 seconds West, 164.11 feet to said road center and the place of beginning.

285722

VOL 703 PAGE 186

This indenture, Made this 29th day of January, A. D., 19 74
between KRUPP AND SALM BUILDERS, INC.,
a Corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, located
at Fond du Lac Wisconsin, party of the first part, and RALPH C. MEINKE,

part y of the second part.

Witnesseth: That the said party of the first part, for and in consideration of the sum of -----
One Dollar (\$1) and other valuable consideration-----

to it paid by the said part y of the second part, the receipt whereof is hereby confessed and acknowledged,
has given, granted, bargained, sold, remised, released, aliened, conveyed and confirmed, and by these pres-
ents does give, grant, bargain, sell, remise, release, alien, convey and confirm unto the said part y of the
second part, his heirs and assigns forever, the following described real estate, situated in the
County of Fond du Lac and State of Wisconsin, to-wit:

All that part of the Northwest 1/4 of the North East 1/4 of Section 34 in
Township 15 North of Range 16 East which lies on the Easterly side of the
Fond du Lac and Waupun Road and on the Westerly side of Seven Mile Creek,
excepting therefrom a portion thereof described as follows:

Commencing on the center of the bridge crossing Seven Mile Creek and
running thence in a Southwesterly direction along the center of the
Military Road 30 rods 5 feet and 1 inch; thence in a Southeasterly
direction 12 rods 15 feet and 6 inches to the center of said Creek;
thence Northeasterly along the center of said Creek to the place of
beginning.

And also excepting from the above those lands contained in Certified
Survey Map No. 625 recorded on May 4, 1973 at 11:15 A.M. in Volume 5 of
Certified Survey Maps of Fond du Lac County, Wisconsin, on Pages 45, 45A,
45B, and 45C, Document No. 277419.

Together with all and singular the hereditaments and appurtenances thereunto belonging or in any
wise appertaining; and all the estate, right, title, interest, claim or demand whatsoever, of the said party of the
first part, either in law or equity, either in possession or expectancy of, in and to the above bargained prem-
ises, and their hereditaments and appurtenances.

To have and to hold the said premises as above described with the hereditaments and appurtenances,
unto the said part y of the second part, and to his heirs and assigns FOREVER.

And the said KRUPP AND SALM BUILDERS, INC.,
party of the first part, for itself and its successors, does covenant, grant, bargain and agree to and with the said
part y of the second part, his heirs and assigns, that at the time of the ensdaling and delivery of
these presents it is well seized of the premises above described, as of a good, sure, perfect, absolute and inde-
feasible estate of inheritance in the law, in fee simple and that the same are free and clear from all incum-
brances whatever,

and that the above bargained premises in the quiet and peaceable possession of the said part y of the
second part, his heirs and assigns, against all and every person or persons lawfully claiming the
whole or any part thereof, it will forever WARRANT and DEFEND.

In Witness Whereof, the said KRUPP AND SALM BUILDERS, INC.,
party of the first part, has caused these presents to be signed by Richard H. Salm,
its President, and countersigned by Rosemary Henke,
at Fond du Lac, Wisconsin, and its corporate seal to be hereunto affixed, this
day of January, A. D., 19 74.

TRANSFER
\$9.00
FEE
its Secretary,
29th

Signed and Sealed in Presence of

Dawn H. Haberkorn
Dawn H. Haberkorn
Rose M. Nickel
Rose M. Nickel

KRUPP AND SALM BUILDERS, INC.
Richard H. Salm
Richard H. Salm, President
Countersigned:
Rosemary Henke

JUL-11-02 07:51AM FROM-Miller Engineers & Scientists

9209548720

T-624 P.02/02 F-387

July 10, 2002

Subject: Legal Descriptions of Contaminated Properties
A to Z Hydraulic
Comm No.: 55065-9999-36
BRRTS No.: 03-20-001927

This is a statement made by the Responsible Party (RP), D. Mueller Industries, as required under Item F for GIS registration, that the legal descriptions of all properties within or partially within the contaminated site boundaries are attached to this statement. The legal description of the following private property, not included in the previous statement, is attached;

- W8235 Lincoln Avenue, Lamartine, Wisconsin

Contamination also extends into the right-of-way of CTH "Y"/Lincoln Avenue

D. Mueller Industries (Responsible Party)

Signature:


Don Mueller

Date: 7-11-02

DOCUMENT NO. 503402

STATE BAR OF WISCONSIN FORM 3 - 1989 QUIT CLAIM DEED

THIS SPACE RESERVED FOR RECORDING DATA

RECORDED

VOL. 1065 PAGE 236-237

JAN 17 11 28 AM '92

Mary C. Drexler REGISTER OF DEEDS FOND DU LAC COUNTY, WI

Kenneth E. Nelson Sr. Judith L. Nelson

quit-claims to Kenneth E. Nelson Sr.

the following described real estate in Fond du Lac County, State of Wisconsin:

Handwritten notes: Kenneth Nelson Sr. 6825 City Hwy. Fond du Lac, WI 53112-1516 Tax Parcel No: SMC-130-00

FEE # 72.25(8) EXEMPT

See Attached

This 15 (is) (is not) homestead property. Dated this 17th day of January 1992

January

(SEAL) (SEAL)

Kenneth E. Nelson Sr. (SEAL) Judith L. Nelson (SEAL)

AUTHENTICATION

ACKNOWLEDGMENT

Signature(s) authenticated this day of 19

STATE OF WISCONSIN Fond du Lac County. Personally came before me this 17th day of January 1992 the above named Kenneth E. Nelson Sr. and Judith L. Nelson

TITLE: MEMBER STATE BAR OF WISCONSIN (if not authorized by § 700.08, Wis. Stats.)

to his known to be the person(s) who executed the foregoing instrument and acknowledge the same

THIS INSTRUMENT WAS OFFICED BY M. Galloway Law Office William D. McGalloway

Barlan Schneider Notary Public Fond du Lac County, Wis. My Commission is permanent (if not state expiration date: November 21, 1993)

(Signatures may be authenticated or acknowledged. Both are not necessary.)


VOL. 1065 PAGE 236

T12-15-16-99-


Tax Parcel No: SM-130-00

A part of Lot No. 26 in the Plat of Seven Mile Creek, in the Northwest Quarter of the Northeast Quarter (NW 1/4 NE 1/4) of Section 34 T.15N. R. 16E, Fond du Lac County, Wisconsin, more particularly described as follows, to-wit: Commencing at the Northwest corner of the Northeast quarter of said Section 34, and running thence East along the N. line of the N.E. 1/4 of said Section 34, a distance of 644.00 feet; thence continuing East along said North line of the Northeast quarter of said Section 34 a distance of 309.18 feet; thence running South three degrees and one minute East, a distance of 177.3 feet to a point on the centerline of U.S. Highway No. 151; thence running Southwesterly along said centerline of U.S. Highway No. 151 on a curve to the left to a point being South 74 degrees and 51 minutes West, a distance of 20.44 feet from last described corner of traverse, to the place of beginning; thence running North six degrees and 25 minutes West, a distance of 86.73 feet; thence running North 88 degrees and 25 minutes West, a distance of 53.94 feet; thence running North 16 degrees and 48 minutes West, a distance of 28.57 feet; thence running South 78 degrees and 54 minutes West, a distance of 172.26 feet to a point on the centerline of County Trunk Highway "Y"; thence Southwesterly, along the centerline of said County Trunk Highway "Y" to its intersection with the centerline of U.S. Highway 151; thence Easterly, along the centerline of said U.S. Highway 151 to the place of beginning.

FEE




OAKFIELD QUADRANGLE
 WISCONSIN- FOND DU LAC CO.
 7.5 MINUTE SERIES (TOPOGRAPHIC)
 NE/4 WAUPUN15' QUADRANGLE



SCALE 1" = 2000'

F-1	Date	3/24/94	By	RLB	CLIENT: D. MUELLER INDUSTRIES, INC. JOB: A TO Z HYDRAULIC LOCATION: W8236 LINCOLN AVENUE LAMARTINE, WISCONSIN
	Job No.	12522E	Ck	SAH	

FIGURE 1. SITE LOCATION MAP



LEGEND

PROPOSED

EXISTING

- UTILITIES**
- SANITARY SEWER W/MANHOLE
 - SANITARY SERVICE
 - STORM SEWER W/MANHOLE
 - STORM SEWER W/CATCH BASIN
 - STORM SEWER W/END SECTION
 - STORM SEWER SERVICE
 - CATCH BASIN
 - CURB INLET
 - CLEANOUT
 - WATER MAIN
 - WATER SERVICE
 - CURB STOP
 - GAS MAIN
 - OVERHEAD ELECTRIC
 - UNDERGROUND ELECTRIC
 - LIGHT POLE
 - POWER POLE
 - ELECTRIC PEDESTAL
 - ELECTRIC TRANSFORMER
 - OVERHEAD TELEPHONE
 - UNDERGROUND TELEPHONE
 - TELEPHONE PEDESTAL
 - CABLE TV
- MISCELLANEOUS**
- TREE
 - FENCE
 - POINT OF CURVATURE
 - POINT OF TANGENCY
 - CENTERLINE
 - BACK OF CURB
 - TOP OF CURB
 - STATION
 - INVERT
 - LOT LINE
 - EASEMENTS
 - ROADWAY CENTERLINE
- ENVIRONMENTAL**
- GROUND WATER MONITORING WELL
 - SOIL BORING
 - GROUND WATER RECOVERY WELL
 - VAPOR MONITORING POINT
 - VAPOR EXTRACTION POINT
 - HYDROPLUNCH LOCATION
 - VAPOR EXTRACTION LINE
 - GROUND WATER INTAKE LINE
 - GROUND WATER DISCHARGE LINE
- PROPOSED**
- MH
 - MH
 - CB
 - st
 - W
 - WS
 - CS
 - W
 - WS
 - CS
 - W
 - WS
 - CS
 - W
 - WS
 - CS
- EXISTING**
- MH
 - MH
 - CB
 - st
 - W
 - WS
 - CS
 - W
 - WS
 - CS
 - W
 - WS
 - CS
 - W
 - WS
 - CS
- MISCELLANEOUS**
- PC
 - PT
 - CL
 - BOC
 - TCC
 - STA
 - INV

FIGURE 2 SITE PLAN

MILLER ENGINEERS SCIENTISTS
 5308 South Twelfth Street
 Sheboygan, Wisconsin 53081
 414-468-8164

D. MUELLER INDUSTRIES
 A. TO Z HYDRAULIC
 W8230 LINCOLN AVENUE
 OAKFIELD, WISCONSIN

SCALE: 1" = 50'
 DATE: 2-24-95
 JOB: 12522E1B
 SHEET: F-2 OF 2

GRAPHIC SCALE

0 50
 (IN FEET)
 1 inch = 50 ft

NO.	DATE	DESCRIPTION
1	2-22-95	ADDED TANK LOCATIONS

RALPH E. MEINKE

TABLE 2
Historical Ground Water Analytic Test Results

A to Z Hydraulic
Lamartine, Wisconsin
Project #12522E

MW1	Benzene		Ethyl- benzene		Toluene		Xylenes		MTBE		Total		Total		Naphthalene		Total		D.O.		pH		Conductivity		Water		Sulfate		Nitrate/ Nitrite		Dis. Fe		Dis. Mn								
	Date	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(mg/L)	(mg/L)	(s.u.)	(s.u.)	(µmhos/cm ³)	(feet)	(mg/L)	(mg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)										
02/01/94	63	740	120	2,280	N/D	2,060	5,263	120	57.99	•	•	•	•	•	•	•	•	•	•	•	7.50	7.50	930	861.19	•	•	•	•	•	•	•	•									
05/24/94	16	180	19	514	N/D	580	1,309	26	•	•	•	•	•	•	•	•	•	•	•	•	6.77	6.77	1,600	862.98	•	•	•	•	•	•	•	•									
06/22/95	3.03	19.5	4.4	63.03	N/D	45.3	135.26	1.97	N/D	•	•	•	•	•	•	•	•	•	•	•	7.64	7.64	5,510	861.86	•	•	•	•	•	•	•	•	•								
06/20/96	7.01	3.47	1.8	25.0	N/D	41.8	79.11	2.45	•	•	•	•	•	•	•	•	•	•	•	•	6.53	6.53	3,480	866.93	•	•	•	•	•	•	•	•	•	•							
01/22/97	15	23	9.4	82.9	N/D	68	198.3	10	•	•	•	•	•	•	•	•	•	•	•	•	6.47	6.47	6,980	861.14	•	•	•	•	•	•	•	•	•	•	•						
04/29/97	2.2	8.2	4.3	35	1.2	62	111.7	•	•	•	•	•	•	•	•	•	•	•	•	•	6.42	6.42	3,570	863.91	•	•	•	•	•	•	•	•	•	•	•	•					
07/30/97	3.6	6.9	1.8	19.2	1.6	62	70.4	•	•	•	•	•	•	•	•	•	•	•	•	•	6.56	6.56	30	862.04	•	•	•	•	•	•	•	•	•	•	•	•	•				
10/23/97	21	28	13	92.1	<1.1	55	209.1	8.2	•	•	•	•	•	•	•	•	•	•	•	•	6.75	6.75	2,010	859.69	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
01/20/98	40	120	44	470	<4.8	229	903	46	•	•	•	•	•	•	•	•	•	•	•	•	7.17	7.17	1,440	860.61	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
04/16/98	18	26	16	67	<4.5	59	186	<5.1	•	•	•	•	•	•	•	•	•	•	•	•	6.44	6.44	5,320	866.08	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
07/08/98	3.1	7.1	4.1	19	3.1	26.2	59.5	5.1	•	•	•	•	•	•	•	•	•	•	•	•	6.71	6.71	4,420	863.10	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
08/02/00	13	25	7.5	63	<0.47	44.8	153.3	•	•	•	•	•	•	•	•	•	•	•	•	•	5.76	5.76	3,730	863.16	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
11/20/00	4.8	6.8	4.2	12	<0.47	5.4	33.2	•	•	•	•	•	•	•	•	•	•	•	•	•	8.06	8.06	3,710	861.76	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
02/16/01	24	51	13	140	<0.47	83	311	•	•	•	•	•	•	•	•	•	•	•	•	•	7.85	7.85	2,380	863.50	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
05/08/01	5.2	30	5.1	132.5	<0.46	87	259.8	12	•	•	•	•	•	•	•	•	•	•	•	•	6.69	6.69	6,050	865.70	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

MW2

Date	Benzene		Ethyl- benzene		Toluene		Xylenes		MTBE		Total		Total		Naphthalene		Total		D.O.		pH		Conductivity		Water		Sulfate		Nitrate/ Nitrite		Dis. Fe		Dis. Mn								
	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(mg/L)	(mg/L)	(s.u.)	(s.u.)	(µmhos/cm ³)	(feet)	(mg/L)	(mg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)								
02/01/94	240	2,100	230	7,010	N/D	2,550	12,150	99	177.67	•	•	•	•	•	•	•	•	•	•	•	7.43	7.43	710	860.12	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
05/24/94	160	1,700	390	6,150	N/D	1,920	10,320	150	176.08	•	•	•	•	•	•	•	•	•	•	•	8.20	8.20	940	861.73	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
06/22/95	119	860	108	3,063	N/D	1,304	5,454	71	79.1	•	•	•	•	•	•	•	•	•	•	•	7.67	7.67	1,910	861.02	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
06/20/96	82.4	997	85.1	3,669	N/D	1,378.5	6,212	79.2	121	•	•	•	•	•	•	•	•	•	•	•	7.12	7.12	2,430	864.49	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
01/22/97	62	23	9.4	82.9	N/D	2,975.7	3,153	54	•	•	•	•	•	•	•	•	•	•	•	•	6.47	6.47	5,290	861.23	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
04/29/97	63	840	83	2,848	4.8	1,118	4,952	73	•	•	•	•	•	•	•	•	•	•	•	•	6.81	6.81	10,240	863.00	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
07/30/97	57	720	56	2,436	<5.3	1,290	4,559	87	•	•	•	•	•	•	•	•	•	•	•	•	7.03	7.03	150	861.40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
10/23/97	60	460	34	1,622	<5.3	1,410	3,586	75	•	•	•	•	•	•	•	•	•	•	•	•	7.03	7.03	6,480	859.60	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
01/20/98	38	220	23	818.7	<6.0	650	1,750	63	•	•	•	•	•	•	•	•	•	•	•	•	7.16	7.16	2,190	860.48	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
04/16/98	89	700	84	2,463	50	1,350	4,683	82	•	•	•	•	•	•	•	•	•	•	•	•	6.72	6.72	3,480	864.46	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
07/08/98	110	570	99	2,100	<22	1,140	4,019	130	•	•	•	•	•	•	•	•	•	•	•	•	6.97	6.97	2,840	862.08	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
08/02/00	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
11/20/00	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
02/16/01	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
05/08/01	51	1,000	64	4,144	<9.2	1,470	6,729	100	•	•	•	•	•	•	•	•	•	•	•	•	5.20	5.20	3,750	864.27	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

• = Not Tested

PAH = Polynuclear Aromatic Hydrocarbons

PAH = Not detected at method detection limits

PVOC = Petroleum Volatile Organic Compounds (EPA Method 8020 or from 8021 results)

• = Exceeds NR 140 Enforcement Standard (ES)

• = Exceeds NR 140 Preventive Action Limit (PAL)

• = Detected Below Limit of Quantitation (LOQ), quantity uncertain

ITEM C3a

TABLE 2 (Continued)
Historical Ground Water Analytic Test Results

A to Z Hydraulic
 Lamartine, Wisconsin
 Project #12522E

Date	MW3																
	Benzene (µg/L)	Ethyl-benzene (µg/L)	Toluene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	Total TMB (µg/L)	Total PVOC (µg/L)	Naphthalene (µg/L)	Total PAH (µg/L)	D.O. (mg/L)	pH (S.U.)	Conductivity (µmhos/cm ³)	Water Elevation (feet)	Sulfate (mg/L)	Nitrate/Nitrite (mg/L)	Dis. Fe (µg/L)	Dis. Mn (µg/L)
02/01/94	160	770	150	2,483	ND	590	4,153	28	4.82	•	7.50	790	858.61	•	•	•	•
05/24/94	180	160	440	622	5.8	1,75.8	1,577.8	9	4.82	•	7.01	1,820	860.47	•	•	•	•
06/22/95	76	400	56	1,500	ND	682	2,714	ND	25.49	•	7.61	1,680	860.02	•	•	•	•
06/20/96	12.4	17.9	1.86	24.2	ND	49.6	106	4.65	0.572	0.6	6.57	1,300	864.78	•	•	•	•
01/22/97	24	100	11	126.4	ND	136	397.4	10	•	0.6	6.54	2,930	859.34	•	•	•	•
04/29/97	12	60	5.4	71.3	15	100.9	249.6	•	•	0.6	6.92	1,720	861.92	•	•	•	•
07/30/97	46	220	56	373	22	274	969	•	•	0.3	7.08	50	860.02	•	•	•	•
10/23/97	34	200	11	226.9	<1.1	345	817	8.1	•	0.4	6.79	7,050	857.49	•	•	•	•
01/20/98	13	56	8.8	61	<2.4	114	253	<5.8	•	2.4	7.29	2,610	858.08	•	•	•	•
04/16/98	22	45	18	58	<4.5	79	222	<5.1	•	0.2	6.94	1,540	864.81	•	•	•	•
07/08/98	28	72	13	79.4	7.1	95.9	288	5.2	•	0.1	7.07	1,850	860.95	•	•	•	•
08/02/00	8.8	17	4	17.3	<0.47	36.1	83	0.93†	•	2.6	4.88	1,580	860.85	•	•	•	•
11/20/00	45	100	26	140	<0.47	150	461	•	•	4.8	8.14	2,380	859.81	•	•	•	•
02/16/01	20	44	14	38	<0.47	86.3	202	1.2†	•	3.4	8.31	1,860	861.39	•	•	•	•
05/08/01	•	•	•	•	•	•	•	•	•	0.8	•	•	863.95	•	•	•	•

MW4

Date	Prior to well construction																
	Benzene (µg/L)	Ethyl-benzene (µg/L)	Toluene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	Total TMB (µg/L)	Total PVOC (µg/L)	Naphthalene (µg/L)	Total PAH (µg/L)	D.O. (mg/L)	pH (S.U.)	Conductivity (µmhos/cm ³)	Water Elevation (feet)	Sulfate (mg/L)	Nitrate/Nitrite (mg/L)	Dis. Fe (µg/L)	Dis. Mn (µg/L)
05/24/94	6.5	18	13	52.9	ND	204	294.4	6.2	17.42	•	6.94	870	863.38	•	•	•	•
06/22/95	4.7	ND	ND	ND	ND	ND	4.7	ND	ND	•	7.87	1,040	862.82	•	•	•	•
06/20/96	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	6.89	1,370	869.20	•	4.51	33	4
01/22/97	76	0.4	2.1	9.9	ND	0.5	88.9	•	•	0.3	6.34	3,440	862.40	•	2.4	45	320
04/29/97	0.4	ND	ND	ND	0.8	0.8	1.2	•	•	0.7	6.52	7,870	865.70	•	•	ND	54
07/30/97	4.1	ND	ND	ND	<0.20	ND	4.1	•	•	0.3	6.96	250	863.07	•	•	22	39
10/23/97	96	0.32†	1.5	4.9	<0.53	ND	103	<0.66	•	0.5	7.41	4,890	861.77	•	•	170	220
01/20/98	5.3	<0.26	0.43†	0.76	<0.24	ND	5.73	<0.58	•	5.4	7.29	1,140	862.18	•	•	32	58
04/16/98	<0.35	<0.39	<0.35	<1.57	<0.45	ND	ND	<0.51	•	5.4	6.12	2,480	869.28	•	•	33	<0.18
07/08/98	1.8	<0.39	<0.36	<1.57	<0.45	ND	1.8	<0.51	•	1.0	6.33	2,530	864.26	•	•	11	2.3
08/02/00	1.5	<0.4	<0.37	<1.4	<0.47	<1.03	1.5	•	•	3.3	4.46	3,510	864.20	•	•	<139	60
11/20/00	29	<0.4	<0.37	<1.4	<0.47	<1.03	29	•	•	6.2	8.27	3,000	862.71	•	•	140†	230
02/16/01	<0.39	<0.4	<0.37	<1.4	<0.47	<1.03	ND	•	•	9.6	7.42	3,500	867.05	•	•	<139	52†
05/08/01	•	•	•	•	•	•	•	•	•	1.1	•	•	868.38	•	•	•	•

PVOC = Petroleum Volatile Organic Compounds (EPA Method 8020 or from 8021 results)
 PAH = Polynuclear Aromatic Hydrocarbons
 ND = Not detected at method detection limits

• = Not Tested
 † = Exceeds NR 140 Enforcement Standard (ES)
 ‡ = Exceeds NR 140 Preventive Action Limit (PAL)
 † = Detected below Limit of Quantitation (LOQ) quantity uncertain

TABLE 2 (Continued)
Historical Ground Water Analytic Test Results

A to Z Hydraulic
 Lantarnine, Wisconsin
 Project #12522E

Date	Prior to well construction										D.O.	pH	Conductivity (µmhos/cm ³)	Water Elevation (feet)	Sulfate (mg/L)	Nitrate/ Nitrite (mg/L)	Dis. Fe (µg/L)	Dis. Mn (µg/L)
	Benzene (µg/L)	Ethyl- benzene (µg/L)	Toluene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	Total TMB (µg/L)	Total PVOC (µg/L)	Naph- thalene (µg/L)	Total PAH (µg/L)									
02/01/94	27	51	13	185.8	ND	366	60.8	13	23.40	•	7.07	5,890	862.91	•	•	•	•	•
05/24/94	4.7	ND	ND	ND	ND	ND	4.7	ND	ND	•	7.70	4,440	863.12	•	2.38	20	•	•
06/22/95	11.9	19.9	1.11	75.9	ND	42	150.79	1.33	•	0.6	6.78	3,440	866.62	•	0.67	240	386	•
01/22/97	9.2	1.2	0.5	2.7	0.9	10	23.6	ND	•	6.1	6.36	4,820	863.09	•	•	ND	270	•
04/29/97	ND	ND	ND	ND	ND	ND	ND	•	•	0.7	6.58	17,950	864.14	•	•	ND	210	•
07/30/97	4.6	ND	ND	ND	<0.20	ND	4.6	•	•	0.3	6.88	120	863.39	•	•	ND	650	•
10/23/97	36	1.9	0.82†	3.77†	<0.53	11	5.3	<0.66	•	0.4	7.13	5,910	861.57	•	•	1,600	219	•
01/20/98	2.3	<0.26	<0.25	<0.76	<0.24	3.3	5.6	<0.58	•	1.6	7.18	4,680	862.34	•	•	37	440	•
04/16/98	<0.35	<0.39	<0.36	<1.57	<0.45	ND	ND	<0.51	•	3.0	6.80	5,300	866.41	•	•	22	170	•
07/08/98	1.8	<0.39	<0.36	<1.57	<0.45	ND	1.8	<0.51	•	0.1	6.21	2,390	863.65	•	•	6.4	390	•
08/02/00	<0.39	0.6†	0.68†	<1.4	<0.47	1.4	2.68	•	•	3.2	5.11	2,130	863.54	•	•	<139	600	•
11/20/00	3.8	1.6	0.67†	3.9†	<0.47	6.1†	16.07	•	•	5.7	7.3	3,180	863.03	•	•	<139	850	•
02/16/01	<0.39	<0.4	<0.37	<1.4	<0.47	<1.03	ND	•	•	10.8	7.43	5,930	864.56	•	•	<139	900	•
05/08/01	•	•	•	•	•	•	•	•	•	0.7	•	•	865.40	•	•	•	•	•

MW6

Date	Prior to well construction										D.O.	pH	Conductivity (µmhos/cm ³)	Water Elevation (feet)	Sulfate (mg/L)	Nitrate/ Nitrite (mg/L)	Dis. Fe (µg/L)	Dis. Mn (µg/L)
	Benzene (µg/L)	Ethyl- benzene (µg/L)	Toluene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	Total TMB (µg/L)	Total PVOC (µg/L)	Naph- thalene (µg/L)	Total PAH (µg/L)									
02/01/94	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
05/24/94	18.1	0.75	0.75	16.04	ND	3.1	38.75	ND	ND	•	7.77	2,170	859.68	•	•	•	•	•
06/22/95	10.9	5.99	0.75	16.24	ND	3.1	36.99	1.97	•	0.8	6.83	1,180	865.20	•	10	132	26	•
06/29/96	14	6.9	2.2	57.3	2.3	47.1	127.5	2.9	•	0.3	6.58	1,530	859.36	•	3.8	180	140	•
01/22/97	2.4	2.3	0.5	23.5	1.2	19.1	47.8	•	•	0.4	6.73	4,850	861.97	•	•	84	35	•
04/29/97	15	14	3	142.7	3.9	108.9	283.6	•	•	0.4	7.00	50	859.97	•	•	150	40	•
07/30/97	21	15	2.3	122.9	<0.53	130	291	6.2	•	0.5	7.08	1,750	857.41	•	•	1,200	960	•
10/23/97	11	6.7	2.4†	62	<1.2	58	140.1	<2.9	•	1.6	6.98	3,020	857.91	•	•	75	340	•
01/20/98	5.7	5.3	2.0	45.8	<0.45	38.5	97.3	3.0	•	2.9	6.76	1,630	865.14	•	•	6.9	340	•
04/16/98	23	19	4.3	263.4	4.0	240	549.7	11	•	0.3	6.90	1,750	861.23	•	•	250	160	•
07/08/98	11	7.4	2	69	<0.47	105	194.4	•	•	3.6	4.52	1,500	860.17	•	•	210†	86	•
08/02/00	20	16	3.5	150	<0.47	219	408.5	•	•	6.0	8.40	1,560	859.72	•	•	340†	51†	•
11/20/00	13	13	2.7	120	<0.47	156	304.7	•	•	4.4	8.24	1,160	861.34	•	•	270†	120	•
02/16/01	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
05/08/01	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

PVOC = Petroleum Volatile Organic Compounds (EPA Method 8020 or from 8021 results)
 PAH = Polynuclear Aromatic Hydrocarbons
 ND = Not detected at method detection limits

• = Not Tested
 † = Exceeds NR 140 Enforcement Standard (ES)
 ‡ = Exceeds NR 140 Preventive Action Limit (PAL)
 † = Detected below Limit of Quantitation (LOQ) quantity uncertain

TABLE 2 (Continued)
Historical Ground Water Analytic Test Results

A to Z Hydraulic
 Lanthierne, Wisconsin
 Project #12522E

Date	Prior to well construction										Water Elevation (feet)	Sulfate (mg/L)	Nitrate/ Nitrite (mg/L)	Dis. Fe (µg/L)	Dis. Mn (µg/L)	
	Benzene (µg/L)	Ethyl- benzene (µg/L)	Toluene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	Total TMB (µg/L)	Total PYOC (µg/L)	Naph- thalene (µg/L)	Total PAH (µg/L)	D.O. (mg/L)						pH (s.u.)
05/24/94	29.7	60	11.1	163	ND	66.6	330.4	ND	2.88	•	7.70	1,800	859.68	•	•	•
06/22/95	ND	ND	ND	ND	ND	ND	ND	ND	•	0.2	7.16	1,350	863.65	5.99	1,190	254
06/20/96	ND	16	3.9	133.4	ND	89	265.3	•	•	0.6	6.18	4,370	859.36	0.15	730	130
01/22/97	23	2.2	0.5	10.4	1.8	11.9	29.7	•	•	0.3	6.63	1,390	861.34	•	1,200	220
04/29/97	4.7	2.2	4.2	102.8	4.4	88.4	246.4	•	•	0.4	7.16	150	859.75	•	1,900	220
07/30/97	28	23	2.4	5.3	124.1	173	378	7.1	•	0.4	7.01	7,130	857.46	•	4,100	860
10/23/97	52	24	2.9†	78	<1.1	58	160.7	<2.9	•	2.0	7.10	1,140	857.07	•	310	58
01/20/98	13	8.8	1.5	11	<0.45	8.3	25.9	5.7	•	1.0	6.98	1,150	863.07	•	250	280
04/16/98	2.9	2.2	4.1	79	<0.89	6.9	177	2.6	•	0.2	6.34	1,861	860.64	•	1,000	140
07/08/98	14	11	1†	51.6†	<0.47	55	120	4	•	2.5	4.47	1,420	860.41	•	1,200	110
08/02/00	6.4	5.9	4†	100.†	<0.47	123	266	0.88†	•	4.9	7.78	2,850	859.65	•	1,800	120
11/20/00	22	17	1.5	45	<0.47	37.9	97	•	•	3.1	8.36	1,550	860.98	•	1,100	92
02/16/01	6.1	6.1	•	•	•	•	•	•	•	0.7	•	•	864.10	•	•	•
05/08/01	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

MW8

Date	Prior to well construction										Water Elevation (feet)	Sulfate (mg/L)	Nitrate/ Nitrite (mg/L)	Dis. Fe (µg/L)	Dis. Mn (µg/L)	
	Benzene (µg/L)	Ethyl- benzene (µg/L)	Toluene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	Total TMB (µg/L)	Total PYOC (µg/L)	Naph- thalene (µg/L)	Total PAH (µg/L)	D.O. (mg/L)						pH (s.u.)
02/01/94	10.1	47	14.4	133.4	ND	177.1	382	6.4	6.3	•	7.93	1,330	860.92	•	•	•
05/24/94	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.1	6.82	1,250	867.36	6.79	17	17
06/22/95	20	67	17	203	ND	234	541	•	•	0.4	6.67	2,370	860.01	0.067	830	36
06/20/96	7.2	17	3.6	49.4	20	93.4	170.6	•	•	0.4	6.90	1,880	863.37	•	990	49
04/29/97	10	32	5.7	89.4	24	145	282.1	•	•	0.4	7.02	60	861.02	•	300	37
07/30/97	18	75	12	231	24	275	611	12	•	0.8	7.16	1,330	858.42	•	760	43
10/23/97	32	77	24	274	<2.4	225	632	19†	•	1.6	7.21	760	859.15	•	720	38
01/20/98	2.0	2.8	1.5	7.4	2.1	11.9	26	<0.51	•	0.5	6.64	1,540	867.14	•	1,700	290
04/16/98	8.3	10	4.7	24.7	4.6	48.2	96	3.8	•	0.2	7.05	1,090	861.95	•	1,600	46
07/08/98	9.1	7	7.3	12	<0.47	27.2†	63	•	•	4.3	5.24	1,010	861.87	•	1,200	60
08/02/00	11	13	12	26	<0.47	51.3	113	•	•	6.0	8.63	1,040	860.81	•	580	39†
11/20/00	4.5	7.5	6.5	16	<0.47	32.2	67	•	•	5.7	7.88	1,800	862.90	•	890	60
02/16/01	•	•	•	•	•	•	•	•	•	3.1	•	•	866.24	•	•	•
05/08/01	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

• = Not Tested

Bold Type = Exceeds NR 140 Enforcement Standard (ES)

Underline Type = Exceeds NR 140 Preventive Action Limit (PAL)

† = Detected below Limit of Quantitation (LOQ), quantity uncertain

PYOC = Petroleum Volatile Organic Compounds (EPA Method 8020 or from 8021 results)

PAH = Polynuclear Aromatic Hydrocarbons

ND = Not detected at method detection limits

TABLE 2 (Continued)
Historical Ground Water Analytic Test Results

A to Z Hydraulic
 Lamont, Wisconsin
 Project #12522E

Date	MW9																
	Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	Total TMB (µg/L)	Total PVCOC (µg/L)	Naphthalene (µg/L)	Total PAH (µg/L)	D.O. (mg/L)	pH (s.u.)	Conductivity (µmhos/cm ³)	Water Elevation (feet)	Sulfate (mg/L)	Nitrate/Nitrite (mg/L)	Dis. Fe (µg/L)	Dis. Mn (µg/L)
02/01/94	3.13	9	1.98	31.91	ND	54	100	2.38	ND	•	7.54	1,770	862.27	•	•	•	•
05/24/94	13.2	16.5	3.79	58.57	ND	162.9	255	11.3	15.82	0.7	6.84	2,200	865.65	42.6	1.32	32.4	129
06/22/95	5	8.6	2.9	34.5	ND	84	135	7.4	•	0.3	6.60	5,750	862.22	48	5.2	29	230
01/22/97	2.3	3.7	1.3	13.7	34	73.9	94.9	•	•	0.3	6.75	6,440	863.22	37	•	ND	120
04/29/97	6.5	4.9	1.2	12.55	<0.53	38.5	63.65	3.8	•	0.3	7.07	110	862.45	63	•	380	970
07/30/97	1.4	<0.23	<0.28	<0.79	<0.53	ND	1.4	<0.66	•	1.1	7.03	4,950	860.84	200	•	590	500
10/23/97	0.41†	<0.26	<0.25	<0.76	<0.24	2.9	3.31	<0.58	•	3.5	7.12	2,340	861.38	45	•	28	440
01/20/98	5.0	3.4	2.5	11.3	5.3	28.3	50.5	2.3	•	0.7	7.10	1,410	865.81	42	•	11	31
04/16/98	10	8.2	6.0	21	11	37.9	83.1	<0.51	•	0.2	7.04	1,750	863.27	27	•	72	120
07/08/98	5.7	11	8.3	29	<0.47	39	95	•	•	3.2	4.80	1,170	862.35	20	•	160†	530
08/02/00	13	26	11	68	<0.47	68	186	•	•	5.7	8.46	870	862.40	53	•	590	930
11/20/00	6.5	11	6.4	38	<0.47	62	123.9	•	•	7.2	7.91	1,430	862.92	35	•	<139	770
02/16/01	•	•	•	•	•	•	•	•	•	1.1	•	•	865.34	•	•	•	•
05/08/01	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

MW10

Date	MW10																
	Benzene (µg/L)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	Total TMB (µg/L)	Total PVCOC (µg/L)	Naphthalene (µg/L)	Total PAH (µg/L)	D.O. (mg/L)	pH (s.u.)	Conductivity (µmhos/cm ³)	Water Elevation (feet)	Sulfate (mg/L)	Nitrate/Nitrite (mg/L)	Dis. Fe (µg/L)	Dis. Mn (µg/L)
02/01/94	4.4	0.59	2.7	4.64	ND	0.84	13.17	ND	ND	•	7.38	7,240	860.73	•	•	•	•
05/24/94	11.2	26.7	3.88	99.67	ND	112.9	254.35	17.6	14.2	0.4	6.83	3,120	863.03	•	ND	649	849
06/22/95	2.7	2.9	ND	4.8	ND	3.4	13.8	ND	•	0.3	5.46	4,056	861.87	69	0.18	2,600	2,100
01/22/97	9.6	31	7.8	134.9	4.8	119.8	303.1	•	•	0.3	5.64	19,150	861.69	31	•	5,800	1,600
04/29/97	8.1	13	1.1	56.55	<0.53	47.6	126.35	4.0	•	0.4	6.98	1,50	861.24	24	•	6,200	1,900
07/30/97	2.6	1.9	0.47†	19	<0.53	15	38.97	1.1†	•	1.1	7.24	16,950	859.96	<2.0	•	1,600	1,700
10/23/97	4.3	0.96	6.1	0.67†	<0.24	3.3	15.33	1.2†	•	1.4	7.40	3,540	860.87	26	•	2,700	1,300
01/20/98	16	27	16	78	<4.5	88	225	2.0	•	0.5	6.95	6,170	863.57	41	•	4,100	1,200
04/16/98	10	19	8.1	124.8	<0.89	94	255.9	9.3	•	0.2	6.41	5,480	861.20	30	•	3,100	980
07/08/98	15	24	9.0	190	<0.47	190	428	•	•	3.6	5.09	3,770	860.85	38	•	3,000	790
08/02/00	5.9	4.6	10.0	48	<0.47	42.3	110.8	•	•	4.9	7.53	760	861.59	34	•	3,700	1,100
11/20/00	5.2	8.5	10	63	<0.47	93	179.7	•	•	3.8	7.04	4,550	862.10	29	•	9,500	1,500
02/16/01	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
05/08/01	•	•	•	•	•	•	•	•	•	0.8	•	•	862.47	•	•	•	•

Prior to well construction

• = Not Tested
 Bold Type = Exceeds NR 140 Endocement Standard (ES)
 Underline Type = Exceeds SR 140 Preventive Action Limit (PAL)
 † = Detected below Limit of Quantitation (LOQ), quantity uncertain

TABLE 2 (Continued)
Historical Ground Water Analytic Test Results

A to Z Hydraulic
 Lamartine, Wisconsin
 Project #12522E

Date	RW1																
	Benzene (µg/L)	Ethyl- benzene (µg/L)	Toluene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	Total TMB (µg/L)	Total PVCOC (µg/L)	Naph- thalene (µg/L)	Total PAH (µg/L)	D.O. (mg/L)	pH (s.u.)	Conductivity (µmhos/cm ³)	Water Elevation (feet)	Sulfate (mg/L)	Nitrate/ Nitrite (mg/L)	Dis. Fe (mg/L)	Dis. Mn (mg/L)
02/01/94
05/24/94
06/22/95	45.5	289	30.0	967.7	ND	465	1,797.2	24.6	.	0.6	6.92	1,900	860.88	.	.	.	
06/20/96	864.39	.	.	.	
01/22/97	0.3	.	.	863.19	.	.	.	
04/29/97	100	660	71	2,640	< 5.3	1,270	4,741	75	.	0.2	6.95	170	861.17	.	.	.	
10/23/97	7.0	24	3.8	101.8	< 0.53	62	198.6	2.8	.	0.8	6.79	12,070	859.27	.	.	.	
01/20/98	< 0.36	< 0.26	< 0.25	< 0.76	< 0.24	ND	ND	< 0.58	.	2.5	6.91	2,130	860.55	.	.	.	
04/16/98	130	440	110	1,989	< 22	900	3,569	92	.	0.2	6.99	2,020	863.71	.	.	.	
07/08/98	110	510	97	2,000	< 22	810	3,527	120	.	0.1	6.75	2,840	861.65	.	.	.	
08/02/00	78	440	57	2,143	< 4.7	920	3,638	82	.	3.5	6.3	750	861.89	.	.	400*	
11/20/00	110	410	62	1,700	< 4.7	950	3,232	35	.	5.1	7.96	3,010	861.22	.	.	400*	
02/16/01	
05/08/01	1.0	.	.	863.53	.	.	.	

PW1 (well at W8226 Lincoln, shared with A to Z hydraulic)

Prior to well construction

PVCOC = Petroleum Volatile Organic Compounds (EPA Method 8020 or from 8021 results)

PAH = Polynuclear Aromatic Hydrocarbons

ND = Not detected at method detection limits

* = Not Tested


Bold Type = Exceeds NR 140 Enforcement Standard (ES)

Underline Type = Exceeds NR 140 Preventive Action Limit (PAL)

† = Detected below Limit of Quantization (LOQ), quantity uncertain

LEGEND
EXISTING

- UTILITIES**
- MHO - SANITARY SEWER W/MANHOLE
 - MH - SANITARY SERVICE
 - CB - STORM SEWER W/CATCH BASIN
 - st - STORM SEWER W/END SECTION
 - st - STORM SEWER SERVICE
 - st - CATCH BASIN
 - st - CURB INLET
 - st - CLEANOUT
 - W - WATER MAIN
 - WS - WATER SERVICE
 - CS - CURB STOP
 - S - GAS MAIN
 - OE - OVERHEAD ELECTRIC
 - UE - UNDERGROUND ELECTRIC
 - UP - LIGHT POLE
 - PP - POWER POLE
 - EC - ELECTRIC PEDESTAL
 - TRANS - ELECTRIC TRANSFORMER
 - OT - OVERHEAD TELEPHONE
 - UT - UNDERGROUND TELEPHONE
 - CTV - TELEPHONE PEDESTAL
 - CTV - CABLE TV
- MISCELLANEOUS**
- X - TREE
 - X - FENCE
 - X - LOT LINE
 - X - EASEMENTS
 - X - ROADWAY CENTERLINE
- ENVIRONMENTAL**
- - GROUND WATER MONITORING WELL
 - - SOIL BORING
 - - GROUND WATER RECOVERY WELL



GRAPHIC SCALE
0 50
(IN FEET)
1 inch = 50 ft.





FIGURE 3: SOIL BORING/MONITORING WELL LOCATION PLAN

MILLER ENGINEERS SCIENTISTS

5308 South Twelfth Street
Madison, Wisconsin 53701
414-656-6164

D. MUELLER INDUSTRIES
A TO Z HYDRAULIC
WB236 LINCOLN AVENUE
OAKFIELD, WISCONSIN

NO.	DATE	DESCRIPTION	BY	DATE	BY	SHEET
2	2-21-98	ADDED CROSS SECTIONS	JVE	3-21-98	JVE	F-3
1	8-16-95	EDITED LOCATION OF MW9	PDN	108	SAH	OF




DISTANCE (FEET)
SOIL SECTION A-A'

Boring	North(ft)	East(ft)	Elev.(ft)
B6 (MI2)	4959.0	5052.0	866.8
B7 (MI3)	4888.0	5018.0	867.4
M14	5126.0	4972.0	870.4
M15	5090.0	5078.0	868.4
M16	4798.0	5004.0	863.4
M19	5154.0	5069.0	869.5
R11	4940.0	5060.0	866.5

MILLER
ENGINEERS
SCIENTISTS

Sheboygan, Wisconsin

CLIENT:	D. Mueller Industries
JOB:	A to Z Hydraulic
LOCA:	Lamartine, WI
PROJECT #	12522E
DATE	AUG 16 95
FIGURE	4




DISTANCE (FEET)
SOIL SECTION B-B'

Boring	North (ft)	East (ft)	Elev. (ft)
B2	5012.0	4975.0	868.3
B3	5002.0	5005.0	867.9
B5 (M11)	5037.0	4974.0	869.0
B6 (M12)	4959.0	5052.0	866.8
M14	5126.0	4972.0	870.4
M17	4850.0	5094.0	864.3
RW1	4940.0	5060.0	866.5

MILLER
ENGINEERS
SCIENTISTS

Sheboygan, Wisconsin

CLIENT: D. Mueller Industries	PROJECT # 12522E	DATE AUG 16 95	FIGURE 5
JOB: A to Z Hydraulic			
LOCA: Lamartine, WI			



DISTANCE (FEET)
SOIL SECTION C-C'

Boring	North(ft)	East(ft)	Elev.(ft)
B6 (MW2)	4959.0	5052.0	866.8
MW10	5014.0	5172.0	864.0
MW8	4931.0	4898.0	868.6

CLIENT: D. Mueller Industries
 JOB: A to Z Hydraulic
 LOCA: Lamartine, WI
 PROJECT # 12522E
 DATE AUG 16 95
 FIGURE 6

MILLER
 ENGINEERS
 SCIENTISTS
 Sheboygan, Wisconsin

JAN-22-02 01:08PM FROM-Miller Engineers & Scientists

9209548720

T-102 P.02/02 F-893

January 22, 2002

Subject: Legal Descriptions of Contaminated Properties
A to Z Hydraulic
Comm No.: 53065-9999-36
BRRTS No.: 03-20-001927

This is a statement made by the Responsible Party (RP), D. Mueller Industries, as required under Item F for GIS registration, that the legal descriptions of all properties within or partially within the contaminated site boundaries are attached to this statement. The legal descriptions of the following private properties are attached;

- W8236 Lincoln Avenue, Lamartine, Wisconsin (source property),
- W8226 Lincoln Avenue, Lamartine, Wisconsin,
- W8250 Lincoln Avenue, Lamartine, Wisconsin

Contamination also extends into the right-of-way of CTH "Y"/Lincoln Avenue

D. Mueller Industries (Responsible Party)

Signature: _____

Don Mueller

Date: 1-23-02

November 13, 2001

Mrs. Ralph C. Meinke
716 Florida Avenue
North Fond du Lac, WI 54937-1304

Subject: Groundwater Contamination
A to Z Hydraulic – Lamartine, Wisconsin
BRRTS No.: 03-20-001927
COMM No.: 53065-9999-36

Dear Mrs. Meinke:

Groundwater contamination that appears to have originated on the property located at W8236 Lincoln Avenue, Lamartine, Wisconsin has migrated onto your property at W8250 Lincoln Avenue, Lamartine, Wisconsin. The levels of benzene contamination in the groundwater on your property are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code (refer to the attached map *Groundwater Benzene Isoconcentration Plan [2-16-01]*). However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable or receding and will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726 and chapter NR 746, Wisconsin Administrative Code, and I will be requesting that the Department of Natural Resources accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation. Additional information about natural attenuation is presented in the attached copy of the WDNR Fact Sheet *What Landowners Should Know: Information about Using Natural Attenuation to Cleanup Contaminated Groundwater*.

Since the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call 1-800-367-6076 for calls originating in Wisconsin, or 608-264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination.

The Department of Natural Resources will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department of Natural Resources that is relevant to this closure request, you should mail that information to:

Mr. Kevin McKnight, Department of Natural Resources, 625 East County Road Y, STE 700, Oshkosh, WI 54901-9731.

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the Department of Natural Resources if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

Once the Department makes a decision on my closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at D. Mueller Industries, 201 Main Street, P.O. Box 37, Oakfield, WI 53065; phone (920) 583-3565 or you may contact Mr. Kevin McKnight of the WDNR at 625 East County Road Y, STE 700, Oshkosh, WI 54901-9731; phone (920) 424-7890.

Sincerely,

Don Mueller
Owner, D. Mueller Industries, (Responsible Party)

SAH/ls

Enclosures: Copy of Deed/Legal Description of Property
Groundwater Benzene Isoconcentration Plan [2-16-01]

November 13, 2001

Dawn M. Castro
W8226 Lincoln Road
Oakfield, WI 53065-9554

Subject: Groundwater Contamination
A to Z Hydraulic – Lamartine, Wisconsin
BRRTS No.: 03-20-001927
COMM No.: 53065-9999-36

Dear Ms. Castro:

Groundwater contamination that appears to have originated on the property located at W8236 Lincoln Avenue, Lamartine, Wisconsin has migrated onto your property at W8226 Lincoln Avenue, Lamartine, Wisconsin. The levels of benzene contamination in the groundwater on your property are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code (refer to the attached map *Groundwater Benzene Isoconcentrates Plan [2-16-01]*). However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable or receding and will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726 and chapter NR 746, Wisconsin Administrative Code, and I will be requesting that the Department of Natural Resources accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation. Additional information about natural attenuation is presented in the attached copy of the WDNR Fact Sheet *What Landowners Should Know: Information about Using Natural Attenuation to Cleanup Contaminated Groundwater*.

Since the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call 1-800-367-6076 for calls originating in Wisconsin, or 608-264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination.

The Department of Natural Resources will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department of Natural Resources that is relevant to this closure request, you should mail that information to:

Mr. Kevin McKnight, Department of Natural Resources, 625 East County Road Y, STE 700, Oshkosh, WI 54901-9731.

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the Department of Natural Resources if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

Once the Department makes a decision on my closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at D. Mueller Industries, 201 Main Street, P.O. Box 37, Oakfield, WI 53065; phone (920) 583-3565 or you may contact Mr. Kevin McKnight of the WDNR at 625 East County Road Y, STE 700, Oshkosh, WI 54901-9731; phone (920) 424-7890.

Sincerely,

Don Mueller
Owner, D. Mueller Industries, (Responsible Party)

SAH/ls

Enclosures: Copy of Deed/Legal Description of Property
Groundwater Benzene Isoconcentration Plan [2-16-01]

May 9, 2002

Mr. Ken Nelson
W8235 Lincoln Avenue
Oakfield, WI 53065-9554

Subject: Groundwater Contamination
A to Z Hydraulic – Lamartine, Wisconsin
BRRTS No.: 03-20-001927
COMM No.: 53065-9999-36

Dear Mr. Nelson:

Groundwater contamination that appears to have originated on the property located at W8236 Lincoln Avenue, Lamartine, Wisconsin has migrated onto your property at W8235 Lincoln Avenue, Lamartine, Wisconsin. The levels of benzene contamination in the groundwater on your property at MW4 (46 µg/L in spring 2002; refer to the attached *Soil Boring/Monitoring Well Location Plan*) are above the state groundwater enforcement standards of 5 µg/L found in chapter NR 140, Wisconsin Administrative Code. However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable or receding and will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726 and chapter NR 746, Wisconsin Administrative Code, and I will be requesting that the Department of Natural Resources accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation. Additional information about natural attenuation is presented in the attached copy of the WDNR Fact Sheet *What Landowners Should Know: Information about Using Natural Attenuation to Cleanup Contaminated Groundwater*.

Since the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call 1-800-367-6076 for calls originating in Wisconsin, or 608-264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination.

The Department of Natural Resources will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department of Natural Resources that is relevant to this closure request, you should mail that information to:

Mr. Kevin McKnight, Department of Natural Resources, 625 East County Road Y, STE 700, Oshkosh, WI 54901-9731.

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the Department of Natural Resources if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

Once the Department makes a decision on my closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/qwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

A copy of the deed/legal description of your property is also attached. Please review the information and inform me if the information is not correct or up to date.

If you need more information, you may contact me at D. Mueller Industries, 201 Main Street, P.O. Box 37, Oakfield, WI 53065; phone (920) 583-3565 or you may contact Mr. Kevin McKnight of the WDNR at 625 East County Road Y, STE 700, Oshkosh, WI 54901-9731; phone (920) 424-7890.

Sincerely,

Don Mueller
Owner, D. Mueller Industries, (Responsible Party)

Enclosures: Soil Boring/Monitoring Well Location Plan

WDNR Fact Sheet: *What Landowners Should Know: Information about Using Natural Attenuation to Cleanup Contaminated Groundwater*

Copy of Deed/Legal Description of Property

THIS PAGE FOR MILLER USE ONLY

Sincerely,

Don Mueller
Owner, D. Mueller Industries, (Responsible Party)

SAH/ls

Enclosures: Soil Boring/Monitoring Well Location Plan

*WDNR Fact Sheet: What Landowners Should Know: Information about Using
Natural Attenuation to Cleanup Contaminated Groundwater*

Copy of Deed/Legal Description of Property

MILLER ENGINEERS SCIENTISTS

An Employee-Owned Company

November 14, 2001

12522E930

County Clerk
160 S. Macy Street
Fond du Lac, WI 54935-4263

Subject: **Notification of Remaining Ground Water Contamination**
A to Z Hydraulic – Lamartine, Wisconsin
BRRTS No.: 03-20-001927 COMM No.: 53065-9999-36

Dear County Clerk:


D. Mueller Industries has successfully remediated the petroleum contamination at the A to Z Hydraulic site at W8236 Lincoln Avenue, Lamartine, Wisconsin to meet criteria for project closure as outlined in Chapters NR 726 and NR 746, Wisconsin Administrative Code. In accordance with the most recent version of NR 726, the Responsible Party (D. Mueller Industries) is required to provide written notification of the presence of residual soil and/or groundwater contamination from the RP's source property that remains within a public right-of-way to the clerk of the town and county where the right-of-way is located and to the municipal department or state agency that is responsible for maintaining the street.

As such, on behalf of D. Mueller Industries, this letter provides notification that benzene contaminated groundwater at concentrations of 5.2 to 6.1 ug/L in the most recent sampling round, remains in the right-of-way of C.T.H. Y/Lincoln Avenue in Lamartine, Fond du Lac County, Wisconsin. The distribution of benzene contamination is shown on the attached map titled *Groundwater Benzene Iso-Concentration Plan (2-16-01)*. This notification will allow The Wisconsin Department of Natural Resources to move ahead with closure of the A to Z Hydraulic site with the understanding that the Town of Lamartine and County of Fond du Lac have knowledge of the remaining contamination in the right-of-way.

If you have any questions, please call Scott Hodgson at Miller Engineers & Scientists (920-954-9100).

Sincerely,

MILLER ENGINEERS & SCIENTISTS



Scott A. Hodgson, M.S.
Geologist

FILE COPY

SAH/ls

Enclosure: Groundwater Benzene Iso-Concentration Plan (2-16-01)

c: Mr. Don Mueller, D. Mueller Industries

\\K\MILLER\SYSTEMS\DATA\WORD97\ENV\12000\12522E\CITYLTR.doc

MILLER
ENGINEERS
SCIENTISTS
An Employee-Owned Company

November 14, 2001

12522E930

Ms. Jill Randal
Clerk, Town of Lamartine
N5269 Schaefer Drive
Oakfield, WI 53065

Subject: **Notification of Remaining Ground Water Contamination**
A to Z Hydraulic – Lamartine, Wisconsin
BRRTS No.: 03-20-001927 COMM No.: 53065-9999-36

Dear Ms. Randal:

D. Mueller Industries has successfully remediated the petroleum contamination at the A to Z Hydraulic site at W8236 Lincoln Avenue, Lamartine, Wisconsin to meet criteria for project closure as outlined in Chapters NR 726 and NR 746, Wisconsin Administrative Code. In accordance with the most recent version of NR 726, the Responsible Party (D. Mueller Industries) is required to provide written notification of the presence of residual soil and/or groundwater contamination from the RP's source property that remains within a public right-of-way to the clerk of the town and county where the right-of-way is located and to the municipal department or state agency that is responsible for maintaining the street.

As such, on behalf of D. Mueller Industries, this letter provides notification that benzene contaminated groundwater at concentrations of 5.2 to 6.1 ug/L in the most recent sampling round, remains in the right-of-way of C.T.H. Y/Lincoln Avenue in Lamartine, Fond du Lac County, Wisconsin. The distribution of benzene contamination is shown on the attached map titled *Groundwater Benzene Iso-Concentration Plan (2-16-01)*. This notification will allow The Wisconsin Department of Natural Resources to move ahead with closure of the A to Z Hydraulic site with the understanding that the Town of Lamartine and County of Fond du Lac have knowledge of the remaining contamination in the right-of-way.

If you have any questions, please call Scott Hodgson at Miller Engineers & Scientists (920-954-9100).

Sincerely,

MILLER ENGINEERS & SCIENTISTS



Scott A. Hodgson, M.S.
Geologist

SAH/ls

Enclosure: Groundwater Benzene Iso-Concentration Plan (2-16-01)

c: Mr. Don Mueller, D. Mueller Industries

G:\DATA\WORD97\ENV\12000\12522E\CITYLTR2.DOC

MILLER

ENGINEERS SCIENTISTS

An Employee-Owned Company

November 14, 2001

12522E930

Highway Department, Fond du Lac County
301 Dixie Street
Fond du Lac, WI 54935-5520

Subject: **Notification of Remaining Ground Water Contamination**
A to Z Hydraulic – Lamartine, Wisconsin
BRRTS No.: 03-20-001927 COMM No.: 53063-9999-36

To Whom It May Concern:


D. Mueller Industries has successfully remediated the petroleum contamination at the A to Z Hydraulic site at W8236 Lincoln Avenue, Lamartine, Wisconsin to meet criteria for project closure as outlined in Chapters NR 726 and NR 746, Wisconsin Administrative Code. In accordance with the most recent version of NR 726, the Responsible Party (D. Mueller Industries) is required to provide written notification of the presence of residual soil and/or groundwater contamination from the RP's source property that remains within a public right-of-way to the clerk of the town and county where the right-of-way is located and to the municipal department or state agency that is responsible for maintaining the street.

As such, on behalf of D. Mueller Industries, this letter provides notification that benzene contaminated groundwater at concentrations of 5.2 to 6.1 ug/L in the most recent sampling round, remains in the right-of-way of C.T.H. Y/Lincoln Avenue in Lamartine, Fond du Lac County, Wisconsin. The distribution of benzene contamination is shown on the attached map titled *Groundwater Benzene Iso-Concentration Plan (2-16-01)*. This notification will allow The Wisconsin Department of Natural Resources to move ahead with closure of the A to Z Hydraulic site with the understanding that the Town of Lamartine and County of Fond du Lac have knowledge of the remaining contamination in the right-of-way.

If you have any questions, please call Scott Hodgson at Miller Engineers & Scientists (920-954-9100).

Sincerely,

MILLER ENGINEERS & SCIENTISTS



Scott A. Hodgson, M.S.
Geologist

SAH/MS

Enclosure: Groundwater Benzene Iso-Concentration Plan (2-16-01)

c: Mr. Don Mueller, D. Mueller Industries

G:\DATA\WORD97\ENV\12006\12522E\CITYLTR3.DOC

MILLER ENGINEERS SCIENTISTS

An Employee-Owned Company

November 14, 2001

12522E930

Mr. Ed Montsma
Chairman, Town of Lamartine
N5518 C.T.H. Y
Fond du Lac, WI 54937

Subject: **Notification of Remaining Ground Water Contamination**
A to Z Hydraulic – Lamartine, Wisconsin
BRRTS No.: 03-20-001927 COMM No.: 53065-9999-36

Dear Mr. Montsma:


D. Mueller Industries has successfully remediated the petroleum contamination at the A to Z Hydraulic site at W8236 Lincoln Avenue, Lamartine, Wisconsin to meet criteria for project closure as outlined in Chapters NR 726 and NR 746, Wisconsin Administrative Code. In accordance with the most recent version of NR 726, the Responsible Party (D. Mueller Industries) is required to provide written notification of the presence of residual soil and/or groundwater contamination from the RP's source property that remains within a public right-of-way to the clerk of the town and county where the right-of-way is located and to the municipal department or state agency that is responsible for maintaining the street.

As such, on behalf of D. Mueller Industries, this letter provides notification that benzene contaminated groundwater at concentrations of 5.2 to 6.1 ug/L in the most recent sampling round, remains in the right-of-way of C.T.H. Y/Lincoln Avenue in Lamartine, Fond du Lac County, Wisconsin. The distribution of benzene contamination is shown on the attached map titled *Groundwater Benzene Iso-Concentration Plan (2-16-01)*. This notification will allow The Wisconsin Department of Natural Resources to move ahead with closure of the A to Z Hydraulic site with the understanding that the Town of Lamartine and County of Fond du Lac have knowledge of the remaining contamination in the right-of-way.

If you have any questions, please call Scott Hodgson at Miller Engineers & Scientists (920-954-9100).

Sincerely,

MILLER ENGINEERS & SCIENTISTS


Scott A. Hodgson, M.S.
Geologist

SAH/ls

Enclosure: Groundwater Benzene Iso-Concentration Plan (2-16-01)

c: Mr. Don Mueller, D. Mueller Industries

\\K\MILLER\SYSTEMS\DATA\WORD97\EN\VA12000\12522E\CITYL TR4.doc

1119 W Kennedy Avenue, Suite A

Kimberly, WI 54136-2207

Phone (920) 954-9100

Fax (920) 954-8720

Additional Offices in Sheboygan and Milwaukee