

# GIS REGISTRY

## Cover Sheet

May, 2008  
(RR 5367)

### Source Property Information

BRRTS #:

ACTIVITY NAME:

PROPERTY ADDRESS:

MUNICIPALITY:

PARCEL ID #:

CLOSURE DATE:

FID #:

DATCP #:

COMM #:

#### \*WTM COORDINATES:

X:  Y:

*\* Coordinates are in  
WTM83, NAD83 (1991)*

#### WTM COORDINATES REPRESENT:

Approximate Center Of Contaminant Source

Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

#### Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties  
see "Impacted Off-Source Property")*

Soil Contamination > \*RCL or \*\*SSRCL  
or Direct Contact > 4 ft (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties  
see "Impacted Off-Source Property")*

#### Land Use Controls:

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations  
between residential and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for  
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government or economic  
development corporation)*

Monitoring wells properly abandoned? (234)

Yes

No

*\* Residual Contaminant Level*

*\*\*Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

**NOTICE: Completion of this form is mandatory** for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:  PARCEL ID #:

ACTIVITY NAME:  WTM COORDINATES: X:  Y:

**CLOSURE DOCUMENTS** (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

**SOURCE LEGAL DOCUMENTS**

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.  
*Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.*
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).  
**Figure #:**                      **Title:**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

**MAPS** (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.  
*Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.*  
**Figure #: 1**                      **Title: Site Location Map**
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.  
**Figure #: 2**                      **Title: Monitoring Well Location Map**
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.  
**Figure #: 8**                      **Title: Areas of Soil Impact Above RCLs**

BRRTS #: 03-20-257023

ACTIVITY NAME: Fond du Lac Reporter

**MAPS (continued)**

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

**Figure #: 3**                      **Title: Cross Section Locations**

**Figure #: 4, 5**                      **Title: Geologic Cross Section A-A, Geologic Cross Section B-B**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

**Note:** This is intended to show the total area of contaminated groundwater.

**Figure #: 7**                      **Title: Isoconcentration Map Of Benzene Plume**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

**Figure #: 6**                      **Title: Potentiometric Surface - Map October 24, 2006**

**Figure #:**                      **Title:**

**TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))**

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.  
**Note:** This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

**Table #: 14**                      **Title: Summary of Soil Sample Detections**

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

**Table #: 2 thru 12**                      **Title: Summary of GW Sample Detections**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

**Table #: 1**                      **Title: Groundwater Elevation Data**

**IMPROPERLY ABANDONED MONITORING WELLS**

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

**Note:** If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

**Note:** If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

**Figure #:**                      **Title:**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-20-257023

ACTIVITY NAME: Fond du Lac Reporter

## NOTIFICATIONS

### Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

### Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

**Note:** Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

#### Number of "Off-Source" Letters:

- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.  
**Note:** If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

**Number of "Governmental Unit/Right-Of-Way Owner" Letters: 1**



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Matthew J. Frank, Secretary  
Ronald W. Kazmierczak, Regional Director

Wisconsin Department of Natural Resources  
Oshkosh Service Center  
625 E CTY Y, Suite 700  
Oshkosh, Wisconsin 54901  
Telephone 920-424-3050  
FAX 920-424-4404

April 1, 2008

Thomson Corporation  
Attn: Charles Moleski  
Metro Center  
One Station Place  
Stamford CT 06902

**SUBJECT:** Final Case Closure with Land Use Limitations or Conditions  
Fond du Lac Reporter, 33 West Second Ave., Fond du Lac, WI  
WDNR BRRTS Activity #: 03-20-257023

Dear Mr. Moleski:

On October 24, 2007, the Northeast Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On October 25, 2007, you were notified that the Closure Committee had granted conditional closure to this case.

On March 28, 2008 the Department received correspondence indicating that you have complied with the requirements of closure. Conditions of closure included monitoring well abandonment, disposal of any remaining investigative waste and notification for right-of-way contamination to the City of Fond du Lac

Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

### GIS Registry

The conditions of case closure set out below in this letter require that your site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- If a structural impediment that obstructs a complete site investigation or cleanup is removed or modified, additional environmental work must be completed
- Pavement, an engineered cover or a soil barrier must be maintained over contaminated soil and the state must approve any changes to this barrier
- Groundwater contamination is present above Chapter NR 140 enforcement standards

Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

### Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which the current property owner and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. It is the Department's intent to conduct inspections in the future to ensure that the conditions included in this letter including compliance with referenced maintenance plans are met.

### Cover or Barrier

Pursuant to s. 292.12(2)(a), Wis. Stats., the pavement or other impervious cap that currently exists in the location shown on the attached map shall be maintained in compliance with the **attached maintenance plan** in order to minimize the infiltration of water and prevent additional groundwater contamination that would violate the groundwater quality standards in ch. NR 140, Wis. Adm. Code, and to prevent direct contact with residual soil contamination that might otherwise pose a threat to human health. If soil in the specific locations described above is excavated in the future, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

The attached maintenance plan and inspection log are to be kept up-to-date and on-site, and the inspection log need only be submitted to the Department upon request.

### Prohibited Activities

The following activities are prohibited on any portion of the property where [pavement, a building foundation, soil cover, engineered cap or other barrier] is required as shown on the attached map, unless prior written approval has been obtained from the Wisconsin Department of Natural Resources: 1) removal of the existing barrier; 2) replacement with another barrier; 3) excavating or grading of the land surface; 4) filling on capped or paved areas; 5) plowing for agricultural cultivation; or 6) construction or placement of a building or other structure.

Remaining Residual Groundwater Contamination

Groundwater impacted by petroleum related contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present both on the contaminated property and off the contaminated property. Off-property owners have been notified of the presence of groundwater contamination. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact Kevin McKnight at 920-424-7890].

Sincerely,



Bruce Urban  
Northeast Region Remediation & Redevelopment Team Supervisor

cc: file-Oskkosh

*Rick Smith* ~~Mark Foresman~~, Golder & Associates (via email)  
Fond du Lac Reporter, 33 West Second Street, Fond du Lac WI 54936, Attn: Robert Carew

## CAP AND BUILDING BARRIER MAINTENANCE PLAN

May 23, 2007

Property Located at:  
Fond du Lac Reporter  
33 West Second Street  
Fond du Lac, Wisconsin  
FID # 420104850, BRRTS # 03-20-257023

Parcel Number: FDL-15-17-15-12-338-00

### LEGAL DESCRIPTION:

LANDS IN BLK D & BLK J OF DARLINGS; ADD #2 AND WARNER & WRIGHTS SUBD.; BEG AT THE SW COR OF S MACY ST & W FIRST STS; TH W ON S LI W FIRST ST 269.67'; TH S 00°50'37"W, 236.68' TO PT OF INTER WITH S R/O/W LI W 2ND ST; TH E ON S LI W 2ND ST TO PT OF INTER WITH R/O/W LI S MACY ST; TH N ON W LI OF S MACY ST BACK TO P.O.B.

### Introduction

The purpose of this document is to present a Maintenance Plan for an engineered cap and building barrier at the above-referenced property per the requirements of NR 724.13(2) of the Wisconsin Administrative Code. The maintenance activities relate to the existing building and other paved surfaces occupying the area over the contaminated groundwater and soil on-site. The contaminated groundwater and soil is impacted by Petroleum Volatile Organic Compounds (PVOCs) and Polynuclear Aromatics (PNAs). The location of the paved surfaces and building to be maintained in accordance with this Maintenance Plan are identified in the attached map (Exhibit A).

### Engineered Cap Purpose

The paved surfaces and the building foundation over the contaminated groundwater and soil serve as a barrier to prevent direct human contact with residual soil contamination that might otherwise pose a threat to human health. These paved surfaces and building foundation also act as an infiltration barrier to inhibit and prevent future soil-to-groundwater contamination migration that would violate the standards of NR 140 of the Wisconsin Administrative Code. Based on the current and future use of the property, the barrier should function as intended unless disturbed.

### Annual Inspection

The paved surfaces and building foundation overlying the contaminated groundwater plume and soil and as depicted in Exhibit A will be inspected once a year for cracks and other potential exposures to underlying soils. The inspections will be performed to evaluate damage to the engineered cap due to exposure to the weather, wear from traffic, increasing age and other factors. Any area where soils have become or are likely to become exposed will be documented. A log of the inspections will be maintained by the property owner and is included as Exhibit B, *Cap Inspection Log*. The log will include recommendations for necessary repair of

any areas where underlying soils are exposed. Once repairs are completed, they will be documented in the inspection log.

#### Maintenance Activities


If exposed soils are noted during the annual inspections or at any other time during the year, repairs will be scheduled as soon as practical. Maintenance activities can include patching and filling operations or they can include larger resurfacing or construction operations. In the event that necessary maintenance activities expose the underlying soil, the owner must inform maintenance workers of the direct contact exposure hazard and provide them with appropriate personal protection equipment ("PPE"). The owner must also sample any soil that is excavated from the site prior to disposal to ascertain if contamination remains. The soil must be treated, stored and disposed of by the owner in accordance with applicable local, state and federal law.

In the event the paved surfaces and/or the building overlying the contaminated groundwater plume and soil are removed or replaced, the replacement barrier must be equally impervious, with an infiltration rate equal to or less than  $1 \times 10^{-7}$  cm/s. Any replacement barrier will be subject to the same maintenance and inspection guidelines as outlined in this Maintenance Plan unless indicated otherwise by the Wisconsin Department of Natural Resources ("WDNR") or its successor.

The property owner, in order to maintain the integrity of the building structure, will maintain a copy of this Maintenance Plan on-site and make it available to all interested parties (i.e. on-site employees, contractors, future property owners, etc.) for viewing.

#### Amendment or Withdrawal of Maintenance Plan

This Maintenance Plan can be amended or withdrawn by the property owner and its successors with the written approval of WDNR.



 <b>Golder Associates</b> St. Louis, Missouri		SCALE AS SHOWN	TITLE
		DATE 5/23/2007	FOND DU LAC REPORTER
DESIGN PGU	PROJECT	ENGINEERED CAP & BUILDING BARRIER MAINTENANCE PLAN	DATE/NO. A
CADD PGU	CHECK MRF	FOND DU LAC, WISCONSIN	
FILE NO. 0339640.009	REV. 0		
PROJECT NO. 033-9640			





**State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES**

Jim Doyle, Governor  
Matthew J. Frank, Secretary  
Ronald W. Kazmierczak, Regional Director

Oshkosh Service Center  
625 E. CTY Y, Suite 700  
Oshkosh, Wisconsin 54901-9731  
Telephone 920-424-3050  
FAX 920-424-4404

October 25, 2007

Thomson Corporation  
Atten: Charles Moleski  
Metro Center  
One Station Place  
Stamford, CT 06902

Subject: Conditional Closure Decision,  
With Requirements to Achieve Final Closure  
Fond du Lac Reporter, 33 West Second St., Fond du Lac, Wisconsin  
WDNR BRRTS Activity # 03-20-257023

Dear Mr. Moleski:

On October 24, 2007, the Regional Closure Committee reviewed your request for closure of the case described above. The Regional Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the petroleum contamination on the site from the vicinity of former underground storage tanks appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

**MONITORING WELL ABANDONMENT**

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to Casey Jones on Form 3300-5B found at [www.dnr.state.wi.us/org/water/dwg/gw/](http://www.dnr.state.wi.us/org/water/dwg/gw/) or provided by the Department of Natural Resources.

**PURGE WATER, WASTE AND SOIL PILE REMOVAL**

Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Once that work is completed, please send appropriate documentation regarding the treatment or disposal of the remaining purge water, waste and/or soil piles.

**RIGHT-OF-WAY SOIL AND/OR GROUNDWATER CONTAMINATION**

There is residual soil and/or groundwater contamination in a public street or highway right-of-way at this site. Section NR 726.05(2)(a)4, Wis. Adm. Code, requires you to provide written notification of the presence of residual soil to the clerk of the town and county or municipality

where the right-of-way is located and to the municipal department or state agency that maintains the right-of-way. Section NR 726.05(2)(b)4, Wis. Adm. Code, requires you to also provide written notice of the presence of residual groundwater contamination to the owner of any properties that you do not own within this site that do not have soil contamination if they are affected by groundwater contamination. These notifications must include warnings that excavation of potentially contaminated soil or groundwater may pose inhalation or other direct contact hazards and will require soil and groundwater sampling and analysis, as well as proper storage, treatment, or disposal of any excavated materials, based upon the results of the analysis. **A notification letter needs to be sent to the City of Fond du Lac regarding the soil and groundwater contamination at MW-7 at the corner of Macy and West First Street. Please provide me with a copy of this written notification for inclusion on the GIS Registry.**

When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit <http://maps.dnr.state.wi.us/brrts>.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 920-303-5424.

Sincerely,



Casey L. Jones  
Hydrogeologist  
Remediation & Redevelopment Program

cc: Mark Foresman, Golder & Associates (e-mail)  
Kevin McKnight, DNR Project Manager (e-mail)



EXHIBIT A

CONTINUATION

A parcel of land being part of Block "D" of Darling's Addition No. 2 and part of Warner and Wright's Subdivision all in the City of Fond du Lac, Fond du Lac County, Wisconsin, and being more particularly described as follows, to-wit:

Beginning at the intersection of the West line of Macy Street with the South line of West First Street and running thence West along the South line of West First Street 169.67 feet; thence Southerly at an angle of 90°-54' with said First Street line to the East, a distance of 137.04 feet; thence West along a line projected West from the Southerly side of the former Ericksen Building wall as now located and indicated on the survey of Project 69210 of the Fond du Lac County Surveyor's Office, 31.90 feet to the intersection with the West line of the East 82 feet of Lot 13 of Block "D" of Darling's Addition No. 2; thence South along the West line of the East 82 feet of said Lot 13, a distance of 100.74 feet to the North line of West Second Street; thence East along said North line of West Second Street 201.97 feet to the West line of South Macy Street; thence North along the West line of Macy Street 239.48 feet to the place of beginning. Intending to convey lands conveyed to the City of Fond du Lac, a municipal corporation, by deeds recorded in Volume 736 of Records, Page 863 as Document No. 308734; Volume 736 of Records, Page 692 as Document No. 308612; Volume 736 of Records, Page 862 as Document No. 308733; Volume 736 of Records, Page 864 as Document No. 308735; and Volume 736 of Records, Page 693 as Document No. 308613.

AND

Lands in Block "D" and Block "J" of Darling's Addition No. 2 and also in Warner and Wright's Subdivision, City of Fond du Lac, Fond du Lac County, Wisconsin, bounded and described as follows:

Beginning at a point 169.67 feet due West of the point of intersection of the South line of West First Street with the West line of Macy Street; thence continuing due West 100.00 feet to a point; thence South 00°-50'-37" West, 236.68 feet to a point on the North line of West Second Street; thence South 89°-24'-22" East along said North line of West Second Street, 68.10 feet to a point; thence North 00°-43'-38" East, 100.74 feet to a point; thence South 89°-18'-00" East, 31.90 feet to a point; thence North 00°-54'-00" East, 137.04 feet to the point of beginning.

ALSO described as (Measured Description):

Part of Blocks D and J, Darling's Addition No. 2 and a part of Warner and Wright's Subdivision, City of Fond du Lac, Fond du Lac County, Wisconsin and more particularly described as follows:

Beginning at the intersection of the South right of way line of West Second Street and the West right of way line of Macy Street; thence West along said South right of way line, 269.67 feet; thence South 00°-49'-55" West, 236.69 feet to a point on the North right of way line of West Second Street; thence South 89°-24'-22" East along said North right of way line, 270.07 feet to the point of intersection of said North right of way line and the West right of way line of Macy Street; thence North 00°-43'-48" East along said West right of way line, 239.48 feet to the point of beginning.

**EXHIBIT B**

Restrictions as contained in Warranty Deed to Thomson Newspapers (Wisconsin) Inc., dated August 25, 1976 and recorded on February 11, 1977 at 9:25 A.M. in Volume 750 of Records on pages 137-140 as Document No. 318442.

Underground Electric Easement granted to Wisconsin Power and Light Company, dated February 7, 1977 and recorded on April 7, 1977 at 8:00 A.M. in Volume 752 of Records on pages 747-748 as Document No. 320280.

Restrictions as contained in Warranty Deed to Thomson Newspapers (Wisconsin) Inc., dated July 8, 1981 and recorded on July 16, 1981 at 11:40 A.M. in volume 832 of Records on pages 59-62 as Document No. 371267.

RECEIVED

MAY 07 2007

WDRR BRRTS CASE # 03 - 20 - 257023 **GOLDER ASSOCIATES, INC.** WDRR SITE NAME : Fond du Lac Reporter

NA 13. A copy of the letters sent by the RP to all owners of properties with groundwater exceeding ESs as required by s. NR 726.05(3)(a)4.g. Letters sent to off-source properties must contain standard provisions in Appendix A of ch. NR 726. (Off source properties are listed separately on the GIS Registry with a link to the source property.) If the source property is owned by someone other than the person who is applying for case closure, a copy of the letter notifying the current owner of the source property that case closure has been requested should also be included.

NA 14. A copy of all written notifications provided to the city/village/municipal/state agency or other entity responsible for maintenance of a public street or highway or railroad right-of-way, within or partially within the boundaries of the contaminated site, for contamination exceeding groundwater ESs and/or soil exceeding generic or site specific RCLs.

NA 15. A list of addresses for all off-source properties affected by residual soil or groundwater contamination exceeding applicable standards.

I certify that, to the best of my knowledge, the information presented on and attached to this form is true and accurate. This recommendation for case closure is based upon all available data as of April 20, 2007 (date). I have read the Case Summary and Close Out Form instructions and all required information has been included.

Form Completed By:

Charles L. Moleski  
(Signature)

5/1/07  
(Date)

\$750.00 Closeout Review Fee Attached  
 \$250.00 GIS Registry Maintenance Fee Attached (GW)  
NA \$200.00 GIS Registry Maintenance Fee Attached (Soil)

Printed Name: Charles L. Moleski

Company Name: The Thomson Corporation

Email address: cmoleski@thomson.com

If not site owner, relationship to site owner: Director, Environmental Services, Safety & Loss Prevention


Address: Metro Center, One Station Place City/Zip Code: Stamford, Connecticut/06902

Telephone Number: (203) 539-8529 FAX Number: (203) 539-7767

Environmental Consultant (if different than above): Golder Associates Inc.


Address: 820 South Main Street, Suite 100 City/Zip Code: St. Charles, MO/63301

Telephone Number: (636) 724-9191 FAX Number: (636) 724-9323




SOURCE: USGS FOND DU LAC, WISCONSIN 7.5-MINUTE QUADRANGLE, 1992

 <b>Golder Associates</b> St. Louis, Missouri	SCALE	AS SHOWN	TITLE	<h2>SITE LOCATION MAP</h2>	DWG/FIG NO.  <h1>1</h1>	
	DATE	4/18/2007	PROJECT			<b>FOND DU LAC REPORTER</b> <b>CASE CLOSURE REQUEST</b> Fond du Lac, Wisconsin
	DESIGN	PGU				
	CADD	PGU				
FILE No.	0339640.008	CHECK	MRF			
PROJECT No.	033-9640	REV.	1	REVIEW	FMB	



 <b>Golder Associates</b> St. Louis, Missouri	SCALE AS SHOWN	TITLE	<b>MONITORING WELL LOCATION MAP</b>  FOND DU LAC REPORTER CASE CLOSURE REQUEST Fond du Lac, Wisconsin	DWG/FIG No. <b>2</b>
	DATE 4/18/2007	PROJECT		
	DESIGN PGU	CHECK MRF		
	CADD PGU	REVIEW FMB		
FILE No. 0339640.009	PROJECT No. 033-9640	REV. 0		




FOND DU LAC REPORTER


MACY STREET

- LEGEND**
- MW-1 MONITORING WELL
  - B-3 SOIL BORING
  - INTERPRETED AREA OF SOIL IMPACT ABOVE RCLs
  - CONCRETE
  - CONCRETE CURB AND GUTTER
  - CONCRETE CURB
  - CHAIN LINK FENCE

- NOTES:**
- 1.) EXCLUDES METHYLENE CHLORIDE.
  - 2.) FROM "PHASE II ENVIRONMENTAL SITE ASSESSMENT" FEBRUARY 2002.
  - 3.) SAMPLE LOCATIONS IN BOLD FONT DENOTE AN RCL EXCEEDANCE.
  - 4.) RCL EXCEEDANCE AT MW-10 IS DUE TO OFF-SITE CHLORINATED SOLVENT CONTAMINATION. PER THE WDNR LETTER "FOND DU LAC REPORTER TECHNICAL REVIEW, WDNR BRRTS# 03-20-257023", DATED MAY 9, 2005, THOMPSON CORPORATION IS NOT REQUIRED TO CONTINUE INVESTIGATION OF THIS CONTAMINATION.



 <b>Golder Associates</b> St. Louis, Missouri	SCALE AS SHOWN	TITLE
	DATE 5/29/2007	<b>AREAS OF SOIL IMPACT ABOVE RCLs</b>
	DESIGN MRF	
	CADD AWG	
FILE No. 0339640.6	CHECK MRF	PROJECT
PROJECT No. 033-9640	REVIEW	FOND DU LAC REPORTER CASE CLOSURE REQUEST Fond du Lac, Wisconsin
		DWG/FIG No. <b>8</b>




 <b>Golder Associates</b> St. Louis, Missouri	SCALE	AS SHOWN	TITLE	<b>CROSS SECTION LOCATIONS</b>	DWS/FIG No. <b>3</b>	
	DATE	4/18/2007	PROJECT			FOND DU LAC REPORTER CASE CLOSURE REQUEST Fond du Lac, Wisconsin
	DESIGN	PGU				
	CADD	PGU				
FILE No.	0339640.015	CHECK	MRF			
PROJECT No.	033-9640	REV.	1	REVIEW	FMB	

(LOOKING NORTHWEST)


A  
SOUTHWEST

A'  
NORTHEAST



**LEGEND**

- POTENTIOMETRIC SURFACE IN PERMANENT MONITORING WELLS ON SEPTEMBER 23, 2003
- SOIL ANALYTICAL SAMPLE
- BORING NUMBER
- WELL SCREEN



 <b>Golder Associates</b> St. Louis, Missouri	SCALE	As Shown	<b>TITLE</b> <b>GEOLOGIC CROSS SECTION</b> <b>A-A'</b>	
	DATE	4/18/2007		
	DESIGN	PGU		
	CADD	PGU		
FILE No.	0339640.016	CHECK	MRF	<b>PROJECT</b> FOND DU LAC REPORTER CASE CLOSURE REQUEST Fond du Lac, Wisconsin
PROJECT No.	033-9640	REV.	0	
		REVIEW	FMB	


B

NORTHWEST

(LOOKING NORTHEAST)  
ELEVATION IN FEET (MSL)

B'

SOUTHEAST




**LEGEND**

-  POTENTIOMETRIC SURFACE IN PERMANENT MONITORING WELLS ON SEPTEMBER 23, 2003
-  SOIL ANALYTICAL SAMPLE
-  BORING NUMBER
-  WELL SCREEN






 <b>Golder Associates</b> St. Louis, Missouri	SCALE	As Shown	TITLE	<b>GEOLOGIC CROSS SECTION B-B'</b>			
	DATE	4/18/2007	DESIGN			PGU	
	CADD	PGU	PROJECT	FOND DU LAC REPORTER CASE CLOSURE REQUEST Fond du Lac, Wisconsin			
	FILE No.	0339640.017	CHECK			MRF	
PROJECT No.	033-9640	REV.	0	REVIEW	FMB	DWG./FIG No.	<b>5</b>



FOND DU LAC REPORTER

MACY STREET

LEGEND


-  MW-1 ND MONITORING WELL WITH BENZENE CONCENTRATION
-  CONCRETE
-  CONCRETE CURB AND GUTTER
-  CONCRETE CURB
-  CHAIN LINK FENCE
-  1.0 mg/l INTERPRETED BENZENE ISO-CONCENTRATION CONTOUR

NOTES:

- 1.) ALL CONCENTRATIONS ARE REPORTED IN ug/L.
- 2.) ANALYTES PRINTED IN BOLD DENOTE CONCENTRATIONS EXCEEDING WISCONSIN DNR ENFORCEMENT STANDARDS (ES).
- 3.) ANALYTES PRINTED IN *ITALICS* DENOTE CONCENTRATIONS EXCEEDING WISCONSIN DNR PREVENTIVE ACTION LIMITS (PALs).
- 4.) J - INDICATES VALUE SHOULD BE CONSIDERED APPROXIMATE.




 <b>Golder Associates</b> St. Louis, Missouri	SCALE AS SHOWN	TITLE	<b>ISO-CONCENTRATION MAP OF          BENZENE PLUME          OCTOBER 2006</b>
	DATE 4/23/2007	DESIGN MRF	
FILE No. 0339640.011	CADD JCW	PROJECT	<b>FOND DU LAC REPORTER          CASE CLOSURE REQUEST</b> Fond du Lac, Wisconsin
PROJECT No. 033-9640 REV. 1	CHECK MRF	DWG/FIG No. 7	
	REVIEW FMB		



**LEGEND**

-  MW-1 747.84 MONITORING WELL WITH GROUNDWATER ELEVATION
-  747.40 FT INTERPRETED GROUNDWATER POTENTIOMETRIC SURFACE CONTOUR
-  CONCRETE
-  CONCRETE CURB AND GUTTER
-  CONCRETE CURB
-  CHAIN LINK FENCE

**NOTE:**  
1.) GROUNDWATER ELEVATIONS RELATIVE TO MEAN SEA LEVEL.



 <b>Golder Associates</b> St. Louis, Missouri	SCALE AS SHOWN	TITLE	<b>POTENTIOMETRIC SURFACE MAP</b> <b>OCTOBER 24, 2006</b>
	DATE 4/23/2007	DESIGN JRS	
	CADD JCW	PROJECT	FOND DU LAC REPORTER CASE CLOSURE REQUEST Fond du Lac, Wisconsin
	FILE No. 0339640.010	CHECK MRF	
PROJECT No. 033-9640	REV. 1	REVIEW FMB	

Table 14  
Summary of Soil Sample Detections  
Thompson Corporation  
Fond Du Lac Reporter - Fond Du Lac, Wisconsin

Monitoring Well	BH-1 (MW-1) 5'-7'	BH-2 (MW-2) 0.3'-2'	BH-3 (MW-3) 10'-12'	BH-4 (MW-4) 7.5'-9.5'	BH-5 7.5'-9.5'	BH-6 7.5'-9.5'	B-3 6'-8'	B-3 12'-14'	B-5 6'-8'	B-6 6'-8'	B-7 8'-10'	MW-5 12'-14'
Date Sampled	6/24/1997	6/24/1997	6/24/1997	6/24/1997	6/24/1997	6/24/1997	11/9/2000	11/9/2000	11/10/2000	11/10/2000	11/9/2000	11/8/2000
<b>Volatile Organic Compounds (USEPA Method 8260B)</b>												
Analyte	CAS No.	RCL <sup>1</sup>	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)
Benzene	71-43-2	5.5 <sup>2</sup>	ND	ND	ND	ND	990	ND	ND	ND	ND	ND
n-Butylbenzene	104-51-8	. <sup>3</sup>	ND	ND	ND	5,800	7,500	2,000	1,770 J	ND	ND	ND
sec-Butylbenzene	135-98-8	. <sup>3</sup>	ND	ND	ND	3,000	2,400	1,200	ND	201 J	ND	ND
Ethylbenzene	100-41-4	2900 <sup>2</sup>	ND	ND	ND	1,900	35,000	720	253 J	ND	ND	ND
Isopropylbenzene	98-82-8	37,000 <sup>4</sup>	ND	ND	ND	6,200	5,900	1,700	2,650 J	376 J	ND	ND
p-Isopropyltoluene	99-87-6	. <sup>3</sup>	ND	ND	ND	4,300	2,000	ND	316 J	276 J	ND	ND
Methylene Chloride	75-09-2	1.6 <sup>4</sup>	180 L	180 L	100 L	2,600 L	1,800 L	1,900 L	278 JL	ND	ND	141 L
Naphthalene	91-20-3	330 <sup>4</sup>	220	310	ND	10,000	44,000	10,000	5,560 J	827 J	ND	36 I
n-Propylbenzene	10-36-51	. <sup>3</sup>	ND	ND	ND	8,200	21,000	3,100	4,290 J	576 J	ND	ND
Toluene	108-88-3	1500 <sup>2</sup>	ND	180	120	ND	980	ND	ND	ND	ND	ND
Trichloroethene	79-01-6	3.7 <sup>4</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	95-63-6	. <sup>3</sup>	ND	ND	ND	36,000	120,000	1,500	ND	ND	ND	ND
1,3,5-Trimethylbenzene	108-67-8	. <sup>3</sup>	ND	ND	ND	4,400	33,000	ND	ND	ND	ND	ND
Xylenes, Total	1330-20-7	4100 <sup>2</sup>	ND	ND	61	8,050	116,600	1,400	164 J	54 J	ND	ND
<b>PAH (USEPA Method 8310)</b>												
Analyte	CAS No.	RCL <sup>1</sup>	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)
Anthracene	120-12-7	3,000,000 <sup>5</sup>	NA	NA	NA	NA	NA	NA	1,520 J	13	ND	ND
Benzo(a)anthracene	78-59-1	17,000 <sup>5</sup>	NA	NA	NA	NA	NA	NA	4,670 J	28 M	ND	ND
Benzo(b)fluoranthene	95-48-7	360,000 <sup>5</sup>	NA	NA	NA	NA	NA	NA	1,890 J	10	ND	ND
Benzo(k)fluoranthene	84-66-2	870,000 <sup>5</sup>	NA	NA	NA	NA	NA	NA	1,640 J	9.4 M	ND	ND
Benzo(g,h,i)perylene	193-39-5	6,800,000 <sup>5</sup>	NA	NA	NA	NA	NA	NA	3,790 J	23	ND	ND
Benzo(a)pyrene	65794-96-9	48,000 <sup>5</sup>	NA	NA	NA	NA	NA	NA	4,040 J	23 M	ND	ND
Chrysene	91-20-3	37,000 <sup>5</sup>	NA	NA	NA	NA	NA	NA	2,650 J	20 M	ND	ND
Dibenz(a,h)anthracene	53-70-3	38,000 <sup>5</sup>	NA	NA	NA	NA	NA	NA	328 J	ND	ND	ND
Fluoranthene	206-44-0	500,000 <sup>5</sup>	NA	NA	NA	NA	NA	NA	8,960 J	89 M	ND	ND
Fluorene	86-73-7	100,000 <sup>5</sup>	NA	NA	NA	NA	NA	NA	177 J	ND	ND	ND
Indeno(1,2,3-cd)pyrene	193-39-5	680,000 <sup>5</sup>	NA	NA	NA	NA	NA	NA	2,400 J	10	ND	ND
1-Methylnaphthalene	90-12-0	23,000 <sup>5</sup>	NA	NA	NA	NA	NA	NA	1,640 J	ND	ND	ND
2-Methylnaphthalene	91-57-6	20,000 <sup>5</sup>	NA	NA	NA	NA	NA	NA	4,550 J	ND	ND	ND
Naphthalene	91-20-3	400 <sup>5</sup>	NA	NA	NA	NA	NA	NA	2,900 J	ND	ND	ND
Phenanthrene	85-01-8	1,800 <sup>5</sup>	NA	NA	NA	NA	NA	NA	3,160 J	36 M	ND	ND
Pyrene	129-00-0	8,700,000 <sup>5</sup>	NA	NA	NA	NA	NA	NA	4,550 J	43 M	ND	ND
Diesel Range Organics	-	100,000 <sup>6</sup>	ND	ND	ND	1,000	920	760	NA	NA	NA	NA
Gasoline Range Organics	-	100,000 <sup>6</sup>	ND	ND	ND	77 D	ND	ND	NA	NA	NA	NA
<b>Metals (USEPA Method 6010B)</b>												
Analyte	CAS No.	RCL <sup>1</sup>	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)
Lead	7439-92-1	. <sup>3</sup>	9	8.1	4.6	8	5.4	5.6	7.8	8.5	8.8	7.8

Notes:

- <sup>1</sup> - Residual Contaminant Level (RCL).
- <sup>2</sup> - RCL obtained from WDNR Chapter NR720.09 (4)(b) Table 1; Soil to Groundwater pathway values (ug/kg).
- <sup>3</sup> - No RCL value is listed for this constituent.
- <sup>4</sup> - RCL obtained from USEPA Soil Screening Level Web Site using WDNR Chapter NR720 defaults per WDNR Guidance Document RR682; Soil to Groundwater pathway values (ug/kg) - see attached.
- <sup>5</sup> - RCL obtained from WDNR Guidance Document RR519-97 Table 1; Soil to Groundwater pathway values (ug/kg).
- <sup>6</sup> - RCL obtained from WDNR Chapter NR720.09 (4)(a)(1); Soil to Groundwater pathway values (ug/kg).
- NA - not analyzed
- M - matrix interference
- L - May represent a laboratory artifact.
- I - Improperly handled sample.
- U - The analyte was not detected above the reported sample quantitation limit.
- J - The analyte was detected, but the associated value should be considered approximate.
- UJ - The analyte was not detected above the quantitation limit. However, the quantitation limit is approximate.
- Constituents detected at or above the RCL are noted as bold.
- Parameters not listed were not detected in any samples.
- ND - not detected above the reporting limit.
- Total VOC values do not include Methylene Chloride due to detections in blanks.
- ug/kg - micrograms per kilogram.

Updated by: AWG 5/23/2007  
Checked by: MRF 5/29/2007  
Reviewed by: FMB 6/8/2007

Table 14  
Summary of Soil Sample Detections  
Thompson Corporation  
Fond Du Lac Reporter - Fond Du Lac, Wisconsin

Monitoring Well	MW-6	MW-7	MW-7	MW-8	MW-8	MW-9	MW-9	MW-10	MW-10 (DUP)	MW-10	MW-11	
	12'-14'	8'-10'	12'-14'	6'-8'	12'-14'	14'-16'	18'-20'	8'-10'	8'-10'	14'-16'	10.5'-12.5'	
Date Sampled	11/9/2000	11/9/2000	11/9/2000	11/9/2000	11/9/2000	11/9/2000	11/10/2000	12/3/2001	12/3/2001	12/3/2001	12/3/2001	
<b>Volatile Organic Compounds (USEPA Method 8260B)</b>												
Analyte	CAS No.	RCL <sup>1</sup>	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)
Benzene	71-43-2	5.5 <sup>2</sup>	ND	ND	65	1,080	459	ND	ND	ND	ND	ND
n-Butylbenzene	104-51-8	.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sec-Butylbenzene	135-98-8	.3	ND	ND	ND	1,490	242	ND	ND	ND	ND	ND
Ethylbenzene	100-41-4	2900 <sup>2</sup>	ND	ND	56	16,100	2,930	ND	ND	ND	ND	ND
Isopropylbenzene	98-82-8	37,000 <sup>4</sup>	ND	ND	42	2,600	433	ND	ND	ND	ND	ND
p-Isopropyltolouene	99-87-6	.3	ND	ND	ND	1,360	166	ND	ND	ND	ND	ND
Methylene Chloride	75-09-2	1.6 <sup>4</sup>	155 L	ND	ND	1,610 L	ND	ND	ND	ND	ND	ND
Naphthalene	91-20-3	330 <sup>4</sup>	ND	ND	91	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	10-36-51	.3	ND	55	95	9,650	1,530	ND	ND	ND	ND	ND
Toluene	108-88-3	1500 <sup>2</sup>	ND	ND	ND	1,730	459	ND	ND	ND	ND	ND
Trichloroethene	79-01-6	3.7 <sup>4</sup>	ND	ND	ND	ND	ND	97	183	906	ND	ND
1,2,4-Trimethylbenzene	95-63-6	.3	ND	130	495	74,300	12,000	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	108-67-8	.3	ND	ND	140	18,800	3,310	ND	ND	ND	ND	ND
Xylenes, Total	1330-20-7	4100 <sup>2</sup>	ND	79	216	76,700	16,600	ND	ND	ND	ND	ND
<b>PAH (USEPA Method 8310)</b>												
Analyte	CAS No.	RCL <sup>1</sup>	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)
Anthracene	120-12-7	3,000,000 <sup>5</sup>	ND	ND	24	28	ND	ND	ND	ND	ND	ND
Benzo(a)anthracene	78-59-1	17,000 <sup>5</sup>	ND	ND	120	37	ND	ND	ND	ND	ND	ND
Benzo(b)fluoranthene	95-48-7	360,000 <sup>5</sup>	ND	ND	72	22	ND	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	84-66-2	870,000 <sup>5</sup>	ND	ND	79	11	ND	ND	ND	ND	ND	ND
Benzo(g,h,i)perylene	193-39-5	6,800,000 <sup>5</sup>	ND	ND	130	25	10	ND	ND	ND	ND	ND
Benzo(a)pyrene	65794-96-9	48,000 <sup>5</sup>	ND	ND	165	35	12	ND	ND	ND	ND	ND
Chrysene	91-20-3	37,000 <sup>5</sup>	ND	ND	120	21	ND	ND	ND	ND	ND	ND
Dibenz(a,h)anthracene	53-70-3	38,000 <sup>5</sup>	ND	ND	15	ND	ND	ND	ND	ND	ND	ND
Fluoranthene	206-44-0	500,000 <sup>5</sup>	ND	ND	419	31	14	ND	ND	ND	ND	ND
Fluorene	86-73-7	100,000 <sup>5</sup>	ND	ND	ND	120	ND	ND	ND	ND	ND	ND
Indeno(1,2,3-cd)pyrene	193-39-5	680,000 <sup>5</sup>	ND	ND	110	15	7.1	ND	ND	ND	ND	ND
1-Methylnaphthalene	90-12-0	23,000 <sup>5</sup>	ND	ND	ND	2,850	ND	ND	ND	ND	ND	ND
2-Methylnaphthalene	91-57-6	20,000 <sup>5</sup>	ND	ND	ND	6,810	ND	ND	ND	ND	ND	ND
Naphthalene	91-20-3	400 <sup>5</sup>	ND	ND	ND	5,570	ND	ND	ND	ND	ND	ND
Phenanthrene	85-01-8	1,800 <sup>5</sup>	ND	ND	120	53	ND	ND	ND	ND	ND	ND
Pyrene	129-00-0	8,700,000 <sup>5</sup>	ND	ND	343	56	9.4	ND	ND	ND	ND	ND
Diesel Range Organics	-	100,000 <sup>5</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Gasoline Range Organics	-	100,000 <sup>5</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<b>Metals (USEPA Method 6010B)</b>												
Analyte	CAS No.	RCL <sup>1</sup>	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)
Lead	7439-92-1	.3	12	8.9	9.3	16	24	6	10	8.6	7.8	9.3

Notes:

- <sup>1</sup>. Residual Contaminant Level (RCL).
- <sup>2</sup>. RCL obtained from WDNr Chapter NR720.09 (4)(b) Table 1; Soil to Groundwater pathway values (ug/kg).
- <sup>3</sup>. No RCL value is listed for this constituent.
- <sup>4</sup>. RCL obtained from USEPA Soil Screening Level Web Site using WDNr Chapter NR720 defaults per WDNr Guidance Document RR682; Soil to Groundwater pathway values (ug/kg) - see attached.
- <sup>5</sup>. RCL obtained from WDNr Guidance Document RR519-97 Table 1; Soil to Groundwater pathway values (ug/kg).
- <sup>6</sup>. RCL obtained from WDNr Chapter NR720.09 (4)(a)(1); Soil to Groundwater pathway values (ug/kg).
- NA - not analyzed
- M - matrix interference
- L - May represent a laboratory artifact.
- I - Improperly handled sample.
- U - The analyte was not detected above the reported sample quantitation limit.
- J - The analyte was detected, but the associated value should be considered approximate.
- UJ - The analyte was not detected above the quantitation limit. However, the quantitation limit is approximate.
- Constituents detected at or above the RCL are noted as bold.
- Parameters not listed were not detected in any samples.
- ND - not detected above the reporting limit.
- Total VOC values do not include Methylene Chloride due to detections in blanks.
- ug/kg - micrograms per kilogram.

Updated by: AWG 5/23/2007  
Checked by: MRF 5/29/2007  
Reviewed by: FMB 6/8/2007

**Table 2**  
**Summary of Groundwater Sample Detections (MW-1)**  
**Thomson Corporation**  
**Fond du Lac Reporter - Fond du Lac, Wisconsin**

Monitoring Well					MW-1													
Date Sampled					6/25/1997	4/24/2000	11/11/2000	12/5/2001	9/23/2003	1/19/2005	4/19/2005	7/26/2005	10/18/2005	1/10/2006	4/11/2006	7/11/2006	10/24/2006	
<b>Volatile Organic Compounds (USEPA Method 8260B)</b>																		
Analyte	CAS No.	RL <sup>1</sup>	ES <sup>2</sup>	PAL <sup>3</sup>	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
Benzene	71-43-2	0.50	5	0.5	ND	<b>8.6</b>	2.2	4.4	ND	ND	ND	ND	ND	ND	ND	ND	0.63 J	ND
Bromomethane	74-83-9	0.50	10	1	NA	NA	NA	NA	NA	NA	NA	NA	0.94	NA	NA	NA	4.5	NA
Chloromethane	74-87-3	0.50	3	0.3	ND	NA	ND	ND	ND	ND	ND	ND	<b>43</b>	ND	ND	ND	7.2	ND
cis-1,2-Dichloroethene	156-59-2	0.50	70	7	ND	NA	3.9	2.0	ND	ND	ND	0.92 Q	0.55 J	ND	ND	ND	ND	ND
Methylene Chloride	75-09-2	2.50	5	0.5	1.0 B	NA	ND	0.28 UL	1.7 J	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	91-20-3	2.50	40	8	1.0	NA	ND	0.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	75-01-4	0.50	0.2	0.02	ND	NA	1.6	0.49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Metals (USEPA Method 6010B)</b>																		
Analyte	CAS No.	RL	ES	PAL	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
Aluminum	7429-90-5	1000	- <sup>4</sup>	- <sup>4</sup>	NA	NA	NA	NA	54 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Barium	7440-39-3	10.0	2,000	4,000	NA	NA	NA	NA	291	300	660	840	500	430	350	800	410	NA
Cadmium	7440-43-9	1.0	5	0.5	NA	NA	NA	NA	1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
Calcium	7440-70-2	10,000	- <sup>4</sup>	- <sup>4</sup>	NA	NA	NA	NA	281,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chromium	7440-47-3	5.0	100	10	NA	NA	NA	NA	2.6 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Cobalt	7440-48-4	20.0	40	8	NA	NA	NA	NA	6.1 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Copper	7440-50-8	10.0	1,300	130	NA	NA	NA	NA	10	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	7439-89-6	50.0	300	150	NA	NA	NA	NA	487	35 Q	ND	23 Q	ND	38 J	ND	2,800	450	NA
Lead	7439-92-1	5.0	15	1.5	0.26	NA	0.0014	ND	ND	NA	NA	NA	ND	NA	ND	ND	ND	2.2 J
Magnesium	7439-95-4	1,000	- <sup>4</sup>	- <sup>4</sup>	NA	NA	NA	NA	112,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	7439-96-5	15.0	50	25	NA	NA	NA	NA	121	170	130	740	660	650	15	810	420	NA
Nickel	7440-02-0	10.0	100	20	NA	NA	NA	NA	12	NA	NA	NA	NA	NA	NA	NA	NA	NA
Potassium	7440-09-7	1,000	- <sup>4</sup>	- <sup>4</sup>	NA	NA	NA	NA	78,300	NA	NA	NA	NA	NA	NA	NA	NA	NA
Silver	7440-22-4	5.0	50	10	NA	NA	NA	NA	3.5 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sodium	7440-23-5	10,000	- <sup>4</sup>	- <sup>4</sup>	NA	NA	NA	NA	750,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vanadium	7440-62-2	20.0	30	6	NA	NA	NA	NA	12 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Zinc	7440-66-6	50.0	5,000	2,500	NA	NA	NA	NA	42 J	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Notes:**

- <sup>1</sup> - Reporting Limit
  - <sup>2</sup> - Wisconsin Department of Natural Resources (WDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Enforcement Standard (ES).
  - <sup>3</sup> - Wisconsin Department of Natural Resources (WDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Preventive Action Limit (PAL).
  - <sup>4</sup> - An ES and PAL for this constituent has not been established.
  - B - The analyte was found in the associated blanks as well as the sample.
  - J - The analyte was detected above the quantitation limit. However, the quantitation limit is approximate.
  - L - Constituent detected in trip blank.
  - Q - The analyte was detected between the limit of detection (LOD) and the limit of quantitation (LOQ).
  - U - The analyte was not detected above the reported sample quantitation limit.
- Constituents detected at or above the ES are noted as **bold**.  
 Constituents detected at or above the PAL are noted as *italicized*.  
 Parameters not listed were not detected in any samples.  
 NA - Not Analyzed  
 ND - not detected above the reporting limit.  
 ug/L - micrograms per liter.

Updated by: AWG 5/23/2007  
 Checked by: MRF 5/24/2007  
 Reviewed by: FMB 6/8/2007

Table 3  
Summary of Groundwater Sample Detections (MW-2)  
Thomson Corporation  
Fond du Lac Reporter - Fond du Lac, Wisconsin

Monitoring Well		MW-2														
Date Sampled		6/25/1997	4/24/2000	11/11/2000	12/5/2001	9/23/2003	1/20/2005	4/19/2005	7/26/2005	10/19/2005	1/10/2006	4/11/2006	7/11/2006	10/24/2006		
<b>Volatile Organic Compounds (USEPA Method 8260B)</b>																
Analyte	CAS No.	RL	ES <sup>2</sup>	PAL <sup>3</sup>	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
Benzene	71-43-2	0.50	5	0.5	ND	<b>5.56</b>	12	4.6	10.4	ND	ND	ND	ND	ND	ND	ND
Bromomethane	74-83-9	0.50	10	1	NA	NA	NA	NA	NA	NA	NA	0.58 J	NA	NA	NA	NA
Chloromethane	74-87-3	0.50	3	0.3	ND	ND	ND	ND	ND	ND	ND	32	ND	ND	ND	ND
cis-1,2-Dichloroethene	156-59-2	0.50	70	7	ND	ND	3.4	1.2	2.3	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	87-68-3	0.50	- <sup>4</sup>	- <sup>4</sup>	NA	NA	0.46	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methylene Chloride	75-09-2	2.50	5	0.5	1.0 B	ND	ND	0.42 UL	0.20 J	ND	ND	ND	ND	ND	ND	ND
Naphthalene	91-20-3	2.50	40	8	ND	ND	ND	0.40	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	108-88-3	0.50	0.001	0.0002	0.60 F	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	75-01-4	0.50	0.2	0.02	ND	ND	1.2	0.29	0.70	ND	ND	ND	ND	ND	ND	ND
<b>Metals (USEPA Method 6010B)</b>																
Analyte	CAS No.	RL	ES	PAL	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
Aluminum	7429-90-5	1000	- <sup>4</sup>	- <sup>4</sup>	NA	NA	NA	NA	105	NA	NA	NA	NA	NA	NA	NA
Barium	7440-39-3	10.0	2,000	4,000	NA	NA	NA	NA	514	360	330	370	350	340	360	440
Cadmium	7440-43-9	1.0	5	0.5	NA	NA	NA	NA	0.60 J	NA	NA	NA	NA	NA	NA	NA
Calcium	7440-70-2	10,000	- <sup>4</sup>	- <sup>4</sup>	NA	NA	NA	NA	222,000	NA	NA	NA	NA	NA	NA	NA
Chromium	7440-47-3	5.0	100	10	NA	NA	NA	NA	2.1 J	NA	NA	NA	NA	NA	NA	NA
Cobalt	7440-48-4	20.0	40	8	NA	NA	NA	NA	4.8 J	NA	NA	NA	NA	NA	NA	NA
Copper	7440-50-8	10.0	1,300	130	NA	NA	NA	NA	1.8 J	NA	NA	NA	NA	NA	NA	NA
Iron	7439-89-6	50.0	300	150	NA	NA	NA	NA	8,260	77	57 Q	280	890	510	730	500
Lead	7439-92-1	5.0	15	1.5	0.35	NA	ND	ND	ND	NA	NA	NA	ND	NA	ND	1.2 J
Magnesium	7439-95-4	1,000	- <sup>4</sup>	- <sup>4</sup>	NA	NA	NA	NA	162,000	NA	NA	NA	NA	NA	NA	NA
Manganese	7439-96-5	15.0	50	25	NA	NA	NA	NA	602	370	400	440	500	470	520	630
Potassium	7440-09-7	1,000	- <sup>4</sup>	- <sup>4</sup>	NA	NA	NA	NA	34,500	NA	NA	NA	NA	NA	NA	NA
Silver	7440-22-4	5.0	50	10	NA	NA	NA	NA	2.9 J	NA	NA	NA	NA	NA	NA	NA
Sodium	7440-23-5	10,000	- <sup>4</sup>	- <sup>4</sup>	NA	NA	NA	NA	444,000	NA	NA	NA	NA	NA	NA	NA
Vanadium	7440-62-2	20.0	30	6	NA	NA	NA	NA	8.5 J	NA	NA	NA	NA	NA	NA	NA
Zinc	7440-66-6	50.0	5,000	2,500	NA	NA	NA	NA	3.7 J	NA	NA	NA	NA	NA	NA	NA

Notes:

- 1 - Reporting Limit
  - 2 - Wisconsin Department of Natural Resources (WIDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Enforcement Standard (ES).
  - 3 - Wisconsin Department of Natural Resources (WIDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Preventive Action Limit (PAL).
  - 4 - An ES and PAL for this constituent has not been established.
  - B - The analyte was found in the associated blanks as well as the sample.
  - F - The analyte was detected but the result was between the normal reporting level and the MDL. The results should be considered estimated.
  - J - The analyte was detected above the quantitation limit. However, the quantitation limit is approximate.
  - L - Constituent detected in trip blank.
  - Q - The analyte was detected between the limit of detection (LOD) and the limit of quantitation (LOQ).
  - U - The analyte was not detected above the reported sample quantitation limit.
- Constituents detected at or above the ES are noted as **bold**.  
Constituents detected at or above the PAL are noted as *italicized*.  
Parameters not listed were not detected in any samples.  
NA - Not Analyzed  
ND - not detected above the reporting limit.  
ug/L - micrograms per liter.

Updated by: AWG 5/23/2007  
Checked by: MRF 5/24/2007  
Reviewed by: FMB 6/8/2007

**Table 4**  
**Summary of Groundwater Sample Detections (MW-3)**  
**Thomson Corporation**  
**Fond du Lac Reporter - Fond du Lac, Wisconsin**

Monitoring Well					MW-3												
Date Sampled					6/25/1997	4/24/2000	11/11/2000	12/5/2001	9/23/2003	1/19/2005	4/19/2005	7/26/2005	10/18/2005	1/10/2006	4/11/2006	7/11/2006	10/24/2006
<b>Volatile Organic Compounds (USEPA Method 8260B)</b>																	
Analyte	CAS No.	RL	ES <sup>2</sup>	PAL <sup>3</sup>	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
Benzene	71-43-2	0.50	5	0.5	ND	71.2	82	76	214	100	110	100	100	95	88	120	99
Chloromethane	74-87-3	0.50	3	0.3	ND	ND	ND	ND	0.30 J	ND	ND	ND	23	ND	0.70	1.6	ND
cis-1,2-Dichloroethene	156-59-2	0.50	70	7	ND	ND	0.63	0.65	2.0	1.2 Q	0.95	ND	0.64 J	0.96 J	ND	0.61 J	0.58 J
Ethylbenzene	100-41-4	0.50	700	140	ND	0.48	ND	ND	1.5	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene	98-82-8	0.50	<sup>5</sup>	<sup>5</sup>	1.0	ND	1.6	0.46	ND	ND	0.74 Q	1.4 Q	0.58 J	0.61 J	0.70	1.2	0.82
p-isopropyltolouene	99-87-6	0.50	<sup>5</sup>	<sup>5</sup>	ND	ND	ND	ND	2.6	ND	ND	ND	ND	ND	ND	ND	ND
Methylene Chloride	75-09-2	2.50	5	0.5	2.0 B	ND	ND	0.70 LU	ND	ND	ND	6.2	ND	ND	ND	ND	ND
Naphthalene	91-20-3	2.50	40	8	0.80 F	ND	0.86	ND	4.7	ND	ND	ND	ND	ND	ND	ND	ND
n-propylbenzene	10-36-51	0.50	<sup>5</sup>	<sup>5</sup>	0.60 F	ND	0.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	108-88-3	0.50	0.001	0.0002	0.80 F	6.23	2.1	0.64	1.4	0.80 Q	1.1 Q	1.3 Q	0.92	0.69	0.88 J	1.6	1.1
1,2,4-Trimethylbenzene	95-63-6	0.50			ND	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	0.22 J	ND
1,3,5-Trimethylbenzene	108-67-8	0.5	480 <sup>4</sup>	96 <sup>4</sup>	ND	ND	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	75-01-4	0.50	0.2	0.02	ND	ND	ND	0.30	0.90	ND	ND	ND	ND	ND	ND	ND	ND
Xylenes, Total	1330-20-7	0.50	0.010	0.001	3.0	7.58	9.6	1.4	4.2	ND	ND	2.0 Q	1.8	1.3 J	1.4 J	4.0	3.7
<b>PAH (USEPA Method 8310)</b>																	
Analyte	CAS No.	RL	ES	PAL	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
Acenaphthylene	208-98-8	1.18	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	NA	ND	3.2	0.01 Q	NA	NA	NA	NA	NA
Acenaphthene	83-32-9	1.18	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	NA	NA	0.05	NA	NA	NA	NA	NA	NA
Anthracene	120-12-7	0.59	3000	600	NA	NA	NA	NA	NA	ND	0.012 Q	NA	NA	NA	NA	NA	NA
1-Methylnaphthalene	90-12-0	-	<sup>5</sup>	<sup>5</sup>	NA	NA	ND	ND	NA	NA	0.015 Q	ND	ND	NA	NA	NA	NA
2-Methylnaphthalene	91-57-6	-	<sup>5</sup>	<sup>5</sup>	NA	NA	ND	ND	NA	NA	0.016 Q	ND	ND	NA	NA	NA	NA
Naphthalene	91-20-3	1.18	40	8	NA	NA	ND	ND	ND	NA	0.02 Q	ND	ND	NA	NA	ND	NA
<b>Metals (USEPA Method 810B)</b>																	
Analyte	CAS No.	RL	ES	PAL	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
Aluminum	7429-90-5	1000	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	148	NA	NA	NA	NA	NA	NA	NA	NA
Barium	7440-39-3	10.0	2,000	4,000	NA	NA	NA	NA	472	480	460	480	450	450	390	430	450
Calcium	7440-70-2	10,000	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	198,000	NA	NA	NA	NA	NA	NA	NA	NA
Chromium	7440-47-3	5.0	100	10	NA	NA	NA	NA	1.3 J	NA	NA	NA	NA	NA	NA	NA	NA
Cobalt	7440-48-4	20.0	40	8	NA	NA	NA	NA	3.5 J	NA	NA	NA	NA	NA	NA	NA	NA
Copper	7440-50-8	10.0	1,300	130	NA	NA	NA	NA	1.6 J	NA	NA	NA	NA	NA	NA	NA	NA
Iron	7439-89-6	50.0	300	150	NA	NA	NA	NA	12,900	13,000	14,000	13,000	14,000	13,000	13,000	14,000	14,000
Lead	7439-92-1	5.0	15	1.5	0.15	NA	NA	ND	ND	NA	NA	ND	NA	ND	0.69 J	ND	ND
Magnesium	7439-95-4	1,000	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	161,000	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	7439-96-5	15.0	50	25	NA	NA	NA	NA	466	530	520	450	480	470	450	490	490
Potassium	7440-09-7	1,000	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	46,600	NA	NA	NA	NA	NA	NA	NA	NA
Silver	7440-22-4	5.0	50	10	NA	NA	NA	NA	2.0 J	NA	NA	NA	NA	NA	NA	NA	NA
Sodium	7440-23-5	10,000	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	534,000	NA	NA	NA	NA	NA	NA	NA	NA
Vanadium	7440-62-2	20.0	30	6	NA	NA	NA	NA	7.3 J	NA	NA	NA	NA	NA	NA	NA	NA
Zinc	7440-66-6	50.0	5,000	2,500	NA	NA	NA	NA	6.1 J	NA	NA	NA	NA	NA	NA	NA	NA

**Notes:**

- 1 - Reporting Limit
  - 2 - Wisconsin Department of Natural Resources (WDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Enforcement Standard (ES).
  - 3 - Wisconsin Department of Natural Resources (WDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Preventive Action Limit (PAL).
  - 4 - ES and PAL values are listed as Trimethylbenzenes
  - 5 - An ES and PAL for this constituent has not been established.
  - B - The analyte was found in the associated blanks as well as the sample.
  - J - The analyte was detected above the quantitation limit. However, the quantitation limit is approximate.
  - L - Constituent detected in trip blank.
  - Q - The analyte was detected between the limit of detection (LOD) and the limit of quantitation (LOQ).
  - U - The analyte was not detected above the reported sample quantitation limit.
- Constituents detected at or above the ES are noted as **bold**.  
 Constituents detected at or above the PAL are noted as *italicized*.  
 Parameters not listed were not detected in any samples.  
 NA - Not Analyzed  
 ND - not detected above the reporting limit.  
 ug/L - micrograms per liter.

Updated by: AWG 5/23/2007  
 Checked by: MRF 5/24/2007  
 Reviewed by: FMB 6/8/2007

Table 5  
Summary of Groundwater Sample Detections (MW-4)  
Thomson Corporation  
Fond du Lac Reporter - Fond du Lac, Wisconsin

Monitoring Well		MW-4													
Date Sampled		6/25/1997	4/24/2000	11/12/2000	12/5/2001	9/23/2003	1/18/2005	4/19/2005	7/26/2005	10/18/2005	1/10/2006	4/11/2006	7/11/2006	10/24/2006	
Volatile Organic Compounds (USEPA Method 8260B)															
Analyte	CAS No.	RL	ES <sup>1</sup>	PAL <sup>2</sup>	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
Benzene	71-43-2	0.50	5	0.5	43	40.8	22	41	38.6	8.1	15	12	18	17	1.8
Bromomethane	74-83-9	0.50	10	1	NA	NA	NA	NA	NA	NA	NA	1.0	NA	NA	NA
n-Butylbenzene	104-51-8	0.50	- <sup>3</sup>	- <sup>3</sup>	5.0	ND	ND	ND	5.8	ND	ND	ND	ND	0.35	J
sec-Butylbenzene	135-98-8	0.50	- <sup>3</sup>	- <sup>3</sup>	6.0	ND	ND	6.4	8.0	1.8	Q	4.8	5.9	6.8	1.1
tert-Butylbenzene	98-06-6	0.50	- <sup>3</sup>	- <sup>3</sup>	ND	ND	ND	ND	3.9	ND	ND	2.0	Q	ND	ND
Chloromethane	74-87-3	0.50	3	0.3	ND	ND	ND	ND	ND	ND	0.30	Q	ND	36	ND
cis-1,2-Dichloroethene	156-59-2	0.50	70	7	ND	ND	7.2	ND	0.30	J	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	541-73-1	0.50	600	60	ND	ND	ND	NA	1.3	Q	ND	ND	ND	ND	ND
Ethylbenzene	100-41-4	0.50	700	140	11	12.3	ND	5.6	2.5	1.9	3.4	0.90	Q	1.5	J
Isopropylbenzene	98-82-8	0.50	- <sup>3</sup>	- <sup>3</sup>	34	ND	26	38	32.1	13	31	32	42	41	4.5
p-Isopropyltoluene	99-87-6	0.50	- <sup>3</sup>	- <sup>3</sup>	6.0	ND	ND	4.7	2.8	ND	0.80	Q	ND	1.3	1.3
Methylene Chloride	75-09-2	2.50	5	0.5	2.0	B	ND	2.0	LL	ND	ND	ND	ND	ND	ND
Naphthalene	91-20-3	2.50	40	8	42	ND	20	44	19.8	ND	ND	5.9	13	14	1.2
n-propylbenzene	10-36-51	0.50	- <sup>3</sup>	- <sup>3</sup>	30	ND	22	33	26.9	7.1	18	23	35	32	2.9
Toluene	108-88-3	0.50	0.001	0.0002	4.9	32.6	ND	2.9	1.0	ND	ND	0.85	Q	2.1	1.9
1,2,4-Trimethylbenzene	95-63-6	0.50	490 <sup>4</sup>	96 <sup>4</sup>	9.0	D	ND	14	7.5	3.1	ND	ND	1.2	Q	1.1
1,3,5-Trimethylbenzene	106-67-8	0.50	-	-	9.0	ND	3.0	0.70	2.9	ND	ND	ND	ND	0.20	J
Vinyl Chloride	75-01-4	0.50	0.2	0.02	ND	ND	ND	ND	0.40	J	ND	ND	ND	ND	ND
Xylenes, Total	1330-20-7	0.50	0.010	0.001	47	25.95	8.2	9.8	4.7	ND	ND	ND	2.8	2.2	0.63
PAH (USEPA Method 8310)															
Analyte	CAS No.	RL	ES	PAL	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
Acenaphthylene	208-98-8	1.18	- <sup>3</sup>	- <sup>3</sup>	NA	NA	NA	NA	3.3	ND	ND	NA	NA	NA	NA
Acenaphthene	83-32-9	1.18	- <sup>3</sup>	- <sup>3</sup>	NA	NA	NA	NA	NA	1.1	0.03	Q	NA	NA	NA
Anthracene	120-12-7	0.59	3000	600	NA	NA	NA	NA	NA	0.046	0.021	Q	NA	NA	NA
Benzo(a)anthracene	78-59-1	0.12	- <sup>3</sup>	- <sup>3</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.19	NA
Benzo(b)fluoranthene	95-48-7	0.12	0.2	0.02	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.25	J
Benzo(k)fluoranthene	84-66-2	0.16	- <sup>3</sup>	- <sup>3</sup>	NA	NA	NA	NA	NA	0.034	J	NA	NA	0.16	J
Benzo(g,h)perylene	193-39-5	0.24	- <sup>3</sup>	- <sup>3</sup>	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.26	J
Benzo(a)pyrene	65794-96-9	0.12	0.2	0.02	NA	NA	NA	NA	NA	0.057	NA	0.043	J	NA	0.22
Chrysene	91-20-3	0.12	0.2	0.02	NA	NA	NA	NA	NA	0.055	J	NA	NA	0.25	NA
Dibenz(a,h)anthracene	63-70-3	0.24	- <sup>3</sup>	- <sup>3</sup>	NA	NA	NA	NA	NA	0.066	J	NA	NA	NA	NA
Fluoranthene	206-44-0	0.24	400	80	NA	NA	NA	NA	NA	0.17	0.044	Q	0.30	J	NA
Fluorene	86-73-7	0.59	400	80	NA	NA	ND	ND	NA	NA	0.038	0.41	NA	NA	NA
Indeno(1,2,3-cd)pyrene	193-39-5	0.24	- <sup>3</sup>	- <sup>3</sup>	NA	NA	NA	NA	NA	0.057	J	NA	NA	0.20	J
1-Methylnaphthalene	90-12-0	-	- <sup>3</sup>	- <sup>3</sup>	NA	NA	1.6	8.0	NA	NA	0.90	3.3	3.3	NA	NA
2-Methylnaphthalene	91-57-6	-	- <sup>3</sup>	- <sup>3</sup>	NA	NA	ND	7.5	NA	NA	0.12	1.1	J	1.3	NA
Naphthalene	91-20-3	1.18	40	8	NA	NA	7.1	27	9.24	J	NA	1.0	6.1	7.7	NA
Phenanthrene	85-01-6	0.59	- <sup>3</sup>	- <sup>3</sup>	NA	NA	ND	ND	NA	NA	0.04	Q	0.26	NA	0.13
Pyrene	129-00-0	0.24	250	50	NA	NA	NA	NA	0.078	0.14	0.038	Q	0.34	NA	0.53
DRO	-	-	- <sup>3</sup>	- <sup>3</sup>	1.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
GRO	-	100	- <sup>3</sup>	- <sup>3</sup>	1.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Metals (USEPA Method 8010B)															
Analyte	CAS No.	RL	ES	PAL	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
Aluminum	7429-90-5	1000	- <sup>3</sup>	- <sup>3</sup>	NA	NA	NA	NA	1480	NA	NA	NA	NA	NA	NA
Barium	7440-39-3	10.0	2,000	4,000	NA	NA	NA	NA	526	490	550	560	490	180	290
Cadmium	7440-43-9	1.0	5	0.5	NA	NA	NA	NA	0.50	J	NA	NA	NA	NA	NA
Calcium	7440-70-2	10,000	- <sup>3</sup>	- <sup>3</sup>	NA	NA	NA	NA	330,000	NA	NA	NA	NA	NA	NA
Chromium	7440-47-3	5.0	100	10	NA	NA	NA	NA	3.2	J	NA	NA	NA	NA	NA
Cobalt	7440-48-4	20.0	40	8	NA	NA	NA	NA	4.2	J	NA	NA	NA	NA	NA
Copper	7440-50-8	10.0	1,300	130	NA	NA	NA	NA	30	NA	NA	NA	NA	NA	NA
Iron	7439-89-6	50.0	300	150	NA	NA	NA	NA	12,300	11,000	7,700	6,600	14,000	12,000	770
Lead	7439-92-1	5.0	15	1.5	5.1	NA	0.012	ND	12	NA	NA	NA	4.3	J	NA
Magnesium	7439-95-4	1,000	- <sup>3</sup>	- <sup>3</sup>	NA	NA	NA	NA	135,000	NA	NA	NA	NA	NA	NA
Manganese	7439-96-5	15.0	50	25	NA	NA	NA	NA	1,480	2,400	2,000	1,400	2,200	2,000	4,900
Potassium	7440-09-7	1,000	- <sup>3</sup>	- <sup>3</sup>	NA	NA	NA	NA	62,900	NA	NA	NA	NA	NA	NA
Silver	7440-22-4	5.0	50	10	NA	NA	NA	NA	1.4	J	NA	NA	NA	NA	NA
Sodium	7440-23-5	10,000	- <sup>3</sup>	- <sup>3</sup>	NA	NA	NA	NA	494,000	NA	NA	NA	NA	NA	NA
Vanadium	7440-62-2	20.0	30	6	NA	NA	NA	NA	9.3	J	NA	NA	NA	NA	NA
Zinc	7440-66-6	50.0	5,000	2,500	NA	NA	NA	NA	49	J	NA	NA	NA	NA	NA

Notes:

- Reporting Limit
  - Wisconsin Department of Natural Resources (WDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Enforcement Standard (ES).
  - Wisconsin Department of Natural Resources (WDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Preventive Action Limit (PAL).
  - ES and PAL values are listed as Trimethylbenzenes.
  - An ES and PAL for this constituent has not been established.
- B - The analyte was found in the associated blanks as well as the sample.  
 J - The analyte was detected above the quantitation limit. However, the quantitation limit is approximate.  
 L - Constituent detected in trip blank.  
 Q - The analyte was detected between the limit of detection (LOD) and the limit of quantitation (LOQ).  
 U - The analyte was not detected above the reported sample quantitation limit.  
 Constituents detected at or above the ES are noted as bold.  
 Constituents detected at or above the PAL are noted as italicized.  
 Parameters not listed were not detected in any samples.  
 NA - Not Analyzed  
 ND - not detected above the reporting limit.  
 ug/L - micrograms per liter.

Updated by: AWG 5/23/2007  
 Checked by: MRF 5/24/2007  
 Reviewed by: FMB 6/8/2007

Table 6  
Summary of Groundwater Sample Detections (MW-5)  
Thomson Corporation  
Fond du Lac Reporter - Fond du Lac, Wisconsin

Monitoring Well					MW-5													
Date Sampled					6/25/1997	4/24/2000	11/11/2000	12/5/2001	9/23/2003	1/19/2005	4/19/2005	7/26/2005	10/19/2005	1/10/2006	4/11/2006	7/11/2006	10/24/2006	
Volatile Organic Compounds (USEPA Method 8260B)					(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
Analyte	CAS No.	RL <sup>1</sup>	ES <sup>2</sup>	PAL <sup>3</sup>	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
Benzene	71-43-2	0.50	5	0.5	ND	ND	0.29	0.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Bromomethane	74-83-9	0.50	10	1	NA	NA	NA	NA	NA	NA	NA	0.69	NA	NA	NA	NA	NA	
Chloromethane	74-87-3	0.50	3	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Ethylbenzene	100-41-4	0.50	700	140	ND	ND	0.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Methylene Chloride	75-09-2	2.50	5	0.5	ND	ND	ND	0.27 LU	0.80 J	ND	ND	ND	ND	ND	ND	ND	ND	
Naphthalene	91-20-3	2.50	40	8	ND	ND	0.36	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
n-propylbenzene	10-36-51	0.50	<sup>5</sup>	<sup>5</sup>	ND	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Toluene	108-88-3	0.50	0.001	0.0002	ND	ND	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,2,4-Trimethylbenzene	95-63-6	0.50			ND	ND	2.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,3,5-Trimethylbenzene	108-67-8	0.50	480 <sup>4</sup>	96 <sup>4</sup>	ND	ND	0.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Xylenes, Total	1330-20-7	0.50	0.010	0.001	ND	ND	3.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
PAH (USEPA Method 8310)					(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
Analyte	CAS No.	RL	ES	PAL	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
Acenaphthylene	208-98-8	1.18	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	NA	3.3	ND	ND	NA	NA	NA	NA	NA	
Naphthalene	91-20-3	1.18	40	8	NA	NA	ND	ND	9.24 J	NA	NA	ND	ND	ND	NA	ND	NA	
Metals (USEPA Method 6010B)					(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
Analyte	CAS No.	RL	ES	PAL	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
Aluminum	7429-90-5	1000	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	585	NA	NA	NA	NA	NA	NA	NA	NA	
Barium	7440-39-3	10.0	2,000	4,000	NA	NA	NA	NA	76	81	96	25	25	270	260	53	27	
Calcium	7440-70-2	10,000	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	82,300	NA	NA	NA	NA	NA	NA	NA	NA	
Chromium	7440-47-3	5.0	100	10	NA	NA	NA	NA	1.9 J	NA	NA	NA	NA	NA	NA	NA	NA	
Cobalt	7440-48-4	20.0	40	8	NA	NA	NA	NA	3.4 J	NA	NA	NA	NA	NA	NA	NA	NA	
Copper	7440-50-8	10.0	1,300	130	NA	NA	NA	NA	10	NA	NA	NA	NA	NA	NA	NA	NA	
Iron	7439-89-6	50.0	300	150	NA	NA	NA	NA	1,270	ND	42 Q	85	330	62	ND	54	44 J	
Lead	7439-92-1	5.0	15	1.5	NA	NA	0.0015	0.0018	ND	NA	NA	NA	1.8 J	NA	ND	ND	ND	
Magnesium	7439-95-4	1,000	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	24,200	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese	7439-96-5	15.0	50	25	NA	NA	NA	NA	69	64	83	82	22	170	71	44	31 J	
Nickel	7440-02-0	10.0	100	20	NA	NA	NA	NA	12	NA	NA	NA	NA	NA	NA	NA	NA	
Potassium	7440-09-7	1,000	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	7,900	NA	NA	NA	NA	NA	NA	NA	NA	
Sodium	7440-23-5	10,000	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	66,500	NA	NA	NA	NA	NA	NA	NA	NA	
Vanadium	7440-62-2	20.0	30	6	NA	NA	NA	NA	7.5 J	NA	NA	NA	NA	NA	NA	NA	NA	
Zinc	7440-66-6	50.0	5,000	2,500	NA	NA	NA	NA	51	NA	NA	NA	NA	NA	NA	NA	NA	

Notes:

- 1 - Reporting Limit
  - 2 - Wisconsin Department of Natural Resources (WIDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Enforcement Standard (ES).
  - 3 - Wisconsin Department of Natural Resources (WIDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Preventive Action Limit (PAL).
  - 4 - ES and PAL values are listed as Trimethylbenzenes
  - 5 - An ES and PAL for this constituent has not been established.
  - B - The analyte was found in the associated blanks as well as the sample.
  - J - The analyte was detected above the quantitation limit. However, the quantitation limit is approximate.
  - L - Constituent detected in trip blank.
  - Q - The analyte was detected between the limit of detection (LOD) and the limit of quantitation (LOQ).
  - U - The analyte was not detected above the reported sample quantitation limit.
- Constituents detected at or above the ES are noted as **bold**.  
Constituents detected at or above the PAL are noted as *italicized*.  
Parameters not listed were not detected in any samples.  
NA - Not Analyzed  
ND - not detected above the reporting limit.  
ug/L - micrograms per liter.

Updated by: AWG 5/23/2007  
Checked by: MRF 5/24/2007  
Reviewed by: FMB 6/8/2007

**Table 7**  
**Summary of Groundwater Sample Detections (MW-6)**  
**Thomson Corporation**  
**Fond du Lac Reporter - Fond du Lac, Wisconsin**

Monitoring Well					MW-6													
Date Sampled					6/25/1997	4/24/2000	11/11/2000	12/5/2001	9/23/2003	1/19/2005	4/19/2005	7/26/2005	10/19/2005	1/10/2006	4/11/2006	7/11/2006	10/24/2006	
<b>Volatile Organic Compounds (USEPA Method 8260B)</b>																		
Analyte	CAS No.	RL <sup>1</sup>	ES <sup>2</sup>	PAL <sup>3</sup>	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
Benzene	71-43-2	0.50	5	0.5	ND	ND	4.0	2.6	7.3	2.6	1.4	0.81 Q	0.5 J	1.1	0.57 J	ND	0.29 J	ND
Bromomethane	74-83-9	0.50	10	1	NA	NA	NA	NA	NA	NA	NA	NA	0.31 J	NA	NA	NA	NA	NA
Chloromethane	74-87-3	0.50	3	0.3	ND	ND	ND	ND	ND	ND	ND	ND	26	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	156-59-2	0.50	70	7	ND	ND	1.1	0.51	1.1	1.0 Q	ND	ND	ND	0.53 J	ND	ND	ND	ND
Methylene Chloride	75-09-2	2.50	5	0.5	ND	ND	ND	ND	0.4 J	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	91-20-3	2.50	40	8	ND	ND	ND	ND	ND	ND	ND	ND	0.3 J	ND	ND	0.86	0.62 J	ND
1,2,4-Trimethylbenzene	95-63-6	0.50	480 <sup>4</sup>	96 <sup>4</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.23 J	ND
Vinyl Chloride	75-01-4	0.50	0.2	0.02	ND	ND	0.56	ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Metals (USEPA Method 6010B)</b>																		
Analyte	CAS No.	RL	ES	PAL	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
Aluminum	7429-90-5	1000	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	399	NA	NA	NA	NA	NA	NA	NA	NA	NA
Barium	7440-39-3	10.0	2,000	4,000	NA	NA	NA	NA	434	470	390	440	410	400	320	340	400	400
Cadmium	7440-43-9	1.0	5	0.5	NA	NA	NA	NA	0.50 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Calcium	7440-70-2	10,000	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	210,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chromium	7440-47-3	5.0	100	10	NA	NA	NA	NA	2.8 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Cobalt	7440-48-4	20.0	40	8	NA	NA	NA	NA	4.2 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Copper	7440-50-8	10.0	1,300	130	NA	NA	NA	NA	2.4 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	7439-89-6	50.0	300	150	NA	NA	NA	NA	10,600	4,600	1,400	11,000	21,000	9,000	4,000	7,900	16,000	16,000
Magnesium	7439-95-4	1,000	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	139,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	7439-96-5	15.0	50	25	NA	NA	NA	NA	607	650	560	580	540	570	540	610	570	570
Potassium	7440-09-7	1,000	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	27,800	NA	NA	NA	NA	NA	NA	NA	NA	NA
Silver	7440-22-4	5.0	50	10	NA	NA	NA	NA	2.5 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sodium	7440-23-5	10,000	<sup>5</sup>	<sup>5</sup>	NA	NA	NA	NA	491,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vanadium	7440-62-2	20.0	30	6	NA	NA	NA	NA	9.5 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Zinc	7440-66-6	50.0	5,000	2,500	NA	NA	NA	NA	9.6 J	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Notes:**

- <sup>1</sup> - Reporting Limit
- <sup>2</sup> - Wisconsin Department of Natural Resources (WIDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Enforcement Standard (ES).
- <sup>3</sup> - Wisconsin Department of Natural Resources (WIDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Preventive Action Limit (PAL).
- <sup>4</sup> - ES and PAL values are listed as Trimethylbenzenes
- <sup>5</sup> - An ES and PAL for this constituent has not been established.
- J - The analyte was detected above the quantitation limit. However, the quantitation limit is approximate.
- L - Constituent detected in trip blank.
- Q - The analyte was detected between the limit of detection (LOD) and the limit of quantitation (LOQ).
- U - The analyte was not detected above the reported sample quantitation limit.
- Constituents detected at or above the ES are noted as **bold**.
- Constituents detected at or above the PAL are noted as *italicized*.
- Parameters not listed were not detected in any samples.
- NA - Not Analyzed
- ND - not detected above the reporting limit.
- ug/L - micrograms per liter.

Updated by: AWG 5/23/2007  
 Checked by: MRF 5/24/2007  
 Reviewed by: FMB 6/8/2007

Table 8  
Summary of Groundwater Sample Detections (MW-7)  
Thomson Corporation  
Fond du Lac Reporter - Fond du Lac, Wisconsin

Monitoring Well					MW-7														
Date Sampled					6/25/1997	4/24/2000	11/12/2000	12/5/2001	9/23/2003	1/20/2005	4/19/2005	7/26/2005	10/18/2005	1/10/2006	4/11/2006	7/11/2006	10/24/2006		
Volatile Organic Compounds (USEPA Method 8260B)																			
Analyte	CAS No.	RL <sup>1</sup>	ES <sup>2</sup>	PAL <sup>3</sup>	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)		
Benzene	71-43-2	0.50	5	0.5	ND	ND	25	7.6	2.6	1.3	1.6	1.0	Q	0.70	1.6	ND	1.8	1.1	
Chloromethane	74-87-3	0.50	3	0.3	ND	ND	ND	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	
cis-1,2-Dichloroethene	156-59-2	0.50	70	7	ND	ND	6.8	3.0	7.2	2.5	3.5	22	9.4	2.9	ND	ND	18	9.7	
Isopropylbenzene	98-82-8	0.50	- <sup>5</sup>	- <sup>5</sup>	ND	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Methylene Chloride	75-09-2	2.50	5	0.5	ND	ND	ND	0.52	LU	0.40	J	ND	ND	ND	ND	ND	ND	ND	
Toluene	108-88-3	0.50	0.001	0.0002	ND	ND	0.36	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Trichloroethene	79-01-6	0.50	5	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.20	J	ND
1,2,4-Trimethylbenzene	95-63-6	0.50			ND	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	108-67-8	0.50	480 <sup>4</sup>	96 <sup>4</sup>	ND	ND	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	75-01-4	0.50	0.2	0.02	ND	ND	3.5	1.8	2.1	0.63	0.42	Q	2.2	1.3	0.58	J	ND	1.8	2.1
Xylenes, Total	1330-20-7	0.50	0.010	0.001	ND	ND	1.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Metals (USEPA Method 6010B)																			
Analyte	CAS No.	RL	ES	PAL	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
Aluminum	7429-90-5	1000	- <sup>5</sup>	- <sup>5</sup>	NA	NA	NA	NA	67	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Barium	7440-39-3	10.0	2,000	4,000	NA	NA	NA	NA	259	160	190	250	210	150	79	110	160	160	160
Cadmium	7440-43-9	1.0	5	0.5	NA	NA	NA	NA	0.70	J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Calcium	7440-70-2	10,000	- <sup>5</sup>	- <sup>5</sup>	NA	NA	NA	NA	125,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chromium	7440-47-3	5.0	100	10	NA	NA	NA	NA	3.7	J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Cobalt	7440-48-4	20.0	40	8	NA	NA	NA	NA	4.6	J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Copper	7440-50-8	10.0	1,300	130	NA	NA	NA	NA	3.7	J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	7439-89-6	50.0	300	150	NA	NA	NA	NA	5,540	1,800	290	1,800	2,700	250	21	J	120	3,800	3,800
Lead	7439-92-1	5.0	15	1.5	NA	NA	0.0018	ND	ND	NA	NA	NA	NA	NA	ND	ND	0.60	J	ND
Magnesium	7439-95-4	1,000	- <sup>5</sup>	- <sup>5</sup>	NA	NA	NA	NA	98,900	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	7439-96-5	15.0	50	25	NA	NA	NA	NA	409	190	500	450	390	200	47	360	360	360	360
Nickel	7440-02-0	10.0	100	20	NA	NA	NA	NA	3.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Potassium	7440-09-7	1,000	- <sup>5</sup>	- <sup>5</sup>	NA	NA	NA	NA	46,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Silver	7440-22-4	5.0	50	10	NA	NA	NA	NA	4.2	J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sodium	7440-23-5	10,000	- <sup>5</sup>	- <sup>5</sup>	NA	NA	NA	NA	512,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vanadium	7440-62-2	20.0	30	6	NA	NA	NA	NA	8.7	J	NA	NA	NA	NA	NA	NA	NA	NA	NA
Zinc	7440-66-6	50.0	5,000	2,500	NA	NA	NA	NA	24	J	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:

- <sup>1</sup> - Reporting Limit
- <sup>2</sup> - Wisconsin Department of Natural Resources (WIDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Enforcement Standard (ES).
- <sup>3</sup> - Wisconsin Department of Natural Resources (WIDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Preventive Action Limit (PAL).
- <sup>4</sup> - ES and PAL values are listed as Trimethylbenzenes
- <sup>5</sup> - An ES and PAL for this constituent has not been established.
- J - The analyte was detected above the quantitation limit. However, the quantitation limit is approximate.
- L - Constituent detected in trip blank.
- Q - The analyte was detected between the limit of detection (LOD) and the limit of quantitation (LOQ).
- U - The analyte was not detected above the reported sample quantitation limit.
- Constituents detected at or above the ES are noted as **bold**.
- Constituents detected at or above the PAL are noted as *italicized*.
- Parameters not listed were not detected in any samples.
- NA - Not Analyzed
- ND - not detected above the reporting limit.
- ug/L - micrograms per liter.

Updated by: AWG 5/23/2007  
Checked by: MRF 5/24/2007  
Reviewed by: FMB 6/8/2007

Table 9  
Summary of Groundwater Sample Detections (MW-8)  
Thomson Corporation  
Fond du Lac Reporter - Fond du Lac, Wisconsin

Monitoring Well					MW-8															
Date Sampled					6/25/1997	4/24/2000	11/11/2000	12/4/2001	9/23/2003	1/18/2005	4/19/2005	7/26/2005	10/18/2005	1/10/2006	4/11/2006	7/11/2006	10/24/2006			
<b>Volatle Organic Compounds (USEPA Method 8260B)</b>																				
Analyte	CAS No.	RL <sup>1</sup>	ES <sup>2</sup>	PAL <sup>3</sup>	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)			
Acetone	67-64-1	50	1,000	200	ND	ND	ND	ND	9.4	J	ND	ND	ND	ND	ND	ND	ND			
Benzene	71-43-2	0.50	5	0.5	ND	ND	180	210	101	27	23	44	16	10	20	280	71			
n-Butylbenzene	104-51-8	0.50	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.47	J		
sec-Butylbenzene	135-98-8	0.50	5	5	ND	ND	ND	1.4	3.1	ND	ND	ND	0.40	J	0.30	J	ND	0.53	J	
Chloromethane	74-87-3	0.50	3	0.3	ND	ND	ND	3.2	0.4	J	ND	ND	ND	36	ND	ND	ND	ND	ND	
cis-1,2-Dichloroethene	156-59-2	0.50	70	7	ND	ND	6.5	J	3.5	3.2	2.8	2.3	Q	1.2	Q	2.6	3.6	ND	ND	
Ethylbenzene	100-41-4	0.50	700	140	ND	ND	51	19	8.1	1.9	3.9	5.9	3.6	2.0	2.0	5.0	2.7	2.7	2.7	
Isopropylbenzene	98-82-8	0.50	5	5	ND	ND	12	7.6	3.6	ND	0.9	Q	1.4	Q	0.83	0.65	J	0.88	2.6	
p-isopropyltoluene	99-87-6	0.50	5	5	ND	ND	ND	ND	2.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Methylene Chloride	75-09-2	2.50	5	0.5	ND	ND	ND	4.7	LU	ND	ND	ND	6.8	ND	ND	ND	ND	ND	ND	
Naphthalene	91-20-3	2.50	40	8	ND	ND	16	7.8	4.8	ND	ND	3.4	0.82	J	0.37	J	0.72	J	0.80	J
n-propylbenzene	10-36-51	0.50	5	5	ND	ND	29	16	5.7	1.0	Q	2.2	Q	1.4	Q	1.8	1.4	J	2.6	4.0
Toluene	108-88-3	0.50	0.001	0.0002	ND	ND	15	4.8	1.6	ND	ND	2.3	0.93	0.54	J	0.66	J	5.5	1.9	
1,2,4-Trimethylbenzene	95-63-6	0.50	480 <sup>4</sup>	96 <sup>4</sup>	ND	ND	140	45	7.0	3.5	1.9	Q	5.5	5.4	4.1	3.0	3.2	3.4	3.4	
1,3,5-Trimethylbenzene	108-67-8	0.50			ND	ND	35	11	2.8	0.87	Q	ND	ND	1.4	0.48	J	0.66	J	0.43	J
Vinyl Chloride	75-01-4	0.50	0.2	0.02	ND	ND	ND	1.8	1.4	ND	ND	ND	0.77	1.7	0.46	J	ND	0.99	0.99	
Xylenes, Total	1330-20-7	0.50	0.010	0.001	ND	ND	290	80	8.1	2.6	Q	2.9	Q	9.6	6.9	3.6	2.6	11	7.2	
<b>PAH (USEPA Method 8310)</b>																				
Analyte	CAS No.	RL	ES	PAL	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)			
Acenaphthene	83-32-9	1.18	5	5	NA	NA	NA	NA	NA	NA	ND	0.022	Q	NA	NA	NA	NA			
Anthracene	120-12-7	0.59	3000	600	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA	NA			
Fluoranthene	206-44-0	0.24	400	80	NA	NA	NA	NA	NA	NA	ND	0.031	Q	ND	NA	0.097	J			
Fluorene	86-73-7	0.59	400	80	NA	NA	0.27	J	ND	NA	NA	NA	NA	NA	NA	NA	NA			
1-Methylnaphthalene	90-12-0	-	5	5	NA	NA	3.8	1.0	NA	NA	NA	0.11	ND	ND	NA	NA	NA			
2-Methylnaphthalene	91-57-6	-	5	5	NA	NA	7.9	ND	NA	NA	NA	0.044	ND	ND	NA	NA	NA			
Naphthalene	91-20-3	1.18	40	8	NA	NA	14	4.9	ND	NA	NA	ND	ND	ND	NA	0.64	J			
Phenanthrene	85-01-8	0.59	5	5	NA	NA	0.036	ND	NA	NA	NA	0.017	Q	ND	NA	ND	NA			
Pyrene	129-00-0	0.24	250	50	NA	NA	NA	NA	NA	ND	ND	0.025	Q	ND	NA	ND	NA			
<b>Metals (USEPA Method 6010B)</b>																				
Analyte	CAS No.	RL	ES	PAL	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)			
Aluminum	7429-90-5	1000	5	5	NA	NA	NA	NA	70	J	NA	NA	NA	NA	NA	NA	NA			
Barium	7440-39-3	10.0	2,000	4,000	NA	NA	NA	NA	469	450	410	480	450	400	370	430	440			
Calcium	7440-70-2	10,000	5	5	NA	NA	NA	NA	181,000	NA	NA	NA	NA	NA	NA	NA	NA			
Chromium	7440-47-3	5.0	100	10	NA	NA	NA	NA	1.6	J	NA	NA	NA	NA	NA	NA	NA			
Cobalt	7440-48-4	20.0	40	8	NA	NA	NA	NA	3.1	J	NA	NA	NA	NA	NA	NA	NA			
Iron	7439-89-6	50.0	300	150	NA	NA	NA	NA	11,500	9,900	11,000	13,000	12,000	9,300	13,000	13,000	11,000			
Lead	7439-92-1	5.0	15	1.5	NA	NA	0.0013	ND	ND	NA	NA	NA	ND	NA	3.4	J	ND			
Magnesium	7439-95-4	1,000	5	5	NA	NA	NA	NA	138,000	NA	NA	NA	NA	NA	NA	NA	NA			
Manganese	7439-96-5	15.0	50	25	NA	NA	NA	NA	488	540	510	510	550	480	590	560	520			
Potassium	7440-09-7	1,000	5	5	NA	NA	NA	NA	42,900	NA	NA	NA	NA	NA	NA	NA	NA			
Silver	7440-22-4	5.0	50	10	NA	NA	NA	NA	1.5	J	NA	NA	NA	NA	NA	NA	NA			
Sodium	7440-23-5	10,000	5	5	NA	NA	NA	NA	417,000	NA	NA	NA	NA	NA	NA	NA	NA			
Vanadium	7440-62-2	20.0	30	6	NA	NA	NA	NA	7.2	J	NA	NA	NA	NA	NA	NA	NA			
Zinc	7440-66-6	50.0	5,000	2,500	NA	NA	NA	NA	8.5	J	NA	NA	NA	NA	NA	NA	NA			

Notes:

- 1 - Reporting Limit
  - 2 - Wisconsin Department of Natural Resources (WDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Enforcement Standard (ES).
  - 3 - Wisconsin Department of Natural Resources (WDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Preventive Action Limit (PAL).
  - 4 - ES and PAL values are listed as Trimethylbenzenes
  - 5 - An ES and PAL for this constituent has not been established.
  - J - The analyte was detected above the quantitation limit. However, the quantitation limit is approximate.
  - L - Constituent detected in trip blank.
  - Q - The analyte was detected between the limit of detection (LOD) and the limit of quantitation (LOQ).
  - U - The analyte was not detected above the reported sample quantitation limit.
- Constituents detected at or above the ES are noted as **bold**.  
 Constituents detected at or above the PAL are noted as *italicized*.  
 Parameters not listed were not detected in any samples.  
 NA - Not Analyzed  
 ND - not detected above the reporting limit.  
 ug/L - micrograms per liter.

Updated by: AWG 5/23/2007  
 Checked by: MRF 5/24/2007  
 Reviewed by: FMB 6/8/2007

**Table 10**  
**Summary of Groundwater Sample Detections (MW-9)**  
**Thomson Corporation**  
**Fond du Lac Reporter - Fond du Lac, Wisconsin**

Monitoring Well					MW-9												
Date Sampled					6/25/1997	4/24/2000	11/11/2000	12/5/2001	9/23/2003	1/19/2005	4/20/2005	7/26/2005	10/18/2005	1/10/2006	4/11/2006	7/11/2006	10/24/2006
<b>Volatile Organic Compounds (USEPA Method 8260B)</b>																	
Analyte	CAS No.	RL <sup>1</sup>	ES <sup>2</sup>	PAL <sup>3</sup>	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
Benzene	71-43-2	0.50	5	0.5	ND	ND	0.20	0.30	ND	ND	ND	ND	ND	ND	ND	ND	0.21 J
cis-1,2-Dichloroethene	156-59-2	0.50	70	7	ND	ND	5.1	7.5	7.5	5.2	4.0	5.4	8.5	6.7	ND	6.9	10
Methylene Chloride	75-09-2	2.50	5	0.5	ND	ND	ND	0.67 LU	ND	ND	ND	2.3	ND	ND	ND	ND	ND
Naphthalene	91-20-3	2.50	40	8	ND	ND	ND	ND	0.30 J	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	108-88-3	0.50	0.001	0.0002	ND	ND	0.11	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	95-63-6	0.50	480 <sup>4</sup>	96 <sup>4</sup>	ND	ND	ND	0.14	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	75-01-4	0.50	0.2	0.02	ND	ND	3.9	4.6	3.3	1.9	1.6	2.0	2.4	2.3	1.7	2.2	3.4
<b>Metals (USEPA Method 6010B)</b>																	
Analyte	CAS No.	RL	ES	PAL	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
Aluminum	7429-90-5	1000	- <sup>5</sup>	- <sup>5</sup>	NA	NA	NA	NA	166	NA	NA	NA	NA	NA	NA	NA	NA
Barium	7440-39-3	10.0	2,000	4,000	NA	NA	NA	NA	322	310	310	370	330	270	320	350	310
Cadmium	7440-43-9	1.0	5	0.5	NA	NA	NA	NA	0.70 J	NA	NA	NA	NA	NA	NA	NA	NA
Calcium	7440-70-2	10,000	- <sup>5</sup>	- <sup>5</sup>	NA	NA	NA	NA	172,000	NA	NA	NA	NA	NA	NA	NA	NA
Chromium	7440-47-3	5.0	100	10	NA	NA	NA	NA	3.3 J	NA	NA	NA	NA	NA	NA	NA	NA
Cobalt	7440-48-4	20.0	40	8	NA	NA	NA	NA	5.1 J	NA	NA	NA	NA	NA	NA	NA	NA
Copper	7440-50-8	10.0	1,300	130	NA	NA	NA	NA	3.3 J	NA	NA	NA	NA	NA	NA	NA	NA
Iron	7439-89-6	50.0	300	150	NA	NA	NA	NA	6,350	3,800	2,300	5,600	7,700	3,400	6,200	6,100	5,100
Lead	7439-92-1	5.0	15	1.5	NA	NA	ND	ND	ND	NA	NA	NA	ND	NA	ND	0.67 J	ND
Magnesium	7439-95-4	1,000	- <sup>5</sup>	- <sup>5</sup>	NA	NA	NA	NA	144,000	NA	NA	NA	NA	NA	NA	NA	NA
Manganese	7439-96-5	15.0	50	25	NA	NA	NA	NA	684	670	740	630	760	620	720	760	650
Nickel	7440-02-0	10.0	100	20	NA	NA	NA	NA	4.1 J	NA	NA	NA	NA	NA	NA	NA	NA
Potassium	7440-09-7	1,000	- <sup>5</sup>	- <sup>5</sup>	NA	NA	NA	NA	41,900	NA	NA	NA	NA	NA	NA	NA	NA
Selenium	7782-49-2	10.0	50	10	NA	NA	NA	NA	4.4 J	NA	NA	NA	NA	NA	NA	NA	NA
Silver	7440-22-4	5.0	50	10	NA	NA	NA	NA	3.8 J	NA	NA	NA	NA	NA	NA	NA	NA
Sodium	7440-23-5	10,000	- <sup>5</sup>	- <sup>5</sup>	NA	NA	NA	NA	526,000	NA	NA	NA	NA	NA	NA	NA	NA
Vanadium	7440-62-2	20.0	30	6	NA	NA	NA	NA	8.5 J	NA	NA	NA	NA	NA	NA	NA	NA
Zinc	7440-66-6	50.0	5,000	2,500	NA	NA	NA	NA	14.2 J	NA	NA	NA	NA	NA	NA	NA	NA

**Notes:**

- <sup>1</sup> - Reporting Limit
- <sup>2</sup> - Wisconsin Department of Natural Resources (WDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Enforcement Standard (ES).
- <sup>3</sup> - Wisconsin Department of Natural Resources (WDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Preventive Action Limit (PAL).
- <sup>4</sup> - ES and PAL values are listed as Trimethylbenzenes
- <sup>5</sup> - An ES and PAL for this constituent has not been established.
- J - The analyte was detected above the quantitation limit. However, the quantitation limit is approximate.
- L - Constituent detected in trip blank.
- Q - The analyte was detected between the limit of detection (LOD) and the limit of quantitation (LOQ).
- U - The analyte was not detected above the reported sample quantitation limit.
- Constituents detected at or above the ES are noted as **bold**.
- Constituents detected at or above the PAL are noted as *italicized*.
- Parameters not listed were not detected in any samples.
- NA - Not Analyzed
- ND - not detected above the reporting limit.
- ug/L - micrograms per liter.

Updated by: AWG 5/23/2007  
 Checked by: MRF 5/24/2007  
 Reviewed by: FMB 6/8/2007

**Table 11**  
**Summary of Groundwater Sample Detections (MW-10)**  
**Thomson Corporation**  
**Fond du Lac Reporter - Fond du Lac, Wisconsin**

Monitoring Well					MW-10															
Date Sampled					6/25/1997	4/24/2000	11/11/2000	12/5/2001	9/23/2003	1/19/2005	4/19/2005	7/26/2005	10/18/2005	1/10/2006	4/12/2006	7/11/2006	10/24/2006			
<b>Volatile Organic Compounds (USEPA Method 8260B)</b>																				
Analyte	CAS No.	RL <sup>1</sup>	ES <sup>2</sup>	PAL <sup>3</sup>	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)			
1,1-Dichloroethene	75-35-4	0.50	7	0.7	NA	NA	NA	0.50	NA	NA	NA	NA	NA	NA	NA	NA	NA			
cis-1,2-Dichloroethene	156-59-2	0.50	70	7	ND	ND	ND	<b>130</b>	<b>76.6</b>	53	49	51	7.5	<b>74</b>	28	45	51			
trans-1,2-Dichloroethene	156-60-5	0.50	100	20	ND	ND	ND	1.2	1.2	ND	ND	ND	1.1	J	ND	ND	ND			
Methylene Chloride	75-09-2	2.50	5	0.5	ND	ND	ND	0.41	LU	ND										
Tetrachloroethene	127-18-4	0.50	5	0.5	ND	ND	ND	0.37	0.50	ND										
Trichloroethene	79-01-6	0.50	5	0.5	ND	ND	ND	<b>580</b>	<b>970</b>	<b>300</b>	<b>410</b>	<b>580</b>	<b>430</b>	<b>480</b>	<b>270</b>	<b>240</b>	<b>390</b>			
Vinyl Chloride	75-01-4	0.50	0.2	0.02	ND	ND	ND	14	56	25	4.6	4.6	6.6	14	ND	2.5	J	7.4		
<b>Metals (USEPA Method 6010B)</b>																				
Analyte	CAS No.	RL	ES	PAL	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)			
Aluminum	7429-90-5	1000	4	4	NA	NA	NA	NA	63	J	NA									
Antimony	7440-36-0	10.0	6	1.2	NA	NA	NA	NA	26	NA										
Barium	7440-39-3	10.0	2,000	4,000	NA	NA	NA	NA	101	93	79	96	85	79	80	99	85			
Cadmium	7440-43-9	1.0	5	0.5	NA	NA	NA	NA	0.50	J	NA									
Calcium	7440-70-2	10,000	4	4	NA	NA	NA	NA	133,000	NA										
Chromium	7440-47-3	5.0	100	10	NA	NA	NA	NA	111	NA										
Cobalt	7440-48-4	20.0	40	8	NA	NA	NA	NA	6.3	J	NA									
Copper	7440-50-8	10.0	1,300	130	NA	NA	NA	NA	5.1	J	NA									
Iron	7439-89-6	50.0	300	150	NA	NA	NA	NA	309	26	Q	ND	22	Q	51	ND	ND	J	ND	
Lead	7439-92-1	5.0	15	1.5	NA	NA	NA	ND	ND	NA	NA	NA	ND	NA	ND	ND	0.75	J	ND	
Magnesium	7439-95-4	1,000	4	4	NA	NA	NA	NA	320,000	NA										
Manganese	7439-96-5	15.0	50	25	NA	NA	NA	NA	7.4	J	8.0	8.5	13	49	23	3.0	J	3.1	J	14
Nickel	7440-02-0	10.0	100	20	NA	NA	NA	NA	3.8	J	NA	NA								
Potassium	7440-09-7	1,000	4	4	NA	NA	NA	NA	93,700	NA										
Selenium	7782-49-2	10.0	50	10	NA	NA	NA	NA	5.0	J	NA									
Silver	7440-22-4	5.0	50	10	NA	NA	NA	NA	4.5	J	NA									
Sodium	7440-23-5	10,000	4	4	NA	NA	NA	NA	552,000	NA										
Vanadium	7440-62-2	20.0	30	6	NA	NA	NA	NA	8.4	J	NA									
Zinc	7440-66-6	50.0	5,000	2,500	NA	NA	NA	NA	2.3	J	NA									

**Notes:**

- <sup>1</sup> - Reporting Limit
- <sup>2</sup> - Wisconsin Department of Natural Resources (WDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Enforcement Standard (ES).
- <sup>3</sup> - Wisconsin Department of Natural Resources (WDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Preventive Action Limit (PAL).
- <sup>4</sup> - ES and PAL values are listed as Trimethylbenzenes
- <sup>5</sup> - An ES and PAL for this constituent has not been established.
- J - The analyte was detected above the quantitation limit. However, the quantitation limit is approximate.
- L - Constituent detected in trip blank.
- Q - The analyte was detected between the limit of detection (LOD) and the limit of quantitation (LOQ).
- U - The analyte was not detected above the reported sample quantitation limit.
- Constituents detected at or above the ES are noted as **bold**.
- Constituents detected at or above the PAL are noted as *italicized*.
- Parameters not listed were not detected in any samples.
- NA - Not Analyzed
- ND - not detected above the reporting limit.
- ug/L - micrograms per liter.

Updated by: AWG 5/23/2007  
 Checked by: MRF 5/24/2007  
 Reviewed by: FMB 6/8/2007

Table 12  
Summary of Groundwater Sample Detections (MW-11)  
Thomson Corporation  
Fond du Lac Reporter - Fond du Lac, Wisconsin

Monitoring Well					MW-11													
Date Sampled					6/25/1997	4/24/2000	11/11/2000	12/7/2001	9/23/2003	1/19/2005	4/20/2005	7/26/2005	10/18/2005	1/10/2006	4/12/2006	7/11/2006	10/24/2006	
Volatile Organic Compounds (USEPA Method 8260B)					(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
Analyte	CAS No.	RL <sup>1</sup>	ES <sup>2</sup>	PAL <sup>3</sup>	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
Benzene	71-43-2	0.50	5	0.5	ND	NA	NA	ND	ND	ND	ND	ND	0.65 J	ND	ND	ND	ND	
Chloromethane	74-87-3	0.50	3	0.3	NA	NA	NA	NA	NA	NA	NA	NA	42	NA	NA	NA	NA	
1,1-Dichloroethene	75-35-4	0.50	7	0.7	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.2	ND	
cis-1,2-Dichloroethene	156-59-2	0.50	70	7	ND	NA	NA	7.6	2.3	1.7 Q	3.4	3.3	7.1	3.8	2.0	4.3	ND	
Methylene Chloride	75-09-2	2.50	5	0.5	ND	NA	ND	ND	ND	ND	ND	3.8	ND	ND	ND	ND	ND	
Naphthalene	91-20-3	2.50	40	8	NA	NA	ND	1.8 L	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Trichloroethene	79-01-6	0.50	5	0.5	ND	ND	ND	3.2	1.7	0.90 Q	1.6 Q	1.4 Q	1.9	1.4	1.4	1.2	ND	
Vinyl Chloride	75-01-4	0.50	0.2	0.02	ND	NA	ND	0.89	ND	ND	ND	ND	ND	ND	ND	ND	ND	
PAH (USEPA Method 8310)					(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
Analyte	CAS No.	RL	ES	PAL	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
DRO	-	-	- <sup>4</sup>	- <sup>4</sup>	1.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
GRO	-	100	- <sup>4</sup>	- <sup>4</sup>	1.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Metals (USEPA Method 6010B)					(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
Analyte	CAS No.	RL	ES	PAL	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
Aluminum	7429-90-5	1000	- <sup>4</sup>	- <sup>4</sup>	NA	NA	NA	NA	72	NA	NA	NA	NA	NA	NA	NA	NA	
Barium	7440-39-3	10.0	2,000	4,000	NA	NA	NA	NA	68	55	72	70	62	77	58	64	92	
Cadmium	7440-43-9	1.0	5	0.5	NA	NA	NA	NA	0.60 J	NA	NA	NA	NA	NA	NA	NA	NA	
Calcium	7440-70-2	10,000	- <sup>4</sup>	- <sup>4</sup>	NA	NA	NA	NA	206,000	NA	NA	NA	NA	NA	NA	NA	NA	
Cobalt	7440-48-4	20.0	40	8	NA	NA	NA	NA	8.2 J	NA	NA	NA	NA	NA	NA	NA	NA	
Copper	7440-50-8	10.0	1,300	130	NA	NA	NA	NA	3.3 J	NA	NA	NA	NA	NA	NA	NA	NA	
Iron	7439-89-6	50.0	300	150	NA	NA	NA	NA	306	ND	29 Q	25 Q	28 J	73	100	34 J	1,800	
Lead	7439-92-1	5.0	15	1.5	NA	NA	NA	ND	ND	NA	NA	ND	NA	ND	0.81 J	16	16	
Magnesium	7439-95-4	1,000	- <sup>4</sup>	- <sup>4</sup>	NA	NA	NA	NA	310,000	NA	NA	NA	NA	NA	NA	NA	NA	
Manganese	7439-96-5	15.0	50	25	NA	NA	NA	NA	333	250	22	160	210	81	52	160	1,100	
Nickel	7440-02-0	10.0	100	20	NA	NA	NA	NA	7.1 J	NA	NA	NA	NA	NA	NA	NA	NA	
Potassium	7440-09-7	1,000	- <sup>4</sup>	- <sup>4</sup>	NA	NA	NA	NA	521,000	NA	NA	NA	NA	NA	NA	NA	NA	
Selenium	7782-49-2	10.0	50	10	NA	NA	NA	NA	7.0 J	NA	NA	NA	NA	NA	NA	NA	NA	
Silver	7440-22-4	5.0	50	10	NA	NA	NA	NA	4.4 J	NA	NA	NA	NA	NA	NA	NA	NA	
Sodium	7440-23-5	10,000	- <sup>4</sup>	- <sup>4</sup>	NA	NA	NA	NA	490,000	NA	NA	NA	NA	NA	NA	NA	NA	
Vanadium	7440-62-2	20.0	30	6	NA	NA	NA	NA	6.4 J	NA	NA	NA	NA	NA	NA	NA	NA	
Zinc	7440-66-6	50.0	5,000	2,500	NA	NA	NA	NA	10.6 J	NA	NA	NA	NA	NA	NA	NA	NA	

Notes:

- <sup>1</sup> - Reporting Limit
- <sup>2</sup> - Wisconsin Department of Natural Resources (WDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Enforcement Standard (ES).
- <sup>3</sup> - Wisconsin Department of Natural Resources (WDNR) Chapter NR 140.10 - Table 1 - Public Health Groundwater Quality Standards (ug/L) or NR 140.12 - Table 2 - Public Welfare Groundwater Quality Standards (ug/L) - Preventive Action Limit (PAL).
- <sup>4</sup> - A ES and PAL for this constituent has not been established.
- J - The analyte was detected above the quantitation limit. However, the quantitation limit is approximate.
- L - Constituent detected in trip blank.
- Q - The analyte was detected between the limit of detection (LOD) and the limit of quantitation (LOQ).
- U - The analyte was not detected above the reported sample quantitation limit.
- Constituents detected at or above the ES are noted as **bold**.
- Constituents detected at or above the PAL are noted as *italicized*.
- Parameters not listed were not detected in any samples.
- NA - Not Analyzed
- ND - not detected above the reporting limit.
- ug/L - micrograms per liter.

Updated by: AWG 5/23/2007  
Checked by: MRF 5/24/2007  
Reviewed by: FMB 6/8/2007

**Table 1**  
**Groundwater Elevation Data (September 2003 through October 2006 Sampling Events)**  
 Thomson Corporation  
 Fond du Lac Reporter - Fond du Lac, Wisconsin

Monitoring Well ID	Casing Elevation	Top of Screen Depth (ft. btoc) <sup>1</sup>	Top of Screen Elevation (ft. msl) <sup>2</sup>	Bottom of Screen Depth (ft. btoc) <sup>1</sup>	Bottom of Screen Elevation (ft. msl) <sup>2</sup>	September 23, 2003		January 18, 2005		April 19, 2005		July 26, 2005	
						Water Level Depth (ft. btoc) <sup>1</sup>	Water Level Elevation (ft. msl) <sup>2</sup>	Water Level Depth (ft. btoc) <sup>1</sup>	Water Level Elevation (ft. msl) <sup>2</sup>	Water Level Depth (ft. btoc) <sup>1</sup>	Water Level Elevation (ft. msl) <sup>2</sup>	Water Level Depth (ft. btoc) <sup>1</sup>	Water Level Elevation (ft. msl) <sup>2</sup>
						MW-1	755.34	NA	NA	NA	NA	7.50	747.84
MW-2	755.16	NA	NA	NA	NA	7.44	747.72	8.73	746.43	7.70	747.46	7.85	747.31
MW-3	755.01	NA	NA	NA	NA	7.30	747.71	8.16	746.85	7.57	747.44	7.52	747.49
MW-4	755.66	NA	NA	NA	NA	7.87	747.79	8.55	747.11	8.14	747.52	8.12	747.54
MW-5	754.89	3.6	751.29	13.6	741.29	7.20	747.69	7.59	747.30	7.61	747.28	7.47	747.42
MW-6	754.79	3.6	751.19	13.6	741.19	7.03	747.76	7.33	747.46	7.28	747.51	7.20	747.59
MW-7	756.40	3.6	752.80	13.6	742.80	8.58	747.82	7.81	748.59	8.77	747.63	8.73	747.67
MW-8	755.07	3.6	751.47	13.6	741.47	7.34	747.73	7.59	747.48	7.91	747.16	7.54	747.53
MW-9	758.47	9.6	748.87	19.6	738.87	10.74	747.73	10.97	747.50	10.99	747.48	10.92	747.55
MW-10	756.72	5.6	751.12	15.1	741.62	8.32	748.40	9.40	747.32	8.19	748.53	8.35	748.37
MW-11	756.60	6.1	750.50	15.6	741.00	8.23	748.37	8.83	747.77	8.21	748.39	8.57	748.03

Monitoring Well ID	Casing Elevation	Top of Screen Depth (ft. btoc) <sup>1</sup>	Top of Screen Elevation (ft. msl) <sup>2</sup>	Bottom of Screen Depth (ft. btoc) <sup>1</sup>	Bottom of Screen Elevation (ft. msl) <sup>2</sup>	October 18, 2005		January 10, 2006		April 11, 2006		July 11, 2006		October 24, 2006	
						Water Level Depth (ft. btoc) <sup>1</sup>	Water Level Elevation (ft. msl) <sup>2</sup>	Water Level Depth (ft. btoc) <sup>1</sup>	Water Level Elevation (ft. msl) <sup>2</sup>	Water Level Depth (ft. btoc) <sup>1</sup>	Water Level Elevation (ft. msl) <sup>2</sup>	Water Level Depth (ft. btoc) <sup>1</sup>	Water Level Elevation (ft. msl) <sup>2</sup>	Water Level Depth (ft. btoc) <sup>1</sup>	Water Level Elevation (ft. msl) <sup>2</sup>
						MW-1	755.34	NA	NA	NA	NA	7.81	747.53	7.83	747.51
MW-2	755.16	NA	NA	NA	NA	7.66	747.50	7.75	747.41	7.43	747.73	7.50	747.66	7.61	747.55
MW-3	755.01	NA	NA	NA	NA	7.50	747.51	7.55	747.46	7.32	747.69	7.35	747.66	7.41	747.60
MW-4	755.66	NA	NA	NA	NA	8.13	747.53	8.16	747.50	6.95	748.71	7.68	747.98	8.09	747.57
MW-5	754.89	3.6	751.29	13.6	741.29	7.49	747.40	7.59	747.30	7.40	747.49	7.35	747.54	7.48	747.41
MW-6	754.79	3.6	751.19	13.6	741.19	7.25	747.54	7.28	747.51	6.92	747.87	6.74	748.05	7.16	747.63
MW-7	756.40	3.6	752.80	13.6	742.80	8.79	747.61	8.81	747.59	8.20	748.20	8.64	747.76	8.61	747.79
MW-8	755.07	3.6	751.47	13.6	741.47	7.57	747.50	7.58	747.49	7.28	747.79	7.10	747.97	7.45	747.62
MW-9	758.47	9.6	748.87	19.6	738.87	10.94	747.53	10.96	747.51	10.64	747.83	10.72	747.75	10.87	747.60
MW-10	756.72	5.6	751.12	15.1	741.62	8.51	748.21	7.98	748.74	7.42	749.30	8.50	748.22	7.91	748.81
MW-11	756.60	6.1	750.50	15.6	741.00	8.45	748.15	7.91	748.69	7.32	749.28	8.42	748.18	7.86	748.74

**NOTES:**

<sup>1</sup> - ft. btoc indicates feet below top of casing.

<sup>2</sup> - ft. msl indicates feet above mean sea level.

Casing elevations from a survey conducted on September 23, 2003.

Prepared by PGU 4/18/2007  
 Checked by MRF 4/19/2007  
 Reviewed by RMB 4/20/2007

**Golder Associates Inc.**

820 South Main Street, Suite 100  
Saint Charles, MO USA 63301  
Telephone (636) 724-9191  
Fax (636) 724-9323  
www.golder.com



November 19, 2007

Our Ref: 033-9640

City of Fond du Lac  
City Clerk  
160 South Macy Street  
Fond du Lac, Wisconsin 54935

**R + R - OSH  
RECEIVED**

Attn: Sue L. Strands, City Clerk

NOV 26 2007

**RE: NOTIFICATION LETTER  
FOND DU LAC REPORTER  
FOND DU LAC, WISCONSIN**

**TRACKED   
REVIEWED**

Dear Ms. Strands:

Golder Associates Inc. (Golder) has performed an environmental investigation and remediation at the Fond du Lac Reporter property located at 33 West Second Street, Fond du Lac, Wisconsin, 54935 (Site) on behalf of The Thomson Corporation (Thomson).

Groundwater contamination appears to have originated at the Site. The levels of benzene contamination in the groundwater at the Site are above the state groundwater enforcement standards found in Chapter NR 140, Wisconsin Administrative Code. However, Golder's investigation has shown that this groundwater contaminant plume is stable or receding and will naturally degrade over time. The Wisconsin Department of Natural Resources (DNR) has accepted natural attenuation as the final remedy for the Site. According to DNR, the 'petroleum contamination on the site from the vicinity of the former underground storage tanks appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code.'

This letter serves as notification that residual soil and groundwater contamination is located in the right-of-way at the corner of Macy Street and West First Street. The soil has a benzene level above the Residual Contaminant Level standard. The benzene level in the groundwater is below the Enforcement Standard, but above the Preventive Action Limit. Excavation of potentially impacted soil or groundwater may pose inhalation or other direct contact hazards. Soil and groundwater sampling and analysis will be required for any and all excavated materials. Based on the results of the analysis, proper storage, treatment or disposal for any and all excavated materials may be necessary.



---

If you need more information, you may contact the undersigned at (636) 724-9191, or you may contact Kevin McKnight at (920) 424-3050 or Casey Jones at (920) 303-5424 with the DNR.

Sincerely,

**GOLDER ASSOCIATES INC.**



Matthew R. Foresman, RG  
Project Geological Engineer



Frederick M. Booth, PG  
Principal and Senior Consultant

cc: Mr. Mark O. Lentz, City of Fond du Lac, Public Works Department  
Mr. Charles Moleski, The Thomson Corporation  
Mr. Kevin D. McKnight, Wisconsin Department of Natural Resources  
Ms. Casey Jones, Wisconsin Department of Natural Resources