

GIS REGISTRY

Cover Sheet

July, 2008
(RR 5367)

Source Property Information

BRRTS #:

ACTIVITY NAME:

PROPERTY ADDRESS:

MUNICIPALITY:

PARCEL ID #:

CLOSURE DATE:

FID #:

DATCP #:

COMM #:

*WTM COORDINATES:

X: Y:

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
 Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Land Use Controls:

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between residential and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government or economic
development corporation)*

Monitoring wells properly abandoned? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: 02-24-208366 PARCEL ID #: 206020710000

ACTIVITY NAME: Former Berlin Foundry WTM COORDINATES: X: 604442 Y: 388421

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title: Plat Survey for Berlin Foundry**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 **Title: Site Location Map**
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2 **Title: Site Plan Map**
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 3 **Title: Estimated Limits of Soil Contamination**

BRRTS #: 02-24-208366

ACTIVITY NAME: Former Berlin Foundry

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: **Title:**

Figure #: **Title:**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: **Title:**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 4 **Title: Groundwater elevation contour map**

Figure #: **Title:**

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 1 **Title: Soil Analytical Results**

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 2 **Title: Groundwater Analytical Results**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: **Title:**

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: **Title:**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 02-24-208366

ACTIVITY NAME: Former Berlin Foundry

NOTIFICATIONS

Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.
Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.
Number of "Off-Source" Letters:
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).
Number of "Governmental Unit/Right-Of-Way Owner" Letters:



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Ronald W. Kazmierczak, Regional Director

Oshkosh Service Center
625 E. CTY Y, Suite 700
Oshkosh, Wisconsin 54901-9731
Telephone 920-424-3050
FAX 920-424-4404
TTY Access via relay - 711

December 4, 2008

Mr. Wade Schwartz
Citation Wisconsin Casting
242 South Pearl Street
Berlin, WI 54923

SUBJECT: Final Case Closure with Land Use Limitations or Conditions
Former Berlin Foundry, 242 S. Pearl St., Berlin, WI
WDNR BRRTS Activity #: 02-24-208366

Dear Mr. Schwartz:

On August 21, 2008, the Northeast Regional Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On August 21, 2008, you were notified that the Closure Committee had granted conditional closure to this case.

On December 1, 2008 the Department received correspondence indicating that you have complied with the requirements of closure. The conditions of the closure stated that monitoring wells on the property must be abandoned with proper documentation

Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

GIS Registry

The conditions of case closure set out below in this letter require that your site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed

Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which you and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. It is the Department's intent to conduct inspections in the future to ensure that the conditions included in this letter including compliance with referenced maintenance plans are met.

Remaining Residual Soil Contamination

Residual soil contamination remains in the area of the old foundation on the property as indicated in the information submitted to the Department of Natural Resources. If soil in the specific locations described above is excavated in the future, then pursuant to ch. NR 718 or, if applicable, ch. 289, Stats., and chs. 500 to 536, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken to prevent a direct contact health threat to humans.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact Kevin McKnight at 920-424-7890.

Sincerely,



Kate L. Kramer
Hydrogeologist
Remediation & Redevelopment Program

cc: File
Brian Youngwirth, Midwest Engineering Services (byoungwirth@midwesteng.com)



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Ronald W. Kazmierczak, Regional Director

Oshkosh Service Center
625 E. CTY Y, Suite 700
Oshkosh, Wisconsin 54901-9731
Telephone 920-424-3050
FAX 920-424-4404
TTY Access via relay - 711

August 21, 2008

Mr. Wade Schwartz
Citation Wisconsin Casting
242 South Pearl Street
Berlin, WI 54923



Subject: Conditional Closure Decision,
With Requirements to Achieve Final Closure
Former Berlin Foundry, 242 South Pearl Street, Berlin, Wisconsin
WDNR BRRTS Activity # 02-24-208366

Dear Mr. Wade Schwartz:

On August 21, 2008, the Department of Natural Resources reviewed your request for closure of the case described above. The Department reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Department has determined that the petroleum contamination on the site discovered during the 1998 geotechnical investigation appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

MONITORING WELL ABANDONMENT

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to Kevin McKnight on Form 3300-005 found at <http://dnr.wi.gov/org/water/dwg/gw/> or provided by the Department of Natural Resources.

PURGE WATER, WASTE AND SOIL PILE REMOVAL

Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Once that work is completed, please send appropriate documentation regarding the treatment or disposal of the remaining purge water, waste and/or soil piles.

When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at (920) 424-7890.

Sincerely,

A handwritten signature in blue ink, appearing to read "K. McKnight", is written over a red stamp that says "FILE COPY" and a blue rectangular stamp.

Kevin McKnight
Hydrogeologist
Remediation & Redevelopment Program

cc: File
Brian Youngwirth

239440

WARRANTY DEED
VOL 345 PAGE 590

Register of Deeds Office (ss
Green Lake County, Wis.)

Received for record this 11th day of
Mar. A. D. 1986 at 3:30 o'clock
P. M. and recorded in Vol. 345 of
Records on page 590.

Richard A. Williams
Register of Deeds
Sydney R. Koch, Deputy

RETURN TO John F. Gable, Esq.
Godfrey & Kahn, S.C.
780 North Water Street
Milwaukee, WI 53202

PD. 6.00E MSH
3:30 PM
Tax Parcel No. 2330

This Deed, made between McQuay Inc., a Minnesota corporation
and Berlin Foundry Corporation, a Wisconsin corporation
Grantor,
Grantee,

Witnesseth, That the said Grantor, for a valuable consideration
conveys to Grantee the following described real estate in Green Lake
County, State of Wisconsin:

A parcel of land in the NE 1/4 of Section 9, Township 17 North, Range 13 East, and the NW 1/4 of Section 10, Township 17 North, Range 13 East, City of Berlin, Green Lake County, Wisconsin, more particularly described as "Parcel 2" in Exhibit "A" attached hereto

TRANSFER
\$2937.00
EEE

This is not homestead property.
(is) (is not)

Together with all and singular the hereditaments and appurtenances thereunto belonging;
And Grantor warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except easements and restrictions of record

and will warrant and defend the same.

Dated this 7th day of March, 1986.

(SEAL)
Witness: *Rance A. Tol* (SEAL)
Asst Secretary

McQuay Inc. (SEAL)
By: *Thomas J. Holland* (SEAL)
Thomas J. Holland - Vice President

AUTHENTICATION

Signature(s) _____
authenticated this _____ day of _____, 19____

TITLE: MEMBER STATE BAR OF WISCONSIN

(if not authorized by § 706.05, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Michael Capolo & Associates
2001 Ross Avenue, 3600 LTV Center,
Dallas, Texas 75201
(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN }
Dallas } ss.
County. }
Personally came before me this 7th day of
March, 1986 the above named

Thomas J. Holland

to me known to be the person who executed the foregoing instrument and acknowledge the same.

Susan Adams
Notary Public
My Commission is permanent (if not, state expiration date: *November 20, 1989*)

Change of address notice to notary should be typed or printed below their signature.

PARCEL 1:

Leasehold estate created by indenture of lease entered into by and between City of Berlin, Wisconsin as lessor and McQuay-Perfer, Inc. as lessee, dated November 1, 1973 and recorded December 27, 1973 in Volume 252 of Records on page 160 as Document No. 201861 devising premises situated in the City of Berlin, County of Green Lake, Wisconsin described as follows:

Lot One (1) of Certified Survey Map 637 as recorded in Volume 3 of Certified Survey Maps on page 637 in the office of the Register of Deeds for Green Lake County, Wisconsin EXCEPT commencing at the Northeast corner of Lot 1 of Certified Survey Map 637, said point being the southwest corner of Ceresco Street and Capron Street; thence N89°56'35"W 70.00 feet along the South right of way line of Ceresco Street to the point of beginning; thence continuing N89°56'35"W 100.00 feet along said right of way line; thence S00°09'25"W parallel to the West right of way line of Capron Street, 100.00 feet; thence S89°56'35"E 100.00 feet; thence N00°09'25"E, 100.00 feet to the point of beginning.

PARCEL 2:

A parcel of land in the Northeast Quarter (NE $\frac{1}{4}$) of section Nine (9), Township Seventeen (10) North, Range Thirteen (13) East and the Northwest Quarter (NW $\frac{1}{4}$) of Section Ten (10) Township 17 North, Range 13 East, City of Berlin, Green Lake County, Wisconsin, more particularly described as follows: commencing at the Northeast corner of said Section 9, T. 17 N., R. 13 E., thence South 1735.95 feet along the Section line common to said Sections 9 and 10 to the point of beginning. Thence S63°34'12"E, 297.44 feet; thence N21°06'40"E, 92.09 feet to the Southeast corner of Block 17, "1st Addition to the city of Berlin"; thence including all of Lots 11, 12 and 13, Block 17, 1st Addition to the City of Berlin as follows: N75°18'59"W, 137.62 feet; thence N00°03'26"W, 175.83 feet; thence S89°56'54"E, 133.00 feet; thence S00°05'00"E, 210.59 feet. Thence S21°06'40"W, 92.09 feet to the east line of the W $\frac{1}{2}$ of Lot 4 in Block 22, of said 1st Addition; thence S00°04'36"E, 52.85 feet along said east line to a point plus or minus 18 feet from the Fox River; thence meandering along the Fox River as follows: N86°12'45"W, 154.67 feet; thence N89°34'40"W, 422.12 feet; thence N77°42'55"W, 497.87 feet; thence N60°25'15"W 397.44 feet; thence N26°49'25"W, 242.16 feet; thence N05°56'05"E, 230.12 feet; thence N44°23'15"E, 335.70 feet; thence N33°09'21"E, 233.27 feet; thence N00°09'25"E, 15.38 feet, to the south line of Ceresco Street, plus or minus 17 feet easterly of the Fox River at the end of said meander line; thence N89°56'35"W, 17 feet plus or minus, along said south line of Ceresco Street to the Fox River. Thence backtracking S89°56'35"E 17 feet plus or minus, to the previously occupied end point of said meander line; thence S00°09'25"W, 15.38 feet; thence S00°09'25"W, 84.62 feet; thence S89°56'35"E, 100.00 feet; thence N00°09'25"E, 100.00 feet to the south line of Ceresco Street; thence S89°56'35"E, 70.00 feet along said south line of Ceresco Street to the westerly right of way of vacated Capron Street. Thence S89°56'35"E, 33.00 feet to the centerline of said vacated Capron Street. Thence S00°09'25"W, 264.89 feet along said centerline of vacated Capron Street; thence S89°56'56"E, 33.00 feet to the east line of vacated Capron Street at the Northwest corner of Lot 7, Block 14, 1st Addition to the City of Berlin; thence continuing S89°56'56"E, 265.28 feet along the north lines of Lots 7 and 12, Block 14, 1st Addition to the city of Berlin to the West line of Pearl Street at the Northeast corner of Lot 12 of said Block 14; thence S00°01'57"W, 198.59 feet along said west line of Pearl Street to the Southeast corner of Lot 11 of said Block 14, which is at the intersection of Pearl Street and Union Street; thence continuing S00°01'57"W, 66.00 feet to the Northeast corner of Lot 1, Block 15 of said 1st Additional to the City of Berlin; thence S89°55'50"E, 66.00 feet to the Northwest corner of Lot 4 Block 16 of said 1st Addition to the city of Berlin; thence S00°01'57"W, 132.40 feet to the Southwest corner of said Lot 4; thence N89°58'03"W, 33.00 feet to the centerline of vacated Pearl Street; thence S00°01'57"W, 132.39 feet along said centerline of vacated Pearl Street; thence S89°58'03"E, 33.00 feet to the Southwest corner of Lot 6 of said Block 16; thence S63°28'49"E, 148.68 feet; thence S00°00'02"E, 4.01 feet; thence along a curve, concave northerly, having a chord of S62°52'08"E, 74.77 feet, with a radius of 922.00 feet and with a central angle of 04°38'50"; thence S63°25'31"E, 74.42 feet to the westerly line of Wisconsin Street on the east line of Lot 11 of said Block 16; thence S00°01'53"E, 61.18 feet along said westerly line of Wisconsin Street and said easterly line of Lot 11 to the Southeast corner of Lot 11; thence continuing S00°01'53"E, 15.72 feet; thence S63°34'12"E, 36.56 feet to the point of beginning. EXCEPTING ANY PART OF PARCEL 1 described above which may be a part of this description.

* * * * *

GREEN LAKE COUNTY
RECEIVED FOR RECORD

9:00 A.M.

OCT 21 1994

Vol. 436 of Rec. Pg. 458.

Shirley G. Williams
REGISTER OF DEEDS

This instrument affects the parcels of real estate described below:

PARCEL A:

Vacated South Pearl Street Description.

The North 264 feet of that portion of vacated South Pearl Street lying South of the South margin of West Union Street, in the City of Berlin, Green Lake County, Wisconsin.

PARCEL B:

Foundry Legal Description (that portion adjoining vacated South Pearl Street described above). Lot 3 of Certified Survey Map No. 637, as recorded in Vol. 3 of CSM's on Page 637, located in the City of Berlin, Green Lake County, Wisconsin. (Includes parts of Lots 1, 2 and 13, Block 15, First Addition to the City of Berlin).

Also, all that part of Lots 1, 2, 3, 4, 5, 11, 12, and 13, Block 15 in the First Addition to the City of Berlin described as follows: Beginning at a point in the North Line of Lot 4 in said Block 15 distant 30 feet East of the Northwest Corner thereof; thence southeasterly on a straight line to a point in the East Line of said Lot 4 distant 61 feet South of the Northeast Corner thereof; thence southeasterly on a straight line to a point in the South Line of Lot 3 distant 15 feet West of the Southeast Corner thereof; thence southeasterly on a straight line to a point in the South Line of Lot 13 distant 90 feet West of the Southeast Corner thereof; thence southeasterly on a straight line to a point in the South Line of Lot 12 distant 17 feet West of the Southeast Corner thereof; thence continue southeasterly on a straight line to a point in the East Line of Lot 11 distant 12 feet South of the Northeast Corner thereof; thence North along the East Line of Lots 11, 12, and 13 for a distance of 102 feet to a point distant 24 feet North of the Southeast Corner of Lot 13; thence northwesterly on a straight line to a point in the North Line of said Lot 13 distant 41 feet West of the Northeast Corner thereof; thence northwesterly on a straight line to a point in the East Line of the West Half of Lot 2 distant 60 feet South of the Northeast Corner thereof; thence North along the East Line of the West Half of said Lot 2 for a distance of 60 feet to the North Line of Lot 2; thence West along the North Line of Lots 2, 3, and 4 for a distance of 135 feet to the place of beginning.

Also, all other adjoining real estate owned by the Berlin Foundry Corporation which is not described above.

Together with that portion of vacated South Pearl Street lying east and adjacent thereto.

PARCEL C:

Kuklinski Legal Description. Lot 6, Block 16, First Addition to the City of Berlin, Green Lake County, Wisconsin, according to the recorded plat thereof. Including that portion of vacated South Pearl Street which adjoins said Lot 6 on the West side thereof.

PARCEL D:

Gebco Legal Description (that portion adjoining vacated South Pearl Street described above). Lots 4 and 5, Block 16, First Addition to the City of Berlin, Green Lake County, Wisconsin, according to the recorded plat thereof. Also vacated Pearl Street West and adjacent.

Atty. John C. Koch
115-A South Wisconsin
Berlin, WI 54923
(414) 361-3802

J.C.K.
10/21/94

EASEMENT AGREEMENT

This agreement is made between Berlin Foundry Corporation (hereafter referred to as "the Foundry"), Kuklinski Corp. of Berlin, d/b/a D.K. Trucking (hereafter "Kuklinski"), and ~~Gebco, Inc. (hereafter "Gebco")~~ / A.L. Gebhardt, Division of US Leather, Inc., a/k/a A.L. Gebhardt, Inc., a/k/a Berlin Leather, a/k/a Gebco, Inc. (hereafter "Gebco"). WHEREAS Parcel A was vacated by resolution of the Common Council of the City of Berlin dated December 29, 1980, and recorded in Volume 309 of Records on Page 220 as Document #224377, and

WHEREAS the above parties are the current owners of Parcels B, C and D which abut the above described Parcel A on the East and West sides thereof, and

WHEREAS the above parties and their predecessors in title have jointly used Parcel A since the date of vacation and desire to enter into an agreement allowing each party and its successors and assigns the right to the continued unobstructed use of said vacated street for ingress and egress to Parcel B in the case of the Foundry, to Parcel C in the case of Kuklinski and to Parcel D in the case of Gebco.

NOW, THEREFORE, in consideration of \$1.00 in hand paid by each to the other, and in consideration of the mutual covenants herein contained, it is agreed as follows:

1. *Easement.* Each of the above parties hereby grants an easement for ingress and egress over that portion of Parcel A that is owned by that party. The easement shall extend to the other parties hereto and their employees and persons having business with them. The easement shall be for the exclusive purpose of ingress to and egress from Parcel B in the case of the Foundry, from Parcel C in the case of Kuklinski, and from Parcel D in the case of Gebco, either in vehicles or on foot, but shall not be used for the purpose of storing thereon any goods or other property or for parking purposes unless otherwise agreed.

2. *Obstructions.* The parties hereto agree not to obstruct, impede or interfere one with the other in the reasonable use of Parcel A for the purpose of ingress and egress to and from their respective properties. It is understood and agreed that one gate has already been erected and that other gates may be erected by agreement of the parties to restrict public access to the vacated street or for other reasons.

3. *Maintenance.* The parties hereto agree to keep their respective portions of Parcel A in a usable and neat manner so that the overall appearance of Parcel A is that of one street; and the parties agree to share equally the cost of necessary maintenance and repair to Parcel A; provided, however, that any repairs necessitated by the negligent or reckless conduct of a party or their agents, employees or guests shall be paid for by that party. The Foundry will remove snow from the vacated street sufficient to provide ingress and egress over the street for Foundry employees and others having business with the Foundry. If any party shall undertake to remove snow from Parcel A, such party shall not thereby be liable for any inadvertent damage caused thereby to the surface of the vacated street or to vehicles or other equipment on or by the vacated street.

4. *Superior mortgage.* This agreement is subordinate and subject to any prior mortgage given by any party to a financial institution; provided, however, that nothing contained in this clause shall preclude any such financial institution from benefitting from this agreement if it should so elect upon said institution obtaining possession of the property of the mortgaging party.

5. *Drafter.* This agreement was drafted by Attorney John Koch at the request of Kuklinski Corp. Because the agreement benefits all three parties the parties agree to share equally in the legal fees and recording fees provided said costs do not exceed \$700 in total. The parties also agree that any ambiguities arising in the future regarding this agreement shall be resolved if at all possible by amicable discussions among the parties, and the Foundry and Gebco agree not to invoke the rule of contract law holding that contracts are construed against the party drafting them in the event of any ambiguity.

6. *Binding effect.* This agreement shall be binding upon the parties hereto and their respective successors and assigns. This agreement shall be considered to be a covenant running with the land with regard to Parcels B, C and D.

IN WITNESS WHEREOF the parties have hereunto set their hands and seals on the dates on which their signatures were acknowledged below.

Dated this 14th day of October 1994.



(Corporate Seal, if any)

BERLIN FOUNDRY CORPORATION

BY Walter L. Nocito
Walter L. Nocito

BY _____

KUKLINSKI CORP. OF BERLIN

BY * Dale Kuklinski
Dale Kuklinski

BY * Natalie Kuklinski
Natalie Kuklinski

BY A.L. Gebhardt Division of

(Corporate Seal, if any)

BY Gordon Little
Gordon Little

BY _____

ACKNOWLEDGMENTS

Personally came before me this 14 day of October, 1994, the above named Walter L. Nocito and _____ to me known to be the Exec Vice Presidents and _____ of Berlin Foundry Corporation.

Bonnie M. Acker
Bonnie M. Acker
Notary Public, Wisconsin
My commission: 4-95

Personally came before me this 5th day of October, 1994, the above named Dale Kuklinski and Natalie Kuklinski to me known to be the president and secretary of Kuklinski Corp. of Berlin.


John C. Koch
John C. Koch
Notary Public, Wisconsin
My commission is permanent.

Personally came before me this 14th day of October, 1994, the above named Gordon Little and _____ to me known to be the General Manager and _____ of Gebco, Inc.

A. S. Libhardt
Division of U.S. Letter, Inc.
Mary Ellen Muraszewski
Notary Public, Wisconsin
My commission: July 1, 1995

This instrument drafted by John C. Koch, Lawyer, Berlin, Wisconsin.

Pd. 14.00ck



STATE OF WISCONSIN) S.S.
COUNTY OF GREEN LAKE)

I, D. William Karns, Green Lake County Surveyor, Certificate S-823, do hereby certify that by the order of Attorney Milton Spoehr, I have made a survey of a parcel of land located in the NE $\frac{1}{4}$ of Section 9, Town 17 North, Range 13 East, and the NW $\frac{1}{4}$ of Section 10, Town 17 North, Range 13 East, City of Berlin, Green Lake County, Wisconsin, described as follows:

Commencing at the Northeast corner of said Section 9, thence South, 1735.95 feet along the section line between said Sections 9 and 10 to the point of beginning; thence S63°34'12"E, 297.44 feet; thence N21°06'40"E, 92.09 feet to the Southeast corner of Block 17, "1st Addition to the City of Berlin"; thence including all of Lots 11, 12, and 13, Block 17, as follows:
N75°18'59"W, 137.62 feet; thence N00°03'26"W, 175.83 feet;
thence S89°56'54"E, 133.00 feet; thence S00°05'00"E, 210.59 feet;
thence S21°06'40"W, 92.09 feet to the East line of the West one-half of Lot 4, Block 22;
thence S00°04'36"E, 52.85 feet along said East line to a meander line; thence along said meander line as follows:
N86°12'45"W, 154.67 feet; thence N89°34'40"W, 422.12 feet;
thence N77°42'55"W, 497.87 feet; thence N60°25'15"W, 397.44 feet;
thence N26°49'25"W, 242.16 feet; thence N05°56'05"E, 230.12 feet;
thence N44°23'15"E, 335.70 feet; thence N33°09'21"E, 251.63 feet
to the South line of Ceresco Street;
thence S89°56'35"E, 160.00 feet along said South street line to the West line of Capron Street; thence S00°09'25"W, 529.53 feet along said West street line to the South line of Union Street; thence S89°57'33"E, 96.21 feet along said South street line; thence S30°37'33"E, 70.92 feet to the East line of Lot 4, Block 15; thence S35°43'21"E, 87.98 feet to the South line of Lot 3, Block 15; thence S41°13'15"E, 88.08 feet to the South line of Lot 13, Block 15; thence S47°45'34"E, 98.55 feet to the South line of Lot 12, Block 15; thence S54°44'39"E, 20.81 feet to the West line of Pearl Street; thence N00°01'57"E, 102.20 feet along said West street line; thence including part of Lots 1, 2, and 13, Block 15, as follows:
N44°08'22"W, 58.84 feet to the South line of said Lot 1; thence N39°01'07"W, 93.24 feet to the West line of the East one-half of said Lot 2; thence N00°04'45"E, 60.00 feet along said West line to the South line of Union Street; thence S89°57'33"E, 99.70 feet along said South street line to the West line of Pearl Street;
thence S00°01'57"W, 174.60 feet along said West street line;
thence continuing S00°01'57"W, 102.20 feet along said West street line; thence S50°33'28"E, 85.42 feet to the East line of Pearl Street; thence along the arc of a curve to the left, radius 988.00 feet; chord of which bears S60°28'15"E, 229.43 feet to the West line of Lot 11, Block 16; thence S64°09'25"E, 45.08 feet to the South line of said Lot 11; thence S89°55'13"E, 26.00 feet along said South lot line to the Southeast Corner of said Block 16; thence S00°01'53"E, 15.72 feet along the West line of Wisconsin Street; thence S63°34'12"E, 36.56 feet to the point of beginning.

Together with the lands between the herein described meander line and the Fox River and all riparian rights. Subject to utility easements located in Lot 1 of this Certified Survey Map. Said parcel contains 19.4 acres, more or less, and is subject to easements of record.

I further certify that the within drawing is a correct representation of the boundaries surveyed and that I have fully complied with the provisions of Chapter 236 of the revised statutes of the State of Wisconsin in surveying and mapping the same.

D. William Karns
D. William Karns, Registered Land Surveyor, Certificate S-823

STATE OF WISCONSIN)
COUNTY OF GREEN LAKE) S.S.

Received for-record this 8th day of November 1973 at 11:30 clock A.M. and recorded in Volume Three of Certified Survey Maps for Green Lake County in the Office of the Register of Deeds on page 637.

Jeanne E. Kohnke
Jeanne E. Kohnke, Register of Deeds

637

PLAT OF SURVEY FOR BERLIN FOUNDRY

CSM 1991, CSM 637, PARTS OF BLOCKS 13,14,15,16,17,22,23 AND 24 OF THE 1ST ADDITION TO STRONGVILLE, NOW CITY OF BERLIN, ALSO PARTS OF VACATED UNION STREET, VACATED PEARL STREET, VACATED WISCONSIN STREET, VACATED CAPRON STREET, AND VACATED RIVER STREET. ALSO PART OF THE NE1/4 OF SECTION 9, T17N, R13E, CITY OF BERLIN, GREEN LAKE COUNTY, WISCONSIN

**1,044,812 Square Feet
23.99 Acres**

NOTES AND BOUNDS DESCRIPTION

Beginning at the NE Corner of Lot 1 Block 15; thence S89°55'50"E along the South line of Union Street 66.00'; thence S00°01'57"W along the East line of Vacated Pearl Street 132.40'; thence N89°58'03"E 33.00'; thence S00°01'57"W along the Centerline of Vacated Pearl Street 132.39'; thence S89°58'03"E 33.00'; thence S63°28'49"E 148.66'; thence S00°00'02"E 4.01' to a point on a curve to the left having a central angle of 04°38'50" and a radius of 922.00'; thence Southeasterly 74.78' along the arc of said curve whose chord bears S62°52'08"E 74.77'; thence S63°25'31"E 74.42' to a point on the west line of Wisconsin Street; thence S00°01'53"E along said line 76.90'; thence S63°34'12"E 46.59'; thence S75°18'59"E along the Centerline of Vacated River Street 162.76'; thence N00°03'26"W 209.25'; thence S89°56'54"E 133.00'; thence S00°05'00"E along the West line of Adams Street 244.72' to a point on the Centerline of Vacated River Street; thence N75°18'59"W along said line 34.26'; thence S00°04'36"E 113.32' to a point on the meanderline of the Fox River located 18'± from the water's edge; thence N86°12'45"W along said meanderline 154.67'; thence N89°34'40"W along said meanderline 422.12'; thence N77°42'55"W 497.97'; thence N60°25'15"W 397.44'; thence N26°49'25"W 242.16'; thence N05°56'05"E 230.12'; thence N44°23'15"E 355.70'; thence N33°09'21"E 233.27' to a point located S00°09'25"W 15.38' from the South line of Ceresco Street; thence N00°09'25"E 15.38' to a point located S89°56'35"E 17'± from the water's edge; thence S00°09'25"W 100.00'; thence S89°56'35"E 100.00'; thence N00°09'25"E 100.00' to a point on the South line of Ceresco Street; thence S89°56'35"E along said line 268.36'; thence S00°06'03"W 264.87'; thence S89°56'56"E 132.62' to a point on the West line of Pearl Street; thence S00°01'57"W along said line 264.59' to the Point of Beginning. Subject to all easements and restrictions of record. Including all lands between the meanderline and water's edge. Portion may lie within floodplain boundaries.


SURVEYOR'S CERTIFICATE

I, Michael A. Moe, Registered Land Surveyor, hereby certify that under the direction of Berlin Foundry, I have surveyed and mapped the lands shown hereon. I further certify that I have performed said survey according to the official records and in full compliance with Wisconsin Statutes and local Subdivision Regulations. I further certify that the plat of the lands as shown hereon correctly represents all of the exterior boundaries of the land surveyed.

Dated this 8th day of May, 1995.

Michael A. Moe
Michael A. Moe, RLS 2066
Drafted by M. Moe







	BEARING	DISTANCE		BEARING	DISTANCE
1.	S63°34'12"E	297.44'	19.	S89°57'33"E	30.21'
2.	N21°06'40"E	92.09'	20.	S30°37'33"E	70.92'
3.	N75°18'59"W	137.62'	21.	S35°43'21"E	87.98'
4.	N00°03'26"W	175.83'	22.	S41°13'15"E	88.08'
5.	S89°56'54"E	133.00'	23.	S47°45'34"E	98.55'
6.	S00°05'00"E	210.59'	24.	S54°44'39"E	20.81'
7.	S00°04'36"E	52.85'	25.	N00°01'57"E	102.20'
8.	N86°12'45"W	154.67'	26.	N44°08'22"W	58.84'
9.	N89°34'40"W	422.12'	27.	N39°01'07"W	93.24'
10.	N77°42'55"W	497.87'	28.	N00°04'45"E	60.00'
11.	N60°25'15"W	397.44'	29.	S89°57'33"E	99.70'
12.	N26°49'25"W	242.16'	30.	S00°01'57"W	174.60'
13.	N05°56'05"E	230.12'	31.	S50°33'28"E	85.42'
14.	N44°23'15"E	335.70'	32.	S60°28'15"E	229.43'
15.	N33°09'21"E	251.63'	33.	S64°09'25"E	45.08'
16.	S89°56'35"E	160.00'	34.	S89°55'13"E	26.00'
17.	S00°09'25"W	529.53'	35.	S00°01'53"E	15.72'
18.	S89°57'33"E	66.00'	36.	S63°34'12"E	36.56'

NOTE: Building encroachments as shown on pages 5 and 6. (Lots 2 and 3 only.)


SCALE 1" = 300'

NORTH ASSUMED ALONG THE N.S. LINE BETWEEN SEC. 9, T17N, R15E AND SEC. 10, T17N, R15E






1ST ADD TO CITY OF BERLIN





NORTH ASSUMED ALONG THE M.S. LINE
 BETWEEN SEC. 9, 7TH, 193E AND SEC. 10, 7TH, 193E
 SCALE 1" = 200'

637




Lot 2 showing building encroachments only.






SCALE 1"=40'


NORTH ASSUMED ALONG THE N.S. LINE BETWEEN SEC. 9, T17N, R13E AND SEC. 10, T17N, R13E.






SCALE 1" = 50'

NORTH ASSUMED ALONG THE U.S. LINE BETWEEN SEC. 9, T17N, R15E AND SEC. 10, T17N, R15E





STREET

STREET

STREET

CERESCO

STREET

CAPRON

PEARL

WISCONSIN

UNION

STREET

VACATION OF PART OF STREET
REQ. IN VOL. 6 P. 193

2-3 PENDENT'S FILED
9-16-46 TO VACATE
VACATION REQ. V.G. 236

VACATION

REQ. IN V.G. 193

VACATION
REQ. V.G. 193

RIVER

RIVER

1ST Addition to The City of BERLIN

July 31, 2008


Brian Youngwirth
Midwest Engineering Services
608 N. Stranton Street
Ripon, WI 54971

Dear Mr. Youngwirth


In Response to your letter of 7/25/08 and subsequent Phone conversation, I have included our latest land survey conducted by Moe Land Surveying dated May 8, 1995. To the best of my knowledge, this is an accurate description of the Citation – Berlin Property.

Thank you for your attention to this matter. If you have any other Questions, Please do not hesitate to contact me.

Sincerely,



Wayde Schwarz
Manager of Engineering



BERLIN QUARDANGLE
 U.S.G.S. 7.5 MINUTE SERIES
 (TOPOGRAPHIC) GREEN LAKE COUNTY
 WISCONSIN



SCALE: 1:24,000

FIGURE 1: SITE LOCATION MAP


BERLIN FOUNDRY
 BERLIN, WISCONSIN

Project No: 12-11048-2

Date: 7/28/08

Drawn By: KP





SCALE: 1" = 20'



FIGURE 2: SITE PLAN MAP

BERLIN FOUNDRY
BERLIN, WISCONSIN

Scale: 1" = 20'
Project No: 12-11048-2
Date: 7/25/08
Drawn By: KP







FIGURE 3: ESTIMATED LIMITS OF SOIL CONTAMINATION EXCEEDING THE NR 720 RCL

BERLIN FOUNDRY
BERLIN, WISCONSIN

Scale: 1"=20'
Project No: 12-11048-2
Date: 7/25/08
Drawn By: KP



 midwest engineering services, inc.	FIGURE 4: GROUNDWATER ELVATION CONTOUR MAP JANUARY 5, 2007	Scale: 1"=20' Project No: 12-11048-2
	BERLIN FOUNDRY BERLIN, WISCONSIN	Date: 7/25/08 Drawn By: KP

**TABLE I
SOIL ANALYTICAL RESULTS
BERLIN BOUNDARY
BERLIN, WISCONSIN**

Sample No.	NR 720 RCL	B-1		B-2	B-3	B-4
Sampling Date		February 24, 1999		March 27, 1999		
Sample Depth (feet)		6-7	7-8	3.5-5.5	3.5-5.5	6-8
GASOLINE RANGE ORGANICS (GRO), DIESEL RANGE ORGANICS (DRO) (mg/kg)						
GRO	250	<3.1	<2.9	83	210	280
DRO	250	8.8	<4.4	150	300	10.0
PETROLEUM VOLATILE ORGANIC COMPOUNDS (PVOC) (µg/kg)						
Benzene	5.5	<25	<25	<50	<100	<100
Ethylbenzene	2900	<25	<25	390	1300	2000
Methyl tert-butyl ether	NE	<25	<25	<50	<100	<100
Toluene	1500	<25	<25	<50	<100	<100
1,3,5-Trimethylbenzene	NE	<25	<25	1200	3400	5100
1,2,4-Trimethylbenzene	NE	<25	<25	1300	4700	6600
Xylenes, -m, -p	4100	<25	<25	360	3200	5090
Xylenes, -o		<25	<25	190	540	1900
LEAD (mg/kg)						
Lead	50	46	<3.8	NA	NA	NA

NA = Parameter not analyzed

NE = NR 720 Residual Contaminant Level (RCL) not established

Q = Analyte detected above laboratory method detection limit but below limit of practical quantitation

Shading indicates analytical results exceed NR 720 RCL

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
BERLIN FOUNDRY
MES PROJECT NO. 12-11048

Monitoring Well	NR 140		MW-1		MW-2	MW-3		MW-4	
	ES	PAL	4/6/1999	1/5/2007	4/6/1999	4/6/1999	1/5/2007	4/6/1999	1/5/2007
PETROLEUM VOLATILE ORGANIC COMPOUNDS (PVOC) (µg/L)									
Benzene	5	0.5	<0.26	<0.14	<0.26	0.65 Q	0.3 Q	<0.52	<0.14
Ethylbenzene	700	140	<0.24	<0.40	<0.24	1.4	0.41 Q	3.9	<0.40
Methyl tert-butyl ether	60	12	<0.22	<0.36	<0.22	<0.22	<0.36	<0.44	<0.36
Toluene	1000	200	<0.21	<0.36	<0.21	0.73	<0.36	0.73 Q	<0.36
Naphthalene	40	8	NA	<0.47	NA	NA	NA	NA	<0.47
1,2,4 -Trimethylbenzene	480	96	<0.86	<0.39	<0.86	6.5	3.1	100	<0.39
1,3,5 -Trimethylbenzene			<0.54	<0.40	<0.54	4.0	0.52 Q	28	<0.40
Xylenes, -m, -p	10000	1000	<0.97	<0.74	<0.97	4.8	1.6 Q	24	<0.74
Xylenes, -o			<0.37	<0.39	<0.37	2.1	<0.36	5.4	<0.36
DETECTED POLYNUCLEAR AROMATIC HYDROCARBONS (PAH) (µg/kg)									
1-Methylnaphthalene	NE	NE	NA	NA	NA	NA	0.039 Q	NA	NA
2-Methylnaphthalene	NE	NE	NA	NA	NA	NA	0.027 Q	NA	NA
Acenaphthene	NE	NE	NA	NA	NA	NA	0.33	NA	NA
Acenaphthylene	NE	NE	NA	NA	NA	NA	0.036 Q	NA	NA
Anthracene	3000	600	NA	NA	NA	NA	0.030 Q	NA	NA
Benzo(a)anthracene	NE	NE	NA	NA	NA	NA	<0.031	NA	NA
Benzo(a)pyrene	0.2	0.02	NA	NA	NA	NA	<0.037	NA	NA
Benzo(b)fluoranthene	0.2	0.02	NA	NA	NA	NA	<0.031	NA	NA
Benzo(g,h,i)perylene	NE	NE	NA	NA	NA	NA	<0.039	NA	NA
Benzo(k)fluoranthene	NE	NE	NA	NA	NA	NA	<0.039	NA	NA
Chrysene	0.2	0.02	NA	NA	NA	NA	<0.038	NA	NA
Dibenz (a,h) anthracene	NE	NE	NA	NA	NA	NA	<0.038	NA	NA
Fluoranthene	400	80	NA	NA	NA	NA	<0.031	NA	NA
Fluorene	400	80	NA	NA	NA	NA	0.17	NA	NA
Indeno(1,2,3-cd)pyrene	NE	NE	NA	NA	NA	NA	<0.038	NA	NA
Naphthalene	40	8	NA	NA	NA	NA	0.13	NA	NA
Phenanthrene	NE	NE	NA	NA	NA	NA	<0.023	NA	NA
Pyrene	250	50	NA	NA	NA	NA	<0.029	NA	NA

ES = Enforcement Standard
PAL = Preventive Action Limit
µg/L = micrograms per liter
NA = Parameter not analyzed
NE = NR 140 ES not established
Q = Analyte detected above laboratory limit of detection but below limit of quantitation.
Bold indicates analytical results above NR 140 ES