

# GIS REGISTRY

## Cover Sheet

May, 2009  
(RR 5367)

### Source Property Information

BRRTS #: 02-38-000082

CLOSURE DATE: Sep 8, 2009

ACTIVITY NAME: Heimbach Property - LGU

FID #: 438092270

PROPERTY ADDRESS: W1604 Cleveland Ave

DATCP #:

MUNICIPALITY: Town of Peshtigo

COMM #:

PARCEL ID #: 024-00959.000

#### \*WTM COORDINATES:

X: 702835 Y: 515127

*\* Coordinates are in  
WTM83, NAD83 (1991)*

#### WTM COORDINATES REPRESENT:

Approximate Center Of Contaminant Source

Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

### Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties  
see "Impacted Off-Source Property")*

Soil Contamination > \*RCL or \*\*SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties  
see "Impacted Off-Source Property")*

### Land Use Controls:

N/A (Not Applicable)

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations  
between non-industrial and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for  
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government or economic  
development corporation)*

### Monitoring Wells:

Are all monitoring wells properly abandoned per NR 141? (234)

Yes  No  N/A

*\* Residual Contaminant Level*

*\*\*Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

**NOTICE: Completion of this form is mandatory** for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:  PARCEL ID #:

ACTIVITY NAME:  WTM COORDINATES: X:  Y:

**CLOSURE DOCUMENTS** (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

**SOURCE LEGAL DOCUMENTS**

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.  
*Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.*
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).  
**Figure #:**                      **Title:**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

**MAPS** (meeting the visual aid requirements of s. NR 716.15(2)(h))

- Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.
- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.  
*Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.*  
**Figure #: 1**                      **Title: Site Location and Local Topography**
  - Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.  
**Figure #: 1**                      **Title: Site Layout**
  - Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.  
**Figure #: 1**                      **Title: Site Layout**

BRRTS #: 02-38-000082

ACTIVITY NAME: Former Heimbach Property

**MAPS (continued)**

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

**Figure #:**                      **Title:**

**Figure #:**                      **Title:**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

**Note:** This is intended to show the total area of contaminated groundwater.

**Figure #:**                      **Title:**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

**Figure #: 5, 6, 7                      Title: Groundwater Elevation Contour Maps**

**Figure #:**                      **Title:**

**TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))**

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.  
**Note:** This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

**Table #: 1 & 2                      Title: Soil Field Screening and Soil Analytical Results**

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

**Table #: 4                      Title: Groundwater Analytical Results**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

**Table #: 3                      Title: Water Level Data**

**IMPROPERLY ABANDONED MONITORING WELLS**

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

**Note:** If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

**Note:** If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

**Figure #:**                      **Title:**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 02-38-000082

ACTIVITY NAME: Former Heimbach Property

## NOTIFICATIONS

### Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

### Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.  
**Note:** Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.  
**Number of "Off-Source" Letters:**
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.  
**Note:** If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).  
**Number of "Governmental Unit/Right-Of-Way Owner" Letters:**



**State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES**

Jim Doyle, Governor  
Matthew J. Frank, Secretary  
Ronald W. Kazmierczak, Regional Director

Northeast Region Headquarters  
2984 Shawano Ave.

September 8 , 2009

Peters Concrete  
Mr. James Peters  
1516 Atkinson Drive  
Green Bay, WI 54303

SUBJECT: Final Case Closure with Continuing Obligations, Former Heimbach Property, W1604 Cleveland Avenue, Town of Peshtigo, Marinette County, Wisconsin WDNR BRRTS #: 02-38-000082

Dear Mr. Peters:

On 3/23/2009, the Northeast Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On March 31, 2009, you were notified that the Closure Committee had granted conditional closure to this case.

On August 8/21/2009 the Department received information or documentation indicating that you have complied with the requirements for final closure. The conditional closure letter required the submittal of monitoring well abandonment forms and a \$250 GIS Registry fee.

Based on the correspondence and data provided, it appears that your case meets the closure requirements in ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time, however, you and future property owners must comply with certain continuing obligations as explained in this letter.

GIS Registry

This site will be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- Pavement, an engineered cover or a soil barrier must be maintained over contaminated soil and the state must approve any changes to this barrier
- Groundwater contamination is present above Chapter NR 140 enforcement standards

This letter and information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If the property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

#### Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which you and any subsequent property owners must adhere. You must pass on the information about these continuing obligations to the next property owner or owners. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. The Department intends to conduct inspections in the future to ensure that the conditions in this letter including compliance with the referenced maintenance plans are met.

#### Cover or Barrier

Pursuant to s. 292.12(2)(a), Wis. Stats., the gravel barrier that currently exists in the location shown on the attached map shall be maintained in compliance with the attached maintenance plan in order to prevent direct contact with residual soil contamination that might otherwise pose a threat to human health. If soil in the specific locations described above is excavated in the future, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material is considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation

or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

The attached maintenance plan and inspection log are to be kept up-to-date and on-site. Please submit the inspection log to the Department annually.

### Prohibited Activities

The following activities are prohibited on any portion of the property where [pavement, a building foundation, soil cover, engineered cap or other barrier] is required as shown on the attached map, unless prior written approval has been obtained from the Wisconsin Department of Natural Resources: 1) removal of the existing barrier; 2) replacement with another barrier; 3) excavating or grading of the land surface; 4) filling on capped or paved areas; 5) plowing for agricultural cultivation; 6) construction or placement of a building or other structure.

### Residual Groundwater Contamination

Groundwater impacted by PCB contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present on this contaminated property. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

### Dewatering Permits

The Department's Watershed Management Program regulates point source discharges of contaminated water, including discharges to surface waters, storm sewers, pits or to the ground surface. This includes discharges from construction related dewatering activities, including utility and building construction.

Based on the concentrations of contaminants remaining in groundwater at this location, it appears likely that dewatering activities would require a permit from the Watershed Management Program. If you or any other person plan to conduct such activities, you or that person must contact that program, and if necessary, apply for the necessary discharge permit. Additional information regarding discharge permits is available at <http://www.dnr.state.wi.us/org/water/wm/ww/>

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact Jim Walden at 608-267-7572.

Sincerely,

A handwritten signature in black ink, appearing to read "B. C. Urben". The signature is fluid and cursive, with a long horizontal stroke at the end.

Bruce Urben, Team Supervisor  
Northeast Remediation & Redevelopment Program

Attachments

Soil and Groundwater Contamination Map  
Cap maintenance plan

cc: Lynelle Caine - Bonestroo

**▲ Northern Environmental**<sup>SM</sup>  
Hydrologists • Engineers • Surveyors • Scientists

954 Circle Drive  
Green Bay, WI 54304  
(920) 592-8400  
(800) 854-0606  
Fax (920) 592-8444  
www.northernenvironmental.com

August 18, 2004  
(PEC03-2300-1850)

Mr. Keld Lauridsen  
Wisconsin Department of Natural Resource  
Post Office Box 10448  
Green Bay, Wisconsin 54307-0448

RE: Proposed Cap Design and Inspection and Maintenance Plan, Former Heimbach Property, W1604 Cleveland Avenue, Town of Peshtigo, Wisconsin, BRRTS#02-38-000082

Dear Mr. Lauridsen:

Northern Environmental Technologies Inc. (Northern Environmental) has been retained by Peters Concrete to complete a proposed cap design and maintenance plan to address soil contamination in excess of industrial residual contaminant levels (RCLs) at the former Heimbach Property, W1604 Cleveland Avenue, Town of Peshtigo, Wisconsin. Specifically, the proposed cap is designed to address concentrations of lead, arsenic, PCBs, and PAHs in the soil that pose a potential human health risk via direct contact exposure. Per our conversations with Mr. Jim Peters of Peters Concrete, the property will continue to be used for industrial purposes and the intended use is as a concrete mixing plant.

**Cap Design**

Based on the Wisconsin Department of Natural Resource's (WDNR) letter dated August 2, 2004, we assume that a permeable cap is acceptable since soil contamination does not appear to be continuing to impact groundwater. The proposed cap will consist of a minimum of two feet of clean fill. ~~The fill will consist of a minimum six inches of clay overlain by a minimum of 1.5 feet of compacted gravel.~~ <sup>gravel</sup> The ground surface elevations at the existing monitoring wells will be used as a baseline for the pre construction site grade. Following completion of the cap, ground surface elevations will be collected at each monitoring well to ensure that a minimum of a two foot thick cap has been installed. The existing well casings could be used as elevation benchmarks, however, if Peters Concrete plans to adjust the well casing heights as part of their construction plans, a permanent elevation benchmark should be installed prior to the start of construction activities.

The proposed lateral extent of the cap will extend from the southern property line, for the entire width of the property, to approximately 320 feet north. The proposed area to be capped was determined based on the lateral extent of lead and arsenic contaminated soil. Specifically, the proposed capped area was designed to address the following:

- ▲ Soils with concentrations of lead that were determined to be hazardous or in excess of the industrial RCL of 500 milligrams per kilogram (mg/kg).
- ▲ Soil with arsenic concentrations in excess of 5 mg/kg. The industrial RCL for arsenic is 1.6 mg/kg, however, higher levels of arsenic can be left in place if it is shown they are occurring in natural soil background conditions. Background soil samples were not collected at the site,

however, according to the attached document, around 5 mg/kg is the average concentration of arsenic naturally occurring in Wisconsin soils. As a result, Northern Environmental is recommending capping those areas with arsenic in excess of 5 mg/kg, with the exception of the soil near TP4. Arsenic concentrations of 5.9 mg/kg were detected in a soil sample collected from TP4, which is only slightly in excess of 5 mg/kg. Since the average background concentrations of arsenic likely fluctuates throughout the state and the concentrations of arsenic were only slightly in excess of 5 mg/kg near TP4, we do not believe it is necessary to include this area within the proposed cap.

- ▲ The area described above will also include soils with PCBs in excess of the EPA soil cleanup standard of 1 mg/kg and PAHs in excess of the suggested industrial RCLs that were detected near B300.

We understand that the existing trees and underbrush along the eastern and western property lines will be cleared to allow for the installation of the cap. The proposed lateral extent of the cap is shown on the attached figure.

Prior to installing the cap Peters Concrete will need to obtain the appropriate approvals and/or permits from the local, state, or federal agencies which may include the following:

- ▲ Obtain concurrence from the U.S. Army Corps of Engineers and the Wisconsin Department of Natural Resources that the fill for the cap will not be installed in a wetland, or obtain a permit to install fill in a wetland if necessary.
- ▲ Submit a Notice of Intent for Storm Water Discharges Associated with Land Disturbing Construction Activities, as required under Chapter NR 216, Wis. Admin. Code. The performance standards in Chapter NR 151, Wis. Admin. Code, for redevelopment would apply in this case. The storm water management plan must address runoff in the road right-of-way and ensure erosion does not occur in this area. It also must ensure no increase in runoff that would create a nuisance on neighboring properties.
- ▲ Obtain any required driveway and culvert permits from the Town of Peshtigo or Marinette County. See comment regarding runoff in road right-of-way above.

### **Cap Maintenance Plan**

The cap will be inspected on a yearly basis by the Site owner to ensure that the cap is being maintained. The area will be examined for evidence of settling, potholes, erosion, and other damage. Damaged areas will be repaired within 30 days of discovery. A report describing the nature and extent of any damage to the barrier and subsequent repairs will be submitted to the Wisconsin Department of Natural Resources upon completion of these activities. Every two years the Site owner should confirm that the cap remains at least 2-feet thick by determining grades, and comparing to post-construction as-built grades. Completed copies of written inspections will be maintained on-site. An example of the inspection form is enclosed.

In order to meet Peters Concrete construction schedule for this Site, we are requesting an expedited review of this proposed cap design and maintenance plan.

We trust this information meets your needs. Please feel free to call Northern Environmental at 920-592-8400 if you have any questions or comments.

Sincerely,  
**Northern Environmental  
Technologies, Incorporated**



Lynelle P. Caine  
Project Manager



Michael B. Roznowski, CHMM  
District Director

LPC/jmv

Attachments

C: Mr. Jim Peters, Peters Concrete

© 2004 Northern Environmental Technologies, Incorporated

**Annual Cap Inspection Report  
W1604 West Cleveland Avenue  
Town of Peshtigo, Wisconsin**

Date: \_\_\_\_\_ Weather \_\_\_\_\_

Inspected By: \_\_\_\_\_

Observations of Surface Areas: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Repairs Completed: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Signature: \_\_\_\_\_



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Matthew J. Frank, Secretary

101 S. Webster St.  
Box 7921  
Madison, Wisconsin 53707-7921  
Telephone 608-266-2621  
FAX 608-267-3579  
TTY Access via relay - 711

March 31, 2009

Peters Concrete  
Mr. James Peters  
1516 Atkinson Drive  
Green Bay, WI 54303

Subject: Conditional Closure Decision, With Requirements to Achieve Final Closure  
Former Heimbuch Property, W1604 Cleveland Avenue, Town of Peshtigo,  
Marinette County, Wisconsin WDNR BRRTS #: 02-38-000082

Dear Mr. Peters:

On 3/23/2009, the Northeast Region Closure Committee reviewed your request for closure of the case described above. The Northeast Region Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Northeast Region Closure Committee has determined that the metals contamination on the site from the former salvage yard appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

### **Monitoring Well Abandonment**

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to Jim Walden on Form 3300-005 found at <http://dnr.wi.gov/org/water/dwg/gw/> or provided by the Department of Natural Resources.

### **GIS Registry**

Your site must also be listed on the GIS Registry due to the concentration of PCBs at MW2000. You must submit the additional \$250 fee for listing the site on the registry for groundwater impacts and update the registry packet.

When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if

additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 608-267-7572.

Sincerely,

A handwritten signature in black ink, appearing to read "Jim Walden", with a long horizontal flourish extending to the right.

Jim Walden  
Hydrogeologist  
Remediation & Redevelopment Program

Enclosure

cc: Lynelle Caine – Northern Environmental

2

DOC. #: 669348

QUIT CLAIM DEED

MELANIE I HUENPFNER  
MARINETTE COUNTY  
REGISTER OF DEEDS  
AUG. 30, 2004 AT 04:08PM  
Fee Amount: \$13.00  
Fee Exempt 77.25-(\*2)

Document No.

\*\*\*\*\*

MARINETTE COUNTY, WISCONSIN, a body corporate, duly organized and operating in accordance with Sec. 59.01 of the Wis. Stats.,

QUIT CLAIMS WITHOUT WARRANTY, for good and valuable consideration, the following-described real estate in Marinette County, State of Wisconsin, to:

RECORDING DATA

TRIPLE P, INC.,

Return to:  
Triple P, Inc. *RIT*  
1516 Atkinson Drive  
Green Bay, WI 54303  
Tax Parcel No.: 024-00959.000

\*\*\*\*\*

That part of the Southwest Quarter of the Northwest Quarter (SW1/4 of NW1/4) of Section Eleven (11), Township Thirty (30) North, Range Twenty-three (23) East, more particularly described as follows: Beginning at the southeast corner of said forty; thence West along the South forty line, 314 feet to a point; thence North parallel with the East line of said forty to the North line of said forty; thence East along the North line 314 feet to the Northeast corner of said forty; thence South along the East line of said forty to the place of beginning; situate in the Town of Peshtigo, Marinette County, Wisconsin.

This is not homestead property.

Exempt from transfer tax return and transfer tax in accordance with Sec. 77.25(2), Wis. Stats.

Dated this 27 day of August, 2004.

MARINETTE COUNTY

By: Katherine K Brandt  
Katherine K. Brandt, County Clerk

ACKNOWLEDGMENT

STATE OF WISCONSIN )  
: SS.  
MARINETTE COUNTY )



Personally came before me this 27<sup>th</sup> day of August, 2004, the above named

13<sup>00</sup> 1/2 ins.

DOC. #: 669348

Katherine K. Brandt, County Clerk for Marinette County, to me known to be the person who executed the foregoing instrument and acknowledged the same.



Notary Public, Marinette County, WI  
My Commission: October 7, 2007

THIS INSTRUMENT WAS DRAFTED BY:

Gale Mattison  
Corporation Counsel  
Courthouse - 1926 Hall Avenue  
Marinette, WI 54143-1717

Phone: (715) 732-7435

December 22, 2008

To Whom It May Concern:


RE: Legal Descriptions for GIS Registry, former Heimbach Property, W1604 Cleveland Avenue,  
Town of Peshtigo, Wisconsin; BRRTS #02-38-000082

The legal description attached to this letter for the property located at W1604 Cleveland  
Avenue, Town of Peshtigo, Wisconsin is complete and accurate.

Sincerely,


A handwritten signature in cursive script, appearing to read "James Peters".

Mr. James Peters  
Triple P. Inc.



SCALE IN FEET

1" = 2000'



CONTOUR INTERVAL 10 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929



QUADRANGLE LOCATION

BASE MAP SOURCE: USGS MARINETTE WEST, WISCONSIN 7.5 MINUTE QUADRANGLE, 1963 (PHOTEREVISED 1976)



DRAWN BY: KRE PROJECT: MCY-1407 DATE: 3/26/03

REV. DATE THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.

FORMER HEIMBACH SALVAGE YARD  
TOWN OF PESHTIGO, WISCONSIN



SITE LOCATION AND  
LOCAL TOPOGRAPHY

S:\PROJ\MCY\22001407\DRAWINGS\032603-1.DWG

FIGURE 1




FIGURE 1



SCALE IN FEET



**LEGEND**

- MONITORING WELL LOCATION
- MW2000 610.57 MONITORING WELL LOCATION AND GROUND-WATER ELEVATION ON 9/23/02
- 610.75 — — GROUND-WATER CONTOUR LINE: DASHED WHERE INFERRED
- CONTOUR LINE INTERVAL = 0.05 FEET
- GROUND-WATER FLOW DIRECTION

S:\PROJ\MCY\22001407\DRAWINGS\112102-4.DWG

DRAWN BY: KRE PROJECT: MCY-1407 DATE: 11/21/02

REV. DATE 3/26/03 THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.




FORMER HEIMBACH SALVAGE YARD  
TOWN OF PESHTIGO, WISCONSIN

GROUND-WATER ELEVATION  
CONTOUR MAP (9/23/02)

FIGURE 5



SCALE IN FEET



**LEGEND**

- MONITORING WELL LOCATION
- MONITORING WELL LOCATION AND GROUND-WATER ELEVATION ON 10/22/02
- GROUND-WATER CONTOUR LINE: DASHED WHERE INFERRED  
 CONTOUR LINE INTERVAL = 0.05 FEET
- GROUND-WATER FLOW DIRECTION

S:\PROJ\MCY\_22001\407\DRAWINGS\112102-6.DWG

DRAWN BY: KRE PROJECT: MCY-1407 DATE: 11/21/02

REV. DATE THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.




FORMER HEIMBACH SALVAGE YARD  
TOWN OF PESHTIGO, WISCONSIN

GROUND-WATER ELEVATION  
CONTOUR MAP (10/22/02)

FIGURE 6



SCALE IN FEET



**LEGEND**

- MONITORING WELL LOCATION
- MW2000 MONITORING WELL LOCATION AND GROUND-WATER ELEVATION ON 12/17/02
- 610.75 GROUND-WATER CONTOUR LINE: DASHED WHERE INFERRED
- CONTOUR LINE INTERVAL = 0.05 FEET
- GROUND-WATER FLOW DIRECTION

S:\PROJ\MCY\_2200\1407\DRAWINGS\032603-7.DWG

DRAWN BY: KRE PROJECT: MCY-1407 DATE: 3/26/03

REV. DATE THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.



FORMER HEIMBACH SALVAGE YARD  
TOWN OF PESHTIGO, WISCONSIN

GROUND-WATER ELEVATION  
CONTOUR MAP (12/17/02)

FIGURE 7

**Table 1 Soil Field Screening Results, Former Heimbach Property, Town of Peshtigo, Wisconsin**

Sample Location	Sample Number	Sample Depth (inches)	Sample Petroleum Odor	Sample Description	Date Collected	PID Headspace Analysis		
						Time Collected	Time Analyzed	PID Response (IU)
B100	*S101	0 - 4	None	Sand, silt	7/22/2002	915	938	1.8
	S102	4 - 8	None	Sand, silt with gravel organics	7/22/2002	920	939	1.4
	S103	8 - 12	None	Sand, trace silt, fine grained native soil	7/22/2002	923	940	3.4
B200	*S201	0 - 4	None	Sand, silt	7/22/2002	938	957	5.6
	S202	4 - 8	None	Sand fine, trace silt, organics	7/22/2002	940	958	4.2
	S203	8 - 12	None	Sand fine, trace silt, organics	7/22/2002	942	1000	3.4
B300	*S301	0 - 4	Sweet	Silty sand with debris (glass & metal)	7/22/2002	1018	1033	3.0
	S302	4 - 8	None	Silty sand with gravel	7/22/2002	1020	1034	3.0
	S303	8 - 12	None	Silty sand with organics	7/22/2002	1022	1035	2.2
B400	*S401	0 - 4	None	Silty sand with debris (glass & metal)	7/22/2002	1030	1049	4.2
	S402	4 - 8	None	Silty sand with gravel	7/22/2002	1032	1050	3.4
	S403	8 - 12	None	Silty sand, moist	7/22/2002	1034	1051	7.9
B500	*S501	0 - 4	None	Silty sand with organics & gravel, sawdust	7/22/2002	1042	1101	3.4
	S502	4 - 8	None	Silty sand with organics	7/22/2002	1044	1107	5.5
	S503	8 - 12	None	Silty sand with organics	7/22/2002	1046	1108	7.1
B600	*S601	0 - 4	None	Silty sand, gravel	7/22/2002	1056	1118	5.3
	S602	4 - 8	None	Silty sand, gravel	7/22/2002	1058	1119	3.0
	S603	8 - 12	None	Silty sand	7/22/2002	1100	1120	2.2
	S604	12 - 16	None	Silty sand, moist	7/22/2002	1103	1121	4.6
B700	*S701	0 - 4	None	Silty sand with glass, metal & gravel	7/22/2002	1117	1133	3.4
	S702	4 - 8	None	Silty sand with metal & gravel	7/22/2002	1119	1134	5.1
	S703	8 - 12	None	Silty sand, trace gravel	7/22/2002	1121	1134	5.1
B800	*S801	0 - 4	None	Sand and sawdust	7/22/2002	1130	1150	2.6
	S802	4 - 8	None	Silty sand with organics	7/22/2002	1134	1150	5.5
	S803	8 - 12	None	Clayey silt with organics	7/22/2002	1136	1151	8.3
	S804	12 - 16	None	Silty sand, moist	7/22/2002	1138	1151	6.1
B900	*S901	0 - 4	None	Sand with gravel	7/22/2002	1240	1259	3.4
	S902	4 - 8	None	Silty sand, trace gravel	7/22/2002	1243	1301	5.1
	S903	8 - 12	None	Silty sand, trace gravel	7/22/2002	1248	1303	7.5
B1000	*S1001	0 - 4	None	Sand, gravel, metal & glass debris	7/22/2002	1251	1315	9.6
	S1002	4 - 8	None	Sand, gravel, metal & glass debris	7/22/2002	1254	1316	10.4
	S1003	8 - 12	None	Silty sand, trace gravel	7/22/2002	1258	1320	10.4
	S1004	12 - 16	None	Silty sand, trace gravel	7/22/2002	1307	1321	9.6
B1100	*S1101	0 - 4	None	Silty sand, gravel, glass	7/22/2002	1315	1333	5.3
	S1102	4 - 8	None	Sand, no debris	7/22/2002	1317	1334	7.9
	S1103	8 - 12	None	Sand, no debris	7/22/2002	1319	1335	3.8
B1200	*S1201	0 - 4	None	Sand with gravel, metal & glass	7/22/2002	1332	1346	3.0
	S1202	4 - 8	None	Sand with gravel, metal (no glass)	7/22/2002	1334	1346	3.8
	S1203	8 - 12	None	Silty sand, no gravel	7/22/2002	1336	1348	10.1
B1300	*S1301	0 - 4	None	Sand with gravel & metal	7/22/2002	1342	1400	5.1
	S1302	4 - 8	None	Silty sand, trace gravel, fine grained	7/22/2002	1344	1401	1.8
	S1303	8 - 12	None	Silty sand, trace gravel, fine grained	7/22/2002	1346	1401	9.6

Table 1 Soil Field Screening Results, Former Heimbach Property, Town of Peshtigo, Wisconsin

Sample Location	Sample Number	Sample Depth (inches)	Sample Petroleum Odor	Sample Description	Date Collected	PID Headspace Analysis		
						Time Collected	Time Analyzed	PID Response (IU)
B1400	*S1401	0 - 4	None	Sawdust, sand coarse grained	7/22/2002	1411	1424	5.1
	S1402	4 - 8	None	Silty sand	7/22/2002	1413	1424	4.1
	S1403	8 - 12	None	Silty sand	7/22/2002	1415	1425	2.6
B1500	*S1501	0 - 4	None	Sand & sawdust	7/22/2002	1420	1442	12.0
	S1502	4 - 8	None	Sand with gravel & organics	7/22/2002	1422	1442	11.1
	S1503	8 - 12	None	Silty sand with organics	7/22/2002	1424	1443	11.0
B1600	*S1601	0 - 4	Organic	Sawdust & organics with glass	7/22/2002	1432	1449	5.7
	S1602	4 - 8	Organic	Sawdust & organics with glass	7/22/2002	1435	1449	11.1
	S1603	8 - 12	Organic	Sawdust & organics with trace sand	7/22/2002	1439	1450	18.0
	S1604	12 - 16	Organic	Silty sand, trace organics wet	7/22/2002	1500	1518	32.1
B1700	*S1701	0 - 4	Organic	Sawdust & organics	7/22/2002	1446	1502	10.1
	S1702	4 - 8	Organic	Sawdust & organics	7/22/2002	1448	1502	11.2
	S1703	8 - 12	Organic	Peat & organic layer	7/22/2002	1454	1503	53.5
	S1704	12 - 16	Organic	Silty sand, trace organics, wet	7/22/2002	1504	1518	14.0
B1800	*S1801	0 - 4	Organic	Sawdust & organics, trace glass	7/22/2002	1510	1533	15.3
	S1802	4 - 8	Organic	Sawdust & organics	7/22/2002	1512	1534	6.0
	S1803	8 - 12	Organic	Clayey silt, moist, trace organics	7/22/2002	1514	1534	14.7
B1900	S1901	0 - 24	None	Organics, Sand, trace Silt	9/16/2002	858	1004	8.2
	S1902	30 - 54	None	Silt, trace Sand, moist	9/16/2002	908	1005	11.1
	S1903	60 - 84	None	Silt, Sand, trace clay, wet	9/16/2002	915	1005	9
	S1904	90 - 114	None	Silt, Sand, trace clay, wet	9/16/2002	920	1008	12.1
	S1905	120 - 144	None	Sand, trace Silt, wet	9/16/2002	925	1008	13.5
	S1906	150 - 174	None	Clayey Silt, wet	9/16/2002	932	1009	12.1
B2000	S2001	0-2 ft	None	black Sand, debris	9/16/2002	1020	1056	12
	S2002	2.5-4.5 ft	None	Sand, trace Silt	9/16/2002	1026	1057	10.2
	S2003	5-7 ft	None	Silty Sand with Clay, wet	9/16/2002	1035	1057	16.2
	S2004	7.5-9.5 ft	None	Silty Sand with Clay, wet	9/16/2002	1042	1058	14.1
	S2005	10-12 ft	None	Clayey Silt, wet	9/16/2002	1049	1124	9
	S2006	12.5-14.5 ft	None	Clayey Silt, wet	9/16/2002	1055	1124	5.8
B2100	S2101	0-2 ft	None	Organics, Sand, Clay	9/16/2002	1141	1226	10.7
	S2102	2.5-4.5 ft	None	Clay, Sand, trace Silt, wet	9/16/2002	1148	1226	5
	S2103	5-7 ft	None	Sand with Silt, wet	9/16/2002	1155	1227	12.5
	S2104	7.5-9.5 ft	None	Sand with Silt, wet	9/16/2002	1201	1227	15.3
	S2105	10-12 ft	None	Sand with Clay, wet	9/16/2002	1208	1228	14.1
	S2106	12.5-14.5 ft	None	Clayey Sand, wet	9/16/2002	1215	1228	10.3
B2200	S2201	0-2 ft	None	black Clayey Silt	9/16/2002	1325	1412	10.2
	S2202	2.5-4.5 ft	None	Clayey Silt, Sand, wet	9/16/2002	1337	1412	8.8
	S2203	5-7 ft	None	Clayey Silt, Sand, wet	9/16/2002	1347	1412	10
	S2204	7.5-9.5 ft	None	Silty Sand, Clayey Silt, wet	9/16/2002	1352	1418	12.2
	S2205	10-12 ft	None	Clay with Gravel, wet	9/16/2002	1400	1418	11.4
	S2206	12.5-14.5 ft	None	Gravel, wet	9/16/2002	1408	1419	11.6

Table 1 Soil Field Screening Results, Former Heimbach Property, Town of Peshtigo, Wisconsin

Sample Location	Sample Number	Sample Depth (inches)	Sample Petroleum Odor	Sample Description	Date Collected	PID Headspace Analysis		
						Time Collected	Time Analyzed	PID Response (IU)
B2300	S2301	0-2 ft	None	Clayey peat, debris	9/16/2002	1502	1555	12.1
	S2302	2.5-4.5 ft	None	black sand, silty Sand	9/16/2002	1505	1555	7.4
	S2303	5-7 ft	None	Silty Sand, trace Clay, wet	9/16/2002	1511	1556	10
	S2304	7.5-9.5 ft	None	Silty Sand, trace Clay, wet	9/16/2002	1514	1556	12.2
	S2305	10-12 ft	None	Silty Clay, wet	9/16/2002	1518	1557	10.1
	S2306	12.5-14.5 ft	None	Silty Clay, wet	9/16/2002	1525	1557	9.7
B2400	S2401	0-2 ft	None	organics, sawdust	9/16/2002	1612	1638	11
	S2402	2.5-4.5 ft	None	Sand, wet	9/16/2002	1619	1638	10.7
	S2403	5-7 ft	None	Clayey Silt, trace Gravel, wet	9/16/2002	1624	1639	6.5
	S2404	7.5-9.5 ft	None	Clayey Gravel, wet	9/16/2002	1629	1640	5.6
	S2405	10-12 ft	None	Gravel, trace Clay, wet	9/16/2002	1636	1700	6.3
	S2406	12.5-14.5 ft	None	Gravel, trace Clay, wet	9/16/2002	1644	1701	6.7
B2500	S2501	0 - 4	None	organics, sawdust	9/16/2002	924	1041	8.2
	S2502	4 - 8	None	Sand, trace organics, moist	9/16/2002	926	1041	8
	S2503	8 -12	Organic	black Clay, organics, wood	9/16/2002	928	1041	26
B2600	S2601	0 - 4	Organic	organics, wood, Clay	9/16/2002	944	1046	10.4
	S2602	4 - 8	Organic	organics, wood, Clay	9/16/2002	945	1046	11.1
	S2603	8 -12	Organic	organics, wood, Clay	9/16/2002	947	1046	16.7
	S2604	12 - 16	Organic	black Clay, trace organics, wet	9/16/2002	950	1047	15.1
B2700	S2701	0 - 4	Organic	organics, wood	9/16/2002	1000	1051	12.2
	S2702	4 - 8	Organic	organics, wood	9/16/2002	1004	1051	12.1
	S2703	8 -12	Organic	black Clay, trace organics, wet	9/16/2002	1008	1051	10.7
B2800	S2801	0 - 4	Organic	black Sand, metal, trace Silt	9/16/2002	1020	1129	11.1
	S2802	4 - 8	Organic	black Sand, metal, trace Silt	9/16/2002	1022	1129	16
	S2803	8 -12	Organic	black Sand, metal, trace Silt	9/16/2002	1023	1130	13.2
	S2804	12 - 16	Organic	black Sand, metal, trace Silt, trace organics	9/16/2002	1025	1130	13.5
B2900	S2901	0 - 4	None	topsoil, Sand, black organics	9/16/2002	1138	1154	6.2
	S2902	4 - 8	None	Silt, Sand	9/16/2002	1139	1154	8
	S2903	8 -12	None	Silt, Sand	9/16/2002	1141	1155	11
	S2904	12 - 16	None	Sand	9/16/2002	1143	1155	7.7
B3000	S3001	0 - 4	None	Sand, trace Silt	9/16/2002	1155	1212	3.8
	S3002	4 - 8	None	Sand, trace Silt	9/16/2002	1157	1213	9.7
	S3003	8 -12	None	Sand, trace Silt	9/16/2002	1158	1213	6.5
B3100	S3101	0 - 4	None	Silty Sand, organics	9/16/2002	1213	1229	7.8
	S3102	4 - 8	None	Silty Sand, organics	9/16/2002	1215	1230	9.7
	S3103	8 -12	None	Silty Sand, organics	9/16/2002	1216	1230	4.7
B3200	S3201	0 - 4	None	black Silty Sand	9/16/2002	1226	1241	4.7
	S3202	4 - 8	None	brown Silty Sand	9/16/2002	1228	1241	8.6
	S3203	8 -12	None	brown Silty Sand	9/16/2002	1229	1242	7.1

Table 1 Soil Field Screening Results, Former Heimbach Property, Town of Peshtigo, Wisconsin

Sample Location	Sample Number	Sample Depth (inches)	Sample Petroleum Odor	Sample Description	Date Collected	PID Headspace Analysis		
						Time Collected	Time Analyzed	PID Response (IUI)
B3300	S3301	0 - 4	None	Sand, Gravel fill	9/16/2002	1241	1300	7.9
	S3302	4 - 8	None	Sand, Gravel fill	9/16/2002	1243	1301	9.1
	S3303	8 - 12	None	Silty Sand	9/16/2002	1245	1301	7.5
B3400	S3401	0 - 4	None	Clay, organics, sawdust	9/16/2002	1255	1318	9.5
	S3402	4 - 8	None	sawdust	9/16/2002	1258	1319	12.5
	S3403	8 - 12	None	sawdust	9/16/2002	1300	1320	7.9
	S3404	12 - 16	None	sawdust	9/16/2002	1303	1320	10
	S3405	16 - 18	None	black Clay with organics	9/16/2002	1308	1321	29.7
B3500	S3501	0 - 4	None	Silty sand with debris (glass & metal)	9/16/2002	1321	---	---
	S3502	4 - 8	None	Silty sand with gravel	9/16/2002	1323	---	---
	S3503	8 - 12	None	Silty sand, moist	9/16/2002	1324	---	---
B3600	S3601	0 - 4	None	Sand with gravel, metal & glass	9/16/2002	1335	---	---
	S3602	4 - 8	None	Sand with gravel, metal (no glass)	9/16/2002	1337	---	---
	S3603	8 - 12	None	Silty sand, no gravel	9/16/2002	1339	---	---
	S3604	12 - 16	None	Silty Sand	9/16/2002	1341	1401	7
B3700	S3701	0 - 4	None	Sand and sawdust	9/16/2002	1355	---	---
	S3702	4 - 8	None	Silty sand with organics	9/16/2002	1356	---	---
	S3703	8 - 12	None	Clayey silt with organics	9/16/2002	1358	---	---
	S3704	12 - 16	None	Silty sand, moist	9/16/2002	1400	---	---
B3800	S3801*	0 - 6	None	brown to black Sand	12/17/2002	852	---	---
B3900	S3901*	0 - 6	None	brown to black Sand	12/17/2002	908	---	---
B4000	S4001*	0 - 6	None	brown to black Sand	12/17/2002	920	---	---
B4100	S4101*	0 - 6	None	brown to black Sand	12/17/2002	931	---	---
B4200	S4201*	0 - 6	None	Silty sand with organics	12/17/2002	952	---	---
B4300	S4301*	0 - 6	None	Silty sand with organics	12/17/2002	1016	---	---
B4400	S4401*	6	None	Peat, Dark Brown to Black	8/10/2004	1030	1105	37
B4500	S4501*	6	None	Sandy Silt, Moist	8/10/2004	1035	1106	4
B4600	S4601*	6	None	Peat, Dark Brown to Black	8/10/2004	1040	1106	5
B4700	S4701*	6	None	Sand, Medium Grain	8/10/2004	1105	1126	3.7
B4800	S4801*	6	None	Topsoil, Dark Brown	8/10/2004	1145	1205	1.8
B4900	S4901*	6	None	Topsoil, Dark Brown	8/10/2004	1155	1215	5.5
B5000	S5001*	0-6	None	Topsoil, Dark Brown	10/21/2004	1204	1234	0
B5100	S5101*	0-6	None	Topsoil, Dark Brown, Some Sand	10/21/2004	1210	1241	0
B5200	S5201*	0-6	None	Peat, Dark Brown to Black	10/21/2004	1213	1249	0
B5300	S5301*	0-6	None	Sandy Silt	10/21/2004	1217	1255	0
B5400	S5401*	0-6	None	Sandy Silt	10/21/2004	1221	1300	0

Table 1 Soil Field Screening Results, Former Heimbach Property, Town of Peshtigo, Wisconsin

Sample Location	Sample Number	Sample Depth (inches)	Sample Petroleum Odor	Sample Description	Date Collected	PID Headspace Analysis		
						Time Collected	Time Analyzed	PID Response (IUI)
Test Pit 1	TP1-1	.25 ft	None	Sawdust and black sand	7/16/2002	1358	1410	0.2
	TP1-2	.5 ft	None	Black silty clay with organics/peat	7/16/2002	1359	1411	0.8
	TP1-3	3 ft	None	Silty sand	7/16/2002	1400	1412	2.2
Test Pit 2	TP2-1	0.5 ft	None	Sawdust, pieces of particle board, metal, and rubber hoses	7/16/2002	1156	1302	0
	TP2-2	2.5 ft	None	Black silty clay with organics/peat	7/16/2002	1158	1303	0.2
	TP2-3	4 ft	None	Silty sand, wet	7/16/2002	1158	1304	0.8
Test Pit 3	TP3-1	0.5 ft	None	Sawdust	7/16/2002	1202	1305	0
	TP3-2	1.5 ft	Organic	Black silty clay with organics/peat	7/16/2002	1204	1305	2.7
	TP3-3	2 ft	None	Silty sand, moist	7/16/2002	1205	1306	0
Test Pit 4	*TP4-1	0.5 ft	None	Sawdust	7/16/2002	1210	1306	7
	TP4-2	1.5 ft	None	Black clayey silt with organics/peat	7/16/2002	1211	1307	4
	TP4-3	3 ft	None	Silty sand, wet	7/16/2002	1212	1307	0
Test Pit 5	TP5-1	0.5 ft	None	Sawdust, moist	7/16/2002	1220	1308	0
	TP5-2	1.5 ft	None	Black organics/peat, wet	7/16/2002	1221	1308	0
	TP5-3	3.25 ft	None	Silty sand, wet	7/16/2002	1222	1308	0
Test Pit 6	TP6-1	0.5 ft	None	Sawdust, moist	7/16/2002	1225	1309	0
	TP6-2	2.5 ft	None	Black silt with organics/peat	7/16/2002	1226	1309	0.2
	TP6-3	4 ft	None	Silty sand, wet	7/16/2002	1228	1309	0.8
Test Pit 7	TP7-1	0.5 ft	None	Sawdust with pieces of particle board	7/16/2002	1235	1310	0.8
	TP7-2	3 ft	None	Black silt with organics/peat	7/16/2002	1237	1311	1
	TP7-3	4.2 ft	None	Silty Sand, wet	7/16/2002	1240	1311	0.2
Test Pit 8	*TP8-1	0.5 ft	None	Sawdust with pieces of particle board and concrete blocks	7/16/2002	1245	1314	2
	TP8-2	3.5 ft	None	Black organics/peat, wet	7/16/2002	1247	1315	4.9
	TP8-3	5.2 ft	None	Silty sand, wet	7/16/2002	1250	1315	0.2
Test Pit 9	TP9-1	0.5 ft	None	Sawdust with pieces of metal and concrete block	7/16/2002	1300	1317	0.2
	TP9-2	3.5 ft	None	Black silt with organics/peat	7/16/2002	1301	1317	1
	TP9-3	4.5 ft	None	Silty Sand, wet	7/16/2002	1318	1402	0
Test Pit 10	TP10-1	0.5 ft	Slight	Sawdust with pieces of particle board, metal, and tires	7/16/2002	1320	1404	1.9
	TP10-2	2.5 ft	None	Black silt with organics/peat	7/16/2002	1324	1405	2.2
	TP10-3	4 ft	None	Silty sand, wet	7/16/2002	1330	1405	2.2
Test Pit 11	TP11-1	0.5 ft	None	Sawdust with pieces of metal	7/16/2002	1345	1406	1.1
	TP11-2	2 ft	None	Black clay silt with organics/peat, wet	7/16/2002	1346	1406	0.2
Test Pit 12	TP12-1	0.5 ft	None	Sawdust with pieces of metal and plastic	7/16/2002	1350	1407	0.2
	TP12-2	2 ft	None	Black clayey silt with organics/peat	7/16/2002	1352	1408	1.1
	TP12-3	3.4 ft	None	Silty sand, wet	7/16/2002	1354	1409	0.8

## Key:

PID = Photoionization Detector

iui = Instruments units as isobutylene

--- = Not Analyzed

\* = Soil Sample submitted for Laboratory Analysis

Note: Depth of samples is listed in inches, unless otherwise noted.

Table 2 Soil Analytical Results, Former Heimbach Property, Town of Peshtigo, Wisconsin

Boring Number	Sample Number	Sample Depth (inches)	Date Sampled	Relevant and Significant RCRA Metal Analytical Results (mg/kg)								Relevant and Significant TCLP RCRA Metal Analytical Results (mg/L)								Formaldehyde (mg/kg)	Relevant and Significant VOC Analytical Results (µg/kg)												
				Lead, Total	Arsenic, Total	Barium, Total	Cadmium, Total	Chromium, Total	Selenium, Total	Silver, Total	Mercury, Total	TCLP Lead	TCLP Arsenic	TCLP Barium	TCLP Cadmium	TCLP Chromium	TCLP Selenium	TCLP Silver	TCLP Mercury		Benzene	n-Butylbenzene	sec-Butylbenzene	1,4-Dichlorobenzene	Ethylbenzene	Isopropylbenzene	Naphthalene	n-Propylbenzene	Toluene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Xylenes
NR720 Residual Contaminant Level				50(500)	0.039(1.6)	NE	8 (510)	NE *	NE	NE	NE								NE	5.5	NE	NE	NE	2,900	NE	NE	NE	1,500	NE	NE	NE	4,100	
NR605.08 TCLP Regulatory Limit				5							5	5	100	1	5	1	5	0.2															
Drums of Ash Drums of Ash				07/16/02	47	<0.12	0.14	0.37 J	<0.12	<0.5	<0.2	<0.0011																					
Stockpiled Soil Stockpiled Soil				07/16/02	1.4 J	<0.12	0.89	<0.14	<0.12	<0.5	<0.2	<0.0011																					
TP4	TP4-1	6	07/16/02	<3	5.9	25	1.1 J	1.6 J	<2.5	<1	0.29								<125	<125	<125	<125	93 J	<125	<125	<125	<125	<125	<125	<125	<125	2,080	
TP8	TP8-1	6	07/16/02	19	1.6 J	10	<0.7	2.4	<2.5	<1	0.11							4.51	<25	<25	<25	83	<25	<25	<25	<25	<25	<25	<25	34	<25	<25	<25
B100	S101	0-4	07/22/02	451 *	8.4	90	1.4 J	27	<2.5	<1	0.24																						
B200	S201	0-4	07/22/02	414 *	8	196	4.3	30	<2.5	<1	0.073								<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<75	
B300	S301	0-4	07/22/02	21,200 *	50	470	19	64	<12.5	<1	1.3	243							<25	<25	<25	<25	34	<25	51	<25	200	<25	25	<25	165		
B400	S401	0-4	07/22/02	3,590 *	58	814	4.2	357 *	<2.5	<1	4.0 *	11				<0.12																	
B500	S501	0-4	07/22/02	76	0.99 J	57	0.78 J	8.9	<2.5	<1	0.11																						
B600	S601	0-4	07/22/02	755 *	17	206	4.5	392 *	<2.5	<1	0.098																						
B700	S701	0-4	07/22/02	1590 *	24	425	5.8	28	<2.5	<1	0.031																						
B800	S801	0-4	07/22/02	1,650 *	26	314	3.6	37	<2.5	<1	0.56	2.1																					
B900	S901	0-4	07/22/02	1,120 *	9.8	418	8.5	29	<2.5	<1	0.21																						
B1000	S1001	0-4	07/22/02	158 *	28	262	5	18	<2.5	<1	0.061								<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<75	
B1100	S1101	0-4	07/22/02	293 *	3.2	194	4	19	<2.5	<1	0.46																						
B1200	S1201	0-4	07/22/02	1,060 *	20	302	3.7	166 *	<12.5	<1	1.2																						
B1300	S1301	0-4	07/22/02	1,030 *	14	742	6	37	<17.5	<1	1.4																						
B1400	S1401	0-4	07/22/02	435 *	0.98 J	671	4.7	18	<2.5	<1	0.071																						
B1500	S1501	0-4	07/22/02	784 *	30	829	5.4	69	<12.5	<1	0.084	1.1 J																					
B1600	S1601	0-4	07/22/02	1,930 *	14	595	9.2	48	<2.5	<1	0.24																						
B1700	S1701	0-4	07/22/02	460 *	1.3 J	175	5.3	20	<2.5	<1	0.18																						
	S1703	8-12	07/22/02																250	290	57	<25	410	58	<25	92	<25	<25	410	370	1,030		
B1800	S1801	0-4	07/22/02	710 *	8.4	172	7.6	18	<2.5	<1	0.18																						

**Table 2 Soil Analytical Results, Former Heimbach Property, Town of Peshtigo, Wisconsin**

Boring Number	Sample Number	Sample Depth (inches)	Date Sampled	Relevant and Significant PAH Analytical Results (µg/kg)														Relevant and Significant PCBs Analytical Results (mg/kg)									
				Acenaphthylene	Anthracene	Benzo(A)Anthracene	Benzo(A)Pyrene	Benzo(B)Fluoranthene	Benzo(K)Fluoranthene	Benzo(G,H,I)Perylene	Chrysene	Dibenzo(A,H)Anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-CD)Pyrene	1-Methyl Naphthalene	2-Methyl Naphthalene	Naphthalene	Phenanthrene	Pyrene	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260
NR720 Residual Contaminant Level				NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	
NR605.08 TCLP Regulatory Limit																											
Drums of Ash		Drums of Ash	07/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
Stockpiled Soil		Stockpiled Soil	07/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
TP4	TP4-1	6	07/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
TP8	TP8-1	6	07/16/02	< 420	< 340	< 540	< 590	< 420	< 790	< 820	< 380	< 760	< 420	< 410	< 690	< 370	< 720	< 400	< 200	< 580	--	--	--	--	--		
B100	S101	0-4	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
B200	S201	0-4	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
B300	S301	0-4	07/22/02	940	1,400	3,300	3,900	5,400	4,200	3,800	3,800	1,900	6,100	280 J	3,400	< 190	< 360	250 J	3000	5000	<0.002	<0.002	<0.002	<0.002	<0.002	3.6	<0.002
B400	S401	0-4	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
B500	S501	0-4	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
B600	S601	0-4	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
B700	S701	0-4	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
B800	S801	0-4	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
B900	S901	0-4	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
B1000	S1001	0-4	07/22/02	< 42	55 J	< 54	< 59	< 42	< 79	< 82	54 J	< 76	72 J	< 41	< 69	74 J	90 J	49 J	230	80 J	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.057
B1100	S1101	0-4	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
B1200	S1201	0-4	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
B1300	S1301	0-4	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
B1400	S1401	0-4	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
B1500	S1501	0-4	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
B1600	S1601	0-4	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
B1700	S1701	0-4	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
	S1703	8-12	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
B1800	S1801	0-4	07/22/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		

Table 2 Soil Analytical Results, Former Heimbach Property, Town of Peshtigo, Wisconsin

Boring Number	Sample Number	Sample Depth (inches)	Date Sampled	Relevant and Significant RCRA Metal Analytical Results (mg/kg)							Relevant and Significant TCLP RCRA Metal Analytical Results (mg/L)							Formaldehyde (mg/kg)	Relevant and Significant VOC Analytical Results (µg/kg)												
				Lead, Total	Arsenic, Total	Barium, Total	Cadmium, Total	Chromium, Total	Selenium, Total	Silver, Total	Mercury, Total	TCLP Lead	TCLP Arsenic	TCLP Barium	TCLP Cadmium	TCLP Chromium	TCLP Selenium		TCLP Silver	TCLP Mercury	Benzene	n-Butylbenzene	sec-Butylbenzene	1,4-Dichlorobenzene	Ethylbenzene	Isopropylbenzene	Naphthalene	n-Propylbenzene	Toluene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene
NR720 Residual Contaminant Level				50(500)	0.039(1.6)	NE	8 (510)	NE *	NE	NE	NE							NE	5.5	NE	NE	NE	2,900	NE	NE	NE	1,500	NE	NE	NE	4,100
NR605.08 TCLP Regulatory Limit											5	5	100	1	5	1	5	0.2													
B1900	S1901	0-2 ft	09/16/02	95	2.0																										
B2000	S2002	2.5-4.5 ft	09/16/02	73	2.7																										
B2100	S2101	0-2 ft	09/16/02	42	2.2			8.8																							
B2200	S2201	0-2 ft	09/16/02	16	2.0																										
B2300	S2302	2.5-4.5 ft	09/16/02	7.0																											
B2500	S2501	0-4	09/16/02	430 *	15																										
B2600	S2601	0-4	09/16/02	270 *																											
B2700	S2701	0-4	09/16/02	420 *																											
B2800	S2801	0-4	09/16/02	230 *	7.0																										
B2900	S2901	0-4	09/16/02	25																											
B3000	S3001	0-4	09/16/02	17																											
B3100	S3101	0-4	09/16/02	630 *	16																										
B3200	S3201	0-4	09/16/02	300 *																											
B3300	S3301	0-4	09/16/02	22																											
B3400	S3401	0-4	09/16/02	1,000 *																											
B3500	S3503	8-12	09/16/02	130 *																											
B3600	S3603	8-12	09/16/02	1,300 *	3.5																										
B3700	S3704	12-16	09/16/02	200 *	4.1																										
B3800	S3801	0-6	12/17/02	540																											
B3900	S3901	0-6	12/17/02	460																											
B4000	S4001	0-6	12/17/02	230																											
B4100	S4101	0-6	12/17/02	610																											
B4200	S4201	0-6	12/17/02	160																											
B4300	S4301	0-6	12/17/02	340																											

Table 2 Soil Analytical Results, Former Heimbach Property, Town of Peshtigo, Wisconsin

Boring Number	Sample Number	Sample Depth (inches)	Date Sampled	Relevant and Significant PAH Analytical Results (µg/kg)														Relevant and Significant PCBs Analytical Results (mg/kg)								
				Acenaphthylene	Anthracene	Benzo(A)Anthracene	Benzo(A)Pyrene	Benzo(B)Fluoranthene	Benzo(K)Fluoranthene	Benzo(G,H,I)Perylene	Chrysene	Dibenzo(A,H)Anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-CD)Pyrene	1-Methyl Naphthalene	2-Methyl Naphthalene	Naphthalene	Phenanthrene	Pyrene	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254
NR720 Residual Contaminant Level				NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NR605.08 TCLP Regulatory Limit																										
B1900	S1901	0-2 ft	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B2000	S2002	2.5-4.5 ft	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B2100	S2101	0-2 ft	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B2200	S2201	0-2 ft	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B2300	S2302	2.5-4.5 ft	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B2500	S2501	0-4	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B2600	S2601	0-4	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B2700	S2701	0-4	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B2800	S2801	0-4	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B2900	S2901	0-4	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B3000	S3001	0-4	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B3100	S3101	0-4	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B3200	S3201	0-4	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B3300	S3301	0-4	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B3400	S3401	0-4	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B3500	S3503	8-12	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B3600	S3603	8-12	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B3700	S3704	12-16	09/16/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B3800	S3801	0-6	12/17/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B3900	S3901	0-6	12/17/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B4000	S4001	0-6	12/17/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B4100	S4101	0-6	12/17/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B4200	S4201	0-6	12/17/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B4300	S4301	0-6	12/17/02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

Table 2 Soil Analytical Results, Former Heimboch Property, Town of Peshtigo, Wisconsin

Boring Number	Sample Number	Sample Depth (inches)	Date Sampled	Relevant and Significant RCRA Metal Analytical Results (mg/kg)								Relevant and Significant TCLP RCRA Metal Analytical Results (mg/L)								Formaldehyde (mg/kg)	Relevant and Significant VOC Analytical Results (µg/kg)											
				Lead, Total	Arsenic, Total	Barium, Total	Cadmium, Total	Chromium, Total	Selenium, Total	Silver, Total	Mercury, Total	TCLP Lead	TCLP Arsenic	TCLP Barium	TCLP Cadmium	TCLP Chromium	TCLP Selenium	TCLP Silver	TCLP Mercury		Benzene	n-Butylbenzene	sec-Butylbenzene	1,4-Dichlorobenzene	Ethylbenzene	Isopropylbenzene	Naphthalene	n-Propylbenzene	Toluene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene
NR720 Residual Contaminant Level				50(500)	0.039(1.6)	NE	8 (510)	NE <sup>a</sup>	NE	NE	NE								NE	5.5	NE	NE	NE	2,900	NE	NE	NE	1,500	NE	NE	NE	4,100
NR605.08 TCLP Regulatory Limit											5	5	100	1	5	1	5	0.2														
B4400	S4401	0-6	08/10/04	6.5	< 1.6	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B4500	S4501	0-6	08/10/04	12	< 0.6	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B4600	S4601	0-6	08/10/04	5.6	< 1.8	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B4700	S4701	0-6	08/10/04	--	< 0.55	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B4800	S4801	0-6	08/10/04	36	30	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B4900	S4901	0-6	08/10/04	23	< 1.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B5000	S5001	0-6	10/21/04	32	< 0.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B5100	S5101	0-6	10/21/04	--	< 0.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B5200	S5201	0-6	10/21/04	--	< 1.9	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B5300	S5301	0-6	10/21/04	--	< 0.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B5400	S5401	0-6	10/21/04	--	< 0.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

Table 2 Soil Analytical Results, Former Heimbach Property, Town of Peshtigo, Wisconsin

Boring Number	Sample Number	Sample Depth (inches)	Date Sampled	Relevant and Significant PAH Analytical Results (µg/kg)														Relevant and Significant PCBs Analytical Results (mg/kg)									
				Acenaphthylene	Anthracene	Benzo(A)Anthracene	Benzo(A)Pyrene	Benzo(B)Fluoranthene	Benzo(K)Fluoranthene	Benzo(G,H,I)Perylene	Chrysene	Dibenzo(A,H)Anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-CD)Pyrene	1-Methyl Naphthalene	2-Methyl Naphthalene	Naphthalene	Phenanthrene	Pyrene	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260
NR720 Residual Contaminant Level				NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
NR605.08 TCLP Regulatory Limit																											
B4400	S4401	0-6	08/10/04	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B4500	S4501	0-6	08/10/04	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B4600	S4601	0-6	08/10/04	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B4700	S4701	0-6	08/10/04	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B4800	S4801	0-6	08/10/04	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B4900	S4901	0-6	08/10/04	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B5000	S5001	0-6	10/21/04	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B5100	S5101	0-6	10/21/04	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B5200	S5201	0-6	10/21/04	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B5300	S5301	0-6	10/21/04	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B5400	S5401	0-6	10/21/04	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

Key:

- µg/kg = micrograms per kilogram
- mg/L = milligrams per liter
- mg/kg = milligrams per kilogram
- RCL = Residual Contaminant Level
- NE = Not established by WAC
- 32** = Exceeds NR720.09 RCL, NR720.11 Industrial RCL, or NR605.08 Regulatory Limit
- 50(500) = non-industrial(industrial RCLs)
- VOCs = Volatile Organic Compounds
- RCRA = Resource Conservation and Recovery Act
- PAHs = Polynuclear Aromatic Hydrocarbons
- TCLP = Toxicity Characteristic Leaching Procedure
- PCBs = Polychlorinated biphenyls
- \* = In excess of 20 times the TCLP Limit
- NE\* = RCLs have been established for Chromium, hexavalent and chromium trivalent however, RCLs have not been established for total chromium.

**Table 4 Groundwater Analytical Results - Former Heimbach Property, Town of Peshtigo, Wisconsin**

Well ID	Screened Interval	Date Sampled	Dissolved RCRA Metals (µg/l)								Relevant and Significant VOC Analytical Results (µg/l)								PCB's (µg/l)		PAHs (µg/l)		Formaldehyde (µg/l)
			Arsenic	Barium	Cadmium	Chromium	Lead	Mercury	Selenium	Silver	Benzene	1,4-Dichlorobenzene	Ethylbenzene	MTBE	Naphthalene	Toluene	Trimethylbenzene	Xylenes	Aroclor 1254	Benzo (a) pyrene	Naphthalene		
NR 140 Preventative Action Limit (µg/l)			5	400	0.5	10	1.5	0.2	10	10	0.5	15	140	12	8	200	96	1,000	0.003	0.02	8	100	
NR 140 Enforcement Standard (µg/l)			50	2,000	5	100	15	2	50	50	5	75	700	60	40	1,000	480	10,000	0.03	0.2	40	1,000	
MW 1900	602.57 - 612.57	09/23/02	0.75	41	<0.090	3	0.14 Q	<0.028	0.91 Q	0.11 Q	<0.25	<0.63	<0.53	<0.87	<0.63	<0.84	<1.33	<1.83	---	---	---	---	
		12/17/02	<2.7	190	0.36 Q	1.7	<0.74	<0.050	<3.0	<0.43	<0.25	<0.63	<0.53	<0.87	<0.63	<0.84	<1.33	<1.83	<0.027	<0.014	<0.024	---	
MW 2000	610.80 - 611.80	09/23/02	1.0	33	0.22 Q	1.9	0.13 Q	<0.028	1.9	<0.070	<0.25	<0.63	<0.53	<0.87	<0.63	<0.84	<1.33	<1.83	<b>0.61 Q</b>	<0.012	<0.027	---	
		12/17/02	<2.7	47	<b>0.78</b>	1.2 Q	0.82 Q	<0.050	<3.0	<0.43	<0.25	<0.63	<0.53	<0.87	<0.63	<0.84	<1.33	<1.83	<b>0.20</b>	<0.014	<0.024	---	
		08/10/04	---	---	<1.7	---	---	---	---	---	---	---	---	---	---	---	---	---	<0.17	---	---	---	
MW 2100	601.85 - 611.85	09/23/02	2.1	92	<0.090	4.7	0.12 Q	<0.028	1.7	0.11 Q	<0.25	<0.63	<0.53	<0.87	<0.63	<0.84	<1.33	<1.83	---	---	---	---	
		12/17/02	<2.7	72	<0.17	3.0	0.96 Q	<0.050	<3.0	<0.43	<0.25	<0.63	<0.53	<0.87	<0.63	<0.84	<1.33	<1.83	<0.027	<0.014	<0.024	---	
MW 2200	600.12 - 610.12	09/23/02	1.8	17	<0.090	3.9	0.30	<0.028	1.2 Q	0.070 Q	<0.25	<0.63	<0.53	<0.87	<0.63	<0.84	<1.33	<1.83	---	---	---	---	
		12/17/02	<2.7	23	<0.17	3.0	<0.74	<0.050	<3.0	<0.43	<0.25	<0.63	<0.53	<0.87	<0.63	<0.84	<1.33	<1.83	<0.027	---	---	---	
MW 2300	600.98 - 610.98	09/23/02	1.6	26	<0.14	5.8	0.23	<0.028	1.1 Q	<0.050	<0.25	<0.63	<0.53	<0.87	<0.63	<0.84	<1.33	<1.83	---	<0.012	<0.027	---	
		12/17/02	<2.7	33	<0.17	5.3	1.3 Q	<0.050	<3.0	<0.43	<0.25	<0.63	<0.53	<0.87	<0.63	<0.84	<1.33	<1.83	<0.027	0.017 Q	0.025 Q	---	
MW 2400	601.36 - 611.36	09/23/02	2.0	97	<0.14	5.3	1.3	<0.028	0.80 Q	<0.050	<0.25	<0.63	<0.53	<0.87	<0.63	<0.84	<1.33	<1.83	---	---	---	21	
		12/17/02	<2.7	83	<0.17	6.3	2.0 Q	<0.050	<3.0	<0.43	<0.25	1.3 Q	<0.53	<0.87	<0.63	<0.84	<1.33	<1.83	<0.027	---	---	70.2	
MW 4700	---	08/10/04	---	---	<1.7	---	---	---	---	---	---	---	---	---	---	---	---	---	<0.17	---	---	---	
Berg Private Well	---	09/23/02	---	---	---	---	---	---	---	---	<0.25	<0.63	<0.53	<0.87	<0.63	<0.84	<1.33	<1.83	---	---	---	---	
Falk Private Well	---	09/23/02	0.67	20	<b>5.4</b>	2.8	0.13 Q	<0.028	1.5	<0.070	<0.25	<0.63	<0.53	<0.87	<0.63	<0.84	<1.33	<1.83	---	---	---	---	
		10/22/02	---	---	<0.090	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Herrild Private Well	---	09/25/02	---	---	---	---	---	---	---	---	<0.25	<0.63	<0.53	<0.87	<0.63	<0.84	<1.33	<1.83	---	---	---	---	
Peter Private Well	---	10/21/04	---	---	<0.7	---	<4.1	---	---	---	<0.29	<0.63	<0.56	<0.2	<0.6	36	<1.17	<1.74	<0.5	---	---	---	

Key:

MTBE = Methyl-Tertiary-Butyl-Ether

µg/l = micrograms per liter

Q = Analyte detected between Limit of Detection and Limit of Quantitation

PAHs = Polyaromatic Hydrocarbons

PCB = Polychlorinated biphenyls

NE = Not Established by Wis. Adm. Code

VOC = Volatile Organic Compound

--- = Not Analyzed

**32** = NR 140 Preventive Action Limit Exceeded

**32** = NR 140 Enforcement Standard Exceeded

**Table 3 Water Level Data, Former Heimbach Property, Town of Peshtigo, Wisconsin**

Well I.D.	Ground Surface Elevation (feet)	Riser Elevation (feet)	Top / Bottom of Well Screen Elevation (feet)	Date	Depth to Water (feet)		Water Table Elevation (feet)
					Below Riser	Below Grade	
MW1900	615.2	617.48	612.57 / 602.57	09/23/02	6.93	4.65	610.55
				09/26/02	6.97	4.69	610.51
				10/22/02	5.66	3.38	611.82
				12/17/02	6.87	4.59	610.61
				08/16/04	7.96	5.68	609.52
				08/24/04	8.21	5.93	609.27
MW2000	614.6	616.87	611.80 / 601.80	09/23/02	6.30	4.03	610.57
				09/26/02	6.30	4.03	610.57
				10/22/02	5.03	2.76	611.84
				12/17/02	6.13	3.86	610.74
				08/10/04	6.90	4.63	609.97
				08/16/04	4.29	2.02	612.58
				08/24/04	7.47	5.20	609.40
MW2100	614.4	616.74	611.85 / 601.85	09/23/02	6.48	4.14	610.26
				09/26/02	6.54	4.20	610.20
				10/22/02	5.25	2.91	611.49
				12/17/02	6.18	3.84	610.56
				08/16/04	7.61	5.27	609.13
08/24/04	7.74	5.40	609.00				
MW2200	613.49	616.09	610.12 / 600.12	09/23/02	5.33	2.73	610.76
				09/26/02	5.45	2.85	610.64
				10/22/02	3.80	1.20	612.29
				12/17/02	5.02	2.42	611.07
				08/16/04	6.79	4.19	609.30
				08/24/04	6.87	4.27	609.22
MW2300	614.2	616.42	610.98 / 600.98	09/23/02	5.65	3.43	610.77
				09/26/02	5.67	3.45	610.75
				10/22/02	3.95	1.73	612.47
				12/17/02	5.42	3.20	611.00
				08/24/04	6.73	4.51	609.69
MW2400	614.4	617.22	611.36 / 601.36	09/23/02	6.80	3.98	610.42
				09/26/02	6.21	3.39	611.01
				10/22/02	5.10	2.28	612.12
				12/17/02	6.10	3.28	611.12
				08/16/04	7.27	4.45	609.95
				08/24/04	7.41	4.59	609.81
MW4700	615.38	618.4	612.36/607.36	08/10/04	9.02	6.00	609.38
				08/16/04	9.44	6.42	608.96
				08/24/04	9.55	6.53	608.85