

**GIS REGISTRY INFORMATION**

**SITE NAME:** FRIDAY CANNING #2  
**BRRTS #:** 03-38-001107 **FID # (if appropriate):** \_\_\_\_\_  
**COMMERCE # (if appropriate):** \_\_\_\_\_  
**CLOSURE DATE:** 10/12/2005  
**STREET ADDRESS:** 131 KATHERINE STREET  
**CITY:** COLEMAN

**SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):** X= 674914 ; Y= 511802

**CONTAMINATED MEDIA:** Groundwater  Soil  Both   
**OFF-SOURCE GW CONTAMINATION >ES:**  Yes  No

**IF YES, STREET ADDRESS 1:** \_\_\_\_\_  
**GPS COORDINATES (meters in WTM91 projection):** X= \_\_\_\_\_ Y= \_\_\_\_\_

**OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):**  Yes  No  
**IF YES, STREET ADDRESS 1:** \_\_\_\_\_

**GPS COORDINATES (meters in WTM91 projection):** X= \_\_\_\_\_ Y= \_\_\_\_\_  
**CONTAMINATION IN RIGHT OF WAY:**  Yes  No

**DOCUMENTS NEEDED:**

- Closure Letter, and any conditional closure letter or denial letter issued X
- Copy of most recent deed, including legal description, for all affected properties X
- Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties X
- County Parcel ID number, if used for county, for all affected properties X
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site. X
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs. X
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching) X
- Tables of Latest Soil Analytical Results (no shading or cross-hatching) X
- Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map. X
- GW: Table of water level elevations, with sampling dates, and free product noted if present X
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees) X
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour X
- Geologic cross-sections, if required for SI. (8.5x14" if paper copy) X
- RP certified statement that legal descriptions are complete and accurate X
- Copies of off-source notification letters (if applicable) NA
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW) NA
- Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure NA
- Copy of any maintenance plan referenced in the deed restriction. NA



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Ronald W. Kazmierczak, Regional Director

Northeast Region Headquarters  
2984 Shawano Ave., P.O. Box 10448  
Green Bay, Wisconsin 54307-0448  
Telephone 920-662-5100  
FAX 920-662-5413  
TTY Access via relay - 711

October 12, 2005

Matt Henschler  
Seneca Foods Corporation  
418 East Conde Street  
Janesville, WI 53546

**SUBJECT:** Final Case Closure By Closure Committee With Conditions Met for  
Friday Canning #2, 131 Katherine Street, Coleman, WI  
WDNR BRRTS Activity # 03-38-001107

Dear Mr. Henschler:

On September 15, 2005, the Northeast Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On September 20, 2005, you were notified that the Closure Committee had granted conditional closure to this case.

On October 12, 2005 the Department received final correspondence indicating that you have complied with the requirements of closure (submitted well abandonment forms and provided documentation on purge water and waste and soil piles. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

### **FUTURE EXCAVATION OF RESIDUAL CONTAMINATED SOIL**

Residual soil contamination remains at the site as indicated in the information submitted to the Department of Natural Resources. If soil in these specific locations is excavated in the future, the property owner at the time of excavation will be required to sample and analyze the excavated soil to determine whether the contamination still remains. If contamination remains, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard at the time of excavation. **Special precautions may need to be taken during excavation activities to prevent a direct contact health threat to humans.** Based upon the results of sample analysis, the current owner will also have to properly store, treat, or dispose of any excavated materials, in accordance with state and federal laws.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit

<http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4)(w). To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at (920) 662-5164.

Sincerely,



Lisa Evenson  
Hydrogeologist  
Remediation & Redevelopment Program

cc: Noel Versch, Bay Environmental Strategies, Inc.,  
529 S. Jefferson Street, Suite 10, Green Bay, WI 54301



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Ronald W. Kazmierczak, Regional Director

Northeast Region Headquarters  
2984 Shawano Ave., P.O. Box 10448  
Green Bay, Wisconsin 54307-0448  
Telephone 920-662-5100  
FAX 920-662-5413  
TTY Access via relay - 711

September 20, 2005

Mr. Matt Henschler  
418 East Conde Street  
Janesville, WI 53546

Subject: Conditional Closure Decision with Requirements to Achieve Final Closure for  
Friday Canning #2, 131 Katherine Street, Coleman, Wisconsin  
WDNR BRRTS Activity # 03-38-001107

Dear Mr. Henschler:

On September 15, 2005, the Northeast Region Closure Committee reviewed your request for closure of the case described above. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the petroleum contamination from the former underground storage tank appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

### **MONITORING WELL ABANDONMENT**

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to Lisa Evenson on Form 3300-5B found at [www.dnr.state.wi.us/org/water/dwg/gw/](http://www.dnr.state.wi.us/org/water/dwg/gw/) or provided by the Department of Natural Resources.

### **PURGE WATER, WASTE AND SOIL PILE REMOVAL**

Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Please send a letter advising me that any remaining purge water, waste and/or soil piles have been removed once that work is completed.

When the above conditions have been satisfied, please submit a letter to let me know that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit <http://maps.dnr.state.wi.us/brrts>.

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the

PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at (920) 662-5164.

Sincerely,

A handwritten signature in cursive script, appearing to read "Lisa Evenson".

Lisa Evenson  
Hydrogeologist  
Remediation & Redevelopment Program

cc: Noel Versch, Bay Environmental Strategies, Inc.,  
529 S. Jefferson Street, Green Bay, WI 54301

253875

333783

338 Vol. 280

REGISTER'S OFFICE } ss. Oconto Co., Wis.

RECORDED 91 March 26 1968 of records 280 William Stewart Deputy

RETURN TO

Marmath Royal of Seal

THIS INDENTURE, Made this 15th day of February A. D. 1968, between Country Gardens, Incorporated a Corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, located at Milwaukee Wisconsin, party of the first part and Friday Foods, Inc., a Corporation duly organized and existing under and by virtue of the laws of the state of Wisconsin, located at New Richmond, part Y of the second part,

Witnesseth, That the said party of the first part, for and in consideration of the sum of One dollar (\$1.00) and other valuable consideration,

to it paid by the said part Y of the second part, the receipt whereof is hereby confessed and acknowledged, has given, granted, bargained, sold, remised, released, aliened, conveyed and confirmed, and by these presents does give, grant, bargain, sell, remise, release, alien, convey and confirm unto the said part Y of the second part, its successors forever, the following described real estate situated in the Counties of Oconto and Marinette Counties and State of Wisconsin, to-wit:

(See attached schedules for property in Oconto and Marinette Counties, Wisconsin)

1968 MAR 26 AM 9:26 REGISTER OF DEEDS OF MARINETTE COUNTY, WIS.

(IF NECESSARY, CONTINUE DESCRIPTION ON REVERSE SIDE)

Together with all and singular the hereditaments and appurtenances thereunto belonging or in any wise appertaining; and all the estate right, title, interest, claim or demand whatsoever, of the said party of the first part, either in law or equity, either in possession or expectancy of, in and to the above bargained premises, and their hereditaments and appurtenances.

To Have and To Hold the said premises as above described with the hereditaments and appurtenances, unto the said party of the second part, and to its successors FOREVER.

And the said Country Gardens, Incorporated

party of the first part, for itself and its successors, does covenant, grant, bargain and agree to and with the said part Y of the second part, its successors and assigns, that at the time of the ensembling and delivery of these presents it is well seized of the premises above described, as of a good, sure, perfect, absolute and indefeasible estate of inheritance in the law, in fee simple, and that the same are free and clear from all incumbrances whatever.

and that the above bargained premises in the quiet and peaceable possession of the said part Y of the second part, its successors and assigns, against all and every person or persons lawfully claiming the whole or any part thereof, it will forever WARRANT AND DEFEND.

In Witness Whereof, the said Country Gardens, Incorporated party of the first part, has caused these presents to be signed by Glen C. Olson, its President, and countersigned by James Cota, its Secretary, at Milwaukee, Wisconsin, and its corporate seal to be hereunto affixed, this 15th day of February, A. D., 1968.

SIGNED AND SEALED IN PRESENCE OF

COUNTRY GARDENS, INCORPORATED

Richard A. Olson, Victoria M. Schmidt, VICTORIA M. SCHMIDT

Glen C. Olson, James Cota, JAMES COTA

STATE OF WISCONSIN, Milwaukee County, ss.

Personally came before me, this 15th day of February, A. D., 1968, Glen C. Olson, President, and James Cota, Secretary of the above named Corporation, to me known to be the persons who executed the foregoing instrument, and to me known to be such President and Secretary of said Corporation, and acknowledged that they executed the foregoing instrument as such officers as the deed of said Corporation, by its authority.



Dolores C. Halla, DOLORES C. HALLA

This instrument drafted by W. T. DOAR, JR. DOAR, DRILL & NORMAN, New Richmond, Wisconsin.

Notary Public, Milwaukee County, Wis.

My Commission (Expires) (1s) May 25, 1969

SCHEDULE - OCONTO PROPERTY continued

That part of the Northeast 1/4 of the Northwest 1/4 of Section 22, Township 28 North, Range 18 East, of the 4th Principal Meridian described as follows, to-wit: Beginning at a point on the North and South center line of said Section 22 distant 50 feet Northwesterly measured at right angles, from the center line of the main track of the Chicago and Northwestern Railway Company as said main track is now located and established.

SCHEDULE - OCONTO COUNTY PROPERTY

That part of the North East One-quarter (1/4) of the North West One-quarter (1/4) of Section Twenty-two (22), Township Twenty-eight (28) North, Range Eighteen (18) East of the Fourth Principal Meridian described as follows, to-wit: Beginning at a point on the north and south center line of said Section 22, distant 50 feet northwesterly, measured at right angles, from the center line of the main track of the Chicago and Northwestern Railway Company as said main track is now located and established over and across said Section 22; thence southwesterly, parallel with said center line of the main track, to the center line of Christies Creek; thence southerly along said center line of Christies Creek to a point distant 25 feet northwesterly, measured at right angles, from said center line of the main track; thence northeasterly, parallel with said center line of the main track, to said North and South center line of Section 22; thence North along said North and South center line of Section 22 to the point of beginning.

Also Lots One (1) and Two (2) and the southwesterly Ten (10) feet in width of Lot Three (3) all in Foelker's Addition No. 2 to the Village of Gillett.

.....

Part of Northeast Quarter of Northwest Quarter (NE 1/4 NW 1/4) Section 22, Township 28 North, Range 18 East, described as follows: Commencing at a point on the North and South quarter line in said Section where said line crosses the South boundary of the Chicago & Northwestern Railway Co's right of way and running thence South on said quarter line in the center of highway 150 feet, thence Southwesterly and parallel with said right of way 332 feet, thence Northwesterly in a straight line 177 feet, to center of creek known as Christy Brook on said railroad boundary, thence Northeasterly along said boundary 509 feet to place of beginning. (Known as Part of Outlot 7 of Northeast Quarter of Northwest Quarter (NE 1/4 NW 1/4) of Section 22, Township 28, Range 18 East, Assessor's Plat Book of the Village of Gillett) EXCEPT EASEMENT to Village of Gillett.

.....

Part of East 1/4 of the Northwest 1/4, Section 22, Township 28 North, Range 18 East, described as follows: Commencing at a point on the North and South quarter line of said Section 22, 150 feet, South from a point where said quarter line crosses the South boundary of the Chicago & Northwestern Railway Company's right of way and running thence South on said quarter line in the center of highway 347 1/2 feet to the present north bank of stream known as Christy Brook, thence Northwesterly 350 feet to the Southwestern corner of land owned by the Gillett Canning Company, thence Northeasterly along said land 332 feet to place of beginning. (Known as Part of Outlot 7 of Northeast 1/4 of Northwest 1/4 and Outlot 3 of Southeast 1/4 of Northwest 1/4, Section 22, Township 28 North, Range 18 East, Assessor's Plat Book of the Village of Gillett.) EXCEPT EASEMENT to Village of Gillett recorded in Volume 138 Deeds, page 565.

.....

Part of Southwest 1/4 of Northeast 1/4 Section 22, Township 28 North, Range 18 East, described as follows: Commencing 30 feet East of the Northwest corner of the Southwest 1/4 of the Northeast 1/4 of Section 22, Township 28 North, Range 18 East, there shall be the place of beginning, thence running 250 feet East, thence running 60 feet South, thence running 250 feet West, thence running 60 feet North to the place of beginning. (Known as Outlot 2 of Southwest 1/4 of Northeast 1/4 of Section 22, Township 28 North, Range 18 East Assessor's Plat Book of the Village of Gillett.)

.....

SCHEDULE - MARINETTE COUNTY PROPERTY continued

The southwest quarter of the northeast quarter; that part of the northeast quarter of the southwest quarter lying east of the Chicago, Milwaukee, St. Paul & Pacific Railroad right-of-way; and the northwest quarter of the southeast quarter, all in Section 23, Township 30 North of Range 20 East, Marinette County, Wisconsin.

That part of the northeast quarter of the southwest quarter lying east of the Chicago, Milwaukee, St. Paul & Pacific Railroad right-of-way; in Section 23, Township 30 North of Range 20 East.


The southwest quarter of the northeast quarter; Section 23; Township 30 North of Range 20 East.

The Northwest quarter of the southeast quarter of Section 23; Township 30 North of Range 20 east.

Part of the northwest quarter of the northeast quarter and the northeast quarter of the northwest quarter of Section 23, Township 30 North of Range 20 East, all of which is more fully described as follows: Commencing at a point on the east line of the Northwest quarter of the northeast quarter of said section, township and range 415 feet south of the northeast corner of said northwest quarter of the northeast quarter; thence west and parallel to the north line of said quarter section a distance of 759 feet to the east line of Coleman Avenue in Zelia Beaudry's First Addition; thence south along the east line of said Coleman Avenue to a point 40 feet east of the northeast corner of Lot 12, Block 3, Zelia Beaudry's First Addition; thence west along the south line of Katherine Street to the northwest corner of Lot 1, Block 3, Zelia Beaudry's First Addition; thence continuing west to the east line of the Chicago, Milwaukee, St. Paul & Pacific railroad right-of-way; thence southwesterly along the east line of said right-of-way to the south line of the northeast quarter of the northwest quarter of said section; thence east to the southeast corner of the northeast quarter of the northwest quarter; thence continuing east along the south line of the northwest quarter of the northeast quarter to the southeast corner thereof; thence north along the east line of said quarter section to the place of beginning.

1968 MAR 26 AM 9:25  
RECORDED  
By H. H. [Signature]  
REGISTER OF DEEDS  
OF MARINETTE COUNTY, WIS.


**MARINETTE COUNTY  
PROPERTY OWNERSHIP MAP  
SECTION 23 T30N R20E  
NW1/4 NE1/4  
VILLAGE OF COLEMAN**



PRODUCED AND MAINTAINED BY  
**MARINETTE COUNTY  
PROPERTY LISTING OFFICE**




DRAWN BY: Tina M. Carvernaugh  
DATE: 01/24/07  
LAST REV:



This map is based on documents of record, surveys and highway project plats from County Surveyor's office. Hydrography, railroads and unplatted roads were digitized from USGS digital raster graphic data. Coordinate base is the Marinette County coordinate system. For additional information see mapping notes.

The location of original government corners shown on this map based on the county reenumeration program. For information on placement of the center of section, see the County Surveyor office.

As with all public information derived from variable sources, this data may contain errors or faults. Therefore, Marinette County does not provide any warranty, express or implied, that this data is absolutely accurate. If the recipient has any doubts as to the accuracy of this data, the recipient is advised to make an independent investigation or verification. If an error is found, it is requested that the Property Listing Office be advised of the particulars so this data can be examined and corrected. This map is not intended as a substitute for an accurate field survey, neither is it intended to register or certify land ownership boundaries.



**Friday Canning  
Corporation Site #2**

3/03/05  
11:46:55

**Marinette County**  
**Parcel Legal Description**

MLRI0004  
FMT001

**Parcel:** 111-01039.000    **Year:** 2004  
**Status..:** Active parcel  
**Lot Size:** 352 X 660 M/L  
**Acreage.:** 5.36

**Parcel:** 111 1039    **Year:** 2003  
**Status..:** Active parcel  
**Lot Size:** 352 X 660 M/L  
**Acreage.:** 5.36

**Description**

ZELIA BEAUDRIYS 1ST ADD  
LOTS 1 THRU 24 BLK 3 & VAC  
ELLA ST COLEMAN ST & ALLEYS  
DESC 199D228 & 199D230  
#  
#

\*\*G & H BECKS\*\*  
\*\*1ST ADDITION\*\*

**Description**

ZELIA BEAUDRIYS 1ST ADD  
LOTS 1 THRU 24 BLK 3 & VAC  
ELLA ST COLEMAN ST & ALLEYS  
DESC 199D228 & 199D230  
#  
#

\*\*G & H BECKS\*\*  
\*\*1ST ADDITION\*\*

Press ENTER to continue

**F1=Exit    F7=Prev Parcel    F8=Next Parcel    F12=Previous    F21=Print Request**  
**F23=Inquiry Options**

3/03/05  
11:47:37

**Marinette County**  
**Parcel Legal Description**

MLRI0004  
FMT001

**Parcel:** 111-00834.000    **Year:** 2004  
**Status..:** Active parcel  
**Lot Size:**  
**Acreage.:** 17.96

**Parcel:** 111 834    **Year:** 2003  
**Status..:** Active parcel  
**Lot Size:**  
**Acreage.:** 17.96

**Description**

PRT NW NE & NE NW S23 T30N  
R20E COM 415'S NE COR NW NE;  
W759' TO E/L ST S ALG E/L ST  
TO PT 40'E NE COR L12 B3  
BEAUDRIYS 1ST W ALG S/L ST  
TO NW COR L1 B3 W TO E/L RR  
SW ALG E/L RR TO S/L NE NW E  
TO SE COR NE NW E ALG S/L TO  
SE COR NW NE N ALG E/L TO  
POB DESC 199D233 EX L1-24 B3  
BEAUDRIY 1ST & EX 95D68 5045  
J36

**Description**

PRT NW NE & NE NW S23 T30N  
R20E COM 415'S NE COR NW NE;  
W759' TO E/L ST S ALG E/L ST  
TO PT 40'E NE COR L12 B3  
BEAUDRIYS 1ST W ALG S/L ST  
TO NW COR L1 B3 W TO E/L RR  
SW ALG E/L RR TO S/L NE NW E  
TO SE COR NE NW E ALG S/L TO  
SE COR NW NE N ALG E/L TO  
POB DESC 199D233 EX L1-24 B3  
BEAUDRIY 1ST & EX 95D68 5045  
J36

Press ENTER to continue

**F1=Exit    F7=Prev Parcel    F8=Next Parcel    F12=Previous    F21=Print Request**  
**F23=Inquiry Options**

3/03/05  
11:44:07

**Marinette County**  
**Base Parcel Information**

MLRI0001  
FMT001

**Parcel:** 111-00834.000  
**\*\* See Historical Notes \*\***

**Parcel Status:** Active parcel  
**Update Status:** No Updates Pending

**Mail** CHIQUITA PROCESSED FOODS NKA  
**To:** FRIDAY FOODS INC FKA  
C/O SENECA FOODS CORPORATION  
131 KATHARINE ST  
COLEMAN WI

54112-9517

Property Address

**Map Available:** Y      **Permit Code:** N      **Parcel Last Changed:** 2/06/2004

Land Use Codes  
04 Streams/Creeks

Status Years  
Generated/Birth:  
Retirement:

**F1=Exit**      **F7=Previous Parcel**      **F8=Next Parcel**      **F9=Permit Lookup**  
**F10=District Information**      **F12=Previous**      **F23=Inquiry Options**

3/03/05  
11:44:42

**Marinette County**  
**Base Parcel Information**

MLRI0001  
FMT001

**Parcel:** 111-01039.000

**Parcel Status:** Active parcel

**\*\* See Historical Notes \*\***

**Update Status:** No Updates Pending

**Mail** CHIQUITA PROCESSED FOODS NKA  
**To:** FRIDAY FOODS INC FKA  
C/O SENECA FOODS CORPORATION  
418 E CONDE ST  
JANESVILLE WI

**Property Address**

53546-0000 131 KATHARINE ST

**Map Available:** Y

**Permit Code:** N

**Parcel Last Changed:** 1/24/2005

**Land Use Codes**

**Status Years**

**Generated/Birth:**

**Retirement:**

**F1=Exit**      **F7=Previous Parcel**  
**F10=District Information**

**F8=Next Parcel**  
**F12=Previous**

**F9=Permit Lookup**  
**F23=Inquiry Options**





Figure 1, Site Location Map

Friday Canning Corp Site #2  
WDNR BRRTS #03-38-001107  
131 Katherine St, Coleman, WI

Date: Feb 2005

USGS Coleman, WI Quad  
Obtained from Topozone.com



**Figure 2, Site Detail Map**

Friday Canning Corp Site #2  
 WDNR BRRTS #03-38-001107  
 131 Katherine St, Coleman, WI

Scale: Approx 1"=80'      Date: Feb 2005

Prepare by: Bay Environmental Strategies, Inc. based on  
 Environmental Assessments, Inc. Figure #1 map

Groundwater Analytical Results -- 2MW2  
 Friday Canning Corporation Site #2 - Coleman, WI  
 WDNR BRTS #03-3-001107: COMM #54112-9517-31B

2MW2	Ground Elevation		97.63		Top of Screen Elevation		Pipe Elevation		97.63											
Sample Date	PVOCs/VOCs (ug/L)	Benzene	Ethylbenzene	Toluene	M/P-xylene	Ortho-xylene	Xylenes (total)	MTBE	1,3,5-TMB	1,2,4-TMB	TMBs (total)	Naphthalene	1,2-DCA	Water Levels	GW Elevation	Depth to GW	NA Field Parameters	Dissolved Oxygen (ppm)	Temp (Celsius)	pH (s.u.)
20-Mar-92		ND	ND	ND			ND	ND				ND	ND							
17-Jul-92																				
27-Oct-93																				
05-May-94																				
21-Sep-94		ND	ND	ND			ND	ND				ND	ND							
22-Mar-95		ND	ND	ND			ND	ND				ND	ND							
22-Feb-96		ND	ND	ND			ND	ND				ND	ND							
02-Dec-96		ND	ND	ND			ND	ND				ND	ND							
27-May-97		ND	ND	ND			ND	ND				NA	NA		90.83	6.8				
10-Jun-98		<0.50	<0.60	<0.60			<1.7	<0.92			<1.7	NA	NA		89.74	7.89				
15-Sep-98		<0.50	<0.60	<0.60			<1.7	<0.92			<1.7	NA	NA		88.58	9.05				
18-Dec-98		<0.50	<0.60	<0.60			<1.7	<0.92			<1.7	NA	NA		88.37	9.26				
18-Mar-99		<0.32	<0.34	<0.35			<1.0	<0.31			<0.64	NA	NA		89.19	8.44				
06-Jul-99		<0.25	<0.32	<0.38			<0.67	<0.21			<0.36	NA	NA		89.37	8.26				
25-Oct-99		<0.32	<0.34	<0.35			<1.0	<0.31			<0.64	NA	NA		88.2	9.43				
01-Feb-00		<0.32	<0.34	<0.35			<1.0	<0.31			<0.64	NA	NA		86.94	10.69				
26-May-00		<0.39	<0.4	<0.37			<1.4	<0.47			<0.64	NA	NA		89.2	8.43				
21-Sep-00		<0.39	<0.4	<0.37			<1.4	<0.47			<0.64	NA	NA		89.5	8.13				
04-Jan-01		<0.39	<0.4	<0.37			<1.4	<0.47			<0.64	NA	NA		88.33	9.3				
08-May-01		<0.21	<0.22	<0.41			<0.69	<0.46			<0.34	NA	NA		90.4	7.23				
29-Aug-01		<0.21	<0.22	<0.41			<0.69	<0.46			<0.34	NA	NA		90.27	7.36				
09-Jan-02		<0.21	<0.22	<0.41			<0.69	<0.46			<0.34	NA	NA		89.44	8.19				
01-Aug-02		<0.43	<0.49	<0.63			<1.5	<0.49			<0.72	NA	NA		90.24	7.39				
11-Mar-04		ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns		ns	ns		ns	ns	ns
11-Jun-04		ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns		91.54	6.09		1.2	12.9	7.03
09-Sep-04		ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns		86.48	11.15		3.38	17	7.27
07-Dec-04		<0.14	<0.40	<0.36	<0.74	<0.36	<1.1	<0.36	<0.40	<0.39	<0.79	<0.47	ns		86.5	7.75		5.28	3.5	7.32
<b>NR 140 PAL</b>		<b>0.5</b>	<b>140</b>	<b>200</b>			<b>1000</b>	<b>12</b>			<b>96</b>	<b>8.0</b>	<b>0.5</b>							
<b>NR 140 ES</b>		<b>5.0</b>	<b>700</b>	<b>1000</b>			<b>10000</b>	<b>60</b>			<b>480</b>	<b>40</b>	<b>5.0</b>							

*Italics: NR 140 PAL exceedance*  
**Bold Font: NR 140 ES exceedance**  
 ns = not sampled                      nd = not detected  
 na = not analyzed  
 [text] = results greater than the LOD but less than or equal to the LOQ are within a region of "Less-Certain Quantification"  
 Groundwater analytical results from March 1992 through July 2003 reported by Environmental Assessments, Inc.

Groundwater Analytical Results -- 2MW4  
 Friday Canning Corporation Site #2 - Coleman, WI  
 WDNR BRRTS #03-3-001107; COMM #54112-9517-31B

Sample Date	Ground Elevation			Top of Screen Elevation							Pipe Elevation			Water Levels	GW Elevation	Depth to GW
	PVOCs/VOCs (ug/L)	Benzene	Ethylbenzene	Toluene	M/P-xylene	Ortho-xylene	Xylenes (total)	MTBE	1,3,5-TMB	1,2,4-TMB	TMBs (total)	Naphthalene	1,2-DCA			
20-Mar-92	2,200	860	4,400			3,600	ND				393	5.0				
17-Jul-92	4,000	2,620	10,300			9,640	98				408	ND				
27-Oct-93	2,200	2,200	8,600			9,100	ND				560	ND				
05-May-94	3,100	2,800	11,000			11,700	ND				420	NA				
21-Sep-94	2,000	2,900	14,000			11,200	ND				480	NA				
22-Mar-95	1,400	2,200	11,000			9,500	ND				580	NA				
22-Feb-96	860	2,300	7,800			7,700	88				NA	NA				
02-Dec-96	460	2,100	5,600			7,600	ND				NA	NA				
27-May-97	171	1,160	1,730			4,402	ND				NA	NA				
10-Jun-98	7	326	18			1,061	<4.6			2,075	NA	NA				
15-Sep-98	6	259	14			865	<0.92			1,246	NA	NA				
18-Dec-98	11	243	16			791	<3.1			1,219	NA	NA				
18-Mar-99	<3.2	100	11			460	<3.1			1,460	100	NA				
06-Jul-99	<2.5	430	16			1,760	<2.1			2,030	210	NA				
25-Oct-99																
01-Feb-00																
26-May-00																
21-Sep-00																
04-Jan-01																
08-May-01																
29-Aug-01																
09-Jan-02																
01-Aug-02																
09-Jul-03																
11-Mar-04	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns				
11-Jun-04	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns				
09-Sep-04	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns				
07-Dec-04	1.3	3.9	1.6	7.7	0.82	8.52	2.7	63	180	243	5.3	ns			4.86	
NR 140 PAL	0.5	140	200			1000	12			96	8.0	0.5				
NR 140 ES	5.0	700	1000			10000	60			480	40	5.0				

*Italics: NR 140 PAL exceedance*

**Bold Font: NR 140 ES exceedance**

ns = not sampled                      nd = not detected

na = not analyzed

[text] = results greater than the LOD but less than or equal to the LOQ are within a region of "Less-Certain Quantification"

Groundwater analytical results from March 1992 through July 2003 reported by Environmental Assessments, Inc.

Groundwater Analytical Results -- 2MW5  
 Friday Canning Corporation Site #2 - Coleman, WI  
 WDNR BRRTS #03-3-001107; COMM #54112-9517-31B

2MW5	Ground Elevation			95.89			Top of Screen Elevation			Pipe Elevation			95.89							
Sample Date	PVOCs/VOCs (ug/L)	Benzene	Ethylbenzene	Toluene	M/P-xylene	Ortho-xylene	Xylenes (total)	MTBE	1,3,5-TMB	1,2,4-TMB	TMBs (total)	Naphthalene	1,2-DCA	Water Levels	GW Elevation	Depth to GW	NA Field Parameters	Dissolved Oxygen (ppm)	Temp (Celsius)	pH (s.u.)
21-Sep-94		11000	2200	33000			13100	ND				710	ND							
22-Mar-95		6300	1400	19000			10700	ND				410	ND							
22-Feb-96		8100	3200	37000			16000	ND				ND	ND							
02-Dec-96		6000	3200	30000			16100	ND				ND	ND							
27-May-97		4460	2900	27700			14640	ND				ND	ND		90.18	5.71				
10-Jun-98		8020	213	27800			15490	<46			3741	ND	ND		88.48	7.41				
15-Sep-98		9620	2290	30100			15780	351			2499	ND	ND		87.07	8.82				
18-Dec-98		2690	917	7960			6310	<153			1382	ND	ND		86.99	8.9				
18-Mar-99		3900	390	17000			13000	<31			2580	660	ND		88.92	6.97				
06-Jul-99		6700	1300	30000			17900	<21			280	730	ND		84.97	10.92				
25-Oct-99		4300	1300	21000			11000	<31			2340	570	ND		83.18	12.71				
01-Feb-00		1600	910	8500			6200	<31			1540	310	ND		85.78	10.11				
26-May-00		2300	<40	15000			16000	<47			3190	730	ND		88.6	7.29				
21-Sep-00		4500	490	28000			16000	<47			3260	660	ND		88.79	7.1				
04-Jan-01		4200	720	22000			13000	<94			3030	420	ND		86.99	8.9				
08-May-01		1900	<44	18000			16000	<92			3480	560	ND		89.78	6.11				
29-Aug-01		3600	1800	34000			16000	<92			3360	310	ND		89.57	6.32				
09-Jan-02		5100	3300	47000			17000	<92			3390	690	ND		88.51	7.38				
01-Aug-02		2600	3400	42000			17000	<250			3020	1100	ND		88.94	6.95				
09-Jul-03		1500	3200	33000			17600	<72			2900	830	ND		89.01	6.88				
11-Mar-04		1900	2500	30000	9500	4400	13900	<45	530	1900	2430	520	ns		89.11	6.78		5.41	1.5	7.3
11-Jun-04		1300	1800	19000	6800	3200	10000	<18	360	1300	1660	460	ns		90.85	5.04		0.4	13.2	6.91
09-Sep-04		700	1700	27000	10000	4800	14800	<45	530	2000	2530	630	ns		88.3	7.59		0.04	16.5	6.91
07-Dec-04		470	2200	26000	7800	3700	11500	<90	390	1400	1790	510	ns		89.47	6.42		0	5.4	7.8
NR 140 PAL		0.5	140	200			1000	12			96	8.0	0.5							
NR 140 ES		5.0	700	1000			10000	60			480	40	5.0							

*Italics: NR 140 PAL exceedance*

**Bold Font: NR 140 ES exceedance**

ns = not sampled

nd = not detected

na = not analyzed

[text] = results greater than the LOD but less than or equal to the LOQ are within a region of "Less-Certain Quantification"

Groundwater analytical results from September 1994 through July 2003 reported by Environmental Assessments, Inc.

Groundwater Analytical Results -- 2MW6  
 Friday Canning Corporation Site #2 - Coleman, WI  
 WDNR BRTS #03-3-001107; COMM #54112-9517-31B

2MW6	Ground Elevation 102.61					Top of Screen Elevation								Pipe Elevation 102.61				
Sample Date	PVCs/VOCs (ug/L)													Water Levels		NA Field Parameters		
	Benzene	Ethylbenzene	Toluene	M/P-xylene	Ortho-xylene	Xylenes (total)	MTBE	1,3,5-TMB	1,2,4-TMB	TMBs (total)	Naphthalene	1,2-DCA	GW Elevation	Depth to GW	Dissolved Oxygen (ppm)	Temp (Celsius)	pH (s.u.)	
21-Sep-94	ND	ND	ND			ND	ND				ND	ND						
22-Mar-95	ND	ND	ND			ND	ND				ND	ND						
22-Feb-96																		
02-Dec-96	ND	ND	ND			ND	ND				ND	ND						
27-May-97	ND	ND	ND			ND	ND				NA	NA	93.24	9.37				
10-Jun-98	<0.50	<0.60	<0.60			<1.7	<0.92				NA	NA	92.31	10.3				
15-Sep-98	<0.50	<0.60	<0.60			<1.7	<0.92				NA	NA	90.82	11.79				
18-Dec-98	<0.50	<0.60	<0.60			<1.7	<0.92				NA	NA	90.35	12.26				
18-Mar-99	<0.32	<0.34	<0.35			<1.0	<0.31				NA	NA	92.67	9.94				
06-Jul-99	<0.25	<0.32	<0.38			<0.67	0.23				<0.36	NA	NA	97.13	5.48			
25-Oct-99	<0.32	<0.34	<0.35			<1.0	2.5				<0.64	NA	NA	89.9	12.71			
01-Feb-00	<0.32	<0.34	<0.35			<1.0	13				<0.64	NA	NA	88.58	14.03			
26-May-00	<0.39	<0.4	<0.37			<1.4	<0.47				<0.63	NA	NA	92.11	10.5			
21-Sep-00	<0.39	<0.4	<0.37			<1.4	<0.47				<0.63	NA	NA	92.52	10.09			
04-Jan-01	<0.39	<0.4	<0.37			<1.4	1.3				<0.63	NA	NA	90.18	12.43			
08-May-01	<0.21	<0.22	<0.41			<0.69	<0.46				<0.34	NA	NA	93.65	8.96			
29-Aug-01	<0.21	<0.22	<0.41			<0.69	<0.46				<0.34	NA	NA	93.25	9.36			
09-Jan-02	<0.21	<0.22	<0.41			<0.69	<0.46				<0.34	NA	NA	91.75	10.86			
01-Aug-02																		
09-Jul-03																		
11-Mar-04	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	92.6	10.01	9.36	1.1	7.38	
11-Jun-04	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	94.43	8.18	7.27	12.4	7.11	
09-Sep-04	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	91.45	11.16	4.95	16.9	7.6	
07-Dec-04	<0.14	<0.40	<0.36	<0.74	<0.36	<1.1	<0.36	<0.40	<0.39	<0.79	<0.47	ns	92.69	9.92	11.41	6.2	7.56	
<b>NR 140 PAL</b>	<b>0.5</b>	<b>140</b>	<b>200</b>			<b>1000</b>	<b>12</b>				<b>96</b>	<b>8.0</b>	<b>0.5</b>					
<b>NR 140 ES</b>	<b>5.0</b>	<b>700</b>	<b>1000</b>			<b>10000</b>	<b>60</b>				<b>480</b>	<b>40</b>	<b>5.0</b>					

*Italics: NR 140 PAL exceedance*  
**Bold Font: NR 140 ES exceedance**  
 ns = not sampled                      nd = not detected  
 na = not analyzed  
 [text] = results greater than the LOD but less than or equal to the LOQ are within a region of "Less-Certain Quantification"  
 Groundwater analytical results from September 1994 through July 2003 reported by Environmental Assessments, Inc.

Groundwater Analytical Results -- 2MW7  
 Friday Canning Corporation Site #2 - Coleman, WI  
 WDNR BRRTS #03-3-001107; COMM #54112-9517-31B

2MW7	Ground Elevation 89.18			Top of Screen Elevation									Pipe Elevation 89.18			NA Field Parameters		
Sample Date	PVOCS/VOCs (ug/L)													Water Levels		Dissolved Oxygen (ppm)	Temp (Celsius)	pH (s.u.)
	Benzene	Ethylbenzene	Toluene	M/P-xylene	Ortho-xylene	Xylenes (total)	MTBE	1,3,5-TMB	1,2,4-TMB	TMBs (total)	Naphthalene	1,2-DCA	GW Elevation	Depth to GW				
21-Sep-94	270	1,100	750			1,453	ND				460	ND						
22-Mar-95	180	590	140			401	130				110	NA						
22-Feb-96	41	320	55			157	58				NA	NA						
02-Dec-96	61	430	80			412	42				NA	NA						
27-May-97	46	400	98			289.8	ND				NA	NA	86.18	3				
10-Jun-98	7.1	25	3.4			11.5	6.5			23	NA	NA	84.08	5.1				
15-Sep-98	17	66	14			27.8	11			37	NA	NA	82.97	6.21				
18-Dec-98	19	52	11			25.8	7.5			28	NA	NA	84.44	4.74				
18-Mar-99	14	29	6.4			32	<0.31			33	15	NA	85.72	3.46				
06-Jul-99	18	51	10			37.2	<0.21			32	24	NA	85.57	3.61				
25-Oct-99	15	38	7.9			14	<0.31			7.6	10	NA	83.41	5.77				
01-Feb-00	7.3	13	2.1			4	<0.31			2.3	2.7	NA	82.42	6.76				
26-May-00	7.5	13	2.4			6.8	<0.47			2.5	3	NA	84.96	4.22				
21-Sep-00	6.1	12	2.4			4.7	<0.47			1.8	1.8	NA	85.04	4.14				
04-Jan-01	4	5.4	1			1.8	<0.47			0.91	<0.53	NA	83.82	5.36				
08-May-01	6.9	10	2.1			4.1	<0.46			2.9	1.1	NA	86.05	3.13				
29-Aug-01	7.6	15	2.6			6.1	<0.46			2.9	<0.69	NA	85.76	3.42				
09-Jan-02	1.5	3.5	1.1			1.1	<0.46			1.3	0.75	NA	84.59	4.59				
01-Aug-02	2.2	3.9	1.5			<1.5	<0.49			1.4	1.5	NA	84.32	4.86				
09-Jul-03	5.4	3.6	1.1			<1.2	7.1			<0.66	1.3		84.55	4.63				
11-Mar-04	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
11-Jun-04	2.4	5.5	0.64	1.5	0.71	2.21	1.2	<0.40	0.69	0.69	0.76	ns	86.39	2.79		0	13.6	6.99
09-Sep-04	1.6	4.8	0.76	2	0.83	2.83	4.1	<0.40	1.3	1.3	1.7	ns	83.68	5.5		0.53	19.8	7.29
07-Dec-04	4.2	4.6	0.5	1.8	0.83	2.63	1	<0.40	1.5	1.5	0.92	ns	86.27	2.91		28.8	3	7.6
<i>NR 140 PAL</i>	<i>0.5</i>	<i>140</i>	<i>200</i>			<i>1000</i>	<i>12</i>			<i>96</i>	<i>8.0</i>	<i>0.5</i>						
<b>NR 140 ES</b>	<b>5.0</b>	<b>700</b>	<b>1000</b>			<b>10000</b>	<b>60</b>			<b>480</b>	<b>40</b>	<b>5.0</b>						

*Italics: NR 140 PAL exceedance*

**Bold Font: NR 140 ES exceedance**

ns = not sampled

nd = not detected

na = not analyzed

[text] = results greater than the LOD but less than or equal to the LOQ are within a region of "Less-Certain Quantification"

Groundwater analytical results from September 1994 through July 2003 reported by Environmental Assessments, Inc.

Groundwater Analytical Results -- 2MW8  
 Friday Canning Corporation Site #2 - Coleman, WI  
 WDNR BRRTS #03-3-001107; COMM #54112-9517-31B

2MW8	Ground Elevation			90.99			Top of Screen Elevation			Pipe Elevation			90.99							
Sample Date	PVOCs/VOCs (ug/L)	Benzene	Ethylbenzene	Toluene	M/P-xylene	Ortho-xylene	Xylenes (total)	MTBE	1,3,5-TMB	1,2,4-TMB	TMBs (total)	Naphthalene	1,2-DCA	Water Levels	GW Elevation	Depth to GW	NA Field Parameters	Dissolved Oxygen (ppm)	Temp (Celsius)	pH (s.u.)
21-Sep-94		<b>4400</b>	<b>700</b>	190			3,160	<b>100</b>				<b>170</b>	ND							
22-Mar-95		2.4	5.1	ND			26	ND				8.7	NA							
22-Feb-96		<b>3700</b>	<b>880</b>	230			2,930	<b>42</b>				NA	NA							
02-Dec-96		<b>2000</b>	620	140			2,420	22				NA	NA							
27-May-97		<b>2450</b>	615	301			2,105	18				NA	NA		84.94	6.05				
10-Jun-98		<b>1890</b>	<b>1100</b>	144			217	<9.2			<b>744</b>	NA	NA		83.81	7.18				
15-Sep-98		<b>318</b>	288	30			599	5.9			192	NA	NA		83.89	7.1				
18-Dec-98		<b>402</b>	574	25			803	<9.2			377	NA	NA		83.89	7.1				
18-Mar-99		<b>240</b>	140	4.6			150	1.1			76.9	20	NA		85.4	5.59				
06-Jul-99		<b>350</b>	120	4.2			113	1.4			78	25	NA		86.56	4.43				
25-Oct-99		<b>290</b>	340	4			310	<0.31			283	<b>60</b>	NA		83.33	7.66				
01-Feb-00		<b>140</b>	170	1.5			100	<0.31			110	16	NA		82.78	8.21				
26-May-00		<b>11</b>	5.8	<0.37			<1.4	<0.47			3	<0.53	NA		84.52	6.47				
21-Sep-00		<b>15</b>	5.6	<0.37			2.3	<0.47			4.3	<0.53	NA		84.69	6.3				
04-Jan-01		<b>100</b>	57	0.6			11	<0.47			26	1.4	NA		83.79	7.2				
08-May-01		<b>19</b>	5.1	<0.41			2.3	<0.46			2.6	<0.69	NA		85.92	5.07				
29-Aug-01		2.6	1.4	<0.41			<0.69	<0.46			<0.34	<0.69	NA		85.55	5.44				
09-Jan-02		4.3	3.3	1			4.3	<0.46			9.2	0.84	NA		84.48	6.51				
01-Aug-02		<b>19</b>	8	<0.63			3.5	<0.49			5.1	1.5	NA		84.04	6.95				
09-Jul-03		<b>16</b>	<0.60	<0.58			<1.2	<0.58			<0.66	<0.58			84.37	6.62				
11-Mar-04		<b>7.8</b>	5.9	7.5	13	3.4	16.4	<0.36	1.1	7	8.1	1.2	ns		86.9	4.09		7.23	2.7	7.52
11-Jun-04		<b>38</b>	33	65	97	40	137	<0.36	7.3	31	38.3	6.8	ns		86.6	4.39		0.32	14.4	7.38
09-Sep-04		<b>210</b>	180	260	460	200	660	1.5	53	180	233	<b>61</b>	ns		83.89	7.1		0.55	16.8	7.12
07-Dec-04		<b>45</b>	53	4.6	130	53	183	<0.36	13	56	69	12	ns		86.27	4.72		23.6	6.2	7.59
NR 140 PAL		<i>0.5</i>	<i>140</i>	<i>200</i>			<i>1000</i>	<i>12</i>			<i>96</i>	<i>8.0</i>	<i>0.5</i>							
NR 140 ES		<b>5.0</b>	<b>700</b>	<b>1000</b>			<b>10000</b>	<b>60</b>			<b>480</b>	<b>40</b>	<b>5.0</b>							

*Italics: NR 140 PAL exceedance*

**Bold Font: NR 140 ES exceedance**

ns = not sampled

nd = not detected

na = not analyzed

[text] = results greater than the LOD but less than or equal to the LOQ are within a region of "Less-Certain Quantification"

Groundwater analytical results from September 1994 through July 2003 reported by Environmental Assessments, Inc.

Groundwater Analytical Results -- 2MW9  
 Friday Canning Corporation Site #2 - Coleman, WI  
 WDNR BRRTS #03-3-001107; COMM #54112-9517-31B

2MW9	Ground Elevation			Top of Screen Elevation										Pipe Elevation		
Sample Date	PVOCs/VOCs (ug/L)	Benzene	Ethylbenzene	Toluene	M/P-xylene	Ortho-xylene	Xylenes (total)	MTBE	1,3,5-TMB	1,2,4-TMB	TMBs (total)	Naphthalene	1,2-DCA	Water Levels	GW Elevation	Depth to GW
21-Sep-94		ND	ND	ND			ND	ND				ND	ND			
22-Mar-95		ND	ND	ND			ND	ND				ND	NA			
22-Feb-96		ND	ND	ND			ND	ND				NA	NA			
02-Dec-96		ND	ND	ND			ND	ND				NA	NA			
27-May-97		ND	ND	ND			ND	ND				NA	NA		85.2	5.91
10-Jun-98		4.4	0.69	0.82			7.9	2.3			4.2	NA	NA		84.17	6.94
15-Sep-98		8.2	27	6.1			24.4	3			28.2	NA	NA		84.55	6.56
18-Dec-98		20	170	24			106	10			34	NA	NA		84.11	7
18-Mar-99		57	260	17			210	<0.31			183	NA	NA		85.29	5.82
06-Jul-99		2	<0.32	<0.38			<0.67	<0.21			0.52	NA	NA		86.16	4.95
25-Oct-99		22	280	32			230	<0.31			154	NA	NA		83.77	7.34
01-Feb-00		69	380	25			440	<0.31			44	NA	NA		82.96	8.15
26-May-00		140	440	16			280	<0.47			290	NA	NA		84.54	6.57
21-Sep-00		81	320	60			320	<0.47			380	NA	NA		84.93	6.18
04-Jan-01		180	380	46			440	<4.7			450	NA	NA		84.09	7.02
08-May-01		120	320	19			140	<4.6			260	NA	NA		85.8	5.31
29-Aug-01		15	34	4.3			7.3	<4.6			45.5	NA	NA		85.64	5.47
09-Jan-02		3.3	0.79	0.57			2.1	<4.6			2.9	NA	NA		84.54	6.57
01-Aug-02		0.48	<0.49	0.75			<1.5	<4.9			0.55	NA	NA		84.25	6.86
09-Jul-03		<0.30	<0.60	<0.58			<1.2	<0.58			<0.66	<0.58			84.31	6.8
11-Mar-04		ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns			
11-Jun-04		ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns			
09-Sep-04		ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns			
07-Dec-04		<0.14	<0.40	<0.36	<0.74	<0.36	<1.1	<0.36	<0.40	<0.39	<0.79	<0.47	na		86.28	4.83

<b>NR 140 PAL</b>	<b>0.5</b>	<b>140</b>	<b>200</b>			<b>1000</b>	<b>12</b>				<b>96</b>	<b>8.0</b>	<b>0.5</b>			
<b>NR 140 ES</b>	<b>5.0</b>	<b>700</b>	<b>1000</b>			<b>10000</b>	<b>60</b>				<b>480</b>	<b>40</b>	<b>5.0</b>			

*Italics: NR 140 PAL exceedance*  
**Bold Font: NR 140 ES exceedance**  
 ns = not sampled                      nd = not detected  
 na = not analyzed  
 [text] = results greater than the LOD but less than or equal to the LOQ are within a region of "Less-Certain Quantification"  
 Groundwater analytical results from September 1994 through July 2003 reported by Environmental Assessments, Inc.

Groundwater Analytical Results -- 2MW10  
 Friday Canning Corporation Site #2 - Coleman, WI  
 WDNR BRRTS #03-3-001107; COMM #54112-9517-31B

2MW10	Ground Elevation			90.87			Top of Screen Elevation			Pipe Elevation			90.87		
Sample Date	PVCs/NOCs (ug/L)													Water Levels	
	Benzene	Ethylbenzene	Toluene	M/P-xylene	Ortho-xylene	Xylenes (total)	MTBE	1,3,5-TMB	1,2,4-TMB	TMBs (total)	Naphthalene	1,2-DCA		GW Elevation	Depth to GW
21-Sep-94	ND	ND	ND			ND	ND				ND	ND			
22-Mar-95	ND	ND	ND			ND	ND				ND	NA			
22-Feb-96	ND	ND	ND			ND	ND				NA	NA			
02-Dec-96	ND	ND	ND			ND	ND				NA	NA			
27-May-97	ND	ND	ND			ND	ND				NA	NA	84.67	6.2	
10-Jun-98	<0.50	<0.60	<0.60			<1.7	<0.92			<1.7	NA	NA	82.86	8.01	
15-Sep-98	<0.50	<0.60	<0.60			2.36	<0.92			<1.7	NA	NA	81.77	9.1	
18-Dec-98	<0.50	<0.60	<0.60			<1.7	<0.92			<1.7	NA	NA	83.77	7.1	
18-Mar-99	<0.32	0.39	<0.35			<1.0	<0.31			<0.64	NA	NA	85.03	5.84	
06-Jul-99	<0.25	<0.32	<0.38			<0.67	<0.21			<0.36	NA	NA	83.12	7.75	
25-Oct-99	<0.32	<0.34	<0.35			<1.0	<0.31			<0.64	NA	NA	82.51	8.36	
01-Feb-00	<0.32	<0.34	<0.35			<1.0	<0.31			<0.64	NA	NA	82.33	8.54	
26-May-00	<0.39	<0.4	<0.37			<1.4	<0.47			<0.63	NA	NA	83.7	7.17	
21-Sep-00	<0.39	<0.4	<0.37			<1.4	<0.47			<0.63	NA	NA	84.04	6.83	
04-Jan-01	<0.39	<0.4	<0.37			<1.4	<0.47			<0.63	NA	NA	83.54	7.33	
08-May-01	<0.21	<0.22	<0.41			<0.69	<0.46			<0.34	NA	NA	84.84	6.03	
29-Aug-01	<0.21	<0.22	<0.41			<0.69	<0.46			<0.34	NA	NA	84.43	6.44	
09-Jan-02	<0.21	<0.22	<0.41			<0.69	<0.46			<0.34	NA	NA	83.91	6.96	
01-Aug-02															
09-Jul-03															
11-Mar-04	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns			
11-Jun-04	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns			
09-Sep-04	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns			
07-Dec-04	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	84.91	5.96	
<i>NR 140 PAL</i>	<i>0.5</i>	<i>140</i>	<i>200</i>			<i>1000</i>	<i>12</i>			<i>96</i>	<i>8.0</i>	<i>0.5</i>			
<b>NR 140 ES</b>	<b>5.0</b>	<b>700</b>	<b>1000</b>			<b>10000</b>	<b>60</b>			<b>480</b>	<b>40</b>	<b>5.0</b>			

*Italics: NR 140 PAL exceedance*  
**Bold Font: NR 140 ES exceedance**  
 ns = not sampled                      nd = not detected  
 na = not analyzed  
 [text] = results greater than the LOD but less than or equal to the LOQ are within a region of "Less-Certain Quantification"  
 Groundwater analytical results from March 1992 through July 2003 reported by Environmental Assessments, Inc.

Groundwater Analytical Results -- 2MW11  
 Friday Canning Corporation Site #2 - Coleman, WI  
 WDNR BRRTS #03-3-001107; COMM #54112-9517-31B

2MW11	Ground Elevation		89.82		Top of Screen Elevation		Pipe Elevation		89.82											
Sample Date	PVOCs/VOCs (ug/L)	Benzene	Ethylbenzene	Toluene	M/P-xylene	Ortho-xylene	Xylenes (total)	MTBE	1,3,5-TMB	1,2,4-TMB	TMBs (total)	Naphthalene	1,2-DCA	Water Levels	GW Elevation	Depth to GW	NA Field Parameters	Dissolved Oxygen (ppm)	Temp (Celsius)	pH (s.u.)
22-Mar-95	<b>1000</b>	100	26			287	36					5.1	ND							
22-Feb-96	<b>3300</b>	560	150			1960	67					ND	ND							
02-Dec-96	<b>670</b>	110	47			356	12					ND	ND							
27-May-97	<b>1090</b>	180	198			643						ND	ND		83.45	6.37				
10-Jun-98	<b>2420</b>	<b>1320</b>	<b>4690</b>			6150	<92				<b>983</b>	ND	ND		83.12	6.7				
15-Sep-98	<b>459</b>	297	557			1451	<23				<b>299</b>	ND	ND		82.89	6.93				
18-Dec-98	<b>1420</b>	<b>583</b>	<b>1010</b>			2011	<9.2				<b>517</b>	ND	ND		83.28	6.54				
18-Mar-99	<b>800</b>	530	<b>1000</b>			2100	<6.2				<b>510</b>	<b>120</b>	ND		84.16	5.66				
06-Jul-99	<b>70</b>	140	46			543	<4.2				<b>208</b>	<b>46</b>	ND		84.37	5.45				
25-Oct-99	<b>470</b>	440	63			1400	<3.1				<b>500</b>	<b>90</b>	ND		82.8	7.02				
01-Feb-00	<b>230</b>	250	16			590	<3.1				<b>234</b>	<b>42</b>	ND		82.42	7.4				
26-May-00	<b>620</b>	450	<b>1400</b>			1400	<4.7				<b>350</b>	<b>72</b>	ND		83.62	6.2				
21-Sep-00	<b>110</b>	130	56			450	<4.7				<b>154</b>	<b>24</b>	ND		83.89	5.93				
04-Jan-01	<b>760</b>	480	610			2100	<4.7				<b>560</b>	<b>84</b>	ND		83.22	6.6				
08-May-01	<b>310</b>	250	380			1200	<9.2				<b>316</b>	<b>30</b>	ND		84.42	5.4				
29-Aug-01	<b>1200</b>	<b>1100</b>	210			5000	<4.6				<b>1340</b>	<b>160</b>	ND		84.15	5.67				
09-Jan-02	<b>740</b>	<b>820</b>	<b>1600</b>			4000	<46				<b>1170</b>	<b>210</b>	ND		83.55	6.27				
01-Aug-02	<b>88</b>	61	11			250	<4.9				<b>97</b>	<b>22</b>	ND		82.64	7.18				
09-Jul-03	<b>10</b>	1.9	1.3			27.8	<0.58				25.1	7.4			83	6.82				
11-Mar-04	<b>590</b>	<b>760</b>	420	3100	120	3220	9.9	250	870	<b>1120</b>	<b>190</b>	ns		84.99	4.83		2.04	3	7.2	
11-Jun-04	<b>720</b>	<b>1000</b>	300	3800	170	3970	<3.6	270	940	<b>1210</b>	<b>250</b>	ns		84.72	5.1		0.45	15.5	6.94	
09-Sep-04	<b>600</b>	<b>820</b>	40	2600	20	2620	12	260	860	<b>1120</b>	<b>220</b>	ns		82.57	7.25		0.22	18.4	6.5	
07-Dec-04	<b>87</b>	190	12	560	4.2	564.2	0.78	40	150	<b>190</b>	<b>49</b>	na		85.09	4.73		8	2.7	7.61	
NR 140 PAL	<i>0.5</i>	140	200			1000	12			96	8.0	0.5								
NR 140 ES	<b>5.0</b>	<b>700</b>	<b>1000</b>			<b>10000</b>	<b>60</b>			<b>480</b>	<b>40</b>	<b>5.0</b>								

*Italics: NR 140 PAL exceedance*

**Bold Font: NR 140 ES exceedance**

ns = not sampled

nd = not detected

na = not analyzed

[text] = results greater than the LOD but less than or equal to the LOQ are within a region of "Less-Certain Quantification"

Groundwater analytical results from September 1994 through July 2003 reported by Environmental Assessments, Inc.









**Table I**  
**Soil Sample Summary GRO, DRO and Lead**

Sample ID	GRO	DRO	LEAD
1B1 (8-10)	60	N	9.21
1B2 (4-6)	--	N	--
1B2 (13-15)	--	N	--
1B3 (8-10)	--	N	--
1B3 (13-15)	--	N	--
1B4 (8-10)	66	N	N
1B4 (10-12)	6.7	N	2.7
1B5 (6-8)	2.9	N	5.2
1B5 (10-12)	3.5	N	N
1B6 (6-8)	--	N	N
1B6 (8-10)	--	N	N
2B1 (8-10)	N	--	N
2B2 (10-12)	N	--	N
2B3 (6-8)	N	--	N
2B3 (8-10)	N	357	N
2B4 (8-10)	N	--	N
2B4 (13-15)	N	--	N
2B5 (8-10)	N	9.1	N
2B5 (13-15)	N	--	N
2B6 (8-10)	N	--	N
2B6 (10-12)	N	0.78	N
2B7 (8-10)	N	417	N
2B8 (8-10)	7400	331	N
2B8 (10-12)	2600	299	N
2B9 (4-6)	N	--	N
2B9 (8-10)	N	--	N

NOTES: All analysis presented in parts per million (ppm)  
 GRO = gasoline range organics  
 DRO = diesel range organics  
 N = Not analyzed for this parameter  
 -- = Not detected above method detection limits  
 Method detection limits are available on lab data sheets

**Table I**  
**Soil Sample Summary GRO, DRO and Lead**

Sample ID	GRO	DRO	LEAD
2B10 (4-6)	N	415	N
2B10 (8-10)	N	2.7	N
2B11 (8-10)	2500	143	N
2B11 (10-12)	75	27	N
2B12 (6-8)	240	--	N
2B13 (8-10)	46	N	--
2B14 (8-10)	--	N	N
2B15 (13-15)	0.5	--	N
2B16 (4-6)	0.8	N	--
2B16 (6-8)	--	N	N
2B16A (2-4)	--	--	--
2B17 (2-4)	--	--	19.5
2B18 (4-6)	95	14	6.52
2B19 (4-6)	5.6	--	4.22
2B20 (2-4)	--	--	--
2B21 (4-6)	1240	140	--
B22-3	1000	9.9	3.2
B23-4	--	--	2.2
B24-2	15	--	15
B25-3	5.1	4.1	4.0
B26-3	--	--	2.1
B27-3	--	--	4.5
B28-3	--	--	1.5
B30-2	--	--	9.1
B30-3	--	--	17

Notes: All analysis presented in parts per million (ppm)  
 GRO = gasoline range organics  
 DRO = diesel range organics  
 N = Not analyzed for this parameter  
 -- = Not detected above method detection limits  
 Method detection limits are available on lab data sheets

**Table II**  
**Soil Sample Summary**  
**Detected PAH Parameters**

Parameter (ppb)	2B3 8-10	2B4 8-10	2B5 8-10	2B6 10-12	2B10 8-10	2B16a 2-4	2B17 2-4	2B18 4-6	2B19 4-6	2B20 2-4	2B21 4-6
Naphthalene	--	--	--	--	195	--	--	1240	--	--	214
1-Methylnaphthalene	--	--	--	--	--	--	--	1630	--	--	--
2-Methylnaphthalene	--	--	--	--	--	--	--	1930	--	--	--
Phenanthrene	--	--	--	--	--	--	--	--	112	--	--
Anthracene	--	--	2.5	--	--	--	--	--	--	--	--
Fluoranthene	--	--	442	--	--	--	--	--	--	--	--
Pyrene	--	--	--	--	--	--	--	--	832	--	--
Benzo(a) Anthracene	887	--	1160	--	--	--	--	--	--	--	--

NOTES:      ppb = parts per billion  
              -- = not detected above method detection limits  
              Method detection limits are available on laboratory data sheets

**Table III**  
**Soil Sample Summary**  
**Detected PVOC/VOC Parameters**

Parameter (ppb)	1B1 8-10	1B2 4-6	1B2 13-15	1B3 8-10	1B3 13-15	1B4 8-10	1B4 10-12	1B5 6-8	1B5 10-12	1B6 6-8	1B6 8-10
Benzene	--	--	--	--	--	--	--	6.0	--	--	--
n-Butylbenzene	N	N	N	N	N	N	N	N	N	N	N
sec-Butylbenzene	N	N	N	N	N	N	N	N	N	N	N
Ethylbenzene	120	--	--	--	--	68	18	21	--	--	--
Isopropylbenzene	N	N	N	N	N	N	N	N	N	N	N
p-Isopropyltoluene	N	N	N	N	N	N	N	N	N	N	N
Methylene Chloride	N	N	N	N	N	N	N	N	N	N	N
MTBE	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	N	N	N	N	N	N	N	N	N	N	N
n-Propylbenzene	N	N	N	N	N	N	N	N	N	N	N
Toluene	26	--	--	--	--	18	--	9.0	--	--	--
1,2,4-Trimethylbenzene	8000	--	30	--	--	420	110	230	--	--	--
1,3,5-Trimethylbenzene	250	--	--	--	--	83	16	58	--	--	--
Total Xylene	200	--	--	--	--	170	--	37	--	--	--

NOTES: ppb = parts per billion  
N = not analyzed for this parameter  
-- = not detected above method detection limits  
Method detection limits are available on laboratory data sheets

**Table III**  
**Soil Sample Summary**  
**Detected PVOC/VOC Parameters**

Parameter (ppb)	2B1 8-10	2B2 10-12	2B3 6-8	2B3 8-10	2B4 8-10	2B4 13-15	2B5 8-10	2B5 13-15	2B6 8-10	2B6 10-12	2B7 8-10
Benzene	--	--	--	--	--	--	--	--	--	--	--
n-Butylbenzene	N	N	N	N	N	N	N	N	N	N	N
sec-Butylbenzene	N	N	N	N	N	N	N	N	N	N	N
Ethylbenzene	--	--	--	--	--	--	--	--	--	--	25
Isopropylbenzene	N	N	N	N	N	N	N	N	N	N	N
p-Isopropyltoluene	N	N	N	N	N	N	N	N	N	N	N
Methylene Chloride	N	N	N	N	N	N	N	N	N	N	N
MTBE	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	N	N	N	N	N	N	N	N	N	N	N
n-Propylbenzene	N	N	N	N	N	N	N	N	N	N	N
Toluene	--	--	--	--	--	--	--	--	--	--	--
1,2,4-Trimethylbenzene	--	--	--	72	--	--	--	--	24	--	850
1,3,5-Trimethylbenzene	--	--	--	44	--	--	--	--	--	--	190
Total Xylene	--	--	--	--	--	--	--	--	--	--	34

NOTES:     ppb = parts per billion  
n = Not analyzed for this parameter  
-- = not detected above method detection limits  
Method detection limits are available on laboratory data sheets

**Table III**  
**Soil Sample Summary**  
**Detected PVOC/VOC Parameters**

Parameter (ppb)	2B8 8-10	2B8 10-12	2B9 4-6	2B9 8-10	2B10 4-6	2B10 8-10	2B11 8-10	2B11 10-12	2B12 6-8	2B13 8-10	2B14 8-10
Benzene	88	140	--	--	--	--	25	32	30	73	--
n-Butylbenzene	N	N	N	N	N	N	N	N	N	N	N
sec-Butylbenzene	N	N	N	N	N	N	N	N	N	N	N
Ethylbenzene	1400	2800	--	--	3800	--	320	220	850	570	--
Isopropylbenzene	N	N	N	N	N	N	N	N	N	N	N
p-Isopropyltoluene	N	N	N	N	N	N	N	N	N	N	N
Methylene Chloride	N	N	N	N	N	N	N	N	N	N	N
MTBE	--	--	--	--	37	--	--	--	--	--	--
Naphthalene	N	N	N	N	N	N	N	N	N	N	N
n-Propylbenzene	N	N	N	N	N	N	N	N	N	N	N
Toluene	190	2300	--	--	2200	--	170	65	51	67	--
1,2,4-Trimethylbenzene	8300	4700	--	--	6800	--	4400	1200	5400	1400	--
1,3,5-Trimethylbenzene	--	--	--	--	--	--	1100	510	2400	1200	--
Total Xylene	6300	5200	--	--	7500	--	900	800	2000	1200	--

NOTES:      ppb = parts per billion  
               N = not analyzed for this parameter  
               -- = not detected above method detection limits  
               Method detection limits are available on laboratory data sheets

**Table III**  
**Soil Sample Summary**  
**Detected PVOC/VOC Parameters**

Parameter (ppb)	2B15 13-15	2B16 4-6	2B16 6-8	2B16A 2-4	2B17 2-4	2B18 4-6	2B19 4-6	2B20 2-4	2B21 4-6
Benzene	--	13	--	--	--	--	--	--	--
n-Butylbenzene	N	N	N	48	--	1360	--	--	54
sec-Butylbenzene	N	N	N	--	--	50	--	--	--
Ethylbenzene	--	16	--	53	--	202	--	--	--
Isopropylbenzene	N	N	N	--	--	53	--	--	--
p-Isopropyltoluene	N	N	N	--	--	25	--	--	--
Methylene Chloride	N	N	N	47	66	34	30	19	21
MTBE	--	--	--	--	--	--	--	--	--
Naphthalene	N	N	N	17	--	707	32	--	157
n-Propylbenzene	N	N	N	11	--	226	--	--	--
Toluene	--	18	--	--	--	45	10	--	--
1,2,4-Trimethylbenzene	--	29	--	62	--	2140	15	--	54
1,3,5-Trimethylbenzene	--	7.0	--	24	--	541	--	--	--
Total Xylene	--	45	--	142	--	1304	10	--	--

NOTES:      ppb = parts per billion  
              N = not analyzed for this parameter  
              -- = not detected above method detection limits  
              Method detection limits are available on laboratory data sheets

**Table III**  
**Soil Sample Summary**  
**Detected PVOC/VOC Parameters**

Parameter (ppb)	B22-3	B23-4	B24-2	B25-3	B26-3	B27-3	B28-3	B30-2	B30-3
Benzene	450	--	23	180	--	41	--	--	--
n-Butylbenzene	1700	--	2.4	4.3	--	--	--	N	N
sec-Butylbenzene	310	--	--	--	--	--	--	N	N
Ethylbenzene	4600	--	120	88	--	3.9	--	--	--
Isopropylbenzene	440	--	7.5	4.1	--	--	--	N	N
p-Isopropyltoluene	620	--	--	--	--	--	--	N	N
Methylene Chloride	--	2.8	4.5	5.8	4.5	--	--	N	N
MTBE	--	--	--	12	--	--	--	--	--
Naphthalene	2900	--	--	65	--	--	--	N	N
n-Propylbenzene	1300	--	34	34	--	--	--	N	N
Toluene	8700	--	24	8.5	--	2.8	--	--	--
1,2,4-Trimethylbenzene	13000	--	86	130	--	--	--	--	--
1,3,5-Trimethylbenzene	4300	--	34	35	--	--	--	--	--
Total Xylene	23200	--	411	400	--	4.0	--	--	--

NOTES:     ppb = parts per billion  
               N = not analyzed for this parameter  
               -- = not detected above method detection limits  
               Method detection limits are available on laboratory data sheets




Figure 2 Groundwater Plume  
 Friday Canning Corp  
 Site #2 BRRTS #03-38-001107

Prepared By: Bay Environmental Strategies, Inc.

Date: February 22, 2005

Scale: 1"=960'




Figure 3 Groundwater Flow

September 9, 2004

Friday Canning Corp

Site #2 BRRTS #03-38-001107

Prepared By: Bay Environmental Strategies, Inc.

Date: February 22, 2005

Scale: 1"=960'




Figure 4 Groundwater Flow

December 7, 2004


Friday Canning Corp Site #2

BRRTS # 03-38-001107

Prepared By: Bay Environmental Strategies, Inc.

Date: February 22, 2005

Scale: 1"=960'



ENVIRONMENTAL  
ASSESSMENTS, INC.  
  
APPLETON, WISCONSIN

**TITLE:**  
Soil Contamination Plume


**PROJECT:**  
Friday Canning-Coleman  
131 Katherine Street  
Coleman, Wisconsin

**FIGURE # 4**

**SCALE :** 1" = 80'

**DRAWN BY:** M. JOHNSON

Katherine Street




LEGEND

- ◆ Monitoring Well / Piezometer Location
- ◇ Benchmark



<p>Environmental Assessments, Inc P.O. Box 9127 Appleton, WI 54911</p> <p>Ph. (920) 749-9746 Fax (920) 749-9748</p>	<p>Title: Soil Contamination Map Showing Area of Soil Contamination Exceeding NR 746.06 Table 1 Values &amp; Cross-section Location</p>	<p>Figure #</p>
	<p>Project: Friday Canning-Coleman #1 BRRTS #03-38-001121 131 Katherine Street Coleman, Wisconsin</p>	<p>Scale : 1" = 40'</p>
	<p>Drafted By: M. Johnson</p>	



**LEGEND**

- 1MW3  
 Groundwater Monitoring Well
-  Groundwater Table

1MW1 Groundwater Monitoring Well BRRTS 03-38-001121  
 2MW1 Groundwater Monitoring Well BRRTS 03-38-001107

Environmental Assessments, Inc P.O. Box 9127 Appleton, WI 54911  (920) 749-9746 Fax (920) 749-9748	<b>Title:</b> West - East Geologic Cross Section	<b>Figure #</b>
	<b>Project:</b> (Former) FCC#1 131 Katharine Street Coleman, WI	Horizontal Scale: 1" = 15' Vertical Scale as Indicated on Drawing
	Drafted By: VAF	



# Seneca Foods Corporation

Vegetable Division

I, Mr. Matt Henschler, representative of Seneca Foods Corporation, believe that the legal description has been attached for each property that is within, or partially within, the WDNR BRRTS # 03-38-001121 contaminated site boundary. Additionally, I verify that the Seneca Foods Corporation is the current owner of the property although the most recent deed recorded at the Marinette County Register of Deeds lists Friday Foods, Inc., as the owner of the property. Included with the GIS registry is a copy of the property tax information obtained from Marinette County documenting that property taxes are sent to Chiquita Processed Food NKA, Friday Foods Inc FKA, c/o Seneca Foods Corporation, 418 Conde Street, Janesville, Wisconsin.

Matt Henschler  
Mr. Matt Henschler  
Seneca Foods Corporation

6/27/05  
Date

Subscribed and sworn to before me  
this 27 day of JUNE, 2005.

Notary Public, State of WI  
My commission expires 6-18-08

Michael W Kraus  
Michael W Kraus