

**The following site is being submitted for inclusion into the GIS registry:**

- For DNR County and Region list go to:  
<g:\pf\pecfa\site\gis\BRRTS County and Region Codes.xls>
- To begin, click on cell to the right of; *This is a:*
- Use Tab, ↓ or Pg Down to navigate form. Print & include with file when completed.

This is a:	pdf File Update
BRRTS ID (no dashes):	<b>0338001654</b>
Comm # (no dashes):	54102912150
County:	Marinette
Region:	Northeast
Site name:	Hi-Way Grocery
Street Address:	N15450 Hwy 141
City:	Amberg
Final Closure Date	2002-06-04
Closure Conditions:	met
Off-source property contamination?	Yes
(If yes, attach locational data and deed information on pg. 2)	
Right-of-way contamination?	Yes
Contaminated media:	Groundwater
<b>GPS Coordinates (meters in the <b>WTM91</b> projection)</b>	
Easting (X):	676544.000000000
Northing (Y):	562173.000000000
Collection Method:	Other
Scale or Resolution:	4212
(1:24,000 scale or finer)	("1:" and comma is default)
Prepared by:	Brian Taylor
Submitted by:	Cheryl Nelson

Source Property Checklist

- Final Closure Letter
- Copy of the most recent deed, which includes legal description for all properties w/ GW > NR 140 ES
- Where the legal description in the deed(s) refers to a certified survey map or recorded plat map, include those documents
- Parcel ID for all properties w/ GW > NR 140 ES
- General Location Map
- Detailed Location Map showing property boundaries, buildings, MW(s) and/or potable wells etc for properties with GW > NR140 ES
- Latest Map(s) showing extent or outline of current GW plume (isoconcentrations)
- Map showing GW flow direction
- Latest Table of GW results
- Geologic cross section (if generated as part of the site investigation)
- Statement signed by RP certifying correctness of legal descriptions
- Updated Database

Geolocations and notification letters for off-source properties w/ GW > NR 140 ES

Off Source Property #1:

GPS Coordinates (meters in the **WTM91** projection)

Easting (X): 676501

Northing (Y): 562110

- Off source property notification letter attached
- Copy of the most recent deed

Off Source Property #2:

GPS Coordinates (meters in the **WTM91** projection)

Easting (X):

Northing (Y):

- Off source property notification letter attached
- Copy of the most recent deed

Off Source Property #3:

GPS Coordinates (meters in the **WTM91** projection)

Easting (X):

Northing (Y):

- Off source property notification letter attached
- Copy of the most recent deed

Off Source Property #4:

GPS Coordinates (meters in the **WTM91** projection)

Easting (X):

Northing (Y):

- Off source property notification letter attached
- Copy of the most recent deed

Off Source Property #5:

GPS Coordinates (meters in the **WTM91** projection)

Easting (X):

Northing (Y):

- Off source property notification letter attached
- Copy of the most recent deed

Attach additional pages if necessary



June 04, 2002

Mr. Bessie Koester  
W194N13580 Fond Du Lac Ave  
Richfield, WI 53076

RE: **Final Closure**

**Commerce # 54102-9121-50**      WDNR BRRTS # 03-38-001654  
Hi-Way Grocery, N15450 Hwy 141, Amberg

Dear Mr. Koester:

The Wisconsin Department of Commerce (Commerce) PECFA Site Review Section has received all the items required as conditions for closure of the above-referenced site. This site is now listed as "closed" on the Commerce database.

It is in your best interest to keep all documentation related to the investigation and remediation of your site. This information may be needed for future property transactions.

If future site conditions indicate that any remaining contamination poses a threat, and subsequent information indicates a need to reopen this case, any original claim under the PECFA fund would also reopen and you may apply for assistance to the extent of remaining eligibility. If contamination is encountered, appropriate measures must be implemented to assure any residual contamination is managed following all applicable State of Wisconsin regulations and standards.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (608) 266-0593.

Sincerely,

Brian F. Taylor  
Hydrogeologist  
Site Review Section

cc: Mr. Ayad Taofik, Coleman Engineering  
Case File



Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Commerce, or its successor, issue a determination that the restrictions set forth in this covenant are no longer required. That property owner shall provide any and all necessary information to the Department in order for the Department to be able to make a determination. Upon receipt of such a request, the Department shall determine whether or not the restrictions contained herein can be extinguished. Conditions under which a restriction may be extinguished will be determined in accordance with the site specific standards, rules and laws for this property. If the Department determines that the restrictions can be extinguished, an affidavit, with a copy of the Department's written determination, may be recorded to give notice that this restriction, or portions of this restriction are no longer binding. Any restriction placed upon this property shall not be extinguished without the Department's written determination.

IN WITNESS WHEREOF, the owner of the property has executed this document, this 27 day of June, 2001.

[When appropriate use the following clause]:


By signing this document, [he/she] acknowledges that [he/she] is duly authorized to sign this document on behalf of \_\_\_\_\_.

Signature: Bessie K. Koester

Printed Name: BESSIE K. KOESTER

Title: OWNER

Subscribed and sworn to before me this 27 day of June, 2001



Beverly A. Unis  
Notary Public, State of Wisconsin  
My commission BEVERLY A. UNIS  
Notary Public, State of Wis.  
My Commission Expires August 1, 2002

This document was drafted by the Wisconsin Department of Commerce.

# PROJECT LOCATION




**PROJECT LOCATION DRAWING  
HIGHWAY GROCERY UST SITE  
AMBERG, WISCONSIN**



Coleman Engineering Company  
Iron Mountain, Michigan 49801

JOB NO. E 94026  
DATE: SEPT 1994

FIGURE 1



## HIGHWAY GROCERY UST SITE LOCATION MAP

SOURCE: USGS QUADS AMBERG & TOWN CORNER LAKE, WI.



Coleman Engineering Company  
Iron Mountain, Michigan 49801

DATE: 9/20/94  
JOB NO. 94026


FIGURE 2

**LEGEND**

- ⊕ HAND AUGER BORING LOCATION
- ⊙ BORING LOCATION
- ⊙ MW-1 WELL LOCATION
- ⊙ P-1 PIEZOMETER LOCATION
- ⊙ GEOPROBE BORING LOCATION
- RIGHT-OF-WAY-MARKER
- CHAIN LINK FENCE
- UNDERGROUND TELEPHONE LINE
- SPOT ELEVATION
- TELEPHONE PEDISTAL
- △ TRAVERSE POINT
- ⊙ UTILITY POLE
- ☆ LIGHT POLE

**FIGURE 7**  
**HI-WAY GROCERY**  
**UST SITE INVESTIGATION**  
**ESTIMATED GROUNDWATER IMPACT EXTENT**  
**POST SOIL SOURCE REMOVAL**

**CE**  
 COLEMAN ENGINEERING COMPANY  
 OF IRON MOUNTAIN  
 635 INDUSTRIAL PARK DRIVE  
 IRON MOUNTAIN, MICHIGAN 49801  
 DATE DEC 96  
 JOB NO 94026D  
 CADD FILE 94026-02



1" = 50'

**Groundwater Analysis Laboratory Results**  
**Hi-Way Grocery UST Site**  
**Amberg, Wisconsin**

Sampled Date	Well ID	Benzene	Ethylbenzene	Toluene	Xylene	TMB	MTBE	Naphthalene
01/03/1995	MW-1	<1	<1	2	21	67	<50	NA
04/20/1995			8	2	18		<1	NA
09/23/1996		<0.5	<1	<1	<3	<2	<1	<1
07/24/1997		<0.15	<0.066	2	6	16	<0.43	NA
		0.7						
04/20/1995	MW-2		<1	3	<3	<2	<1	NA
09/10/1996		<0.5	<1	<1	<3	<2	<1	<1
07/24/1997		<0.15	<0.066	<0.13	<0.38	<0.33	<0.43	NA
10/28/1997		<0.15	<0.066	<0.13	<0.38	0.4	<0.43	NA
03/05/1998		<MDL	<MDL	<MDL	<MDL	<MDL	<MDL	NA
6/23/98		<MDL	<MDL	0.2	<MDL	<MDL	<MDL	NA
10/21/1998		<MDL	<MDL	<MDL	<MDL	<MDL	<MDL	NA
07/17/2000		<1	<1	<1	<3	<2	<1	<5
04/20/1995	MW-3	<0.1		<1	3	<4	<1	NA
09/10/1996		<0.5	<1	<1	<3	<2	<1	<1
07/24/1997		<0.15	<0.66	<0.13	<0.38	<0.33	<0.43	NA
10/28/1997		<0.15	<0.66	<0.13	<0.38	<0.33	<0.43	NA
03/05/1998		<MDL	<MDL	<MDL	<MDL	<MDL	<MDL	NA
6/23/98		<MDL	<MDL	0.3	<MDL	<MDL	<MDL	NA
10/21/1998		<MDL	<MDL	<MDL	<MDL	<MDL	<MDL	NA
07/17/2000		<1	<1	<1	<3	<2	<1	<5
04/20/1995	MW-4	240	240	73	230	140	146	3
05/08/1995		180	180	3	67	78	78	3
07/24/1996		440	440	450	2100	320	<10	NA
09/23/1996		180	180	110	450	390	300	<1
07/24/1997		140	140	380	550	980	60	<2.15
10/28/1997		98	98	210	490	500	349	<0.43
03/05/1998		110	110	350	810	1100	580	580
06/23/1998		38	38	160	170	370	314	10
10/21/1998		<MDL	<MDL	430	660	660	863	<MDL
2/24/99		<0.04	280	130	NA	540	540	<0.06
07/17/2000		<10	65	25	170	239	<10	91
10/31/1996	MW-5	0.7	<1	<1	<3	<1	<1	<1
07/24/1997		1	<0.066	<0.13	<0.38	<0.33	<0.43	NA
10/28/1997		7	<0.066	<0.13	<0.38	<0.33	<0.43	<1
03/05/1998		0.3	<MDL	<MDL	<MDL	<MDL	0.5	<MDL
06/23/1998		0.2	<MDL	0.2	<MDL	<MDL	<MDL	NA
10/21/1998		<MDL	<MDL	<MDL	<MDL	<MDL	<MDL	NA
2/24/99		<0.04	<0.064	<0.090	<0.01	<0.1	<0.06	<0.15
07/17/2000		<1	<1	<1	<3	<2	<1	<5
10/31/1996	MW-6	<0.5	<1	<1	<3	<2	<1	<1
07/24/1997		<0.15	<0.066	<0.13	<0.38	<0.33	<0.43	NA
10/28/1997		<0.15	<0.066	<0.13	<0.38	<0.33	<0.43	NA
03/05/1998		<MDL	<MDL	<MDL	<MDL	<MDL	<MDL	NA
06/23/1998		<MDL	<MDL	0.3	<MDL	<MDL	<MDL	NA
10/21/1998		<MDL	<MDL	<MDL	<MDL	<MDL	<MDL	NA
2/24/99		<0.04	<0.064	<0.090	<0.01	<0.1	<0.06	<0.15
07/17/2000		<1	<1	<1	<3	<2	<1	<5
01/08/2001	Tap	<1	<1	<1	<1	<2	<1	<5
09/10/1996	GB-3	12	12	16	2400	52	4	NA
	GB-5	<0.5	<1	<1	26	19	<1	2
	GB-6	<0.5	<1	<1	<3	2	<1	<1
	GB-7	<0.5	<1	<1	<3	<2	<1	<1
09/11/1996	GB-8	44	44	<1	<1	2	1	<1
	GB-9	37	37	<1	<1	<3	<2	3
	GB-10	0.5	<1	<1	<1	<3	<2	3
	GB-11	<0.5	<1	<1	<1	<3	<2	<1
	GB-12	120	120	15	42	<3	52	<1
PAL/ES		0.5/5	140/700	200/1000	1000/10000	96/480	12/60	8/40

94  
120  
110  
160  
170  
91

61

MDL - Method detection limit for specified lab report  
 PAL/ES - Preventive Action Limit/Enforcement Standard

Shading - Denotes samples exceeding ES  
 Note - Only VOC compounds were reported

Groundwater Inorganic Analysis  
 Hi-Way Grocery UST Site  
 Amberg, Wisconsin

Sampled Date	Well ID	Alkalinity (Total) (mg/L)	Nitrate+Nitrite-Nitrogen (mg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Oxygen	Iron	Ammonia-Nitrogen (mg/L)	Kjeldahl-Nitrogen (mg/L)	Total Phosphorus (mg/L)	pH
4/20/96	MW-1	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.2
9/10/96		NA	NA	NA	5	NA	1.2	<0.05	0.2	0.02	NA
3/5/98		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
10/28/97	MW-2	310	1	13	4	NA	<0.07	NA	NA	NA	NA
3/5/98		NA	NA	NA	NA	6.5	NA	NA	NA	NA	7.6
3/5/98	MW-3	NA	NA	NA	NA	6.9	NA	NA	NA	NA	7.6
9/10/96	MW-4	NA	NA	NA	5	NA	8.3	NA	0.7	NA	
10/28/97		400	<0.01	13	11	NA	7.9	NA	NA	NA	
3/5/98	MW-5	NA	NA	NA	NA	5	NA	NA	NA	NA	7.4
10/28/97		340	<0.01	15	5	NA	<0.02	NA	NA	NA	
3/5/98		NA	NA	NA	NA	7.4	NA	NA	NA	NA	7.4
3/5/98	MW-6	NA	NA	NA	NA	7.6	NA	NA	NA	NA	7.6

105

100

95


90

85

80

75

NORTH



SOUTH

105

100

95

90

85

80

75

PHOTO IONIZATION FIELD SCREENING RESULTS ARE SHOWN ON THE LEFT SIDE OF BORINGS/WELLS. ONLY DETECTED RESULTS ARE SHOWN.

LABORATORY SOILS ANALYSIS RESULTS ARE SHOWN ON THE RIGHT SIDE OF BORINGS/WELLS.

- G< = LAB GRO (mg/kg) RESULTS LESS THAN NR 720 RCL
- G> = LAB GRO (mg/kg) RESULTS HIGHER THAN NR 720 RCL
- B< = LAB BENZENE (ug/kg) RESULTS LESS THAN NR 720 RCL
- B> = LAB BENZENE (ug/kg) RESULTS HIGHER THAN NR 720 RCL
- EB< = LAB ETHYLBENZENE (ug/kg) RESULTS LESS THAN NR 720 RCL
- EB> = LAB ETHYLBENZENE (ug/kg) RESULTS HIGHER THAN NR 720 RCL
- T< = LAB TOLUENE (ug/kg) RESULTS LESS THAN NR 720 RCL
- T> = LAB TOLUENE (ug/kg) RESULTS HIGHER THAN NR 720 RCL
- X< = LAB TOTAL XYLENE (ug/kg) RESULTS LESS THAN NR 720 RCL
- X> = LAB TOTAL XYLENE (ug/kg) RESULTS HIGHER THAN NR 720 RCL

ELEVATIONS ARE REFERENCED TO AN ON-SITE BENCHMARK OF 100.00' GROUNDWATER ELEVATIONS FROM 10/31/96

HORIZONTAL SCALE: 1" = 10'  
VERTICAL SCALE: 1" = 5'

### HI-WAY GROCERY SOIL IMPACT CROSS SECTION LOOKING WEST

FIGURE 5

DATE: MAR 97  
JOB NO: 94026 D  
CAD FILE: 94026GEO

COLEMAN ENGINEERING COMPANY  
CONSULTING ENGINEERS & LAND SURVEYORS  
IRON MOUNTAIN, MICHIGAN






PHOTO IONIZATION FIELD SCREENING RESULTS ARE SHOWN ON THE LEFT SIDE OF BORINGS/WELLS. ONLY DETECTED RESULTS ARE SHOWN.

LABORATORY SOILS ANALYSIS RESULTS ARE SHOWN ON THE RIGHT SIDE OF BORINGS/WELLS.

- Gc = LAB GRO (mg/kg) RESULTS LESS THAN NR 720 RCL
- Bk = LAB GRO (mg/kg) RESULTS HIGHER THAN NR 720 RCL
- Ebk = LAB BENZENE (ug/kg) RESULTS LESS THAN NR 720 RCL
- Tc = LAB BENZENE (ug/kg) RESULTS HIGHER THAN NR 720 RCL
- Xc = LAB ETHYLBENZENE (ug/kg) RESULTS LESS THAN NR 720 RCL
- Xs = LAB ETHYLBENZENE (ug/kg) RESULTS HIGHER THAN NR 720 RCL
- Tb = LAB TOLUENE (ug/kg) RESULTS LESS THAN NR 720 RCL
- Xb = LAB TOLUENE (ug/kg) RESULTS HIGHER THAN NR 720 RCL
- Xt = LAB TOTAL XYLENE (ug/kg) RESULTS LESS THAN NR 720 RCL
- Xx = LAB TOTAL XYLENE (ug/kg) RESULTS HIGHER THAN NR 720 RCL

ELEVATIONS ARE REFERENCED TO AND ON-SITE BENCHMARK OF 100.00'

HORIZONTAL SCALE: 1" = 20'  
VERTICAL SCALE 1" = 10'


**HI-WAY GROCERY**  
**SOIL IMPACT CROSS SECTION**  
**LOOKING NORTH**

FIGURE 6

DATE: MAR 97  
JOB NO: 94026 D  
CAD FILE: 94026GEO

COLEMAN ENGINEERING COMPANY  
CONSULTING ENGINEERS & LAND SURVEYORS  
IRON MOUNTAIN, MICHIGAN





ELEVATIONS ARE REFERENCED TO AN ON-SITE BENCHMARK OF 100.00' GROUNDWATER ELEVATIONS FROM 10/31/96

HORIZONTAL SCALE: 1" = 30'  
VERTICAL SCALE 1" = 10'

FIGURE 7

DATE: MAR 97  
JOB NO: 94026 D  
CAD FILE: 94026GEO

**HI-WAY GROCERY**  
**SOIL IMPACT CROSS SECTION**  
**LOOKING NORTH**


PHOTO IONIZATION FIELD SCREENING RESULTS ARE SHOWN ON THE LEFT SIDE OF BORINGS/WELLS. ONLY DETECTED RESULTS ARE SHOWN.

LABORATORY SOILS ANALYSIS RESULTS ARE SHOWN ON THE RIGHT SIDE OF BORINGS/WELLS.

- GK = LAB GRO (mg/kg) RESULTS LESS THAN NR 720 RCL
- ▷ = LAB GRO (mg/kg) RESULTS HIGHER THAN NR 720 RCL
- BK = LAB BENZENE (ug/kg) RESULTS LESS THAN NR 720 RCL
- ▷ = LAB BENZENE (ug/kg) RESULTS HIGHER THAN NR 720 RCL
- EBK = LAB ETHYLBENZENE (ug/kg) RESULTS LESS THAN NR 720 RCL
- ▷ = LAB ETHYLBENZENE (ug/kg) RESULTS HIGHER THAN NR 720 RCL
- TC = LAB TOLUENE (ug/kg) RESULTS LESS THAN NR 720 RCL
- ▷ = LAB TOLUENE (ug/kg) RESULTS HIGHER THAN NR 720 RCL
- X = LAB TOTAL XYLENE (ug/kg) RESULTS LESS THAN NR 720 RCL
- ▷ = LAB TOTAL XYLENE (ug/kg) RESULTS HIGHER THAN NR 720 RCL

COLEMAN ENGINEERING COMPANY  
CONSULTING ENGINEERS & LAND SURVEYORS  
IRON MOUNTAIN, MICHIGAN





# Coleman Engineering Co.

635 Circle Drive • Iron Mountain, MI 49801 • e-mail: colemanengineering@uplogon.com  
(906) 774-3440 • fax: (906) 774-7776

November 16, 2001

Principals:

John R. Garske, P.S.  
President

Michael L. DesRosier, P.E.  
Vice President

Ronald K. Lawrence  
Vice President

Ms. Sharlene Tebeest  
Wisconsin Department of Transportation  
4802 Sheboygan Ave.  
P.O. Box 7965  
Madison, WI 53707-7965

**RE: Conditional Case Closure  
Hi-Way Grocery,  
N15450 Hwy. 141, Amberg, Wisconsin**

Civil

Engineering

Dear Ms. Tebeest:

Environmental  
Engineering

On behalf of Ms. Bessie Koester, Coleman Engineering Company (CEC) is providing this letter in fulfillment of a requirement of the Conditional Case Closure for the referenced site as outlined in Department of Natural Resources (DNR) correspondence dated April 13, 2001 (enclosed). The DNR has requested that the Department of Transportation (WDOT) be notified in this manner of the possible presence of soil and groundwater contamination within the right-of-way (ROW) of State Highway 141 in the vicinity of the referenced site.

Geotechnical  
Engineering

In the case of the Hi-Way Grocery site, site investigation data indicates that petroleum impacted soil and groundwater which exceeds the Residual Contaminant Levels established in WAC NR700 for soil and Enforcement Standards (ES) established in WAC NR140 for groundwater exists in the ROW along the east side of Hwy 141. In addition, site investigation data also indicates that petroleum impacted groundwater which exceeds the ES established in WAC NR140 exists within the remaining width of the US141 ROW. Therefore, the off-site property owner (WDOT) must be notified of this condition. Refer to the attached figure for review of the estimated area of soil and groundwater impact.

Land Surveying

Test Drilling

Construction  
Quality Control

Two (2) copies of this correspondence have been provided. To acknowledge notification of the conditions described above, please sign below on the appropriate line, and return one (1) copy of this correspondence to CEC. An envelope has been provided for your convenience. The signed letter will be sent to the DNR to satisfy condition #2 of the Conditional Case Closure.

Materials  
Laboratory Testing

**Signature:** AB Tebeest 11/19/2001

Office also located at:  
200 E. Ayer St.  
Ironwood, MI 49938  
(906) 932-5048  
fax: (906) 932-3213

Page - 2 -  
November 16, 2000

If you have any questions regarding this submittal, please contact me at our Iron Mountain Office at 906-774-3440.

Sincerely,

COLEMAN ENGINEERING COMPANY



Ayad Taofik  
Environmental Engineer

AT/pb  
Enclosure  
cc: B. Koester  
CEC JOB # E-94026 N  
F:\Data\94000\94026\94026\closure\ltr to WDOT.doc




Also:


Residual petroleum contaminated soil and groundwater remains on this site. According to the report filed by Coleman Engineering Company dated February 23, 2001, a petroleum release emanating from the Hi-Way Grocery located at N15450 State Highway 141 has contaminated soils and groundwater on this property. The contaminated soil and groundwater is located within the area shown on the attached "Figure 7" prepared by Coleman Engineering Company. Natural attenuation is the approved remedial alternative for this site. If contaminated soil is excavated in the future, it may be considered a solid waste and will need to be disposed in accordance with all applicable laws. File references: PECFA Claim number 54102-9121-50 and BRRTS 03-38-001654, Coleman Engineering Company, report dated February 23, 2001.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Commerce, or its successor, issue a determination that the restrictions set forth in this covenant are no longer required. That property owner shall provide any and all necessary information to the Department in order for the Department to be able to make a determination. Upon receipt of such a request, the Department shall determine whether or not the restrictions contained herein can be extinguished. Conditions under which a restriction may be extinguished will be determined in accordance with the site specific standards, rules and laws for this property. If the Department determines that the restrictions can be extinguished, an affidavit, with a copy of the Department's written determination, may be recorded to give notice that this restriction, or portions of this restriction are no longer binding. Any restriction placed upon this property shall not be extinguished without the Department's written determination.

IN WITNESS WHEREOF, the owner of the property has executed this document, this 9th day of February, 2002.

Signature:   
 Vivian Hearty

Signature authenticated this 28th day of February, 2002.

  
 Steven P. Krause  
 Member: State Bar of Wisconsin.

This document was drafted by  
 Attorney Steven P. Krause  
 15 Park Place, Suite 500  
 Appleton, WI 54914-8250

**LEGEND**

- ⊕ HAND AUGER BORING LOCATION
- BORING LOCATION
- ⊙ WELL LOCATION
- ⊙ P-1
- ⊙ P-2
- ⊙ GEOPROBE BORING LOCATION
- RIGHT-OF-WAY-MARKER
- CHAIN LINK FENCE
- UNDERGROUND TELEPHONE LINE
- 957.2L SPOT ELEVATION
- TELEPHONE PEDISTAL
- △ TRAVERSE POINT
- ⊙ UTILITY POLE
- ⊙ LIGHT POLE

FIGURE 7  
 HI-WAY GROCERY  
 UST SITE INVESTIGATION  
 ESTIMATED GROUNDWATER IMPACT EXTENT  
 POST SOIL SOURCE REMOVAL



COLEMAN ENGINEERING COMPANY  
 OF IRON MOUNTAIN  
 635 INDUSTRIAL PARK DRIVE  
 IRON MOUNTAIN, MICHIGAN 49801  
 DATE DEC 95  
 JOB NO 94026D  
 CADD FILE 94026-02

