

GIS REGISTRY INFORMATION

SITE NAME: Hartung Bothers, Oxford
BRRTS #: 02-39-000961 **FID # (if appropriate):**
DATCP # (if appropriate): 94519011401
CLOSURE DATE: 12/12/2007
STREET ADDRESS: Hwy 82, Oxford (NE1/4 of SE1/4 of Sec 16, T 15 N., R 8 E.)
CITY: Oxford, Wisconsin

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 556433 Y= 367465

CONTAMINATED MEDIA: Groundwater Soil Both
OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: _____
GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: _____
GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter or denial letter issued
- Copy of any maintenance plan referenced in the final closure letter.
- Copy of (soil or land use) deed notice *if any required as a condition of closure*
- Copy of most recent deed, including legal description, for all affected properties
- Certified survey map or relevant portion of the recorded plat map (*if referenced in the legal description*) for all affected properties
- County Parcel ID number, *if used for county*, for all affected properties
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)
- Tables of Latest Soil Analytical Results (no shading or cross-hatching)
- Isoconcentration map(s), *if required for site investigation (SI)* (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.
- GW: Table of water level elevations, with sampling dates, and free product noted if present
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour
- Geologic cross-sections, *if required for SI*. (8.5x14" if paper copy)
- RP certified statement that legal descriptions are complete and accurate
- Copies of off-source notification letters (if applicable)
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)



State of Wisconsin
Jim Doyle, Governor

Department of Agriculture, Trade and Consumer Protection
Rod Nilsestuen, Secretary

December 12, 2007

Larry G. Price, Treasurer
Hartung Brothers, Inc.
918 Deming Way Suite 200
Madison, WI 53717-1993

SUBJECT: Final Case Closure with Land Use Limitations or Conditions
Former Hartung Brothers, Inc. Spill Site, State Road 82, Oxford, WI:
DATCP Case #94519011401: DNR BRRTS #02-39-000961

Dear Mr. Price:

On February 27, 2007, the Department of Agriculture, Trade and Consumer Protection (DATCP) Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On March 5, 2007, you were notified that the Closure Committee had granted closure upon the condition that the facility well and all monitoring wells and piezometers on-site be properly abandoned and documentation submitted in support of such action, and that the site be graded and seeded to help promote surface drainage so that stormwater does not pond over the area of residual groundwater contamination.

On June 18, 2007, we received the required well abandonment documentation. And based on the site photos you submitted on September 28, 2007 and a subsequent site inspection by Department staff, on October 30, 2007 the Closure Committee agreed to drop the condition that the site be graded and seeded to promote positive drainage.

Based on the correspondence and data you have provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code, and we consider this case closed. No further investigation or remediation is required at this time.

GIS Registry

Chapter NR 726, Wisconsin Administrative Code requires that your site be listed on the DNR GIS Registry. The specific reasons are summarized below:

- At the time of closure, groundwater contamination (nitrate) is present above Chapter NR 140 enforcement standards. Ammonia and phosphorus fertilizer compounds are also present in groundwater, but NR 140 enforcement standards do not currently exist for these compounds.

Information that was submitted with your closure request application will be included on the GIS Registry. To review sites on the GIS Registry, you may visit the following DNR web page: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you or the current property owner intends to construct or reconstruct a well, prior DNR approval is required in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, DNR Form 3300-254 needs to be completed and

Agriculture generates \$51.5 billion for Wisconsin

submitted to the DNR Drinking and Groundwater program's regional water supply specialist. The form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which the current property owner and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, DNR may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance, or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. DNR may conduct inspections in the future to ensure that the conditions included in this letter are met.

Remaining Residual Groundwater Contamination

Detailed maps and data tables that show the locations where groundwater samples have been collected (i.e., monitoring well and piezometer locations) and the corresponding contaminant concentrations are posted on the Remediation and Redevelopment Program's GIS Registry at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please call me at 608-224-4514.

Sincerely,


Stanley A. Senger
Hydrogeologist

cc: John Oswald, RMT, Inc., 744 Heartland Trail, Madison, WI 53717
John Bosshard, Bosshard Holding Corp., PO Box 966, LaCrosse, WI 54602
Diane Hansen, WDNR NE Region, PO Box 10448, Green Bay, WI 54307-0448 (w/GIS pkt)
Steve Buchanan, DATCP EES
Chris Hinz, Marquette County Health Dept., PO Box 181, Montello WI 53949

DOCUMENT NO.

STATE BAR OF WISCONSIN FORM 1 - 1982

THIS SPACE RESERVED FOR RECORDING DATA

172012

WARRANTY DEED

REGISTER'S OFFICE,

Marquette County, Wis.

Received for Record the 30 day

of June 19 89 at

9:10 o'clock A.M. and recorded in

Vol. 242 of Records on page 29

Bernice M. Wegner

BERNICE M. WEGNER Registrar

This Deed, made between Kickapoo Oil Refining Corporation.

and Bosshard Holding Corp., a Wisconsin Corporation.

Witnesseth, That the said Grantor, for a valuable consideration \$1.00 and Other Good & Valuable Consideration

conveys to Grantee the following described real estate in Marquette County, State of Wisconsin:

RETURN TO

Bosshard & Associates \$8.00 pd, P O Box 966

La Crosse, WI 54602-0966

001508237, 16150824, 16150834,

16150841, 16150842, 16150843 and 16150844.

Tax Parcel No:

That part of the Southeast Quarter (SE 1/4) of Section Sixteen (16), Township Fifteen (15) North, Range Eight (8) East, Town of Oxford, Marquette County, Wisconsin, lying South of the Chicago and Northwestern Railroad Right of Way line. Containing 75 acres, more or less, also

All that part of the East One-half of the Southwest Quarter (E 1/2 SW 1/4), Section Sixteen (16), Township Fifteen (15) North, Range Eight (8) East, Town of Oxford, Marquette County, Wisconsin, lying South of the Chicago and Northwestern Railroad Right of Way line. Containing 54.74 acres of land, more or less, also

The Southwest Quarter of the Southwest Quarter (SW 1/4 SW 1/4) of Section Sixteen (16), Township Fifteen (15) North, Range Eight (8) East, Marquette County, Wisconsin. Containing 38.74 acres, more

(over)

This IS NOT homestead property.

Together with all and singular the hereditaments and appurtenances thereunto belonging;

warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except restrictions, zoning ordinances, easements and rights of way of record, if any, and public roadways.

and will warrant and defend the same.

Dated this 3rd day of October, 1988.

KICKAPOO OIL REFINING CORPORATION By:

* John Bosshard, President

* David J. Jenkins, Secretary

7/19/93 TRANSFER FEE \$300.00 EXEMPT

FEE

Rental Weatherization (SEAL)

EXEMPT

#W-3 (SEAL)

EXEMPT

AUTHENTICATION

Signature(s) OF John Bosshard, President and David J. Jenkins, Secretary

authenticated this 26th day of JUNE, 19 89

* James W. McNeilly, Jr.

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY James W. McNeilly, Jr. BOSSHARD & ASSOCIATES Post Office Box 966 La Crosse, WI 54602-0966 (Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN

ss.

Personally came before me this day of 19 the above named

VOL 242 PAGE 29

to me known to be the person who executed the foregoing instrument and acknowledge the same.

Notary Public County, Wis. My Commission is permanent. (If not, state expiration date: 19)

*Names of persons signing in any capacity should be typed or printed below their signatures.

or less, also

A parcel of land situated in the Northwest Quarter of the Southeast Quarter (NW 1/4 SE 1/4) and the Northeast Quarter of the Southeast Quarter (NE 1/4 SE 1/4), all being in Section Sixteen (16), Township Fifteen (15) North, Range Eight (8) East of the 4th P.M., Town of Oxford, Marquette County, State of Wisconsin, described as follows: Commencing at the West quarter Section corner of said Section 16; said corner marked with a 2 inch pipe and bronze cap; thence North 89 degrees 24 minutes East (Var. 3 degrees 30 minutes East) 2445.80 feet to a 2 inch iron pipe; thence South 00 degrees 36 minutes East, 17.90 feet to a 1 1/2 inch iron pipe; thence North 88 degrees 41 minutes East 134 feet along the South margin of State Highway 82 to a 1 1/2 inch iron pipe; thence North 89 degrees 53 minutes East 500.00 feet along the South margin of State Highway 82 to a 1 1/2 inch iron pipe; thence continuing North 89 degrees 53 minutes East 400.00 feet along the South margin of State Highway 82 to a 1 1/2 inch iron pipe, the point of beginning of this description; thence South 1079.97 feet to a 1 1/2 inch iron pipe at the intersection of the Chicago and Northwestern Railroad Right of Way; thence Southeasterly along the Chicago and Northwestern Railroad Right of Way to the intersection of the East Quarter line of the Southeast Quarter (SE 1/4) of Section 16; thence North along the said East Quarter line to the South margin of State Highway 82 thence West along the south margin of State Highway 82 to the point of beginning. Containing 54 acres of land, more or less.

~~This deed is in completion of a Land Contract dated November 26, 1973 and recorded December 10, 1973 in Volume 144 of Records on pages 290-294 as Document No. 124092, Marquette County Records.~~

Also, legal descriptions

per attached page, Exhibit A

EXHIBIT "A"

That part of the East Half of the Southeast Quarter ($E\frac{1}{2} SE\frac{1}{4}$) lying and being northerly of the C. & N. W. RR, all in Section 16, Township 15 North, Range 8 East, in the Town of Oxford, Marquette County, Wisconsin, described as follows: Commencing at the SE corner of said Section 16; thence along the east line of the said $E\frac{1}{2}-SE\frac{1}{4}$ bearing N 00-29-55 W, 967.17 feet, to a point on the northerly R/W line of the C. & N. W. RR being the point of beginning. Thence along the northerly R/W line of the RR bearing N 72-38-05 E, 612.43 feet; thence along a line bearing N 00-41-40 W, 1453.80 feet, to a point on the southerly R/W line of S.T.H. "82"; thence along the southerly R/W line of S.T.H. "82" bearing N 89-09-30 E, 587.88 feet, to a point on the east line of the said $E\frac{1}{2}-SE\frac{1}{4}$; thence along the east line thereof bearing S 00-29-55 E, 1645.22 feet, to the point of beginning, containing 20.82 acres.


A part of the Northeast Quarter of the Southeast Quarter ($NE\frac{1}{4} SE\frac{1}{4}$) of Section 16, Township 15 North, Range 8 East, in the Town of Oxford, Marquette County, Wisconsin, described as follows: Commencing at the SE corner of said Section 16; thence along the east line of the $SE\frac{1}{4}$ bearing N 00-29-55 W, 967.17 feet, to a point on the northerly R/W line of the RR bearing N 72-38-05 W, 1217.88 feet; thence along a line bearing N 02-09-15 W, 619.64 feet, to the point of beginning. Thence continued along a line bearing N 02-09-15 W, 645.31 feet, to a point on the southerly R/W line of S.T.H. "82"; thence along the southerly R/W line of S.T.H. "82" bearing N 89-09-30 E, 557.88 feet; thence along the west line of an access roadway bearing S 00-41-40 E, 649.87 feet; thence along a line bearing N 88-41-45 W, 280.67 feet; thence along a line bearing S 89-49-00 W, 100.03 feet; thence along a line bearing S 86-41-25 W, 161.09 feet, to the point of beginning, containing 8.0 acres.

That part of the East Half of the Southeast Quarter ($E\frac{1}{2} SE\frac{1}{4}$) lying and being northerly of the C. & N. W. RR, all in Section 16, Township 15 North, Range 8 East, in the Town of Oxford, Marquette County, Wisconsin, described as follows: Commencing at the SE corner of said Section 16; thence along the east line of the said $SE\frac{1}{4}$ of Section 16 bearing N 00-29-55 W, 967.17 feet, to a point on the northerly R/W line of the C. & N. W. RR; thence along the northerly R/W line of the RR bearing N 72-38-05 W, 1217.88 feet, to the point of beginning. Thence continued along the northerly R/W line of the RR bearing N 72-38-05 W, 599.58 feet; thence along a line bearing NORTH, 1,079.06 feet, to a point on the southerly R/W line of S.T.H. "82"; thence along the southerly R/W line of S.T.H. "82" bearing S 89-58-00 E, 108.28 feet; thence continued along the southerly R/W line of S.T.H. "82" now bearing N 89-09-30 E, 416.43 feet; thence along a line bearing S 02-09-15 E, 1264.95 feet, to the point of beginning, containing 14.8 acres.


*C. & N. W. RR; thence along the northerly R/W line of the

Site Location
Hartung Brothers, Inc., - Oxford Facility
DATCP Case # 94519011401, BRRTS # 02-39-000961

- **Parcel Identification Number:** 020-00703-000
- **Geographic Position (WTM83-91):** E 556444, N 367463
(Used RR GIS Registry to get coordinates)



STATE LOCATION



SCALE: 1"=2000'

SOURCE: BASE MAP FROM OXFORD 7.5 MIN. USGS QUADRANGLE.




**HARTUNG BROTHERS, INC.
 OXFORD, WISCONSIN**

**SITE LOCATION AND PRIVATE WELL
 LOCATOR MAP**

DRAWN BY:	METZA
APPROVED BY:	JCO
PROJECT NO.	2214.73
FILE NO.	SITLOC.DWG
DATE:	DECEMBER 2006

FIGURE 1




MONITOR WELLS

	Top PVC Elevation	Ground Elevation
1 S	864.65	862.2
1 D	864.84	862.5
2 S	859.74	857.3
2 D	859.32	857.3
3 S	863.74	861.7
3 D	863.91	861.7
4 S	861.47	859.1
4 D	861.88	859.3
5 S	860.59	858.2
5 D	860.11	857.8

SAND POINTS

A	857.28	854.2
B	857.56	854.4
C	858.93	855.7
D	859.75	856.8
E	858.06	855.0
F	857.58	854.7
G	859.26	855.9

Top Steel Post in Stream = 856.35'
Nail in RR Bridge = 866.48'



SCALE 1" = 50'

NOTE
DUE TO A HEAVY SNOW COVER AT THE TIME OF THIS SURVEY, SOME TOPOGRAPHIC FEATURES OR DETAILS MAY HAVE NOT BEEN DETERMINED OR SHOWN ON THIS MAP.

TANK INFORMATION

Code	Size	Content
01	50,000	3-9-12
02	50,000	10-34-0
03	105,000	25-0-0
04	105,000	12-0-0-26
05	250,000	25-0-0-3
06	DO NOT USE	EMPTY
07	440,000	Emergency Containment
08	Out of Order	Empty
09		
10		
11		
12	6,000	H ₂ O
13	2,200	15-0-0-15
14	2,200	15-0-0-15
15	1,500	12-0-0-26

Emergency Telephone Numbers
 State Emergency Government 608/266-3232
 Chemtrec 800/424-9300
 Sheriff 1-414-297-2115
 Local Police 586-5445
 Fire Dept 586-5811
 Ambulance 1-800-852-0350
 Arena Office 608/588-2536

TOPOGRAPHIC SURVEY
 HARTUNG BROTHERS INC. STORAGE TANKS
 SECTION 16, T15N, R8E, TOWN OF OXFORD, MARQUETTE CO., WI


REVISIONS		
NO.	DATE	REMARKS

VIERBICHER ASSOCIATES, INC.
 ARCHITECTURE ENGINEERING SURVEYING
 940 E. MAIN ST.
 REDBURN, WI 53089

SCALE: 1" = 50'
 DATE: MARCH 1987
 PROJ: 88027
 PLOT: E-35
 DWG: 1-89

Plot Date: Thursday, May 29, 2003
 Plot Time: 09:14:29 AM
 Attached Xrefs: No xrefs attached.
 Attached Images: No images attached.


PLOT DATA
 Drawing Name: J:\02214\60\22146005.dwg
 Operator Name: hooksb
 Scale: 1"=100'
 Dwg Size: 71267 Bytes



LEGEND


- EXISTING 5' CONTOUR
- EXISTING 1' CONTOUR
- BM BENCH MARK
- ⊙ MW-6D PIEZOMETER
- ⊙ MW-3D ABANDONED PIEZMETER
- ⊙ MW-3S ABANDONED MONITORING WELL
- MW-6S WATER TABLE WELL
- △ A SHALLOW SAND POINT
- ⊙ HPW HARTUNG WATER SUPPLY WELL
- 1996 EXCAVATION AREA
- - - APPROXIMATE PROPERTY LINE
- - - DRAINAGE DITCH
- FORMER TANK

- ### NOTES
1. BASE MAP DIGITIZED FROM MARCH 1986 MAP PREPARED BY VIERBICHER ASSOCIATES AND SUBSEQUENT MAP PREPARED BY DELTA ENVIRONMENTAL CONSULTANTS, INC.
 2. HORIZONTAL DISTANCES ARE APPROXIMATE.
 3. MW-3S AND MW-3D WERE ABANDONED IN APRIL 1996.
 4. TOPOGRAPHY REFLECTS PRE-EXCAVATION ACTIVITIES AND THUS ACTUAL GROUND SURFACE ELEVATIONS IN THE EXCAVATION AREAS VARY FROM THOSE SHOWN ON MAP.



PROJECT:		HARTUNG BROTHERS, INC. OXFORD, WISCONSIN
SHEET TITLE:		SITE MAP
DRAWN BY: METZA	SCALE:	PROJ. NO. 02214.73
CHECKED BY: AAS	1"=100'	FILE NO. 22147309.DWG
APPROVED BY: JCO	DATE PRINTED:	FIGURE 2
DATE: DECEMBER 2006		


744 Heartland Trail
 Madison, WI 53717-1934
 P.O. Box 8923 53708-8923
 Phone: 608-831-4444
 Fax: 608-831-3334



LEGEND

	EXISTING 5 FT CONTOURS
	EXISTING 1 FT CONTOURS
	BM BENCH MARK
	MW-6D PIEZOMETER
	MW-3D ABANDONED PIEZOMETER
	MW-3S ABANDONED MONITORING WELL
	MW-6S WATER TABLE WELL
	A SHALLOW SAND POINT
	SS-1 SOIL SAMPLE LOCATION DELTA ENVIRONMENTAL (1990)
	P1 SOIL SAMPLE LOCATION RMT (1995)
	HPW HARTUNG WATER SUPPLY WELL
	DRAINAGE DITCH
	FORMER TANK

- NOTES**
1. BASE MAP DIGITIZED FROM MARCH 1986 MAP PREPARED BY VIERBICHER ASSOCIATES AND SUBSEQUENT MAP PREPARED BY DELTA ENVIRONMENTAL CONSULTANTS, INC.
 2. HORIZONTAL DISTANCES ARE APPROXIMATE.
 3. MW-3S AND MW-3D WERE ABANDONED IN APRIL 1996.
 4. TOPOGRAPHY REFLECTS PRE-EXCAVATION ACTIVITIES AND THUS ACTUAL GROUND SURFACE ELEVATIONS IN THE EXCAVATION AREAS VARY FROM THOSE SHOWN ON MAP.



PROJECT:		HARTUNG BROTHERS, INC. OXFORD, WISCONSIN	
SHEET TITLE:		SOIL INVESTIGATION MAP	
DRAWN BY: FIEBRANT	SCALE: 1"=60'	PROJ. NO. 02214.73	
CHECKED BY: AAS		FILE NO. 22147301.DWG	
APPROVED BY: JCO	DATE PRINTED:	FIGURE 6	
DATE: DECEMBER 2006			
		744 Heartland Trail Madison, WI 53717-1934 P.O. Box 8923 53708-8923 Phone: 608-831-4444 Fax: 608-831-3334	

PLOT DATA
 Drawing Name: \\02214\73\22147301.dwg
 Operator Name: fiebrant
 Scale: 1"=60'

Table 1
Summary of Pre-Remedial Soil Analytical Results
Hartung Brothers - Oxford, Wisconsin

SAMPLE LOCATION	DEPTH (ft)	PARAMETER CONCENTRATIONS (mg/kg)		
		NITRATE AS NITROGEN	AMMONIA AS NITROGEN	TOTAL PHOSPHORUS
<i>RMT, Inc.'s Results</i>				
P1	0-1	3.2	NA	540
	1-3	37	7.1	700
	3-5	38	2,400	NA
P2	0-1	6.8	NA	740
	1-2	24	9.4	1,400
P3	0-1	24	NA	900
	1-2	20	10	1,600
P4	0-1	25	NA	1,700
	1-2	15	9.8	1,300
P5	0-1	65	NA	12,000
P6	0-1	160	NA	14,000
	1-3	210	11,000	8,900
P7	0-1	77	NA	11,000
P8	0-1	78	NA	5,200
P9	0-1	350	NA	14,000
	1-3	620	37,000	38,000
P10	0-1	160	NA	940
P11	0-1	14	NA	900
<i>Delta Environmental Consultants' Field Results</i>				
SS-1A	1	0	0	1,000
SS-2A	1	113	1,034	5,800
SS-3A	1	75	677	6,600
SS-4A	1	45	1,193	7,800
SS-5A	1	20	278	5,000
SS-6A	1	36	1,671	7,200

Table 1 (continued)
Summary of Pre-Remedial Soil Analytical Results
Hartung Brothers - Oxford, Wisconsin

SAMPLE LOCATION	DEPTH (ft)	PARAMETER CONCENTRATIONS (mg/kg)		
		NITRATE AS NITROGEN	AMMONIA AS NITROGEN	TOTAL PHOSPHORUS
SS-6B	3	7	1,034	3,600
SS-6C	5	27	1,780	4,200
SS-7A	1	0	2,386	6,000
SS-7B	3	0	2,386	6,400
SS-7C	5	0	1,750	6,000
SS-8A	1	33	755	4,400
SS-9A	1	28	2,386	6,000
SS-10A	1	0	Trace	Trace
SS-11A	1	0	0	400
SS-12A	1	Trace	0	500
SS-13A	1	7	Trace	1,300
SS-14A	1	1	Trace	0
SS-15A	1	0	0	2,300
SS-17A	1	0	0	0
SS-18A	1	0	0	0
SS-19A	1	45	0	500
SS-19B	3	52	398	0
SS-19C	5	18	0	0
SS-20A	1	0	0	0
SS-20B	3	0	0	0
SS-20C	5	0	0	0
SS-21A	1	Trace	0	3,800
SS-22A	1	0	0	Trace

Table 1 (continued)
 Summary of Pre-Remedial Soil Analytical Results
 Hartung Brothers - Oxford, Wisconsin

SAMPLE LOCATION	DEPTH (ft)	PARAMETER CONCENTRATIONS (mg/kg)		
		NITRATE AS NITROGEN	AMMONIA AS NITROGEN	TOTAL PHOSPHORUS
<i>Delta Environmental Consultants' Laboratory Confirmation Results</i>				
SS-6A	1	270	2,600	2,700
SS-6B	3	21	1,400	540
SS-6C	5	10	1,200	160
SS-7A	1	7	8,700	6,900
SS-7B	3	6	5,300	800
SS-7C	5	12	1,900	370
SS-19A	1	55	<20	130
SS-19B	3	130	480	3.3
SS-19C	5	95	<20	68
SS-20A	1	2	<20	220
SS-20B	3	5	<20	110
SS-20C	5	1	<20	98

Notes:

NA = not analyzed.

Trace = low-level concentration detected using Hach Kit in the field.

Samples labeled "P" were collected by RMT in June 1995 and analyzed by the Northern Lake Service, Inc., laboratory.

Samples labeled "SS" were collected by Delta Environmental Consultants, Inc., in August 1990 (Delta, 1991) and were analyzed using the Hach Kit in the field or Pace Laboratory, Inc., for confirmation of field results.

Table 2
Summary of Post-Remediation Soil Analytical Results (April 24, 1996)
Hartung Brothers - Oxford, Wisconsin

SAMPLE LOCATION	SAMPLE DEPTH (feet) ⁽¹⁾	PARAMETER CONCENTRATIONS (mg/kg)		
		NITRATE AS NITROGEN	AMMONIA AS NITROGEN	TOTAL PHOSPHORUS
<i>RMT, Inc. Results - Overexcavation Activities</i>				
50 N, 5 E	2	160	4,900	10,000
50 N, 50 E	2	150	3,800	12,000
50 N, 100 E	2	260	8,100	17,000
50 N, 150 E	2	120	2,200	4,200
50 N, 200 E	2	150	1,700	3,900
50 N, 250 E	2	20	11	3,400
50 N, 300 E	2	53	9.0	1,800
100 N, 5 E	2	480	6,700	10,000
100 N, 50 E	2	150	9,900	6,000
100 N, 100 E	2	280	6,800	11,000
100 N, 150 E	2	110	6,000	11,000
100 N, 200 E	2	37	670	1,600
100 N, 250 E	2	380	2,200	6,500
100 N, 300 E	2	68	45	1,200
150 N, 100 E	2	67	31	2,500
150 N, 150 E	2	76	7.2	2,200
150 N, 200 E	2	89	4,400	10,000
150 N, 250 E	2	120	1,500	3,000
150 N, 300 E	2	< 6.3	9.9	1,600
200 N, 100 E	2	290	6,200	27,000
200 N, 150 E	2	410	16,000	48,000
200 N, 200 E	2	100	1,300	5,600
200 N, 250 E	2	85	5,100	14,000
200 N, 300 E	2	< 5.9	48	1,700
NS - 3'	3	73	1,000	2,300
ES - 3'	3	< 6.2	< 6.2	2,400
SS - 3'	3	< 5.7	5.9	2,400
WS - 3'	3	130	240	4,000
NF - 3'	3	16	930	2,300
SF - 3'	3	24	10	2,100

Footnote:

⁽¹⁾ Approximate depth below original grade (ground surface).

Table 3
Summary of Groundwater Analytical Results
Hartung Brothers, Inc. - Oxford, Wisconsin

SAMPLE POINT	DATE	NITRATE+NITRITE NITROGEN (mg/L)	AMMONIA NITROGEN (mg/L)	TOTAL PHOSPHORUS (mg/L)	CONDUCTIVITY (µmhos/cm)	DO (mg/L)
MW-1S	Feb-86	313	400	0.25	--	--
	Apr-86	540	614.6	1.2	13,600	--
	Feb-90	730	620	0.41	--	--
	Dec-94	29	130	2.0	1,560	--
	Aug-96	160	200	1.4	350	2.5
	Aug-97	210	520	0.30	6,290	2.2
	May-99	220	220	0.57	3,680	0.3
	May-00	180	130	0.98	3,690	<1
	Nov-00	170	160	0.98	4,340	0.4
	July-01	150	170	0.60	--	0.8
	Nov-01	300	430	0.42	5,280	0.4
	Nov-02	270	500	0.50	--	0.2
	Nov-03	300	490	0.41	4,810	0.8
Apr-05	300	410	0.41	--	3.6	
MW-1D	Feb-86	49	11	0.05	--	--
	Apr-86	39	7.2	0.16	2,100	--
	Feb-90	670	230	0.09	--	--
	Dec-94	440	600	0.11	4,930	2.5
	Aug-96	320	310	1.3	4,990	--
	Aug-97	160	300	0.021	6,060	2.4

Table 3 (continued)
 Summary of Groundwater Analytical Results
 Hartung Brothers, Inc. - Oxford, Wisconsin

SAMPLE POINT	DATE	NITRATE+NITRITE NITROGEN (mg/L)	AMMONIA NITROGEN (mg/L)	TOTAL PHOSPHORUS (mg/L)	CONDUCTIVITY (µmhos/cm)	DO (mg/L)
MW-1D (continued)	May-99	160	340	<0.015	6,066	0.3
	May-00	190	210	2.6	4,330	--
	Nov-00	320	370	6.2	6,680	--
	July-01	330	350	0.032	--	0.3
	Nov-01	440	490	3	6,930	0.6
	Nov-02	290	380	2.1	--	0.3
	Nov-03	390	560	2.7	4,110	0.8
	Apr-05	270	400	1.7	--	4.84
MW1-50	Apr-86	0.5	0.39	1.4	720	--
	Mar-90	12	0.2	0.06	--	--
	Dec-94	43	1.2	<0.1	1,160	--
	Aug-96	26	1.7	0.15	1,120	2.4
	Aug-97	53	3.3	0.011	1,410	2.2
	May-99	30	5.0	0.034	1,730	0.2
	May-00	81	6.7	0.43	1,520	<1
	Nov-00	30	7.4	0.63	1,343	0.3
	July-01	40	5.4	0.089	--	<1
	Nov-01	57	11	0.019	1,443	0.4
	Nov-02	49	7.6	0.048	--	<1
	Nov-03	32	5.4	0.061	1,250	0.1
	Apr-05	38	4.4	0.045	--	2.24

Table 3 (continued)
Summary of Groundwater Analytical Results
Hartung Brothers, Inc. - Oxford, Wisconsin

SAMPLE POINT	DATE	NITRATE+NITRITE NITROGEN (mg/L)	AMMONIA NITROGEN (mg/L)	TOTAL PHOSPHORUS (mg/L)	CONDUCTIVITY (µmhos/cm)	DO (mg/L)
MW1-75	Apr-86	2.7	0.50	0.16	6,660	--
	Mar-90	<0.1	0.5	0.10	--	--
	Dec-94	0.29	0.6	0.15	330	--
	Aug-96	0.060	0.53	0.46	370	2.0
	Aug-97	<0.076>	0.52	0.038	350	1.0
	May-99	<0.035>	0.48	0.038	370	0.51
	May-00	<0.042	0.42	0.050	390	0.1
	Nov-00	<0.042	0.34	0.098	379	.05
	July-01	<0.075	0.44	0.057	--	0.2
	Nov-01	<0.075	0.46	0.11	405	0.4
	Nov-02	<0.075	0.56	0.046	--	2.0
	Nov-03	<0.050	0.48	0.12	360	0.1
Apr-05	<0.025	0.55	0.73	--	3.02	
MW-2S	Feb-86	21	0.08	ND	--	--
	Feb-90	0.6	0.2	0.06	--	--
	Dec-94	<0.05	0.14	<0.1	570	--
MW-2D	Feb-86	0.95	0.06	0.17	--	--
	Feb-90	<0.1	0.1	0.07	--	--
	Dec-94	<0.05	0.19	<0.1	460	--
MW-3S	Feb-86	12	0.02	0.05	--	--
MW-3D	Feb-86	0.4	0.05	0.04	--	--
	Dec-94	<0.05	0.13	<0.1	560	--

Table 3 (continued)
Summary of Groundwater Analytical Results
Hartung Brothers, Inc. - Oxford, Wisconsin

SAMPLE POINT	DATE	NITRATE+NITRITE NITROGEN (mg/L)	AMMONIA NITROGEN (mg/L)	TOTAL PHOSPHORUS (mg/L)	CONDUCTIVITY (µmhos/cm)	DO (mg/L)
MW-4S	Apr-86	43	146.9	12,200	2,000	--
	Feb-90	90	810	460	--	--
	Dec-94	0.82	62	53	750	--
	Aug-96	--	--	--	--	2.1
	Aug-97	29	69	42	1,400	4.1
	May-99	78	91	54	1,920	0.7
	May-00	85	73	90	1,600	1.5
	Nov-00	8.9	46	50	1,000	0.4
	July-01	8.5	34	39	--	5.5
	Nov-01	160	48	78	1,900	2.0
	Nov-02	440	40	130	--	3.0
	Nov-03	360	26	110	2,800	2.0
Apr-05	120	29	460	--	3.82	
MW-4D	Apr-86	15	1.6	0.08	545	--
	Aug-96	0.040	2.6	1.5	600	2.8
	Aug-97	<0.031	2.2	0.70	640	2.3
	May-99	<0.030	1.1	0.56	590	0.3
	May-00	0.46	1.5	1.5	620	1.0
	Nov-00	<0.042	1.5	1.5	649	0.2
	July-01	<0.075	1.0	0.52	--	1.5
	Nov-01	<0.075	2.1	2.9	666	0.8
	Nov-02	<0.15	28	3.5	--	1.0
	Nov-03	<0.050	3.3	1.9	500	1.0
Apr-05	<0.025	2.8	6.6	--	4.3	

Table 3 (continued)
Summary of Groundwater Analytical Results
Hartung Brothers, Inc. - Oxford, Wisconsin

SAMPLE POINT	DATE	NITRATE+NITRITE NITROGEN (mg/L)	AMMONIA NITROGEN (mg/L)	TOTAL PHOSPHORUS (mg/L)	CONDUCTIVITY (µmhos/cm)	DO (mg/L)
MW-5S	Feb-86	73	350	1,050	--	--
	Apr-86	36	29.4	0.14	1,200	--
	Feb-90	240	21	19	--	--
	Dec-94	370	78	27	3,300	--
	Aug-96	220	33	19	2,600	3.0
	Aug-97	210	54	25	2,950	2.6
	May-99	170	15	14	2,210	0.7
	May-00	190	16	31	2,350	1
	Nov-00	170	32	22	2,470	0.2
	July-01	190	0.25	5.4	--	1
	Nov-01	190	5.4	7.8	2,200	0.4
	Nov-02	150	4.1	8.3	--	1
	Nov-03	150	7.7	19	1,860	0.4
Apr-05	130	15	32	--	1.27	
MW-5D	Apr-86	12	52.4	1.7	545	--
	Feb-90	270	22	2.8	--	--
	Dec-94	340	41	8.2	3,220	--
	Aug-96	170	20	7.2	2,420	3.4
	Aug-97	250	42	38	3,200	2.2
	May-99	140	20	14	2,330	0.4
	May-00	160	13	11	2,150	0.2

Table 3 (continued)
Summary of Groundwater Analytical Results
Hartung Brothers, Inc. - Oxford, Wisconsin

SAMPLE POINT	DATE	NITRATE+NITRITE NITROGEN (mg/L)	AMMONIA NITROGEN (mg/L)	TOTAL PHOSPHORUS (mg/L)	CONDUCTIVITY (µmhos/cm)	DO (mg/L)
MW-5D <i>(continued)</i>	Nov-00	140	14	10	2,120	0.4
	July-01	130	8.5	6.9	--	0.2
	Nov-01	160	13	11	1,956	0.3
	Nov-02	100	12	5.6	--	0.3
	Nov-03	94	10	7.3	1,570	0.3
	Apr-05	130	4.6	3.8	--	2.81
MW-6S	Apr-86	2.5	<0.04	<0.02	5,920	--
	Feb-90	1.0	<0.1	<0.05	--	--
	Dec-94	0.3	<0.1	<0.1	800	--
	Aug-96	0.24	0.035	0.48	820	3.3
	Aug-97	0.23	<0.051>	0.006	790	4.3
	May-99	0.16	<0.019	<0.015	790	1.8
	May-00	<0.11>	<0.024	0.08	800	<1
	Nov-00	<0.14>	<0.024	0.31	839	1.0
	July-01	0.20	<0.027	0.033	--	4.5
	Nov-01	0.18	<0.27	0.013	852	1.0
	Nov-02	<0.075	<0.069>	0.018	--	2.0
	Nov-03	0.17	<0.024	0.044	660	3.0
	Apr-05	<0.050>	<0.052>	0.80	--	4.6
MW-6D	Apr-86	2.4	0.50	0.03	739	--
	Feb-90	0.1	<0.1	<0.05	--	--
	Dec-94	<0.05	0.37	<0.1	740	--
	Aug-96	0.050	0.15	0.022	760	4.2

Table 3 (continued)
Summary of Groundwater Analytical Results
Hartung Brothers, Inc. - Oxford, Wisconsin

SAMPLE POINT	DATE	NITRATE+NITRITE NITROGEN (mg/L)	AMMONIA NITROGEN (mg/L)	TOTAL PHOSPHORUS (mg/L)	CONDUCTIVITY (µmhos/cm)	DO (mg/L)
MW-6D (continued)	Aug-97	<0.031	<0.058>	0.12	800	2.9
	May-99	<0.030	<0.019	0.020	780	0.3
	May-00	0.25	<0.025>	0.024	780	0.5
	Nov-00	<0.042	<0.024	0.20	800	0.6
	July-01	<0.075	<0.027	0.038	--	1.5
	Nov-01	<0.075	<0.27	0.025	794	0.9
	Nov-02	<0.075	<0.053>	0.018	--	<0.1
	Nov-03	<0.050	<0.024	0.026	640	0.2
	Apr-05	0.14	<0.034>	0.34	--	2.9
MW-7S	Feb-04	0.11	<0.045>	1.7	742	--
	Apr-05	0.12	<0.025	1.3	--	4.2
MW-7D	Feb-04	<0.050	0.18	2.3	521	--
	Apr-05	<0.035>	0.34	1.3	--	5.3
MW-8S	Feb-04	1.3	<0.025	2.8	881	--
	Apr-05	0.51	<0.025	1.9	--	6.4
MW-8D	Feb-04	<0.050	0.11	0.20	275	--
	Apr-05	0.15	0.16	0.090	--	5.8
Sand pt. A (SP-A)	Feb-86	60	17	0.45	--	--
	Mar-90	90	5.2	0.06	--	--
	Dec-94	110	--	--	1,820	--
	Aug-96	71	12	0.009	1,740	4.8
	Aug-97	--	--	--	6,080	4.6
	May-99	0.30	36	0.032	770	0.5

Table 3 (continued)
Summary of Groundwater Analytical Results
Hartung Brothers, Inc. - Oxford, Wisconsin

SAMPLE POINT	DATE	NITRATE+NITRITE NITROGEN (mg/L)	AMMONIA NITROGEN (mg/L)	TOTAL PHOSPHORUS (mg/L)	CONDUCTIVITY (µmhos/cm)	DO (mg/L)
Sand pt. A (SP-A) <i>(continued)</i>	Nov-00	<0.096>	22	2.5	595	<1
	Nov-01	0.14	86	0.11	802	0.4
	Nov-02	0.17	--	--	--	3
	Apr-04	3.0	120	0.13	--	--
	Apr-05	3.1	10	0.36	--	5.0
Sand pt. B (SP-B)	Feb-86	0.4	0.03	0.06	--	--
	Mar-90	150	2.1	<0.05	--	--
	Dec-94	8.3	2.5	<0.1	2,360	--
	Aug-96	16	12	0.015	2,240	3.3
	Aug-97	0.61	5.0	<0.005	1,810	1.1
	May-99	<0.030	2.9	<0.015	1,350	0.73
	May-00	<0.042	2.6	0.072	1,310	2.5
	Nov-00	0.26	5.3	1.2	1,321	0.05
	July-01	<0.075	1.7	0.079	--	6-8
	Nov-01	0.26	3.5	0.0080	966	0.4
	Nov-02	<0.75	2.1	0.030	--	3
	Nov-03	<0.25	2.0	0.52	650	0.1
	Apr-05	0.59	1.1	0.13	--	6.0
Sand pt. C (SP-C)	Feb-86	1.1	2.0	1.1	--	--
	Mar-90	0.1	0.2	<0.05	--	--
	Dec-94	<0.05	--	--	430	--
	Aug-96	0.12	0.24	0.014	490	3.3
	Aug-97	<0.031	0.15	0.019	2,090	1.1

Table 3 (continued)
 Summary of Groundwater Analytical Results
 Hartung Brothers, Inc. - Oxford, Wisconsin

SAMPLE POINT	DATE	NITRATE+NITRITE NITROGEN (mg/L)	AMMONIA NITROGEN (mg/L)	TOTAL PHOSPHORUS (mg/L)	CONDUCTIVITY (µmhos/cm)	DO (mg/L)
Sand pt. C (SP-C) (continued)	May-99	0.12	0.52	<0.015	245	0.73
	May-00	0.34	0.38	0.024	300	2.5
	Nov-00	<0.042	4.5	0.77	461	<0.1
	July-01	1.8	5.8	0.060	--	6.5
	Nov-01	7.9	6.7	0.0090	498	0.4
	Nov-02	4.7	4.8	0.015	--	3
	Nov-03	0.82	2.1	--	430	<0.1
	Apr-05	3.9	2.8	<0.035	--	3.1
Sand pt. D (SP-D)	Dec-94	6.9	--	--	350	
	Aug-96	--	--	--	--	3.7
	Aug-97	--	--	--	1,680	0.4
Sand pt. E (SP-E)	Feb-86	20	83	6.0	--	--
	Mar-90	220	130	<0.05	--	--
	Dec-94	150	--	--	1,680	--
	May-99	19	1,400	0.19	6,550	0.1
	May-00	<1.9>	4,200	0.36	10,000	--
	Nov-00	26	8,300	3.4	15,970	<0.1
	July-01	30	4,300	3.7	--	--
	Nov-02	18	8,500	0.83	--	<0.1
	Apr-04	27	6,700	--	7,110	<0.1
	Apr-05	51	6,800	0.60	--	--
Sand pt. F (SP-F)	Mar-90	62	42	<0.05	--	--
	Aug-96	6.3	25	0.014	1,320	3.5

Table 3 (continued)
 Summary of Groundwater Analytical Results
 Hartung Brothers, Inc. - Oxford, Wisconsin

SAMPLE POINT	DATE	NITRATE+NITRITE NITROGEN (mg/L)	AMMONIA NITROGEN (mg/L)	TOTAL PHOSPHORUS (mg/L)	CONDUCTIVITY (µmhos/cm)	DO (mg/L)
Sand pt. F (SP-F) <i>(continued)</i>	Aug-97	4.3	130	0.014	1,310	1.1
	May-99	21	43	<0.015	1,150	0.4
	May-00	25	93	0.062	1,270	4.5
	Nov-00	0.99	60	<75	1,165	<0.1
	July-01	1.6	170	0.13	—	8.0
	Nov-01	2.2	40	0.0080	1,450	1.0
	Nov-02	3.0	75	0.29	—	2.0
	Nov-03	17	37	—	1,070	1.0
Apr-05	35	25	1.1	—	—	
Sand pt. G (SP-G)	Feb-86	—	31,800	19,900	—	—
Sand pt. S (SP-S)	Aug-96	0.25	0.78	1.5	900	3.1
	Aug-97	<0.048>	0.29	3.2	1,000	6.9
	May-99	0.32	0.29	0.058	260	5.6
	May-00	0.28	0.14	1.7	—	—
	July-01	<0.075	0.32	1.6	—	5.5
	Nov-01	1.1	<0.027	—	—	—
	Nov-02	3.5	9.4	—	—	1.0
	Apr-04	<0.050	<0.054>	0.012	—	—
Apr-05	—	—	13	—	—	
Sand pt. W (SP-W)	Aug-96	24	75	0.64	1,420	2.9
	Aug-97	13	32	1.7	1,190	6.1
	May-99	5.2	9.8	3.2	890	2.3
	May-00	<0.12>	1.9	26	1,100	4.5

Table 3 (continued)
 Summary of Groundwater Analytical Results
 Hartung Brothers, Inc. - Oxford, Wisconsin

SAMPLE POINT	DATE	NITRATE+NITRITE NITROGEN (mg/L)	AMMONIA NITROGEN (mg/L)	TOTAL PHOSPHORUS (mg/L)	CONDUCTIVITY (µmhos/cm)	DO (mg/L)
Sand pt. W (SP-W) (continued)	Nov-00	0.72	2.8	25	1,258	0.4
	July-01	1.7	14	15	--	4.5
	Nov-01	4.0	6.1	14	1,130	3.5
	Nov-02	25	1.5	18	--	5
Hartung well (HPW-1)	Feb-86	52	0.22	ND	--	--
	Apr-86	9.8	<0.04	0.4	403	--
	Dec-94	160	25	<0.1	2,020	--
	Aug-96	18	14	0.008	940	--
	Aug-97	<0.031	10	<0.005	590	--
	May-99	<0.030	8.8	0.011	560	--
	May-00	<0.042	6.6	0.013	620	<1
	Nov-00	<0.042	4.1	<0.070>	390	0.4
	July-01	0.47	0.19	0.067	--	2.5
	Nov-01	<0.075	0.94	0.0090	312	<0.1
	Nov-02	<0.075	0.98	<0.0070>	280	<0.1
	Nov-03	<0.050	1.5	<0.0070>	190	3.0
Apr-05	<0.025	0.58	<0.035	--	--	
Powell well	Apr-86	<0.05	<0.04	<0.02	269	--
Garbarski well	Apr-86	<0.05	0.26	<0.02	333	--
	Dec-94	<0.05	0.18	<0.1	270	--
	Aug-96	0.040	0.25	0.022	390	--
	Aug-97	<0.041>	0.30	0.014	400	--
Bagley well	Apr-86	0.95	<0.04	<0.02	470	--
Hess well	Apr-86	1.1	<0.04	<0.02	336	--

Table 3 (continued)
Summary of Groundwater Analytical Results
Hartung Brothers, Inc. - Oxford, Wisconsin

SAMPLE POINT	DATE	NITRATE+NITRITE NITROGEN (mg/L)	AMMONIA NITROGEN (mg/L)	TOTAL PHOSPHORUS (mg/L)	CONDUCTIVITY (µmhos/cm)	DO (mg/L)
Carlton well	Dec-94	<0.05	<0.1	<0.1	340	--
	Aug-96	0.03	0.071	0.021	390	--

Notes:

1. S = water table well; D = piezometer.
2. **BOLD** print represents an NR 140 Enforcement Standard (ES) exceedence.
Italic print represents an NR 140 Preventive Action Limit (PAL) exceedence.
ES for nitrate+nitrite nitrogen = 10 mg/L.
Preventive Action Limit (PAL) for nitrate+nitrite nitrogen = 2 mg/L.
3. -- = not analyzed.
ND = not detected (laboratory data sheets not available to RMT to verify Method Detection Limit).
4. <Value = not detected at or above the Method Detection Limit.
5. <Value> = analyte detected between Practical Quantitation Limit and Method Detection Limit. Value is estimated.
6. February 1986 and April 1986 samples were collected and analyzed by Twin City Testing Corporation.
February 1990 and March 1990 samples were collected by Delta Environmental Consultants, Inc.
December 1994 samples were collected and analyzed by RMT, Inc.
1996 through 2005 samples were collected by RMT and analyzed by Northern Lake Service, Inc.
7. Hartung Brothers well HPW-1 and other supply wells were not filtered.

Prepared by: CF, 7/22/04; Revised by: THC, 6/21/05


Checked by: PMC, 7/22/04; MC, 6/23/05

LEGEND

- EXISTING 5 FT CONTOURS
- EXISTING 1 FT CONTOURS
- BM BENCH MARK
- MW-6S WATER TABLE WELL
- ⊙ MW-6D PIEZOMETER
- ⊘ MW-3D ABANDONED PIEZMETER
- ⊙ MW-3S ABANDONED MONITORING WELL
- △ A SHALLOW SAND POINT
- ⊙ HPW HARTUNG WATER SUPPLY WELL
- 1996 EXCAVATION AREA
- 35 CONCENTRATION OF NITRATE + NITRITE - NITROGEN (mg/L)
- 2 ISOCONCENTRATION OF NITRATE + NITRITE - NITROGEN NR140 PAL= 2 mg/L
- 10 ISOCONCENTRATION OF NITRATE + NITRITE - NITROGEN NR 140 ES= 10 mg/L
- - - APPROXIMATE PROPERTY LINE
- - - DRAINAGE DITCH
- FORMER TANK

NOTES

1. BASE MAP DIGITIZED FROM MARCH 1986 MAP PREPARED BY VIERBICHER ASSOCIATES AND SUBSEQUENT MAP PREPARED BY DELTA ENVIRONMENTAL CONSULTANTS, INC.
2. HORIZONTAL DISTANCES ARE APPROXIMATE.
3. MW-3S AND MW-3D WERE ABANDONED IN APRIL 1996.
4. TOPOGRAPHY REFLECTS PRE-EXCAVATION ACTIVITIES AND THUS ACTUAL GROUND SURFACE ELEVATIONS IN THE EXCAVATION AREAS VARY FROM THOSE SHOWN ON MAP.
5. GROUNDWATER ANALYTICAL DATA FROM SAMPLES COLLECTED ON APRIL 27, 2005.



PROJECT:			HARTUNG BROTHERS, INC. OXFORD, WISCONSIN	
SHEET TITLE: ISOCONCENTRATION MAP OF NITRATE+NITRITE-NITROGEN IN SHALLOW GROUNDWATER ES AND PAL EXCEEDENCES				
DRAWN BY: FIEBRANT	SCALE:	PROJ. NO.	02214.73	
CHECKED BY: AAS	1"=100'	FILE NO.	22147304.DWG	
APPROVED BY: JCO	DATE PRINTED:	FIGURE 3		
DATE: DECEMBER 2006				



744 Heartland Trail
Madison, WI 53717-1934
P.O. Box 8923 53708-8923
Phone: 608-831-4444
Fax: 608-831-3334

PLOT DATA
 Drawing Name: J:\02214\73\22147304.dwg
 Operator Name: fiebrant
 Scale: 1"=100'




Table 4
 Summary of Groundwater Elevations
 Hartung Brothers, Inc.
 Oxford, Wisconsin

WELL NUMBER (reference elevation - ft-M.S.L.)	WELL SCREEN DEPTH (ft)	WELL SCREEN LENGTH (ft)	DATE MEASURED	GROUNDWATER ELEVATION (ft-M.S.L.)
MW-1S (864.95)	15.5	10	7/03/86 ⁽¹⁾	857.93
			12/19/90 ⁽²⁾	858.95
			11/30/94	859.26
			8/14/96	856.57
			8/12/97	857.78
			5/18/99	859.93
			5/16/00	858.57
			11/14/00	858.41
			7/5/01	857.64
			11/12/01	857.04
			11/5/02	855.61
			11/11/03	857.80
			4/27/05	859.16
MW-1D (864.84)	31.5	5	7/03/86 ⁽¹⁾	857.68
			12/19/90 ⁽²⁾	858.44
			11/30/94	858.84
			8/14/96	856.38
			8/12/97	857.19
			5/18/99	858.75
			5/16/00	858.26
			11/14/00	857.72
			7/5/01	857.09
			11/12/01	856.64
			11/5/02	855.28
			11/11/03	857.39
			4/27/05	858.59
MW-1-50 (864.60)	50	5 ⁽⁴⁾	7/03/86 ⁽¹⁾	856.55
			12/19/90 ⁽²⁾	856.09
			11/30/94	856.70
			8/14/96	854.49
			8/12/97	855.01
			5/18/99	856.21
			5/16/00	855.91
			11/14/00	855.25
			7/5/01	854.90
11/12/01	854.52			

Table 4 (continued)
 Summary of Groundwater Elevations
 Hartung Brothers, Inc.
 Oxford, Wisconsin

WELL NUMBER (reference elevation - ft-M.S.L.)	WELL SCREEN DEPTH (ft)	WELL SCREEN LENGTH (ft)	DATE MEASURED	GROUNDWATER ELEVATION (ft-M.S.L.)
MW-1-50 (864.60) <i>(continued)</i>	50	5 ⁽⁴⁾	11/5/02	853.48
			11/11/03	855.00
			4/27/05	856.80
MW-1-75 (865.16)	75	5 ⁽⁴⁾	7/03/86 ⁽¹⁾	852.62
			12/19/90 ⁽²⁾	851.36
			11/30/94	853.10
			8/14/96	851.87
			8/12/97	855.03
			5/18/99	851.95
			5/16/00	851.76
			11/14/00	851.86
			7/5/01	852.07
			11/12/01	851.65
			11/5/02	850.76
			11/11/03	851.03
			4/27/05	851.59
MW-2S (859.74)	15	10	7/03/86 ⁽¹⁾	855.16
			12/19/90 ⁽²⁾	856.86
			11/30/94	856.17
			8/14/96	853.65
			8/12/97	855.31
			5/18/99	856.13
			5/16/00	855.29
			11/14/00	855.25
			7/5/01	854.19
			11/12/01	854.76
			11/5/02	854.52
			11/11/03	855.44
			4/27/05	855.86

Table 4 (continued)
 Summary of Groundwater Elevations
 Hartung Brothers, Inc.
 Oxford, Wisconsin

WELL NUMBER (reference elevation - ft-M.S.L.)	WELL SCREEN DEPTH (ft)	WELL SCREEN LENGTH (ft)	DATE MEASURED	GROUNDWATER ELEVATION (ft-M.S.L.)
MW-2D (859.32)	31	5	7/03/86 ⁽¹⁾	855.17
			12/19/90 ⁽²⁾	856.43
			11/30/94	855.34
			8/14/96	852.72
			8/12/97	854.26
			5/18/99	855.08
			5/16/00	854.36
			11/14/00	855.25
			7/5/01	853.32
			11/12/01	853.87
			11/5/02	853.61
			11/11/03	854.36
			4/27/05	855.71
MW-4S (861.47)	15.5	10	7/03/86 ⁽¹⁾	857.58
			12/19/90 ⁽²⁾	857.69
			11/30/94	858.41
			8/14/96	855.16
			8/12/97	856.62
			5/18/99	856.61
			5/16/00	856.36 ⁽³⁾
			11/14/00	856.37 ⁽³⁾
			7/5/01	855.29 ⁽³⁾
			11/12/01	855.99 ⁽³⁾
			11/5/02	855.17 ⁽³⁾
			11/11/03	856.09 ⁽³⁾
			4/27/05	856.65
MW-4D (861.88)	31	5	7/03/86 ⁽¹⁾	857.49
			12/19/90 ⁽²⁾	857.93
			11/30/94	857.66
			8/14/96	853.90

Table 4 (continued)
 Summary of Groundwater Elevations
 Hartung Brothers, Inc.
 Oxford, Wisconsin

WELL NUMBER (reference elevation - ft-M.S.L.)	WELL SCREEN DEPTH (ft)	WELL SCREEN LENGTH (ft)	DATE MEASURED	GROUNDWATER ELEVATION (ft-M.S.L.)
MW-4D (861.88) <i>(continued)</i>	31	5	8/12/97	855.26
			5/18/99	855.45
			5/16/00	854.73
			11/14/00	854.79
			7/5/01	853.74
			11/12/01	854.27
			11/5/02	853.50
			11/11/03	854.65
			4/27/05	856.74
MW-5S (860.59)	15.7	10	7/03/86 ⁽¹⁾	856.24
			12/19/90 ⁽²⁾	857.51
			11/30/94	856.81
			8/14/96	853.26
			8/12/97	855.40
			5/18/99	855.83
			5/16/00	855.61
			11/14/00	855.64
			7/5/01	853.80
			11/12/01	854.79
			11/5/02	853.86
			11/11/03	855.54
4/27/05	856.62			
MW-5D (860.11)	31	5	7/03/86 ⁽¹⁾	855.55
			12/19/90 ⁽²⁾	856.29
			11/30/94	855.79
			8/14/96	852.76
			8/12/97	854.26
			5/18/99	854.77
			5/16/00	854.58
			11/14/00	854.59

Table 4 (continued)
 Summary of Groundwater Elevations
 Hartung Brothers, Inc.
 Oxford, Wisconsin

WELL NUMBER (reference elevation - ft-M.S.L.)	WELL SCREEN DEPTH (ft)	WELL SCREEN LENGTH (ft)	DATE MEASURED	GROUNDWATER ELEVATION (ft-M.S.L.)
MW-5D (860.11) <i>(continued)</i>	31	5	7/5/01	853.18
			11/12/01	853.90
			11/5/02	853.25
			11/11/03	854.65
			4/27/05	855.32
MW-6S (866.54)	15 ⁽⁴⁾	10 ⁽⁴⁾	7/03/86 ⁽¹⁾	859.35
			12/19/90 ⁽²⁾	860.52
			11/30/94	860.76
			8/14/96	857.45
			8/12/97	858.57
			5/18/99	861.16
			5/16/00	859.61
			11/14/00	858.99
			7/5/01	858.33 ⁽³⁾
			11/12/01	858.12 ⁽³⁾
			11/5/02	856.93 ⁽³⁾
			11/11/03	859.24 ⁽³⁾
			4/27/05	860.48
MW-6D (866.66)	31 ⁽⁴⁾	5 ⁽⁴⁾	7/03/86 ⁽¹⁾	859.30
			12/19/90 ⁽²⁾	860.61
			11/30/94	861.46
			8/14/96	858.32
			8/12/97	859.53
			5/18/99	862.16
			5/16/00	860.63
			11/14/00	860.03
			7/5/01	859.52
			11/12/01	858.79
			11/5/02	857.66
			11/11/03	860.11
			4/27/05	860.37

Table 4 (continued)
 Summary of Groundwater Elevations
 Hartung Brothers, Inc.
 Oxford, Wisconsin

WELL NUMBER (reference elevation - ft-M.S.L.)	WELL SCREEN DEPTH (ft)	WELL SCREEN LENGTH (ft)	DATE MEASURED	GROUNDWATER ELEVATION (ft-M.S.L.)
MW-7S (859.64)	14.5	10	2/19/04	854.64
			4/27/05	855.29
MW-7D (859.32)	33	5	2/19/04	853.39
			4/27/05	854.42
MW-8S (857.99)	14.5	10	2/19/04	853.59
			4/27/05	854.29
MW-8D (857.84)	33	5	2/19/04	853.26
			4/27/05	854.13
SP-A (857.28)	5 ⁽⁴⁾	3	12/19/90	Frozen
			11/30/94	855.58
			8/14/96	854.16
			8/12/97	849.08
			5/18/99	851.29
			5/16/00	847.98
			11/14/00	849.63
			7/5/01	Dry
			11/12/01	848.30
			11/5/02	847.44
			11/11/03	Dry
4/27/05	854.87			
SP-B (857.56)	5 ⁽⁴⁾	3	12/19/90	Frozen
			11/30/94	854.45
			8/14/96	852.29
			8/12/97	853.28
			5/18/99	854.24
			5/16/00	854.07
			11/14/00	854.06
			7/5/01	853.94
11/12/01	853.24			

Table 4 (continued)
 Summary of Groundwater Elevations
 Hartung Brothers, Inc.
 Oxford, Wisconsin

WELL NUMBER (reference elevation - ft-M.S.L.)	WELL SCREEN DEPTH (ft)	WELL SCREEN LENGTH (ft)	DATE MEASURED	GROUNDWATER ELEVATION (ft-M.S.L.)
SP-B (857.56) <i>(continued)</i>	5 ⁽⁴⁾	3	11/5/02	852.57
			11/11/03	853.02
			4/27/05	854.60
SP-C (858.93)	5 ⁽⁴⁾	3	12/19/90	Frozen
			11/30/94	855.40
			8/14/96	853.42
			8/12/97	854.06
			5/18/99	853.86
			5/16/00	853.27
			11/14/00	852.48
			7/5/01	852.42
			11/12/01	851.18
			11/5/02	852.43
			11/11/03	852.94
			4/27/05	853.89
SP-D (859.75)	5 ⁽⁴⁾	3	12/19/90 ⁽²⁾	852.25
			11/30/94	Frozen
			8/14/96	854.90
			8/12/97	850.50
			5/18/99	850.15
			5/16/00	850.07
			11/14/00	852.28
			7/5/01	852.28
			11/12/01	852.27
			11/5/02	852.27
			11/11/03	854.01
			4/27/05	857.25
SP-E (858.06)	5 ⁽⁴⁾	3	12/19/90	Frozen
			11/30/94	Frozen
			8/14/96	Not located

Table 4 (continued)
 Summary of Groundwater Elevations
 Hartung Brothers, Inc.
 Oxford, Wisconsin

WELL NUMBER (reference elevation - ft-M.S.L.)	WELL SCREEN DEPTH (ft)	WELL SCREEN LENGTH (ft)	DATE MEASURED	GROUNDWATER ELEVATION (ft-M.S.L.)
SP-E (858.06) <i>(continued)</i>	5 ⁽⁴⁾	3	8/12/97	Not located
			5/18/99	855.28
			5/16/00	851.68
			11/14/00	849.79
			7/5/01	849.34
			11/12/01	848.84
			11/5/02	850.55
			11/11/03	849.47
			4/27/05	Dry
SP-F (857.58)	5 ⁽⁴⁾	3	12/19/90	Frozen
			11/30/94	855.51
			8/14/96	853.53
			8/12/97	853.54
			5/18/99	854.22
			5/16/00	853.53
			11/14/00	852.35
			7/5/01	852.59
			11/12/01	851.63
			11/5/02	852.91
			11/11/03	853.46
			4/27/05	854.39
SP-S (858.35)	5 ⁽⁴⁾	3 ⁽⁴⁾	8/14/96	852.91
			8/12/97	853.96
			5/18/99	854.93
			5/16/00	854.26
			11/14/00	853.40
			7/5/01	854.08
			11/12/01	853.60

Table 4 (continued)
 Summary of Groundwater Elevations
 Hartung Brothers, Inc.
 Oxford, Wisconsin

WELL NUMBER (reference elevation - ft-M.S.L.)	WELL SCREEN DEPTH (ft)	WELL SCREEN LENGTH (ft)	DATE MEASURED	GROUNDWATER ELEVATION (ft-M.S.L.)
SP-S (858.35) <i>(continued)</i>	5 ⁽⁴⁾	3 ⁽⁴⁾	11/5/02	854.85
			11/11/03	853.51
			4/27/05	853.15
SP-W (857.11)	5 ⁽⁴⁾	3 ⁽⁴⁾	8/14/96	852.14
			8/12/97	853.79
			5/18/99	854.14
			5/16/00	853.92
			11/14/00	854.13
			7/5/01	852.79
			11/12/01	853.62
			11/5/02	853.36
			11/11/03	853.97
			4/27/05	854.63
HPW-1 (863.12)	325	94	11/11/03	845.83
			4/27/05	846.80

Notes:

1. MW = monitoring well.
2. SP = sand point well.
3. Reference elevations for MW-1 through MW-6 well nests and SP-A through SP-F are based on 1986 survey. Reference elevations for SP-S and SP-W are based on 1996 survey by RMT. Reference elevations for MW-7 and MW-8 well nests and the water supply well (HPW-1) are based on 2004 survey performed by RMT.

Footnotes:


- (1) Elevations were measured by Twin City Testing Corporation (TCT).
- (2) Elevations were measured by Delta Environmental Consultants, Inc.
- (3) Water elevations at wells 4S and 6S are approximate because the PVC well casing has been damaged. The well casing was repaired in April 2004.
- (4) Estimated length based on written description or similar well configuration.

Prepared by: JN, 7/26/04; Revised by: THC, 6/21/05

Checked by: PMC, 7/26/04; MC, 6/23/05

Plot Date: Thursday, May 29, 2003
 Plot Time: 09:14:29 AM
 Attached Xrefs: No xref's attached.
 Attached Images: No images attached.

Plot Data: J:\02214\53\22145306.dwg
 Drawing Name: hookeb
 Operator Name: hookeb
 Scale: 1"=100'
 Dwg Size: 71267 Bytes




LEGEND

- EXISTING 5 FT CONTOURS
- EXISTING 1 FT CONTOURS
- BM BENCH MARK
- ⊙ MW-6D PIEZOMETER
- ⊙ MW-3D ABANDONED PIEZMETER
- ⊙ MW-3S ABANDONED MONITORING WELL
- MW-6S WATER TABLE WELL
- △ A SHALLOW SAND POINT
- ⊙ HPW HARTUNG WATER SUPPLY WELL
- 1996 EXCAVATION AREA
- 859.84 WATER TABLE ELEVATIONS (FT-MSL)
- 859 WATER TABLE CONTOUR (FT-MSL) (DASHED WHERE INFERRED)
- APPROXIMATE PROPERTY LINE
- - - DRAINAGE DITCH
- ← GROUNDWATER FLOW DIRECTION
- FORMER TANK
- A A' CROSS SECTION LOCATION


NOTES

1. BASE MAP DIGITIZED FROM MARCH 1986 MAP PREPARED BY VIERBICHER ASSOCIATES AND SUBSEQUENT MAP PREPARED BY DELTA ENVIRONMENTAL CONSULTANTS, INC.
2. HORIZONTAL DISTANCES ARE APPROXIMATE.
3. MW-3S AND MW-3D WERE ABANDONED IN APRIL 1996.
4. TOPOGRAPHY REFLECTS PRE-EXCAVATION ACTIVITIES AND THUS ACTUAL GROUND SURFACE ELEVATIONS IN THE EXCAVATION AREAS VARY FROM THOSE SHOWN ON MAP.
5. GROUNDWATER ELEVATIONS MEASURED ON APRIL 27, 2005.



PROJECT: HARTUNG BROTHERS, INC. OXFORD, WISCONSIN		
SHEET TITLE: WATER TABLE CONTOUR MAP AND CROSS SECTION LOCATOR		
DRAWN BY: METZA	SCALE: 1"=100'	PROJ. NO. 02214.73
CHECKED BY: TG	DATE PRINTED:	FILE NO. 22147306.DWG
APPROVED BY: JO		FIGURE 4
DATE: DECEMBER 2006		
RMT. INC. 744 Heartland Trail Madison, WI 53717-1934 P.O. Box 8923 53708-8923 Phone: 608-831-4444 Fax: 608-831-3334		


PLOT DATE: Thursday, May 29, 2003
 Plot Date: 09:14:29 AM
 Plot Time: 09:14:29 AM
 Attached: No xref's attached
 Attached Images: No images attached
 Drawing Name: J:\02214\60\22146005.dwg
 Operator Name: booksab
 Scale: 1"=100'
 Dwg Size: 71267 Bytes



LEGEND

- EXISTING 5' CONTOUR
- EXISTING 1' CONTOUR
- ⊙ MW-6D PIEZOMETER
- ⊙ MW-6S WATER TABLE WELL
- ⊙ MW-3D ABANDONED PIEZOMETER
- ⊙ MW-3S ABANDONED MONITORING WELL
- ⊙ MW-4S ABANDONED MONITORING WELL
- ⊙ MW-4D ABANDONED MONITORING WELL
- ⊙ MW-5S ABANDONED MONITORING WELL
- ⊙ MW-5D ABANDONED MONITORING WELL
- ⊙ MW-1S ABANDONED MONITORING WELL
- ⊙ MW-1D ABANDONED MONITORING WELL
- ⊙ MW-7D ABANDONED MONITORING WELL
- ⊙ MW-8S ABANDONED MONITORING WELL
- ⊙ BM BENCH MARK
- △ A SHALLOW SAND POINT
- △ B SHALLOW SAND POINT
- △ C SHALLOW SAND POINT
- △ D SHALLOW SAND POINT
- △ E SHALLOW SAND POINT
- △ F SHALLOW SAND POINT
- ⊙ HPW HARTUNG WATER SUPPLY WELL
- 1996 EXCAVATION AREA
- (860.11) POTENTIOMETRIC SURFACE ELEVATION (FT-MSL)
- - - POTENTIOMETRIC CONTOUR (FT-MSL) (DASHED WHERE INFERRED)
- - - APPROXIMATE PROPERTY LINE
- - - DRAINAGE DITCH
- ← GROUND WATER FLOW DIRECTION
- FORMER TANK

1. BASE MAP DIGITIZED FROM MARCH 1986 MAP PREPARED BY VIERBICHER ASSOCIATES AND SUBSEQUENT MAP PREPARED BY DELTA ENVIRONMENTAL CONSULTANTS, INC.
2. HORIZONTAL DISTANCES ARE APPROXIMATE.
3. MW-3S AND MW-3D WERE ABANDONED IN APRIL 1996.
4. TOPOGRAPHY REFLECTS PRE-EXCAVATION ACTIVITIES AND THUS ACTUAL GROUND SURFACE ELEVATIONS IN THE EXCAVATION AREAS VARY FROM THOSE SHOWN ON MAP.
5. GROUNDWATER ELEVATIONS MEASURED ON APRIL 27, 2005.




PROJECT: HARTUNG BROTHERS, INC. OXFORD, WISCONSIN		
SHEET TITLE: POTENTIONMETRIC CONTOUR MAP		
DRAWN BY: METZA	SCALE: 1"=100'	PROJ. NO. 02214.73
CHECKED BY: TC		FILE NO. 22147308.DWG
APPROVED BY: JO	DATE PRINTED:	FIGURE 5
DATE: DECEMBER 2006		

744 Heartland Trail
 Madison, WI 53717-1934
 P.O. Box 8923 53708-8923
 Phone: 608-831-4444
 Fax: 608-831-3334



PLOT DATA
 Drawing Name: JS\02214\73\22147303.dwg
 Operator Name: fribrant
 Scale: 1"=10'




LEGEND

- EXISTING 5 FT CONTOURS
- EXISTING 1 FT CONTOURS
- BM BENCH MARK
- MW-6S WATER TABLE WELL
- ⊙ MW-6D PIEZOMETER
- ⊙ MW-3D ABANDONED PIEZOMETER
- ⊙ MW-3S ABANDONED MONITORING WELL
- △ A SHALLOW SAND POINT
- ⊙ NF-5 SOIL SAMPLE LOCATION
- - - DRAINAGE DITCH
- - - APPROXIMATE LIMIST OF EXCAVATION
- FORMER TANK

N	NITRATE (mg/kg)
A	AMMONIA (mg/kg)
P	PHOSPHATE (mg/kg)

- NOTES**
1. BASE MAP DIGITIZED FROM MARCH 1986 MAP PREPARED BY VIERBICHER ASSOCIATES AND SUBSEQUENT MAP PREPARED BY DELTA ENVIRONMENTAL CONSULTANTS, INC.
 2. HORIZONTAL DISTANCES ARE APPROXIMATE.
 3. MW-3S AND MW-3D WERE ABANDONED IN APRIL 1996.
 4. TOPOGRAPHY REFLECTS PRE-EXCAVATION ACTIVITIES AND THUS ACTUAL GROUND SURFACE ELEVATIONS IN THE EXCAVATION AREAS VARY FROM THOSE SHOWN ON MAP.
 5. SOIL SAMPLES COLLECTED APRIL 24, 1996.



NS-3		NF-5		ES-3	
N	73	N	16	N	<6.2
A	1,000	A	930	A	<6.2
P	2,300	P	2,300	P	2,400
WS-3		SF-5		SS-3	
N	130	N	24	N	<5.7
A	240	A	10	A	5.9
P	4,000	P	2,100	P	3,400

PROJECT: **HARTUNG BROTHERS, INC.
 OXFORD, WISCONSIN**


SHEET TITLE: **LOADING AREA EXCAVATION
 CONFIRMATION SOIL SAMPLE MAP**

DRAWN BY: FIEBRANT	SCALE: 1"=80'	PROJ. NO. 02214.73
CHECKED BY: AAS	DATE PRINTED:	FILE NO. 22147303.DWG
APPROVED BY: JCO	FIGURE 7	
DATE: DECEMBER 2006		

744 Heartland Trail
 Madison, WI 53717-1934
 P.O. Box 8923 53708-8923
 Phone: 608-831-4444
 Fax: 608-831-3334

RMT.

PLOT DATA
 Drawing Name: J:\02214\73\22147302.dwg
 Operator Name: fiebrant
 Scale: 1"=30'




LEGEND

- EXISTING 5 FT CONTOURS
- EXISTING 1 FT CONTOURS
- BM BENCH MARK
- MW-6S WATER TABLE WELL
- ⊙ MW-6D PIEZOMETER
- ⊙ MW-3D ABANDONED PIEZOMETER
- MW-3S ABANDONED MONITORING WELL
- △ A SHALLOW SAND POINT
- 150N,300E SOIL SAMPLE LOCATION
- DRAINAGE DITCH
- - - APPROXIMATE LIMITS OF EXCAVATION
- FORMER TANK

N	NITRATE (mg/kg)
A	AMMONIA (mg/kg)
P	PHOSPHATE (mg/kg)

- NOTES**
1. BASE MAP DIGITIZED FROM MARCH 1986 MAP PREPARED BY VIERBICHER ASSOCIATES AND SUBSEQUENT MAP PREPARED BY DELTA ENVIRONMENTAL CONSULTANTS, INC.
 2. HORIZONTAL DISTANCES ARE APPROXIMATE.
 3. MW-3S AND MW-3D WERE ABANDONED IN APRIL 1996.
 4. TOPOGRAPHY REFLECTS PRE-EXCAVATION ACTIVITIES AND THUS ACTUAL GROUND SURFACE ELEVATIONS IN THE EXCAVATION AREAS VARY FROM THOSE SHOWN ON MAP.
 5. SOIL SAMPLES COLLECTED APRIL 24, 1996.



PROJECT: **HARTUNG BROTHERS, INC. OXFORD, WISCONSIN**

SHEET TITLE: **BERMED SPILL CONTAINMENT AREA EXCAVATION CONFIRMED SOIL SAMPLE MAP**


DRAWN BY: FIEBRANT	SCALE: 1"=60'	PROJ. NO. 02214.73
CHECKED BY: AAS	DATE PRINTED:	FILE NO. 22147302.DWG
APPROVED BY: JCO	FIGURE 8	
DATE: DECEMBER 2006		

744 Heartland Trail
 Madison, WI 53717-1934
 P.O. Box 8923 53708-8923
 Phone: 608-831-4444
 Fax: 608-831-3334



Plot Date: Friday, January 7, 2005
 Plot Time: 12:36:11 PM
 Attached Xrefs: No xref's attached.
 Attached Images: No images attached.

Plot Data: J:\02214\60\22146006.dwg
 Drawing Name: schanke
 Operator Name: 1"=100'
 Scale: 96702 Bytes
 Dwg Size:



LEGEND

- ▄ WELL SCREEN
- GEOLOGIC CONTACT
- WATER TABLE
- [856.17] GROUNDWATER ELEVATION (FT-MSL)
- 0.13 AMMONIA-NITROGEN CONCENTRATION (mg/L)
- (<0.05) NITRATE + NITRITE - NITROGEN CONCENTRATION (mg/L)
- {0.1} TOTAL PHOSPHORUS CONCENTRATION (mg/L)
- NS NOT SAMPLED
- 857- EQUIPOTENTIAL LINE (FT-MSL) (DASHED WHERE INFERRED)
- ← GROUNDWATER FLOW DIRECTION

NOTES

1. BASE MAP FROM TWIN CITY TESTING CORPORATION MODIFIED BY RMT, INC. IN 2004 TO ADD WELL NEST MW-8.
2. WATER TABLE WELLS ARE LABELED S. PIEZOMETERS ARE LABELED D.
3. HORIZONTAL AND VERTICAL DISTANCES ARE APPROXIMATE.
4. GROUNDWATER FLOW DIRECTION DOES NOT ACCOUNT FOR VERTICAL EXAGGERATION OR AQUIFER ANISOTROPY.
5. WELLS MW-4S AND MW-6S WELLS WERE REPAIRED IN APRIL 2004.
6. SP-E WAS NEARLY DRY ON APRIL 27, 2005. THE WATER LEVEL DATA FOR THIS WELL WAS NOT USED FOR CONTOURING PURPOSES.
7. GROUNDWATER ELEVATIONS WERE MEASURED AND ANALYTICAL DATA COLLECTED ON APRIL 27, 2005.

HORIZONTAL SCALE: 1"=100'
 VERTICAL SCALE: 1"=20'
 VERTICAL EXAGGERATION = 5X


PROJECT: HARTUNG BROTHERS, INC. OXFORD, WISCONSIN	
SHEET TITLE: VERTICAL PROFILE A-A' OF CONSTITUENT CONCENTRATIONS AND EQUIPOTENTIAL CROSS-SECTION	
DRAWN BY: METZA	SCALE: HORIZONTAL: 1"=100' VERTICAL: 1"=20'
CHECKED BY: TC	PROJ. NO. 02214.73 FILE NO. 22147307.DWG
APPROVED BY: JO	DATE PRINTED: FIGURE 9
DATE: DECEMBER 2006	



744 Heartland Trail
 Madison, WI 53717-1934
 P.O. Box 8923 53708-8923
 Phone: 608-831-4444
 Fax: 608-831-3334

Plot Date: Friday, January 7, 2005
 Plot Time: 1:49:42 PM
 Attached Xref's: No xrefs attached.
 Attached Images: No images attached.

J:\02214\60\22146007.dwg
 Drawing Name: schanled
 Operator Name: schanled
 Scale: 1"=100'
 Dwg Size: 171954 Bytes



LEGEND

- ▄ WELL SCREEN
- GEOLOGIC CONTACT
- ∇--- WATER TABLE
- [856.17] GROUNDWATER ELEVATION (FT-MSL)
- 0.13 AMMONIA-NITROGEN CONCENTRATION (mg/L)
- (<0.05) NITRATE + NITRITE - NITROGEN CONCENTRATION (mg/L)
- {0.1} TOTAL PHOSPHORUS CONCENTRATION (mg/L)
- NS NOT SAMPLED
- 857- EQUIPOTENTIAL LINE (FT-MSL) (DASHED WHERE INFERRED)
- ← GROUNDWATER FLOW DIRECTION

NOTES

1. BASE MAP FROM TWIN CITY TESTING CORPORATION. MODIFIED BY RMT, INC. IN 2004 TO ADD WELL NEST MW-7.
2. WATER TABLE WELLS ARE LABELED S. PIEZOMETERS ARE LABELED D.
3. MONITORING WELLS 2S AND 2D WERE NOT SAMPLED IN APRIL 2005.
4. HORIZONTAL AND VERTICAL DISTANCES ARE APPROXIMATE.
5. GROUNDWATER FLOW DIRECTION DOES NOT ACCOUNT FOR VERTICAL EXAGGERATION OR AQUIFER ANISOTROPY.
6. WELL MW-4S WAS REPAIRED IN APRIL 2004.
7. GROUNDWATER ELEVATIONS WERE MEASURED AND ANALYTICAL DATA COLLECTED ON APRIL 27, 2005.

HORIZONTAL SCALE: 1"=100'
 VERTICAL SCALE: 1"=20'
 VERTICAL EXAGGERATION = 5X

PROJECT: HARTUNG BROTHERS, INC. OXFORD, WISCONSIN	
SHEET TITLE: VERTICAL PROFILE B-B' OF CONSTITUENT CONCENTRATIONS AND EQUIPOTENTIAL CROSS SECTION	
DRAWN BY: METZA	SCALE: HORIZONTAL SCALE 1"=100' VERTICAL SCALE 1"=20'
CHECKED BY: TC	PROJ. NO. 02214.73 FILE NO. 22147308.DWG
APPROVED BY: JO	DATE PRINTED: FIGURE 10
DATE: DECEMBER 2006	



744 Heartland Trail
 Madison, WI 53717-1934
 P.O. Box 8923 53708-8923
 Phone: 608-831-4444
 Fax: 608-831-3334

Responsible Party Signed Statement

I, Larry Price, certify that the attached legal description of the former Hartung Brothers, Inc., Oxford, Wisconsin facility, is complete and accurate to the best of my knowledge.

Larry Price, Treasurer
Signature

12/14/06
Date



744 Heartland Trail 53717-1934
P.O. Box 8923 53708-8923
Madison, WI
Telephone: 608-831-4444
Fax: 608-831-3334
www.rmtinc.com

December 11, 2006

VIA CERTIFIED MAIL

Mr. John Bosshard
Bosshard Holding Company
P.O. Box 966
La Crosse, WI 54602

**Subject: Closure Request – GIS Registry Notification
Hwy 82 Property – Oxford, Wisconsin
DATCP # 94549011401**

Dear Mr. Bosshard:

RMT, Inc. (RMT), on behalf of our client, Hartung Brother's, Inc. (HBI), has requested closure from the Wisconsin Department of Agricultural Trade and Consumer Protection (DATCP) for the Parcel ID 020-00703-000, which you currently own, on Wisconsin Highway 82 in Oxford, Wisconsin (site). During early February 1986, approximately 230,000 gallons of 10-34-0 (10 percent nitrogen, 34 percent phosphorous, 0 percent potassium) liquid fertilizer leaked from an above ground storage tank (AST) at the site, while HBI was leasing the site as a bulk fertilizer facility. Contaminated soil was removed from the site in 1996, and the groundwater has been monitored semi-annually to annually since then.

Groundwater contamination that resulted from the 1986 release of fertilizer remains on your property (Parcel ID 020-00703-000). The levels of nitrate + nitrite as nitrogen (N+N) contamination in the groundwater on your property are above the state groundwater enforcement standards found in Chapter NR 140, Wisconsin Administrative Code (NR 140 ES). In order to apply for closure of the site, the Wisconsin Department of Natural Resources (WDNR) requires that the current owner(s) of all properties containing NR 140 ES exceedences be notified of the closure request. The purpose of this letter is to provide you such notification.

We have determined that the site has been remediated to the extent practicable, and have demonstrated that N+N impacts to groundwater will naturally degrade over time. We believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in Chapter NR 726, Wisconsin Administrative Code, and we will be requesting that the DATCP accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the DATCP will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since HBI has been identified as the responsible party for the groundwater contamination, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the

Mr. John Bosshard
Bosshard Holding Company
December 11, 2006
Page 2

requirements of Section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of Section 292.13, Wisconsin Statutes, you may call 1-800-367-6076 for calls originating in Wisconsin, or 608-264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the WDNR's publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination.

As an affected property owner, you have a right to contact the DATCP to provide any technical information that you may have that indicates that closure should not be granted for this site, within 30 days of receipt of this letter. If you would like to submit any information to the DATCP that is relevant to this closure request, you should mail that information to:

Mr. Stanley Senger
Wisconsin Department of Agricultural Trade and Consumer Protection (DATCP)
2811 Agriculture Drive
P.O. Box 8911
Madison, WI 53708

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds Chapter NR 140 groundwater enforcement standards will be listed on the WDNR's Geographic Information System (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above Chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the WDNR's internet web site.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to contact the WDNR -Bureau of Drinking Water and Groundwater to determine if there is a need for special well construction standards.


Once the DATCP makes a decision on this closure request, it will be documented in a letter. If the DATCP grants closure, you may obtain a copy of this letter by requesting a copy from Mr. Stanley Senger, by writing to the agency address given above or by accessing the WDNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

Mr. John Bosshard
Bosshard Holding Company
December 11, 2006
Page 3

If you need more information, you may contact me at 608-662-5452, or you may contact Mr. Stanley Senger with the DATCP at 608-224-4514.

Sincerely,

RMT, Inc.

A handwritten signature in black ink, appearing to read "John C. Oswald". The signature is written in a cursive style with a large initial "J".

John C. Oswald, P.G.
Senior Project Manager

Cc: Stanley Senger – WDATCP
Larry Price – Hartung Brothers, Inc.
Alyssa Sellwood – RMT, Inc.