

GIS REGISTRY INFORMATION

SITE NAME:	M R K GRAVEL PIT - SITE 2		
BRRTS #:	02-45-221218	FID # (if appropriate):	
COMMERCE # (if appropriate):			
CLOSURE DATE:	06/08/2005		
STREET ADDRESS:	N3638 CTY R C		
CITY:	FREEDOM		
SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):	X=	652971	Y= 434370
CONTAMINATED MEDIA:	Groundwater <input checked="" type="checkbox"/>	Soil <input type="checkbox"/>	Both <input type="checkbox"/>
OFF-SOURCE GW CONTAMINATION >ES:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
IF YES, STREET ADDRESS 1:	_____		
GPS COORDINATES (meters in WTM91 projection):	X=		Y=
OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
IF YES, STREET ADDRESS 1:	_____		
GPS COORDINATES (meters in WTM91 projection):	X=		Y=
CONTAMINATION IN RIGHT OF WAY:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
DOCUMENTS NEEDED:			
Closure Letter, and any conditional closure letter issued			X
Copy of most recent deed, including legal description, for all affected properties			X
Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties			NA
County Parcel ID number, if used for county, for all affected properties			NA
Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.			X
Detailed Site Map(s) for all affected properties , showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.			X
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)			X
Tables of Latest Soil Analytical Results (no shading or cross-hatching)			NA
Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.			X
GW: Table of water level elevations, with sampling dates, and free product noted if present			X
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)			X
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour			NA
Geologic cross-sections, if required for SI. (8.5x14" if paper copy)			X
RP certified statement that legal descriptions are complete and accurate			X
Copies of off-source notification letters (if applicable)			NA
Letter informing ROW owner of residual contamination (if applicable) (public, highway or railroad ROW)			NA
Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure			NA



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Ronald W. Kaczmierczak, Regional Director

Oshkosh Service Center
625 East County Road Y, STE. 700
Oshkosh, WI 54901-9731
TELEPHONE 920-424-3050
FAX 920-424-4404

June 8, 2005

Mike Murphy
Murphy Concrete & Construction, Inc.
PO Box 1137
Appleton, WI 54912-1137

**SUBJECT: Final Case Closure By Closure Committee With Conditions Met
MRK Gravel Pit – Site 2, N3638 Cty Hwy C, Freedom, Wisconsin
WDNR BRRTS # 02-45-221218**

Dear Mr. Murphy:

On January 5, 2005, the Northeast Regional Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On January 10, 2005, you were notified that the Closure Committee had granted conditional closure to this case.

On June 1, 2005, the Department received correspondence indicating that you have complied with the conditions of closure. All monitoring points have been abandoned. Clarification on the status of the sump referenced in previous reports is requested. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites due to trichloroethene remaining in groundwater at MW-500. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry due to groundwater contamination exceeding ch. NR 140 standards at the time of closure, and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4)(w). To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at the web address listed above.

NOTICE OF REMAINING SOIL CONTAMINATION

Please note that a small quantity of petroleum-contaminated soil remains at former B100 at 0-2 feet below ground surface. If excavated in the future, the soil should be properly characterized and disposed.

June 8, 2005

MRK Gravel Pit – Site 2
WDNR BRRTS # 02-45-221218

2

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.


The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at the number below.

Sincerely,

A handwritten signature in black ink that reads "Jennifer Borski". The signature is written in a cursive style with a large initial 'J'.

Jennifer Borski
Hydrogeologist
Bureau for Remediation & Redevelopment
(920) 424-7887

Electronic Copy: M. Foht, Northern Environmental



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Ronald W. Kaczmierczak, Regional Director

Oshkosh Service Center
625 East County Road Y, STE. 700
Oshkosh, WI 54901-9731
TELEPHONE 920-424-3050
FAX 920-424-4404

January 10, 2005

Mike Murphy
Murphy Concrete & Construction, Inc.
PO Box 1137
Appleton, WI 54912-1137

SUBJECT: Conditional Case Closure
MRK Gravel Pit – Site 2, N3638 Cty Hwy C, Freedom, Wisconsin
WDNR BRRTS # 02-45-221218

Dear Mr. Murphy:

On January 5, 2005, the Northeast Regional Closure Committee reviewed your request for closure of the case described above. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the chlorinated contamination on the site from the suspected former asphalt testing area appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following condition is satisfied:

MONITORING WELL ABANDONMENT

The monitoring points installed by Northern Environmental, OMNNI's MW-1 and the tank bed sump at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to the Department on Form 3300-5B found at www.dnr.state.wi.us/org/water/dwg/gw/ or provided by the Department of Natural Resources.

When the above condition has been satisfied, your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites due to trichloroethene remaining in groundwater at MW-500. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>.


NOTICE OF REMAINING SOIL CONTAMINATION

Please note that a small quantity of petroleum-contaminated soil remains at former B100 at 0-2 feet below ground surface. If excavated in the future, the soil should be properly characterized and disposed.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at the number below.

Sincerely,

A handwritten signature in black ink that reads "Jennifer Borski". The signature is written in a cursive style with a large initial "J" and a long, sweeping underline.

Jennifer Borski
Hydrogeologist
Bureau for Remediation & Redevelopment
(920) 424-7887

Electronic Copy: M. Foht, Northern Environmental

VOL 483 PAGE 557

This Indenture, Made this 19th day of October, A. D., 1956,

between George J. Kamps and Marie Kamps, his wife

parties of the first part,

and Black Creek Limestone Company

parties of the second part.

Witnesseth, That the said parties of the first part, for and in consideration of the sum of Twenty Thousand and no/00 Dollars (\$20,000.00)

to them in hand paid by the said parties of the second part, the receipt whereof is hereby confessed and acknowledged, have given, granted, bargained, sold, remised, released, aliened, conveyed and confirmed, and by these presents do give, grant, bargain, sell, remise, release, alien, convey and confirm unto the said parties of the second part, its heirs and assigns forever, the following described real estate, situated in the County of Outagamie and State of Wisconsin, to-wit:

The North One-half (N 1/2) of the Northwest Quarter (NW 1/4) and the North One-half (N 1/2) of the Southwest Quarter (SW 1/4) of the Northwest Quarter (NW 1/4) of Section Twenty-one (21) and all that part of the North (N) 120 acres of the Northeast Quarter (NE 1/4) of Section Twenty (20) which lies East of the highway all situated, lying and being in Township Number Twenty-two (22), Range Number Eighteen (18) East, Outagamie County, State of Wisconsin containing in all 153 acres, more or less.

Rec Stamps 22.00



Together, with all and singular the hereditaments and appurtenances thereunto belonging or in any wise appertaining; and all the estate, right, title, interest, claim or demand whatsoever, of the said parties of the first part, either in law or equity, either in possession or expectancy of, in and to the above bargained premises, and their hereditaments and appurtenances.

To have and to hold the said premises as above described with the hereditaments and appurtenances, unto the said parties of the second part, and to its heirs and assigns FOREVER.

And the said George J. Kamps and Marie Kamps, his wife

for themselves, their heirs, executors and administrators, do covenant, grant, bargain and agree to and with the said party of the second part, its heirs and assigns, that at the time of the ensembling and delivery of these presents they are well seized of the premises above described, as of a good, sure, perfect, absolute and indefeasible estate of inheritance in the law, in fee simple, and that the same are free and clear from all incumbrances whatever, no exceptions

and that the above bargained premises in the quiet and peaceable possession of the said party of the second part, its heirs and assigns, against all and every person or persons lawfully claiming the whole or any part thereof, they will forever WARRANT AND DEFEND.

In Witness Whereof, the said parties of the first part have hereunto set their hands

and seal this 19th day of October, A. D., 1956

SIGNED AND SEALED IN PRESENCE OF

Robert W. Otto
H. F. McCarthy

George J. Kamps (SEAL)
Marie Kamps (SEAL)

STATE OF WISCONSIN, Waupaca County, ss.


Personally came before me, this 19th day of October, A. D., 1956, the above named George J. Kamps and Marie Kamps, his wife

to me known to be the person who executed the foregoing instrument and acknowledged the same

Robert W. Otto
Notary Public, Waupaca
My Commission expires Jan. 4th A. D., 1959


Section 89.51-1 of the Wisconsin Statutes provides that all instruments to be recorded shall have plainly printed or typewritten thereon the names of the grantors, grantees, witnesses and notary

WARRANTY DEED
REGISTERS OFFICE, STATE OF WISCONSIN
Received for Record this 25 day of October A. D., 1956, at 9 o'clock P. M., and recorded in Vol. 483 of Deeds on page 557
S. M. Peters, Register of Deeds



SCALE IN FEET

1" = 2000'



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929



BASE MAP SOURCE: USGS 7.5 MINUTE QUADRANGLE, KAUKAUNA, WISCONSIN, 1992 (NATIONAL GEOGRAPHIC TOPO! 2001)

QUADRANGLE LOCATION

Northern Environmental SM
Hydrologists • Engineers • Geologists

954 Circle Drive, Green Bay, Wisconsin
Phone: 800-854-0606 Fax 920-592-8444
Website: www.northernenvironmental.com

WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA

SITE LOCATION AND LOCAL TOPOGRAPHY

MRK GRAVEL PIT
FREEDOM, WISCONSIN

CREATION DATE: 09/21/04


DRAWN BY: KRE

REVISION DATE:

THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL TECHNOLOGIES, INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.

PROJECT NUMBER: MCP03-0610-0942

FIGURE 1



DRAWN BY: KRE PROJECT: MCP-0942 DATE: 12/12/01

REV. DATE
12/01/04

THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.

Northern EnvironmentalSM
Hydrologists • Engineers • Geologists

MRK GRAVEL PIT
FREEDOM, WISCONSIN

ESTIMATED EXTENT OF
GROUNDWATER CONTAMINATION

FIGURE 4


Table 1 Ground-Water Analytical Results, MRK Gravel Pit, Freedom, Wisconsin

Well ID	Well Screen Interval (feet to site datum)	Date Sampled	Ground-Water Elevation (feet to site datum)	Results in (µg/l)		
				cis-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
NR 140 Preventive Action Limit (µg/l)				7	0.5	0.02
NR 140 Enforcement Standard (µg/l)				70	5	0.2
OMNNI Well	NA	07/13/98	NA	0.58 J	6.4	< 0.15
		10/20/98	NA	0.53	0.53	NA
		01/20/99	NA	< 0.34	< 0.39	NA
MW100	92.96-77.96	05/01/00	94.36*	< 0.37	< 0.46	< 0.87
		04/16/01	94.73*	< 0.40	< 0.30	< 0.40
		07/26/01	91.36	2.9	140	< 0.80
		09/09/02	93.17*	< 0.81	< 0.39	< 0.11
		04/02/03	94.25*	< 0.83	< 0.48	< 0.18
		07/08/03	93.18	< 0.83	< 0.48	< 0.18
MW300	93.44-78.44	05/01/00	94.51*	< 0.37	< 0.46	< 0.87
		04/16/01	95*	< 0.40	< 0.30	< 0.40
		07/26/01	91.47	< 0.40	< 0.30	< 0.40
		09/09/02	93.43	< 0.81	< 0.39	< 0.11
		04/02/03	94.47*	NS	NS	NS
07/08/03	93.43	NS	NS	NS		
MW400	91.64-76.64	05/01/00	94.24*	1.4	< 0.46	< 0.87
		04/16/01	94.42*	2.1	7.1	< 0.40
		07/26/01	91.16	9.2	5.9	< 0.40
		09/09/02	92.8*	3.2	< 0.39	< 0.11
		04/02/03	93.78*	2.2	< 0.48	< 0.18
07/08/03	93.01*	4.5	< 0.48	0.38 J		
MW500	91.23-76.23	05/01/00	92.61*	6.4	50	< 0.87
		04/16/01	92.57*	4.1	35	< 0.40
		07/26/01	89.8	4.8	40	< 0.40
		09/09/02	92.09*	12	32	< 0.11
		04/02/03	92.46*	7.8	23	< 0.18
		07/08/03	91.64*	7.6	24	< 0.18
MW1400	89.58-74.58	04/16/01	89.2	0.58 J	0.52 J	< 0.40
		07/26/01	86.22	2.2	3.0	< 0.40
		09/09/02	89.95*	4.9	3.8	< 0.11
		04/02/03	89.57	3.2	2.2	< 0.18
		07/08/03	89.03	4.3	3.1	< 0.18
PZ200	62.85-57.85	05/01/00	60.86	< 0.37	0.81 J	< 0.87
		04/16/01	80.87*	< 0.40	< 0.30	< 0.40
		07/26/01	76.67*	< 0.40	< 0.30	< 0.40
		09/09/02	87.66*	< 0.81	< 0.39	< 0.11
		04/02/03	96.79*	NS	NS	NS
07/08/03	90.73*	NS	NS	NS		
MW1500	78.49-93.49	04/02/03	94.12*	< 0.83	< 0.48	< 0.18
		07/08/03	93.09	1.1 J	0.53 J	< 0.18

Key:
 µg/l = micrograms per liter
 NE = Not established by Wis. Admin. Code
 "J" = Analyte detected between Limit of Detection and Limit of Quantitation
 32 = WAC Preventive Action Limit Exceeded
 32 = WAC Enforcement Standard Exceeded
 * = Well screen submerged below the water table
 NS = Not Sampled
 NA = Not Available

Table 1 Water Level Data, MRK Gravel Pit, Freedom, Wisconsin

Well I.D.	Ground Surface Elevation (feet)	Riser Elevation (feet)	Top of Screen Elevation (feet)	Bottom of Screen Elevation (feet)	Date	Depth to Water (feet)		Water Table Elevation (feet)
						Below Riser	Below Grade	
MW100	97.58	97.01	92.96	77.96	04/12/00	3.66	4.23	93.35
					04/24/00	2.57	3.14	94.44
					05/01/00	2.65	3.22	94.36
					04/16/01	2.28	2.85	94.73
					07/26/01	5.65	6.22	91.36
					09/09/02	3.84	4.41	93.17
					04/02/03	2.76	3.33	94.25
PZ200	97.58	96.86	62.85	57.85	07/08/03	3.83	4.40	93.18
					04/12/00	24.57	25.29	72.29
					04/24/00	19.23	19.95	77.63
					05/01/00	36.00	36.72	60.86
					04/16/01	15.99	16.71	80.87
					07/26/01	20.19	20.91	76.67
					09/09/02	9.20	9.92	87.66
MW300	97.95	97.42	93.44	78.44	04/02/03	0.07	0.79	96.79
					07/08/03	6.13	6.85	90.73
					04/12/00	3.72	4.25	93.70
					04/24/00	2.73	3.26	94.69
					05/01/00	2.91	3.44	94.51
					04/16/01	2.42	2.95	95.00
					07/26/01	5.95	6.48	91.47
MW400	96.34	99.17	91.64	76.64	09/09/02	3.99	4.52	93.43
					04/02/03	2.95	3.48	94.47
					07/08/03	3.99	4.52	93.43
					04/12/00	5.94	3.11	93.23
					04/24/00	4.89	2.06	94.28
					05/01/00	4.93	2.10	94.24
					04/16/01	4.75	1.92	94.42
MW500	95.76	95.33	91.23	76.23	07/26/02	8.01	5.18	91.16
					09/09/02	6.37	3.54	92.80
					04/02/03	5.39	2.56	93.78
					07/08/03	6.16	3.33	93.01
					04/12/00	3.54	3.97	91.79
					04/24/00	2.74	3.17	92.59
					05/01/00	2.72	3.15	92.61
MW1400	92.35	94.75	89.58	74.58	04/16/01	2.76	3.19	92.57
					07/26/01	5.53	5.96	89.80
					09/09/02	3.24	3.67	92.09
					04/02/03	2.87	3.30	92.46
					07/08/03	3.69	4.12	91.64
MW1500	96.62	96.00	93.49	78.49	04/16/01	5.55	3.15	89.20
					07/26/01	8.53	6.13	86.22
					09/09/02	5.80	3.40	88.95
					04/02/03	5.18	2.78	89.57
					07/08/03	5.72	3.32	89.03
MW1500	96.62	96.00	93.49	78.49	04/02/03	1.88	2.50	94.12
					07/08/03	2.91	3.53	93.09



DRAWN BY: KRE PROJECT: MCP-0942 DATE: 12/01/04



REV. DATE THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.



MRK GRAVEL PIT
FREEDOM, WISCONSIN

GROUNDWATER ELEVATION CONTOUR
MAP (07/08/03)


FIGURE 5



- LEGEND**
- 20/<25 PID/TCE RESULT
 - 20/<25 PID = PHOTOIONIZATION DETECTOR READING MEASURED IN INSTRUMENT UNITS AS ISOBUTYLENE (iu)
 - TCE = TRICHLOROETHENE CONCENTRATION MEASURED IN MICROGRAMS PER KILOGRAM (µg/kg)
 - NA = NOT ANALYZED
 - GE = GROUND ELEVATION (IN FEET)
 - RE = RISER ELEVATION (IN FEET)
 - WE = GROUND WATER ELEVATION (IN FEET)
 - ▼ WATER TABLE
- CL = SILTY CLAY
 - DOLOMITE BEDROCK
 - ML = SILT
 - SM-GP = SAND AND GRAVEL
 - SM = SILTY SANDS
 - TOPSOIL

NOTE:

- *WATER MEASUREMENTS TAKEN 7/26/01
- *ELEVATIONS REFERENCED TO LOCAL SITE DATUM
- *COLUMN WIDTHS ARE NOT TO SCALE
- *SOIL BORING ELEVATIONS ARE INFERRED



DRAWN BY: KRE	PROJECT: MCP-0942	DATE: 12/12/01
REV. DATE	THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.	
12/01/04	 Northern Environmental <i>Hydrologists • Engineers • Geologists</i>	
MRK GRAVEL PIT FREEDOM, WISCONSIN		
GEOLOGIC CROSS SECTION A-A'		

FIGURE 6

BLACK CREEK LIMESTONE CO.


Manufacturers of

High Test Ground Limestone for Agricultural Purposes
Crushed Rock for Concrete and Road Material

October 27, 2004

Black Creek, Wisconsin

To the best of my knowledge the legal description
has been attached for each property that is within,
or partially within, the contaminated site boundary.



Michael Murphy V. PRES.

Michael Murphy