

GIS REGISTRY INFORMATION

SITE NAME: DX BROOKS OIL - WIDOT

BRRTS #: 03-45-001343

CLOSURE DATE: 05/28/2002

STREET ADDRESS: 204 W. KIMBERLY AVENUE

CITY: KIMBERLY

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 652808 Y= 423495

OFF-SOURCE CONTAMINATION (>ES): Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter issued
- Copy of most recent deed, including legal description, for all affected properties
- Certified survey map or relevant portion of the recorded plat map (*if referenced in the legal description*) for all affected properties
- County Parcel ID number, *if used for county*, for all affected properties 2500134006 AND 250135006
- Location Map which outlines all properties within contaminated site boundaries in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy)
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy)
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)
- Isoconcentration map(s), *if available from site investigation (SI)* (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of contamination defined. **If not available, include the following 2 types of maps:**
 - Latest groundwater flow/monitoring well location map
 - Latest extent of contaminant plume map
- Geologic cross-sections, *if available from SI*. (8.5x14' if paper copy)
- RP certified statement that legal descriptions are complete and accurate
- Copies of off-source notification letters (if applicable)
- Letter informing ROW owner of residual contamination (if applicable)
- Copy of (soil or land use) deed restriction(s) or deed notice *if any required as a condition of closure*.



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott McCallum, Governor
Darrell Bazzell, Secretary
Ronald W. Kazmierczak, Regional Director

Oshkosh Service Center
625 East County Road, Suite 700
Oshkosh, WI 54901-9731
Telephone 920-424-3050
FAX 920-424-4404
TTY 920-492-5912

May 28, 2002

Steve Vande Yacht
Brook Oil
531 Man Cal Road
Kaukauna, WI 54130

SUBJECT: Final Case Closure By Closure Committee
204 W. Kimberly Avenue, Kimberly, WI
WDNR BRRTS #: 03-45-001343

Dear Mr. Vande Yacht:

On October 22, 1999, your site as described above was reviewed for closure by the Northeast Regional Closure Committee. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On November 11, 1999, you were notified that the Closure Committee had granted conditional closure to this case.

On May 28, 2002, the Department received correspondence indicating that you have complied with the conditions of closure. Closure of this site could not be granted until the Department received all information needed to place this site on the Department's Registry of Closed Remediation Web Site. Based on the correspondence and data provided, it appears that your case meets the screening criteria of s. NR 746.07 or s. NR 746.08, Wis. Adm. Code, and the requirements of ch. NR 726, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 920-303-5424.

Sincerely,


Pamela J. Pillar
Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Sue Knabe, Northern Environmental
954 Circle Drive, Green Bay, WI 54304

1313821

Document Number

QUIT CLAIM DEED

OUTAGAMIE COUNTY
RECEIVED FOR RECORD

FEB 17 1999

AT 1 O'CLOCK ~~AM~~ P.M.
GRACE HERB
REGISTER OF DEEDS

Joan L. Johnston quit-claims to Johnston Properties, LLC the following described real estate located in Outagamie County, State of Wisconsin:

Recording Area

Name and Return Address

Timothy J. McCoy
Godfrey & Kahn, S.C.
100 W. Lawrence Street
P.O. Box 2728
Appleton, WI 54913-2728

pd
10.00

25 0 0134 00 6 and 25 0 0135 00 6
(Parcel Identification Number)

Lots One (1) and Two (2), Block Eight (8) of GILMORE PLAT, in the Village of Kimberly, Outagamie County, Wisconsin, according to the recorded Assessors Map thereof; together with that portion of vacated Kimberly Avenue lying immediately South of the above lots as vacated in Volume 16 of Plats on Page 30.

FEE

15.00

EXEMPT

This is not homestead property.

Dated this *16th* day of *February*, 19*99*.

Joan L. Johnston

Joan L. Johnston
JOAN L. JOHNSTON

AUTHENTICATION

Signature(s) _____

authenticated this _____ day of _____, 19____.

signature _____

type or print name _____

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, _____

authorized by ' 708.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY
Attorney Timothy J. McCoy
Appleton, Wisconsin

ACKNOWLEDGMENT

STATE OF WISCONSIN

OUTAGAMIE COUNTY

Personally came before me this *12* day of February, 1999 the above named Joan L. Johnston, to me known to be the person(s) who executed the foregoing instrument and acknowledge the same.

JoAnne Schuettpelz
signature _____
type or print name *JoAnne Schuettpelz*


Notary Public, *Outagamie* County, *WI*

My commission is permanent. (If not, state expiration date:

June 23, 2002)

*Names of persons signing in any capacity should be typed or printed below their signatures.

APN1-10479-1



204 W Kimberly Ave.
Kimberly, WI

60'	337	112.23'	0167-108	109.15'	0104	68.75'	2	7	0130
60'	22	138.23'	0167-109	109.15'	0104	68.75'	2	7	0130
60'	22	0167	69.1	109.15'	0104	68.75'	2	7	0130
60'	23	0166	0	109.15'	0104	68.75'	2	7	0130
60'	23	0166	0	109.15'	0104	68.75'	2	7	0130

56.75'	0071	29	0049	140'	0049	2	2	0097	0104	68.75'	2	7	0130
56.75'	0072	30	0048	140'	0048	2	2	0097	0104	68.75'	2	7	0130
56.75'	0073	1	0046	50'	0046	1	1	109.15'	0104	68.75'	2	7	0130
56.75'	0073	1	0047	50'	0047	1	1	109.15'	0104	68.75'	2	7	0130

56.75'	0095	23	0141	120'	0141	8	8	0097	0104	68.75'	2	7	0130
56.75'	0096	24	0140	120'	0140	7	7	0097	0104	68.75'	2	7	0130
56.75'	0096	24	0139	120'	0139	6	6	0097	0104	68.75'	2	7	0130
56.75'	0096	24	0138	120'	0138	5	5	0097	0104	68.75'	2	7	0130
56.75'	0096	24	0137	120'	0137	4	4	0097	0104	68.75'	2	7	0130
56.75'	0096	24	0136	120'	0136	3	3	0097	0104	68.75'	2	7	0130
56.75'	0096	24	0135	120'	0135	2	2	0097	0104	68.75'	2	7	0130
56.75'	0096	24	0134	120'	0134	1	1	0097	0104	68.75'	2	7	0130
56.75'	0096	24	0133	120'	0133	0	0	0097	0104	68.75'	2	7	0130


60'	0158	9	0142	9	0142	9	9	0097	0104	68.75'	2	7	0130
60'	0159	10	0143	10	0143	10	10	0097	0104	68.75'	2	7	0130
60'	0160	11	0144	11	0144	11	11	0097	0104	68.75'	2	7	0130
60'	0161	12	0145	12	0145	12	12	0097	0104	68.75'	2	7	0130
60'	0162	13	0146	13	0146	13	13	0097	0104	68.75'	2	7	0130
60'	0163	14	0147	14	0147	14	14	0097	0104	68.75'	2	7	0130
60'	0164	15	0148	15	0148	15	15	0097	0104	68.75'	2	7	0130
60'	0165	16	0149	16	0149	16	16	0097	0104	68.75'	2	7	0130

109.15'	0129	109.15'	0112	7	0112	7	7	0109	5	0117	12	12	139.45'	1
109.15'	0129	109.15'	0113	8	0113	8	8	0108	4	0118	13	13	139.45'	1
109.15'	0129	109.15'	0114	9	0114	9	9	0107	3	0119	14	14	139.45'	1
109.15'	0129	109.15'	0115	10	0115	10	10	0106	2	0120	15	15	139.45'	1
109.15'	0129	109.15'	0116	11	0116	11	11	0105	1	0121	16	16	139.45'	1
109.15'	0129	109.15'	0117	12	0117	12	12	0104	0	0122	17	17	139.45'	1


132.82'	0012	9	0008	5	0008	5	5	0007	4	0006	3	3	132.82'	15
132.82'	0012	9	0009	6	0009	6	6	0006	3	0005	2	2	132.82'	15
132.82'	0012	9	0010	7	0010	7	7	0005	2	0004	1	1	132.82'	15
132.82'	0012	9	0011	8	0011	8	8	0004	1	0003	0	0	132.82'	15
132.82'	0012	9	0012	9	0012	9	9	0003	0	0002	-1	-1	132.82'	15
132.82'	0012	9	0013	10	0013	10	10	0002	-1	0001	-2	-2	132.82'	15
132.82'	0012	9	0014	11	0014	11	11	0001	-2	0000	-3	-3	132.82'	15
132.82'	0012	9	0015	12	0015	12	12	0000	-3	0000	-4	-4	132.82'	15
132.82'	0012	9	0016	13	0016	13	13	0000	-4	0000	-5	-5	132.82'	15
132.82'	0012	9	0017	14	0017	14	14	0000	-5	0000	-6	-6	132.82'	15

143.13'	0149	0148	0136	4	0136	4	4	0135	3	0134	2	2	143.13'	15
143.13'	0149	0148	0137	5	0137	5	5	0134	2	0133	1	1	143.13'	15
143.13'	0149	0148	0138	6	0138	6	6	0133	1	0132	0	0	143.13'	15
143.13'	0149	0148	0139	7	0139	7	7	0132	0	0131	-1	-1	143.13'	15
143.13'	0149	0148	0140	8	0140	8	8	0131	-1	0130	-2	-2	143.13'	15
143.13'	0149	0148	0141	9	0141	9	9	0130	-2	0129	-3	-3	143.13'	15
143.13'	0149	0148	0142	10	0142	10	10	0129	-3	0128	-4	-4	143.13'	15
143.13'	0149	0148	0143	11	0143	11	11	0128	-4	0127	-5	-5	143.13'	15
143.13'	0149	0148	0144	12	0144	12	12	0127	-5	0126	-6	-6	143.13'	15
143.13'	0149	0148	0145	13	0145	13	13	0126	-6	0125	-7	-7	143.13'	15
143.13'	0149	0148	0146	14	0146	14	14	0125	-7	0124	-8	-8	143.13'	15
143.13'	0149	0148	0147	15	0147	15	15	0124	-8	0123	-9	-9	143.13'	15
143.13'	0149	0148	0148	16	0148	16	16	0123	-9	0122	-10	-10	143.13'	15

144.82'	0165	0164	0152	3	0152	3	3	0151	2	0150	1	1	144.82'	15
144.82'	0165	0164	0153	4	0153	4	4	0150	1	0149	0	0	144.82'	15
144.82'	0165	0164	0154	5	0154	5	5	0149	0	0148	-1	-1	144.82'	15
144.82'	0165	0164	0155	6	0155	6	6	0148	-1	0147	-2	-2	144.82'	15
144.82'	0165	0164	0156	7	0156	7	7	0147	-2	0146	-3	-3	144.82'	15
144.82'	0165	0164	0157	8	0157	8	8	0146	-3	0145	-4	-4	144.82'	15
144.82'	0165	0164	0158	9	0158	9	9	0145	-4	0144	-5	-5	144.82'	15
144.82'	0165	0164	0159	10	0159	10	10	0144	-5	0143	-6	-6	144.82'	15
144.82'	0165	0164	0160	11	0160	11	11	0143	-6	0142	-7	-7	144.82'	15
144.82'	0165	0164	0161	12	0161	12	12	0142	-7	0141	-8	-8	144.82'	15
144.82'	0165	0164	0162	13	0162	13	13	0141	-8	0140	-9	-9	144.82'	15
144.82'	0165	0164	0163	14	0163	14	14	0140	-9	0139	-10	-10	144.82'	15
144.82'	0165	0164	0164	15	0164	15	15	0139	-10	0138	-11	-11	144.82'	15
144.82'	0165	0164	0165	16	0165	16	16	0138	-11	0137	-12	-12	144.82'	15



SCALE 1" = 2000'



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929



QUADRANGLE LOCATION

BASE MAP SOURCE: USGS KAUKAUNA, WISCONSIN 7.5 MINUTE QUADRANGLE



DRAWN BY: AML PROJECT: VDY330130 DATE: 6/20/95

REVISION DATE: THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED. THE DRAWING AND ANY COPIES THEREOF SHALL BE RETURNED TO THE OWNER ON DEMAND

FIGURE 1
SITE LOCATION AND LOCAL TOPOGRAPHY
KIMBERLY DX
KIMBERLY, WISCONSIN

▲ Northern Environmental
Hydrologists • Engineers • Geologists

FOR: KIMBERLY DX



- LEGEND**
- ◆ MW100 MONITORING WELL INSTALLED AS PART OF REMEDIAL INVESTIGATION
 - ◆ MW1000 MONITORING WELL INSTALLED AS PART OF REMEDIAL INVESTIGATION
 - ◆ MW200 MONITORING WELL INSTALLED AS PART OF REMEDIAL INVESTIGATION
 - ◆ MW1 MONITORING WELL INSTALLED AS PART OF REMEDIAL INVESTIGATION
 - ◆ MW2 MONITORING WELL INSTALLED AS PART OF REMEDIAL INVESTIGATION
 - ◆ MW3 MONITORING WELL INSTALLED AS PART OF REMEDIAL INVESTIGATION
 - ◆ MW500 MONITORING WELL PLACED TO MONITOR GROUNDWATER RECOVERY
 - SLUMP LOCATION

DRAWN BY: CAS/PROJECT: VDY330130/DATE: 11/3/95

REVISION DATE:

THE DRAWING AND ALL INFORMATION CONTAINED HEREIN IS THE PROPERTY OF NORTHERN ENVIRONMENTAL RECOVERY INC. AND IS TO BE USED ONLY FOR THE PROJECT AND SPECIFIC PURPOSES INDICATED ON THE DRAWING AND ANY COPIES THEREOF SHALL BE RETURNED TO THE OWNER ON DEMAND.

Northern Environmental
Hydrologists • Engineers • Geologists

FIGURE 2
MONITORING WELL AND SLUMP LOCATIONS
KIMBERLY DX
KIMBERLY, WISCONSIN

FOR: BROOKS OIL COMPANY
KAUKUKUNA, WISCONSIN

VDY330130/11-3-95

Table 2 Ground-Water Analytical Results, Brooks Oil Company, Kimberly, WI


Well ID	Date Sampled	Relevant and Significant Analytical Results (µg/l)																
		GRO	Lead	Benzene	n-Butylbenzene	sec-Butylbenzene	Chloromethane	1,2-Dichloroethane	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	MTBE	Naphthalene	n-Propylbenzene	Toluene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Xylenes
WDNR PAL (µg/l)																		
WDNR ES (µg/l)		NE	15	0.5	NE	NE	0.3	0.5	140	NE	NE	12	8	NE	68.6	NE	NE	124
MW1	06/14/93	NE	14	1800	150	ND	ND	15	700	25	7.1	60	40	65	343	930	130	620
MW2	06/14/93	3600	11	26	35	ND	ND	ND	160	23	8.1	37	140	35	2300	42	22	2910
MW3	06/14/93	ND	4	11	ND	ND	ND	ND	ND	ND	ND	61	19	ND	2.9	1.2	ND	2.0
	10/16/95	<100	---	<0.6	---	---	---	---	<0.57	---	---	10	---	---	<1.0	<1.0	<0.84	<2.5
	03/21/96	---	---	<0.6	---	---	---	---	<0.57	---	---	11	---	---	<1.0	<1.0	<0.84	<2.5
	03/06/97	---	---	<0.21	---	---	---	---	<0.68	---	---	7.9	---	---	<1.5	<1	<0.86	<0.5
	06/18/97	---	---	<0.21	---	---	---	---	<0.68	---	---	5.9	---	---	<1.5	<1	<0.86	<1.8
	09/26/97	---	---	<0.21	---	---	---	---	<0.68	---	---	3.2	---	---	<1.5	<1	<0.86	<1.8
MW100	08/02/93	ND	---	ND	ND	ND	ND	ND	<0.57	ND	ND	<1.2	ND	ND	ND	ND	ND	ND
	10/16/95	<100	---	<0.6	---	---	---	---	<0.57	---	---	<1.2	---	---	<1.0	<1.0	<0.84	<2.5
	03/21/96	---	---	<0.6	---	---	---	---	<0.57	---	---	<1.2	---	---	<1.0	<1.0	<0.84	<2.5
	03/06/97	---	---	<0.21	---	---	---	---	<0.68	---	---	<0.21	---	---	<1.5	<1	<0.86	<0.5
	06/18/97	---	---	<0.21	---	---	---	---	<0.68	---	---	<0.21	---	---	<1.5	<1	<0.86	<1.8
	09/26/97	---	---	<0.21	---	---	---	---	<0.68	---	---	<0.21	---	---	<1.5	<1	<0.86	<1.8
MW200	08/02/93	680	---	87	ND	ND	ND	6.6	17	ND	ND	3.6	ND	ND	16	10	17	57
	10/16/95	610	---	56	---	---	---	---	32	---	---	<1.2	---	---	2.6	7.4	1.4	3.3
	03/21/96	---	---	130	---	---	---	---	170	---	---	<1.2	---	---	6.3	11	1.8	7.4
	03/06/97	---	---	60	---	---	---	---	47	---	---	<2.1	---	---	<15	38	8.9	31
	06/18/97	---	---	54	---	---	---	---	43	---	---	<0.21	---	---	1.9	10	<0.86	<1.8
	09/26/97	---	---	68	---	---	---	---	38	---	---	<0.21	---	---	1.6	12	<0.86	<1.8
	08/24/98	---	---	0.97 µg/l	---	---	---	---	<0.34	---	---	<0.31	---	---	<0.35	<0.35	<0.64	<0.98
MW500	3/1/95	<11	---	<0.26	<0.45	<0.49	<1	---	<0.32	<0.36	<0.46	3.2	<0.41	<0.41	<0.69	---	---	<0.42
	10/16/95	<100	---	<0.6	---	---	---	---	<0.57	---	---	<1.2	---	---	<1.0	<1.0	<0.84	<2.5
	3/21/96	---	---	<0.6	---	---	---	---	<0.57	---	---	<1.2	---	---	<1.0	<1.0	<0.84	<2.5
MW600	3/1/95	<11	---	<0.26	<0.45	<0.49	<1	<0.86	<0.32	<0.36	<0.46	1.33	<0.41	<0.41	<0.69	<0.57	<0.57	<0.42
	10/16/95	<100	---	<0.6	---	---	---	---	<0.57	---	---	<1.2	---	---	<1.0	<1.0	<0.84	<2.5
	3/21/96	---	---	<0.6	---	---	---	---	<0.57	---	---	<1.2	---	---	<1.0	<1.0	<0.84	<2.5
	6/18/97	---	---	<0.21	---	---	---	---	<0.68	---	---	<0.21	---	---	<1.5	<1	<0.86	<1.8
	9/26/97	---	---	<0.21	---	---	---	---	<0.68	---	---	<0.21	---	---	<1.5	<1	<0.86	<1.8
MW700	03/01/95	<11	---	<0.26	<0.45	<0.49	<1	<0.86	<0.32	---	---	1.3	<0.41	<0.41	<0.69	<0.57	<0.57	<0.42
	10/16/95	<100	---	<0.6	---	---	---	---	<0.57	---	---	<1.2	---	---	<1.0	<1.0	<0.84	<2.5
	03/21/96	---	---	<0.6	---	---	---	---	<0.57	---	---	<1.2	---	---	<1.0	<1.0	<0.84	<2.5
	03/06/97	---	---	<0.21	---	---	---	---	<0.68	---	---	0.47 µg/l	---	---	<1.5	<1	<0.86	<0.5
	06/18/97	---	---	<0.21	---	---	---	---	<0.68	---	---	<0.21	---	---	<1.5	<1	<0.86	<1.8
	09/26/97	---	---	<0.21	---	---	---	---	<0.68	---	---	0.75	---	---	<1.5	<1	<0.86	<1.8

Table 2 Ground-Water Analytical Results, Brooks Oil Company, Kimberly, WI

Relevant and Significant Analytical Results (µg/l)																		
Well ID	Date Sampled	GRO	Lead	Benzene	n-Butylbenzene	sec-Butylbenzene	Chromethane	1,2-Dichloroethane	Ethylbenzene	Isopropylbenzene	p-Propyltoluene	MTBE	Naphthalene	n-Propylbenzene	Toluene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Xylenes
WDNR PAL (µg/l)		NE	1.5	0.5	NE	NE	0.3	0.5	140	NE	NE	12	8	NE	68.6	NE	NE	124
WDNR ES (µg/l)		NE	15	5	NE	NE	3	5	700	NE	NE	60	40	NE	343	NE	NE	620
Sump 1	08/24/98			69					4.4			2.5			1.8	1.4	<0.64	1.6 *J
Sump 2	05/15/95			11.5	<0.45	<0.49	<1	<0.86	<0.32	<0.36	<0.46	<0.66	0.74	<0.41	<0.69	<0.57	<0.57	61
	07/21/95			<0.26		<0.49	13.7	<0.86	<0.32	<0.36	<0.46	1.58	<0.41	<0.41	<0.69	<0.57	<0.57	<0.42
	10/16/95	<100		2.9					<0.32			<1.2			<1.0	<1.3	<0.84	<2.5
	03/27/96			12					<0.9			<0.44			<1	<1	<1	<2.1
	03/06/97			54					0.86			0.36 *J			<1.5	<0.86	<0.86	<0.5
	06/18/97			52					2.2			1.8			<1.5	1.7	<0.86	3.4
	09/26/97			10					1.5			0.37 *J			<1.5	2.9	<0.86	<1.8
	08/24/98			17					1.6			<0.31			<1.5	0.64 *J	<0.64	<0.98
Sump3	05/15/95			<0.26	<0.45	<0.49	<1	<0.86	<0.32	<0.36	<0.46	1.74	<0.41	<0.41	<0.69	<0.57	<0.57	<1.23
	07/19/95			<0.26		1.44	1.82	<0.86	<0.32	<0.36	<0.46	1.97	<0.41	<0.41	<0.69	<0.57	<0.57	<1.23
	10/16/95	<100		2.3					<0.32			<1.2			<1.0	<1.0	<0.84	<2.5
	3/27/96			1.3					<0.9			<0.82			<1	<1	<1	<2.1
	03/06/97			5.8					<0.68			1.1			<1.5	<1	<0.86	<0.5
	06/18/97			<0.21					<0.68			1.2			<1.5	<1	<0.86	<1.8
	09/26/97			<0.21					<0.68			1.4			<1.5	<1	<0.86	<1.8

Key:
 GRO = Gasoline Range Organics
 MTBE = Methyl-Tertiary-Butyl-Ether
 µg/l = micrograms per liter
 WDNR = Wisconsin Department of Natural Resources
 PAL = Preventive Action Limit
 ES = Enforcement Standard
 NE = Not established by WDNR
 *J = Analyte detected between Limit of Detection and Limit of Quantification
 - = Not analyzed
 32 = WDNR Enforcement Standard
 32 = WDNR Preventive Action Limit Exceeded


Groundwater - Post Remediation



LEGEND


-  MW100 94.40
 MONITORING WELL LOCATION WITH WELL NUMBER AND GROUND WATER ELEVATION ON 9/18/97
 * = WELL PLACED TO MONITOR GROUND-WATER RECOVERY
 ** = WELL REMOVED DURING SOIL EXCAVATION
-  SUMP1
 SUMP LOCATION

-  92.50
 GROUND WATER CONTOUR LINE
 CONTOUR LINE INTERVAL = 0.50 FEET
-  ---
 PROPERTY LINE




DRAWN BY: SXM	PROJECT: VDY-0130	DATE: 9/22/98
REV. DATE	THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.	
 Northern Environmental SM Hydrologists • Engineers • Geologists		

FIGURE 3 GROUND WATER FLOW DIRECTION MAP (8/24/98) KIMBERLY DX KIMBERLY, WISCONSIN
FOR: BROOKS OIL COMPANY



LEGEND

- MW100 MONITORING WELL LOCATION WITH WELL NUMBER AND BENZENE/MTBE CONCENTRATIONS MEASURED IN MICROGRAMS PER LITER (ug/L)
 - * = WELL PLACED TO MONITOR GROUND-WATER RECOVERY
 - ** = WELL REMOVED DURING SOIL EXCAVATION
- SUMP1 SUMP LOCATION
- ESTIMATED EXTENT OF GROUND-WATER CONTAMINATION BASED ON BENZENE OR MTBE
- PROPERTY LINE
- FORMER UST LOCATION
- FORMER DISPENSER ISLAND



DRAWN BY: CAS REV. DATE: 6/26/96	PROJECT: VDY330130 THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.	DATE: 6/12/96 ESTIMATED EXTENT OF GROUND-WATER CONTAMINATION KIMBERLY DX KIMBERLY, WISCONSIN
Northern Environmental™ Hydrologists • Engineers • Geologists		FOR: BROOKS OIL COMPANY

AFFIDAVIT

I, Stephen Vandeyacht **OF THE BROOKS OIL COMPANY, TO THE BEST OF MY KNOWLEDGE, DO HEREBY ATTEST THAT THE ATTACHED WARRANTY DEED, DOCUMENT NUMBER 1313821 AS RECORDED IN VOLUME 16 PAGE 30, IS A COMPLETE AND ACCURATE DESCRIPTION OF THE PROPERTY LISTED (AS THE FORMER DX KIMBERLY STATION) NOW KNOWN AS KIMBERLY STATION.**

Stephen Vandeyacht
SIGN NAME

5-21-02
DATE

Stephen Vandeyacht
PRINT NAME

Owner
RELATIONSHIP TO PROPERTY

Carol J. Carroll
Notary public
5/21/02