

GIS REGISTRY INFORMATION

SITE NAME: Wolf River Country Coop - Weyauwega
BRRTS #: 02-69-547179 **FID # (if appropriate):**
DATCP #: 98405082001
CLOSURE DATE: 10/22/2007
STREET ADDRESS: N2017 County Road X
CITY: Weyauwega

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 603229 Y= 427170

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: N2025 CTH X

GPS COORDINATES (meters in WTM91 projection): X= 603206 Y= 427238

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1:

GPS COORDINATES (meters in WTM91 projection): X= Y=

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

Closure Letter, and any conditional closure letter or denial letter issued	x
Copy of any maintenance plan referenced in the final closure letter.	na
Copy of (soil or land use) deed notice <i>if any required as a condition of closure</i>	na
Copy of most recent deed, including legal description, for all affected properties	x
Certified survey map or relevant portion of the recorded plat map (<i>if referenced in the legal description</i>) for all affected properties	x
County Parcel ID number, <i>if used for county</i> , for all affected properties	x
Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.	x
Detailed Site Map(s) for all affected properties , showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.	x
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)	x
Tables of Latest Soil Analytical Results (no shading or cross-hatching)	na
Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.	x
GW: Table of water level elevations, with sampling dates, and free product noted if present	x
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)	x
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour	na
Geologic cross-sections, if required for SI. (8.5x14" if paper copy)	x
RP certified statement that legal descriptions are complete and accurate	x
Copies of off-source notification letters (if applicable)	x
Letter informing ROW owner of residual contamination (if applicable) (public, highway or railroad ROW)	na



State of Wisconsin
Jim Doyle, Governor

Department of Agriculture, Trade and Consumer Protection
Rod Nilsestuen, Secretary

October 22, 2007

Mr. Tim Wenzel
Larsen Cooperative
P.O. Box 308
New London, WI 54961

Re: No Further Action
Former Wolf River Country Coop, Highway X Facility, Weyauwega
DATCP Case# - 98405082001; DNR BRRTS# - 02-69-547179

Dear Mr. Wenzel:

On October 15, 2007, I received the remaining documentation needed to proceed with the closure of the remediation case at your former agricultural facility at N2017 Highway X in Weyauwega. Your consultant, MSA, Inc., provided abandonment forms for all the monitoring wells and three revised figures to better portray the site conditions and the estimated extent of the contaminant plume. This new documentation satisfies the requirements of the conditional closure letter I sent on July 19, 2007. This case is now considered closed and will be listed as such in DATCP's internal database. Soon, DNR's public access database will also show, by reference to the BRRTS# noted above, that the case is closed.

After I forward the revised closure packet, the abandonment forms and a copy of this letter to DNR, they will list the site on their Registry of Closed Remediation Sites. I've confirmed that the DNR received your check for this service on July 20. To review detailed information about sites on the Registry, visit the web page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. Your property and the neighboring property to the north, owned by Steven Kramer, will be listed on the Registry because of residual ground water contamination that exceeds health standards. Anyone intending to construct a supply well on either property must contact DNR for prior approval in accordance with s. NR812.09(4)(w), Wis. Adm. Code.

After completing two phases of soil remediation and many years of ground water monitoring, you will not be required to take any follow up actions. We consider this case closed. However, in the future, in the unlikely event that new information is made available which indicates that contamination from the site poses a threat to public health, safety or welfare, or the environment, the department will require that the appropriate actions are taken (*pursuant to NR 726.09, Wis. Adm. Code*). If residual soil contamination is encountered in the future, during redevelopment, for example, it must be handled in accordance with all applicable regulations.

We appreciate the cooperation you've given us through out the cleanup process. Feel free to contact me at (608) 224-4517 with any questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Alan J. MacKenzie".

Alan J. MacKenzie, Environmental Quality Section

c: Diane Hansen – DNR Northeast Region; Brian Hegge - MSA Professional Services
Dave Hyer, DATCP; Tom Bucholz, Steve Kramer – property owners

Wisconsin Food and Agricultural Products - \$40 Billion for Wisconsin's Economy

2811 Agriculture Drive • PO Box 8911 • Madison, WI 53708-8911 • Wisconsin.gov

DOCUMENT NO.
160882

WARRANTY DEED
STATE BAR OF WISCONSIN FORM 2 - 1982

THIS SPACE RESERVED FOR RECORDING DATA

Vol. 663 p. 91

Bernard J. Kruse and Mary J. Kruse,
husband and wife

REGISTER'S OFFICE
WAUPACA COUNTY, WI
RECEIVED FOR RECORD

NOV 21 1988

conveys and warrants to Weyauwega Union Cooperative

At 2:05 o'clock P.M. and Recorded
in Vol. 663 of Records Page 91
J. Johnson Registrar

The following described real estate in Waupaca County, State of Wisconsin:

RETURN TO
Coop
P.O. Box 320
Weyauwega 54983

Tax Parcel No. 21-08-21-5

A parcel of land in Certified Survey Map No. 2791 recorded in Volume 8 of Certified Survey Maps on page 300 as Document No. 460438, being a part of the Northeast 1/4 of the Northwest 1/4 of Section 8, Township 21 North, Range 13 East, Town of Weyauwega

TRANSFER FEE
PAID IN FULL
75.00

This is not homestead property.
(If not, check box)

Exception to warranties:

Subject to easements and restriction record

Dated this 18th day of November, 1988

(SEAL) Bernard J. Kruse (SEAL)
Bernard J. Kruse

(SEAL) Mary J. Kruse (SEAL)
Mary J. Kruse

AUTHENTICATION

Signature(s) _____
authenticated this _____ day of _____, 19 _____

ACKNOWLEDGMENT

STATE OF WISCONSIN
Waupaca County, ss
Personally came before me, this 18th day of November, 1988, the above named Bernard J. Kruse and Mary J. Kruse

TITLE MEMBER STATE BAR OF WISCONSIN
(If not, authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

JOHNSON AND WERNER, S.C.
Attorneys at Law
Waupaca, WI 54981

(Signatures may be authenticated or acknowledged. Both are not necessary.)

to me known to be the person(s) who executed the foregoing instrument and acknowledge the same.

Notary Public: _____ Waupaca County, Wis.
My Commission is permanent (If not, state expiration date: Sept 12, 1990)

*Names of persons signing in any capacity should be typed or printed below their signatures

I hereby certify that I have on this 21st day of November, 1988, 5:15 p.m. returned the above and foregoing document in accordance with and with standards established by s. 886(3)(b), and with established procedures, to the person named in this instrument, or to the person named in the County Court House, Waupaca, WI 54981.

Stock No. 26273

WAUPACA COUNTY CERTIFIED SURVEY MAP NO. 2791
Part of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec. 8, T.21N., R.13E., in the Town of Weyauwega, Waupaca County, Wisconsin

Owner: Mary Kruse
N2068 C.T.H. "X"
Weyauwega, WI 54983


Bearings are referenced to the North - South $\frac{1}{4}$ line of Sec.8, T.21N., R.13E., assumed bearing S.00°18'00"W.

160438

REGISTER'S OFFICE
WAUPACA COUNTY WI
RECEIVED FOR RECORD

NOV 3 1988

At 11:30 o'clock AM and Recorded
in Vol. P of C.S.M. on Page 300
Jean Bauer Registrar



LEGEND

- Existing Iron Pipe
- 1" x 30" Iron Pipe weighing 1.13 lbs./lin. ft.
- *-*- Fence Line
- △ Pine Trees
- Building Set Backs
42" from R.O.W.
20' sides and back



Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
Wisconsin Registered Land Surveyor
October 27, 1988

Sheet 1 of 2 sheets

FB.54 PG. 75

SAYLER SURVEY, INC. LAND SURVEYORS WINNECONNE, WI

Stock No. 26273

WAUPACA COUNTY CERTIFIED SURVEY MAP NO. 2791
 Part of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec. 8, T.21N., R.13E., in the Town of
 Weyauwega, Waupaca County, Wisconsin

SURVEYOR'S CERTIFICATE

I, Calvin W. Hawksworth, registered land surveyor, hereby certify:
 That I have surveyed, divided and mapped the parcel of land
 located in part of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec. 8, T.21N., R.13E., in the
 Town of Weyauwega, Waupaca County, Wisconsin, described as follows:
 Beginning at the NW corner of Lot 1 of Certified Survey Map No. 1351,
 recorded in Volume 4, Page 249, Waupaca County Records. From that point
 running N.62°26'40"E. 34.02 ft., thence N.62°47'40"E. 452.26 ft., thence
 N.07°16'40"W. 516.29 ft., thence S.62°46'12"W. 411.32 ft., thence
 S.00°07'50"W. 546.42 ft., to the said point of beginning. Being a parcel
 of land of 5.00 acres more or less. Subject to all easements and
 restrictions of record.

That I have made survey, land division and map by the direction
 of Bernie Kruse, N2068 C.T.H. "X", Weyauwega, Wisconsin, 54983; that
 such map is a correct representation of the exterior boundaries of the
 land surveyed.

That I have fully complied with the provisions of Sec. 236.34
 of the Wisconsin Statutes and Waupaca County Subdivision Ordinance
 No. 3 in surveying and mapping the same.



Calvin W. Hawksworth
 Calvin W. Hawksworth S-1290
 Wisconsin Registered Land Surveyor
 October 27, 1988

WAUPACA COUNTY PLANNING COMMITTEE CERTIFICATE

This Certified Survey Map of part of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec. 8,
 T.21N., R.13E., in the Town of Weyauwega, is hereby approved.

Nov 3, 1988
 Date

Harold R. Steubock
 Chairman

Sheet of 2 sheets

SAYLER SURVEY, INC.

139A W. Main

Winneconne, WI 54986

STATE BAR OF WISCONSIN FORM 1 - 2000
WARRANTY DEED

Document Number

DOC#: 677092



WAUPACA COUNTY
Received For Record
AUG. 28, 2003 AT 02:00PM

GEORGE E JORGENSEN
REGISTER OF DEEDS

Fee Amount \$13.00
Transfer Fee \$102.00

This Deed, made between Adam Gene Fronczak

Grantor,
and Steven W. Kramer to Cynthia A. Kramer, husband
and wife as survivorship marital property

Grantee.

Grantor, for a valuable consideration, conveys to Grantee the following described real estate in Waupaca County, State of Wisconsin (the "Property") (if more space is needed, please attach addendum):
On Reverse Side.

Recording Area

Name and Return Address

13/2
Steve or Cindy Kramer
215 W Alfred St
Weyauwega WI 54983
WA-17300

21-08-21-12
and 21-08-21-13

Parcel Identification Number (PIN)

Together with all appurtenant rights, title and interests.

This is not homestead property.
(is) (is not)

Grantor warrants that the title to the Property is good, indefeasible in fee simple and free and clear of encumbrances except for easements, restrictions, and reservations of record.

Dated this 22nd day of August, 2003.

Adam Gene Fronczak
* Adam Gene Fronczak

AUTHENTICATION

Signature(s) _____

authenticated this _____ day of _____,

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, _____
authorized by §706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Steven H. Loehrke, Broker
Acres of America, Inc.

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN)
) ss.
Waupaca County.)

Personally came before me this 21st day of
August, 2003 the above named

Adam Gene Fronczak

to me known to be the person _____ who executed
the foregoing instrument and acknowledged the same.

Steven H. Loehrke
* Steven H. Loehrke
Notary Public, State of Wisconsin

My Commission is permanent. (If not, state expiration date:
Nov. 6, 2005.)

*Names of persons signing in any capacity must be typed or printed below their signature.

WARRANTY DEED

STATE BAR OF WISCONSIN

FORM No. 1-2000

Acres of America Inc 701 N Mill St. Weyauwega WI 54983-8514

Phone: (920)867-3600

Fax: (920)867-3610

Steven H. Loehrke

T5574359.ZFX

Produced with ZipForm™ by RE FormsNet, LLC 18025 Fifteen Mile Road, Clinton Township, Michigan 48035, (800) 383-9805

Legal Description

Lots 2 and 3 of Certified Survey Map No. 4587 recorded March 20, 1997 in the Waupaca County Registry in Volume 14 of Certified Survey Maps on page 249 as Document No. 556562; both being a part of the Northeast $\frac{1}{4}$ of the Northwest $\frac{1}{4}$ of Section 8, T21N, R13E, Town of Weyauwega, Waupaca County, Wisconsin. Reserving that part presently used for road purposes.

Also, the following described parcel to be used for ingress and egress purposes only: A parcel of land being part of the Northeast $\frac{1}{4}$ of the Northwest $\frac{1}{4}$, Section 8, T21N, R13E, Town of Weyauwega, Waupaca County, Wisconsin, bounded and described as follows: Commencing at the North $\frac{1}{4}$ corner of said Section 8; thence North $88^{\circ}33'20''$ West, 150 feet along the North line of the Northwest $\frac{1}{4}$ of Section 8 to the West line of Certified Survey Map No. 4501 as recorded in Volume 14 of Certified Survey Maps on page 81; thence South $00^{\circ}17'22''$ West, 621.85 feet along said West line to the centerline of C.T.H. "X"; thence South $62^{\circ}47'40''$ West, 390.78 feet along said centerline to the point of beginning; thence continuing South $62^{\circ}47'40''$ West, 70.20 feet along said centerline; thence North $07^{\circ}17'22''$ West, 256.00 feet; thence North $45^{\circ}00'00''$ West, 50 feet; thence North $62^{\circ}47'40''$ East, 69.32 feet; thence South $45^{\circ}00'00''$ East, 51.36 feet; thence South $07^{\circ}27'22''$ East, 254.63 feet to the point of beginning. Reserving that part presently used for road purposes.

CERTIFIED SURVEY MAP NO. 4587

BEING PART OF THE NORTHEAST 1/4 OF THE NORTHWEST 1/4 OF SECTION 8, TOWNSHIP 21 NORTH, RANGE 13 EAST, TOWN OF WEYAUWEGA, WAUPACA COUNTY, WISCONSIN.

NORTHWEST CORNER OF SECTION 8-21-13

NORTH LINE OF THE NORTHWEST 1/4 OF SECTION 8

NORTH 1/4 CORNER OF SECTION 8-21-13

UNPLATTED LANDS

- LEGEND**
- ⊙ = HARRISON MONUMENT FOUND
 - = 1" IRON PIPE FOUND
 - = 3/4" SOLID ROUND IRON REBAR FOUND
 - = 3/4" x 24" SOLID ROUND IRON REBAR SET WEIGHING 1.502 lbs. per lin. ft.
 - (O) = RECORDED BEARING AND/OR DISTANCE
 - * * = EXISTING FENCE LINE

ACCESS RESTRICTION: ALL LOTS MUST USE THE SAME ACCESS DRIVE TO BE LOCATED IN THE INGRESS & EGRESS EASEMENT. THERE SHALL BE NO OTHER ACCESS DRIVES ALLOWED. THIS RESTRICTION SHALL BE ENFORCED BY THE WAUPACA COUNTY HIGHWAY DEPARTMENT.

Robert F. Reider 2-17-97
 ROBERT F. REIDER, RLS-1251 DATED
 CAROW LAND SURVEYING CO., INC.
 P.O. BOX 1297, 1837 W. WIS. AVE.
 APPLETON, WISCONSIN 54912-1297
 A9610.11-97 kjv saw dgv asc RFR 2-17-97



WEST LINE OF THE NORTHEAST 1/4 OF THE NORTHWEST 1/4 OF SECTION 8

UNPLATTED LANDS

UNPLATTED LANDS

LOT 3
241,870 sq.ft.±

LOT 2
231,661 sq.ft.±

LOT 1
298 sq.ft.± total
329 sq.ft.± usable

LOT 4
311,204 sq.ft.± total
295,906 sq.ft.± usable


C. S. M. NO. 2791

C. S. M. NO. 4501

SETBACKS:
 FRONTYARD = 42'
 SIDERYARD = 20'
 REARYARD = 20'

PROPERTY OWNER:
 TNK TRUCKING CO.,
 A FLORIDA CORPORATION

NORTH IS REFERENCED TO THE NORTH LINE OF THE NORTHWEST 1/4 OF SECTION 8, TOWNSHIP 21 NORTH, RANGE 13 EAST, TOWN OF WEYAUWEGA, WAUPACA COUNTY, WISCONSIN, WHICH IS ASSUMED TO BEAR S88°-33'-20"E.



CERTIFIED SURVEY MAP NO. 4587

SURVEYOR'S CERTIFICATE:

I. ROBERT F. REIDER, REGISTERED WISCONSIN LAND SURVEYOR, CERTIFY THAT I HAVE SURVEYED, DIVIDED AND MAPPED PART OF THE NORTHEAST 1/4 OF THE NORTHWEST 1/4, SECTION 8, TOWNSHIP 21 NORTH, RANGE 13 EAST, TOWN OF WEYAUWEGA, WAUPACA COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE NORTH 1/4 CORNER OF SAID SECTION 8; THENCE N88-33-20W, 150.00 FEET ALONG THE NORTH LINE OF THE NORTHWEST 1/4 OF SECTION 8 TO THE WEST LINE OF CERTIFIED SURVEY MAP NO. 4501 AS RECORDED IN VOLUME 14 OF CERTIFIED SURVEY MAPS ON PAGE 81 AND TO THE POINT OF BEGINNING; THENCE S00-17-22W, 621.85 FEET ALONG SAID WEST LINE TO THE CENTERLINE OF C.T.H. "X"; THENCE S62-47-40W, 823.68 FEET ALONG SAID CENTERLINE TO THE EAST LINE OF CERTIFIED SURVEY MAP NO. 2791 AS RECORDED IN VOLUME 8 OF CERTIFIED SURVEY MAPS ON PAGE 300; THENCE N07-17-22W, 516.23 FEET (RECORDED AS N07-16-40W, 516.29 FEET) ALONG SAID EAST LINE TO THE NORTH LINE OF SAID CERTIFIED SURVEY MAP; THENCE S62-46-12W, 411.32 FEET ALONG SAID NORTH LINE TO THE WEST LINE OF THE NORTHEAST 1/4 OF THE NORTHWEST 1/4 OF SECTION 8; THENCE N00-07-05E, 703.96 FEET ALONG SAID WEST LINE TO THE NORTH LINE OF THE NORTHWEST 1/4 OF SECTION 8; THENCE S88-33-20E, 1165.86 FEET ALONG SAID NORTH LINE TO THE POINT OF BEGINNING.

THAT I HAVE MADE SUCH SURVEY UNDER THE DIRECTION OF TNK TRUCKING, C/O DENNIS RASMUSSEN, FOX REALTORS, P.O. BOX 637, WEYAUWEGA, WISCONSIN 54983.

THAT THIS MAP IS A CORRECT REPRESENTATION OF THE EXTERIOR BOUNDARY LINES OF THE LAND SURVEYED.

THAT I HAVE FULLY COMPLIED WITH THE PROVISIONS OF CHAPTER 236.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION ORDINANCE OF WAUPACA COUNTY.



Robert F. Reider 2-17-97

ROBERT F. REIDER, RLS-1251 DATED
CAROW LAND SURVEYING CO., INC.
P.O. BOX 1297, 1837 W. WIS. AVE.
APPLETON, WISCONSIN 54912-1297
A9610.11-97(kv dv RFR) 2-17-97

THIS CERTIFIED SURVEY MAP WAS APPROVED BY THE WAUPACA COUNTY PLANNING COMMISSION ON THE 20th DAY OF March, 1997.

Raymond Clavette 3/20/97
CHAIRPERSON DATED

556562

REGISTERED OFFICE
WAUPACA COUNTY WI
RECEIVED FOR RECORD

SHEET 2 OF 2 SHEETS

MAR 20 1997

At 11:25 o'clock A M and Recorded
In Vol. 14 of CSM on Page 249
Alanna B. Giverson Register *ekj*




Figure 1 - Site Location Topo
Wolf River Chemical Mixing Facility
Weyauwega, WI
Scale: 1 inch = 4000 feet






FIGURE 2

SITE LOCATION MAP
 WOLF RIVER CHEMICAL MIXING
 AND LOADING FACILITY
 WEYAUWEGA, WISCONSIN

MSA TRANSPORTATION • MUNICIPAL • REMEDIATION
 DEVELOPMENT • ENVIRONMENTAL
 1230 South Boulevard • Baraboo, WI 53913
 838-358-2771 • 1-800-362-4505 Fax: 838-358-2770

DRAWN BY	RHM	DATE	11-3-05	SHEET	_____ of _____
CHECKED BY		SCALE	AS NOTED	FILE NO.	212755AB



- LEGEND**
- MONITORING WELL
 - PRIVATE WELL
 - TEMPORARY GEOPROBE WELL
 - PROPERTY LINE

NOTE:
 POTABLE WELL DATA FROM WDNR AND WGNHS RECORDS. LAND OWNERSHIP AND BOUNDARY DATA FROM WAUPACA COUNTY.



FIGURE 3
LAND OWNERSHIP AND WATER WELL DATA
 WOLF RIVER CHEMICAL MIXING AND LOADING FACILITY
 WEYAUWEGA, WISCONSIN

MSA TRANSPORTATION • MUNICIPAL • REMEDIATION
 DEVELOPMENT • ENVIRONMENTAL
 1230 South Boulevard, Baraboo, WI 53913
 608-356-2771 1-800-362-4505 Fax: 608-356-2770

DRAWN BY CAR DATE 10-09-07 SHEET ___ of ___
 CHECKED BY SCALE AS NOTED FILE NO. 212755CC

**Table 1 - Summary of Groundwater Sampling Results and Elevation Measurements
Wolf River Country Coop, Chemical Mixing & Loading Facility, Weyauwega, Wisconsin**

	Nitrogen (mg/L)		8141 DATCP Pesticides (ug/L)															GW Elevation	TOC Elevation	GW Depth Below TOC	Well Depth Below TOC		
	Ammonia - N	Nitrate / Nitrite - N	EPTC	Butylate	Trifluralin	DEA	DIA	Prometon	Propazine	Atrazine	Simazine	Acetochlor	Dimethenamid	Alachlor	Metribuzin	Metolachlor	Chlorpyrifos					Pendimethalin	Cyanazine
NR 140 PAL	2		50	6.7	0.75			18	0.3	0.4			0.2	50	1.5				0.1	Ft MSL	Ft MSL	Ft MSL	Ft MSL
NR 140 ES	10		250	67	7.5			90	3	4			2	250	15				1				
MW B-1	07/14/99	-- 2.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	805.61	817.47	11.86	21.6
	01/27/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	802.78		14.69	
	04/14/00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	801.44		16.03	
	10/25/00	<0.02	<0.08	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	800.88		16.59	
	01/23/01	<1.0	<1.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	800.28		17.19	
	04/25/01	<1.0	<1.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	801.05		16.42	
	07/25/01	<1.0	<1.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	802.14		15.33	
	09/18/02			Not Sampled															801.92		15.55		
	03/10/03			Water Elevation Only															800.69		16.78		
	10/28/03			Water Elevation Only															800.64		16.83		
	02/22/05	0.064	0.13	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	802.10	817.40	15.30	
	09/01/05			--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	800.58		16.82	
	07/20/06	<0.025	0.039	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
	12/04/06	<0.025	0.028	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	798.42		18.98	
B-2	07/14/99			No Sample - Well is kinked.																809.59		21.3	
	01/27/00			No Sample - Well is kinked.															790.77		18.82		
	04/14/00			No Sample - Well is kinked.															791.10		18.49		
	10/25/00			No Sample - Well is kinked.															791.19		18.40		
	01/23/01			No Sample - Well is kinked.															790.95		18.64		
	04/25/01			No Sample - Well is kinked.															792.48		17.11		
	07/25/01			No Sample - Well is kinked.															791.60		17.99		
	03/12/02			No Sample - Well is kinked.															791.19		18.40		
	09/18/02			No Sample - Well is kinked.															790.87		18.72		
	03/10/03			Water Elevation Only															790.58		19.01		
	10/28/03			Water Elevation Only															790.93		18.66		
	02/02/05			Water Elevation Not Reliable Due to Well Damage															791.06		18.53		
	09/01/05			Water Elevation Not Collected Due to Well Damage																			

**Table 1 - Summary of Groundwater Sampling Results and Elevation Measurements
Wolf River Country Coop, Chemical Mixing & Loading Facility, Weyauwega, Wisconsin**

	Nitrogen (mg/L)		8141 DATCP Pesticides (ug/L)														GW Elevation	TOC Elevation	GW Depth Below TOC	Well Depth Below TOC			
	Ammonia - N	Nitrate / Nitrite - N	EPTC	Butylate	Trifluralin	DEA	DIA	Prometon	Propazine	Atrazine	Simazine	Acetochlor	Dimethenamid	Alachlor	Metricbuzin	Metolachlor					Chlorpyrifos	Pendimethalin	Cyanazine
NR 140 PAL	2		50	6.7	0.75			18		0.3	0.4			0.2	50	1.5			0.1	Ft MSL	Ft MSL	Ft MSL	Ft MSL
NR 140 ES	10		250	67	7.5			90		3	4			2	250	15			1				
MW-2																							
03/12/02	<1.0	3.8	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	791.01	810.33	19.32	21.4
09/18/02	<0.020	<0.18	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	790.77		19.56	
03/10/03	<0.024	2.7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	790.65		19.68	
10/28/03	<0.024	4.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	790.80		19.53	
02/02/05	0.11	4.8	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	790.77	810.33	19.56	
09/01/05		2.8	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	790.89		19.44	
07/20/06	0.025	6.9	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
12/04/06	<0.025	6.7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	790.85		19.48	
MW-3																							
01/27/00	1.8	50	0.97	--	--	1.3	0.48	--	0.058	0.98	--	12	4.3	3.5	0.58	110	--	2.3	--	789.41	806.27	16.86	23.2
04/14/00	1.0	52	0.75	--	--	2.1	0.58	--	0.096	1.2	--	12	--	3.4	0.66	130	0.048	--	1.8	790.18		16.09	
10/25/00	0.49	26	0.56	--	--	0.54	0.22	0.40	0.074	1.9	--	46	13	2.8	0.38	180	--	--	1.8	790.51		15.76	
01/23/01	<10	33	0.54	--	--	0.66	0.27	0.36	0.064	0.67	0.58	33	--	1.8	0.18	190	--	--	0.56	790.02		16.25	
04/25/01	<2	19	0.35	--	--	0.81	0.25	0.29	--	0.59	--	8.0	0.87	0.95	0.24	61	--	--	0.25	792.22		14.05	
07/25/01	<1.0	11	--	--	--	0.51	0.21	--	--	0.59	--	1.1	--	0.30	--	18	--	--	0.057	791.11		15.16	
03/12/02	<1.0	30	0.28	--	--	0.45	0.24	--	0.036	0.78	--	19	1.6	1.7	0.15	170	--	--	0.31	790.66		15.61	
09/18/02	0.057	18	Pesticide Sample Container Broken in Shipment to Laboratory														789.44		16.83				
10/24/02	<0.025	18	0.17	--	--	0.23	--	--	--	0.46	--	3.1	0.4	0.71	--	35	--	--	0.16	789.66		16.61	
03/10/03	0.12	19	0.16	--	--	0.25	--	--	--	0.14	--	1.6	0.44	0.41	--	19	--	--	0.21	788.74		17.53	
10/28/03	<0.024	6.5	0.15	--	--	0.17	--	--	--	1.0	--	31	--	--	--	60	--	0.19	0.18	789.43		16.84	
02/02/05	0.031	7.3	--	--	--	0.44	--	--	--	0.50	--	4.8	--	--	--	43	--	--	--	790.13	806.25	16.12	
09/01/05		10	--	--	--	0.19	--	--	--	0.22	--	1.2	--	--	--	39	--	--	0.15	789.30		16.95	
07/20/06	0.073	14	--	--	--	0.34	--	--	--	0.29	--	29	--	0.24	--	35	--	--	--				
12/04/06	<0.025	13	--	--	--	--	--	--	--	0.62	--	1.6	--	--	--	11	--	--	--	788.84		17.41	

**Table 1 - Summary of Groundwater Sampling Results and Elevation Measurements
Wolf River Country Coop, Chemical Mixing & Loading Facility, Weyauwega, Wisconsin**

	Nitrogen (mg/L)		8141 DATCP Pesticides (ug/L)															GW Elevation	TOC Elevation	GW Depth Below TOC	Well Depth Below TOC			
	A m m o n i a - N	N i t r a t e / N i t r i t e - N	E P T C	B u t y l a t e	T r i f l u r a l i n	D E A	D I A	P r o m e t o n	P r o p a z i n e	A t r a z i n e	S i m a z i n e	A c e t o c h l o r	D i m e t h e n a m i d	A l a c h l o r	M e t r i b u z i n	M e t o l a c h l o r	C h l o r p y r i f o s					P e n d i m e t h a l i n	C y a n a z i n e	
NR 140 PAL		2	50	6.7	0.75			18		0.3	0.4			0.2	50	1.5			0.1	Ft MSL	Ft MSL	Ft MSL	Ft MSL	
NR 140 ES		10	250	67	7.5			90		3	4			2	250	15			1					
MW-4	01/27/00	--	12	--	--	--	0.10	--	--	--	--	--	--	--	--	--	--	--	--	791.79	815.26	23.47	26.2	
	04/14/00	--	11	--	--	--	0.10	--	--	--	--	--	--	--	--	--	--	--	--	791.91		23.35		
	10/25/00	<0.02	10	--	--	--	0.088	--	--	--	--	--	--	--	--	--	--	--	--	792.88		22.38		
	01/23/01	<1.0	11	--	--	--	0.092	0.061	--	--	--	--	--	--	--	--	--	--	--	791.83		23.43		
	04/25/01	<1.0	15	0.26	--	--	0.18	--	--	0.64	--	630	--	5.0	0.59	320	--	--	--	793.20		22.06		
	07/25/01	<1.0	9.2	--	--	--	--	--	--	--	0.60	--	--	--	0.49	--	--	--	--	792.04		23.22		
	03/12/02	<1.0	6.2	0.053	--	--	0.042	--	--	--	--	--	--	--	0.12	--	--	--	--	791.81		23.45		
	09/18/02	0.029	2.4	--	--	--	0.068	0.060	--	--	--	--	--	--	--	--	--	--	--	791.74		23.52		
	03/10/03	<0.024	5.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	791.69		23.57		
	10/28/03	<0.024	6.7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	791.81		23.45		
	02/02/05			Water Elevation Only															791.72	815.22	23.50			
	09/01/05		24	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	791.71		23.51		
	07/20/06	0.034	34	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--					
	12/04/06	<0.025	36	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	792.63		22.59		
MW-5	03/12/02	<1.0	9.9	0.057	--	--	0.30	0.13	--	--	0.23	0.14	--	0.32	0.30	0.054	56	--	--	0.038	790.70	801.60	10.90	20.9
	09/18/02	0.088	17	0.064	--	--	0.63	0.34	--	--	0.29	0.11	0.81	4.2	--	--	40	--	--	0.20	789.30		12.30	
	03/10/03	<0.024	13	0.18	--	--	0.49	0.47	--	--	0.23	--	0.64	1.1	0.34	--	29	--	--	0.28	788.63		12.97	
	10/28/03	<0.024	20	0.41	--	--	0.20	--	--	0.19	1.4	0.80	5.3	--	7.4	2.5	1500	0.077	0.56	0.36	789.32		12.28	
	02/02/05	0.039	11	0.17	--	0.54	0.79	0.81	--	0.083	0.53	0.31	3.8	--	0.86	0.98	330	--	0.40	--	790.02	801.59	11.57	
	09/01/05	8.6		--	--	--	1.2	0.89	--	--	0.34	0.15	2.7	--	--	0.080	180	--	--	0.30	789.18		12.41	
	07/20/06	0.025	9.0	0.072	--	--	0.45	0.72	0.12	0.053	0.29	0.21	0.55	--	0.61	--	1800	--	0.27	0.42				
	12/04/06	<0.025	6.3	0.11	--	--	0.50	0.59	0.10	--	0.55	--	11	--	1.8	--	370	--	0.83	0.40	788.77		12.82	
MW-6	02/02/05	<0.025	27	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	792.35	812.65	20.30	28.9	
	09/01/05		22	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	792.26		20.39		
	07/20/06	<0.025	22	0.16	--	--	--	--	--	--	--	--	--	--	--	0.22	--	--	--					
	12/04/06	<0.025	28	--	--	--	--	--	--	0.095	--	--	--	--	--	--	--	--	--	791.79		20.86		

**Table 1 - Summary of Groundwater Sampling Results and Elevation Measurements
Wolf River Country Coop, Chemical Mixing & Loading Facility, Weyauwega, Wisconsin**

	Nitrogen (mg/L)		8141 DATCP Pesticides (ug/L)																GW Elevation	TOC Elevation	GW Depth Below TOC	Well Depth Below TOC	
	Ammmonia-N	Nitrate/Nitrite-N	EPTC	Butylate	Trifluralin	DEA	DIA	Prometon	Propazine	Atrazine	Simazine	Acetochlor	Dimethenamid	Alachlor	Metricbuzin	Metolachlor	Chlorpyrifos	Pendimethalin					Cyanazine
NR 140 PAL	2		50	6.7	0.75			18		0.3	0.4			0.2	50	1.5			0.1	Ft MSL	Ft MSL	Ft MSL	Ft MSL
NR 140 ES	10		250	67	7.5			90		3	4			2	250	15			1				
MW-7																							
02/02/05	1.6	3.4	0.044	--	--	0.29	--	--	--	0.27	--	0.72	--	0.78	--	74	--	--	--	789.83	793.62	3.79	13.9
09/01/05		3.7	--	--	--	--	--	--	--	0.084	--	0.65	--	--	--	44	--	0.13	--	788.98		4.64	
07/20/06	0.10	2.1	--	--	--	--	--	--	--	0.24	--	0.35	--	0.43	--	21	--	--	--				
12/04/06	<0.025	2.2	--	--	--	0.15	--	--	--	0.34	--	0.65	--	0.27	--	27	--	0.24	--	788.66		4.96	
Co-Op Well																							
07/14/99	<0.50	<1.0	--	--	--	--	--	--	--	0.044	--	--	--	--	--	--	--	--	--				
09/18/02	<0.020	<0.18	0.66	--	--	0.086	--	--	--	0.15	--	0.79	--	2.0	4.4	--	--	0.12	--				
10/24/02	<0.025	<0.075	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
03/10/03	0.20	<0.075	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
10/28/03	0.039	<0.050	--	--	--	--	--	--	--	0.068	--	--	--	--	--	--	--	--	--				
02/02/05	0.15	<0.025	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
09/01/05		0.045	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
GeoProbe Samples																							
Buchholz Property																							
TW-1 12/04/06	0.029	24	--	--	--	0.26	--	--	--	0.39	--	0.38	--	--	--	0.73	--	--	--				
TW-2 12/04/06	0.081	17	--	--	--	0.27	--	--	--	0.14	--	0.36	--	--	--	1.9	--	--	--				
TW-3 12/04/06	0.079	31	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
TW-4 12/04/06	0.10	0.050	--	--	--	--	--	--	--	0.18	--	--	--	--	--	--	--	--	--				
TW-5 12/04/06	0.052	54	--	--	--	0.25	--	--	--	0.098	--	--	--	--	--	--	--	--	--				
TW-6 12/04/06	0.068	42	--	--	--	0.28	--	--	--	0.099	--	--	--	--	--	--	--	--	--				

PAL = ch. NR 140 Wis. Adm. Code Preventive Action Limit.
ES = ch. NR 140 Wis. Adm. Code Enforcement Standard.

18 Bold = ES Exceedance.
Blank = Parameter not analyzed.

-- = Parameter not detected above Method Detection Limits (MDLs).
Casing elevations re-surveyed in March 2005

DEA = Desethylatrazine
DIA = Desisopropylatrazine

**Table 1 - Summary of Groundwater Sampling Results and Elevation Measurements
Wolf River Country Coop, Chemical Mixing & Loading Facility, Weyauwega, Wisconsin**

	Nitrogen (mg/L)		8141 DATCP Pesticides (ug/L)															GW Elevation	TOC Elevation	GW Depth Below TOC	Well Depth Below TOC			
	Ammonia-N	Nitrate/Nitrite-N	EPTC	Butylate	Trifluralin	DEA	DIA	Prometon	Propazine	Atrazine	Simazine	Acetochlor	Dimethenamid	Alachlor	Metricbuzin	Metolachlor	Chlorpyrifos					Pendimethalin	Cyanazine	
NR 140 PAL	2		50	6.7	0.75			18	0.3	0.4			0.2	50	1.5				0.1	Ft MSL	Ft MSL	Ft MSL	Ft MSL	
NR 140 ES	10		250	67	7.5			90		4			2	250	15				1					
MW-3	01/27/00	1.8	50	0.97	--	--	1.3	0.48	--	0.058	0.98	--	12	4.3	3.5	0.58	110	--	2.3	--	789.41	806.27	16.86	23.2
	04/14/00	1.0	52	0.75	--	--	2.1	0.58	--	0.096	1.2	--	12	--	3.4	0.66	130	0.048	--	1.8	790.18		16.09	
	10/25/00	0.49	26	0.56	--	--	0.54	0.22	0.40	0.074	1.9	--	46	13	2.8	0.38	180	--	--	1.8	790.51		15.76	
	01/23/01	<10	33	0.54	--	--	0.66	0.27	0.36	0.064	0.67	0.58	33	--	1.8	0.18	190	--	--	0.56	790.02		16.25	
	04/25/01	<2	19	0.35	--	--	0.81	0.25	0.29	--	0.59	--	8.0	0.87	0.95	0.24	61	--	--	0.25	792.22		14.05	
	07/25/01	<1.0	11	--	--	--	0.51	0.21	--	--	0.59	--	1.1	--	0.30	--	18	--	--	0.057	791.11		15.16	
	03/12/02	<1.0	30	0.28	--	--	0.45	0.24	--	0.036	0.78	--	19	1.6	1.7	0.15	170	--	--	0.31	790.66		15.61	
	09/18/02	0.057	18	Pesticide Sample Container Broken in Shipment to Laboratory																789.44		16.83		
	10/24/02	<0.025	18	0.17	--	--	0.23	--	--	--	0.46	--	3.1	0.4	0.71	--	35	--	--	0.16	789.66		16.61	
	03/10/03	0.12	19	0.16	--	--	0.25	--	--	--	0.14	--	1.6	0.44	0.41	--	19	--	--	0.21	788.74		17.53	
	10/28/03	<0.024	6.5	0.15	--	--	0.17	--	--	--	1.0	--	31	--	--	--	60	--	0.19	0.18	789.43	806.25	16.84	
	02/02/05	0.031	7.3	--	--	--	0.44	--	--	--	0.50	--	4.8	--	--	--	43	--	--	--	790.13		16.12	
	09/01/05		10	--	--	--	0.19	--	--	--	0.22	--	1.2	--	--	--	39	--	--	0.15	789.30		16.95	
	07/20/06	0.073	14	--	--	--	0.34	--	--	--	0.29	--	29	--	0.24	--	35	--	--	--				
	12/04/06	<0.025	13	--	--	--	--	--	--	--	0.62	--	1.6	--	--	--	11	--	--	--	788.84		17.41	
MW-5	03/12/02	<1.0	9.9	0.057	--	--	0.30	0.13	--	--	0.23	0.14	--	0.32	0.30	0.054	56	--	--	0.038	790.70	801.60	10.90	20.9
	09/18/02	0.088	17	0.064	--	--	0.63	0.34	--	--	0.29	0.11	0.81	4.2	--	--	40	--	--	0.20	789.30		12.30	
	03/10/03	<0.024	13	0.18	--	--	0.49	0.47	--	--	0.23	--	0.64	1.1	0.34	--	29	--	--	0.28	788.63		12.97	
	10/28/03	<0.024	20	0.41	--	--	0.20	--	--	0.19	1.4	0.80	5.3	--	7.4	2.5	1500	0.077	0.56	0.36	789.32		12.28	
	02/02/05	0.039	11	0.17	--	0.54	0.79	0.81	--	0.083	0.53	0.31	3.8	--	0.86	0.98	330	--	0.40	--	790.02	801.59	11.57	
	09/01/05		8.6	--	--	--	1.2	0.89	--	--	0.34	0.15	2.7	--	--	0.080	180	--	--	0.30	789.18		12.41	
	07/20/06	0.025	9.0	0.072	--	--	0.45	0.72	0.12	0.053	0.29	0.21	0.55	--	0.61	--	1800	--	0.27	0.42				
	12/04/06	<0.025	6.3	0.11	--	--	0.50	0.59	0.10	--	0.55	--	11	--	1.8	--	370	--	0.83	0.40	788.77		12.82	

**Table 1 - Summary of Groundwater Sampling Results and Elevation Measurements
Wolf River Country Coop, Chemical Mixing & Loading Facility, Weyauwega, Wisconsin**


	Nitrogen (mg/L)		8141 DATCP Pesticides (ug/L)																	GW Elevation	TOC Elevation	GW Depth Below TOC	Well Depth Below TOC
	Ammonia-N	Nitrate/Nitrite-N	EPTC	Butylate	Trifluralin	DEA	DIA	Prometon	Propazine	Atrazine	Simazine	Acetochlor	Dimethenamid	Alachlor	Metribuzin	Metolachlor	Chlorpyrifos	Pendimethalin	Cyanazine				
NR 140 PAL	2		50	6.7	0.75			18		0.3	0.4			0.2	50	1.5			0.1	Ft MSL	Ft MSL	Ft MSL	Ft MSL
NR 140 ES	10		250	67	7.5			90		3	4			2	250	15			1				
MW-7	02/02/05	1.6	3.4	0.044	--	--	0.29	--	--	0.27	--	0.72	--	0.78	--	74	--	--	--	789.83	793.62	3.79	13.9
	09/01/05		3.7	--	--	--	--	--	--	0.084	--	0.65	--	--	--	44	--	0.13	--	788.98		4.64	
	07/20/06	0.10	2.1	--	--	--	--	--	--	0.24	--	0.35	--	0.43	--	21	--	--	--				
	12/04/06	<0.025	2.2	--	--	--	0.15	--	--	0.34	--	0.65	--	0.27	--	27	--	0.24	--	788.66		4.96	

PAL = ch. NR 140 Wis. Adm. Code Preventive Action Limit.
ES = ch. NR 140 Wis. Adm. Code Enforcement Standard.

18 Bold = ES Exceedance.
Blank = Parameter not analyzed.

-- = Parameter not detected above Method Detection Limits (MDLs).
Casing elevations re-surveyed in March 2005

DEA = Desethylatrazine
DIA = Desisopropylatrazine



LEGEND

-  MONITORING WELL
-  PRIVATE WELL
-  TEMPORARY GEOPROBE WELL

--- PROPERTY LINE

790  GROUNDWATER CONTOUR

 INTERPRETED EXTENT OF GROUNDWATER PLUME EXCEEDING NR140ES



NOTE:
 POTABLE WELL DATA FROM WDNR AND WGNHS RECORDS. LAND OWNERSHIP AND BOUNDARY DATA FROM WAUPACA COUNTY.



FIGURE 5
 INTERPRETED EXTENT OF GROUNDWATER IMPACT WOLF RIVER CHEMICAL MIXING AND LOADING FACILITY WEYAUWEGA, WISCONSIN

MSA TRANSPORTATION • MUNICIPAL • REMEDIATION DEVELOPMENT • ENVIRONMENTAL
 1230 South Boulevard Baraboo, WI 53913
 608-356-2771 1-800-362-4505 Fax: 608-356-2770

DRAWN BY	CAR	DATE	10-09-07	SHEET	1 of 1
CHECKED BY		SCALE	AS NOTED	FILE NO.	212755BD



Site Map Scale 1 inch equals 200 feet

Legend

- Water Level
- Borehole Lithology
- Borehole Number




Figure .
Cross Section A-A'
 Weyauwega Chemical Mixing & Loading Facility, Weyauwega, WI

- Concrete
- USCS Poorly-graded Sand
- USCS Low Plasticity Clay
- USCS Well-graded Gravel
- USCS Silty Sand
- USCS Poorly-graded Sand with Silt
- USCS Well-graded Sand
- Topsoil

MSA TRANSPORTATION MUNICIPAL DEVELOPMENT ENVIRONMENTAL
 201 Corporate Drive Beaver Dam, WI 53916
 (920)887-4242 Fax (920)887-4250

DRAWN BY _____ DATE _____ SHEET _____ of _____
 CHECKED BY _____ SCALE _____ FILE NO. **A-1**

PROJ: WEYAUWEGA MW-07.GPJ \INPUT\DATA\ENTRY BEV.B.GIT\OUTPUT\FENCE WITH ROTATED SITE MAP B.JPRINTED ON 8/16/07

GIS Registry Owner Statement

As representative for the Larsen Cooperative, I believe that the legal description for each property within or partially within the contaminated site boundary is attached to this closure request.



Mr. Tim Wenzel, Larsen Cooperative

December 18, 2021
Date

NOTE: COORD'S ATTACHED



PROFESSIONAL SERVICES
TRANSPORTATION • MUNICIPAL
DEVELOPMENT • ENVIRONMENTAL

March 13, 2007

Mr. Steven Kramer
N2025 CTH X
Weyauwega, WI 54983

Re: Groundwater GIS Registry Notification
Larsen Cooperative Facility, CTH X, Weyauwega, WI
DNR Site ID# 02-69-547179 DATCP#98405082001

Dear Property Owner:

Groundwater contamination is present at the Larsen Coop facility referenced above. Agricultural chemicals were detected in groundwater samples from monitoring wells MW3, MW5, and MW7 on your property located north of the Coop facility (refer to attached figure). Nitrates and metolachlor are present at levels above state groundwater standards as tabulated in chapter NR 140, Wisconsin Administrative Code.

MSA Professional Services, Inc. (MSA) has investigated the groundwater contamination and reported our findings to the Department of Agriculture, Trade, and Consumer Protection (DATCP), who determined that this groundwater contaminant plume is stable or receding and/or will naturally degrade over time, and that allowing natural attenuation to address the remaining contaminants at this site will meet the requirements for case closure that are found in chapter NR726, Wisconsin Administrative Code. On behalf of Larsen Cooperative, MSA has requested that DATCP accept natural attenuation as the final remedy for this site, and grant case closure. Closure means that DATCP will not require further investigation or cleanup action, other than the reliance on natural attenuation.

You and any subsequent owners of your property must comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call the Wisconsin Department of Natural Resources at 1-800-367-6076 for calls originating in Wisconsin, or 608-264-6020.

Offices in Illinois, Iowa, Minnesota, and Wisconsin

201 CORPORATE DRIVE • BEAVER DAM, WI 53916-3071
(920) 887-4242 • (800) 552-6330 • FAX: (920) 887-4250
WEB ADDRESS: www.msa-ps.com

kramer gis notification.doc

Page 2

Mr. Steven Kramer

March 13, 2007

As an affected property owner, you have 30 days to contact DATCP personnel to provide technical information that you may have indicating closure should not be granted for this site. If you would like to submit any information to DATCP that is relevant to this closure, you should mail that information to:

Mr. Al MacKenzie
DATCP
2811 Agriculture Drive
PO Box 8911
Madison, WI 53708-8911
(608)224-4517

When this case is closed, all properties within the boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry is available to the general public on the Department of Natural Resources' internet web site at the following web address:

[http://maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts.](http://maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts)

Should you or any subsequent property owner wish to construct or reconstruct a potable well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the Department of Natural Resources if your property is located within the designated service area of a municipally owned water system to determine if there is a need for special well construction standards.

Page 3

Mr. Steven Kramer
March 13, 2007

Once DATCP makes a decision on site closure, it will be documented in a letter. You may obtain a copy of this letter by writing to the agency address given above, or by accessing the WDNR GIS Registry of Closed Remediation Sites on the internet at the previously noted web address. (A copy of the closure letter will be included as part of the site file on the GIS Registry of Closed Remediation Sites.)

Following site closure, we will contact you to schedule a time to remove the monitoring wells from your property. If you need more information, you may contact me or Mr. MacKenzie, DATCP, at (608)224-4517.

Sincerely,

MSA Professional Services, Inc.

A handwritten signature in black ink, appearing to read 'S. Henkel', with a long horizontal line extending to the right.

Steven Henkel
Professional Hydrologist

SLH

Enclosures – Fact Sheet. PUB-RR-671
Off-site Contamination – How does it affect my property? PUB-RR-589
Table 1 - Summary of Groundwater Data
Figure 5 - Interpreted Extent of Groundwater Impact