


**GIS REGISTRY INFORMATION**

<b>SITE NAME:</b>	WAUSHARA COUNTY HIGHWAY DEPARTMENT		
<b>BRRTS #:</b>	03-70-000429	<b>FID # (if appropriate):</b>	
<b>COMMERCE # (if appropriate):</b>			
<b>CLOSURE DATE:</b>	09/10/2004		
<b>STREET ADDRESS:</b>	W7705 STATE ROAD 21 & 73		
<b>CITY:</b>	WAUTOMA		
<b>SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):</b>	X=	578569	Y= 399608
<b>CONTAMINATED MEDIA:</b>	Groundwater <input type="checkbox"/>	Soil <input type="checkbox"/>	Both <input checked="" type="checkbox"/>
<b>OFF-SOURCE GW CONTAMINATION &gt;ES:</b>	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
<b>IF YES, STREET ADDRESS 1:</b>			
<b>GPS COORDINATES (meters in WTM91 projection):</b>	X=		Y=
<b>OFF-SOURCE SOIL CONTAMINATION &gt;Generic or Site-Specific RCL (SSRCL):</b>	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
<b>IF YES, STREET ADDRESS 1:</b>			
<b>GPS COORDINATES (meters in WTM91 projection):</b>	X=		Y=
<b>CONTAMINATION IN RIGHT OF WAY:</b>	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
<b>DOCUMENTS NEEDED:</b>			
Closure Letter, and any conditional closure letter issued			X
Copy of most recent deed, including legal description, for all affected properties			X
Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties			X
County Parcel ID number, if used for county, for all affected properties			X
Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.			X
Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.			X
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)			X
Tables of Latest Soil Analytical Results (no shading or cross-hatching)			X
Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.			X
GW: Table of water level elevations, with sampling dates, and free product noted if present			X
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)			X
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour			X
Geologic cross-sections, if required for SI. (8.5x14" if paper copy)			NA
RP certified statement that legal descriptions are complete and accurate			X
Copies of off-source notification letters (if applicable)			NA
Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)			NA
Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure			X



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Ronald W. Kazmierczak, Regional Director

Oshkosh Service Center  
625 E. Cty Rd Y, Suite 700  
Oshkosh, Wisconsin 54901-9731  
Telephone 920-424-3050  
FAX 920-424-4404

September 10, 2004

Tom Dahlke  
Waushara County Hwy Dept.  
W7705 State Road 21/73  
Wautoma, WI 54982

**SUBJECT:** Final Case Closure By Closure Committee With Conditions Met  
Waushara County Hwy Department, Wautoma, WI  
WDNR BRRTS #: 03-70-000429

Dear Mr. Dahlke:

On July 22, 2004, your site as described above was reviewed for closure by the Northeast Region Closure Committee. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On August 25, 2004, you were notified that the Closure Committee had granted conditional closure to this case.

On September 7, 2004, the Department received correspondence indicating that you have complied with the conditions of closure. You have submitted the well abandonment forms, the signed and registered deed restriction, as well as the documentation needed for the GIS registry. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/ai/et/gco/gwur/index.htm>. If your property is listed on the GIS Registry due to groundwater contamination exceeding ch. NR 140 standards at the time of closure, and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4)(w). To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at the web address listed above.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.


The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 920-303-5424.

Sincerely,

*Casey L. Jones*

Casey L. Jones  
Hydrogeologist  
Bureau for Remediation & Redevelopment

CC: Jason Powell (METCO)



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Ronald W. Kazmierczak, Regional Director

Oshkosh Service Center  
625 E. Cty Rd Y, Suite 700  
Oshkosh, Wisconsin 54901-9731  
Telephone 920-424-3050  
FAX 920-424-4404

August 25, 2004

Tom Dahlke  
Waushara County Hwy Dept.  
P.O. Box 867 - W7708 Hwy 21/73  
Wautoma, WI 54982

 **FILE**

Subject: Conditional Case Closure  
Waushara County Highway Department, Wautoma, Wisconsin  
WDNR BRITS # 03-70-000429

Dear Mr. Dahlke:

On July 22, 2004, your request for closure of the case described above was reviewed by the Northeast Regional Closure Committee. The Northeast Regional Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Northeast Regional Closure Committee has determined that the petroleum contamination on the site from the vicinity of a former underground storage tank that was located on the property appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

### **MONITORING WELL ABANDONMENT**

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm.. Documentation of well abandonment must be submitted to me on Form 3300-5B found at <http://www.dnr.state.wi.us/org/water/dwg/gw/forms> or provided by the Department of Natural Resources.

### **WASTE AND SOIL PILE REMOVAL**

Any remaining waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Please send a letter advising me that any remaining waste and/or soil piles have been removed once that work is completed.

### **DEED RESTRICTION FOR CONTAMINATED SOIL**

To close this site, the Department requires that a deed restriction be signed and recorded to address the issue of the remaining soil contamination associated with the site. The purpose of the restriction is to maintain a surface barrier over the remaining soil contamination to prevent it from impacting human health and the environment.

A draft deed restriction included in this letter should be reviewed and signed by you if you own the property, or have the appropriate property owner sign it, and have it recorded by the

Waushara County Register of Deeds. Then you must submit a copy of the recorded document, with the recording information stamped on it, to me. Please be aware that if a deed restriction is recorded for the wrong property because of an inaccurate legal description that you have provided, you will be responsible for recording corrected documents at the Register of Deeds Office to correct the problem.


When the above conditions have been satisfied, please submit a letter to let me know that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 920-303-5424.

Sincerely,



Casey L. Jones  
Hydrogeologist  
Bureau for Remediation & Redevelopment

Enclosure

cc: Jason Powell, METCO (via e-mail)

420515<sup>2</sup>

AFFIDAVIT OF CORRECTION

VOL 721 PAGE 847<sup>2</sup>

Document Number

Document Title

AFFIANT, THOMAS A. DAHLKE, hereby swears or affirms that a certain document recorded on the 3RD day of SEPTEMBER, 2003 (year) in volume 721, page 261, as document number 420344 which is recorded in WAUSHARA County, State of Wisconsin, contained the following error(if more space is needed, please attach addendum):

PAGE TITLED MAINTENANCE PLAN FOR THE ASPHALT COVER WAS MISSING

AFFIANT makes this affidavit for the purpose of correcting the above document as follows(if more space is needed, please attach addendum):

ATTACHING PAGE TITLED MAINTENANCE PLAN FOR ASPHALT COVER

WAUSHARA COUNTY, WISCONSIN  
Received for record this  
10th day of September  
20 2004 at 09:45AM  
and recorded in volume 721  
of records page 847-853  
Document Number: 420515

Register of Deeds

Recording Area

Name and Return Address

TOM DAHLKE  
HWY DEPT

AFFIANT is the(check one):

Parcel Identification Number (PIN)

       Drafter of the document being corrected.

       Owner of the property described in the document being corrected.

Other(explain: THOMAS DAHLKE FOR WAUSHARA COUNTY HIGHWAY DEPT.).

The original document  is        is not attached to this Affidavit (if original document is not attached, please attach legal description).

Signed: Thomas A. Dahlke

THOMAS A. DAHLKE

State of Wisconsin )  
County of Waushara )

Subscribed and sworn to(or affirmed) before me this

10 day of September, 2004.

John C. Benz  
\* John C. Benz

Notary Public, State of Wisconsin

My Commission (expires) 01-03-05

This instrument drafted by:

THOMAS A. DAHLKE

102  
Orin

VOL 721 PAGE 2630

DOCUMENT NO. STATE BAR OF WISCONSIN FORM 1 - 1982  
WARRANTY DEED

291022

VOL 721 PAGE 830

This Deed, made between Arthur J. Johnson, a single person

and Waushara County, a Wisconsin Municipal Corporation

Witnesseth, that the said Grantor, for a valuable consideration of \$1.00 and other good and valuable consideration conveyed to Grantee the following described real estate in Waushara County, State of Wisconsin:

November 18 1988 P 576

Atty. John Thiel  
P.O. Box 1278  
Oshkosh, WI 54902-1278

Tax Parcel No:

A part of the Southeast 1/4 of the Southeast 1/4 of Section 35, Township 19 N., R. 10 E. and the fractional NE 1/4 of the NE 1/4 of Section 2, T. 18 N., R. 10 E., all in Waushara County, Wisconsin and being more particularly described as follows: Commencing at the NE corner of the NE 1/4 of said Section 2 and running thence South 85°-42'-41" West along the North line of said NE 1/4 a distance of 65.79 feet; thence North 56°-51'-23" West along the Southerly right-of-way line of State Trunk Highway "21" and "73" a distance of 120.79 feet to the point of beginning; thence continuing North 56°-51'-23" West 70.00 feet; thence South 33°-08'-37" West 280.10 feet; thence South 56°-51'-23" East 70.00 feet; thence North 33°-08'-37" E. 280.10 feet to the point of beginning.

FEE  
13  
EXEMPT

This is not homestead property.  
(is) (is not)

Together with all and singular the hereditaments and appurtenances thereto belonging; And Arthur J. Johnson warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except restrictions, covenants and easements of record, if any

and will warrant and defend the same.

Dated this 22 day of November, 1988

(SEAL)

Arthur J. Johnson

(SEAL)

(SEAL)

AUTHENTICATION

Signature(s)

authenticated this day of 1988

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not authorized by § 1909.06, Wis. Stats.)

MOLCANY & BERRY, S.C.

Oshkosh, WI 54902-1278

(Signature may be substituted by notary public if both are not present.)


ACKNOWLEDGMENT

STATE OF WISCONSIN

Personally came before me this day of 1988

the above named

known to be the person who executed the foregoing instrument and acknowledge the same.



Notary Public, Waushara County, Wis. My Commission expires 1988

BOOK 378 PAGE 576

"Exhibit A"

Home  
Agriculture  
Trust,  
dated  
Government,  
page,  
page,  
County,

PAGE  
227615

vided,  
ny  
unpaid

assignment

Wis.  
record this  
November  
WVS index Ab  
volume 378  
576  
Deeds

the  
bo

itura.

\*Should a grantor desire to authorize the notary to act for him, he should file his signature

221908

THIS SPACE RESERVED FOR RECORDING DATA

BOOK 216 PAGE 616

DOC. NO. 221908  
 REGISTER'S OFFICE  
 WAUSHARA COUNTY, WIS. } 53  
 RECEIVED FOR RECORD THIS 31 DAY  
 OF OCT. A. D. 1974 AT 10 O'CLOCK P. M.  
 AND RECORDED IN VOL 721 OF RECORDS PAGE 616  
 E. B. [Signature]  
 REGISTER OF DEEDS  
 DEPUTY

VOL 721 PAGE 851

THIS INDENTURE, Made this 25th day of October, A. D. 1974,  
 between Lester Schimelpfenig and Freada Schimelpfenig,  
 his wife

part 1ES of the first part, and  
 Waushara County, a municipal

x Corporation duly organized and existing under and by virtue of the laws of the  
 State of Wisconsin, located at Wautoma, Wisconsin  
 Wisconsin, party of the second part.

Witnesseth, That the said part 1ES. of the first part, for and in consideration of  
 the sum of Fifteen Thousand (\$15,000.00) Dollars

to them in hand paid by the said party of the second part, the receipt whereof is hereby confessed and acknowledged,  
 have given, granted, bargained, sold, remised, released, aliened, conveyed and confirmed, and by these presents do  
 give, grant, bargain, sell, remise, release, alien, convey and confirm unto the said party of the second part, its successors and  
 assigns forever, the following described real estate, situated in the County of Waushara and State  
 of Wisconsin, to-wit:

A part of the Fractional North 1/2 of the Northeast quarter of Section 2  
 Township 18 North, Range 10 East, Waushara County, Wisconsin and being more  
 particularly described as follows:

Commencing at the Northeast corner of the NE 1/4 of said Section 2 and  
 running thence South 00° 50' 04" East along the east line of said Northeast  
 1/4 a distance of 1055.99 feet, thence south 89° 18' 32" West along the  
 south line of the Fractional North 1/2 of said Northeast quarter a distance  
 of 115.50 feet to the point of beginning, thence continuing south 89° 18' 32"  
 west 1279.26 feet, thence north 00° 50' 04" West 1065.78 feet, thence North  
 89° 42' 41" East along the north line of said Northeast 1/4 a distance of  
 1100.41 feet, thence south 33° 08' 37" west along the westerly line of lands  
 (CONTINUED ON REVERSE SIDE)

(IF NECESSARY, CONTINUE DESCRIPTION ON REVERSE SIDE)  
 Together with all and singular the hereditaments and appurtenances thereunto belonging or in any wise appertaining;  
 and all the estate, right, title, interest, claim or demand whatsoever, of the said part 1ES. of the first part, either in law or equity,  
 either in possession or expectancy of, in and to the above bargained premises, and their hereditaments and appurtenances.

To Have and to Hold the said premises as above described with the hereditaments and appurtenances, unto the said  
 party of the second part, and to its successors and assigns FOREVER.

And the said Lester Schimelpfenig and Freada Schimelpfenig, his wife

for themselves and their heirs, executors and administrators, do covenant, grant, bargain and agree to and with  
 the said party of the second part, its successors and assigns, that at the time of the ensembling and delivery of these presents  
 they are well seized of the premises above described, as of a good, sure, perfect, absolute and indefeasible estate  
 of inheritance in the law, in fee simple, and that the same are free and clear from all incumbrances whatever, excepting  
 easements and restrictions of record

and that the above bargained premises in the quiet and peaceful possession of the said party of the second part, its successors  
 and assigns against all and every person or persons lawfully claiming the whole or any part thereof, they  
 will forever WARRANT AND DEFEND.

In Witness Whereof, the said part 1ES. of the first part have hereunto set their hand and seal  
 this 25th day of October, A. D. 1974

SIGNED AND SEALED IN PRESENCE OF

Lester Schimelpfenig (SEAL)  
 Lester Schimelpfenig  
 Freada Schimelpfenig (SEAL)  
 Freada Schimelpfenig

State of Wisconsin,  
 County of Waushara } ss.

Personally came before me, this 25th day of October, A. D. 1974,  
 the above named Lester Schimelpfenig and Freada Schimelpfenig, his wife

to me known to be the person who executed the foregoing instrument and acknowledged the same

THIS INSTRUMENT WAS DRAFTED BY

NOTARY SEAL

Attorney Howard E. Dutcher


Howard E. Dutcher  
 Notary Public, Waushara County, Wis.  
 My Commission Expires (is) permanent

(Description Continued)  
 described in Volume 136 of Records, page 241, Waushara County Registry,  
 154.14 feet, thence south 56° 51' 23" East along the southerly line of  
 said lands described in Vol. 136 of Records page 241 a distance of 379.61  
 feet, thence south 00° 50' 04" East along a line which is 115.50 feet west  
 of and parallel to the east line of said NE 1/4 a distance of 752.06 feet  
 to the point of beginning and containing 30.00 acres of land more or less.  
 END OF DESCRIPTION.


Fee Exempt: Section 77.25 (2)

"Exhibit B"

FOR 1998 CSM 3573 8-211-210 & 220  
 FOR 2001 8-212-110, 291-212-100, 200 & 300 (ANNEXATION)  
 FOR 2003 8-211-211, 212 & 221  
 FOR 2004 291-212-110 & 120  
 FOR 2005 CSM 5153



MARCH 2004  
 THIS MAP IS NOT A SURVEY OF  
 THE PARCELS. IT IS COMPILED  
 FROM AVAILABLE PUBLIC RECORDS  
 AND MAY NOT REPRESENT CURRENT  
 CONDITIONS



NE1/4 SECTION 2 T18N R10E  
 TOWN OF DAKOTA  
 & CITY OF WAUTOMA

**Waushara County Highway Department**


WDNR BRRTS# 03-70-000429

Waushara County Parcel ID No. :  
8002110100

**METCO**

Environmental Consulting, Fuel System Design, Installation and Service  
2956 Airport Road – La Crosse, WI 54603 608-781-8879

TOPO! map printed on 05/27/04 from "Wisconsin.tpo" and "Untitled.tpg"



TN  
MN  
2°


0 5 1 MILE  
0 1000 FEET 0 500 1000 METERS  
Printed from TOPO! ©2001 National Geographic Holdings (www.topo.com)

FIGURE 1 SITE LOCATION MAP
WAUSHARA COUNTY HIGHWAY DEPARTMENT – WAUTOMA, WI
WISCONSIN SEAMLESS USGS TOPOGRAPHIC MAPS – ON CD-ROM


**METCO**  
Environmental Consulting, Fuel System Design, Installation and Service  
2956 Airport Road – La Crosse, WI 54603 608-781-8879

C:\RAD08\151357\CP4\F1524.DGN Feb. 27. 1997 09:38:12

SANITARY  
CLEANOUTS



APPROXIMATE LIMIT OF 8/4/90  
REMEDIAL EXCAVATION



LEGEND	
	GROUNDWATER MONITORING WELL
	GROUNDWATER RECOVERY WELL
	POTABLE WATER WELL
	VAPOR EXTRACTION WELL
	VAPOR MONITORING POINT
	FENCE

**RUST** ENVIRONMENT &  
INFRASTRUCTURE

FIGURE 2-1  
SITE PLAN  
WAUSHARA COUNTY HIGHWAY DEPARTMENT  
WAUTOMA, WISCONSIN

TABLE 2  
GROUNDWATER SAMPLE ANALYTICAL RESULTS  
WAUSHARA COUNTY HIGHWAY DEPARTMENT GARAGE  
WAUTOMA, WISCONSIN

	MW-2				MW-2 (Duplicate)	MW-3				MW-3 (Duplicate)		MW-4				MW-5			MW-6				Facility Well
	10/03/96	05/14/98	10/23/01	07/23/02	05/14/98	10/03/96	05/14/98	10/23/01	07/23/02	10/23/01	07/23/02	10/03/96	05/14/98	10/23/01	07/23/02	05/14/98	10/23/01	07/23/02	10/03/96	05/14/98	10/23/01	07/23/02	10/03/96
	14.000	11.000	12.190 <sup>DR</sup>	22.600 <sup>(CHL, DI)</sup>	4.300	<130	--	349 <sup>DR, DS</sup>	360 <sup>(CHL, DI, DS)</sup>	261 <sup>(DS, DS)</sup>	1,070 <sup>(CHL, DI, DS)</sup>	120	800	--	--	--	--	<120	--	--	--	--	<100
Benzene	3.7	4.8	1.69	0.676 <sup>1</sup>	4.5	<0.6	<0.27	<0.16	<0.31	<0.16	<0.31	<0.6	<0.27	<0.16	<0.31	<0.27	<0.16	<0.31	<0.6	<0.27	<0.16	<0.31	<0.6
Toluene	9.6	11	3.44	4.58	8.9	<1.0	<0.32	<0.5	<1.5	<0.5	<0.5	<1.0	<0.32	<0.5	<0.5	<0.32	<0.5	<0.5	<1.0	<0.32	<0.5	<0.5	<1.0
Xylenes	<1.0	<0.32	<0.3	<0.3	<0.32	<1.0	<0.32	<0.3	<0.3	0.357 <sup>1</sup>	<0.3	<1.0	<0.32	<0.3	<0.3	<0.32	<0.3	<0.3	<1.0	<0.32	<0.3	<0.3	<1.0
1,2-Dichloroethane	210	110	161	57.9	160	<1.0	<0.35	<0.8	<0.8	<0.8	<0.8	<1.0	<0.35	<0.8	<0.8	<0.35	<0.8	<0.8	<1.0	<0.35	<0.8	<0.8	<1.0
1,1-Dichloroethane	1.3	0.85 <sup>1</sup>	1.18	0.736 <sup>1</sup>	0.89	<1.0	<0.27	<0.4	<0.3	<0.4	<0.3	<1.0	<0.27	<0.4	<0.3	<0.27	<0.4	<0.3	<1.0	<0.27	<0.4	<0.3	<1.0
1,1,1-Trichloroethane	71	46	16.1	10.8	82	<1.0	<0.27	<0.4	<0.4	<0.4	<0.3	<1.0	<0.27	<0.4	<0.3	<0.27	<0.4	<0.3	<1.0	<0.27	<0.4	<0.3	<1.0
1,1,2-Trichloroethane	45	30	11.3	9.54	42	<1.0	<0.22	<0.17	<0.31	<0.17	<0.31	<1.0	<0.22	<0.17	<0.31	0.42 <sup>1</sup>	<0.4	<0.4	<1.0	<0.27	<0.4	<0.4	<1.0
1,2-Dichloroethane	49	71	22.28	13.49	47	<2.0	<0.67	<0.57	<0.92	<0.57	<0.92	<2.0	<0.67	<0.57	<0.92	<0.67	0.681 <sup>1</sup>	<0.92	<2.0	<0.67	<0.57	<0.92	
1,1,1,2-Tetrachloroethane	53	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1,1,2,2-Tetrachloroethane	73	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1,1,1-Trichloroethane	68	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1,1,2-Trichloroethane	49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1,2-Dichloroethane	221	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

From: Groundwater Monitoring Report  
July 2, 2003  
Earltech

1: Chapter NR 140

1: or #2 diesel, jet fuel, kerosene, aged or degraded diesel, etc.)  
2: contain petroleum product  
3: outside the DRO window.

4: bias Sample results may also be biased high.

TABLE 1-SUMMARY OF FIELD AND LABORATORY ANALYSIS

ID	Time Sampled	Depth	Soil Texture	Soil Color	Soil Odor	Location	Time Analyzed	PID (ppm)	TPH as Diesel
	6/4/90								
S1	0800	2	sandy bf	mixed	medium	south end FI#1	0850	40	320
S2	0805	2	sandy bf	mixed	none	north end FI#1	0851	2	
S3	0825	3	sandy bf	light brown	none	west end UST#1	0940	2	
S4	0910	2	sandy bf	light brown	none	middle UST#2	0940	2	
S5	0920	3	sandy bf	light brown	none	middle UST#1	1015	2	
S6	0935	3	sandy bf	light brown	none	west end UST#2	1015	2	
S7	0955	8	sandy bf	pinkish gray	none	west end UST#1	1035	1	
S8	1045	12	sandy bf	pinkish gray	none	west between USTs	1157	2	
S9	1115	2	sandy bf	pinkish gray	none	east end UST#2	1158	2	
S10	1120	2	sandy bf	pinkish gray	none	east end UST#1	1159	1	
S11	1240	15	sandstone	pinkish white	none	west end UST#1	1350	2	ND
S12	1305	15	sandstone	pinkish white	none	middle UST#1	1350	2	ND
S13	1310	15	sandstone	pinkish gray	none	east end UST#1	1350	1	ND
S14	1325	4	sandy bf	pinkish gray	slight	west end UST#2	1355	16	
S15	1330	8	sandy bf	pinkish gray	slight	west end UST#2	1400	3	
S16	1335	12	sandy bf	pinkish gray	slight	west end UST#2	1401	2	
S17	1340	14	sandy bf	pinkish gray	slight	west end UST#2	1420	2	
S18	1415	15	sandstone	pinkish white	none	west end UST#2	1450	3	ND
S19	1416	15	sandstone	pinkish white	none	middle UST#2	1451	2	ND
S20	1420	15	sandstone	pinkish white	none	east end UST#2	1452	3	ND
S21	1501	2	loamy sand	dark brown	none	north end FI#2	0700	1	ND
S22	1502	2	loamy sand	dark brown	none	north end FI#1	0700	2	ND
S23	1519	6	sandstone	pinkish white	slight	south end FI#1	0704	3	ND
S24	1520	6	sandstone	pinkish gray	slight	south end FI#1	0710	-	
S25	1521	6	sandstone	light brown	slight	north end FI#1	0710	30	
	6/5/90								
S26	0745	10	sandstone	pinkish white	slight	north end FI#1	0815	5	
S27	0800	12	sandstone	pinkish white	strong	north end FI#1	0820	90	
S28	0822	15	sandstone	pinkish white	medium	south end FI#1	0840	30	
S29	0940	17	sandstone	pinkish white	slight	south end FI#1	1010	25	
S30	1020	18	sandstone	pinkish white	slight	south end FI#1	1100	30	
S31	1025	19	sandstone	pinkish white	slight	south end FI#1	1100	5	
S32	1050	19	sandstone	pinkish white	slight	south end FI#1	1135	20	
S33	1050	20	sandstone	pinkish white	none	south end FI#1	1135	1	
S34	1120	4	loamy sand	black	none	south end FI#1	1120	1	
S35	1121	3	loamy sand	black	none	south end FI#1	1121	2	
S36	1130	20	sandstone	pinkish white	none	south end FI#1	1246	1	
1000	1135	8	sandstone	pinkish gray	medium	stockpile	1247	35	870
S37	1300	3	loamy sand	black	none	stockpile	1345	1	
S38	1305	17	sandstone	pinkish white	slight	stockpile	1345	30	
S39	1335	20	gravel	light brown	none	south end FI#1	1405	1	
	6/6/90								
S40	0830	17	gravel	light brown	medium	south end FI#1	0925	5	
S41	0835	20	sandstone	pinkish white	medium	south end FI#1	0925	45	
S42	0836	20	sandstone	pinkish white	medium	south end FI#1	0926	60	

Note:

bf = backfill

FI = fuel island

ND = not detected

UST = underground storage tank

ppm = parts per million

From UST Closure and Impact Assessment

July 3, 1990

AS-1000-3-000001-00

Table 1 - Summary of Laboratory and Field Soil Analyses, Waushara County Highway Department, Wautoma, Wisconsin

ID	Depth (feet)	PID Headspace Analysis			Laboratory Analysis			Sample Odor	Sample Description	Approximate Sample Location
		Time Collected	Time Analyzed	PID Response (ppm)	TPH as gasoline (ppm)	TPH as diesel (ppm)	BETX (ppb)			
03/25/91										
S1	4-6	1255	1434	3				none	yellowish brown sand	Borehole B1
S2	9-11	1302	1434	0				none	yellowish brown sand	Borehole B1
S3	14-16	1312	1435	0				none	yellowish brown sand	Borehole B1
S4	19-21	1320	1436	0				none	yellowish brown sand	Borehole B1
S5	24-26	1324	1436	0				none	yellowish brown sand	Borehole B1
S6	29-31	1332	1437	0	ND	ND	ND	none	yellowish brown sand	Borehole B1
03/25/91										
S1	4-6	1509	1738	1				none	brownish yellow silty sand	Borehole B2
S2	9-11	1516	1739	1				none	brownish yellow sand	Borehole B2
S3	13-15	1524	1740	1				none	brownish yellow sand	Borehole B2
S4	19-21	1533	1741	3				none	yellowish brown sand	Borehole B2
S5	24-26	1538	1742	282	110	270	6100(X)	strong	yellowish brown sand	Borehole B2
S6	29-31	1547	1743	229				strong	yellowish brown sand	Borehole B2
S7	34-36	1609	1744	54	ND	ND	8(X)	strong	yellowish brown sand	Borehole B2
03/26/91										
S1	4-6	0845	0930	1				none	yellowish brown sand	Borehole B3
S2	9-11	0853	0931	1				none	yellowish brown sand	Borehole B3
S3	14-16	0903	0940	1				none	pink sand	Borehole B3
S4	19-21	0914	0950	1				none	pink sand	Borehole B3
S5	24-26	0922	0955	1				none	pink sand	Borehole B3
S6	29-31	0931	1005	1	ND	ND	ND	none	pink sand	Borehole B3
S7	34-36	0940	1010	1				none	pink sand	Borehole B3
03/26/91										
S1	4-6	1203	1400	1				none	yellowish brown sand	Borehole B4
S2	9-11	1210	1401	1				none	yellowish brown sand	Borehole B4
S3	14-16	1216	1402	1				none	pink sand	Borehole B4
S4	19-21	1224	1403	1				none	pink sand	Borehole B4
S5	24-26	1320	1404	1				none	pink sand	Borehole B4
S6	29-31	1345	1430	1	ND	ND	ND	none	pink sand	Borehole B4
S7	34-36	1400	1431	1				none	pink sand	Borehole B4
06/10/91										
S1	4-6	1100	1230	0.0				none	yellowish brown sand	Borehole B5
S2	9-11	1110	1231	0.0				none	pink sand	Borehole B5
S3	14-16	1118	1232	0.0	ND	ND	ND	none	pink sand	Borehole B5
S4	19-21	1125	1233	0.0				none	pink sand	Borehole B5
S5	24-26	1137	1234	0.0	ND	ND	ND	none	pink sand	Borehole B5
S6	29-31	1142	1235	0.0				none	pink sand	Borehole B5

NOTE

ID = sample identification  
PID = photoionization detector

ppm = parts per million  
BETX = benzene, ethylbenzene, toluene and total xylenes

Northern Environmental, July 1, 1991  
Taken from: Assessment of Soil Impacts Resulting from  
Petroleum Release, Waushara County Highway  
Department, Highway 21 East, Wautoma,  
Wisconsin

Table 1 - Summary of Laboratory and Field Analyses, Waushara County Highway Department, Wautoma, Wisconsin (WCH230651)

PID Headspace Analysis					Results of Laboratory Analysis							
ID	Depth (feet)	Time Collected	Time Analyzed	PID	GRO	DRO	MTBE	VOC's	PAH's	Sample Odor	Sample Description	Sample Location
S1	3-5	1100	1145	0	---	---	---	---	---	None	Yellowish brown sand	Borehole B6
S2	6-8	1105	1145	0	---	---	---	---	---	None	Yellowish brown sand	Borehole B6
S3	9-11	1109	1146	0	---	---	---	---	---	None	Pinkish white sand	Borehole B6
S4	12-14	1115	1146	0	ND	ND	ND	ND	ND	None	Pinkish white sand	Borehole B6
S5	15-17	1119	1147	0	---	---	---	---	---	None	Pinkish white sand	Borehole B6
S6	18-20	1123	1148	0	---	---	---	---	---	None	Pinkish white sand	Borehole B6
S7	21-23	1129	1148	0	---	---	---	---	---	None	Pinkish white sand	Borehole B6
S8	24-26	1137	1153	0	ND	ND	ND	ND	ND	None	Pinkish white sand	Borehole B6
S9	31-33	1144	1200	0	---	---	---	---	---	None	Pinkish white sand	Borehole B6
04/20/93												
S1	3-5	1347	1430	0.4	---	---	---	---	---	None	Black silty sand	Borehole RW1
S2	6-8	1355	1431	1	---	---	---	---	---	None	Brown silty sand	Borehole RW1
S3	9-11	1600	1645	1	---	---	---	---	---	None	Reddish brown silty sand	Borehole RW1
S4	12-14	1610	1646	1	ND	ND	ND	ND	ND	None	Reddish brown sand	Borehole RW1
S5	15-17	1609	1647	1	---	---	---	---	---	None	Reddish brown sand	Borehole RW1
S6	18-20	1619	1648	1	---	---	---	---	---	None	Reddish brown sand	Borehole RW1
S7	21-23	1634	1715	1	---	---	---	---	---	None	Pinkish white sand	Borehole RW1
S8	25-27	1646	1716	107	420	7100	ND	*	*	Fuel oil	Dark brown sand	Borehole RW1
S9	30-32	1700	1717	18	---	---	---	---	---	slight fuel oil	Pinkish white sand	Borehole RW1
S10	35-37	1716	1800	7	---	---	---	---	---	none	Pinkish white sand	Borehole RW1

Note:

PID = Photoionization detector  
 GRO = Gas Range Organics  
 DRO = Diesel Range Organics  
 MTBE = Methyl tert butyl ether  
 VOC = Volatile Organic Compounds

PAH = Polynuclear aromatic hydrocarbons  
 \* = see laboratory data sheet 0651-RW1-58

Taken from: Northern Environmental, July 20, 1993.  
 Status Report: Waushara County  
 Highway Department, Wautoma,  
 Wisconsin, LUST Unique ID#  
 70-00429

B = BENZENE  
 E = ETHYLBENZENE  
 MTBE = METHYL T-BUTYL ETHER  
 N = NAPHTHALENE  
 T = TOLUENE  
 TMB = TRIMETHYLBENZENE  
 X = XYLENE

CONTAMINANT CONCENTRATIONS  
 ARE PRESENTED IN PARTS PER  
 BILLION (PPB)

*ITALICS* = PAL EXCEEDANCE  
**BOLD** = ES EXCEEDANCE

REFERENCE FILE C:\USERS\G\c\work\projects\29884\gro\es51.p.dgn  
 LEVELS = 1-63

USERS\G\c\work\projects\29884\gro\FIG2.pri  
 DATE PLOTTED: Nov 7 08:24:29 2003

SANITARY  
 SEWER  
 CLEANOUTS

OFFICE

240 VOLT  
 3 PHASE

APPROXIMATE LIMIT OF 8/4/90  
 REMEDIAL EXCAVATION

MW-3  
 (74.74)  
 MW-3  
 <0.31 B  
 <0.5 E  
 <0.3 MTBE  
 <0.8 N  
 <0.3 T  
 <0.71 TMB'S  
 <0.92 X


MW-4  
 (74.74)  
 MW-4  
 <0.31 B  
 <0.5 E  
 <0.3 MTBE  
 <0.8 N  
 <0.3 T  
 <0.71 TMB'S  
 <0.92 X

MW-2  
 0.676 B  
 4.58 E  
 <0.3 MTBE  
 57.9 N  
 0.736 T  
 19.34 TMB'S  
 13.49 X

MW-2 (74.87)

VP-2  
 VEW  
 RW-1  
 VP-3

MW-6  
 (74.77)  
 MW-6  
 <0.31 B  
 <0.5 E  
 <0.3 MTBE  
 <0.8 N  
 <0.3 T  
 <0.71 TMB'S  
 <0.92 X



**LEGEND**

- GROUNDWATER MONITORING WELL
- GROUNDWATER RECOVERY WELL
- POTABLE WATER WELL
- VAPOR EXTRACTION WELL
- VAPOR MONITORING POINT
- FENCE
- (74.87) WATER TABLE ELEVATION (FEET BASED ON SITE DATUM)
- 74.80- WATER TABLE CONTOUR
- APPARENT GROUNDWATER FLOW DIRECTION



**GROUNDWATER SAMPLE  
 LOCATION MAP**

JULY 23, 2002  
 WAUSHARA COUNTY HIGHWAY DEPARTMENT  
 MAY 2003 WAUTOMA, WISCONSIN 29884

**TABLE 1**  
**WELL CONSTRUCTION DATA AND GROUNDWATER ELEVATIONS**  
**WAUSHARA COUNTY HIGHWAY DEPARTMENT GARAGE**  
**WAUTOMA, WISCONSIN**

Well No.	Date Installed	Top of Casing Elevation (fsd)	Well Depth (ft)	Depth of Screened Interval (ft)	Date	Depth to Water (ft)	Groundwater Elevation (fsd)
MW-2	3/25/91	98.92	34.5	24.5 - 34.5	10/3/96	25.66	73.26
					5/14/98	26.25	72.67
					10/23/01	25.85	73.07
					7/23/02	24.05	74.87
MW-3	3/26/91	101.36	34.5	24.5 - 34.5	10/3/96	28.26	73.10
					5/14/98	28.82	72.54
					10/23/01	28.39	72.97
					7/23/02	26.62	74.74
MW-4	3/26/91	101.60	34.5	24.5 - 34.5	10/3/96	28.51	73.09
					5/14/98	29.11	72.49
					10/23/01	28.66	72.94
					7/23/02	26.86	74.74
MW-5	6/10/91	--	31	21 - 31	--	--	--
					5/14/98	25.19	--
					10/23/01	24.78	--
					7/23/02	23.07	--
MW-6	4/20/93	99.58	33	23 - 33	10/3/96	26.43	73.15
					5/14/98	27.03	72.55
					10/23/01	26.59	72.99
					7/23/02	24.81	74.77

Notes:


-- = Not Measured  
 fsd = Feet Site Datum

1. Depth to water measured from top of casing.
2. Well depths and depths of screened intervals measured from ground surface.
3. Top of casing elevations resurveyed on October 3, 1996 by Earth Tech personnel.

*From Groundwater Monitoring Report  
 July 2, 2003  
 L.C. [unclear]*

REFERENCE FILE C:\usstas0\data\work\projects\29884\gra\es511b.dgn  
 Levels: 1-63

C:\usstas0\data\work\projects\29884\gra\FIG2.dwg  
 Date: Wed May 7 08:14:29 2003



**LEGEND**

- GROUNDWATER MONITORING WELL
- GROUNDWATER RECOVERY WELL
- POTABLE WATER WELL
- VAPOR EXTRACTION WELL
- VAPOR MONITORING POINT
- FENCE

(74.87) WATER TABLE ELEVATION (FEET BASED ON SITE DATUM)  
 -74.80- WATER TABLE CONTOUR  
 - - - APPARENT GROUNDWATER FLOW DIRECTION



**FIGURE 2**  
**WATER TABLE CONTOUR MAP**  
 JULY 23, 2002  
 WAUSHARA COUNTY HIGHWAY DEPARTMENT  
 WAUTOMA, WISCONSIN 29884  
 MAY 2003

C:\vaccd\161357\VEPA\F162A.DGN Feb. 27, 1997 09:58:12

SANITARY CLEANOUTS

OFFICE

240 VOLT  
3 PHASE

APPROXIMATE LIMIT OF 8/4/90  
REMEDIAL EXCAVATION

MW-3

VP-1

VEW

MW-2

RW-1

VP-3

AREA OF SOIL CONTAMINATION  
EXCEEDING NR720 SOIL CLEANUP  
STANDARDS


BUILDING

SANITARY  
SEWER

MW-4

VP-1

MW-6



**LEGEND**

- GROUNDWATER MONITORING WELL
- GROUNDWATER RECOVERY WELL
- POTABLE WATER WELL
- VAPOR EXTRACTION WELL
- VAPOR MONITORING POINT
- FENCE

**RUST** ENVIRONMENT &  
INFRASTRUCTURE

**SOIL CONTAMINATION MAP**  
WAUSHARA COUNTY HIGHWAY DEPARTMENT  
WAUTOMA, WISCONSIN

WDNR BRRTS Case #: 03-70-000429

WDNR Site Name: Waushara County Highway Department

**Geographic Information System (GIS) Registry of Closed Remediation Sites**

In compliance with the revisions to the NR 700 rule series requiring certain closed sites to be listed on the Geographic Information System (GIS) Registry of Closed Remediation Sites (Registry) effective Nov., 2001, I have provided the following information.

To the best of my knowledge the legal descriptions provided and attached to this statement are complete and accurate.

Responsible Party: Thomas A. Dahlke Hwy. Commissioner  
(print name/title)

Thomas A. Dahlke 5-28-04  
(signature) (date)

**METCO**

Environmental Consulting, Fuel System Design, Installation and Service  
2956 Airport Road – La Crosse, WI 54603 608-781-8879

420344<sup>①</sup>

Document Number

DEED RESTRICTION

VOL 721 PAGE 848<sup>②</sup>

VOL 721 PAGE 261<sup>①</sup>

Declaration of Restrictions

In Re: The property described on attached deeds --Exhibit A Doc. No. 291322, Book 378, Page 576 and Exhibit B Doc. No. 221908, Book 216, Page 516), all located in Waushara County.

STATE OF WISCONSIN

COUNTY OF Waushara

WHEREAS, Waushara County, a Wisconsin Municipal Corporation is the owner of the above-described property.

WHEREAS, one or more gasoline and diesel discharges have occurred on this property, and as of March 1991 when soil samples were collected on this property, gasoline and diesel-contaminated soil remained on this property at the following location: Monitoring well 2 (MW-2), also called Borehole 2 (B-2), with 130 parts per billion (ppb) of Benzene, 130 ppb of Toluene, 130 ppb of Ethylbenzene, and 6100 ppb of Xylene. See Exhibit C that is attached and part of this restriction for location of MW-2.

WHEREAS, it is the desire and intention of the property owner to impose on the property restrictions which will make it unnecessary to conduct further soil remediation activities on the property at the present time.

NOW THEREFORE, the owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitation and restrictions:

The paved surfaces and the building foundation that existed on the above-described property on the date that this restriction was signed form a barrier that must be maintained in order to prevent direct contact with residual soil contamination that might otherwise pose a threat to human health. These structures are also required in order to minimize the infiltration of water and prevent additional groundwater contamination that would violate the groundwater quality standards in ch. NR 140, Wis. Adm. Code. The paved surfaces and the building foundation shall be maintained on the above-described property in the locations shown on the attached map, labeled Exhibit C unless another barrier, with an infiltration rate of 10<sup>-7</sup> cm/sec or less, is installed and maintained in their place. The existing structures, and any replacement barrier with an infiltration rate of 10<sup>-7</sup> cm/sec or less, shall be maintained on the above-described property in compliance with the "Maintenance Plan for the Asphalt Cover" dated August 24, 2004, that was submitted to the Wisconsin Department of Natural Resources by METCO and Waushara County, as required by section NR 724.13(2), Wis. Adm. Code (1999). This maintenance plan is attached as Exhibit D and made a part of this deed restriction.

WAUSHARA COUNTY RECORDER  
Received for record this  
3rd day of September  
2004 at 09:30AM  
and recorded in volume  
of records Page 261 - 265  
Document Number 420344



Recorder of Deeds

Recording Area

Name and Return Address

8002110100

Parcel Identification Number

In addition, the following activities are prohibited on any portion of the above-described property where an impervious cap has been placed or where impervious surfaces exist, unless prior written approval has been obtained from the Wisconsin Department of Natural Resources or its successor or assign: (1) Excavating or grading of the land surface; (2) Filling on capped areas and areas with impervious surfaces; (3) Plowing for agricultural cultivation; and (4) Construction or installation of a building or other structure with a foundation that would sit on or be placed within the cap or impervious surface.

This restriction is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring the above-described property whether by descent, devise, purchase or otherwise. This restriction inures to the benefit of and is enforceable by the Wisconsin Department of Natural Resources, its successors or assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that one or more of the restrictions set forth in this covenant is no longer required. Upon the receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein can be extinguished. If the Department determines that the restrictions can be extinguished, an affidavit, attached to a copy of the Department's written determination, may be recorded by the property owner or other interested party to give notice that this deed restriction, or portions of this deed restriction, are no longer binding.

By signing this document, John Benz asserts that he or she is duly authorized to sign this document on behalf of Waushara County.

IN WITNESS WHEREOF, the owner of the property has executed this Declaration of Restrictions, this 3 day of September, 2004.

Signature: John Benz

Printed Name: John Benz

Title: County Clerk

JOHN C. BENZ  
WAUSHARA COUNTY CLERK

Subscribed and sworn to before me this 3<sup>rd</sup> day of September, 2004.


Melanie R. Stake

Notary Public, State of Wisconsin  
My commission Permanent

This document was drafted by the Department of Natural Resources based on the information provided by METCO and the Waushara County Highway Department.

C:\PROJECTS\STUDY\ENVIRONMENTAL\004\004.DWG FEB. 27, 1997 09:38:12

# "Exhibit C"



LEGEND	
	GROUNDWATER MONITORING WELL
	GROUNDWATER RECOVERY WELL
	POTABLE WATER WELL
	VAPOR EXTRACTION WELL
	VAPOR MONITORING POINT
	FENCE

**Maintenance Plan for the Asphalt Cover****Waushara County Highway Department  
W7705 State Road 21/73 Wautoma, Wisconsin**

In order to maintain the integrity of the asphalt cover in Area A of the above referenced property, a long term maintenance program will be implemented in this area by the Waushara County Highway Department.

- This plan will be held on file by the Waushara County Highway Department and be utilized for all subsequent activities relating to breaching the asphalt cover and/or underlying material at the site.
- A contractual agreement between the Waushara County Highway Department and any subsequent property owner, tenants, or lessces will be drawn which will stipulate that any and all activities requiring disturbance of the asphalt cap will be conducted in accordance with the Wisconsin Department of Natural Resources (WDNR) approved soil management plan.

**Implementation of the maintenance plan will consist of the following tasks:****INSPECTION/MAINTENANCE**

- Conduct yearly inspections of the area to identify development of low spots, cracks, or holes in the asphalt cover in Area A.

**RESTORATION**

- Repave or patch any pavement in Area A where it has broken or crumbled and could allow leaching of contaminants to groundwater.

**DOCUMENTATION/REPORTS**

- Maintain yearly inspection reports consisting of the yearly maintenance checklists, action items, and type, location, and date of implemented action.
- If requested, copies of the yearly inspection reports and corrective actions will be submitted to the WDNR.

Sign: \_\_\_\_\_

*Thomas A. Dehlke*

Date: \_\_\_\_\_

*8-24-04*