

GIS REGISTRY INFORMATION

SITE NAME: BARNEY'S WRECKER SERVICE

BRRTS #: 02-71-269291 **FID # (if appropriate):** _____

COMMERCE # (if appropriate): _____

CLOSURE DATE: 01/08/2007

STREET ADDRESS: 2110 JACKSON STREET

CITY: OSHKOSH

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 636802 Y= 397708

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter or denial letter issued X
- Copy of any maintenance plan referenced in the final closure letter. NA
- Copy of (soil or land use) deed notice *if any required as a condition of closure* NA
- Copy of most recent deed, including legal description, for all affected properties X
- Certified survey map or relevant portion of the recorded plat map (*if referenced in the legal description*) for all affected properties NA
- County Parcel ID number, *if used for county*, for all affected properties #91518980000 X
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site. X
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs. X
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching) X
- Tables of Latest Soil Analytical Results (no shading or cross-hatching) NA
- Isoconcentration map(s), *if required for site investigation (SI)* (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map. X
- GW: Table of water level elevations, with sampling dates, and free product noted if present X
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees) X
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour NA
- Geologic cross-sections, *if required for SI*. (8.5x14" if paper copy) X
- RP certified statement that legal descriptions are complete and accurate X
- Copies of off-source notification letters (if applicable) NA
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW) NA



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Ronald W. Kazmierczak, Regional Director

Oshkosh Service Center
625 E. CTY Y, Suite 700
Oshkosh, Wisconsin 54901-9731
Telephone 920-424-3050
FAX 920-424-4404

January 8, 2007

Barney's Wrecker Service
David Albrecht
2110 Jackson St.
Oshkosh, WI 54901

SUBJECT: Final Case Closure
Barney's Wrecker Service, 2110 Jackson St., Oshkosh, WI
WDNR BRRTS Activity #: 02-71-269291

Dear Mr. Albrecht:

On June 19, 2006, the Northeast Regional Closure Committee reviewed your request for closure of the case described above. The Northeast Regional Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. On June 26, 2006, you were notified that the Closure Committee had granted conditional closure to this case.

Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. On January 8, 2007, your consultant provided the well abandonment forms. The Department considers this case closed and no further investigation or remediation is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. Since your property is listed on the GIS Registry because of remaining groundwater contamination, if in the future you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact me at 920-303-5424.

Sincerely,

A handwritten signature in black ink that reads "Casey L. Jones". The signature is written in a cursive style with a large initial 'C' and a long, sweeping underline.

Casey L. Jones
Hydrogeologist
Remediation & Redevelopment Program

cc: Scott McKittrick, Northern Environmental
Kathy Sylvester, WDNR Project Manager



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Ronald W. Kazmierczak, Regional Director

Oshkosh Service Center
625 E. CTY Y, Suite 700
Oshkosh, Wisconsin 54901-9731
Telephone 920-424-3050
FAX 920-424-4404

June 26, 2006

Barney's Wrecker Service
Dvid Albrecht
2110 Jackson Street
Oshkosh, WI 54901

Subject: Conditional Closure Decision With Requirements to Achieve Final Closure
Barney's Wrecker Service, 2110 Jackson St, Oshkosh, Wisconsin
WDNR BRRTS Activity # 02-71-269291

Dear Mr. Albrecht:

On June 19, 2006, the Northeast Regional Closure Committee reviewed your request for closure of the case described above. The Northeast Regional Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the chlorinated solvent contamination from an unknown source on the site appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

MONITORING WELL ABANDONMENT

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to Casey Jones on Form 3300-5B found at www.dnr.state.wi.us/org/water/dwg/gw/ or provided by the Department of Natural Resources.

PURGE WATER, WASTE AND SOIL PILE REMOVAL

Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Once that work is completed, please send appropriate documentation regarding the treatment or disposal of the remaining purge water, waste and/or soil piles.

When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit <http://maps.dnr.state.wi.us/brrts>.

\$ 50.00

FEE

THIS INDENTURE, Made by Ray W. Voelker and Ann Voelker, his wife; and Orville N. Clark and Rosalin Clark, his wife; individually and as co-partners, d/b/a Barney's Wrecker Service, grantor.s. of Winnebago County, Wisconsin, hereby conveys and warrants to David W. Albrecht and Gerald W. Clark, as tenants in common,

Register's Office
Winnebago County, Wis.
Received for record this 12th day of June A.D., 1970 at 9:20 o'clock a M. and recorded in Vol. 1275 of RECORDS on page 147
Bole Steinhaber
Register of Deeds

9971968
2.00
1/1

grantee.s. of Winnebago County, Wisconsin for the sum of One Dollar and other valuable consideration

RETURN TO GARY YAKES
Flanagan, Steinhaber & Conway, Attys.

the following tract of land in Winnebago County, Wisconsin:

That part of the North West 1/4 of the SOUTH WEST 1/4 of Section Twelve (12) Township Eighteen (18) North, of Range Sixteen (16) East, described as follows, viz:-

Commencing at the point of intersection of the East line of Jackson Street with the North line of Linwood Avenue, as shown on Map of the Plat of the Inter-Urban Land Company recorded in Winnebago County, Wisconsin, Registry in Volume 5 of Plats on Pages 60 and 61, thence east, along the North line of Linwood Avenue, to point of intersection with the West line of Block Five (5) in First Addition to Plat of the Inter-Urban Land Company, thence north, along the West line of said Block Five (5), One Hundred Fifty (150) feet, thence west, parallel with the North line of said Linwood Avenue, to the East line of said Jackson Street, thence south, along the East line of said Jackson Street, to the place of beginning, subject to rights granted by Easements recorded in Winnebago County, Wisconsin, Registry in Volume 633 on Pages 249 and 251.


In Witness Whereof, the said grantor.s. ha.VE. hereunto set their hand.s and seal.s this 11th day of June, A. D., 1970.

SIGNED AND SEALED IN PRESENCE OF
John E. Lenahan
Jack D. Steinhilber

Ray W. Voelker (SEAL)
Ray W. Voelker, individually and as a co-partner in "Barney's Wrecker Service"
Ann Voelker (SEAL)
Ann Voelker
Orville N. Clark (SEAL)
Orville N. Clark, individually and as a co-partner in "Barney's Wrecker Service"
Rosalin Clark (SEAL)
Rosalin Clark

State of Wisconsin, }
Winnebago County, } Personally came before me, this 11th day of June, A. D. 1970, the above named Ray W. Voelker, Ann Voelker, Orville N. Clark and Rosalin Clark,

to me known to be the person.s. who executed the foregoing instrument and acknowledged the same
VOL 1275 PAGE 147
THIS INSTRUMENT WAS DRAFTED BY: Jack D. Steinhilber
Notary Public, Winnebago County, Wis
My commission ~~EXPIRES~~ (is) permanent.



SCALE IN FEET
1" = 2000'



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929



QUADRANGLE LOCATION

BASE MAP SOURCE: USGS 7.5 MINUTE QUADRANGLE, OSHKOSH, WISCONSIN, 1992 (NATIONAL GEOGRAPHIC HOLDINGS, INC.)

Northern Environmental SM

Hydrologists • Engineers • Surveyors • Scientists
1203 Storbeck Drive, Waupun, Wisconsin 53983
Phone: 800-498-3921 Fax: 920-324-3023

WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA

This drawing and all information contained therein is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

**SITE LOCATION
& LOCAL TOPOGRAPHY**

BARNEY'S WRECKER SERVICE
2110 JACKSON ST.
OSHKOSH, WISCONSIN

DATE: 04/10/06

DRAWN BY: DDP


TASK NUMBER: XXX

PROJECT NUMBER: BWS08-2200-0514

FIGURE 1




JACKSON STREET



LEGEND

- MONITORING WELL LOCATION
- GEOPROBE LOCATION (05/29/01)
- SOIL TEST BORING (01/15/03)
- FORMER DISPENSER AREA
- FORMER PETROLEUM UST AREA
- UNDERGROUND NATURAL GAS LINE
- WATER AND SANITARY SEWER LINE
- FENCE
- UNDERGROUND FIBER-OPTIC
- OVERHEAD ELECTRIC

NOTES: MW100 THROUGH MW500 INSTALLED FOR LUST INVESTIGATION (09/16/99). MW600 AND MW700 INSTALLED FOR PCE INVESTIGATION (01/15/03)



Northern Environmental
 Hydrologists • Engineers • Surveyors • Scientists
 1203 Storbeck Drive, Waupun, Wisconsin 53963
 Phone: 800-498-3921 Fax: 920-324-3023

WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

DATE: 04/01/06 DRAWN BY: DDP TASK NUMBER: XXX

SITE LAYOUT WITH SOIL BORING AND MONITORING WELL LOCATIONS

BARNEY'S WRECKER SERVICE
 2110 JACKSON ST.
 OSHKOSH, WISCONSIN

PROJECT NUMBER: BWS08-2200-0514 FIGURE 2

Table 2: Groundwater Analytical Results, Barney's Wrecker Service, Oshkosh, Wisconsin

Well ID	Date Sampled	Benzene	sec-Butylbenzene	n-Butylbenzene	Ethylbenzene	Isopropylbenzene	1,4-Dichlorobenzene	Chlorobenzene	MTBE	Naphthalene	n-Propylbenzene	Tetrachloroethane	Toluene	Trichloroethene (TCE)	Total Trimethylbenzene	Total Xylenes	1,2-Dichlorobenzene	1,1-Dichloroethane	cis-1,2-Dichloroethane	p-Isopropyltoluene	Vinyl Chloride
		WDNR PAL (µg/l)	0.5	NE	NE	140	NE	15	NE	12	8	NE	0.5	200	0.5	96	1000	60	0.5	7	NE
WDNR ES (µg/l)	5	NE	NE	700	NE	75	NE	60	40	NE	5	1000	5	480	10000	600	5	70	NE	0.2	
MW-400	09/24/99	<0.32	<0.34	<0.23	<0.34	<0.34	<0.28	<0.31	0.9*J*	<0.88	<0.3	1.9	<0.35	<0.25	<0.64	<0.66	<0.29	<0.36	<0.32	<0.31	<0.15
	12/29/99	<0.32	<0.34	<0.23	<0.34	<0.34	<0.28	<0.41	<0.31	<0.88	<0.3	1.3	<0.35	<0.25	<0.64	<0.66	<0.29	<0.36	<0.32	<0.31	<0.15
	06/19/00	<0.10	<0.30	<0.40	<0.10	<0.10	<0.40	<0.30	<1.1	<0.70	<0.30	2.3	<0.10	<0.25	<0.30	<0.20	<0.30	<0.40	<0.40	<0.20	<0.40
	01/24/01	<0.40	—	—	<0.40	—	—	—	<0.40	—	—	—	<0.40	<0.25	<0.40	<0.70	—	—	—	—	—
	05/31/01	<0.25	<0.22	<0.29	<0.12	<0.15	<0.29	<0.21	<0.53	<0.68	<0.18	2.8	<0.22	<0.25	<0.24	<0.22	<0.25	<0.39	<1	<0.2	<0.23
	03/18/04	<0.29	<0.21	<0.39	<0.56	<0.19	<0.63	<0.22	<0.20	<0.60	<0.32	1.95*J*	<0.57	69*J*	<1.17	<1.74	<0.52	<0.29	<0.29	<0.30	<0.21
	07/14/04	<0.29	<0.21	<0.39	<0.56	<0.19	<0.63	<0.22	<0.2	<0.6	<0.32	2.8	<0.57	0.95	<1.17	<1.74	<0.52	<0.29	<0.29	<0.3	<0.21
	07/08/05	<0.26	<0.25	<0.61	<0.3	<0.19	<0.63	<0.22	<0.2	<0.6	<0.32	2.2	<0.52	1.1**J*	<1.05	<1.17	<0.64	<0.25	<0.27	<0.5	<0.16
	10/11/05	<0.26	<0.25	<0.61	<0.3	<0.19	<0.63	<0.22	<0.2	<0.6	<0.32	2.4	<0.52	1	<1.05	<1.17	<0.64	<0.25	<0.27	<0.5	<0.16
	MW-600	03/18/04	<0.29	<0.21	<0.39	<0.56	<0.19	<0.63	<0.22	0.3*J*	<0.60	<0.32	<0.7	<0.57	<0.27	<1.17	<1.74	<0.52	<0.29	<0.29	<0.30
07/14/04		<0.29	<0.21	<0.39	<0.56	<0.19	<0.63	<0.22	<0.20	<0.60	<0.32	<0.7	<0.57	<0.27	<1.17	<1.74	<0.52	<0.29	<0.29	<0.30	<0.21
07/08/05		<0.26	<0.25	<0.61	<0.3	<0.19	<0.63	<0.22	<0.2	<0.6	<0.32	<0.45	<0.52	<0.37	<1.05	<1.17	<0.64	<0.25	<0.27	<0.5	<0.16
10/11/05		<0.26	<0.25	<0.61	<0.3	<0.19	<0.63	<0.26	<0.36	<0.85	<0.56	<0.45	<0.52	<0.37	<1.05	<1.17	<0.64	<0.25	<0.27	<0.5	<0.16
MW-700	03/18/04	13	0.72	1.50	1.19*J*	1.60	0.77*J*	6.10	5.60	4.50	1.90	<0.7	1.06*J*	<0.27	8.90	3.37*J*	1.36*J*	6.70	1.30	0.48*J*	2.80
	07/14/04	15	0.57*J*	0.72*J*	2.40	1.60	1.23*J*	7.50	2.60	3.90	1.90	<0.7	0.94*J*	<0.27	4.55*J*	1.52*J*	2.10	2.3	0.65*J*	<0.3	1.9
	07/08/05	9	0.42*J*	<0.61	0.74*J*	0.72*J*	<0.69	5.30	5.30	<0.85	0.56	<0.45	<0.52	<0.37	1.10	<1.17	1*J*	2.0	0.48*J*	<0.5	2.1
	10/11/05	7	0.42*J*	<0.61	<0.3	0.69*J*	0.83*J*	4.30	3.40	<0.85	0.56	<0.45	<0.52	<0.37	<1.05	<1.17	1.18*J*	2.1	0.37*J*	<0.5	2.1
GP-200	05/31/01	<0.25	<0.22	<0.29	<0.12	<0.15	<0.29	<0.21	<0.53	<0.68	<0.18	<0.25	<0.22	<0.27	<0.24	<0.22	<0.25	<0.39	<1	<0.2	<0.23
GP-300	05/31/01	<0.25	<0.22	<0.29	<0.12	<0.15	<0.29	<0.21	0.7*J*	<0.68	<0.18	<0.25	0.32*J*	<0.27	<0.26	<0.22	<0.25	<0.39	<1	<0.2	<0.23
GP-400	05/31/01	44	0.81	1.4	0.4*J*	1.9	0.9*J*	5.4	5.9	21	2.9	<0.25	1.7	<0.27	50.2	30.3	2.3	1.7	1*J*	0.93	1.3


Note:

- MTBE = Methyl-Tertiary-Butyl-Ether
- µg/l = micrograms per liter
- WDNR = Wisconsin Department of Natural Resources
- PAL = Preventive Action Limit
- ES = Enforcement Standard
- NE = Not established by WDNR
- *J* = Analyte detected between Limit of Detection and Limit of Qualification

X	= WDNR Preventive Action Limit Exceeded
X	= WDNR Enforcement Standard Exceeded





JACKSON STREET



LEGEND

- MONITORING WELL LOCATION
- GEOPROBE LOCATION (05/29/01)
- SOIL TEST BORING (01/15/03)
- ES ENFORCEMENT STANDARD
- () MOST RECENT TETRACHLOROETHENE (PCE) CONCENTRATION IN $\mu\text{g/l}$
- [] MOST RECENT VINYL CHLORIDE CONCENTRATION IN $\mu\text{g/l}$
- NS NOT SAMPLED
- UNDERGROUND NATURAL GAS LINE
- WATER AND SANITARY SEWER LINE
- FENCE
- UNDERGROUND FIBER-OPTIC
- OVERHEAD ELECTRIC

NOTES: MW100 THROUGH MW500 INSTALLED FOR LUST INVESTIGATION (09/16/99). MW600 AND MW700 INSTALLED FOR PCE INVESTIGATION (01/15/03)



Northern Environmental
 Hydrologists • Engineers • Surveyors • Scientists
 1203 Storbeck Drive, Waupun, Wisconsin 53963
 Phone: 800-498-3921 Fax: 920-324-3023

WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA

GROUNDWATER PCE AND VINYL CHLORIDE DISTRIBUTION

BARNEY'S WRECKER SERVICE
 2110 JACKSON ST.
 OSHKOSH, WISCONSIN

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

DATE: 04/07/06 DRAWN BY: DDP TASK NUMBER: XXX PROJECT NUMBER: BWS08-2200-0314 FIGURE 3

Table 4 Groundwater Elevations, Barney's Wrecker Service, Oshkosh, Wisconsin

Well Number	Ground Elevation	Riser Elevation	Date	Depth to Water (feet below riser)	Water Elevation
MW100	757.81	757.44	03/18/04	NM	NM
			07/14/04	NM	NM
			07/08/05	NM	NM
			10/11/05	NM	NM
			01/10/06	4.20	753.24
MW200	759.3	758.76	03/18/04	NM	NM
			07/14/04	NM	NM
			07/08/05	NM	NM
			10/11/05	NM	NM
			01/10/06	3.44	755.32
MW300	758.43	758.22	03/18/04	NM	NM
			07/14/04	NM	NM
			07/08/05	NM	NM
			10/11/05	NM	NM
			01/10/06	CNL	-
MW400	758.58	758.28	03/18/04	4.08	754.20
			07/14/04	4.39	753.89
			07/08/05	5.52	752.76
			10/11/05	5.71	752.57
			01/10/06	4.89	753.39
MW500	758.41	757.91	03/18/04	NM	NM
			07/14/04	NM	NM
			07/08/05	NM	NM
			10/11/05	NM	NM
			01/10/06	3.48	754.43
MW600	757.44	756.87	03/18/04	4.47	752.40
			07/14/04	3.33	753.54
			07/08/05	4.32	752.55
			10/11/05	5.45	751.42
			01/10/06	4.80	752.07
MW700	759.35	758.76	03/18/04	7.05	749.82
			07/14/04	4.68	752.19
			07/08/05	5.31	751.56
			10/11/05	4.85	752.02
			01/10/06	3.64	753.23

Note:

CNL=Could not locate well.

Elevations referenced to an estimated mean sea level



NM=Not measured



LEGEND

-  MONITORING WELL LOCATION WITH GROUNDWATER ELEVATION (01/10/06)
-  GROUNDWATER FLOW DIRECTION
-  UNDERGROUND NATURAL GAS LINE
-  WATER AND SANITARY SEWER LINE
-  FENCE
-  UNDERGROUND FIBER-OPTIC
-  OVERHEAD ELECTRIC

JACKSON STREET



Northern Environmental
 Hydrologists • Engineers • Surveyors • Scientists
 1203 Storbeck Drive, Waupun, Wisconsin 53963
 Phone: 800-498-3921 Fax: 920-324-3023




WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

GROUNDWATER ELEVATIONS WITH FLOW DIRECTION (01/10/06)

BARNEY'S WRECKER SERVICE
 2110 JACKSON ST.
 OSHKOSH, WISCONSIN

DATE: 02/02/06	DRAWN BY: DDP	TASK NUMBER: XXX	PROJECT NUMBER: BW608-2200-0314	FIGURE 4
----------------	---------------	------------------	---------------------------------	----------



LEGEND

 SILTY CLAY (INTERMIXED WITH SAND / GRAVEL)

- (3.90) PCE CONCENTRATION IN $\mu\text{g/l}$ (10/11/05)
- [3.7] VINYL CHLORIDE CONCENTRATION IN $\mu\text{g/l}$ (10/11/05)
- [2.5] SOIL PCE CONCENTRATION IN $\mu\text{g/kg}$ (12/20/05)



Northern Environmental

Hydrologists • Engineers • Surveyors • Scientists
 1203 Storbeck Drive, Waupun, Wisconsin 53963
 Phone: 800-498-3921 Fax: 920-324-3023

WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA

GEOLOGIC CROSS-SECTION A-A'

BARNEY'S WRECKER SERVICE
 2110 JACKSON ST.
 OSHKOSH, WISCONSIN

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

DATE: 04/01/06	DRAWN BY: DDP	TASK NUMBER: XXX	PROJECT NUMBER: BWS08-2200-0514	FIGURE 5
----------------	---------------	------------------	---------------------------------	----------

**Barney's Wrecker Service
2110 Jackson Street
Oshkosh, Wisconsin**

BRRTS #02-71-269291

WMTM Coordinates: 636780, 397697

City of Oshkosh Parcel Number: 91518980000

Legal Description:

That part of the North West ¼ of the SOUTH WEST ¼ of Section Twelve (12) Township Eighteen (18) North, of Range Sixteen (16) East, described as follows, viz:-
Commencing at the point of intersection of the East line of Jackson Street with the North line of Linwood Avenue, as shown on Map of the Plat of the Inter-Urban Land Company recorded in Winnebago County, Wisconsin, Registry in Volume 5 of Plats on Pages 60 and 61, thence east, along the North line of Linwood Avenue, to point of intersection with the West line of Block Five (5) in First Addition to Plat of the Inter-Urban Land Company, thence north, along the West line of said Block Five (5), One Hundred Fifty (150) feet, thence west, parallel with the North line of said Linwood Avenue, to the East line of said Jackson Street, thence south, along the East line of said Jackson Street, to the place of beginning, subject to rights granted by Easements recorded in Winnebago County, Wisconsin, Registry in Volume 633 on Pages 249 and 251.

A copy of the most recent deed is attached for use by the WDNR.

Responsible Party Signed Statement

I certify that to the best of my knowledge the legal description included with this statement is accurate and this is the only property within the contaminated site boundary.



David Albrecht

3/29/06
Date