**State of Wisconsin | DEPARTMENT OF NATURAL RESOURCES**

Jim Doyle, Governor
Matthew J. Frank, Secretary
Ronald W. Kazmierczak, Regional Director

Oshkosh Service Center
625 East County Road Y
Suite 700
Oshkosh, Wisconsin 54901-9731
Telephone 920-424-3050
FAX 920-424-4404
TTY Access via relay - 711

October 30, 2007

Mr. Don Draxler
Oshkosh Truck Corporation
2307 Oregon Street
Oshkosh, WI 54903

**SUBJECT: Final Case Closure with Land Use Limitations or Conditions
OTC Defense Plant – USTs Area, 2737 Harrison, Oshkosh
WDNR BRRTS ID # 03-71-000593**

Dear Mr. Draxler:

On August 9, 2007, the Northeast Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases.

Based on the correspondence and the additional data provided on October 24, 2007, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which Oshkosh Truck Corporation and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. It is the Department's intent to conduct inspections in the future to ensure that the conditions included in this letter including compliance with referenced maintenance plans are met.

Pursuant to s. 292.12(2)(a), Wis. Stats., the **pavement, building foundation and/or soil cover** that currently exists in the location shown on the attached map shall be maintained in compliance with **the attached maintenance plan** in order to prevent direct contact with

residual soil contamination that might otherwise pose a threat to human health. If soil in the specific locations described above is excavated in the future, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

GIS Registry

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites for the following reasons:

- Remaining Residual Groundwater Contamination
- Remaining Residual Soil Contamination
- Cover or Barrier

Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Please note: The NER Closure Committee also assumes that any chlorinated solvent contamination present in the USTs area will be handled under a separate investigation.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact Kathy Sylvester at (920) 424-0399.

Sincerely,



Bruce G. Urban
Northeast Region Team Supervisor
Remediation & Redevelopment Program

cc: Case File – OSH

Andrew Mott, STS Consultants, 558 North Main Street, Oshkosh, WI 54901

Soil Barrier Summary and Maintenance Plan

In general accordance with s. NR 720.19 (2), the following is a description of the soil performance standard cover system proposed for the Oshkosh Truck Defense Plant - USTs site located at 2737 Harrison Street in Oshkosh, Winnebago County, Wisconsin.

Oshkosh Truck Corporation (Oshkosh Truck) currently maintains concrete and asphalt pavement and interior concrete floor slab on top and/or immediately adjacent to the locations on the site that were identified to contain soil concentrations of petroleum volatile organic compounds (PVOCs) in excess of the s. NR 746 Table 1 Soil Screening Levels (SSLs) and Table 2 Soil Contaminant Concentrations (SCCs), and groundwater concentrations of PVOCs in excess of the s. NR 140 Preventive Action Limits (PALs). Oshkosh Truck intends to maintain the outdoor pavement and building's interior concrete floors in this area, thereby preventing the potential for direct contact with soil exceeding the s. NR 746 SCCs and significantly reducing the potential for contaminant migration to groundwater via infiltration.

Based on available site information, the existing cover system is thought to be protective of public health, safety, welfare, and the environment due to the following:

- ◆ The source of PVOCs is likely related to gasoline and/or diesel USTs that were removed in the late 1980s. Although source area groundwater exceeds s. NR 140 PALs, the observed impacts have not migrated significantly, as suggested by soil and groundwater analytical data collected upgradient and sidegradient of the source area.
- ◆ The potential for further contaminant migration via infiltration is significantly reduced as long as the source area and surrounding areas remain paved.
- ◆ The direct contact pathway is irrelevant as long as the source area and surrounding areas remain paved.

As a condition of closure, the existing concrete floor of the building and asphalt lot have been identified as an institutional control to address remaining impacts to soil and groundwater located as indicated on Figures 4 and 5.

In accordance with Chapter NR 724.13(2), Wisconsin Administrative Code, Oshkosh Truck personnel will inspect the cap at least once annually in accordance with this maintenance plan.

The inspections will consist of visual observations to confirm the following:

- Pavement and building remains in the area of residual petroleum impacted soil and groundwater and is free from extensive cracking.
- No filling or digging has occurred.

Deficiencies in the cap will be sealed or repaired to maintain the cap integrity.

Records of inspection and maintenance activities will be maintained and held at Oshkosh Truck Corporation offices.

STATE BAR OF WISCONSIN FORM 6-2003
SPECIAL WARRANTY DEED

Document Number

1 355302

REGISTER'S OFFICE
WINNEBAGO COUNTY, WI
RECORDED ON

05/18/2005 01:08PM

JULIE PAGEL
REGISTER OF DEEDS

RECORDING FEE 13.00
TRANSFER FEE 16719.00
OF PAGES 2

This Deed, made between LEACH COMPANY, INC., a Wisconsin corporation
(successor to Leach Company, a Wisconsin corporation)

Grantor,
and OSHKOSH TRUCK CORPORATION, a Wisconsin corporation

Grantee.

Grantor, for a valuable consideration, conveys to Grantee the following described real estate, together with the rents, profits, fixtures and other appurtenant interests (the "Property"), in Winnebago County, State of Wisconsin (if more space is needed, please attach addendum):

See description of real estate set forth on Exhibit A attached hereto and hereby made a part hereof.

Recording Area

Name and Return Address

Larry J. Bonney
Foley & Lardner LLP
777 East Wisconsin Avenue
Milwaukee, Wisconsin 53202

Grantor warrants that the title to the Property is good, indefeasible in fee simple and free and clear of encumbrances, arising by, through or under Grantor, except general taxes for the year 2005, not now due or payable, and the easement described in Document No. 396444.

915-1960

Parcel Identification Number (PIN)

This is not homestead property.
(#) (is not)

Dated as of the 16th day of May, 2005.

LEACH COMPANY, INC., a Wisconsin corporation

By: [Signature]
Name: John DeLeonardis
Title: Vice President - Taxes

AUTHENTICATION

Signature(s) _____

authenticated this _____ day of _____

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, _____
authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Brian N. Wanek - Foley & Lardner LLP, Tampa, Florida

* Type or print name below signature.

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

State of Illinois

County of Cook } ss.

Personally came before me this 13th day of May, 2005, the above named John DeLeonardis

to me known to be the person who executed the foregoing instrument and acknowledge the same.

* [Signature]

Notary Public, State of Wisconsin- Illinois
My commission is permanent. (If not, state expiration date: April 15th, 2008.)

NOTE: THIS IS A STANDARD FORM. ANY MODIFICATIONS TO THIS FORM SHOULD BE CLEARLY IDENTIFIED.

SPECIAL WARRANTY DEED

STATE BAR OF WISCONSIN
FORM No. 6-2003

"OFFICIAL SEAL"
GWENDOLYN L. HASSAN
NOTARY PUBLIC, STATE OF ILLINOIS
MY COMMISSION EXPIRES 4/15/2008

05.377032.1

52

EXHIBIT A TO SPECIAL WARRANTY DEED

The Property

Legal Description:


That part of the North East 1/4 of the NORTH WEST 1/4 and of the North West 1/4 of the NORTH EAST 1/4 of Section 12, T18N, R16E, in the Fifteenth Ward, City of Oshkosh, Winnebago County, Wisconsin, described as follows:

Commencing at the Northeast corner of said North East 1/4 of the North West 1/4; thence south 88 degrees 57 minutes west, along the North line of said North East 1/4 of the North West 1/4, 889.21 feet; thence south 0 degrees east, parallel with the East line of said North East 1/4 of the North West 1/4, 1324.23 feet, to the South line of said North East 1/4 of the North West 1/4; thence north 89 degrees 1 minute east, along the South line of said North East 1/4 of the North West 1/4 and of the North West 1/4 of the North East 1/4, 954.77 feet, more or less, to the Northwestern line of County Trunk Highway "AA"; thence northeasterly, along the Northwestern line of said highway, to the Westerly line of the right of way of the Soo Line Railroad Company; thence northerly, along the Westerly line of said right of way, to point of intersection with the Southwesterly line of the right of way of Chicago and North Western Railway Company; thence northwesterly, along the Southwesterly line of the right of way of the Chicago and North Western Railway Company, to the East line of said North East 1/4 of the North West 1/4; thence north, along the East line of said North East 1/4 of the North West 1/4, to the place of beginning, excepting therefrom the four (4) following described tracts of land described as follows:


1. The South 40 feet thereof conveyed to the City of Oshkosh by Deed recorded in Volume 975 on Page 343.
2. Any portion thereof occupied by the right of way of the Chicago and North Western Railway Company.
3. That portion thereof heretofore conveyed by Deed to Leach Employees Credit Union recorded in Volume 1158 on Page 72.
4. That portion thereof heretofore conveyed to Ponderosa Pulp Products by Deed recorded in Document No. 938667.

THE AFOREDESCRIBED PROPERTY IS MORE PARTICULARLY DESCRIBED AS FOLLOWS:

Beginning at the N. 1/4 corner of said Section 12, T18N, R16E; thence south 00 degrees 00 minutes 59 seconds east along the East line of the N.E. 1/4 of the N.W. 1/4 of said Section, 16.37 feet to a point on the Southerly right of way of the C. & N.W. Railroad right-of-way; thence southeasterly 739.87 feet along said railroad right-of-way and the arc of a curve whose center lies to the Southwest whose radius is 700.00 feet and whose chord bears south 49 degrees 12 minutes 38 seconds east 705.91 feet; thence south 02 degrees 33 minutes 07 seconds west along the Westerly line of said railroad right-of-way 291.60 feet to a point on the Northwestern right-of-way line of Harrison Street; thence south 43 degrees 01 minute 41 seconds west along said line 421.35 feet; thence southwesterly 113.32 feet along said line and the arc of a curve whose center lies to the Southeast whose radius is 987.92 feet and whose chord bears south 40 degrees 32 minutes 33 seconds west 113.26 feet; thence north 89 degrees 55 minutes 15 seconds west 159.39 feet; thence south 89 degrees 41 minutes 34 seconds west 66.20 feet; thence south 00 degrees 19 minutes 01 second east 120.03 feet to a point on the North right-of-way line of Packer Avenue; thence south 89 degrees 35 minutes 20 seconds west along said North line 799.05 feet; thence north 00 degrees 01 minute 48 seconds west 1283.40 feet to a point on the South right-of-way line of the C. & N.W. railroad; thence north 89 degrees 38 minutes 20 seconds east along said right of way line 864.30 feet to the point of beginning.



SCALE IN FEET



SOURCE: WISCONSIN USGS QUAD MAP



STS CONSULTANTS
 558 N. Main Street
 Oshkosh, WI 54901
 920-235-0270
 www.stsconsultants.com
 Copyright ©2004, By: STS Consultants, Ltd.

SITE LOCATION DIAGRAM
OSHKOSH TRUCK DEFENSE PLANT
 2737 HARRISON STREET
 OSHKOSH, WISCONSIN

Drawn :	REO 5/31/2007
Checked:	VMK 5/31/2007
Approved:	
PROJECT NUMBER	429348EA
FIGURE NUMBER	1

**Table 2: Groundwater Sample Analytical Results
Oshkosh Truck Defense Plant - USTs
WDNR Activity No. 03-71-000593
STS Project No. 4-29348EA**

Analytical Parameter	Sample	GP-3		GP-4		GP-7				GP-7R		GP-13	PZ-10	NR 140 Enforcement Standards	NR 140 Preventive Action Limits
	Screen Interval	2' - 12'		5.5' - 15.5'		2' - 12'						2'-12'	21.5' - 26.5'		
	Date	4/11/05	4/19/05	4/11/05	4/19/05	4/10/05	4/19/05	11/30/05	7/26/2006	10/20/2006	1/17/2007	4/21/05	4/22/05		
	Location	Upgradient of Former UST Area		Sidegradient of Former UST Area		Former UST Area						Sidegradient of Former UST Area			
VOCs	Units														
Benzene	ug/l	<0.26	<0.26	<0.26	<0.26	2.5	8.7	147	47	0.81	2.28	<0.26	0.51 "J"	5.0	0.5
Bromobenzene	ug/l	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	NA	NA	NA	NA	<0.35	<0.35	---	---
Bromodichloromethane	ug/l	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	NA	NA	NA	NA	<0.28	<0.28	0.6	0.06
Bromoform	ug/l	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	NA	NA	NA	NA	<0.4	<0.4	4.4	0.44
tert-Butylbenzene	ug/l	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	NA	NA	NA	NA	<0.34	<0.34	---	---
sec-Butylbenzene	ug/l	<0.25	<0.25	<0.25	<0.25	1.9	2.3	NA	NA	NA	NA	<0.25	<0.25	---	---
n-Butylbenzene	ug/l	<0.61	<0.61	<0.61	<0.61	6.3	7.6	NA	NA	NA	NA	<0.61	<0.61	---	---
Carbon tetrachloride	ug/l	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	NA	NA	NA	NA	<0.25	<0.25	5.0	0.5
Chlorobenzene	ug/l	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	NA	NA	NA	NA	<0.26	<0.26	---	---
Chloroethane	ug/l	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	NA	NA	NA	NA	<0.37	<0.37	400	80
Chloroform	ug/l	<0.78	<0.78	<0.78	<0.78	<0.78	<0.78	NA	NA	NA	NA	<0.78	<0.78	6.0	0.6
Chloromethane	ug/l	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	NA	NA	NA	NA	<1.1	<1.1	3.0	0.3
2-Chlorotoluene	ug/l	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	NA	NA	NA	NA	<0.42	<0.42	---	---
4-Chlorotoluene	ug/l	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	NA	NA	NA	NA	<0.24	<0.24	---	---
1,2-Dibromo-3-chloropropane	ug/l	<4.1	<4.1	<4.1	<4.1	<4.1	<4.1	NA	NA	NA	NA	<4.1	<4.1	0.2	0.02
Dibromochloromethane	ug/l	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	NA	NA	NA	NA	<0.74	<0.74	0.06	0.6
1,4-Dichlorobenzene	ug/l	<0.69	<0.69	<0.69	<0.69	<0.69	<0.69	NA	NA	NA	NA	<0.69	<0.69	75	15
1,3-Dichlorobenzene	ug/l	<0.64	<0.64	<0.64	<0.64	<0.64	<0.64	NA	NA	NA	NA	<0.64	<0.64	1250	125
1,2-Dichlorobenzene	ug/l	<0.86	<0.86	<0.86	<0.86	<0.86	<0.86	NA	NA	NA	NA	<0.86	<0.86	600	60
Dichlorodifluoromethane	ug/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	NA	NA	NA	NA	<0.2	<0.2	1000	200
1,2-Dichloroethane	ug/l	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	NA	NA	NA	NA	<0.25	<0.25	5.0	0.5
1,1-Dichloroethane	ug/l	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91	NA	NA	NA	NA	<0.91	<0.91	850	85
1,1-Dichloroethene	ug/l	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	NA	NA	NA	NA	<0.2	<0.2	7.0	0.7
cis-1,2-Dichloroethene	ug/l	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	NA	NA	NA	NA	<0.27	0.75 "J"	70	7.0
trans-1,2-Dichloroethene	ug/l	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	NA	NA	NA	NA	<0.4	<0.4	100	20
1,2-Dichloropropane	ug/l	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	NA	NA	NA	NA	<0.37	<0.37	5.0	0.5

Notes: ug/l =micrograms per liter; --- = No Criteria Established; "J" = Analyte detected between Limit of Detection and Limit of Quantitation

¹ Standards are for 1,2,4- and 1,3,5-Trimethylbenzene combined.

² Standards are for Total Xylenes (-m, -p and -o).

**Table 2: Groundwater Sample Analytical Results
Oshkosh Truck Defense Plant - USTs
WDNR Activity No. 03-71-000593
STS Project No. 4-29348EA**

Analytical Parameter	Sample	GP-3		GP-4		GP-7				GP-7R		GP-13	PZ-10	NR 140 Enforcement Standards	NR 140 Preventive Action Limits
	Screen Interval	2' - 12'		5.5' - 15.5'		2' - 12'						2'-12'	21.5' - 26.5'		
	Date	4/11/05	4/19/05	4/11/05	4/19/05	4/10/05	4/19/05	11/30/05	7/26/2006	10/20/2006	1/17/2007	4/21/05	4/22/05		
	Location	Upgradient of Former UST Area		Sidegradient of Former UST Area		Former UST Area						Sidegradient of Former UST Area			
VOCs	Units														
2,2-Dichloropropane	ug/l	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	NA	NA	NA	NA	<0.34	<0.34	---	---
1,3-Dichloropropane	ug/l	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	NA	NA	NA	NA	<0.4	<0.4	---	---
Di-isopropyl ether	ug/l	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	NA	NA	NA	NA	<0.23	<0.23	---	---
1,2-Dibromoethane (EDB)	ug/l	<0.58	<0.58	<0.58	<0.58	<0.58	<0.58	NA	NA	NA	NA	<0.58	<0.58	0.05	<i>0.005</i>
Ethylbenzene	ug/l	<0.3	<0.3	<0.3	<0.3	79	205	11	450	20.2	55	<0.3	<0.3	700	<i>140</i>
Hexachlorobutadiene	ug/l	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	NA	NA	NA	NA	<1.6	<1.6	---	---
Isopropylbenzene	ug/l	<0.56	<0.56	<0.56	<0.56	5.8	12	NA	NA	NA	NA	<0.56	<0.56	---	---
p-Isopropyltoluene	ug/l	<0.5	<0.5	<0.5	<0.5	0.73 "J"	1.17 "J"	NA	NA	NA	NA	<0.5	<0.5	---	---
Methylene chloride	ug/l	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55	NA	NA	NA	NA	<0.55	<0.55	5.0	<i>0.5</i>
Methyl-tert-butyl-ether	ug/l	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	5.0	<0.52	1.97	1.57 "J"	0.76 "J"	<0.36	60	<i>12</i>
Naphthalene	ug/l	<0.85	<0.85	<0.85	<0.85	13	30	NA	NA	NA	NA	<0.85	1.66 "J"	40	<i>8.0</i>
n-Propylbenzene	ug/l	<0.56	<0.56	<0.56	<0.56	23	42	NA	NA	NA	NA	<0.56	<0.56	---	---
1,1,2,2-Tetrachloroethane	ug/l	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	NA	NA	NA	NA	<0.29	<0.29	0.2	<i>0.02</i>
1,1,1,2-Tetrachloroethane	ug/l	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	NA	NA	NA	NA	<0.49	<0.49	70	<i>7.0</i>
Tetrachloroethene	ug/l	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	NA	NA	NA	NA	<0.45	<0.45	5.0	<i>0.5</i>
Toluene	ug/l	<0.52	<0.52	1.3 "J"	0.52	3.2	8.9	3.4	8.1	1.25 "J"	1.11 "J"	<0.52	1.11 "J"	1000	<i>200</i>
1,2,4-Trichlorobenzene	ug/l	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	NA	NA	NA	NA	<1.1	<1.1	70	<i>14</i>
1,2,3-Trichlorobenzene	ug/l	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	NA	NA	NA	NA	<1.6	<1.6	---	---
1,1,1-Trichloroethane	ug/l	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	NA	NA	NA	NA	<0.42	<0.42	200	<i>40</i>
1,1,2-Trichloroethane	ug/l	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	NA	NA	NA	NA	<0.35	<0.35	5.0	<i>0.5</i>
Trichloroethene (TCE)	ug/l	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	NA	NA	NA	NA	<0.37	<0.37	5.0	<i>0.5</i>
Trichlorofluoromethane	ug/l	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	NA	NA	NA	NA	<0.48	<0.48	3490	<i>698</i>
Total Trimethylbenzene ¹	ug/l	<1.15	<1.15	<1.15	<1.15	163	331	48	506	77.1	198	<1.15	<1.15	480	<i>96</i>
Vinyl chloride	ug/l	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	NA	NA	NA	NA	<0.16	0.3 "J"	0.2	<i>0.02</i>
Total Xylene ²	ug/l	<1.17	<1.17	<1.17	<1.17	230	496	14.4	377.6	20.74	66.2	<1.17	<1.17	10,000	<i>1000</i>

Notes: ug/l =micrograms per liter; --- = No Criteria Established; "J" = Analyte detected between Limit of Detection and Limit of Quantitation

¹ Standards are for 1,2,4- and ² Standards are for Total Xylenes (-m, -p and -o).

* = associated with another BRRTS case

**Table 1: Soil Sample Analytical Results
Oshkosh Truck Defense Plant - USTs
WDNR Activity No. 03-71-000593
STS Project 4-29348EA**

Analytical Parameter	Soil Sample	GP-3	GP-4			GP-6	GP-7		GP-8		GP-13	GP-15		GP-16	NR 746 Table 1 Soil Screening Levels	NR 746 Table 2 Soil Contaminant Concentrations
	Depth (Feet)	11-12	2-3	5-6	15-16	7-8	4-5	11-12	4-5	9-10	0.5-4	0.5-4	10-12	4-5		
	Date	4/7/05	4/8/05	4/8/05	4/8/05	4/8/05	4/8/05	4/8/05	4/8/05	4/8/05	4/21/05	4/21/05	4/21/05	4/22/05		
	Location	Upgradient of Former UST Area	Sidegradient of Former UST Area			Former UST area					Sidegradient of Former UST Area	Former UST area				
VOCs	Units															
Benzene	ug/kg	<25	<25	<25	<25	77	<250	<25	<25	<25	<25	2,690	29	<25	8,500	1,100
Bromobenzene	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Bromodichloromethane	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Bromoform	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
tert-Butylbenzene	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
sec-Butylbenzene	ug/kg	<25	<25	<25	<25	106	674	<25	36 "J"	<25	<25	4,260	<25	<25	---	---
n-Butylbenzene	ug/kg	<25	<25	<25	<25	627	3,310	<25	110	<25	<25	23,600	78	<25	---	---
Carbon tetrachloride	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Chlorobenzene	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Chloroethane	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Chloroform	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Chloromethane	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
2-Chlorotoluene	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
4-Chlorotoluene	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
1,2-Dibromo-3-chloropropane	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Dibromochloromethane	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
1,4-Dichlorobenzene	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
1,3-Dichlorobenzene	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
1,2-Dichlorobenzene	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Dichlorodifluoromethane	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
1,2-Dichloroethane	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	600	540
1,1-Dichloroethane	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
1,1-Dichloroethene	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
cis-1,2-Dichloroethene	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
trans-1,2-Dichloroethene	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
1,2-Dichloropropane	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---


Notes: ug/kg - Micrograms per kilograms; --- = No Criteria Established; "J" - Results between limit of detection and limit of quantification
100 =Concentration Exceeds NR 746 Table 1 Value **100** =Concentration Exceeds NR 746 Table 2 Value

**Table 1: Soil Sample Analytical Results
Oshkosh Truck Defense Plant - USTs
WDNR Activity No. 03-71-000593
STS Project 4-29348EA**

Analytical Parameter	Soil Sample	GP-3	GP-4			GP-6	GP-7		GP-8		GP-13	GP-15		GP-16	NR 746 Table 1 Soil Screening Levels	NR 746 Table 2 Soil Contaminant Concentrations
	Depth (Feet)	11-12	2-3	5-6	15-16	7-8	4-5	11-12	4-5	9-10	0.5-4	0.5-4	10-12	4-5		
	Date	4/7/05	4/8/05	4/8/05	4/8/05	4/8/05	4/8/05	4/8/05	4/8/05	4/8/05	4/21/05	4/21/05	4/21/05	4/22/05		
	Location	Upgradient of Former UST Area	Sidegradient of Former UST Area			Former UST area					Sidegradient of Former UST Area	Former UST area				
VOCS	Units															
2,2-Dichloropropane	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
1,3-Dichloropropane	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Di-isopropyl ether	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
EDB (1,2-Dibromoethane)	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Ethylbenzene	ug/kg	<25	<25	<25	<25	879	15,000	<25	<25	<25	<25	88,000	194	<25	4,600	---
Hexachlorobutadiene	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Isopropylbenzene	ug/kg	<25	<25	<25	<25	120	1,480	<25	60	<25	<25	7650	<25	<25	---	---
p-Isopropyltoluene	ug/kg	<25	<25	<25	<25	86	317	<25	<25	<25	<25	1580	<25	<25	---	---
Methylene chloride (A)	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Methyl-tert-butyl-ether	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Naphthalene	ug/kg	<25	<25	<25	<25	1,060	4,070	<25	<25	<25	<25	41,900	157	<25	2,700	---
n-Propylbenzene	ug/kg	<25	<25	<25	<25	521	7,100	<25	336	<25	<25	39600	93	<25	---	---
1,1,2,2-Tetrachloroethane	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
1,1,1,2-Tetrachloroethane	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Tetrachloroethene	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Toluene	ug/kg	<25	<25	<25	<25	456	<250	<25	<25	<25	<25	51,500	240	<25	38,000	---
1,2,4-Trichlorobenzene	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
1,2,3-Trichlorobenzene	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
1,1,1-Trichloroethane	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
1,1,2-Trichloroethane	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Trichloroethene	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Trichlorofluoromethane	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Total-Trimethylbenzene	ug/kg	<50	<50	<50	<50	7,680	58,200	<50	380	<50	<50	338,800	859	<50	94,000	---
Vinyl chloride	ug/kg	<25	<25	<25	<25	<25	<250	<25	<25	<25	<25	<500	<25	<25	---	---
Total Xylene	ug/kg	<75	<75	<75	<75	5,900	51,390	<75	<75	<75	<75	455,800	1,007	<75	42,000	---

Notes: ug/kg - Micrograms per kilograms; --- = No Criteria Established; "J" - Results between limit of detection and limit of quantification
100 =Concentration Exceeds NR 746 Table 1 Value **100** =Concentration Exceeds NR 746 Table 2 Value

X:\Projects\429348ea\dwg\G429348ea_USTS_GW_Fig5.dwg; 6/1/2007 7:27:03 AM; OLKIEWICZ, ROB




STS CONSULTANTS
 1035 Kepler Drive
 Green Bay, WI 54311
 920-468-1978
 www.stsconsultants.com
 Copyright ©2005, By: STS Consultants, Ltd.

**OBSERVED GROUNDWATER SAMPLE IMPACTS
 OSHKOSH TRUCK CORPORATION
 OSHKOSH TRUCK DEFENSE PLANT- USTS
 2737 HARRISON STREET
 OSHKOSH, WISCONSIN**

Drawn :	REO 05/31/2007
Checked:	VMK 05/31/2007
Approved:	DXL 05/31/2007
PROJECT NUMBER	4-29348EA
FIGURE NUMBER	5

**TABLE 3
GROUNDWATER ELEVATIONS
OTC - DEFENSE PLANT
2737 HARRISON STREET, OSHKOSH, WI
STS PROJECT NO. 4-29348EA**


Well I.D.	MW-1	MW-2	MW-3	MW-4	PZ-4	MW-5	MW-6	PZ-6	MW-7	PZ-10	
Ground Surface Elevation (ft)	98.8	100.0	98.4	97.8	100.0	98.2	100.0	100.0	100.0	100.0	
Top of PVC (ft, site datum)	100.8	99.8	100.5	97.4	99.5	101.0	102.0	103.0	102.0	102.0	
Top of Screen (ft, site datum)	95.8	94.8	95.5	92.4	79.5	96.0	79.0	98.0	97.0	80.5	
Depth to Water Measurements (ft)											
4/8/2005	4.85	2.94	4.77	5.32	NA	NA	NA	NA	NA	NA	
4/10/2005	4.91	3.21	3.55	3.34	NA	NA	NA	NA	NA	NA	
4/18/2005	5.00	3.90	3.94	2.52	8.59	6.00	8.46	8.00	6.50	8.59	
10/20/2006	NA	4.20	NA	NA	NA	NA	NA	NA	NA	2.50	
1/16/2007	NA	3.55	NA	NA	NA	NA	NA	NA	NA	1.40	

Well I.D.	MW-1	MW-2	MW-3	MW-4	PZ-4	MW-5	MW-6	PZ-6	MW-7	PZ-10	
Ground Surface Elevation (ft)	98.8	100.0	98.4	97.8	100.0	98.2	100.0	100.0	100.0	100.0	
Top of PVC (ft, site datum)	100.8	99.8	100.5	97.4	99.5	101.0	102.0	103.0	102.0	102.0	
Top of Screen (ft, site datum)	95.8	94.8	95.5	92.4	79.5	96.0	79.0	98.0	97.0	80.5	
Groundwater Surface Elevations (ft, site datum)											
4/8/2005	95.95	96.86	95.68	92.03	NA	NA	NA	NA	NA	NA	
4/10/2005	95.89	96.59	96.90	94.01	NA	NA	NA	NA	NA	NA	
4/18/2005	95.80	95.90	96.51	95.23	91.41	92.20	91.54	92.00	93.50	91.41	
10/20/2006	NA	95.60	NA	97.50							
1/16/2007	NA	96.25	NA	98.60							

Notes:

1. Ground surface elevation assumed/estimated to be 100 ft for monitoring wells/piezometers PZ-4, MW-6, PZ-6, MW-7, MW-8, MW-9, and PZ-10.
 2. MW-2 converted from a stick-up to flushmount protector pipe in January 2006.
- NA = Not Available

X:\Projects\429348ea\dwg\G429348ea-Figure 4 3-8-06.dwg; 5/31/2007 8:43:41 AM; SIMON, MAGGIE A.




BEARINGS ARE REFERENCED TO THE NORTH LINE OF THE N.W. 1/4 OF SECTION 12, T18N, R16E, ASSUMED TO BEAR NORTH 89°38'26" EAST.
 DISTANCES ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.
 SURVEYED MARCH 18TH, 2005 FOR FEDERAL SIGNAL CORP.

LEGEND

- () DENOTES RECORDED DIMENSION WHERE DIFFERENT FROM ACTUAL MEASUREMENT
- △ BENCHMARK
- ◆ SECTION OR 1/4 SECTION CORNER AS DESCRIBED
- 1" DIAMETER IRON PIPE FOUND (UNLESS OTHERWISE NOTED)
- 1" DIAMETER IRON PIPE, 18" LONG, SET (UNLESS OTHERWISE NOTED)
- ⊙ BOLLARD
- + SOIL BORING/MONITORING WELL
- ⊥ FLAGPOLE
- ⊥ MAILBOX
- ⊥ SIGN
- ⊥ BILLBOARD
- ⊥ CONTROL BOX
- ⊥ TRAFFIC SIGNAL
- ⊥ RAILROAD CROSSING SIGNAL
- ⊥ CABLE PEDESTAL
- ⊥ POWER POLE
- ⊥ GUY POLE
- ⊥ GUY WIRE
- ⊥ LIGHT POLE
- ⊥ SPOT/YARD/PEDESTAL LIGHT
- ⊥ GROUND OR OTHER SPOT SHOT
- ⊥ HANDICAPPED PARKING
- ⊥ ELECTRIC MANHOLE
- ⊥ ELECTRIC PEDESTAL
- ⊥ ELECTRIC METER
- ⊥ TELEPHONE MANHOLE
- ⊥ TELEPHONE PEDESTAL
- ⊥ FOMARKED FIBER OPTIC
- ⊥ GAS VALVE
- ⊥ GAS METER
- ⊥ STORM MANHOLE
- ⊥ ROUND INLET
- ⊥ SQUARE INLET
- ⊥ STORM SEWER END SECTION
- ⊥ SANITARY MANHOLE
- ⊥ SANITARY CLEANOUT OR SEPTIC VENT
- ⊥ SANITARY INTERCEPTOR MANHOLE
- ⊥ MISCELLANEOUS MANHOLE
- ⊥ WATER VALVE
- ⊥ HYDRANT
- ⊥ WATER SERVICE CURB STOP
- ⊥ WATER MANHOLE
- ⊥ WELL
- ⊥ WATER SURFACE
- ⊥ WETLANDS FLAG
- ⊥ MARSH
- ⊥ CONIFEROUS TREE
- ⊥ DECIDUOUS TREE
- ⊥ SHRUB
- MW-2 ⊕ GROUNDWATER MONITORING WELL LOCATION
- GP-4 ⊕ GROUNDWATER PROBE LOCATION
- 95 ⊕ GROUNDWATER CONTOUR ON 4-10-05
- (95.89) ⊕ GROUNDWATER ELEVATION ON 4-10-05
- GROUNDWATER FLOW DIRECTION
- EDGE OF TREES
- s — SANITARY SEWER
- sto — STORM SEWER
- w — WATERMAIN
- g — MARKED GAS MAIN
- e — MARKED ELECTRIC
- ohw — OVERHEAD WIRES
- b — BUREAU ELEC. SERV.
- t — MARKED TELEPHONE
- tv — MARKED CABLE TV LINE
- fo — MARKED FIBER OPTIC

SCALE IN FEET




STS CONSULTANTS
 558 North Main Street
 Oshkosh, WI 54901
 920-235-0270
 www.stsconsultants.com
 Copyright ©2005, By: STS Consultants, Ltd.

GROUNDWATER TABLE CONTOUR MAP
 OSHKOSH TRUCK CORPORATION
 OSHKOSH TRUCK DEFENSE PLANT
 2737 HARRISON STREET
 OSHKOSH, WISCONSIN

Drawn: REO 3/9/2006
 Checked: SMM 3/9/2006
 Approved: SMM 3/9/2006
 PROJECT NUMBER: 429348EA
 FIGURE NUMBER: 3

X:\Projects\429348ea\dwg\G429348ea_USTS_SOIL_Fig4.dwg; 6/1/2007 7:23:36 AM; OLKIEWICZ, ROB




STS CONSULTANTS
 1035 Kepler Drive
 Green Bay, WI 54311
 920-468-1978
 www.stsconsultants.com
 Copyright ©2005, By: STS Consultants, Ltd.

**OBSERVED SOIL SAMPLE IMPACTS
 OSHKOSH TRUCK CORPORATION
 OSHKOSH TRUCK DEFENSE PLANT- USTS
 2737 HARRISON STREET
 OSHKOSH, WISCONSIN**

Drawn :	REO 05/31/2007
Checked:	VMK 05/31/2007
Approved:	DXL 05/31/2007
PROJECT NUMBER	4-29348EA
FIGURE NUMBER	4

STATEMENT OF AFFECTED PROPERTY LEGAL DESCRIPTION

As required by s. NR 726.05(3) of the Wisconsin Administrative Code, Oshkosh Truck Corporation is providing the following signed statement. To the best of our knowledge, the legal description for the property that is within or partially within the contaminated site boundary for the Oshkosh Truck Defense Plant - Former UST site at 2737 Harrison Street in Oshkosh, Winnebago County, Wisconsin, has been provided to the Wisconsin Department of Natural Resources.



(Signature)



(Date)

Donald J. Draxler
(Name)

Director, Global Environmental Affairs
(Title)

Oshkosh Truck Corporation
(Company)