The following site is being submitted for inclusion into the GIS registry:

This is a:	New Submittal
BRRTS ID (no dashes):	**0302000545**
Comm # (no dashes):	54514977201
County:	Ashland
Region:	Commerce
Site name:	Bablick Oil Co-Self Service Station
Street Address:	Hwy 13 N
City:	Butternut
Closure Date	2001-02-20
Closure Conditions:	met
Offsite contamination?	No
Right-of-way contamination?	No
Contaminated media:	Groundwater
GPS Coordinates (meters in the **WTM91** projection)	
Easting (X):	481366.417088221
Northing (Y):	6160001.626133152
Submitted by:	Cheryl Nelson

Checklist

- ☒ Final Closure Letter
- ☒ Copy of recorded deed Instrument for any property with GW >NR140 ES
- ☒ General Location Map
- ☒ Detailed Location Map showing property boundaries, buildings, etc for properties with GW >NR140 ES
- ☐ Latest Map(s) showing extent or outline of current GW plume
- ☒ GW flow direction
- ☒ MW(s) and/or potable wells
- ☒ Latest Table of GW results

ENVIRONMENTAL & REGULATORY SERVICES
PECFA
P.O. Box 8044
Madison, Wisconsin 53708-8044
TDD #: (608) 264-8777
Fax #: (608) 267-1381
www.commerce.state.wi.us
Scott McCallum, Governor
Brenda J. Blanchard, Secretary

Wisconsin
Department of Commerce

February 20, 2001

John Bablick
Bablick Oil Co.
RR1, Box 113
Butternut, WI 54514

Keith Klebenow
REI
4080 N. 20th Ave.
Wausau, WI 54401

RE: COMMERCE # 54514-9772-01; DNR # 03-02-000545
Bablick Oil Co., Hwy 13 N, Butternut, WI

Case Closure Approved

Dear Mr. Bablick:

The Department of Commerce PECFA Site Review section has received documentation that the conditions necessary for site closure as detailed in the Department's October 20, 2000 *Case Closure (Conditional Upon Receipt of Documentation)* letter have been met. Therefore, the Department considers that no further action is necessary and has updated our database to reflect this closure.

Thank you for your efforts in restoring Wisconsin's environment. If you have any questions, feel free to contact me at (608) 261-7719.

Sincerely,

Denise Nettesheim
Hydrogeologist
PECFA Site Review Section

cc: PECFA electronic file

X272109
Document Number

Notice of Contamination To Property

REGISTER OF DEEDS OFFICE
ASHLAND COUNTY, WI
Received for Record
at 2:30 O'clock P M. duly recorded in
Vol. 521 of Records on Page 341-342
JAN - 3 2001
Karen M. Miller
REGISTER OF DEEDS

Recording Area

Name and Return Address
REI
4080 North 20th Avenue
Wausau, WI 54401

Legal Description of the Property: In re:

(as it appears on the most recent deed)

That part of the Northeast Quarter of the Southwest Quarter (NE1/4 SW1/4) of Section Twenty-one (21), Township Forty-one (41) North, Range One (1) West, described as follows: Beginning at the intersection of the extended north line of Wisconsin Street of the Village of Butternut with the west line of Wisconsin State Trunk Highway #13; thence northerly along the west line of Wisconsin State Trunk Highway #13, a distance of 200 feet; thence westerly at right angles to the west line of Wisconsin State Trunk Highway #13, a distance of 100 feet; thence southerly parallel with the west line of Wisconsin State Trunk Highway #13, 200 feet; thence easterly 100 feet to the place of beginning.

241012131
Parcel Identification Number (PIN)

STATE OF WISCONSIN)
) ss
COUNTY OF *Ashland*)

Section 1. *John J. Bablick and Marian M. Bablick* is the owner of the above-described property

Section 2. One or more petroleum discharges have occurred at this property. Petroleum contaminated groundwater above NR 140 enforcement standards and soils above NR 720 residual contaminant levels of the Wisconsin Administrative Code exist(s) on this property in the area south and east of, and underneath the Bablick Self Service Station building.

Section 3. The owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied, and improved subject to the following limitations and/or restrictions:

Anyone who proposes to construct of reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater, or its successor agency, to determine what specific prohibitions or requirements are applicable, prior to constructing or reconstructing a well on this property. No well may be constructed or reconstructed on this property unless applicable requirements are met.

Residual petroleum contaminated soil remains on this site in the area south and east of, and underneath the Bablick Self Service station building, in the vicinity of the former underground storage tanks and pump island. It has been shown that these levels are protective of health and the environment. If this contaminated soil is excavated in the future, it may be considered a solid waste and will need to be disposed in accordance with all applicable laws.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Commerce, or its successor, issue a determination that the restrictions set forth in this covenant are no longer required. That property owner shall provide any and all necessary information to the

VOL 521PG 341

Department in order for the Department to be able to make a determination. Upon receipt of such a request, the Department shall determine whether or not the restrictions contained herein can be extinguished. Conditions under which a restriction may be extinguished will be determined in accordance with the site specific standards, rules and laws for this property. If the department determines that the restrictions can be extinguished, an affidavit, with a copy of the Department's written determination, may be recorded to give notice that this restriction, or portions of this restriction are no longer binding. Any restriction placed upon this property shall not be extinguished without the Department's written determination.

IN WITNESS WHEREOF, the owner of the property has executed this document, this 03 day of January 2001.

[When appropriate use the following clause}:

By signing this document, {he/she} acknowledges that {he/she} is duly authorized to sign this document on behalf of _____

Signature: John Bablick

Printed Name: John Bablick

Title: Owner

Signature: Marion Bablick

Printed Name: Marion Bablick

Title: Owner

Subscribed and sworn to before me
this 3 day of Jan, 2001.

Notary Public, state of Wisconsin
My commission May 13, 2001

This document was drafted by the Wisconsin Department of Commerce.

REI
CIVIL & ENVIRONMENTAL ENGINEERING, SURVEYING



SCALE 1:24 000

1 0 1 MILE

1000 0 1000 2000 3000 4000 5000 6000 7000 FEET

1 .5 0 1 KILOMETER

CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929



QUADRANGLE LOCATION



UTM GRID AND 1984 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

BUTTERNUT, WIS.
SW/4 BUTTERNUT 15' QUADRANGLE
46090-A4-TF-024
1984

PEEKSVILLE, WIS.
SE/4 GLIDDEN 15' QUADRANGLE
46090-A5-TF-024
1984

BABLICK SELF SERVICE STATION
STATE HIGHWAY "13"
BUTTERNUT, WISCONSIN

FIGURE 1 : SITE VICINITY MAP

PROJECT NO.	DRAWN BY:	DATE:
#0040	TAW	9/8/2000



REI
OIL & ENVIRONMENTAL ENGINEERING, SURVEYING

BABLICK SELF SERVICE STATION
STATE HIGHWAY "13"
BUTTENUT, WISCONSIN

FIGURE 3 : GROUNDWATER CONTOUR MAP (4/30/97)

PROJECT No.	DRAWN BY:	DATE:
0040	TAW	9/8/2000

J:\DRAFTING\0040BABL\0040GW2--97.DWG

Monitoring Well #1

PARAMETER	ES	PAL	4/10/92	8/12/93	12/2/93	6/22/94	11/29/94	2/22/95	8/24/95	2/15/96	10/30/96	4/30/97	1/7/98	8/26/98	10/26/99
GRO (mg/L)			NA	29500.0	NA	22000.0	NA	NA	NA	NA	20900.0	NA	NA	NA	NA
DRO (mg/L)			NA	16200.0	NA	15000.0	NA	NA	NA	NA	7100.0	NA	NA	NA	NA
Detected VOC's (ug/L)															
Benzene	5	0.5	3960	806	1300	1160	860	594	350	410	X	124	90	290	22
Ethylbenzene	700	140	1650	1060	1950	1960	3340	2130	2700	1900	2272	1433	2800	2400	374
Toluene	343	68.6	21600	4290	8170	8510	12200	10600	9200	8300	6617	2960	7900	6300	153
o-Xylene & Styrene	620*	124*	4100	1460	1970	1880	2390	1640	1600	8900	1377	691	12000	11000	168
m- & p- Xylene	620*	124*	10700	4340	7940	8940	12900	9580	4800	8900	9216	4981	12000	1100	1700
1,3,5-Trimethylbenzene			311.0	X	379.0	337.0	X	400.0	X	1800.0	360.0	213.0	580.0	490.0	100.0 442
1,2,4-Trimethylbenzene			1570.0	1110.0	1560.0	1670.0	2180.0	1540.0	2100.0	490.0	1650.0	958.0	2100.0	1800.0	709
Methyl-tert-butyl- ether	60	12	X 320	X	X 130	X 280	X	X 360	X	12.0	X 420	X	X 300	[redacted]	<6.0 267
Isopropylbenzene			X 57	X	X 47	41.8	X	X	50.0	NA	X	NA	NA 5	NA 540	NA
Naphthalene	40	8	[redacted]	X	[redacted]	[redacted]	X	[redacted]	X	NA	[redacted]	NA	[redacted]	[redacted]	[redacted]
n-Propylbenzene			124.0	X	188.0	120.0	X	135.0	X	NA	X	NA	NA	NA	NA
n-Butylbenzene			133.0	X	102.0	119.0	X	X	40.0	NA	X	NA	NA	NA	NA
Chloroform			X	X	X	X	X	X	X	NA	X	NA	NA	NA	NA
1,2,4-Trichlorobenzene			X	X	X	X	X	X	X	NA	X	NA	NA	NA	NA
p-Isopropyltoluene			X	X	X	X	X	X	20.0	NA	X	NA	NA	NA	NA
Isopropyl Ether			X	X	X	185.0	X	234.0	X	NA	X	NA	NA	NA	NA
Tert Butylbenzene			X	X	X	X	X	X	X	NA	X	NA	NA	NA	NA
Detected PAH's (ug/L)															
Acenaphthene			X	21.9	70.1	49.5	23.4	18.9	X	X	NA	X	NA	NA	NA
Acenanphthylene			X	1.3	209.0	X	X	X	X	X	NA	X	NA	NA	NA
Anthracene			X	X	X	X	X	X	X	X	NA	X	NA	NA	NA
Benzo (a) Anthracene			X	X	X	X	X	X	X	X	NA	X	NA	NA	NA
Benzo (b) Fluoranthene			X	X	X	X	X	X	X	X	NA	X	NA	NA	NA
Benzo (k) Fluoranthene			X	X	X	X	X	X	X	X	NA	X	NA	NA	NA
Benzo (a) Pyrene	0.003	0.0003	X	X	X	X	X	X	X	X	NA	X	NA	NA	NA
Benzo (ghi) Perylene			X	X	X	X	X	X	X	X	NA	X	NA	NA	NA
Chrysene			X	X	X	X	X	X	X	X	NA	X	NA	NA	NA
Dibenzo (a,h) Anthracene			X	X	X	X	X	X	X	X	NA	X	NA	NA	NA
Fluoranthene			X	X	X	X	X	X	X	X	NA	X	NA	NA	NA
Fluorene			X 851	X 152	13.4 82	10.7 44	6.6 89	11.6 30	7.2 40	X 570	NA	X 31	NA	NA	NA
Indeno (1,2,3-cd) Pyrene			X	X	X	X	X	X	X	X	NA	[redacted]	NA	NA	NA
Naphthalene	40	8	[redacted]												
Phenanthrene			X	3.5	X	7.9	1.1	1.0	X	X	NA	X	NA	NA	NA
Pyrene			X	X	X	X	X	X	X	X	NA	X	NA	NA	NA
1-Methyl Naphthalene			X	33.6	387.0	97.8	X	X	180.0	210.0	NA	105.0	NA	NA	NA
2-Methyl Naphthalene			X	77.0	346.0	213.0	206.0	104.0	110.0	120.0	NA	108.0	NA	NA	NA
Detected Metals and Indicator Parameters (mg/L)			45.0			9									
Lead (Pb)	15	1.5	[redacted]	NA	NA	[redacted]	NA	NA	NA	NA	NA	NA	NA	NA	7.06
Iron (Fe)	0.3	0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.5	33.0	36.0	0.081
Nitrate Nitrogen	10	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.3	0.0	<0.031	<0.3
Sulfate	250	125	NA	NA	NA	NA	NA	NA	NA	NA	NA	26.0	<10	22.0	9.36
Field Measurements															
Temperature (oF)			NA	NA	NA	NA	NA	NA	NA	NA	NA	42.6	49.7	57.7	55.94
Conductivity (ms/cm)			NA	NA	NA	NA	NA	NA	NA	NA	NA	614.0	764.0	780.0	1249
Dissolved Oxygen (mg/L)			NA	NA	NA	NA	NA	NA	NA	NA	NA	1.4	2.3	1.7	3.17
pH			NA	NA	NA	NA	NA	NA	NA	NA	NA	6.1	6.6	5.7	6.5
Redox Potential (mV)			NA	NA	NA	NA	NA	NA	NA	NA	NA	-291.0	52.0	66.2	-82.2

BABLICK SELF SERVICE
GROUNDWATER ANALYTICAL RESULTS
GRO, DRO, VOC (EPA method 8021), and Pb (Lead)

Monitoring Well #2															
PARAMETER	**ES**	**PAL**	**4/10/92**	**8/12/93**	**12/2/93**	**6/22/94**	**11/29/94**	**2/22/95**	**8/24/95**	**2/15/96**	**10/30/96**	**4/30/97**	**8/26/98**	**2/23/99**	**10/26/99**
GRO (mg/L)			NA	X	NA	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
DRO (mg/L)			NA	X	NA	86.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
Detected VOC's (ug/L)															
Benzene	5.0	0.5	0.3	X	X	X	X	X	X	X	X	X	<0.10	<0.10	<0.15
Ethylbenzene	700.0	140.0	X	X	X	X	X	X	X	X	X	X	<0.12	<0.12	<0.5
Toluene	343.0	68.6	5.1	X	X	X	X	X	X	X	X	X	<0.17	<0.17	<0.4
o-Xylene & Styrene	620*	124*	2.3	X	X	X	X	X	X	X	X	X	<0.16	<0.16	<0.15
m- & p- Xylene	620*	124*	4.4	X	X	X	X	X	X	X	X	X	<0.16	<0.16	<0.4
1,3,5-Trimethylbenzene			6.3	X	X	X	X	X	1.0	X	X	X	<0.11	<0.11	<0.15
1,2,4-Trimthylbenzene			15.6	X	X	X	X	X	3.0	X	X	X	<0.15	<0.15	<0.4
Methyl tert-butyl ether	60	12	X	X	X	X	X	X	X	X	X	X	<0.17	<0.17	<0.3
Isopropylbenzene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Naphthalene	40.0	8.0	1.3	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
n-Propylbenzene			1.7	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
n-Butylbenzene			7.8	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Chloroform			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Isopropyl Ether			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Tert Butylbenzene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Detected PAH's (ug/L)															
Acenaphthene			0.6	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Acenanphthylene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Anthracene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Benzo (a) Anthracene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Benzo (b) Fluoranthene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Benzo (k) Fluoranthene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Benzo (a) Pyrene	0.0	0.0	X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Benzo (ghi) Perylene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Chrysene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Dibenzo (a,h) Anthracene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Fluoranthene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Fluorene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Indeno (1,2,3-cd) Pyrene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Naphthalene	40.0	8.0	X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Phenanthrene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Pyrene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
1-Methyl Naphthalene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
2-Methyl Naphthalene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA
Detected Metals and Indicator Parameters (mg/L)															
Lead (Pb)	15	1.5	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron (Fe)	0.3	0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.8	7.8	0.0	0.026
Nitrate Nitrogen	10	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.2	1.4	0.8	1.52
Sulfate	250	125	NA	NA	NA	NA	NA	NA	NA	NA	NA	33.6	15.0	14.0	21.7
Field Measurements															
Temperature (oF)			NA	NA	NA	NA	NA	NA	NA	NA	NA	41.7	54.7		
Conductivity (ms/cm)			NA	NA	NA	NA	NA	NA	NA	NA	NA	284.0	341.0		
Dissolved Oxygen (mg/L)			NA	NA	NA	NA	NA	NA	NA	NA	NA	1.5	6.0		
pH			NA	NA	NA	NA	NA	NA	NA	NA	NA	11.4	7.6		
Redox Potential (mV)			NA	NA	NA	NA	NA	NA	NA	NA	NA	-70.3	82.9		

GROUNDWATER ANALYTICAL RESULTS
GRO, DRO, VOC (EPA method 8021), and Pb (Lead)

Monitoring Well #3														
PARAMETER	**ES**	**PAL**	**4/10/92**	**8/12/93**	**12/2/93**	**6/22/94**	**11/29/94**	**2/22/95**	**8/24/95**	**2/15/96**	**10/30/96**	**4/30/97**	**10/26/99**	**8/23/00**
GRO (mg/L)			NA	4,180	NA	8,190	NA	NA	NA	NA	NA	NA	NA	NA
DRO (mg/L)			NA	NA	NA	12,200	NA	NA	NA	NA	NA	NA	NA	NA
Detected VOC's (ug/L)				15.7	92.6	113.0	38.7	61.9		100	2250	6.4	15.40	
Benzene	5	0.5	1.0	[redacted]					2.0	X	[redacted]			4.31
Ethylbenzene	700	140	X	255.0	[redacted]		433.0	379.0	7.0	[redacted]		26.7	[redacted]	220.0
Toluene	343	68.6	1.9	17.5	283.0	[redacted]	X	X	1.0	110.0	44.7	1024.0 X	10.0	<8.0
o-Xylene	620*	124*	X	X 194.0	108.0	1200 X 560.0	X	548.0 1980	135.0 1450	2.0 1800	[redacted]	14.4	X 4.9	<3.0
m- & p- Xylene	620*	124*	2.2	[redacted]					12.0 1800	[redacted]		73	[redacted]	442.0
1,3,5-Trimethylbenzene			X	99.4	281.0 520.0	233.0	213.0	211.0	4.0	980.0	419.0 2406	12.9	388.0 1480.0	79.6
1,2,4-Trimethylbenzene			1.4	343.0	925.0	790.0	878.0	705.0	12.0	480.0	1203.0	31.3	546.0	149.0
Methyl tert-butyl ether	60	12	X	X	X	X	X	X	X	X	X	X	<6.0	NA
Isopropylbenzene			X	X	30.8 390.0	X 204.0	X	X 1400	X	NA	NA	NA	NA	NA
Naphthalene	40	8	X 831	[redacted]			X	[redacted]	X	NA	NA	NA	NA	NA
n-Propylbenzene			X	47.7	962.4	115.0	115.0	84.9	2.0	NA	NA	NA	NA	NA
n-Butylbenzene			X	58.4	66.2	X	159.0	93.5	1.0	NA	NA	NA	NA	NA
Chloroform			0.9	X	X	X	X	X	X	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene			X	343.0	925.0	790.0	X	705.0	X	NA	NA	NA	NA	NA
p-Isopropyltoluene			2.1	10.1	X	X	X	X	X	NA	NA	NA	NA	NA
Isopropyl Ether			X	24.5	102.0	150.0	101.0	X	X	NA	NA	NA	NA	NA
Tert Butylbenzene			X	X	X	261.0	X	X	X	NA	NA	NA	NA	NA
Detected PAH's (ug/L)														
Acenaphthene			0.1	10.8	18.0	35.3	34.0	13.5	13.5	X	X	X	<0.4	3.2
Acenanphthylene			X	X	55.4	X	X	X	X	X	X	X	<0.4	<0.15
Anthracene			0.3	1.4	X	2.7	X	X	X	X	X	X	<0.36	<0.09
Benzo (a) Anthracene			1.7	9.6	6.6	19.5	X	X	X	X	2.71	1.19	0.59	0.08
Benzo (b) Fluoranthene			1.2	9.4	7.4	20.2	X	X	X	X	1.72	3.60	4.12	0.14
Benzo (k) Fluoranthene			0.6	3.3	3.1	11.6	X	X	X	X	0.586 1.13	0.840 5.54	1.21	0.07
Benzo (a) Pyrene	0.003	0.0003	[redacted]				X	X	X 1.8	[redacted]			4.60	0.14
Benzo (ghi) Perylene			0.3	X	1.7	X	X	X	X	X	0.543	2.60	2.67	0.13
Chrysene			1.2	X	10.1	X	X	X	X	X	X	1.56	0.62	0.06
Dibenzo (a,h) Anthracene			0.9	X	X	X	X	X	X	X	0.246	X	4.020	<0.06
Fluoranthene			2.1	13.1	9.7	25.0	X	X	X	X	X	0.97	<0.24	<0.03
Fluorene			X	2.3	X	8.0	12.0	24.2	24.2	X	X	X	<0.28	2.54
Indeno (1,2,3-cd) Pyrene			0.6	X	X	X	X	X	X	X	0.551	2.480	2.410	0.108
Naphthalene	40	8	0.9	[redacted]								X	0.7	32.0
Phenanthrene			1.4	2.4 51.5	3.4 234.0	6.1 258.0	3.3 391.0	X 256.0	X 256.0	3.3 460.0	X 472.0	X	<0.32	<0.11
Pyrene			2.3	X	X	X	X	X	X	X	X	0.66	1.400	<0.1
1-Methyl Naphthalene			X	17.3	90.2	X	X	X	X	280.0	176.0	X	1.0	5.7
2-Methyl Naphthalene			X	60.8	81.6	168.0	206.0	134.0	134.0	340.0	289.0	X	2.0	15.8
Detected Metals and Indicator Parameters (mg/L)														
Lead (Pb)	15	1.5	X	NA	NA	4.1	NA	NA	NA	NA	NA	NA	10.1	NA
Iron (Fe)	0.3	0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.9	5.1	0.7
Nitrate Nitrogen	10	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.7	<0.3	3.6
Sulfate	250	125	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.8	NA	54.0
Field Measurements														
Temperature (oF)			NA	NA	NA	NA	NA	NA	NA	NA	NA	41.7	52.1	NA
Conductivity (ms/cm)			NA	NA	NA	NA	NA	NA	NA	NA	NA	262.0	183.0	NA
Dissolved Oxygen (mg/L)			NA	NA	NA	NA	NA	NA	NA	NA	NA	3.7	2.2	NA
pH			NA	NA	NA	NA	NA	NA	NA	NA	NA	7.1	7.4	NA
Redox Potential (mV)			NA	NA	NA	NA	NA	NA	NA	NA	NA	-41.6	31.0	NA

Notes:

ES = NR140.10 Enforcement Standards

BABLICK SELF SERVICE

GROUNDWATER ANALYTICAL RESULTS

GRO, DRO, VOC (EPA method 8021), and Pb (Lead)

Monitoring Well #4												
PARAMETER	**ES**	**PAL**	4/10/92	8/12/93	12/2/93	6/22/94	11/29/94	2/22/95	8/24/95	2/15/96	10/30/96	4/30/97
GRO (mg/L)			NA	X	X	X	NA	NA	NA	NA	NA	NA
DRO (mg/L)			NA	NA	X	2970.0	NA	NA	NA	NA	NA	NA
Detected VOC's (ug/L)											(100.0	
Benzene	5	0.5	X	X	X	X	X	X	X	X	[redacted]	X
Ethylbenzene	700	140	X	X	X	X	X	X	X	X	X	X
Toluene	343	68.6	3.7	X	X	X	X	X	X	X	3.72	X
o-Xylene	620*	124*	X	X	X	X	X	X	X	X	X	X
m- & p- Xylene	620*	124*	X	X	X	X	X	X	X	X	1.78	X
1,3,5-Trimethylbenzene			X	X	X	X	X	X	X	X	X	X
1,2,4-Trimthylbenzene			X	X	X	X	X	X	X	X	X	X
Isopropylbenzene			X	X	X	X	X	X	X	NA	NA	NA
Naphthalene	40	8	X	X	X	X	X	X	X	NA	NA	NA
n-Propylbenzene			X	X	X	X	X	X	X	NA	NA	NA
n-Butylbenzene			X	X	X	X	X	X	X	NA	NA	NA
Chloroform			X	X	X	X	X	X	X	NA	NA	NA
1,2,4-Trichlorobenzene			X	X	X	X	X	X	X	NA	NA	NA
p-Isopropyltoluene			X	X	X	X	X	X	X	NA	NA	NA
Isopropyl Ether			X	X	X	X	X	X	X	NA	NA	NA
Tert Butylbenzene			X	X	X	X	X	X	X	NA	NA	NA
Detected PAH's (ug/L)												
Acenaphthene			X	X	X	X	X	X	X	NA	X	NA
Acenanphthylene			X	X	X	X	X	X	X	NA	X	NA
Anthracene			X	X	X	X	X	X	X	NA	X	NA
Benzo (a) Anthracene			X	X	X	X	X	X	3.8	NA	X	NA
Benzo (b) Fluoranthene			X	X	X	X	X	X	X	NA	X	NA
Benzo (k) Fluoranthene			X	X	X	X	X	X	X	NA	X	NA
Benzo (a) Pyrene	0.003	0.0003	X	X	X	X	X	X	X	NA	X	NA
Benzo (ghi) Perylene			X	X	X	X	X	X	X	NA	X	NA
Chrysene			X	X	X	X	X	X	0.5	NA	X	NA
Dibenzo (a,h) Anthracene			X	X	X	X	X	X	X	NA	X	NA
Fluoranthene			X	X	X	X	X	X	X	NA	X	NA
Fluorene			X	X	X	X	X	X	X	NA	X	NA
Indeno (1,2,3-cd) Pyrene			X	X	X	X	X	X	X	NA	X	NA
Naphthalene	40	8	X	X	X	X	X	X	0.5	NA	X	NA
Phenanthrene			X	X	X	X	X	X	0.5	NA	X	NA
Pyrene			X	X	X	X	X	X	1.2	NA	X	NA
1-Methyl Naphthalene			X	X	X	X	X	X	0.2	NA	X	NA
2-Methyl Naphthalene			X	X	X	X	X	X	X	NA	X	NA
Detected Metals and Indicator Parameters (mg/L)												
Lead (Pb)	15	1.5	X	NA	X	X	NA	NA	NA	NA	NA	NA
Iron (Fe)	0.3	0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.7
Nitrate Nitrogen	10	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.8
Sulfate	250	125	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.3
Field Measurements												
Temperature (oF)			NA	NA	NA	NA	NA	NA	NA	NA	NA	39.9
Conductivity (ms/cm)			NA	NA	NA	NA	NA	NA	NA	NA	NA	125.0
Dissolved Oxygen (mg/L)			NA	NA	NA	NA	NA	NA	NA	NA	NA	5.6
pH			NA	NA	NA	NA	NA	NA	NA	NA	NA	11.8
Redox Potential (mV)			NA	NA	NA	NA	NA	NA	NA	NA	NA	-45.6

TABLE 1e

BABLICK SELF SERVICE
GROUNDWATER ANALYTICAL RESULTS
GRO, DRO, VOC (EPA method 8021), and Pb (Lead)

Monitoring Well #5														
PARAMETER	**ES**	**PAL**	4/10/92	8/12/93	12/2/93	6/22/94	11/29/94	2/22/95	8/24//95	2/15/96	10/30/96	4/30/97	8/26/98	10/26/99
GRO (mg/L)			NA	66.8	X	X	NA	NA	NA	NA	NA	NA	NA	NA
DRO (mg/L)			NA	54.1	X	154.0	NA	NA	NA	NA	NA	NA	NA	NA
Detected VOC's (ug/L)														
Benzene	5	0.5	NA	0.2	X	X	X	X	X	X	NA	X	<0.10	<0.15
Ethylbenzene	700	140	NA	X	X	X	X	X	X	X	NA	X	<0.12	<0.5
Toluene	343	68.6	NA	X	X	X	X	X	X	X	NA	X	<0.17	<0.4
o-Xylene	620*	124*	NA	X	X	X	X	X	X	X	NA	X	<0.16	<0.15
m- & p- Xylene	620*	124*	NA	X	X	X	X	X	X	X	NA	X	<0.16	<0.4
1,3,5-Trimethylbenzene			NA	X	X	X	X	X	X	X	NA	X	<0.11	<0.15
1,2,4-Trimethylbenzene			NA	X	X	X	X	X	X	X	NA	X	<0.15	<0.4
Methyl tert-butyl ether	60	12	X	X	X	X	X	X	X	X	NA	X	<0.17	<0.3
Isopropylbenzene			NA	X	X	X	X	X	X	NA	NA	NA	NA	NA
Naphthalene	40	8	NA	X	X	X	X	X	X	NA	NA	NA	NA	NA
n-Propylbenzene			NA	X	X	X	X	X	X	NA	NA	NA	NA	NA
n-Butylbenzene			NA	X	X	X	X	X	X	NA	NA	NA	NA	NA
Chloroform			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
p-Isopropyltoluene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Isopropyl Ether			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Tert Butylbenzene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Detected PAH's (ug/L)														
Acenaphthene			NA	X	X	X	X	X	X	NA	NA	NA	NA	NA
Acenanphthylene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Anthracene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Benzo (a) Anthracene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Benzo (b) Fluoranthene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Benzo (k) Fluoranthene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Benzo (a) Pyrene	0.003	0.0003	X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Benzo (ghi) Perylene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Chrysene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Dibenzo (a,h) Anthracene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Fluoranthene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Fluorene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Indeno (1,2,3-cd) Pyrene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Naphthalene	40	8	X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Phenanthrene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Pyrene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
1-Methyl Naphthalene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
2-Methyl Naphthalene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA
Detected Metals and Indicator Parameters (mg/L)														
Lead (Pb)	15	1.5	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA	NA
Iron (Fe)	0.3	0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.4	6.6	0.055
Nitrate Nitrogen	10	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.2	0.8	2.77
Sulfate	250	125	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.3	19.0	8.02
Field Measurements														
Temperature (oF)			NA	NA	NA	NA	NA	NA	NA	NA	NA	41.8	52.4	51.15
Conductivity (ms/cm)			NA	NA	NA	NA	NA	NA	NA	NA	NA	250.0	176.0	128
Dissolved Oxygen (mg/L)			NA	NA	NA	NA	NA	NA	NA	NA	NA	1.4	4.0	10.31
pH			NA	NA	NA	NA	NA	NA	NA	NA	NA	11.2	6.4	7.26
Redox Potential (mV)			NA	NA	NA	NA	NA	NA	NA	NA	NA	-26.4	120.2	141.9

GROUNDWATER ANALYTICAL RESULTS
GRO, DRO, VOC (EPA method 8021), and Pb (Lead)

Monitoring Well #6																
PARAMETER	**ES**	**PAL**	4/10/92	8/12/93	12/2/93	6/22/94	11/29/94	2/22/95	8/24/95	2/15/96	10/30/96	4/30/97	8/26/98	2/23/98	6/8/99	10/26/99
GRO (mg/L)			NA	NA	NA	112.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
DRO (mg/L)			NA	62.9	NA	164.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Detected VOC's (ug/L)																
Benzene	5	0.5	NA	0.2	X	10.5	X	X	X	X	X	X	<0.10	<0.10	<0.2	<0.15
Ethylbenzene	700	140	NA	X	X	X	X	X	X	7.0	X	X	<0.12	<0.12	<0.5	<0.5
Toluene	343	68.6	NA	0.9	X	2.0	X	X	X	63.0	X	X	<0.17	<0.17	<0.5	<0.4
o-Xylene	620*	124*	NA	X	X	X	X	X	X	120*	4.16	2.80	<0.16	<0.16	<0.5	<0.15
m- & p- Xylene	620*	124*	NA	X	X	X	X	X	X	120*	X	1.31	<0.16	<0.16	<0.5	<0.4
1,3,5-Trimethylbenzene			NA	X	X	X	X	X	X	5.0	X	X	<0.11	<0.11	<0.5	<0.15
1,2,4-Trymethylbenzene			NA	X	X	X	X	X	X	28.0	X	X	<0.15	<0.15	<0.5	<0.4
Methyl tert-butyl ether	60	12	X	X	X	X	X	X	X	X	X	X	<0.17	<0.17	<0.3	<0.3
Isopropylbenzene			NA	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	NA	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			NA	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
n-Butylbenzene			NA	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Chloroform			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Isopropyl Ether			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Tert Butylbenzene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Detected PAH's (ug/L)																
Acenaphthene			X	X	X	1.2	X	X	X	NA	NA	NA	NA	NA	NA	NA
Acenanphthylene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Anthracene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Benzo (a) Anthracene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Benzo (b) Fluoranthene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Benzo (k) Fluoranthene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Benzo (a) Pyrene	0.003	0.0003	X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Benzo (ghi) Perylene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Chrysene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Dibenzo (a,h) Anthracene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Fluoranthene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Fluorene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3-cd) Pyrene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Phenanthrene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Pyrene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
1-Methyl Naphthalene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
2-Methyl Naphthalene			X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Detected Metals and Indicator Parameters (mg/L)																
Lead (Pb)	15	1.5	NA	NA	X	X	NA	NA	NA	NA	NA	1.2	2.2	0.0	<0.01	0.0
Iron (Fe)	0.3	0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.6	0.1	0.3	0.6	3.8
Nitrate Nitrogen	10	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	46.5	17.0	13.0	25.8	23.7
Sulfate	250	125	NA	NA	NA	NA	NA	NA	NA	NA	NA					
Field Measurements																
Temperature (oF)			NA	NA	NA	NA	NA	NA	NA	NA	NA	42.6	56.3	49.8	51.1	51.4
Conductivity (ms/cm)			NA	NA	NA	NA	NA	NA	NA	NA	NA	468.0	356.0	452.0	377.0	426.0
Dissolved Oxygen (mg/L)			NA	NA	NA	NA	NA	NA	NA	NA	NA	1.3	3.7	2.7	NA	2.5
pH			NA	NA	NA	NA	NA	NA	NA	NA	NA	6.6	5.8	6.4	6.0	6.5
Redox Potential (mV)			NA	NA	NA	NA	NA	NA	NA	NA	NA	-38.9	170.0	184.0	217.7	220.0

Notes:

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

X = Not Detected

BABLICK SELF SERVICE
GROUNDWATER ANALYTICAL RESULTS
GRO, DRO, VOC (EPA method 8021), and Pb (Lead)

Monitoring Well #7																		
PARAMETER	ES	PAL	4/10/92	8/12/93	12/2/93	6/22/94	11/29/94	2/22/95	8/24/95	2/15/96	10/30/96	4/30/97	1/7/98	8/26/98	2/23/99	6/8/99	10/26/99	8/29/00
GRO (mg/L)			NA	NA	NA	528	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
DRO (mg/L)			NA	NA	NA	231	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Detected VOC's (ug/L)						40.2	24.8		5	90		6.56		5				
Benzene	5	0.5	NA	NA	NA	[redacted]	[redacted]	4.79	[redacted]	[redacted]	X	[redacted]	3	[redacted]	0.35	2.21	2.32	3.16
Ethylbenzene	700	140	NA	NA	NA	9.8	X	X	X	X	X	21.9	1	0.93	<0.12	0.831	<0.5	<0.5
Toluene	343	68.6	NA	NA	NA	3.9	X	X	X	X	X	X	0.4	<0.17	<0.17	<0.5	<0.4	<0.4
o-Xylene	620*	124*	NA	NA	NA	1.2	X	X	X	X	X	X	X	<0.16	<0.16	<0.5	<0.15	<0.15
m- & p- Xylene	620*	124*	NA	NA	NA	13.9	X	X	X	X	X	38.9	X	<0.16	<0.16	<0.5	<0.4	<0.4
1,3,5-Trimethylbenzene			NA	NA	NA	3.1	X	X	2.0	X	X	16.1	X	<0.11	<0.11	<0.5	<0.15	<0.15
1,2,4-Trimethylbenzene			NA	NA	NA	2.8	X	X	X	X	X	32.5	0.3	<0.11	<0.15	<0.5	<0.4	<0.4
Methyl tert-butyl ether	60	12	NA	NA	NA	X	X	X	X	X	X	X	X	<0.17	<0.17	<0.3	<0.3	<0.3
Isopropylbenzene			NA	NA	NA	5.9	5.4	X	12.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	NA	NA	NA	13.8	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			NA	NA	NA	5.1	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Butylbenzene			NA	NA	NA	4.6	2.8	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropyl Ether			NA	NA	NA	5.7	7.7	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tert Butylbenzene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Detected PAH's (ug/L)																		
Acenaphthene			NA	NA	NA	1.2	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acenaphthylene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Anthracene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo (a) Anthracene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo (b) Fluoranthene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo (k) Fluoranthene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo (a) Pyrene	0.003	0.0003	NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo (ghi) Perylene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chrysene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dibenzo (a,h) Anthracene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluoranthene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fluorene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3-cd) Pyrene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	NA	NA	NA	5.5	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenanthrene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyrene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
1-Methyl Naphthalene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Methyl Naphthalene			NA	NA	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Detected Metals and Indicator Parameters (mg/L)																		
Lead (Pb)	15	1.5	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron (Fe)	0.3	0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.1	NA	16.0	<0.0015	<0.01	0.013	0.042
Nitrate Nitrogen	10	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.5	NA	0.5	0.5	1.42	0.698	32.7
Sulfate	250	125	NA	NA	NA	NA	NA	NA	NA	NA	NA	33.0	NA	28.0	41.0	49.4	79.7	32.7
Field Measurements																		
Temperature (oF)			NA	NA	NA	NA	NA	NA	NA	NA	NA	43.2	49.9	56.7	47.4	48.52	54.74	NA
Conductivity (ms/cm)			NA	NA	NA	NA	NA	NA	NA	NA	NA	347.0	345.0	403.0	386.0	384	139	NA
Dissolved Oxygen (mg/L)			NA	NA	NA	NA	NA	NA	NA	NA	NA	3.5	3.0	2.6	2.7	NA	4.31	NA
pH			NA	NA	NA	NA	NA	NA	NA	NA	NA	6.9	7.3	6.3	7.1	7.08	6.95	NA
Redox Potential (mV)			NA	NA	NA	NA	NA	NA	NA	NA	NA	-138.4	-85.0	132.8	142.0	169.8	41.2	NA

Notes:

All values are reported in µg/l (ppb)
ES = NR140.10 Enforcement Standards
PAL = NR140.10 Preventive Action Limits

BABLICK SELF SERVICE
GROUNDWATER ANALYTICAL RESULTS
GRO, DRO, VOC (EPA method 8021), and Pb (Lead)

Monitoring Well #8																
PARAMETER	**ES**	**PAL**	4/10/92	8/12/93	12/2/93	6/22/94	11/29/94	2/22/95	8/24/95	2/15/96	10/30/96	4/30/97	8/26/98	2/23/99	6/8/99	10/26/99
GRO (mg/L)			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
DRO (mg/L)			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Detected VOC's (ug/L)																
Benzene	5	0.5	NA	NA	NA	NA	NA	X	X	X	X	X	<0.10	<0.10	<0.2	<0.15
Ethylbenzene	700	140	NA	NA	NA	NA	NA	X	X	X	X	X	<0.12	<0.12	<0.5	<0.5
Toluene	343	68.6	NA	NA	NA	NA	NA	X	X	X	X	X	<0.17	<0.17	<0.5	<0.4
o-Xylene	620*	124*	NA	NA	NA	NA	NA	X	X	X	X	X	<0.16	<0.16	<0.5	<0.15
m- & p- Xylene	620*	124*	NA	NA	NA	NA	NA	X	X	X	X	X	<0.16	<0.16	<0.5	<0.4
1,3,5-Trimethylbenzene			NA	NA	NA	NA	NA	X	X	X	X	X	<0.11	<0.11	<0.5	<0.15
1,2,4- Trimethlbenzene			NA	NA	NA	NA	NA	X	X	X	X	X	<0.15	<0.15	<0.5	<0.4
Methyl tert-butyl ether	60	12	X	X	X	X	X	X	X	X	X	X	<0.17	<0.17	<0.3	<0.3
Isopropylbenzene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
n-Butylbenzene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Chloroform			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Isopropyl Ether			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Tert Butylbenzene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Detected PAH's (ug/L)																
Acenaphthene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Acenanpthylene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Anthracene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Benzo (a) Anthracene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Benzo (b) Fluoranthene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Benzo (k) Fluoranthene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Benzo (a) Pyrene	0.003	0.0003	NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Benzo (ghi) Perylene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Chrysene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Dibenzo (a,h) Anthracene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Fluoranthene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Fluorene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3-cd) Pyrene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Phenanthrene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Pyrene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
1-Methyl Naphthalene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
2-Methyl Naphthalene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Detected Metals and Indicator Parameters (mg/L)																
Lead (Pb)	15	1.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron (Fe)	0.3	0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.0	0.1	0.029	0.046
Nitrate Nitrogen	10	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.6	0.7	3.71	3.97
Sulfate	250	125	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.0	10.0	11.3	15.5
Field Measurements																
Temperature (oF)			NA	NA	NA	NA	NA	NA	NA	NA	NA	37.5	59.1	44.6	47.02	53.02
Conductivity (ms/cm)			NA	NA	NA	NA	NA	NA	NA	NA	NA	141.0	259.0	428.0	479	219
Dissolved Oxygen (mg/L)			NA	NA	NA	NA	NA	NA	NA	NA	NA	4.8	2.8	3.2	NA	4.62
pH			NA	NA	NA	NA	NA	NA	NA	NA	NA	7.3	5.9	7.0	6.72	7.96
Redox Potential (mV)			NA	NA	NA	NA	NA	NA	NA	NA	NA	-100.2	128.4	103.5	206.2	136.8

Notes:

BABLICK SELF SERVICE
GROUNDWATER ANALYTICAL RESULTS
GRO, DRO, VOC (EPA method 8021), and Pb (Lead)

Monitoring Well #9														
PARAMETER	**ES**	**PAL**	4/10/92	8/12/93	12/2/93	6/22/94	11/29/94	2/22/95	8/24/95	2/15/96	10/30/96	4/30/97	8/26/98	10/26/99
GRO (mg/L)			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
DRO (mg/L)			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Detected VOC's (ug/L)														
Benzene	5	0.5	NA	NA	NA	NA	NA	0.2	X	X	X	X	<0.10	<0.15
Ethylbenzene	700	140	NA	NA	NA	NA	NA	X	X	X	X	X	<0.12	<0.5
Toluene	343	68.6	NA	NA	NA	NA	NA	X	X	X	X	X	<0.17	<0.4
o-Xylene	620*	124*	NA	NA	NA	NA	NA	2.1	X	X	X	X	<0.16	<0.15
m- & p- Xylene	620*	124*	NA	NA	NA	NA	NA	1.1	X	X	X	X	<0.16	<0.4
1,3,5-Trimethylbenzene			NA	NA	NA	NA	NA	X	X	X	X	X	<0.11	<0.15
1,2,4-Trimethylbenzene			NA	NA	NA	NA	NA	2.4	X	X	X	X	<0.15	<0.4
Methyl tert-butyl ether	60	12	NA	NA	NA	NA	NA	X	X	X	X	X	<0.17	<0.3
Isopropylbenzene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA
Naphthalene	40	8	NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA
n-Propylbenzene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA
n-Butylbenzene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA
Chloroform			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA
p-Isopropyltoluene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA
Isopropyl Ether			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA
Tert Butylbenzene			NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA
Detected PAH's (ug/L)														
Acenaphthene			NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
Acenanphthylene			NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
Anthracene			NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
Benzo (a) Anthracene			NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
Benzo (b) Fluoranthene			NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
Benzo (k) Fluoranthene			NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
Benzo (a) Pyrene	0.003	0.0003	NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
Benzo (ghi) Perylene			NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
Chrysene			NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
Dibenzo (a,h) Anthracene			NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
Fluoranthene			NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
Fluorene			NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
Indeno (1,2,3-cd) Pyrene			NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
Naphthalene	40	8	NA	NA	NA	NA	NA	0.4	X	X	X	NA	NA	NA
Phenanthrene			NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
Pyrene			NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
1-Methyl Naphthalene			NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
2-Methyl Naphthalene			NA	NA	NA	NA	NA	X	X	X	X	NA	NA	NA
Detected Metals and Indicator Parameters (mg/L)														
Lead (Pb)	15	1.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron (Fe)	0.3	0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.9	0.025
Nitrate Nitrogen	10	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.2	4.31
Sulfate	250	125	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.0	22.2
Field Measurements														
Temperature (oF)			NA	NA	NA	NA	NA	NA	NA	NA	NA	42.4	53.3	51.27
Conductivity (ms/cm)			NA	NA	NA	NA	NA	NA	NA	NA	NA	1845.0	1539.0	181
Dissolved Oxygen (mg/L)			NA	NA	NA	NA	NA	NA	NA	NA	NA	1.7	2.1	4.4.71
pH			NA	NA	NA	NA	NA	NA	NA	NA	NA	10.8	5.6	7.81
Redox Potential (mV)			NA	NA	NA	NA	NA	NA	NA	NA	NA	-25.5	172.7	27.4

Notes:

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

BABLICK SELF SERVICE
GROUNDWATER ANALYTICAL RESULTS
GRO, DRO, VOC (EPA method 8021), and Pb (Lead)

PZ-1														
PARAMETER	**ES**	**PAL**	4/10/92	8/12/93	12/2/93	6/22/94	11/29/94	2/22/95	8/24/95	2/15/96	10/30/96	4/30/97	8/26/98	10/26/99
GRO (mg/L)			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
DRO (mg/L)			NA	178.0	NA	1440.0	NA	NA	NA	NA	NA	NA	NA	NA
Detected VOC's (ug/L)														
Benzene	5	0.5	NA	2.9	X	X	X	X	X	X	NA	X	<0.10	<0.15
Ethylbenzene	700	140	NA	X	X	X	X	X	X	X	NA	X	<0.12	<0.5
Toluene	343	68.6	NA	5.9	X	X	X	X	X	X	NA	X	<0.17	<0.4
o-Xylene	620*	124*	NA	X	X	X	X	X	X	X	NA	X	<0.16	<0.15
m- & p- Xylene	620*	124*	NA	1.0	X	X	X	X	X	X	NA	X	<0.16	<0.4
1,3,5-Trimethylbenzene			NA	X	X	X	X	X	X	X	NA	X	<0.11	<0.15
1,2,4-Trimethylbenzene			NA	X	X	X	X	X	X	X	NA	X	<0.15	<0.4
Methyl tert-butyl ether	60	12	NA	X	X	X	X	X	X	X	NA	X	<0.17	<0.3
Isopropylbenzene			NA	X	X	X	X	X	X	NA	NA	NA	NA	NA
Naphthalene	40	8	NA	1.1	X	X	X	X	X	NA	NA	NA	NA	NA
n-Propylbenzene			NA	X	X	X	X	X	X	NA	NA	NA	NA	NA
n-Butylbenzene			NA	X	X	X	X	X	X	NA	NA	NA	NA	NA
Chloroform			NA	X	X	X	X	X	X	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene			NA	X	X	X	X	X	X	NA	NA	NA	NA	NA
p-isopropyltoluene			NA	X	X	X	X	X	X	NA	NA	NA	NA	NA
Isopropyl Ether			NA	X	X	X	X	X	X	NA	NA	NA	NA	NA
Tert Butylbenzene			NA	X	X	X	X	X	X	NA	NA	NA	NA	NA
Detected PAH's (ug/L)														
Acenaphthene			NA	X	X	X	X	X	X	X	NA	NA	NA	NA
Acenanphthylene			NA	X	X	X	X	X	X	X	NA	NA	NA	NA
Anthracene			NA	X	X	X	X	X	X	X	NA	NA	NA	NA
Benzo (a) Anthracene			NA	X	X	X	X	X	X	X	NA	NA	NA	NA
Benzo (b) Fluoranthene			NA	X	X	X	X	X	X	X	NA	NA	NA	NA
Benzo (k) Fluoranthene			NA	X	X	X	X	X	X	X	NA	NA	NA	NA
Benzo (a) Pyrene	0.003	0.0003	NA	X	X	X	X	X	X	X	NA	NA	NA	NA
Benzo (ghi) Perylene			NA	X	X	X	X	X	X	X	NA	NA	NA	NA
Chrysene			NA	X	X	X	X	X	X	X	NA	NA	NA	NA
Dibenzo (a,h) Anthracene			NA	X	X	X	X	X	X	X	NA	NA	NA	NA
Fluoranthene			NA	X	X	X	X	X	X	X	NA	NA	NA	NA
Fluorene			NA	0.7	X	X	X	X	X	X	NA	NA	NA	NA
Indeno (1,2,3-cd) Pyrene			NA	X	X	X	X	X	X	X	NA	NA	NA	NA
Naphthalene	40	8	NA	X	X	X	X	X	X	X	NA	NA	NA	NA
Phenanthrene			NA	0.1	X	X	X	X	X	X	NA	NA	NA	NA
Pyrene			NA	0.5	X	X	X	X	X	X	NA	NA	NA	NA
1-Methyl Naphthalene			NA	X	X	X	X	X	X	X	NA	NA	NA	NA
2-Methyl Naphthalene			NA	X	X	X	X	X	X	X	NA	NA	NA	NA
Detected Metals and Indicator Parameters (mg/L)														
Lead (Pb)	15	1.5	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Iron (Fe)	0.3	0.15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	57.0	0.03
Nitrate Nitrogen	10	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.5	3.66
Sulfate	250	125	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.0	9.64
Field Measurements														
Temperature (oF)			NA	NA	NA	NA	NA	NA	NA	NA	NA	43.4	51.7	50.34
Conductivity (ms/cm)			NA	NA	NA	NA	NA	NA	NA	NA	NA	210.0	146.0	174
Dissolved Oxygen (mg/L)			NA	NA	NA	NA	NA	NA	NA	NA	NA	1.6	2.6	3.11
pH			NA	NA	NA	NA	NA	NA	NA	NA	NA	6.3	6.8	7.56
Redox Potential (mV)			NA	NA	NA	NA	NA	NA	NA	NA	NA	-26.7	95.1	141.1

Notes:

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

BABLICK SELF SERVICE
GROUNDWATER ANALYTICAL RESULTS
GRO, DRO, VOC (EPA method 8021), and Pb (Lead)

Recovery Well #1					
PARAMETER	ES	PAL	5/10/97	2/23/99	6/8/99
GRO (mg/L)			NA	NA	NA
DRO (mg/L)			NA	NA	NA
Detected VOC's (ug/L)				130	
Benzene	5	0.5	X	[redacted]	1.92
Ethylbenzene	700	140	97	65	143
Toluene	343	68.6	282	6.5	5
Total-Xylene	620*	124*	970	72	201.81
1,3,5-Trimethylbenzene			41.5	<0.22	6.22
1,2,4-Trimethylbenzene			96.2	27.0	29.8
Methyl-tert-butyl- ether	60	12	X	<0.34 52	<1.5
Isopropylbenzene			NA	NA	NA
Naphthalene	40	8	NA	[redacted]	9.86
n-Propylbenzene			NA	NA	NA
n-Butylbenzene			NA	NA	NA
Chloroform			NA	NA	NA
1,2,4-Trichlorobenzene			NA	NA	NA
p-Isopropyltoluene			NA	NA	NA
Isopropyl Ether			NA	NA	NA
Tert Butylbenzene			NA	NA	NA
Detected PAH's (ug/L)					
Acenaphthene			NA	NA	NA
Acenamphthylene			NA	NA	NA
Anthracene			NA	NA	NA
Benzo (a) Anthracene			NA	NA	NA
Benzo (b) Fluoranthene			NA	NA	NA
Benzo (k) Fluoranthene			NA	NA	NA
Benzo (a) Pyrene	0.003	0.0003	NA	NA	NA
Benzo (ghi) Perylene			NA	NA	NA
Chrysene			NA	NA	NA
Dibenzo (a,h) Anthracene			NA	NA	NA
Fluoranthene			NA	NA	NA
Fluorene			NA	NA	NA
Indeno (1,2,3-cd) Pyrene			NA	NA	NA
Naphthalene	40	8	NA	NA	NA
Phenanthrene			NA	NA	NA
Pyrene			NA	NA	NA
1-Methyl Naphthalene			NA	NA	NA
2-Methyl Naphthalene			NA	NA	NA
Lead (Pb)	15	1.5	NA	NA	NA
Detected Metals and Indicator Parameters (mg/L)					
Lead (Pb)	15	1.5	NA	NA	NA
Iron (Fe)	0.3	0.15	NA	20.0	11.2
Nitrate Nitrogen	10	2	NA	<0.031	<0.3
Sulfate	250	125	NA	8.8	5.8

Notes:

ES = NR140.10 Enforcement Standards

BABLICK SELF SERVICE
GROUNDWATER ANALYTICAL RESULTS
GRO, DRO, VOC (EPA method 8021), and Pb (Lead)

Recovery Well #2								
PARAMETER	ES	PAL	5/10/97	6/12/97	7/9/97	8/26/98	2/23/99	6/8/99
GRO (mg/L)					NA	NA	NA	NA
DRO (mg/L)					NA	NA	NA	NA
Detected VOC's (ug/L)			1245	470	1400	500	15	18.3
Benzene	5	0.5	[redacted]					
Ethylbenzene	700	140	29 1010	33	200 1200	150	[redacted]	9.72
Toluene	343	68.6	[redacted]	330	[redacted]	18	40 750	1.63
Total Xylenes	620*	124*	[redacted]	610	[redacted]	250	[redacted]	5.87
1,3,5-Trimethylbenzene			116.0 1312	70.0	150 1500	14	51 1100	1.14
1,2,4-Trimethylbenzene			170.0	110.0	250	60 162	180	5.38
Methyl-tert-butyl- ether	60	12	X	X	X	[redacted]	<0.85	<0.3
Isopropylbenzene			NA	NA	NA	NA	NA 190	NA
Naphthalene	40	8	NA	NA	NA	NA	[redacted]	1.98
n-Propylbenzene			NA	NA	NA	NA	NA	NA
n-Butylbenzene			NA	NA	NA	NA	NA	NA
Chloroform			NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene			NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			NA	NA	NA	NA	NA	NA
Isopropyl Ether			NA	NA	NA	NA	NA	NA
Tert Butylbenzene			NA	NA	NA	NA	NA	NA
Detected PAH's (ug/L)								
Acenaphthene			NA	NA	NA	NA	NA	NA
Acenanphthylene			NA	NA	NA	NA	NA	NA
Anthracene			NA	NA	NA	NA	NA	NA
Benzo (a) Anthracene			NA	NA	NA	NA	NA	NA
Benzo (b) Fluoranthene			NA	NA	NA	NA	NA	NA
Benzo (k) Fluoranthene			NA	NA	NA	NA	NA	NA
Benzo (a) Pyrene	0.003	0.0003	NA	NA	NA	NA	NA	NA
Benzo (ghi) Perylene			NA	NA	NA	NA	NA	NA
Chrysene			NA	NA	NA	NA	NA	NA
Dibenzo (a,h) Anthracene			NA	NA	NA	NA	NA	NA
Fluoranthene			NA	NA	NA	NA	NA	NA
Fluorene			NA	NA	NA	NA	NA	NA
Indeno (1,2,3-cd) Pyrene			NA	NA	NA	NA	NA	NA
Naphthalene	40	8	NA	NA	NA	NA	NA	NA
Phenanthrene			NA	NA	NA	NA	NA	NA
Pyrene			NA	NA	NA	NA	NA	NA
1-Methyl Naphthalene			NA	NA	NA	NA	NA	NA
2-Methyl Naphthalene			NA	NA	NA	NA	NA	NA
Detected Metals and Indicator Parameters (mg/L)								
Lead (Pb)	15	1.5	NA	NA	NA	NA	NA	NA
Iron (Fe)	0.3	0.15	NA	NA	NA	3.3	4.2	2.1
Nitrate Nitrogen	10	2	NA	NA	NA	<0.031	<0.031	>0.3
Sulfate	250	125	NA	NA	NA	32.0	36.0	13.9

Notes:

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits