

GIS REGISTRY

Cover Sheet

July, 2008
(RR 5367)

Source Property Information

BRRTS #:

ACTIVITY NAME:

PROPERTY ADDRESS:

MUNICIPALITY:

PARCEL ID #:

CLOSURE DATE:

FID #:

DATCP #:

COMM #:

*WTM COORDINATES:

X: **Y:**

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
- Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Land Use Controls:

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between residential and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government or economic
development corporation)*

Monitoring wells properly abandoned? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: 03-03-000917 PARCEL ID #: 050-2000-16000

ACTIVITY NAME: REEVE 76 STATION WTM COORDINATES: X: 353103 Y: 531635

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: NA Title:
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 Title: Vicinity Map
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2 Title: Site Plan View & Sampling Location Map
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 5 Title: Soil Contamination

BRRTS #: 03-03-000917

ACTIVITY NAME: REEVE 76 STATION

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: 3 **Title: Cross Section A - A'**

Figure #: 4 **Title: Cross Section B - B'**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: 6 **Title: Groundwater Contaminant Distribution**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 3 **Title: Groundwater Data**

Figure #: **Title:**

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 2 **Title: Soil Analytical Results + Table 1 Soil Sample PID Results**

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 1 **Title: Analytical Results Groundwater**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 1 **Title: Analytical Results Groundwater**

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: **Title:**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-03-000917

ACTIVITY NAME: REEVE 76 STATION

NOTIFICATIONS

Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:

- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters: 1



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
John Gozdziński, Regional Director

Northern Region Headquarters
107 Sutliff Ave.
Rhinelander, Wisconsin 54501-3349
Telephone 715-365-8900
FAX 715-365-8932
TTY Access via relay - 711

August 17, 2009

Mr. Dave Somsen
PO Box 275
Clear Lake, WI 54005

SUBJECT: Final Case Closure with Continuing Obligations
Former Reeve 76, 148 2nd Street NW, Clear Lake, WI
WDNR BRRTS Activity #: 03-03-000917

Dear Mr. Somsen:

On July 2, 2009, the Northern Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On July 2, 2009, you were notified that the Closure Committee had granted conditional closure to this case.

In a letter dated July 13, 2009 the Department received information or documentation indicating that you have complied with the requirements for final closure. The conditions of closure included the proper abandonment of the monitoring wells on the site.

Based on the correspondence and data provided, it appears that your case meets the closure requirements in ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time, however, you and future property owners must comply with certain continuing obligations as explained in this letter.

GIS Registry

This site will be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- If a structural impediment that obstructed a complete site investigation or cleanup is removed or modified, additional environmental work must be completed
- Groundwater contamination is present above Chapter NR 140 enforcement standards

This letter and information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If the property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval,

Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which you and any subsequent property owners must adhere. You must pass on the information about these continuing obligations to the next property owner or owners. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. The Department intends to conduct inspections in the future to ensure that the conditions included in this letter are met.

Residual Soil Contamination

Residual soil contamination remains as indicated on Figure #1, Soil Contaminant Distribution Map dated September 10, 2003 which was submitted to the Department of Natural Resources. If soil in the specific locations described above is excavated in the future, then pursuant to ch. NR 718 or, if applicable, ch. 289, Stats., and chs. 500 to 536, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material is considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken to prevent a direct contact health threat to humans.

Structural Impediments

Structural impediments existing at the time of cleanup, the former Reeves 76 building (as shown on Figure #1), made complete investigation of the soil contamination on this property impracticable. Pursuant to s. 292.12(2)(b), Wis. Stats., if the structural impediments on this property that are described above are to be removed, the property owner shall notify the Department of Natural Resources before removal and conduct an investigation of the degree and extent of petroleum contamination. If contamination is found at that time, the contamination shall be properly remediated in accordance with applicable statutes and rules. If soil in the specific locations described above is excavated, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material is considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

Residual Groundwater Contamination

Groundwater impacted by petroleum contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present both on this contaminated property and in the road right-of-way as indicated on Figure 2 Groundwater Contaminant Distribution and Potentiometric Surface Map dated January 15, 2003. The Barron County Highway Department has been notified of this remaining groundwater contamination in the right-of-way. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Post-Closure Notification Requirements


In accordance with ss, 292.12 and 292.13, Wis. Stats., you must notify the Department before making changes that affect or relate to the conditions of closure in this letter. For this case, examples of changed conditions requiring prior notification include, but are not limited to:

- Any activity or construction that results in the removal or modification of a structural impediment that obstructed a complete site investigation or cleanup.

Please send written notifications in accordance with the above requirements to Wisconsin Department of Natural Resources, William Schultz, 107 Sutliff Ave., Rhineland, WI 54501

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact William Schultz at (715) 365-8965.

Sincerely,



John Robinson, Team Supervisor
Northern Remediation & Redevelopment Program

Attachments: Figure 1 – Soil Contaminant Distribution Map
Figure 2 – Groundwater Contaminant Distribution and Potentiometric Surface Map

cc: Mike Neal, Tetra Tech
1837 CTH OO
Chippewa Falls, WI 54729-6519


Tim Zeichert, DCOM (by e-mail)

LEGEND

- ☐ FORMER UST
- ⊕ POTABLE WELL
- ⊕ UTILITY POLE
- OE- OVERHEAD ELECTRIC
- UC- UNDERGROUND CABLE
- ⊙ GEOPROBE BORING
- SOIL SAMPLE

TANK LEGEND


- A FORMER 300-GALLON DIESEL UST
- B FORMER 1,000-GALLON UNLEADED GASOLINE UST
- C FORMER 1,000-GALLON UNLEADED GASOLINE UST



ENGINEER	DATE
ENGINEER	DATE
ENGINEER	DATE
REVISIONS:	
APPROVED BY:	
CHECKED BY:	
09/10/03	PCE
DRAWN BY:	
010411-05	
DRAWING NO.	

ENVIROGEN
 COST EFFECTIVE LEADERSHIP FOR A CLEANER ENVIRONMENT
 1285 Rudy Street
 Onalaska, Wisconsin 54650

SOIL CONTAMINANT DISTRIBUTION MAP	FIGURE NO. 1
REEVE 76 STATION SITE CLEAR LAKE, WISCONSIN	



LEGEND

- ☐ FORMER UST
- ⊙ POTABLE WELL
- ⊙ UTILITY POLE
- OE - OVERHEAD ELECTRIC
- UC - UNDERGROUND CABLE
- ⊙ GEOPROBE BORING
- SOIL SAMPLE
- () GROUNDWATER ELEVATION

TANK LEGEND


- A FORMER 300-GALLON DIESEL UST
- B FORMER 1,000-GALLON UNLEADED GASOLINE UST
- C FORMER 1,000-GALLON UNLEADED GASOLINE UST



95.00' GROUNDWATER CONTOUR ELEVATION
FIELD

ESTIMATED LIMIT OF
CONTAMINATION EXCEEDING
NR 140 PREVENTIVE
ACTION LIMITS

ESTIMATED LIMIT OF
CONTAMINATION EXCEEDING
NR 140 ENFORCEMENT
STANDARDS



ENGINEER	DATE
ENGINEER	DATE
ENGINEER	DATE
REVISIONS:	
APPROVED BY:	
CHECKED BY:	
PCE	09/10/03
DRAWN BY:	
	010411-06
DRAWING NO.	



ENVIROGEN

COST EFFECTIVE LEADERSHIP FOR A CLEANER ENVIRONMENT

1285 Rudy Street
Onalaska, Wisconsin 54650

SCALE



GROUNDWATER CONTAMINANT DISTRIBUTION
AND POTENTIOMETRIC SURFACE MAP (1-15-03)

REEVE 76 STATION SITE
CLEAR LAKE, WISCONSIN

FIGURE NO.

2

543390

WARRANTY DEED STATE BAR OF WISCONSIN FORM 2 - 1982

VOL 667 PAGE 601

THIS SPACE RESERVED FOR RECORDING DATA

INDEXED

RECEIVED OF RECORD

10:15 A.M. FEB 1 1993

Arna M. Miller REGISTER OF DEEDS BARRON COUNTY, WI

RETURN TO

Eugene L. Kuhl

conveys and warrants to David L. Somsen

the following described real estate in Barron County, State of Wisconsin:

Tax Parcel No: 050-2000-16000

Two (2) parcels of land located in the Southeast quarter of the Southwest quarter (SE 1/4-SW 1/4), Section Twenty (20), Township Thirty-two (32) North, Range Fourteen (14) West, Barron County, Wisconsin, described as follows:

Parcel One: Commencing at the Southeast corner of said forty acre tract above described, thence running West 100 feet on the South line of said forty, thence running at right angles 100 feet North, thence at right angles running 100 feet East to the East line of said forty, thence running South at right angles 100 feet to the place of beginning;

Parcel Two: Commencing on West line of County Trunk "K" where said West line intersects with the North line of County Trunk "A", thence West on the North line of County Trunk "A" a distance of 100 feet, thence North parallel with the West line of County Trunk "K" a distance of 100 feet, thence East parallel with the North line of County Trunk "A" to the West line of County Trunk "K", thence South on the West line of County Trunk "K" to the point of beginning.

This deed is in satisfaction of a land contract dated July 30, 1982 and recorded August 3, 1982 in Volume 506 of Records at Page 793 as Document No. 458274.

This is not homestead property. (is) (is not)

TRANSFER \$ 69.00 FEE

Exception to warranties: Municipal and zoning ordinances of record and recorded easements, restrictions and reservations; and any liens or encumbrances created or suffered to be created by the acts or defaults of the grantee.

Dated this 19th day of January, 1993

Eugene L. Kuhl (SEAL) (SEAL)

* Eugene L. Kuhl *

(SEAL) (SEAL)

AUTHENTICATION

Signature(s) of Eugene L. Kuhl

authenticated this 19th day of January, 1993

Bert D. Petersen

* Bert D. Petersen TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Bert D. Petersen, Attorney at Law Clear Lake, WI 54005

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN

County, ss.

Personally came before me this day of 19, the above named

to me known to be the person who executed the foregoing instrument and acknowledge the same.

Notary Public County, Wis. My Commission is permanent. (If not, state expiration date: 19)

*Names of persons signing in any capacity should be typed or printed below their signatures.


February 17, 2009

Re: Reeves 76 Site, 148 2nd Street NW, Clear Lake, Barron County, Wisconsin.
WDNR BRRTS No. 03-03-000917. WDCOM No. 54005-8530-48.



The legal description attached to this GIS Registry package is accurate and complete.

A handwritten signature in black ink, appearing to read "David L. Somsen". The signature is written in a cursive style with a large initial "D".

David L. Somsen
Owner



DRAWING FILE: J:\DRAFTING\3778REEVE\DWG\3778VICN.DWG LAYOUT: MODEL PLOTTED: Aug 24, 2006 - 3:53PM PLOTTED BY: NATHANP



ITM GRID AND 1975 MAGNETIC NORT
 DECLINATION AT CENTER OF SHEET

CONNORSVILLE, WIS.
 NE/4 DOWNING 15' QUADRANGLE
 N4507.5 — W9200/7.5
 1975
 AMS 2574 II NE—SERIES V861



REEVE 76 STATION
 148 2ND STREET NW
 CLEAR LAKE, WISCONSIN

FIGURE 1 : VICINITY MAP


PROJECT NO.	3778	DRAWN BY:	RJS	DATE:	8/02/06
-------------	------	-----------	-----	-------	---------

LEGEND

- ☐ FORMER UST
- ⊙ POTABLE WELL
- ⊙ UTILITY POLE
- OE— OVERHEAD ELECTRIC
- UC— UNDERGROUND CABLE
- ⊙ GEOPROBE BORING
- SOIL SAMPLE

TANK LEGEND

- A FORMER 300-GALLON DIESEL UST
- B FORMER 1,000-GALLON UNLEADED GASOLINE UST
- C FORMER 1,000-GALLON UNLEADED GASOLINE UST



ENGINEER	DATE
ENGINEER	DATE
ENGINEER	DATE
REVISIONS:	
APPROVED BY:	
CHECKED BY:	
01/15/03	
RRT	
DRAWN BY:	
010411-02	
DRAWING NO.	



ENVIROGEN

COST EFFECTIVE LEADERSHIP FOR A CLEANER ENVIRONMENT

1285 Rudy Street
Onalaska, Wisconsin 54650

SITE PLAN VIEW & SAMPLING LOCATION MAP

FIGURE NO.

REEVE 76 STATION SITE
CLEAR LAKE, WISCONSIN


2

LEGEND

- ☐ FORMER UST
- ⊕ POTABLE WELL
- ⊕ UTILITY POLE
- OE— OVERHEAD ELECTRIC
- UC— UNDERGROUND CABLE
- ⊕ GEOPROBE BORING
- SOIL SAMPLE

TANK LEGEND

- A FORMER 300-GALLON DIESEL UST
- B FORMER 1,000-GALLON UNLEADED GASOLINE UST
- C FORMER 1,000-GALLON UNLEADED GASOLINE UST



ENGINEER	DATE
ENGINEER	DATE
ENGINEER	DATE
REVISIONS:	
APPROVED BY:	
CHECKED BY:	09/10/03
PCE	
DRAWN BY:	
DRAWING NO.	010411-05




ENVIROGEN

COST EFFECTIVE LEADERSHIP FOR A CLEANER ENVIRONMENT

1285 Rudy Street
Onalaska, Wisconsin 54650

SOIL CONTAMINANT DISTRIBUTION MAP	FIGURE NO. 5
REEVE 76 STATION SITE CLEAR LAKE, WISCONSIN	



PROJECT# 1157332840-A1B
 DATE: 11/19/07
 REV. BY: MN
 SCALE: 1" = 30'

FIGURE 3
GROUNDWATER DATA
AUGUST 2007
REEVE 76 STATION
CLEAR LAKE, WISCONSIN




TABLE 1

Soil Sample PID Results
Reeve 76 Station
Clear Lake, Wisconsin

Sample Depth (feet bgs)	GP-1	GP-2	GP-3	GP-4	GP-5	GP-6	GP-7	GP-8	GP-9	GP-10	GP-11	GP-12	GP-13
0-2	<10	<10	<10	523	321	<10	<10	<10	<10	<10	<10	<10	57
2-4	14	233	289	>1,000	73	<10	<10	<10	<10	74	<10	<10	<10
4-6	368	618	>1,000	>1,000	175	<10	<10	<10	<10	146	<10	<10	<10
6-8	258	583	>1,000	329	>1,000	16	<10	<10	<10	149	<10	<10	20
8-10	10												
10-12	<10												
	EOB @ 12'	EOB @ 8'											

Sample Depth (feet bgs)	GP-14	GP-15	HA-1	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	
0-2	54	<10	<10	Blind Drill to 13'	<10	<10	Blind Drill to 13'	45	<10	<10	<10	<10	<10	
2-4	<10	<10	<10		<10	<10		63	<10	<10	<10	<10	<10	<10
4-6	59	<10	<10		69	<10		43	<10	<10	<10	<10	<10	<10
6-8	48	<10	<10		77	<10		293	<10	<10	<10	<10	<10	<10
8-10		<10	<10		590	<10		236	<10	<10	<10	<10	<10	<10
10-12		<10	<10		474	<10		232	<10	<10	<10	<10	<10	<10
12-13					Blind Drill to 13'	<10		Blind Drill to 13'						
	EOB @ 8'	EOB @ 12'	EOB @ 2'	EOB @ 13'	EOB @ 13'	EOB @ 13'	EOB @ 13'	EOB @ 13'	EOB @ 13'	EOB @ 13'	EOB @ 13'	EOB @ 13'	EOB @ 13'	

Notes: All readings in ppm_v.

Indicates sample was laboratory analyzed.

bgs - Below the ground surface

EOB - End of boring

NA - Not analyzed

PID - Photoionization detector

ppm_v - Parts per million by volume

TABLE 2
Soil Analytical Results
Reeve 76 Station
Clear Lake, Wisconsin

Boring & Sample Interval	Sample Date	Depth (feet bgs)	PID (ppm eq)	GRO (mg/kg)	DRO (mg/kg)	Benzene	sec-Butyl-benzene	n-Butyl-benzene	Ethylbenzene	Isopropyl-benzene	p-Isopropyl-toluene	Toluene	Xylenes (total)	MTBE	1,2,4-TMB	1,3,5-TMB	Naphthalene	n-Propyl-benzene	1,2-DCA	Lead (ppm)
Pump Island (S-1)	07/12/95	3	3,488 ³	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Lines (S-2)	07/12/95	3	3,620 ³	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tank Bed (S-3)	07/12/95	7	3,750 ³	1,600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
GP-1	12/20/01	2-4	14	12	52	82	NA	NA	80	NA	NA	480	530	<25	140	100	300	NA	NA	NA
		4-6	368	430	730	380	NA	NA	1,500	NA	NA	2,000	15,000	<130	13,000	3,900	7,200	NA	NA	NA
GP-2	12/20/01	2-4	233	94	70	85	NA	NA	510	NA	NA	480	1,000	<25	2,000	800	2,000	NA	NA	22
		4-6	618	2,300	6,500	770	NA	NA	6,800	NA	NA	2,400	50,000	<500	51,000	30,000	36,000	NA	NA	NA
GP-3	12/20/01	2-4	289	85	3,000	520	NA	NA	200	NA	NA	490	1,200	<25	1,100	480	540	NA	NA	NA
		4-6	>1,000	830	62	4,600	NA	NA	30,000	NA	NA	5,300	140,000	<250	69,000	20,000	11,000	NA	NA	NA
GP-4	12/20/01	2-4	>1,000	15,000	3,100	47,000	54,000	560,000	160,000	39,000	33,000	510,000	2,190,000	<1300	1,000,000	400,000	330,000	130,000	<1,300	12
		6-8	329	16,000	4,300	230,000	38,000	330,000	330,000	39,000	<1300	1,200,000	1,970,000	<1300	720,000	260,000	240,000	170,000	<1,300	47
GP-5	12/20/01	0-2	321	81	650	180	NA	NA	270	NA	NA	600	570	<25	1,000	560	780	NA	NA	73
		6-8	>1,000	460	500	1,200	NA	NA	6,200	NA	NA	2,900	15,000	<500	14,000	8,000	5,900	NA	NA	NA
GP-6	12/20/01	0-2	<10	<10	<10	32	NA	NA	39	NA	NA	65	120	<25	52	36	<25	NA	NA	124
		6-8	16	<10	<10	<25	NA	NA	<25	NA	NA	<25	<75	<25	<25	<25	<25	NA	NA	NA
GP-7	12/20/01	0-2	<10	<10	16	<25	NA	NA	<25	NA	NA	<25	<75	<25	<25	<25	<25	NA	NA	NA
		4-6	<10	<10	<10	<25	NA	NA	<25	NA	NA	37	<75	<25	<25	<25	<25	NA	NA	NA
GP-8	12/20/01	0-2	<10	<10	<10	30	NA	NA	41	NA	NA	110	190	<25	57	32	<25	NA	NA	21
		4-6	<10	<10	<10	<25	NA	NA	<25	NA	NA	<25	<75	<25	<25	<25	<25	NA	NA	NA
NR 720.09 RCLs based on protection of groundwater				100	100	5.5	NS	NS	2,900	NS	NS	1,500	4,100	NS	NS	NS	400 ¹	NS	4.9	NS
NR 746.06 Table 1 (free product indicator)				NS	NS	8,500	NS	NS	4,600	NS	NS	38,000	42,000	NS	83,000	11,000	2,700	NS	600	NS
NR 746.06 Table 2 Direct Contact Standards (0-4 feet bgs)				NS	NS	1,100	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	20,000 ¹	NS	540	50 ²

Notes:

All results listed in parts-per-billion unless otherwise indicated
 Field notes collected during the advancement of GP-1 through GP-8 were misplaced by Envirogen personnel.
 - Therefore, PID values for GP-1 through GP-8 are approximate numbers based on field technician's memory.
 Bold numbers indicate the sample exceeds one or more of the above NR 720 and NR 746 Standards
¹ Suggested RCL for PAH compounds in soil based on groundwater pathway and non-industrial direct contact pathway (WDNR Pub. RR-519-97)
² RCLs based on human health risk from direct contact related to non-industrial land use (NR 720.11 Table 2)
³ PID readings were recorded in instrument units by Cedar Corporation personnel
 * - data with asterisk indicates sample was taken at or below the historic measured high water table, based on monitoring well data
 ppm eq - part per million equivalent
 bgs - below the ground surface
 mg/kg - milligrams per kilogram
 WDNR - Wisconsin Department of Natural Resources

DCA - dichloroethane
 PID - photoionization detector
 DRO - diesel range organics
 GRO - gasoline range organics
 TMB - trimethylbenzene
 MTBE - methyl tert-butyl ether
 NA - not analyzed
 NS - no standard
 RCL - residual contaminant level
 PAH - polycyclic aromatic hydrocarbons

TABLE 2 (continued)

Soil Analytical Results
Reeve 76 Station
Clear Lake, Wisconsin

Boring & Sample Interval	Sample Date	Depth (feet bgs)	PID (ppm eq)	GRO (mg/kg)	DRO (mg/kg)	Benzene	sec-Butylbenzene	n-Butylbenzene	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	Toluene	Xylenes (total)	MTBE	1,2,4-TMB	1,3,5-TMB	Naphthalene	n-Propylbenzene	1,2-DCA	Lead (ppm)
GP-9	06/26/02	2-4	<10	<10	<10	<25	NA	NA	<25	NA	NA	<25	<75	<25	<25	<25	<25	NA	NA	28
		4-6	<10	<10	<10	<25	NA	NA	<25	NA	NA	<25	<75	<25	<25	<25	<25	<25	NA	NA
GP-10	06/26/02	2-4	74	310	83	260	NA	NA	<250	NA	NA	380	10,000	<250	20,000	9,200	4,800	NA	NA	28
		6-8	149	200	560	300	NA	NA	410	NA	NA	260	8,100	<250	12,000	4,700	2,500	NA	NA	<3
GP-11	06/26/02	2-4	<10	<10	66	<25	NA	NA	<25	NA	NA	<25	<75	<25	<25	<25	<25	NA	NA	143
		6-8	<10	<10	16	<25	NA	NA	<25	NA	NA	<25	<75	<25	<25	<25	<25	NA	NA	18
GP-12	06/26/02	2-4	<10	<10	14	<25	NA	NA	<25	NA	NA	<25	<75	<25	<25	<25	<25	NA	NA	17
		6-8	<10	<10	<10	<25	NA	NA	<25	NA	NA	<25	<75	<25	<25	<25	<25	NA	NA	173
GP-13	06/26/02	0-2	57	<10	310	<25	NA	NA	<25	NA	NA	<25	<75	<25	29	<25	50	NA	NA	17
		6-8	20	<10	<10	<25	NA	NA	<25	NA	NA	<25	<75	<25	<25	<25	<25	NA	NA	226
GP-14	06/26/02	0-2	54	110	1,100	<25	NA	NA	64	NA	NA	210	210	<25	1,000	570	360	NA	NA	<3
		4-6	59	1,600	2,200	340	NA	NA	4,300	NA	NA	4,500	8,800	<250	42,000	20,000	53,000	NA	NA	22
GP-15	09/30/02	0-2	<10	<3.0	56	<25	NA	NA	<25	NA	NA	<25	<50	<25	<25	<25	<25	NA	NA	7.4
		6-8	<10	<3.0	<7.7	<25	NA	NA	<25	NA	NA	<25	<50	<25	<25	<25	<25	<25	NA	NA
HA-1	06/26/02	1-1.3	<10	<10	12	<25	NA	NA	<25	NA	NA	<25	<75	<25	68	44	110	NA	NA	13
MW-2	06/26/02	0-2	<10	<10	150	<25	NA	NA	<25	NA	NA	<25	<75	<25	68	44	110	NA	NA	5.3
		8-10	590	87	88	100	NA	NA	700	NA	NA	260	310	<25	650	500	800	NA	NA	125
MW-3	06/26/02	0-2	<10	<10	120	<25	NA	NA	32	NA	NA	<25	<75	<25	140	59	85	NA	NA	6.5
		6-8	<10	<10	<10	<25	NA	NA	<25	NA	NA	<25	<75	<25	<25	<25	<25	NA	NA	12
MW-5	06/26/02	2-4	63	130	17	60	NA	NA	890	NA	NA	390	570	<25	1,900	1,300	1,000	NA	NA	<3
		6-8	293	160	26	60	NA	NA	1,700	NA	NA	650	420	<25	1,400	1,200	840	NA	NA	5.8
MW-6	06/26/02	4-6	<10	<10	21	<25	NA	NA	<25	NA	NA	<25	<75	<25	<25	<25	<25	NA	NA	5.7
MW-7	09/30/02	6-8	<10	<2.9	<7.4	<25	NA	NA	<25	NA	NA	<25	<50	<25	<25	<25	<25	NA	NA	15
MW-8	09/30/02	4-6	<10	24	93	<25	NA	NA	45	NA	NA	<25	169	<25	690	260	250	NA	NA	6.5
		8-10	<10	23	370	<25	NA	NA	54	NA	NA	<25	169	<25	690	260	250	NA	NA	6.3
MW-9	09/30/02	4-6	<10	<2.9	<8.1	<25	NA	NA	<25	NA	NA	<25	<50	<25	<25	<25	<25	NA	NA	3.9
		6-8	<10	<2.8	<7.5	<25	NA	NA	<25	NA	NA	<25	<50	<25	<25	<25	<25	NA	NA	6.3
MW-10	09/30/02	2-4	<10	<3.1	<9.4	<25	NA	NA	<25	NA	NA	<25	<50	<25	<25	<25	<25	NA	NA	34
NR 720.09 RCLs based on protection of groundwater				100	100	5.5	NS	NS	2,900	NS	NS	1,500	4,100	NS	NS	NS	400 ¹	NS	4.9	NS
NR 746.06 Table 1 (free product indicator)				NS	NS	8,500	NS	NS	4,600	NS	NS	38,000	42,000	NS	83,000	11,000	2,700	NS	600	NS
NR 746.06 Table 2 Direct Contact Standards (0-4 feet bgs)				NS	NS	1,100	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	20,000 ¹	NS	540	50 ²

Notes:

All results listed in parts-per-billion unless otherwise indicated
 Bold numbers indicate the sample exceeds one or more of the above NR 720 and NR 746 Standards
¹ Suggested RCL for PAH compounds in soil based on groundwater pathway and non-industrial direct contact pathway (WDNR Pub. RR-519-97)
² RCLs based on human health risk from direct contact related to non-industrial land use (NR 720.11 Table 2)
³ - PID readings were recorded in instrument units by Cedar Corporation personnel
 ppm eq - part per million equivalent
 bgs - below the ground surface
 mg/kg - milligrams per kilogram
 WDNR - Wisconsin Department of Natural Resources
 DCA - dichloroethane
 PID - photoionization detector
 DRO - diesel range organics
 GRO - gasoline range organics
 TMB - trimethylbenzene

MTBE - methyl tert-butyl ether
 NA - not analyzed
 NS - no standard
 RCL - residual contaminant level
 PAH - polycyclic aromatic hydrocarbons

Table 2
Summary of Soil Analytical Results
Confirmation Soil Samples - Post Excavation
Reeve 76 Station
Reeve, WI

Parameter	RCL	COMM Table 1	COMM Table 2	Units	Location Depth (ft)	CSS1	CSS2	CSS3	CSS4	CSS5	CSS6	CSS7	CSS8	CSS9
Solids (Percentage)						4	4	6	8	4	7	7	4	6
Lead	50			mg/kg		77.8	79.0	71.6	83.7	81.2	86.0	86.2	84.1	89.10
VOC Parameters						11	8.3	12	4.8	7.0	5.8	4.3	5.5	5.1
Benzene	5.5	8,500	1,100	µg/kg		< 25	< 25	< 25	43*	< 25	37*	< 50**	45*	< 250**
Toluene	1,500	38,000		µg/kg		< 25	< 25	< 25	< 25	< 25	< 25	< 50**	< 25	< 250**
Ethylbenzene	2,900	4,600		µg/kg		< 25	< 25	350	95	< 25	160	410**	34*	2,500**
Xylenes (mixed isomers)	4,100	42,000		µg/kg		< 25	< 25	1,230	32*	< 50	< 50	< 100**	115*	< 500**
Methyl tert-Butyl Ether (MTBE)				µg/kg		< 25	< 25	< 25	< 25	< 25	< 25	< 50**	< 25	< 250**
1,2,4-Trimethylbenzenes		83,000		µg/kg		< 25	< 25	1,800	47*	73*	440	1,400**	38*	10,000**
1,3,5-Trimethylbenzenes		11,000		µg/kg		< 25	< 25	530	140	< 25	670	1,500**	< 25	11,000**
Naphthalene				µg/kg		< 25	< 25	440	52	230	670	1,600**	< 25	18,000**

Parameter	RCL	COMM Table 1	COMM Table 2	Units	Location Depth (ft)	CSS10	CSS10	CSS11	CSS12	CSS13	CSS14	CSS15	CSS16	CSS17
Solids (Percentage)						4	8	6	4	6	4	6	2	2
Lead	50			mg/kg		80.50	88.20	87.30	78.7	89.1	83.7	86.5	90.8	96.8
VOC Parameters						9.1	4.2	6.3	8.1	4.2	11	6.3	7.4	3.4
Benzene	5.5	8,500	1,100	µg/kg		< 25	< 620**	44*	41*	< 200**	120**	130**	< 25	< 25
Toluene	1,500	38,000		µg/kg		< 25	< 620**	< 25	37*	460**	75**	170**	< 25	< 25
Ethylbenzene	2,900	4,600		µg/kg		360	21,000**	180	730	6,300**	750**	1,300**	< 25	< 25
Xylenes (mixed isomers)	4,100	42,000		µg/kg		< 50	20,400**	< 50	770	21,800**	2,420**	3,580**	< 25	< 25
Methyl tert-Butyl Ether (MTBE)				µg/kg		< 25	1,100**	< 25	< 25	< 200**	< 62**	< 62**	< 25	< 25
1,2,4-Trimethylbenzenes		83,000		µg/kg		530	44,000**	260	720	17,000**	3,800**	6,700**	< 25	< 25
1,3,5-Trimethylbenzenes		11,000		µg/kg		630	33,000**	< 25	780	16,000**	2,200**	3,200**	< 25	< 25
Naphthalene				µg/kg		210	13,000**	220	450	7,500**	3,200**	6,200**	< 25	< 25

Notes:

RCL = NR 720.09 Residual Contaminant Levels

* = Analytical results between the Limit of Detection and the Limit of Quantitation, should be considered an estimate.

** = Detection may be elevated due to presence of unrequested analyte

RCL exceeded

BOLD

COMM Table 1 Values Exceeded

BOLD

COMM Table 2 Values Exceeded

BOLD

Comm Table 2 values enforceable in top 4 feet of soil only

TABLE 3
PAH Soil Analytical Results
Reeve 76 Station
Clear Lake, Wisconsin

Sample	Date	Depth (feet bgs)	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(ghi) perylene	Benzo(k) fluoranthene	Chrysene	Dibenzo(ah) anthracene	Fluoranthene	Fluorene	Indeno(123- cd)pyrene	1-Methyl naphthalene	2-Methyl naphthalene	Naphthalene	Phenanthrene	Pyrene
GP-1	12/20/01	2-4	<0.013	<0.010	<0.011	<0.010	<0.017	<0.024	0.011	<0.037	<0.010	<0.010	<0.010	<0.011	<0.013	<0.010	<0.017	<0.010	<0.012	<0.013
GP-2	12/20/01	2-4	<0.013	<0.010	0.017	0.014	<0.017	<0.024	<0.010	<0.037	0.012	<0.010	<0.010	0.035	<0.013	0.56	0.87	0.74	0.046	0.021
GP-3	12/20/01	2-4	<0.065	<0.050	<0.055	<0.050	<0.085	<0.120	<0.050	<0.190	0.71	<0.050	0.13	0.066	<0.065	<0.050	<0.085	0.058	0.100	0.860
GP-4	12/20/01	2-4	<0.650	<0.500	<0.550	<0.500	<0.850	<1.200	<0.500	<1.900	<0.500	<0.500	<0.500	<0.550	<0.650	85	160	110	<0.600	<0.650
GP-4	12/20/01	6-8	<0.650	<0.500	<0.550	<0.500	<0.850	<1.200	<0.500	<1.900	<0.500	<0.500	<0.500	<0.550	<0.650	86	160	110	<0.600	0.15
GP-5	12/20/01	0-2	<0.065	<0.050	<0.055	<0.050	<0.085	<0.120	<0.050	<0.190	0.23	<0.050	<0.050	0.062	<0.065	0.200	0.190	0.200	0.110	0.077
GP-6	12/20/01	0-2	<0.013	0.01	<0.011	0.033	0.018	0.041	0.026	<0.037	0.046	<0.010	0.057	<0.011	0.018	0.033	0.056	0.066	0.025	0.077
GP-7	12/20/01	0-2	<0.065	<0.050	<0.055	<0.050	<0.085	<0.120	<0.050	<0.190	<0.050	<0.050	<0.050	<0.055	<0.065	<0.050	<0.085	0.090	<0.060	<0.065
GP-8	12/20/01	0-2	<0.065	<0.050	<0.055	<0.050	<0.085	<0.120	<0.050	<0.190	<0.050	<0.050	<0.050	<0.055	<0.065	<0.050	<0.085	<0.050	<0.060	<0.065
WDNR Suggested RCLs - Groundwater Pathway			38	0.7	3,000	17	48	360	6,800	870	37	38	500	100	680	23	20	0.4	1.8	8,700
WDNR Suggested RCLs - Non- Industrial Direct Contact Pathway (0-4 feet bgs)			900	18	5,000	0.088	0.0088	0.088	1.8	0.88	8.8	0.0088	600	600	0.088	1,100	600	20	18	500

Notes: All values are in parts per million

BOLD Indicates result exceeds the WDNR suggested RCLs - groundwater pathway (WDNR Pub. RR-519-97)

ITALICS Indicates result exceeds the WDNR suggested RCLs - non-industrial direct contact pathway (WDNR Pub. RR-519-97)

ITALICS Indicates result exceeds both of the WDNR suggested RCLs - direct contact and groundwater pathway

bgs - below the ground surface

PAH - polycyclic aromatic hydrocarbons

RCLs - residual contaminant levels

WDNR - Wisconsin Department of Natural Resources

TABLE 1 (page 1 of 13)
ANALYTICAL RESULTS - GROUNDWATER
REEVES 76 STATION SITE, CLEAR LAKE, WISCONSIN

MW-1																NR 140 Remedial Action Limits	
Date	Jul-02	Oct-02	Jan-03	Apr-03	Jun-04	Sep-04	Oct-05	Jan-06	Apr-06	Jul-06	May-07	Aug-07	Nov-07	Apr-08	Oct-08		
Relative Elevation (ft)	97.95	97.40	94.56	99.29	98.83	96.93	93.65	95.94	98.74	95.59	97.48	96.78	96.48	98.88	97.48		
ANALYTE																	
VOCs/PVOCs (ppb)																	
Benzene	6,100	5,500	10,000	6,000	5,150	7,000	6,200	110	120	120	2.7	0.31	< 0.25	5.3	< 0.25	5	0.5
Ethylbenzene	780	1,200	1,400	960	950	950	960	< 0.4	3.4	2.5	< 0.22	< 0.22	< 0.22	0.79	< 0.22	700	140
MTBE	< 49	22	< 54	< 23	< 7	< 7	20	0.39	< 0.4	< 0.4	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	60	12
Naphthalene	220	280	370	160	220	250	200	5.2	3.3	6	< 0.5	< 0.5	< 0.5	< 0.5	---	100	10
Toluene	3,700	2,300	4,900	2,600	1,350	750	190	1.3	4.2	0.4	< 0.11	< 0.11	< 0.11	0.18	< 0.25	1,000	200
1,2,4- & 1,3,5-TMB	960	1,030	1,490	780	665	870	690	2	8	1.5	0.31	0.31	< 0.25	2.41	< 0.25	480	96
Total Xylenes	5,300	4,900	7,200	4,100	3,250	4,700	3,300	0.85	12	2	0.39	0.39	< 0.39	2.3	< 0.39	10,000	1,000

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

Well Depth (feet): 13
TOC Elevation (feet): 100.28
Date Installed: 26-Jun-02
Screen Length (feet): 10

TABLE 1 (page 2 of 13)
 ANALYTICAL RESULTS - GROUNDWATER
 REEVES 76 STATION SITE, CLEAR LAKE, WISCONSIN

MW-2																NR 140 Remedial Action Limits	
Date	Jul-02	Oct-02	Jan-03	Apr-03	Jun-04	Sep-04	Oct-05	Jan-06	Apr-06	Jul-06	May-07	Aug-07	Nov-07	Apr-08	Oct-08		
Relative Elevation (ft)	97.66	97.56	94.64	99.68	99.21	99.65	95.03	94.29	98.99	95.55	100.30	96.55	96.70	96.05	96.60		
ANALYTE																	
VOCs/PVOCs (ppb)																	
Benzene	32	< 0.5	36	0.65	< 0.2	5.2	19	15	0.56	6.9	< 0.25	7	< 0.25	160	0.31	5	0.5
Ethylbenzene	65	< 1	180	4.2	< 0.2	8	11	15	< 0.4	16	< 0.22	17	< 0.22	3.6	0.23	700	140
MTBE	< 3	< 1	3	< 1	< 1	< 0.2	< 0.36	< 0.36	< 0.36	< 0.36	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	60	12
Naphthalene	43	< 1	79	3	< 1	1	0.75	1.7	< 0.5	2.4	< 0.5	2	< 0.5	< 0.5	---	100	10
Toluene	4	< 1	12	< 1	< 1	< 0.5	0.97	1	< 0.36	0.84	< 0.11	1	< 0.11	1.6	< 0.25	1,000	200
1,2,4- & 1,3,5-TMB	94	< 2	198	4	< 2	3	0.49	0.82	< 0.4	3.9	< 0.25	1	< 0.25	0.52	< 0.25	480	96
Total Xylenes	112	< 3	158	2	< 1	1	0.83	3.1	< 0.74	2.5	< 0.39	3	< 0.39	1.2	< 0.39	10,000	1,000

ND = Not Detected
 --- = not analyzed or no standard
 MTBE = methyl-tert-butylether
 TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.
Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

Well Depth (feet): 13
 TOC Elevation (feet): 100.80
 Date Installed: 26-Jun-02
 Screen Length (feet): 10

TABLE 1 (page 3 of 13)
ANALYTICAL RESULTS - GROUNDWATER
REEVES 76 STATION SITE, CLEAR LAKE, WISCONSIN

Date	MW-3									NR 140 Remedial Action Limits	
	Jul-02	Oct-02	Jan-03	Jun-04	Sep-04	Oct-05	Jan-06	Apr-06	Jul-06		
Relative Elevation (ft)	---	97.28	94.58	98.74	100.16	98.24	---	99.22	95.85		
ANALYTE										<i>ES</i>	<i>PAL</i>
VOCs/PVOCs (ppb)											
Benzene	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	5	0.5
Ethylbenzene	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	700	140
MTBE	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	60	12
Naphthalene	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	100	10
Toluene	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	1,000	200
1,2,4- & 1,3,5-TMB	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	480	96
Total Xylenes	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	10,000	1,000

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

Well Depth (feet): 13
 TOC Elevation (feet): 103.15
 Date Installed: 26-Jun-02
 Screen Length (feet): 10

TABLE 1 (page 4 of 13)
ANALYTICAL RESULTS - GROUNDWATER
REEVES 76 STATION SITE, CLEAR LAKE, WISCONSIN

Date	MW-4						NR 140 Remedial Action Limits	
	Jul-02	Oct-02	Jan-03	Apr-03	Jun-04	Sep-04		
Relative Elevation (ft)	---	95.25	94.29	96.37	96.20	96.65		
ANALYTE							<i>ES</i>	<i>PAL</i>
VOCs/PVOCs (ppb)								
Benzene	< 0.5	0.47	4.6	3	< 0.2	0.9	5	0.5
Ethylbenzene	< 1	1	9	1	< 1	< 1	700	140
MTBE	< 1	1	3	< 1	< 1	< 1	60	12
Naphthalene	< 1	3	29	11	< 1	2.0	100	10
Toluene	2	< 1	< 1	< 1	< 1	< 1	1,000	200
1,2,4- & 1,3,5-TMB	7	5	45	12	< 2	< 2	480	96
Total Xylenes	< 2	2.00	10	2	< 1	< 1	10,000	1,000

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

Well Depth (feet): 13
 TOC Elevation (feet): 98.84
 Date Installed: 26-Jun-02
 Screen Length (feet): 10

TABLE 1 (page 5 of 13)
ANALYTICAL RESULTS - GROUNDWATER
REEVES 76 STATION SITE, CLEAR LAKE, WISCONSIN

Date	MW-5															NR 140 Remedial Action Limits	
	Jul-02	Oct-02	Jan-03	Apr-03	Jun-04	Sep-04	Oct-05	Jan-06	Apr-06	Jul-06	May-07	Aug-07	Nov-07	Apr-08	Oct-08	ES	PAL
Relative Elevation (ft)	---	95.96	94.29	98.41	97.44	95.67	95.25	94.80	98.26	95.46	96.25	95.05	95.15	96.45	95.35		
ANALYTE																	
VOCs/PVOCs (ppb)																5	0.5
Benzene	700	220	300	260	435	470	330	350	150	290	170	160	200	220	18	700	140
Ethylbenzene	250	200	210	280	355	385	280	260	140	230	140	170	160	210	34	60	12
MTBE	< 25	4	6	3	7	< 7	7.7	3	1.4	1.5	< 1.2	< 1	< 0.46	< 1.2	< 0.23	100	10
Naphthalene	88	92	100	100	180	140	120	100	44	94	19	76	60	97	---	1,000	200
Toluene	< 32	15	16	71	26	36	26	22	18	20	21	12	19	16	5	480	96
1,2,4- & 1,3,5-TMB	320	133	213	213	132	175	134	126	82	126	34	97	73	127	14	10,000	1,000
Total Xylenes	840	230	307	420	210	250	225	230	137	182	71	130	90	190	22		

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

Well Depth (feet): 13
 TOC Elevation (feet): 99.75
 Date Installed: 26-Jun-02
 Screen Length (feet): 10

TABLE 1 (page 6 of 13)
 ANALYTICAL RESULTS - GROUNDWATER
 REEVES 76 STATION SITE, CLEAR LAKE, WISCONSIN

	MW-6				NR 140 Remedial Action Limits	
	Jul-02	Oct-02	Jan-03	Apr-03	ES	PAL
Date						
Relative Elevation (ft)	---	96.13	94.38	97.47		
<u>ANALYTE</u>						
VOCs/PVOCs (ppb)						
Benzene	< 0.5	< 0.5	< 0.5	< 0.5	5	0.5
Ethylbenzene	< 1	< 1	< 1	< 1	700	140
MTBE	< 1	< 1	< 1	< 1	60	12
Naphthalene	< 1	---	---	< 1	100	10
Toluene	< 1	< 1	< 1	< 1	1,000	200
1,2,4- & 1,3,5-TMB	< 1	< 1	< 1	< 1	480	96
Total Xylenes	< 1	< 1	< 1	< 1	10,000	1,000

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

Well Depth (feet): 13
 TOC Elevation (feet): 99.95
 Date Installed: 26-Jun-02
 Screen Length (feet): 10

TABLE 1 (page 7 of 13)
 ANALYTICAL RESULTS - GROUNDWATER
 REEVES 76 STATION SITE, CLEAR LAKE, WISCONSIN

	MW-7			NR 140 Remedial Action Limits	
	Oct-02	Jan-03	Apr-03		
Date	Oct-02	Jan-03	Apr-03		
Relative Elevation (ft)	95.28	94.58	95.93		
ANALYTE				<i>ES</i>	<i>PAL</i>
VOCs/PVOCs (ppb)					
Benzene	< 0.5	< 0.5	< 0.5	5	0.5
Ethylbenzene	< 1	< 1	< 1	700	140
MTBE	< 1	< 1	< 1	60	12
Naphthalene	---	---	< 1	100	10
Toluene	< 1	< 1	< 1	1,000	200
1,2,4- & 1,3,5-TMB	< 1	< 1	< 1	480	96
Total Xylenes	< 1	< 1	< 1	10,000	1,000

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Numbers indicate concentrations above the PAL outlined in NR 140.10.

Well Depth (feet): 13
 TOC Elevation (feet): 100.18
 Date Installed: 30-Sep-02
 Screen Length (feet): 10

TABLE 1 (page 8 of 13)
 ANALYTICAL RESULTS - GROUNDWATER
 REEVES 76 STATION SITE, CLEAR LAKE, WISCONSIN

	MW-8							NR 140 Remedial Action Limits	
	Oct-02	Jan-03	Apr-03	Oct-05	Jan-06	Apr-06	Jul-06		
Date	Oct-02	Jan-03	Apr-03	Oct-05	Jan-06	Apr-06	Jul-06		
Relative Elevation (ft)	94.99	94.68	98.35	98.17	94.85	98.13	94.72		
ANALYTE								<i>ES</i>	<i>PAL</i>
VOCs/PVOCs (ppb)									
Benzene	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	5	0.5
Ethylbenzene	1	2	< 1	< 1	< 1	< 1	< 1	700	140
MTBE	< 1	< 1	< 1	< 1	< 1	< 1	< 1	60	12
Naphthalene	1	1	1	< 1	< 1	< 1	< 1	100	10
Toluene	< 1	< 1	< 1	< 1	< 1	< 1	< 1	1,000	200
1,2,4- & 1,3,5-TMB	3	3	5	< 1	< 1	< 1	< 1	480	96
Total Xylenes	3	1	< 1	< 1	< 1	< 1	< 1	10,000	1,000

ND = Not Detected
 --- = not analyzed or no standard
 MTBE = methyl-tert-butylether
 TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.
Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

Well Depth (feet): 13
 TOC Elevation (feet): 100.11
 Date Installed: 30-Sep-02
 Screen Length (feet): 10

TABLE 1 (page 9 of 13)
ANALYTICAL RESULTS - GROUNDWATER
REEVES 76 STATION SITE, CLEAR LAKE, WISCONSIN

Date	MW-9									NR 140 Remedial Action Limits	
	Oct-02	Jan-03	Apr-03	Jun-04	Sep-04	Oct-05	Jan-06	Apr-06	Jul-06	ES	PAL
Relative Elevation (ft)	94.94	94.36	95.40	95.92	95.49	95.19	93.68	95.62	93.77		
ANALYTE											
VOCs/PVOCs (ppb)										5	0.5
Benzene	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	700	140
Ethylbenzene	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	60	12
MTBE	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	100	10
Naphthalene	1	1	1	1	1	< 1	< 1	< 1	< 1	1,000	200
Toluene	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	480	96
1,2,4- & 1,3,5-TMB	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	10,000	1,000
Total Xylenes	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		

Well Depth (feet): 13
 TOC Elevation (feet): 99.04
 Date Installed: 30-Sep-02
 Screen Length (feet): 10

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

TABLE 1 (page 10 of 13)
 ANALYTICAL RESULTS - GROUNDWATER
 REEVES 76 STATION SITE, CLEAR LAKE, WISCONSIN

	MW-10			NR 140 Remedial Action Limits	
	Oct-02	Jan-03	Apr-03		
Date	Oct-02	Jan-03	Apr-03		
Relative Elevation (ft)	96.91	94.71	98.93		
ANALYTE				ES	PAL
VOCs/PVOCs (ppb)					
Benzene	< 0.5	< 0.5	< 0.5	5	0.5
Ethylbenzene	< 1	< 1	< 1	700	140
MTBE	< 1	< 1	< 1	60	12
Naphthalene	---	---	< 1	100	10
Toluene	< 1	< 1	< 1	1,000	200
1,2,4- & 1,3,5-TMB	< 1	< 1	< 1	480	96
Total Xylenes	< 1	< 1	< 1	10,000	1,000

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

Well Depth (feet): 13
 TOC Elevation (feet): 100.17
 Date Installed: 30-Sep-02
 Screen Length (feet): 10

TABLE 1 (page 11 of 13)
ANALYTICAL RESULTS - GROUNDWATER
REEVES 76 STATION SITE, CLEAR LAKE, WISCONSIN

Date	MW-11								NR 140 Remedial Action Limits	
	Jun-04	Sep-04	Oct-05	Jan-06	Apr-06	Jul-06	May-07	Aug-07	ES	PAL
Relative Elevation (ft)	96.45	95.27	94.41	94.10	97.18	94.59	95.86	Abandoned		
ANALYTE										
VOCs/PVOCs (ppb)										
Benzene	180	350	470	250	77	170	75	---	5	0.5
Ethylbenzene	6.1	12	4.3	20	8.4	22	12	---	700	140
MTBE	< 1	< 1	< 1.8	1.5	< 0.36	< 0.72	< 0.92	---	60	12
Naphthalene	1.5	8.5	6.6	6.8	< 0.5	12	11	---	100	10
Toluene	4	5.5	5.7	7.6	2.5	2.7	3.8	---	1,000	200
1,2,4- & 1,3,5-TMB	4.9	6.2	3.4	8.91	< 0.4	10	13	---	480	96
Total Xylenes	11	13	20.9	30.5	21.1	12	15	---	10,000	1,000

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

Well Depth (feet): 13
 TOC Elevation (feet): 99.16
 Date Installed: 1-Oct-05
 Screen Length (feet): 10

TABLE 1 (page 12 of 13)
ANALYTICAL RESULTS - GROUNDWATER
REEVES 76 STATION SITE, CLEAR LAKE, WISCONSIN

Date	PZ-1							NR 140 Remedial Action Limits	
	Jun-04	Sep-04	Oct-05	Jan-06	Apr-06	Jul-06	Aug-07		
Relative Elevation (ft)	95.23	94.78	93.58	94.32	94.95	93.37	Abandoned	ES	PAL
ANALYTE									
VOCs/PVOCs (ppb)									
Benzene	1.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	---	5	0.5
Ethylbenzene	9.5	< 1	< 1	< 1	< 1	< 1	---	700	140
MTBE	< 1	< 1	< 1	< 1	< 0.36	< 0.72	---	60	12
Naphthalene	2.7	1.2	< 1	< 1	< 1	< 1	---	100	10
Toluene	2	< 1	< 1	< 1	< 1	< 1	---	1,000	200
1,2,4- & 1,3,5-TMB	46.0	< 2	< 1	< 1	< 1	< 1	---	480	96
Total Xylenes	20	< 1	< 1	< 1	< 1	< 1	---	10,000	1,000

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

Well Depth (feet): 24
TOC Elevation (feet): 99.11
Date Installed: 1-Oct-05
Screen Length (feet): 5

TABLE 1 (page 13 of 13)
 ANALYTICAL RESULTS - GROUNDWATER
 REEVES 76 STATION SITE, CLEAR LAKE, WISCONSIN

	Potable Wells							NR 140 Remedial Action Limits		
	PW-1	PW-2	PW-2	PW-2	PW-3	PW-3	PW-3			
Date	Sep-04	Sep-04	Jul-06	Apr-08	Apr-07	May-07	Apr-08	Nobody home	ES	PAL
Relative Elevation (ft)	---	---	---	---	---	---	---			
ANALYTE										
VOCs/PVOCs (ppb)										
Benzene	< 0.15	< 0.15	< 0.15	< 0.25	< 0.15	< 0.15	---	5	0.5	
Ethylbenzene	< 0.21	< 0.21	< 0.21	< 0.22	< 0.21	< 0.21	---	700	140	
MTBE	< 0.14	< 0.14	< 0.14	< 0.23	< 0.14	< 0.14	---	60	12	
Naphthalene	< 0.97	< 0.97	< 0.97	< 0.5	< 0.97	< 0.97	---	100	10	
Toluene	< 0.14	< 0.14	< 0.14	< 0.11	< 0.14	< 0.14	---	1,000	200	
1,2,4- & 1,3,5-TMB	< 1.23	< 1.23	< 1.23	< 0.25	< 1.23	< 1.23	---	480	96	
Total Xylenes	< 0.6	< 0.6	< 0.6	< 0.39	< 0.6	< 0.6	---	10,000	1,000	

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

PW-1 represents samples collected from the on site potable well.

PW-2 represents samples collected from the residence at 149 2nd Street NW potable well.

PW-3 represents samples collected from the residence at 151 2nd Street NW potable well.



TETRA TECH

1837 County Highway OO
Chippewa Falls, WI 54729-6519

Office 715.832.0282
Fax 715.832.0541

March 2, 2009

Mark Servi
Barron County Highway Department
260 N. 7th Street
Barron, WI 54812

Re: Soil and groundwater contamination notification in the road right of way from the former Reeves 76 site, 148 2nd Street NW, Clear Lake, Barron County, Wisconsin.
WDNR BRRS #03-03-000917. WDCOM # 54005-8530-48.
Tetra Tech Project #114-330127.

Tetra Tech has completed remedial investigation activities at the former Reeves 76 site. We are required to notify the off site property owners that soil and groundwater contamination is present in the road right-of-ways of County Highway A and K in Reeves, Wisconsin. Please see the attached figure and tables.

Soil and groundwater contamination that appears to have originated on the Reeves 76 property, located at 148 2nd Street NW (County Highway A), has migrated onto your property (County Highways K and A road right-of-way). The levels of petroleum contamination in the soil on your property are above the state soil residual contaminant levels found in chapter NR 720, Wisconsin Administrative Code. The levels of petroleum contamination in the groundwater on your property are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code. However, this groundwater contaminant plume is stable or receding and will naturally degrade over time. We believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 72 and chapter Comm 46, Wisconsin Administrative Code, and we are requesting that the Wisconsin Department of Natural Resources (WDNR) accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the WDNR will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the soil and groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this soil or groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. To obtain a copy of the WDNRs' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination, you may visit <http://www.dnr.state.wi.us/org/aw/rr/archives/pubs/RR589.pdf> or call 608-267-3859.

The WDNR will not review our closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the WDNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the WDNR that is relevant to this closure request, you should mail that information to: Bill Schultz, WDNR, 107 Sutliff Avenue, Rhinelander, WI 54501.




If this case is closed, all properties within the site boundaries where soil contamination exceeds chapter NR 720 soil residual contaminant levels and where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the WDNRs' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where soil contamination above chapter NR 720 residual contaminant levels and where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the WDNRs' internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Once the Department makes a decision on my closure request, it will be documented in a letter. If the WDNR grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above or by accessing the WDNR GIS Registry of Closed Remediation Sites on the internet at <http://www.dnr.wi.gov/org/aw/rr/gis/index.htm> <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf>. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at 715-832-0282 or you may contact Bill Schultz with WDNR.

Respectfully,


A handwritten signature in black ink, appearing to read 'Michael K. Neal'.



Michael K. Neal, Professional Hydrologist
Geomorphologist


cc: Bill Schultz, WDNR, 107 Sutliff Avenue, Rhinelander, WI 54501

David L. Somsen, P.O. Box 275, Clear Lake, WI 54005-0275



- LEGEND**
- APPROXIMATE PROPERTY BOUNDARY
 - MW-1 MONITORING WELL LOCATION
 - PRIVATE WELL LOCATION
 - PZ-1 PIEZOMETER LOCATION
 - UNDERGROUND TV LINE
 - OVERHEAD POWER LINE
 - UTILITY POLE


- NOTES**
1. BASE MAP DEVELOPED FROM A DRAWING BY REI CIVIL & ENVIRONMENTAL ENGINEERING, SURVEYING, TITLED, "AREA OF EXCAVATION & CONFIRMATION SOIL SAMPLE LOCATIONS," DATED SEPTEMBER 7, 2006.



PROJECT# 1157332840-A1A
 DATE: 7/29/07
 REV. BY: MN
 SCALE: 1" = 30'


**POST-REMEDIATION EXTENT OF REMAINING
 SOIL CONTAMINATION
 REEVE 76 STATION
 CLEAR LAKE, WISCONSIN**





- LEGEND**
- APPROXIMATE PROPERTY BOUNDARY
 - ⊕ MW-1 MONITORING WELL LOCATION
 - ⊙ PRIVATE WELL LOCATION
 - ▲ PZ-1 PIEZOMETER LOCATION
 - CTV UNDERGROUND TV LINE
 - Po OVERHEAD POWER LINE
 - ⊙ UTILITY POLE

- NOTES**
1. BASE MAP DEVELOPED FROM A DRAWING BY REI CIVIL & ENVIRONMENTAL ENGINEERING, SURVEYING, TITLED, "AREA OF EXCAVATION & CONFIRMATION SOIL SAMPLE LOCATIONS," DATED SEPTEMBER 7, 2006.



PROJECT# 1157332840-A1A
 DATE: 7/29/07
 REV. BY: MN
 SCALE: 1" = 30'

**POST-REMEDIAL EXTENT OF REMAINING
 GROUNDWATER CONTAMINATION
 REEVE 76 STATION
 CLEAR LAKE, WISCONSIN**

