



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
P.O. Box 8044
Madison, Wisconsin 53708-8044
TDD #: (608) 264-8777
Fax #: (608) 267-1381
Jim Doyle, Governor
Mary P. Burke, Secretary

August 21, 2006

Troy Batzel
Kwik Trip Inc
1626 Oak St
PO Box 2107
La Crosse, WI 54602-2107

RE: **Final Closure**

Commerce # 54868-2917-21 DNR BRRTS # 03-03-543961
Kwik Trip #749, 1821 Main St, Rice Lake

Dear Mr. Batzel:

The Wisconsin Department of Commerce (Commerce) has reviewed the request for case closure prepared by your consultant, Braun Intertec Corp, for the site referenced above. Commerce has determined that this site does not pose a significant threat to the environment and human health. No further investigation or remedial action is necessary.

This site is now listed as "closed" on the Commerce database. This letter serves as your written notice of "no further action." Timely filing of your final PECFA claim (if applicable) is encouraged. If your PECFA claim is not received within 120 days of the date of this letter, interest costs incurred after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

It is in your best interest to keep all documentation related to the environmental activities at your site. If residual contamination is encountered in the future, it must be managed in accordance with all applicable state and federal regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (608) 261-7718.

Sincerely,

Will M. Myers
Geologist
Site Review Section

cc: Braun Intertec Corp

DOCUMENT NO.

STATE BAR OF WISCONSIN FORM 3 - 1982

THIS SPACE RESERVED FOR RECORDING DATA

514192

QUIT CLAIM DEED

INDEX

VOL 612 PAGE 259

RECEIVED OF RECORD

9:45 A.M.
NOV 20 1989

Donna M. Miller
REGISTER OF DEEDS
BARRON COUNTY, WI

ZRH Partnership, Donald P. Zietlow, D.B. Reinhart and John J. Hansen

quit-claims to ZRH, a Wisconsin general partnership

the following described real estate in Barron County, State of Wisconsin:

RETURN TO
Thomas J. Kieffer
P.O. Box 2107
La Crosse, WI 54602-2107

Tax Parcel No: _____
Lot 2 of CSM 18-2, a part of Outlots 254 and 255 of the City of Rice Lake, County of Barron, State of Wisconsin. Together with an easement to cross the west 24 feet, except the north 45 feet of Lot 1 of said CSM 18-2.

FEE EXEMPT
77.25(3)

This is not homestead property. (is not)

Dated this 15th day of September, 1989

ZRH Partnership (SEAL) *[Signature]* (SEAL)
 * Donald P. Zietlow, Partner
 * John J. Hansen, Partner (SEAL) *[Signature]* (SEAL)
 * D. B. Reinhart, Partner (SEAL) *[Signature]* (SEAL)

AUTHENTICATION

Signature(s) Donald P. Zietlow, D. B. Reinhart and John J. Hansen
 authenticated this 14th day of September, 1989
 Thomas J. Kieffer
 * Thomas J. Kieffer
 TITLE: MEMBER STATE BAR OF WISCONSIN
 (If not, authorized by § 706.06, Wis. Stats.)

ACKNOWLEDGMENT

STATE OF WISCONSIN }
 _____ County. } ss.
 Personally came before me this _____ day of _____, 19____ the above named _____

 to me known to be the person _____ who executed the foregoing instrument and acknowledge the same.
 * _____
 Notary Public _____ County, Wis.
 My Commission is permanent. (If not, state expiration date: _____, 19____)

THIS INSTRUMENT WAS DRAFTED BY
 Thomas J. Kieffer
 La Crosse, WI
 (Signatures may be authenticated or acknowledged. Both are not necessary.)


BARRON COUNTY CERTIFIED SURVEY MAP NO.

PART OF OUTLOT'S 254 & 255 OF THE BANISTER PLAT TO THE CITY OF RICE LAKE, LOCATED IN THE SW 1/4 OF THE SE 1/4 OF SECTION 28, T35N, R11W, BARRON COUNTY, WISCONSIN.



BEARINGS ARE REFERENCED TO THE SOUTH LINE OF LOT 1 OF CERTIFIED SURVEY MAP VOL. 13, PG. 110, RECORDED AS BEARING S 89° 44' 07" E.

SCALE : 1" = 100'



CURVE	RADIUS	CENTRAL ANGLE	CHORD LENGTH	ARC LENGTH	CHORD BEARING	TANGENT BEARING
1-2	1482.39'	0° 32' 31"	14.02'	14.02'	N 29° 26' 56" E	
2-3	1482.39'	8° 20' 03"	163.89'	163.89'	N 28° 01' 12" E	
1-3	1482.39'	6° 52' 34"	177.80'	177.90'	N 28° 17' 27" E	N 29° 43' 44" E N 22° 51' 10" E

CURVE DATA TABLE

OTHER KNOWN EASEMENTS OF RECORD WHICH AFFECT PROPERTY DEED V. 52, P. 157 TO WISC. TELEPHONE CO. MISC. P. 328 TO WISC. TELEPHONE CO. RECORDS V. 415, P. 468 TO GENERAL TELEPHONE CO.

LOT 1 - DEEDS V. 587 P. 139
 LOT 2 - DEEDS V. 589 P. 748
 DEEDS V. 589 P. 750

LEGEND
 ○ SET 3/4" X 24" REBAR WEIGHING 1.50 LBS./LIN. FT.
 (M) MEASURED AS FOUND 3/4" REBAR



MAP # 2511

503588

SURVEYOR'S CERTIFICATE

I, Roy E. Williams, Registered Land Surveyor, hereby certify that I have surveyed, divided and mapped part of Outlots 254 and 255 of the Banister Plat to the City of Rice Lake, located in the SW 1/4 of the SE 1/4 of Section 28, T35N, R11W, Barron County, Wisconsin, said parcel described as follows:

Commencing at the SE corner of Lot 1 of Certified Survey Maps vol. 13, page 110; thence S 89° 44' 07" E, 108.99 feet along the north line of Outlot 254 to the east right-of-way of Main Street (a.k.a. CTH "SS") and the point of beginning;

thence continuing S 89° 44' 07" E, 217.18 feet along the north line of Outlot 254; thence continuing along said north line S 88° 48' 09" E, 334.33 feet to the NE corner of Outlot 254; thence S 0° 22' 29" W, 230.90 feet along the east line of Outlot 254 to the SE corner of said Outlot 254; thence N 89° 17' 03" W, 395.41 feet along the south line of Outlot 254 to the NW corner of a parcel of land recorded in Record's vol. 445, page 353; thence S 0° 14' 17" W, 90.86 feet along the west line of said parcel recorded in Record's vol. 445, page 353 to the NE corner of a parcel of land recorded in Record's vol. 426, page 679; thence N 89° 20' 33" W, 325.00 feet along the north line of said parcel recorded in Record's vol. 426, page 679 to the east right-of-way line of Main Street; thence N 29° 57' 05" E, 104.53 feet along said east right-of-way to the south line of Outlot 254; thence N 29° 19' 49" E, 81.45 feet along said east right-of-way; thence continuing along said east right-of-way and along the arc of a curve concave to the northwest whose chord bears N 26° 17' 27" E, 177.80 feet to the point of beginning;

said parcel subject to easements of record;

that such map is a correct representation of all the exterior boundaries of the land surveyed and subdivision thereof made;

that I have made such survey, land division and certified survey by the direction of Mr. Romaine Quinn;

that I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the subdivision regulations of the City of Rice Lake and the County of Barron in surveying, dividing and mapping the same.

Roy E. Williams 8/19/88

Roy E. Williams, S-1354
Registered Land Surveyor



OWNER'S CERTIFICATE OF DEDICATION

As owner, we hereby certify that we caused the land described on this survey to be divided, mapped and dedicated as represented upon such map; that this Certified Survey Map is required by SS. 236.10 to be submitted for approval or objection to the Common Council of the City of Rice Lake.

In the presence of:

Dale F. Williams
Robert F. Ball

Romaine Quinn
Janet Quinn

STATE OF WISCONSIN)
) SS
BARRON COUNTY)

Personally came before me this 19th day of August, 1988, the above named to me known to be the person who executed the foregoing instrument and acknowledge the same.

Roy E. Williams
Notary Public, Barron County, Wisconsin
My commission expires: Dec. 23, 1990



COMMON COUNCIL RESOLUTION

Resolved, that this Certified Survey Map in the City of Rice Lake, is hereby approved and the dedication accepted by the Common Council of the City of Rice Lake.

David A. Ousley
David A. Ousley, Mayor

8/22/88
Date

I hereby certify that the foregoing is a copy of a Resolution adopted by the Common Council of the City of Rice Lake.

Rhoda A. Schnacky
Rhoda A. Schnacky, Clerk

8/22/88
Date



RECEIVED FOR RECORD


8:30 A.M.
AUG 23 1988

Maxine M. Stricker
REGISTER OF DEEDS
BARRON COUNTY, WI

Page 3 of 3



GRAPHIC SCALE



City of Rice Lake, South Main Area Aerial Photo Taken 3/30/2000



PIN # 276-5006-81-011

TANTER'S ADDITION

2-4

1-1

2-1

4-1

14-1B

13-1

CTH-SS SOUTH MAIN

CTH-0

CAMELOT LANE

CAMELOT LANE

THOMAS

SOUTH ST

SOUTH ST

SOUTH ST

KERN AVE (E/W)

CARRIE AVE

RAILROAD

PIONEER AVE



RAILROAD

PIONEER AVE

THOMAS AVE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RICE LAKE SOUTH QUADRANGLE
WISCONSIN-BARRON CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)



CONTOUR INTERVAL 10 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS



BRAUN[™]
INTERTEC

Site Location Map
Kwik Trip Store # 749
1821 South Main Street
Rice Lake, Wisconsin

	DATE	SHEET
DRAWN BY: KLH	8/31/2005	
APP'D BY: MM	8/31/2005	OF
JOB NO. LC-05-04234		
DWG. NO.	FIGURE NO.	
SCALE		1




10' 0 20'
SCALE 1" = 20'

- DENOTES APPROXIMATE LOCATION OF STANDARD PENETRATION TEST BORING
- ▼ DENOTES APPROXIMATE LOCATION OF STOCKPILE SOIL SAMPLE
- - - DENOTES APPROXIMATE LIMITS OF EXCAVATION (6' DEPTH)
- ▨ DENOTES APPROXIMATE LIMITS OF EXCAVATION (3' DEPTH)

SO. MAIN ST.

"AUTO" PHONE WITH EMERGENCY NUMBERS POSTED



ATTENDANT WITH EMERGENCY CONTROLS AND THE COMMUNICATION SYSTEM.

KWIK TRIP # 749
RICE LAKE, WI

TANK 01	UNLEADED	STI-P3	USEMCO	8'x32'	12000 S.W.
TANK 02	PLUS	STI-P3	USEMCO	8'x27'	10000 S.W.
TANK 03	PREMIUM	STI-P3	USEMCO	8'x27'	10000 S.W.

BRAUN
INTERTEC

PIPING AND DISPENSER EXCAVATION DIAGRAM
KWIK TRIP # 749
1821 SOUTH MAIN STREET
RICE LAKE, WISCONSIN

INT	DATE
DRAWN BY: BUB	9-29-05
APP'D BY: DB	9-29-05
JOB NO. LC0504234	
DWG. NO. LC0504234	SHEET OF
SCALE 1" = 20'	

FIGURE NO.

Project # LC-05-04234
 UST Piping and Dispenser Upgrade
 Kwik Trip Store #749
 Rice Lake, Wisconsin

Table 1
 PID Readings
 August 29, 2005

Sample No.	Sample ID	Time	PID Reading
ST-1	Under NW dispenser island	8:45	2.6
ST-2	Under West center dispenser island	9:08	1.3
ST-3	Under SW dispenser island	9:50	3.7
ST-4	Under NE dispenser island	10:30	348
ST-5	Under East center dispenser island	11:15	2.7
ST-6	Under SE dispenser island	11:45	59.9
ST-7	Under piping North end Tank 3	12:35	20.1
ST-8	Under piping North end Tank 2	12:25	3.6
ST-9	Under piping North end Tank 1	12:30	4.7
ST-10	Under piping between ST-1 and ST-2	13:40	1.7
ST-11	Under piping between ST-2 and ST-3	13:43	3
ST-12	Under piping between ST-4 and ST-5	13:46	2.3
ST-13	Under piping between ST-5 and ST-6	13:50	1.2
SP-1	Stockpile	10:00	9.1
SP-2 North	Stockpile	9:44	4.2
SP-2 South	Stockpile	9:45	1.7
SP-3 North	Stockpile	10:10	20.4
SP-3 South	Stockpile	10:11	37.2
SP-4 North	Stockpile	10:20	331
SP-4 South	Stockpile	10:22	45.1
SP-5 North	Stockpile	11:30	155
SP-5 South	Stockpile	11:31	7.5
SP-5 Middle	Stockpile	11:33	63.2
SP-6 North	Stockpile	10:40	8.7
SP-6 South	Stockpile	10:41	3.4
SP-7 North	Stockpile	12:23	20.3
SP-7 South	Stockpile	13:20	3.2
SP-7 East	Stockpile	12:20	11.2
SP-7 West	Stockpile	12:21	416

Project # LC-05-04234
 UST Piping and Dispenser Upgrade
 Kwik Trip Store #749
 Rice Lake, Wisconsin

Table 2
 Soil Sample Analytical Results
 August 29, 2005

PARAMETER (µg/kg)	ST-1 @ 6 ft 08/29/05	ST-2 @ 6 ft 08/29/05	ST-3 @ 6 ft 08/29/05	ST-4 @ 6 ft 08/29/05	ST-5 @ 6 ft 08/29/05	NR720 RCLs ¹	NR746.06 Table 1 ²	NR746.06 Table 2 ³
GRO (mg/kg)	<5.3	<5.3	<5.5	380	<5.6	100	NS	NS
Benzene	<27	<26	<27	<140	<28	5.5	8500	1100
Ethylbenzene	<27	<26	<27	2300	<28	2900	4600	NS
MTBE	<27	<26	<27	<140	<28	NS	NS	NS
Toluene	35	<26	<27	5400	<28	1500	3800	NS
1,2,4-Trimethylbenzene	<27	<26	<27	21000	<28	NS	83000	NS
1,3,5-Trimethylbenzene	<27	<26	<27	7300	<28	NS	11000	NS
Xylenes, total	<80	<79	<82	33000	<84	4100	4200	NS

PARAMETER (µg/kg)	ST-6 @ 6 ft 08/29/05	ST-7 @ 6 ft 08/29/05	ST-8 @ 6 ft 08/29/05	ST-9 @ 6 ft 08/29/05	ST-11 @ 3 ft 08/29/05	NR720 RCLs ¹	NR746.06 Table 1 ²	NR746.06 Table 2 ³
GRO	5.7	<5.1	<5.1	<5.1	<5.1	100	NS	NS
Benzene	<27	<26	<26	<26	<26	5.5	8500	1100
Ethylbenzene	<27	<26	<26	<26	<26	2900	4600	NS
MTBE	<27	<26	<26	<26	<26	NS	NS	NS
Toluene	<27	<26	<26	<26	<26	1500	3800	NS
1,2,4-Trimethylbenzene	<27	46	<26	<26	<26	NS	83000	NS
1,3,5-Trimethylbenzene	<27	<26	<26	<26	<26	NS	11000	NS
Xylenes, total	<82	<77	<77	<77	<77	4100	4200	NS

Notes:

¹ - Wisconsin Administrative Code, Chapter NR720, Residual Contaminant Levels

² - Wisconsin Administrative Code, Chapter NR746, Table 1 - Indicators of Residual Petroleum Product in Soil Pores

³ - Wisconsin Administrative Code, Chapter NR746, Table 2 - Protection of Human Health from Direct Contact with Contaminated Soil

BOLD values exceed Wisconsin Soil Standards

NS - No Wisconsin Soil Standards have been established

Project # LC-05-04234
 UST Piping and Dispenser Upgrade
 Kwik Trip Store #749
 Rice Lake, Wisconsin

Table 2 (continued)
 Soil Sample Analytical Results
 August 29, 2005

PARAMETER (µg/kg)	ST-12 @ 3 ft 08/29/05	SP-3 South Stockpile 08/29/05	SP-4 North Stockpile 08/29/05	SP-5 North Stockpile 08/29/05	SP-7 West Stockpile 08/29/05	NR720 RCLs ¹	NR746.06 Table 1 ²	NR746.06 Table 2 ³
GRO	<5.1	<5.2	240	13	450	100	NS	NS
Benzene	<26	<26	<130	74	1400	5.5	8500	1100
Ethylbenzene	<26	<26	<130	160	7500	2900	4600	NS
MTBE	<26	<26	<130	<26	<130	NS	NS	NS
Toluene	<26	<26	250	420	13000	1500	3800	NS
1,2,4-Trimethylbenzene	<26	99	970	650	26000	NS	83000	NS
1,3,5-Trimethylbenzene	<26	54	800	180	7200	NS	11000	NS
Xylenes, total	<77	<78	1200	920	43000	4100	4200	NS

Notes:

¹ - Wisconsin Administrative Code, Chapter NR720, Residual Contaminant Levels

² - Wisconsin Administrative Code, Chapter NR746, Table 1 - Indicators of Residual Petroleum Product in Soil Pores

³ - Wisconsin Administrative Code, Chapter NR746, Table 2 - Protection of Human Health from Direct Contact with Contaminated Soil

BOLD values exceed Wisconsin Soil Standards

NS - No Wisconsin Soil Standards have been established

Project # LC-05-04234
 UST Piping and Dispenser Upgrade
 Kwik Trip Store #749
 Rice Lake, Wisconsin

Table 2
 Soil Sample Analytical Results
 August 29, 2005

PARAMETER (µg/kg)	ST-1 @ 6 ft 08/29/05	ST-2 @ 6 ft 08/29/05	ST-3 @ 6 ft 08/29/05	ST-4 @ 6 ft 08/29/05	ST-5 @ 6 ft 08/29/05	NR720 RCLs ¹	NR746.06 Table 1 ²	NR746.06 Table 2 ³
GRO (mg/kg)	<5.3	<5.3	<5.5	380	<5.6	100	NS	NS
Benzene	<27	<26	<27	<140	<28	5.5	8500	1100
Ethylbenzene	<27	<26	<27	2300	<28	2900	4600	NS
MTBE	<27	<26	<27	<140	<28	NS	NS	NS
Toluene	35	<26	<27	5400	<28	1500	3800	NS
1,2,4-Trimethylbenzene	<27	<26	<27	21000	<28	NS	83000	NS
1,3,5-Trimethylbenzene	<27	<26	<27	7300	<28	NS	11000	NS
Xylenes, total	<80	<79	<82	33000	<84	4100	4200	NS

PARAMETER (µg/kg)	ST-6 @ 6 ft 08/29/05	ST-7 @ 6 ft 08/29/05	ST-8 @ 6 ft 08/29/05	ST-9 @ 6 ft 08/29/05	ST-11 @ 3 ft 08/29/05	NR720 RCLs ¹	NR746.06 Table 1 ²	NR746.06 Table 2 ³
GRO	5.7	<5.1	<5.1	<5.1	<5.1	100	NS	NS
Benzene	<27	<26	<26	<26	<26	5.5	8500	1100
Ethylbenzene	<27	<26	<26	<26	<26	2900	4600	NS
MTBE	<27	<26	<26	<26	<26	NS	NS	NS
Toluene	<27	<26	<26	<26	<26	1500	3800	NS
1,2,4-Trimethylbenzene	<27	46	<26	<26	<26	NS	83000	NS
1,3,5-Trimethylbenzene	<27	<26	<26	<26	<26	NS	11000	NS
Xylenes, total	<82	<77	<77	<77	<77	4100	4200	NS

Notes:

¹ - Wisconsin Administrative Code, Chapter NR720, Residual Contaminant Levels

² - Wisconsin Administrative Code, Chapter NR746, Table 1 - Indicators of Residual Petroleum Product in Soil Pores

³ - Wisconsin Administrative Code, Chapter NR746, Table 2 - Protection of Human Health from Direct Contact with Contaminated Soil

BOLD values exceed Wisconsin Soil Standards

NS - No Wisconsin Soil Standards have been established

Project # LC-05-04234
 UST Piping and Dispenser Upgrade
 Kwik Trip Store #749
 Rice Lake, Wisconsin

Table 2 (continued)
 Soil Sample Analytical Results
 August 29, 2005

PARAMETER (µg/kg)	ST-12 @ 3 ft 08/29/05	SP-3 South Stockpile 08/29/05	SP-4 North Stockpile 08/29/05	SP-5 North Stockpile 08/29/05	SP-7 West Stockpile 08/29/05	NR720 RCLs ¹	NR746.06 Table 1 ²	NR746.06 Table 2 ³
GRO	<5.1	<5.2	240	13	450	100	NS	NS
Benzene	<26	<26	<130	74	1400	5.5	8500	1100
Ethylbenzene	<26	<26	<130	160	7500	2900	4600	NS
MTBE	<26	<26	<130	<26	<130	NS	NS	NS
Toluene	<26	<26	250	420	13000	1500	3800	NS
1,2,4-Trimethylbenzene	<26	99	970	650	26000	NS	83000	NS
1,3,5-Trimethylbenzene	<26	54	800	180	7200	NS	11000	NS
Xylenes, total	<77	<78	1200	920	43000	4100	4200	NS

Notes:

¹ - Wisconsin Administrative Code, Chapter NR720, Residual Contaminant Levels

² - Wisconsin Administrative Code, Chapter NR746, Table 1 - Indicators of Residual Petroleum Product in Soil Pores

³ - Wisconsin Administrative Code, Chapter NR746, Table 2 - Protection of Human Health from Direct Contact with Contaminated Soil

BOLD values exceed Wisconsin Soil Standards


NS - No Wisconsin Soil Standards have been established



10' 0 20'
SCALE 1" = 20'

- DENOTES APPROXIMATE LOCATION OF STANDARD PENETRATION TEST BORING
- ▼ DENOTES APPROXIMATE LOCATION OF STOCKPILE SOIL SAMPLE
- - - DENOTES APPROXIMATE LIMITS OF EXCAVATION (6' DEPTH)
- ▨ DENOTES APPROXIMATE LIMITS OF EXCAVATION (3' DEPTH)

"AUTO" PHONE WITH EMERGENCY NUMBERS POSTED



SO. MAIN ST.

TANK 01	UNLEADED	STI-P3	USEMCO	8'x32'	12000 S.W.
TANK 02	PLUS	STI-P3	USEMCO	8'x27'	10000 S.W.
TANK 03	PREMIUM	STI-P3	USEMCO	8'x27'	10000 S.W.

EXISTING TANKS, VENT LINES, AND OPW 101BG21PP 5 GAL. SPILL CONTAINMENT WITH OPW 6150 OVERFILLS TO REMAIN.

BRAUN
INTERTEC

PIPING AND DISPENSER EXCAVATION DIAGRAM
KWIK TRIP # 749
1821 SOUTH MAIN STREET
RICE LAKE, WISCONSIN

KWIK TRIP # 749
RICE LAKE, WI


DATE	9-29-05
DRAWN BY: EJB	APPR'D BY: DB
JOB NO. LC0504234	DWG. NO. LC0504234
SCALE 1" = 20'	
FIGURE NO.	SHEET OF

Re: Geographic Information System Registry for the Kwik Trip Store # 749, 1821 Main Street,
Rice Lake, Wisconsin – WDNR BRRTS # 03-03-543961

Regulatory file closure has been requested for the above referenced site. Petroleum impacted soil exceeding Wisconsin Department of Natural Resources (WDNR) NR-720 generic residual contaminant levels (RCLs) may be still be present beneath the site. Therefore, pursuant to WDNR ch. NR 726, the required Geographic Information System (GIS) registry information must include legal descriptions and/or plat maps. Legal descriptions and/or plat maps must be included for all properties (within or partially within the site's boundaries), which have soil contamination that exceeds the RCLs and/or groundwater contamination that exceeds the ESs at the time closure is requested. Additionally, the GIS registry information must include a statement signed by the responsible party, which states that he or she believes that the legal description has been attached for each property that is within, or partially within, the contaminated site boundary. (The purpose of this requirement is that a legal description for each of the contaminated properties has been submitted. The responsible party is not required to attest to the accuracy of the attached legal descriptions.) Therefore, the following statement has been included:

I, Troy Batzel, representing Kwik Trip, Inc., certify that to the best of my knowledge the legal description has been attached for each property that is within, or partially within, the contaminated site boundary for the Kwik Trip Store # 749 site.

Signature: _____



Date: _____

1/10/06