

GIS REGISTRY INFORMATION

SITE NAME:	Cabin Store			FID #	
BRRTS #:	03-04-000634			(if appropriate):	
COMMERCE # (if appropriate):	54873-9550-98				
CLOSURE DATE:	April 14, 2006				
STREET ADDRESS:	HC 61 Box 6640 (Cty Rd Y & Lake Rd)				
CITY:	Barnes				
SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):	40108	X =	400564	Y =	648826
CONTAMINATED MEDIA:	Groundwater	<input checked="" type="checkbox"/>	Soil	<input type="checkbox"/>	Both
OFF-SOURCE GW CONTAMINATION >ES:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	<input type="checkbox"/>
• IF YES, STREET ADDRESS:	N/A				
• GPS COORDINATES (meters in WTM91 projection):	X =	400606	Y =	648753	
OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	<input type="checkbox"/>
• IF YES, STREET ADDRESS 1:	N/A				
• GPS COORDINATES (meters in WTM91 projection):	X =	400606	Y =	648753	
CONTAMINATION IN RIGHT OF WAY:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	<input type="checkbox"/>
<u>DOCUMENTS NEEDED</u>					
Closure Letter, and any conditional closure letter issued or denial letter issued.					<input checked="" type="checkbox"/>
Copy of most recent deed, including legal description, for all affected properties					<input checked="" type="checkbox"/>
Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties					<input type="checkbox"/>
County Parcel ID number, if used for county, for all affected properties					<input checked="" type="checkbox"/>
Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.					<input checked="" type="checkbox"/>
Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.					<input checked="" type="checkbox"/>
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)					<input checked="" type="checkbox"/>
Tables of Latest Soil Analytical Results (no shading or cross-hatching)					<input checked="" type="checkbox"/>
Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.					<input checked="" type="checkbox"/>
GW: Table of water level elevations, with sampling dates, and free product noted if present					<input checked="" type="checkbox"/>
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)					<input checked="" type="checkbox"/>
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour					<input checked="" type="checkbox"/>
Geologic cross-sections, if required for SI. (8.5x14' if paper copy)					<input checked="" type="checkbox"/>
RP certified statement that legal descriptions are complete and accurate.					<input checked="" type="checkbox"/>
Copies of off-source notification letters (if applicable)					<input checked="" type="checkbox"/>
Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)					<input checked="" type="checkbox"/>
Copy of (soil or land use) deed restriction (s) or deed notice if any required as a condition of closure					<input checked="" type="checkbox"/>
Copy of any maintenance plan referenced in the deed restriction					<input type="checkbox"/>



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
P.O. Box 8044
Madison, Wisconsin 53708-8044
TDD #: (608) 264-8777
Fax #: (608) 267-1381
Jim Doyle, Governor
Mary P. Burke, Secretary

April 14, 2006

Marie M Hughes
1290 Ellison Lake Road
Barnes, WI 54873

RE: Final Closure

Commerce # 54873-9550-98 **WDNR BRRTS # 03-04-000634**
Cabin Store, HC 61 Box 6640 (Cty Rd Y & Lake Rd), Barnes

Dear Ms. Hughes:

The Wisconsin Department of Commerce (Commerce) has received all items required as conditions for closure of the site referenced above. This case is now listed as "closed" on the Commerce database and will be included on the Wisconsin Department of Natural Resources (WDNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual contamination. It is in your best interest to keep all documentation related to the environmental activities that were conducted.

If residual contamination is encountered in the future, it must be managed in accordance with all applicable state and federal regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (608) 261-7718.

Sincerely,

Will M. Myers
Geologist
Site Review Section

cc: Ayres Associates



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
P.O. Box 8044
Madison, Wisconsin 53708-8044
TDD #: (608) 264-8777
Fax #: (608) 267-1381
<http://www.commerce.state.wi.us>
<http://www.wisconsin.gov>
Jim Doyle, Governor
Cory L. Nettles, Secretary

July 15, 2003

Marie M Hughes
1290 Ellison Lake Rd.
Barnes, WI 54873

RE: **Follow-up Request for Conditional Closure Information**

Commerce # 54873-9550-98 **WDNR BRRTS # 03-04-000634**
Cabin Store, HC 61 Box 6640 (Cty Rd Y & Lake Rd), Barnes

Dear Ms. Hughes:

The Wisconsin Department of Commerce (Commerce) is sending you a copy of documents related to the site referenced above, and requesting that you submit the required information. This is a follow-up to our telephone conversations on July 14th, 2003.

It is understood that you will notify Janet Kazda of Wisconsin Department of Natural Resources (WDNR) in writing, of your intention to record the deed restriction (Ground Water Use Restriction) for the downgradient property, known as the Wausau Mosinee Paper Corporation, as required to receive final case closure for the site referenced above.

Enclosed are copies of several documents that have been sent to you within the last couple of years, were submitted to Commerce on your behalf, or are a part of the case file. The *Close-out of Case* letter, dated March 15, 2001 was originally sent with a copy of the two deed notifications/groundwater use restrictions (GWUR) that are required to be recorded at the county Register of Deeds. A copy of each of the documents (two) with the Register of Deeds recording information was required to be submitted to Commerce. One GWUR is for the Cabin Store property, and one GWUR is for the property located to the south of the Cabin Store property. Based on the March 14, 2001 document received by Commerce on March 16, 2001, a copy of a GWUR for the Cabin Store has been received, not for the Wausau Mosinee Paper Corporation as indicated on the cover letter. You may want to contact Ayres Associates to see if they actually had a GWUR recorded for the Wausau Mosinee Paper Corporation and simply sent the wrong copy to Commerce.

In addition to recording the GWUR for the downgradient property with the County Register of Deeds, all wells that are related to the site referenced above that have not been properly abandoned, must be properly abandoned immediately. Based on a review of the documentation provided, monitoring wells PZ-1/MW-14 and MW-4, as well as sparge point SP-1 and vapor extraction point VE-1 have not been properly abandoned. This must also be done immediately and the required documentation submitted to Commerce.

Should you decide that you would rather have the property listed on the WDNR Geographic Information System (GIS) Registry in lieu of the GWUR, you may do so. If you choose this option, both properties will need to be included, and the one-time \$250.00 fee must be paid to WDNR. The completed packet would need to be sent to Commerce. A copy of the GIS Registry packet requirement list (PUBL-RR-688) has been provided for your convenience.

In summary, the following activities must be completed and information/documentation submitted to Commerce:

- A GWUR must be recorded with the County Register of Deeds for the downgradient property, also known as the Wausau Mosinee Paper Corporation property. A copy of the GWUR with the Register of Deeds recording information on it shall be submitted to Commerce (if you choose to submit a GW GIS Registry Packet, the packet would replace the GWUR for both properties).
- All wells that are not properly abandoned must be properly abandoned and the appropriate forms completed and submitted to Commerce. This includes monitoring wells PZ-1/MW-14 and MW-4, as well as sparge point SP-1 and vapor extraction point VE-1
- A copy of the written notification of your intent to record the GWUR, submitted to Janet Kazda of WDNR, should be submitted.

Within 60 days, please submit the required information to Commerce, to bring this case to closure. Commerce can pursue enforcement actions if you do not complete the required work.

Your prompt attention to this request is appreciated. If you have any questions or concerns regarding this letter or the required work, please contact me in writing at the letterhead address or by telephone at (608) 261-5401.

Sincerely,

Shawn A. Wenzel
Hydrogeologist
Site Review Section

cc: Janet Kazda, WDNR (via email w/o enclosures)
Case File

Enclosures: *Notice of Violation* – June 17, 2003
Status Update Request - April 1, 2002
Close-out of Case – March 15, 2001
Notice of Contamination to Property – Mosinee Paper Company Property
Notice of Contamination to Property – Cabin Store Property
Deed Notification for Wausau Mosinee Paper Corporation submittal (received from Ayres Associates March 16, 2001 – was actually a copy of the Cabin Store Notification)
Forms 3300-5W (Cover letter only) – for most boreholes
Checklist of Documents for GIS Registry Packet PUB-RR-688



March 15, 2001

Mr and Mrs. Hughes
HCR 61 Box 6640
Barnes, WI 54873-9550

Subject: **Close-out of Case # 54873-9550-98/ BRRTS # 03-04-000634**
Cabin Store, HCR 61, Box 6640, Barnes, WI

Dear Mr. and Mrs. Hughes:

On October 25, 2000 the above site was reviewed for closure by the Site Review staff of the PECFA Bureau. Because the site met the criteria for transfer to the Department of Commerce, all issues relating to this site are administered by the staff within the Department of Commerce's PECFA Bureau. Using the standards established in NR 700, the Department has determined that this site has been remediated to a level protective of the environment and human health. The Department considers this site to meet environmental standards for closure with a groundwater use restriction for your property and the Mosinee Paper Company property across the road.

I sent your consultant a draft groundwater use restriction for both sites. These need to be completed and submitted to me once they have been attached to the deeds for these properties with a copy of the receipt indicating they have been filed. Once this is done your site will be officially closed on our tracking system.

This is based upon the information provided to us by your consultant. If, in the future, site conditions indicate that any contamination that might remain poses a threat, the need for further remediation would be determined and required if necessary.

Be sure to include a copy of this letter with your PECFA claim package, if your site is eligible for reimbursement. Please be sure to keep all documentation related to the investigation and remediation of your site in case you ever decide to sell this property. The department has made the decision that after 3 years the files we hold for your site will be destroyed. So you are responsible for maintaining this file and passing it on to any future owners.

Thank you for your efforts in the protection of the environment. If you have any additional questions, please call me at 715-762-5557.

Sincerely,

Shanna L. Laube, P.G.
Hydrogeologist
PECFA Program

cc: Terri Hazelton, Ayres Associates

461025

Document Number

STATE BAR OF WISCONSIN FORM 1 - 1998
WARRANTY DEED

This Deed, made between RICHARD A. FABIAN, an adult single man

Grantor, and PATRICK J. FOAT AND KARA L. FOAT, husband and wife as survivorship marital property

Grantee.
Grantor, for a valuable consideration, conveys to Grantee the following described real estate in BAYFIELD County, State of Wisconsin (The "Property"):

The Southwest Quarter (SW¼) of the Southwest Quarter of the Southwest Quarter (SW¼SW¼) Section Seven (7), Township Forty-four (44) North, Range Nine (9) West.

Recording Area
Name and Return Address
SAWYER COUNTY ABSTRACT
P.O. Box 100
Winter, WI 54896
Pd. 10.00
TX 450.00
SCA 7457

004-1076-01
Parcel Identification Number (PIN)
This is not homestead property.
(is) (is not)

Description obtained from title insurance commitment #7457 prepared by Sawyer County Abstract and Title, Winter, WI.

TRANSFER FEE
\$ 450.00

Together with all appurtenant rights, title and interests.

Grantor warrants that the title to the Property is good, indefeasible in fee simple and free and clear of encumbrances except All easements, exceptions and reservations of record.

Dated this 15th day of November, 2000.

* _____
* _____

Richard A. Fabian
* **Richard A. Fabian**
* _____

AUTHENTICATION

Signature(s) _____

ACKNOWLEDGMENT

STATE OF WISCONSIN)
) ss.
Sawyer County.)
Personally came before me this 15th day of _____

VOL 288 OF REC PAGE 37
Otto Korpela
REGISTER OF DEEDS
'00 NOV 20 PM 1 32
REGISTER'S OFFICE / S.C.
BAYFIELD COUNTY, WIS.

The Southwest Quarter (SW¼) of the Southwest Quarter of the Southwest Quarter (SW¼SW¼) Section Seven (7), Township Forty-four (44) North, Range Nine (9) West.

Name and Return Address
SAWYER COUNTY ABSTRACT

P.O. Box 100
Winter, WI 54896

SCA 7457

pd. 10.00
TAX 450.00

004-1076-01

Parcel Identification Number (PIN)

This is not homestead property.
(is) (is not)

Description obtained from title insurance commitment #7457 prepared by Sawyer County Abstract and Title, Winter, WI.

TRANSFER FEE
\$ 450.00

Together with all appurtenant rights, title and interests.

Grantor warrants that the title to the Property is good, indefeasible in fee simple and free and clear of encumbrances except All easements, exceptions and reservations of record.

Dated this 15th day of November, 2000.

* _____
* _____

Richard A. Fabian

* **Richard A. Fabian**
* _____

AUTHENTICATION

Signature(s) _____
authenticated this _____ day of _____.

* _____
TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, _____
authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY
THOMAS W. DUFFY
HAYWARD, WI. 54843

(Signatures may be authenticated or acknowledged. Both are not necessary.)


ACKNOWLEDGMENT

STATE OF WISCONSIN)
) ss.
Sawyer County.)
Personally came before me this 15th day of
November, 2000 the above named
Richard A. Fabian

to me known to be the person(s) who executed the foregoing instrument and acknowledge the same.

JoJean Bruce
* **JoJean Bruce**

Notary Public, State of Wisconsin
My Commission is permanent. (If not, State expiration date:
7-27-03)



*Names of persons signing in any capacity should be typed or printed below their signatures



This Indenture, Made this 27th day of July, A. D. 1948,
between EUGENE B. FINEGAN also known as E. B. FINNEGAN and MARIE V. FINEGAN, his wife
MOSINEE PAPER MILLS COMPANY, part 108 of the first part, and
a Corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin,
located at Mosinee, Wisconsin, party of the second part.

Witnesseth: That the said party of the first part, for and in consideration of the sum of
One Dollar and other valuable consideration

to them in hand paid by the said party of the second part, the receipt whereof is hereby confessed and
acknowledged, have given, granted, bargained, sold, remised, released, aliened, conveyed and confirmed,
and by these presents do give, grant, bargain, sell, remise, release, alien, convey and confirm unto the
said party of the second part, its successors and assigns forever, the following described real estate, situated
in the County of Bayfield and State of Wisconsin, to-wit:

NORTHWEST QUARTER (NE 1/4) SECTION NINETEEN (19)
TOWNSHIP FORTY-FOUR NORTH (44N) RANGE NINE
WEST (9W) OF THE FOURTH (4th) PRINCIPAL MERI-
DIAN CONTAINING ONE HUNDRED SIXTY-THREE (163)
ACRES MORE OR LESS ACCORDING TO GOVERNMENT
SURVEY PERELOP.

PARCEL T-D. 5
NW NW MOS 101-004-123-01
NA



Together with all and singular the hereditaments and appurtenances thereunto belonging or in any
wise appertaining; and all the estate, right, title, interest, claim or demand whatsoever, of the said party of the first part, either in law or equity, either in possession or expectancy of, in and to the above bargained
premises, and their hereditaments and appurtenances.

To Have and to Hold the said premises as above described with the hereditaments and appurtenances,
unto the said party of the second part, and to its successors and assigns FOREVER.

And the said EUGENE B. FINEGAN also known as E. B. FINNEGAN and
MARIE V. FINEGAN, his wife
for their heirs, executors and administrators, do covenant, grant, bargain and agree
to and with the said party of the second part, its successors and assigns, that at the time of the encsaling and
delivery of these presents they are well seized of the premises above described, as of a good, sure,
perfect, absolute and indefeasible estate of inheritance in the law, in fee simple, and that the same are free
and clear from all incumbrances whatever,

and that the above bargained premises in the quiet and peaceable possession of the said party of the second
part, its successors and assigns, against all and every person or persons lawfully claiming the whole or any
part thereof, they will forever WARRANT AND DEFEND.

In Witness Whereof, the said party of the first part have hereunto set their hands
and seals this 27th day of July, A. D. 1948.

SIGNED AND SEALED IN PRESENCE OF

J. C. Sellington
S. J. Cooley

Eugene B. Finegan (SEAL)
Marie V. Finegan (SEAL)
Marie V. Finegan (SEAL)

ILLINOIS
State of ~~Wisconsin~~ }
Cook County. } ss.

Personally came before me, this 27th day of July, A. D. 1948
the above named EUGENE B. FINEGAN also known as E. B. FINNEGAN and MARIE
V. FINEGAN, HIS WIFE
to me known to be the person^s who executed the foregoing instrument and acknowledged the same.

Alice E. Nelson
Alice E. Nelson Ill.
Notary Public Cook County, Wis.
My commission expires Feb. 14th, A. D. 1952.

44-7

No. #167954

EUGENE B. FINEGAN also known
as E. B. FINNEGAN and MARIE

V. FINEGAN, his wife
TO

POSINEE PAPER MILLS COMPANY

a Wisconsin Corporation

WARRANTY DEED

To Corporation (Common Form)

REGISTER'S OFFICE,

State of Wisconsin,

BAYFIELD County

Received for Record this day

of AUG 7 1948, A. D. 19

at 2:30 o'clock P. M., and recorded in


Vol. 151 of Deeds on page 311

Earl Pedersen
Register of Deeds.

Deputy

101.00
Melle


PEN TABLE = #plot1721088r4NFULL.TBL
 DATE OF PLOT = 10/20/95
 DESIGN FILE IS k18wastelocamp.dgn
 DGN LEVELS ON = 1-60



8X1000.DGN ON = 1-63

MAP SOURCE: U.S.G.S. MAP
 ELLISON LAKE (1984)

SCALE 1:24000




REMEDIAL INVESTIGATION
 THE CABIN STORE
 BARNES, WISCONSIN

DRN. BY: MLE
 CHK. BY: JFH
 DATE: OCT. 1995
AVRES
 ASSOCIATES

LOCATION MAP

FIGURE
 1



LEGEND:	
⊕ MW-4	MONITORING WELL
⊕ PZ-8	PIEZOMETER WELL
● AB-1	SOIL BORING

FIGURE
2

REMEDIAL INVESTIGATION
THE CABIN STORE
BARNES, WISCONSIN

DRN. BY: MLE
CHK. BY: JPH
DATE: NOVEMBER 1995
AVRES ASSOCIATES

SITE PLAN

1/5/2006
 1154444-00-000

**TABLE 1
GROUND WATER ANALYTICAL RESULTS
THE CABIN STORE - BARNES, WISCONSIN**

GROUND WATER SAMPLE LOCATION	SAMPLE DATE	GRO (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	ETHYL- BENZENE (ug/L)	TOTAL XYLENES (ug/L)	MTBE (ug/L)	1,2-DCA (ug/L)	1,2,4 TRIMETHYL- BENZENE (ug/L)	1,3,5 TRIMETHYL- BENZENE (ug/L)	LEAD (ug/L)	
Private Well	11/30/1994	< 50	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	3.29	
	5/19/1999	<50	<0.26	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	11/16/1999	<50	<0.26	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
MW-1	12/20/1994	70,200	10,300	18,100	1,650	10,890	< 250	< 250	2,500	745	83.6	
	5/15/1995	FREE PRODUCT DETECTED										
	4/16/1998	36,000	7,500	16,000	970	8,100	<20	--	1,600	460	--	
	6/2/1999	36,000	3,400	11,000	1,100	9,300	<22	--	2,000	620	--	
	8/10/1999	11,000	1,200	3,500	200	2,370	<5.5	--	620	190	--	
	11/16/1999	21,000	1,000	6,000	630	5,500	<11	--	1,300	470	--	
MW-2	2/22/2000	14,000	820	4,400	450	3,800	<11	--	780	230	--	
	12/20/1994	1,050	1.5	< 2.5	< 2.5	128.1	< 2.5	< 2.5	70.6	30.3	0.88	
	5/15/1995	< 20	< 0.5	< 0.5	< 0.5	< 2.4	< 0.5	--	< 0.5	< 0.5	--	
	4/16/1998	61	<0.20	<0.20	<0.30	25.3	<0.20	--	9.6	4.3	--	
	5/19/1999	<50	<0.26	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	11/16/1999	<50	<0.26	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
MW-3	12/20/1994	24,200	1,700	5,390	592	6,360	< 100	< 100	1,680	533	1.15	
	5/15/1995	4,900	280	400	140	1,320	9.3	--	360	94	--	
	4/16/1998	2,100	0.7	4.3	9.1	510	0.6	--	260	92	--	
	5/19/1999	110	<0.26	<0.21	<0.24	2.73	0.44	--	5.9	3.7	--	
	8/10/1999	<50	<0.26	0.32	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	11/16/1999	<50	<0.26	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
MW-4	2/22/2000	110	<0.26	<0.24	<0.24	<1.34	<0.22	--	<0.86	0.8	--	
	12/20/1994	4,650	794	569	167	1,050	< 20.0	< 20.0	< 20.0	337	0.46	
	5/15/1995	560	200	13	16	78	1.4	--	11	3.6	--	
	4/16/1998	9,500	700	5,200	300	2,700	<5.0	--	550	200	--	
	5/19/1999	1,600	110	270	66	420	0.39	--	102	38	--	
	8/10/1999	16,000	200	3,300	570	6,000	<5.5	--	1,400	480	--	
MW-5	11/16/1999	3,300	25	500	120	1,740	<0.88	--	320	170	--	
	2/22/2000	3,900	25	550	140	1,790	<0.88	--	370	130	--	
	11/25/2003	--	8.2	550	580	5,303	<14	--	3300	1400	--	
	5/15/1995	880	510	< 5.0	< 5.0	71	< 5.0	< 5.0	8.3	< 5.0	--	
	6/15/1995	2,400	1,000	10	20	370	< 4.0	--	4.2	30	--	
	4/16/1998	1,200	160	0.4	65	243	<0.20	--	70	55	--	
MW-6	5/19/1999	<50	1.3	<0.21	0.86	<1.34	<0.22	--	<0.86	0.57	--	
	8/24/1999	<50	9.5	0.49	0.8	<1.34	<0.22	--	<0.86	<0.54	--	
	11/16/1999	170	16	0.21	14	15	<0.22	--	<0.86	15	--	
	2/22/1999	52	1.6	0.21	5	<1.57	<0.22	--	<0.86	3.4	--	
	5/15/1995	< 20	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5	< 0.5	< 0.5	--	
	6/15/1995	< 20	< 0.5	0.6	< .5	< 1.0	< 0.5	< 0.5	< 0.5	< 0.5	--	
MW-7	5/19/1999	<50	<0.26	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	11/16/1999	<50	<0.26	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	5/15/1995	< 20	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5	< 0.5	< 0.5	--	
MW-8	6/15/1995	< 20	< 0.5	0.7	< 0.5	< 2.4	< 0.5	< 0.5	< 0.5	< 0.5	--	
	5/19/1999	<50	<0.26	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	11/16/1999	<50	<0.26	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	6/15/1995	600	540	< 5.0	< 5.0	14.5	< 5.0	< 5.0	< 5.0	< 5.0	--	
	7/31/1995	410	250	< 1.0	< 1.0	11.5	< 1.0	--	1.8	< 1.0	--	
	4/16/1998	1000	480	0.9	12	20.4	<0.20	--	0.4	3.5	--	
MW-9	5/19/1999	56	15	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	8/10/1999	63	36	0.55	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	11/16/1999	<50	8.9	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	2/22/2000	<50	1.5	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	7/31/1995	< 20	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5	< 0.5	< 0.5	--	
	8/9/1995	< 20	< 0.5	1.4	< 0.5	< 1.0	< 0.5	< 0.5	< 0.5	< 0.5	--	
MW-10	5/19/1999	<50	<0.26	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	8/10/1999	<50	<0.26	0.37	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	11/16/1999	<50	<0.26	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	2/22/2000	<50	<0.26	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	7/31/1995	94	100	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	--	
	8/9/1995	140	110	1.5	< 0.5	< 1.0	< 0.5	< 0.5	< 0.5	< 0.5	--	
MW-11	4/16/1998	570	390	<0.20	1.1	6.9	<0.20	--	<0.30	<0.30	--	
	5/19/1999	<50	9	<0.21	<0.24	0.78	<0.22	--	<0.86	<0.54	--	
	8/10/1999	<50	0.46	0.44	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	11/16/1999	<50	0.77	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	2/22/2000	<50	1	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	7/31/1995	< 20	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5	< 0.5	< 0.5	--	
MW-12	8/9/1995	< 20	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5	< 0.5	< 0.5	--	
	5/19/1999	<50	<0.26	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	11/16/1999	<50	<0.26	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
MW-13	7/31/1995	< 20	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5	< 0.5	< 0.5	--	
	8/9/1995	< 20	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5	< 0.5	< 0.5	--	
	5/19/1999	<50	<0.26	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
	11/16/1999	<50	<0.26	<0.21	<0.24	<1.34	<0.22	--	<0.86	<0.54	--	
NR 140 ES	[a]	5	1,000	700	10,000	60	5	480	[c]	15		
NR 140 PAL	[a]	0.5	200	140	1,000	12	0.5	96	[c]	1.5		

100 NR 140 PAL = Wisconsin Administrative Cod NR 140 Preventive Action Limits
 100 NR 140 ES = Wisconsin Administrative Code NR 140 Enforcement Standards
 -- Not Analyzed
 a = No NR 140 Standard
 b = total xylenes
 c = total trimethylbenzene

**TABLE 2
GROUND WATER NATURAL ATTENUATION RESULTS
THE CABIN STORE - BARNES, WISCONSIN**

Ground Water Sample Location	Sample Date	GRO (ug/L)	Benzene (ug/L)	Dis. Iron (mg/L)	Nitrate + Nitrite Nit. (mg/L)	Sulfate-Unflit. Tot. (mg/L)	pH	Dis. Oxygen (mg/L)	Redox (millivolts)	Temp. (Celsius)	
MW-1	12/20/1994	70,200	10,300								
	5/15/1995	FREE PRODUCT DETECTED									
	4/16/1998	36,000	7,500					2.8		8	
	6/2/1999	36,000	3,400								
	8/10/1999	11,000	1,200	0.068	4.9	<0.062	5.86	3.4	291.1	10	
	11/16/1999	21,000	1,000	0.028	23	8.8	6.27	1.8	149.7	12	
2/22/2000	14	800	0.055	6.6	12.0		0.4		10		
MW-2	12/20/1994	1,050	1.5								
	5/15/1995	< 20	< .5								
	4/16/1998	61	<0.20					3		8	
	5/19/1999	<50	<0.26	<0.47	3.7	6.6	3.27	6.45	202.1	9	
	11/16/1999	<50	<0.26	0.074	7.4	<1.3	5.97	7.6	257.7	11	
MW-3	12/20/1994	24,200	1,700								
	5/15/1995	4,900	280								
	4/16/1998	2,100	0.7					2.5		7.5	
	5/19/1999	110	<0.26	0.064	12	12	5.77	12.12	201.6	8.5	
	8/10/1999	<50	<0.26	0.065	8	11	6.65	9.5	285.4	10	
	11/16/1999	<50	<0.26	0.042	20	8.5	6.44	3.1	117.0	11	
	2/22/2000	110	<0.26	0.044	5	6.5	6.82	6	24.7	10	
MW-4	12/20/1994	4,650	794								
	5/15/1995	560	200								
	4/16/1998	9,500	700					7.9		2.2	
	5/19/1999	1,600	110	3.5	3.2	12	5.72	0.3	146	8.5	
	8/10/1999	18,000	200	7.4	0.72	<0.062	6.49	4.9	143.4	9	
	11/16/1999	3,300	25	1.4	0.54	8.7	6.67	0.4	143.1	11	
	2/22/2000	4	25	41	3	7.0	6.69	0.5	24.8	10	
	MW-5	5/15/1995	880	510							
6/15/1995		2,400	1,000								
4/16/1998		1,200	160					7		2	
5/19/1999		<50	7.3	0.99	0.091	9.3	6.13	0.2	138.7	8.4	
8/24/1999		<50	9.5	0.64	0.33	11	6.48	3.8	272.2	9	
11/16/1999		170	16	1.4	0.11	<1.3	6.88	0.4	171.2	10	
2/22/2000		52	1.6	1	0.12	7.9	6.74	0.5	204.4	9	
MW-6		5/15/1995	< 20	< .5							
	6/15/1995	< 20	< .5								
	4/16/1998							9.6		6	
	5/19/1999	<50	<0.26	<0.47	0.65	1.1	5.05	11.54	180.4	6.7	
	11/16/1999	<50	<0.26	0.033	0.23	<1.3	5.7	9.9	216.2	11	
MW-7	5/15/1995	< 20	< .5								
	6/15/1995	< 20	< .5								
	4/16/1998							7		5.4	
	5/19/1999	<50	<0.26	<0.047	0.65	4.2	7.27	6.57	206.9	8.3	
MW-8	11/16/1999	<50	<0.26	<0.027	0.84	<1.3	6.67	10.5	248.6	9	
	6/15/1995	600	540								
	7/31/1995	410	250								
MW-8	4/16/1998	1000	480					3.1		7	
	5/19/1999	56	15	<0.047	0.61	6	6.3	0.21	-381.16	8.1	
	8/10/1999	63	36	<0.047	1.6	<0.062	6.63	3.6	202.8	8	
	11/16/1999	<50	8.9	<0.027	0.54	8.7	6.85	3.5	253.5	9	
	2/22/2000	<50	1.5	<0.027	0.37	10	6.7	4.1	231	9	
	PZ-8	7/31/1995	< 20	< .5							
		8/9/1995	< 20	< .5							
4/16/1998								7.2		7	
5/19/1999		<50	<0.26	<0.047	0.31	5	8.99	9.81	195.5	8.1	
8/10/1999		<50	<0.26	<0.047	0.35	<0.062	7.2	10.8	213.4	8	
11/16/1999		<50	<0.26	<0.027	0.28	<1.3	6.99	10.1	263.5	9	
MW-9	2/22/2000	<50	<0.26	<0.027	0.69	5.2	6.47	10.8	214.7	9	
	6/15/1995	< 20	< .5								
	7/31/1995	< 20	< .5								
	4/16/1998							2.8		7	
MW-10	11/16/1999	<50	<0.26	<0.027	5	6.2	6.7	8.5	261.9	10	
	7/31/1995	94	100								
	8/9/1995	140	110								
MW-10	4/16/1998	570	390					1.6		8.5	
	5/19/1999	<50	9	0.12	4	7.3	6.19	0.45	173.3	7.7	
	8/10/1999	<50	0.46	<0.047	6.4	<0.062	7	2.9	226.1	8	
	11/16/1999	<50	0.77	<0.027	5.4	<1.3	6.51	4.5	251.1	9	
	2/22/2000	<50	1	<0.027	2.8	7.4	6.1	4.8	192.8	9	
	MW-11	7/31/1995	< 20	< .5							
8/9/1995		< 20	< .5								
4/16/1998								8.2		6.5	
5/19/1999		<50	<0.26	0.066	0.76	4.5	5.59	9.06	214.8	7.2	
11/16/1999		<50	<0.26	0.037	1.4	<1.3	6.36	10.7	253.2	9	
MW-12	7/31/1995	< 20	< .5								
	8/9/1995	< 20	0.8								
	4/16/1998							3.2		7	
	5/19/1999	<50	<0.26	<0.047	0.85	6	5.84	9.35	179.2	8	
MW-13	11/16/1999	<50	<0.26	0.033	0.97	<1.3	6.46	11	253.6	8	
	7/31/1995	< 20	< .5								
	8/9/1995	< 20	< .5								
MW-13	4/16/1998							4.3		7	
	5/19/1999	<50	<0.26	<0.047	0.84	8.1	5.84	6.9	203.3	7.6	
	11/16/1999	<50	<0.26	0.036	1.6	<1.3	6.67	10.8	253.9	8	
NR 140 ES	[a]	5	[a]	[a]	[a]	[a]	[a]	[a]	[a]	[a]	
NR 140 PAL	[a]	0.5	[a]	[a]	[a]	[a]	[a]	[a]	[a]	[a]	

NR 140 ES = Wisconsin Administrative Code NR 140 Enforcement Standards

700 NR 140 PAL = Wisconsin Administrative Code NR 140 Preventive Action Limits

[a] = No NR 140 Standard

Blank boxes indicate no data

TABLE 1
SOIL ANALYTICAL RESULTS
THE CABIN STORE - BARNES, WISCONSIN

SAMPLE DATE	BORING NO.	SAMPLE NO.	SAMPLE DEPTH	FID READING (i.u.)	GRO (mg/ka)	BENZENE (ua/ka)	TOLUENE (ua/ka)	ETHYL-BENZENE (ua/ka)	TOTAL XYLENES (ua/ka)	1,2-DCA (ua/ka)	MTBE (ua/ka)	1,2,4-TMB (ua/ka)	1,3,5-TMB (ua/ka)	LEAD (mg/ka)
11/30/1994	AB-1	S-1	2.5'-4.5'	7.0	--	--	--	--	--	--	--	--	--	--
		S-2	5.0'-7.0'	6.0	--	--	--	--	--	--	--	--	--	--
		S-3	7.5'-9.5'	1.0	--	--	--	--	--	--	--	--	--	--
		S-4	10.0'-12.0'	2.4	--	--	--	--	--	--	--	--	--	--
		S-5	12.5'-14.5'	0.9	--	--	--	--	--	--	--	--	--	--
		S-6	15.0'-17.0'	2.7	--	--	--	--	--	--	--	--	--	--
		S-7	17.5'-19.5'	105	2.440	26,500	197,000	59,600	422,000	< 5,000	< 5,000	232,000	104,000	1.08
		S-8	20.0'-22.0'	10	< 5.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 2.0	< 1.0	2.61
11/30/1994	AB-2	S-1	2.5'-4.5'	NR	--	--	--	--	--	--	--	--	--	--
		S-2	5.0'-7.0'	0.2	--	--	--	--	--	--	--	--	--	--
		S-3	7.5'-9.5'	2.4	--	--	--	--	--	--	--	--	--	--
		S-4	10.0'-12.0'	5.0	--	--	--	--	--	--	--	--	--	--
		S-5	12.5'-14.5'	0.6	--	--	--	--	--	--	--	--	--	--
		S-6	15.0'-17.0'	50	--	--	--	--	--	--	--	--	--	--
		S-7	17.5'-19.5'	14	--	--	--	--	--	--	--	--	--	--
		S-8	20.0'-22.0'	> 1000	--	--	--	--	--	--	--	--	--	--
		S-9	22.5'-24.5'	> 1000	71.1	401	3,070	797	11,550	< 100	< 100	7,180	2,260	0.63
		S-10	25.0'-27.0'	800	15.4	106	778	216	2,817	< 100	< 100	1,600	570	0.82
11/30/1994	AB-3	S-1	5.0'-7.0'	NR	--	--	--	--	--	--	--	--	--	--
		S-2	10.0'-12.0'	NR	--	--	--	--	--	--	--	--	--	--
		S-3	15.0'-17.0'	2.3	--	--	--	--	--	--	--	--	--	--
		S-4	17.5'-19.5'	98	--	--	--	--	--	--	--	--	--	--
		S-5	20.0'-22.0'	> 1000	6,990	27,800	354,000	127,000	928,000	< 10,000	< 10,000	791,000	184,000	0.77
		S-6	22.5'-24.5'	> 1000	--	--	--	--	--	--	--	--	--	--
		S-7	25.0'-27.0'	960	7.2	21.2	239	72.1	624	< 5.0	< 5.0	476	157	0.79
11/30/1994	AB-4	S-1	5.0'-7.0'	0.6	--	--	--	--	--	--	--	--	--	--
		S-2	10.0'-12.0'	6.4	--	--	--	--	--	--	--	--	--	--
		S-3	15.0'-17.0'	18	--	--	--	--	--	--	--	--	--	--
		S-4	17.5'-19.5'	50	--	--	--	--	--	--	--	--	--	--
		S-5	20.0'-22.0'	> 1000	--	--	--	--	--	--	--	--	--	--
		S-6	22.5'-24.5'	> 1000	51.5	846	5,480	1,150	10,460	< 100	< 100	4,880	1,520	0.85
		S-7	25.0'-27.0'	100	5.6	60.6	89.7	23.8	232.4	< 2.0	< 2.0	112	37	0.66
NR 720 Soil Quality Standards		xx	xx	100	5.5	1,500	2,900	4,100	4.9	xx	xx	xx	xx	

☐ = Detection exceeds Wisconsin Administrative Code NR 720 soil quality standards

< = Not Detected at Method Detection Limit (MDL)

NR = No Response

-- = Not Analyzed

xx = No State Standard

* = Only VOC compounds detected are listed.

No Rec = No Recovery

TABLE 1 (continued)
SOIL ANALYTICAL RESULTS
THE CABIN STORE - BARNES, WISCONSIN

SAMPLE DATE	BORING NO.	SAMPLE NO.	SAMPLE DEPTH	FID READING (i.u.)	GRO (mg/kg)	BENZENE (ug/kg)	TOLUENE (ug/kg)	ETHYL-BENZENE (ug/kg)	TOTAL XYLENES (ug/kg)	1,2-DCA (ug/kg)	MTBE (ug/kg)	1,2,4-TMB (ug/kg)	1,3,5-TMB (ug/kg)	LEAD (mg/kg)	
5/8/1995	AB-5	S-1	2.5'-4.5'	0.4	--	--	--	--	--	--	--	--	--	--	
		S-2	5.0'-7.0'	0.6	--	--	--	--	--	--	--	--	--	--	
		S-3	7.5'-9.5'	1.0	--	--	--	--	--	--	--	--	--	--	
		S-4	10.0'-12.0'	0.6	< 5.0	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	0.44
		S-5	12.5'-14.5'	0.6	--	--	--	--	--	--	--	--	--	--	--
		S-6	15.0'-17.0'	0.8	--	--	--	--	--	--	--	--	--	--	--
		S-7	17.5'-19.5'	NR	--	--	--	--	--	--	--	--	--	--	--
		S-8	20.0'-22.0'	0.8	--	--	--	--	--	--	--	--	--	--	--
		S-9	22.5'-24.5'	0.8	< 5.0	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25
6/8/1995	AB-6	S-1	10.0'-12.0'	NR	--	--	--	--	--	--	--	--	--	--	
		S-2	15.0'-17.0'	0.3	--	--	--	--	--	--	--	--	--	--	
		S-3	20.0'-22.0'	0.3	--	--	--	--	--	--	--	--	--	--	
		S-4	25.0'-27.0'	0.1	--	--	--	--	--	--	--	--	--	--	
		S-5	27.5'-29.5'	4.1	--	--	--	--	--	--	--	--	--	--	
		S-6	30.0'-32.0'	0.3	< 5.0	< 25	< 25	< 25	< 25	--	< 25	< 25	< 25	< 25	--
		S-7	32.5'-34.5'	10	--	--	--	--	--	--	--	--	--	--	--
		S-8	35.0'-37.0'	20	< 5.0	51	< 25	< 25	< 25	< 25	--	< 25	< 25	< 25	--
7/11/1995	AB-7	S-1	25.0'-27.0'	NR	--	--	--	--	--	--	--	--	--	--	
		S-2	27.5'-29.5'	0.2	--	--	--	--	--	--	--	--	--	--	
		S-3	30.0'-32.0'	0.8	--	--	--	--	--	--	--	--	--	--	
		S-4	32.5'-34.5'	0.3	--	--	--	--	--	--	--	--	--	--	
		S-5	35.0'-37.0'	7.2	< 2.0	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	--
		S-6	37.5'-39.5'	4.7	--	--	--	--	--	--	--	--	--	--	--
		S-7	40.0'-42.0'	5.2	< 2.0	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	--
7/11/1995	AB-8	S-1	22.0'-24.0'	NR	--	--	--	--	--	--	--	--	--	--	
		S-2	24.5'-26.5'	0.5	< 2.0	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	--
		S-3	27.0'-29.0'	0.4	--	--	--	--	--	--	--	--	--	--	--
		S-4	29.5'-31.5'	0.4	--	--	--	--	--	--	--	--	--	--	--
		S-5	32.0'-34.0'	3.1	--	--	--	--	--	--	--	--	--	--	--
		S-6	34.5'-36.5'	6.5	< 2.0	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	--
NR 720 Soil Quality Standards			xx	xx	100	5.5	1,500	2,900	4,100	4.9	xx	xx	xx	xx	

 = Detection exceeds Wisconsin Administrative Code NR 720 soil quality standards
 NR = No Response -- = Not Analyzed xx = No State Standard
 No Rec = No Recovery

< = Not Detected at Method Detection Limit (MDL)
 * = Only VOC compounds detected are listed.

TABLE 1 (continued)
SOIL ANALYTICAL RESULTS
THE CABIN STORE - BARNES, WISCONSIN

SAMPLE DATE	BORING NO.	SAMPLE NO.	SAMPLE DEPTH	FID READING (i.u.)	GRO (mg/ka)	BENZENE (ug/ka)	TOLUENE (ug/ka)	ETHYL-BENZENE (ug/ka)	TOTAL XYLENES (ug/ka)	1,2-DCA (ug/ka)	MTBE (ug/ka)	1,2,4-TMB (ug/ka)	1,3,5-TMB (ug/ka)	LEAD (mg/ka)	
11/29/1994	MW-1	S-1	2.5'-4.5'	2.0	--	--	--	--	--	--	--	--	--	--	
		S-2	5.0'-7.0'	NR	--	--	--	--	--	--	--	--	--	--	
		S-3	7.5'-9.5'	0.2	--	--	--	--	--	--	--	--	--	--	
		S-4	10.0'-12.0'	NR	--	--	--	--	--	--	--	--	--	--	
		S-5	12.5'-14.5'	3.0	--	--	--	--	--	--	--	--	--	--	
		S-6	15.0'-17.0'	210	--	--	--	--	--	--	--	--	--	--	
		S-7	17.5'-19.5'	> 1000	< 5.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	2.01
		S-8	20.0'-22.0'	> 1000	16,700	281,000	1,460,000	352,000	2,155,000	< 20,000	< 20,000	1,060,000	312,000	2.05	
		S-9	22.5'-24.5'	> 1000	--	--	--	--	--	--	--	--	--	--	--
		S-10	25.0'-27.0'	> 1000	40.4	854	3,920	940	5,810	< 100	< 100	2,790	827	0.99	
11/30/1994	MW-2	S-1	5.0'-7.0'	3.0	--	--	--	--	--	--	--	--	--	--	
		S-2	10.0'-12.0'	3.2	--	--	--	--	--	--	--	--	--	--	
		S-3	15.0'-17.0'	2.4	--	--	--	--	--	--	--	--	--	--	
		S-4	17.5'-19.5'	3.2	--	--	--	--	--	--	--	--	--	--	
		S-5	20.0'-22.0'	2.9	--	--	--	--	--	--	--	--	--	--	
		S-6	22.5'-24.5'	27	< 5.0	< 1.0	< 1.0	< 1.0	144.4	< 1.0	< 1.0	58.8	36.3	0.78	
		S-7	25.0'-27.0'	5.0	< 5.0	< 1.0	< 1.0	< 1.0	11.9	< 1.0	< 1.0	9.6	3.3	0.82	
11/30/1994	MW-3	S-1	2.5'-4.5'	0.8	--	--	--	--	--	--	--	--	--	--	
		S-2	5.0'-7.0'	0.6	--	--	--	--	--	--	--	--	--	--	
		S-3	7.5'-9.5'	50	--	--	--	--	--	--	--	--	--	--	
		S-4	10.0'-12.0'	280	< 5.0	4.2	3.9	< 1.0	33.5	< 1.0	< 1.0	14.2	16.9	0.75	
		S-5	12.5'-14.5'	240	--	--	--	--	--	--	--	--	--	--	
		S-6	15.0'-17.0'	> 1000	--	--	--	--	--	--	--	--	--	--	
		S-7	17.5'-19.5'	> 1000	62.9	642	4,030	962	9,950	< 100	< 100	7,150	2,130	0.86	
		S-8	20.0'-22.0'	600	--	--	--	--	--	--	--	--	--	--	
		S-9	22.5'-24.5'	240	< 5.0	11.3	58.2	3.4	184.9	< 1.0	< 1.0	96.6	50.7	0.81	
12/1/1994	MW-4	S-1	5.0'-7.0'	0.8	--	--	--	--	--	--	--	--	--	--	
		S-2	10.0'-12.0'	0.3	--	--	--	--	--	--	--	--	--	--	
		S-3	15.0'-17.0'	NR	--	--	--	--	--	--	--	--	--	--	
		S-4	17.5'-19.5'	0.1	--	--	--	--	--	--	--	--	--	--	
		S-5	20.0'-22.0'	NR	--	--	--	--	--	--	--	--	--	--	
		S-6	22.5'-24.5'	70	< 5.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	< 2.0	< 1.0	0.9	
		S-7	25.0'-27.0'	205	< 5.0	476	438	45	990	< 5.0	< 5.0	198	58.5	1.35	
NR 720 Soil Quality Standards				xx	xx	100	5.5	1,500	2,900	4,100	4.9	xx	xx	xx	xx

= Detection exceeds Wisconsin Administrative Code NR 720 soil quality standards
 NR = No Response -- = Not Analyzed xx = No State Standard < = Not Detected at Method Detection Limit (MDL)
 * = Only VOC compounds detected are listed.

TABLE 1 (continued)
SOIL ANALYTICAL RESULTS
THE CABIN STORE - BARNES, WISCONSIN

SAMPLE DATE	BORING NO.	SAMPLE NO.	SAMPLE DEPTH	FID READING (i.u.)	GRO (ma/ka)	BENZENE (ua/ka)	TOLUENE (ua/ka)	ETHYL-BENZENE (ua/ka)	TOTAL XYLENES (ua/ka)	1,2-DCA (ua/ka)	MTBE (ua/ka)	1,2,4-TMB (ua/ka)	1,3,5-TMB (ua/ka)	LEAD (ma/ka)	
5/8/1995	MW-5	S-1	2.5'-4.5'	0.6	--	--	--	--	--	--	--	--	--	--	
		S-2	5.0'-7.0'	1.0	--	--	--	--	--	--	--	--	--	--	
		S-3	7.5'-9.5'	0.4	--	--	--	--	--	--	--	--	--	--	
		S-4	10.0'-12.0'	0.4	--	--	--	--	--	--	--	--	--	--	
		S-5	12.5'-14.5'	1.0	--	--	--	--	--	--	--	--	--	--	
		S-6	15.0'-17.0'	1.0	--	--	--	--	--	--	--	--	--	--	
		S-7	17.5'-19.5'	1.6	< 5.0	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	0.55
		S-8	20.0'-22.0'	0.8	--	--	--	--	--	--	--	--	--	--	--
		S-9	22.5'-24.5'	1.4	--	--	--	--	--	--	--	--	--	--	--
		S-10	25.0'-27.0'	1.6	--	--	--	--	--	--	--	--	--	--	--
		S-11	27.5'-29.5'	3.0	--	--	--	--	--	--	--	--	--	--	--
		S-12	30.0'-32.5'	16	< 5.0	160	< 25	< 25	31	< 25	< 25	< 25	< 25	< 25	0.53
5/8/1995	MW-6	S-1	2.5'-4.5'	0.8	--	--	--	--	--	--	--	--	--	--	
		S-2	5.0'-7.0'	1.0	--	--	--	--	--	--	--	--	--	--	
		S-3	7.5'-9.5'	0.6	--	--	--	--	--	--	--	--	--	--	
		S-4	10.0'-12.0'	1.4	--	--	--	--	--	--	--	--	--	--	
		S-5	12.5'-14.5'	1.2	--	--	--	--	--	--	--	--	--	--	
		S-6	15.0'-17.0'	1.8	< 5.0	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	0.55
		S-7	17.5'-19.5'	1.4	--	--	--	--	--	--	--	--	--	--	--
		S-8	20.0'-22.0'	1.6	< 5.0	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	0.89
		S-9	22.5'-24.5'	2.4	--	--	--	--	--	--	--	--	--	--	--
5/9/1995	MW-7	S-1	18.0'-20.0'	0.6	--	--	--	--	--	--	--	--	--	--	
		S-2	20.5'-22.5'	0.6	--	--	--	--	--	--	--	--	--	--	
		S-3	23.0'-25.0'	0.8	< 5.0	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	0.48	
		S-4	25.5'-27.7'	No Rec	--	--	--	--	--	--	--	--	--	--	--
		S-5	28.0'-30.0'	0.8	--	--	--	--	--	--	--	--	--	--	--
		S-6	30.5'-32.5'	1.6	< 5.0	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	1.6
6/8/1995	MW-8	S-1	10.0'-12.0'	NR	--	--	--	--	--	--	--	--	--	--	
		S-2	15.0'-17.0'	NR	--	--	--	--	--	--	--	--	--	--	
		S-3	20.0'-22.0'	0.1	--	--	--	--	--	--	--	--	--	--	
		S-4	25.0'-27.0'	0.1	--	--	--	--	--	--	--	--	--	--	
		S-5	27.5'-29.5'	0.1	--	--	--	--	--	--	--	--	--	--	
		S-6	30.0'-32.0'	0.2	< 5.0	140	230	34	< 25	--	< 25	< 25	< 25	< 25	--
		S-7	32.5'-34.5'	13	< 5.0	110	100	--	30	--	< 25	< 25	< 25	< 25	--
NR 720 Soil Quality Standards			xx	xx	100	5.5	1,500	2,900	4,100	4.9	xx	xx	xx	xx	

☐ = Detection exceeds Wisconsin Administrative Code NR 720 soil quality standards

< = Not Detected at Method Detection Limit (MDL)

NR = No Response

-- = Not Analyzed

xx = No State Standard

* = Only VOC compounds detected are listed.

No Rec = No Recovery

TABLE 1 (continued)
SOIL ANALYTICAL RESULTS
THE CABIN STORE - BARNES, WISCONSIN

SAMPLE DATE	BORING NO.	SAMPLE NO.	SAMPLE DEPTH	READING (i.u.)	GRO (mg/kg)	BENZENE (ug/kg)	TOLUENE (ug/kg)	ETHYL-BENZENE (ug/kg)	TOTAL XYLENES (ug/kg)	1,2-DCA (ug/kg)	MTBE (ug/kg)	1,2,4-TMB (ug/kg)	1,3,5-TMB (ug/kg)	LEAD (mg/kg)		
6/8/1995	MW-9	S-1	10.0'-12.0'	NR	--	--	--	--	--	--	--	--	--	--		
		S-2	15.0'-17.0'	NR	--	--	--	--	--	--	--	--	--	--		
		S-3	17.5'-19.5'	NR	--	--	--	--	--	--	--	--	--	--	--	
		S-4	20.0'-22.0'	0.1	--	--	--	--	--	--	--	--	--	--	--	
		S-5	22.5'-24.5'	0.4	--	--	--	--	--	--	--	--	--	--	--	
		S-6	25.0'-27.0'	0.3	< 5.0	< 25	< 25	< 25	< 25	< 25	--	< 25	< 25	< 25	--	
		S-7	27.5'-29.5'	0.2	< 5.0	< 25	< 25	< 25	< 25	< 25	--	< 25	< 25	< 25	--	
7/11/1995	MW-10	S-1	22.0'-24.0'	NR	--	--	--	--	--	--	--	--	--	--		
		S-2	24.0'-26.0'	NR	--	--	--	--	--	--	--	--	--	--	--	
		S-3	26.0'-28.0'	0.2	< 2.0	< 25	< 25	< 25	< 50	< 25	< 25	< 25	< 25	< 25	--	
		S-4	28.0'-30.0'	0.3	--	--	--	--	--	--	--	--	--	--	--	
		S-5	30.0'-32.0'	2.0	--	--	--	--	--	--	--	--	--	--	--	
		S-6	32.0'-34.0'	No Rec	--	--	--	--	--	--	--	--	--	--	--	--
		S-7	34.0'-36.0'	12	--	--	--	--	--	--	--	--	--	--	--	--
		S-8	36.5'-38.5'	17	< 2.0	< 25	< 25	< 25	< 50	< 25	< 25	< 25	< 25	< 25	--	
		S-9	39.0'-41.0'	16	--	--	--	--	--	--	--	--	--	--	--	
		S-10	41.5'-43.5'	8.3	< 2.0	< 25	< 25	< 25	< 50	< 25	< 25	< 25	< 25	< 25	--	
7/11/1995	MW-11	S-1	18.0'-20.0'	0.1	--	--	--	--	--	--	--	--	--	--		
		S-2	20.5'-22.5'	0.1	< 2.0	< 25	< 25	< 25	< 50	< 25	< 25	< 25	< 25	--		
		S-3	23.0'-25.0'	0.1	--	--	--	--	--	--	--	--	--	--		
		S-4	25.5'-27.5'	NR	--	--	--	--	--	--	--	--	--	--	--	
		S-5	28.0'-30.0'	0.8	--	--	--	--	--	--	--	--	--	--	--	
		S-6	30.5'-32.5'	1.0	< 2.0	< 25	< 25	< 25	< 50	< 25	< 25	< 25	< 25	< 25	--	
7/12/1995	MW-12	S-1	30.0'-32.0'	NR	--	--	--	--	--	--	--	--	--	--		
		S-2	32.5'-34.5'	No Rec	--	--	--	--	--	--	--	--	--	--	--	
		S-3	35.0'-37.0'	0.5	< 2.0	< 25	< 25	< 25	< 50	< 25	< 25	< 25	< 25	--		
		S-4	37.5'-39.5'	0.2	--	--	--	--	--	--	--	--	--	--	--	
		S-5	40.0'-42.0'	0.9	< 2.0	< 25	< 25	< 25	< 50	< 25	< 25	< 25	< 25	< 25	--	
		S-6	42.5'-44.5'	No Rec	--	--	--	--	--	--	--	--	--	--	--	
NR 720 Soil Quality Standards			xx	xx	100	5.5	1,500	2,900	4,100	4.9	xx	xx	xx	xx		

xx = Detection exceeds Wisconsin Administrative Code NR 720 soil quality standards

NR = No Response

-- = Not Analyzed

xx = No State Standard

< = Not Detected at Method Detection Limit (MDL)

* = Only VOC compounds detected are listed.

No Rec = No Recovery

TABLE 1 (continued)
SOIL ANALYTICAL RESULTS
THE CABIN STORE - BARNES, WISCONSIN

SAMPLE DATE	BORING NO.	SAMPLE NO.	SAMPLE DEPTH	READING (i.u.)	GRO (mg/ka)	BENZENE (ua/ka)	TOLUENE (ua/ka)	ETHYL-BENZENE (ua/ka)	TOTAL XYLENES (ua/ka)	1,2-DCA (ua/ka)	MTBE (ua/ka)	1,2,4-TMB (ua/ka)	1,3,5-TMB (ua/ka)	LEAD (mg/ka)	
7/13/1995	MW-13	S-1	24.0'-26.0'	No Rec	--	--	--	--	--	--	--	--	--	--	
		S-2	26.5'-28.5'	0.1	--	--	--	--	--	--	--	--	--	--	
		S-3	29.0'-31.0'	0.2	< 2.0	< 25	< 25	< 25	< 50	< 25	< 25	< 25	< 25	< 25	--
		S-4	31.5'-33.5'	0.3	--	--	--	--	--	--	--	--	--	--	--
		S-5	34.0'-36.0'	0.3	--	--	--	--	--	--	--	--	--	--	--
		S-6	36.5'-38.5'	0.2	--	--	--	--	--	--	--	--	--	--	--
		S-7	39.0'-41.0'	1.1	--	--	--	--	--	--	--	--	--	--	--
		S-8	41.5'-43.5'	1.2	< 2.0	< 25	< 25	< 25	< 50	< 25	< 25	< 25	< 25	< 25	--
6/8/1995	PZ-1	S-1	18.0'-20.0'	> 1000	1,800	26,000	160,000	37,000	264,000	--	3,600	120,000	38,000	--	
		S-2	20.0'-24.0'	> 1000	--	--	--	--	--	--	--	--	--	--	
		S-3	24.0'-26.0'	> 1000	--	--	--	--	--	--	--	--	--	--	
		S-4	26.0'-28.0'	380	--	--	--	--	--	--	--	--	--	--	
		S-5	28.0'-30.0'	420	--	--	--	--	--	--	--	--	--	--	
		S-6	30.0'-32.0'	> 1000	--	--	--	--	--	--	--	--	--	--	
		S-7	32.0'-34.0'	> 1000	--	--	--	--	--	--	--	--	--	--	
		S-8	34.0'-36.0'	730	110	730	6,000	1,500	14,200	--	< 25	7,900	2,600	--	
7/13/1995	PZ-8	S-1	35.0'-37.0'	No Rec	--	--	--	--	--	--	--	--	--	--	
		S-2	37.5'-39.5'	5.9	--	--	--	--	--	--	--	--	--	--	
		S-3	40.0'-42.0'	6.2	--	--	--	--	--	--	--	--	--	--	
		S-4	42.5'-44.5'	No Rec	--	--	--	--	--	--	--	--	--	--	
		S-5	45.0'-47.0'	1.6	--	--	--	--	--	--	--	--	--	--	
		S-6	47.5'-49.5'	2.5	--	--	--	--	--	--	--	--	--	--	
		S-7	50.0'-52.0'	0.8	--	--	--	--	--	--	--	--	--	--	
		S-8	52.5'-54.5'	1.2	< 2.0	< 25	< 25	< 25	< 50	< 25	< 25	< 25	< 25	< 25	--
		S-9	55.0'-57.0'	No Rec	--	--	--	--	--	--	--	--	--	--	--
NR 720 Soil Quality Standards			xx	xx	100	5.5	1,500	2,900	4,100	4.9	xx	xx	xx	xx	

☐ = Detection exceeds Wisconsin Administrative Code NR 720 soil quality standards


NR = No Response
No Rec = No Recovery

-- = Not Analyzed

xx = No State Standard

< = Not Detected at Method Detection Limit (MDL)

* = Only VOC compounds detected are listed.



LEGEND:	
	MW-4 MONITORING WELL
	PZ-8 PIEZOMETER WELL
	VE-2/SP-2 EXISTING VAPOR EXTRACTION/AIR SPARGE WELL
	VE-1/SP-1 PROPOSED VAPOR EXTRACTION/AIR SPARGE WELL

K:\MKTG\CORPORATION
 1/24/2006
 105685-50.DWG

FIGURE 2	REMEDIAL ACTION THE CABIN STORE BARNES, WISCONSIN	DRN. BY: MLE CHK. BY: JFH DATE: APRIL 1996	SITE PLAN	



TABLE 3
MONITORING WELL INFORMATION AND WATER TABLE ELEVATIONS
THE CABIN STORE - BARNES, WISCONSIN

WELL NUMBER	GROUND ELEVATION (Feet)	TOP OF CASING ELEVATION (Feet)	TOP OF SCREEN ELEVATION (Feet)	BOTTOM OF SCREEN ELEVATION (Feet)	12/20/94 (Sampling)	05/15/95 (Sampling)	6/15/95 (Sampling)	7/31/95 (Sampling)	8/9/95 (Sampling)	4/16/98 (Sampling)	5/28/98 (Sampling)	6/2/99 (Sampling)	8/10/99 (Sampling)	11/16/99 (Sampling)	2/9/00 (Sampling)
MW-1	1150.42	1150.02	1132.42	1122.42	1130.06	1129.05	1129.68	1129.91	-	1129.84	-	1128.67	1129.09	1129.91	1129.44
MW-2	1151.21	1153.93	1133.21	1123.21	1130.03	1129.47	1129.77	1129.88	-	1129.81	1128.69	-	1129.51	1129.89	-
MW-3	1149.48	1149.08	1131.48	1121.48	1130.07	1129.52	1129.8	1129.96	-	1129.83	1128.7	-	1129.38	1129.93	1129.48
MW-4	1153.03	1152.58	1134.03	1124.03	1129.94	1129.38	1129.68	1129.78	-	1129.74	1128.53	-	1129.26	1129.8	1129.32
MW-5	1158.7	1158.44	1135.7	1125.7	-	1130.91 (a)	1131.23 (a)	1129.64 (a)	-	1131.21 (a)	1130.08 (a)	-	1130.84 (a)	1131.34 (a)	1130.86 (a)
MW-6	1151.34	1150.79	1133.34	1123.34	-	1129.46	1129.75	1129.85	-	1129.8	1128.62	-	1129.38	1129.86	-
MW-7	1157.1	1156.77	1132.6	1122.6	-	1127.56 (a)	1127.87 (a)	1129.66 (a)	-	1127.86 (a)	1126.72 (a)	-	1127.47 (a)	1127.99 (a)	-
MW-8	1158.24	1160.66	1133.24	1123.24	-	-	1129.36	1129.45	-	1129.34	1128.21	-	1128.96	1129.48	1129
MW-9	1152.41	1152.01	1132.41	1122.41	-	-	1129.58	1129.68	-	1129.58	-	-	1129.21	1129.7	-
MW-10	1155.23	1157.48	1133.23	1118.23	-	-	-	1129.35	1129.36	1129.23	1128.11	-	1128.86	1129.39	1128.89
MW-11	1149.21	1151.66	1134.21	1119.21	-	-	-	1129.42	1129.44	1129.29	1128.19	-	1128.95	1129.43	-
MW-12	1161.14	1163.86	1133.14	1118.14	-	-	-	1129.37	1129.48	1129.24	1128.12	-	1128.88	1129.41	-
MW-13	1159.61	1162.24	1135.61	1120.61	-	-	-	1129.11	1129.13	1128.94	1127.89	-	-	1129.13	-
MW-14	1150.81	1150.41	1140.81	1130.81	-	-	-	-	-	-	-	-	-	-	-
PZ-1	1150.85	1150.45	1115.85	1113.85	-	-	1129.85	1129.95	-	-	-	-	-	-	-
PZ-8	1157.85	1160.25	1105.85	1100.85	-	-	-	1129.43	1129.44	1129.29	1128.18	-	1128.92	1129.44	1128.96

(a) - Top of casing elevation and subsequently the water table elevation measurement are potentially inaccurate because of well damage

MW - Water table observation wells

PZ - Piezometer



LEGEND:

⊕ MW-4	MONITORING WELL
⊕ PZ-8	PIEZOMETER WELL
● AB-1	SOIL BORING
1129.32	GROUND WATER ELEVATION
-1129.2-	GROUND WATER CONTOUR
ND	NO DATA

K:\WASTE\CABINST\100206AC.DGN

GROUND WATER CONTOURS

THE CABIN STORE
BARNES, WISCONSIN


FIGURE
2

DATE: JUNE 2000

AVRES ASSOCIATES



0 30 60
 SCALE:



LEGEND:	
★ MW-4	MONITORING WELL
◻ PZ-8	PIEZOMETER WELL
● AB-1	SOIL BORING

FIGURE 2	REMEDIAL INVESTIGATION THE CABIN STORE BARNES, WISCONSIN	DRN. BY: MLE CHK. BY: JFH DATE: NOVEMBER 1995	SITE PLAN

Statement

The legal description and deed sent to Ayres Associates, describing the contaminated property at HCR 61 Box 6640 Barnes, Wisconsin, is complete and accurate.



Marie Hughes
1290 Ellison Lake Road
Barnes, WI 54873

12/20/05
Date

December 12, 2005

Ms. Cara Kurtenbach
Corporate Director of Environmental Affairs
Wausau-Mosinee Paper Corporation
1244 Kronenwetter Drive
Mosinee, Wisconsin 54455

Re: Residual Contamination

Dear Ms. Kurtenbach:

Groundwater contamination that appears to have originated on the property located at the corner of CTH Y and Lake Road has migrated south across Lake Road and onto the corner of your property. The levels of 1,2,4 trimethylbenzene and 1,3,5 trimethylbenzene contamination in the groundwater on your property are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code. However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable or receding and will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726 and Comm 46, Wisconsin Administrative Code. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation

Since the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination, by accessing the following web address:
<http://dnr.wi.gov/org/aw/rr/archives/pubs/RR589.pdf>.

As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department of Commerce that is relevant to this closure you should mail that information to:

Mr. Shawn Wenzel
Wisconsin Department of Commerce
200 W. Washington Avenue
Madison, WI 53708-8044

Ms. Cara Kurtenbach
December 12, 2005
Page 2 of 2

All properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' (WDNR) geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' Internet website.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the WDNR if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

The WDNR will document a copy of this letter on the GIS Registry of Closed Remediation Sites on the internet. The internet web address is at <http://www.maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts>.

If you need more information, you may contact me at, 1290 Ellison Lake Road, Barnes, WI 54873, (telephone no. (715) 795-3283), or you may contact Shawn Wenzel at the address shown above (telephone no. (608) 261-5401).

Sincerely,



Marie Hughes

December 12, 2005

Mr. Dale Brevak
Highway Commissioner
Bayfield County Highway Department
P.O. Box 428
Washburn, Wisconsin 54891

Re: Residual Contamination:

Dear Mr. Brevak:

Groundwater contamination that appears to have originated on the property located at the corner of CTH Y and Lake Road has migrated south across Lake Road and onto your property, the right-of-way of Lake Road. The levels of 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene contamination in the groundwater on your property are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code. However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable or receding and will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726 and Comm 46, Wisconsin Administrative Code. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination, by accessing the following web address: <http://dnr.wi.gov/org/aw/rr/archives/pubs/RR589.pdf>.

As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department of Commerce that is relevant to this closure request, you should mail that information to:

Mr. Shawn Wenzel
Wisconsin Department of Commerce
200 W. Washington Avenue
Madison, WI 53708-8044


Mr. Dale Brevak
December 12, 2005
Page 2 of 2

All properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' Internet website.

The WDNR will document a copy of this letter on the GIS Registry of Closed Remediation Sites on the internet. The internet web address is at <http://maps.dnr.state.wi.us/imf/dnrimgf.jsp?site=brrts>.

If you need more information, you may contact me at 1290 Ellison Lake Road, Barnes WI 54873, (telephone no. (715) 795-3283), or you may contact Shawn Wenzel at the address shown above (telephone no. (608) 261-5401).

Sincerely,



Marie Hughes

Document Number

DEED NOTICE

PATRICIA A OLSON
BAYFIELD COUNTY, WI
REGISTER OF DEEDS

2006R-505850

03/30/2006 10:00:01AM

TF EXEMPT #:

RECORDING FEE: 17.00

PAGES: 4

Declaration of Restrictions

In Re: 1) The Southwest Quarter (SW1/4) of the Southwest Quarter of the Southwest Quarter (SW1/4SW1/4), Section (7), Township Forty-four (44) North, Range Nine (9) West.

STATE OF WISCONSIN)
) ss
COUNTY OF BAYFIELD)

WHEREAS, Patrick J. Foat and Kara L. Foat , are the owners of the above-described property with Parcel Identification Number 004-1076-01

Recording Area

Name and Return Address
Patrick J. Foat and Kara L. Foat
1180 Lake Road
Barnes, WI 54873

pd 12.0
004-1076-01

WHEREAS, two ground water monitoring wells (VE-1/SP-1, PZ-1/MW-14) are present on the property as shown in the attached figures. The three monitoring wells could not be found and properly abandoned.

WHEREAS, it is the desire and intention of the property owner to impose on the property restrictions which will make it unnecessary to conduct further soil remediation activities on the property at the present time.

NOW THEREFORE, the owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitation and restrictions; and notices!

If the monitoring wells that remain on the property are encountered in the future, they will have to be properly abandoned per Wisconsin Department of Natural Resources code NR 141 specifications.

This notice is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring the above-described property whether by descent, devise, purchase or otherwise. This notice inures to the benefit of and is enforceable by the Wisconsin Department of Commerce, its successors or assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Commerce or its successor issue a determination that one

V941 P1

or more of the restrictions set forth in this covenant is no longer required. Upon the receipt of such a request, the Wisconsin Department of Commerce shall determine whether or not the notice contained herein can be extinguished. If the Department determines that the notice can be extinguished, an affidavit, attached to a copy of the Department's written determination, may be recorded by the property owner or other interested party to give notice that this deed notice, or portions of this deed notice, are no longer binding.

IN WITNESS WHEREOF, the owner of the property has executed this Declaration of Restrictions, this 15 day of March, 2006.


Parcel Identification Number 004-1076-01

Signature: [Handwritten Signature]
Printed Name: Patrick Foot

X Signature: [Handwritten Signature]
Printed Name: PATRICK FOOT


Subscribed and sworn to before me this 15 day of March, 2006.

X Melanie D Ruud
Notary Public, State of WI
My commission 5/20/07




This document was drafted by the Wisconsin Department of Commerce and Ayres Associates.

V941 P2



V941 - P3

FIGURE 2	REMEDIAL INVESTIGATION THE CABIN STORE BARNES, WISCONSIN	DRW. BY: MLE CHK. BY: JPH DATE: NOVEMBER 1995	SITE PLAN
		AVRES ASSOCIATES	



LEGEND:	
	MONITORING WELL
	PIEZOMETER WELL
	EXISTING VAPOR EXTRACTION/AIR SPARGE WELL
	PROPOSED VAPOR EXTRACTION/AIR SPARGE WELL

V941 P4

2 FIGURE	REMEDIAL ACTION THE CABIN STORE BARNES, WISCONSIN	DRN. BY: MLE CHK. BY: JPH DATE: APRIL 1998	SITE PLAN