

GIS REGISTRY

Cover Sheet

July, 2008
(RR 5367)

Source Property Information

BRRTS #:

ACTIVITY NAME:

PROPERTY ADDRESS:

MUNICIPALITY:

PARCEL ID #:

CLOSURE DATE:

FID #:

DATCP #:

COMM #:

*WTM COORDINATES:

X: Y:

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
- Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Land Use Controls:

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between residential and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government or economic
development corporation)*

Monitoring wells properly abandoned? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: PARCEL ID #:

ACTIVITY NAME: WTM COORDINATES: X: Y:

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- NA **Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- NA **Certificate of Completion (COC)** for VPLE sites

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: --- **Title:** **Certified Survey Map**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

- Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.
- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 **Title:** **Site Location Map**
 - Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2 **Title:** **Superior Terminal Nemadji Release - Site Map**
 - Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: --- **Title:** **Superior Terminal Nemadji Release Soil Sample Locations and Cross Sections**

BRRTS #: 02-16-513788

ACTIVITY NAME: ENBRIDGE ENERGY - NEMADJI RIVER

MAPS (continued)

Geologic Cross-Section Map: A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: --- **Title:** Cross Section A - A' & Cross Section B - B'

Figure #: --- **Title:** Cross Section C - C' & Cross Section D - D'

Groundwater Isoconcentration Map: For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: **Title:**

Groundwater Flow Direction Map: A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: **Title:**

Figure #: **Title:**

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

Soil Analytical Table: A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 4 **Title:** Soil Analytical Results (PVOC) (DRO/PAH) (July 2007 - BTEX) & (July 2007 PAH)

Groundwater Analytical Table: Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: **Title:**

Water Level Elevations: Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: **Title:**

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

Not Applicable

Site Location Map: A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: **Title:**

Well Construction Report: Form 4440-113A for the applicable monitoring wells.

Deed: The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

Notification Letter: Copy of the notification letter to the affected property owner(s).

BRRTS #: 02-16-513788

ACTIVITY NAME: ENBRIDGE ENERGY - NEMADJI RIVER

NOTIFICATIONS

Source Property

- NA **Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- NA **Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.
- Note:** Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:

- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.
- NA **Note:** If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters:



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
John Gozdziwski, Regional Director

Northern Region Headquarters
107 Sutliff Avenue
Rhinelander, Wisconsin 54501-3349
Telephone 715-365-8900
FAX 715-365-8932
TTY Access via relay - 711

March 24, 2010

Mr. Joseph McGaver
Enbridge Energy
119 N. 25th Street East
Superior, WI 54880

SUBJECT: Final Case Closure with Land Use Limitations or Conditions
Enbridge Energy Co. - Nemadji Release,
Superior, WI 54880

WDNR BRRTS Activity #: 02-16-513788

Dear Mr. McGaver:

On April 3, 2008, the Northern Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On April 8, 2008, you were notified that the Closure Committee had granted conditional closure to this case.

On May 21, 2008 the Department received correspondence indicating that you have complied with the requirements of closure. Documentation was provided regarding borehole abandonment.

Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

GIS Registry

The conditions of case closure set out below in this letter require that your site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- If a structural impediment that obstructs a complete site investigation or cleanup is removed or modified, additional environmental work must be completed
- Before the land use could be changed from industrial to non-industrial, additional environmental work must be completed

Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at

<http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which you and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. It is the Department's intent to conduct inspections in the future to ensure that the conditions included in this letter including compliance with referenced maintenance plans are met.

Remaining Residual Soil Contamination

Residual soil contamination remains in the area associated with Tank 13 in the area of TP-13 S1 and TP-13 S4, B-2 and B-3 and with Tank 14 in the area of S-BC-8 and SCW-5 as identified on the attached map Superior Terminal Nemadji Release Soil Sample Locations and Cross-Sections dated November 20, 2007, which is attached and was in the information submitted to the Department of Natural Resources. The locations and numbers of the tanks are identified within the property boundaries on the attached Enbridge Energy Co Tank Location Map prepared by the Department on July 23, 2008. If soil in the specific locations described above is excavated in the future, then pursuant to ch. NR 718 or, if applicable, ch. 289, Stats., and chs. 500 to 536, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken to prevent a direct contact health threat to humans.

Structural Impediments

Structural impediments existing at the time of cleanup, piping associated with the tank farm within the area identified as Parcel 3C on the Superior – Terminal: Nemadji Release Map of All Contaminated Properties, made complete remediation of the soil contamination on this property impracticable. Pursuant to s. 292.12(2)(b), Wis. Stats., if the structural impediments on this property that are described above are removed, the property owner shall conduct an investigation of the degree and extent of crude oil contamination. If contamination is found at that time, the Wisconsin Department of Natural Resources shall be immediately notified and the contamination shall be properly remediated in accordance with applicable statutes and rules. If soil in the specific locations described above is excavated, the property owner at the time of

excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

Industrial Residual Soil Standards

Soil samples that are representative of currently remaining residual soil contamination on this property were collected in April, May and June of 2003, and contained Polynuclear Aromatic Hydrocarbon concentrations that exceeded NR 720.11, Table 2, Wis. Adm. Code, non-industrial soil standards and met NR 720.11, Table 2, Wis. Adm. Code, industrial soil standards. Soil samples that are representative of currently remaining residual soil contamination on this property were collected during several events from March to October of 2003 contained Polynuclear Aromatic Hydrocarbons in concentrations that met the site-specific industrial soil standards developed for this site. Therefore, pursuant to s. 292.12(2)(c), Wis. Stats., the property described above may not be used or developed for a residential, commercial, agricultural or other non-industrial use, unless (at the time that the non-industrial use is proposed) an investigation is conducted, to determine the degree and extent of Polynuclear Aromatic Hydrocarbons contamination that remains on the property, and remedial action is taken as necessary to meet all applicable non-industrial soil cleanup standards. If soil in the specific locations described above is excavated in the future, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact me at 715 365-8976.

Sincerely,



John Robinson, Northern Region Team Supervisor
Remediation & Redevelopment Program

Attachments: Superior Terminal Nemadji Release: Soil Sample Locations and Cross Sections
Enbridge Energy Co Tank Location Layout
Superior – Terminal: Nemadji Release Map of All Contaminated Properties

cc: Barry Power – 1409 Hammond Ave., Suite 10
Superior, Wisconsin 54880

Superior, WI


Parcel ID# 018010513100
Superior Terminal Parcels 3 and 3C

Barton Ave.

Nemadji River



	Legend  Parcel 3 Boundary  Parcel 3C Boundary  NR 720 Exceedence	Enbridge Energy, Limited Partnership Superior Terminal - Nemadji Release Map of All Contaminated Properties	DATE ISSUED: 6/14/2007 DATE REVISED: 9/14/2007 SCALE: 1:10,000 DRAWN BY: JPM SERIES: Superior NGL Densitometer
			



Legend

- Soil Exceeding NR 720
- Area Excavated in 2003
- Cross-Section
- Temporary Monitoring Well
- 2007 Geoprobe Locations
- 2003 Excavation Soil Sampling Locations


Enbridge Energy, Limited Partnership
Superior Terminal Nemadji Release
Soil Sample Locations and
Cross-Sections

0 60 120 180 Feet


DATE ISSUED: 3/30/2007
 DATE REVISED: 11/20/2007
 SCALE: 1:1,200
 DRAWN BY: JPM
 SERIES: Superior Terminal - Nemadji Release



**Enbridge Energy Co
Tank Location Layout
2800 E 21ST St
Superior, WI**



View Scale 1:6897



The data shown on this map have been obtained from various sources, and are of varying age, reliability and resolution. This map is not intended to be used for navigation, nor is this map an authoritative source of information about legal land ownership or public access. Users of this map should confirm the ownership of land through other means in order to avoid trespassing. No warranty, expressed or implied, is made regarding accuracy, applicability for a particular use, completeness, or legality of the information depicted on this map.

Map Creator: Lundquist Date: July 23, 2008



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
John Gozdziowski, Regional Director

Superior Service Center
1401 Tower Ave
Superior, Wisconsin 54880
Telephone 715-392-7998
FAX 715-392-7993
TTY Access via relay - 711

April 8, 2008

Mr. Joe McGaver
Enbridge Energy, LLP
119 N. 25th St. East
Superior, WI 54880

Subject: Conditional Closure Decision,
With Requirements to Achieve Final Closure
Enbridge Energy Nemadji Release, Wisconsin
WDNR BRRTS Activity # 02-16-513788

Dear Mr. McGaver:

On April 3, 2008, the Northern Region Closure Committee reviewed your request for closure of the case described above. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the crude oil contamination on the site from a flange leak south of Tank 13 appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

MONITORING WELLS

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to James A. Hosch on Form 3300-005 found at <http://dnr.wi.gov/org/water/dwg/gw/> or provided by the Department of Natural Resources.

PURGE WATER WASTE AND SOIL PILE REMOVAL

Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Once that work is completed, please send appropriate documentation regarding the treatment or disposal of the remaining purge water, waste and/or soil piles.

GIS SOIL REGISTRY

Our review of the soils registry package indicates that it is complete only if submitted electronically because the maps are in color. Please submit the closure package on a cd-rom in order for your site to close.


When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR

Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-392-0802.

Sincerely,



James A. Hosch
Hydrogeologist
Bureau for Remediation & Redevelopment

Enclosure

cc: Anna Kazda – Rhinelander
Mr. Barry Power, Natural Resources Engineering Co.,
1409 Hammond Ave., Suite 110, Superior, WI 54880

DEED

409027

THIS INDENTURE, MADE BY INTERSTATE CIL PIPE LINE COMPANY

a Delaware corporation, hereby quitclaims to the LAKEHEAD PIPE LINE COMPANY, INC., a Delaware corporation duly authorized to do business in the State of Wisconsin, Grantee, for the sum of One Dollar (\$1.00) and other good and valuable considerations, the receipt of which is hereby acknowledged, the following, described real estate situated in Douglas County, State of Wisconsin, to-wit:

A parcel of land in the City of Superior, contained in the plat of Southwestern Division, in the Townsite of Superior, particularly described as follows: Commencing at the center of Section Thirty-six (36) in Township Forty-nine (49) North of Range Fourteen (14) West; thence westerly Thirty-three (33.0) feet on the East-West centerline of Section Thirty-six (36) which is the point of beginning; thence North a distance of One Thousand One Hundred Fifty-nine and 35/100 (1159.35) feet; thence Southwesterly at an angle of Forty-eight degrees Thirty-six minutes (48°36') from South to West a distance of One Thousand Seven Hundred Sixty and 55/100 (1760.55) feet; thence Easterly at an angle of Eighty-nine degrees Forty-seven and one-half minutes (89°47.5') from North to East a distance of One Thousand Three Hundred Twenty and 61/100 (1320.61) feet to the point of beginning.

All of subject to the easement granted the Northern Pacific Railroad Co. for a right of way for its railroad on Newton Ave. Block 13

- All of Southeast 1/4 Block 14
- All of Northeast 1/4 Block 15
- All of West 1/2 Block 16
- All of Southwest 1/4 Block 17
- All of North 1/2 Block 18
- All of Southeast 1/4 Block 19
- All of North 1/2 Block 20
- All of Southwest 1/4 Block 21
- All of Southeast 1/4 Block 22
- All of West 1/2 Block 23
- All of East 1/2 Block 24
- All of North 1/2 Block 25
- All of Southeast 1/4 Block 26
- All of East part lying East of the East line of Wisconsin Central Railway Company's right of way of Block 27

That part lying East of the East line of Wisconsin Central Railway Company's right of way of Block 28 all on West Thirty-first Street

Northwest $\frac{1}{4}$ subject to the easement granted the Northern Pacific Railroad Co. for a right of way for its railroad on Newton Ave.	Block 13
South $\frac{1}{4}$ subject to the easement granted the Northern Pacific Railroad Co. for a right of way for its railroad on Newton Ave.	Block 13
Northeast $\frac{3}{4}$ except r/w All, except r/w	Block 13 Fr. Block 14
All of	Block 15
North $\frac{1}{2}$	Block 16
South $\frac{1}{2}$	Block 16
All of	Block 17
Southeast $\frac{1}{4}$	Block 18
North $\frac{1}{2}$	Block 18
Southwest $\frac{3}{4}$	Block 18
All of	Block 19
All of	Block 20
All of	Block 21
All of	Block 22
That part of the South $\frac{1}{2}$ lying East of the East line of Wisconsin Central Railway Company's right of way of	Block 23
North $\frac{1}{4}$ That part lying East of the East line of Wisconsin Central Railway Company's right of way of	Block 23
Northeast $\frac{3}{4}$, E'ly. of E'ly. line of W. C. Ry. r/w	Block 24
all on West Thirty-third Street	Block 25
South $\frac{1}{4}$ subject to the easement granted the Northern Pacific Railroad Co. for a right of way for its railroad on Newton Ave.	Block 13
All of subject to the easement granted the Northern Pacific Railroad Co. for a right of way for its railroad on Newton Ave.	Block 14
All of	Block 15
All of	Block 15
Northwest $\frac{3}{4}$	Block 17
Northeast $\frac{1}{4}$	Block 18
South $\frac{1}{4}$	Block 18
East $\frac{1}{4}$	Block 19
West $\frac{1}{4}$	Block 19
That part of the North $\frac{1}{2}$ lying East of the East line of Wisconsin Central Railway Company's right of way of	Block 20
That part of the Southwest $\frac{1}{4}$ lying East of the East line of Wisconsin Central Railway Company's right of way of	Block 20

Southwest 1/2 That part lying East of the East line of Wisconsin Central Railway Company's right of way of all on West Thirty-fifth Street	Block 20 Block 21
All of subject to the easement granted the Northern Pacific Railroad Co. for a right of way for its railroad on Newton Ave.	Block 13
All of North 1/2 West 1/2 of the Southwest 1/4 East 1/2 of the Southwest 1/4 All of Southeast 1/4 North 1/2 Southwest 1/2 except r/w	Block 14 Block 15 Block 15 Block 15 Block 16 Block 17 Block 17
That part lying East of the East line of Wisconsin Central Railway Company's right of way of	Block 18
That part lying East of the East line of Wisconsin Central Railway Company's right of way of all on West Thirty-seventh Street	Block 19 Block 19
All of subject to the easement granted the Northern Pacific Railroad Co. for a right of way for its railroad on Newton Ave.	Block 13
That part of the West 1/2 lying East of the East line of Wisconsin Central Railway Company's right of way of	Block 16
That part lying East of the East line of Wisconsin Central Railway Company's right of way of all on West Thirty-ninth Street	Block 15 Block 15
That part lying East of the East line of Wisconsin Central Railway Company's right of way, subject to the easement granted the Northern Pacific Railroad Company for a right of way for its railroad on Newton Avenue of on West Forty-first Street	Block 13
All of All of all on East Nineteenth Street	Block 3 Block 4
All of Northeast 1/2 Northwest 1/2 Southeast 1/2 all on East Twenty-first Street	Block 3 Block 4 Block 4 Block 4

All of
on East Twenty-third Street Fr. Block 3

All of
on East Twenty-fourth Street Fr. Block 3

all the foregoing in the Townsite of Superior;

Lots Thirty-three (33), Thirty-five (35), Thirty-seven (37),
Thirty-nine (39), Forty-one (41), Forty-three (43), Forty-
five (45) and Forty-seven (47) on East Twenty-second Street

Lots Thirty-four (34), Thirty-six (36), Thirty-eight (38),
Forty (40), Forty-two (42), Forty-four (44), Forty-six (46),
Forty-eight (48), Fifty (50), Fifty-two (52), Fifty-four (54),
Fifty-six (56), Fifty-eight (58), Sixty (60), Sixty-two (62)
and Sixty-four (64) on East Twenty-third Street

All in Sub-division of Block Four (4), East Twenty-third
Street

according to the recorded plat or plats thereof on file and
in the office of the Register of Deeds in and for Douglas
County, Wisconsin.

The following described real estate situated in Douglas
County, Wisconsin:

South Half (S $\frac{1}{2}$) Section Thirty-six (36) Township Forty-nine
(49) North of Range Fourteen (14) West, except the following
described tracts of land:

(a) Government Lot One (1)

(b) A strip of land Four Hundred Feet (400') wide
through the Northwest Quarter Southwest Quarter (NW $\frac{1}{4}$ SW $\frac{1}{4}$)
lying Southeasterly of and adjacent to the present
Northern Pacific Railway Company's right of way

(c) A triangular piece lying Northwesterly of Northern
Pacific Railway Company's right of way, S5D96 and
109D524

(d) A strip of land Three Hundred Feet (300') in width
North and South from the South line of said Section and
further extending from the West line to the East line
of said Southwest Quarter (SW $\frac{1}{4}$)

(e) A tract of land described as follows:

Beginning at the Southwest corner of the Southeast
Quarter (SE $\frac{1}{4}$) of Section Thirty-six (36) Township
Forty-nine (49) North of Range Fourteen (14) West,
and proceeding North along the Quarter Section line
a distance of One Thousand Four Hundred Eighty-two
and 04/100 (1482.04) feet, thence at an angle of

Ninety Degrees Three and one-half minutes (90°33')
to the right and proceeding for a distance of One
Thousand Six Hundred Sixty (1660.) feet, thence
turning at an angle of Forty-Six Degrees Ten Minutes
Forty Seconds (46°10'40") to the right, thence pro-
ceeding to the northerly bank of the Nemadji River
as now situated, thence proceeding in a westerly
direction along the bank of the Nemadji River and
following said bank to the South section line of
said Southeast Quarter (SE $\frac{1}{4}$), thence proceeding
westerly along the South section line to the point
of beginning, said tract of land containing approx-
imately Fifty-six and 7/10 (56.7) acres more or less

WITNESS the corporate name and seal of said Grantor hereunto affixed by authority of its board of Directors on this 31st day of December, 1931.

IN WITNESS WHEREOF I have hereunto set my hand and official seal.

BY: *Joseph P. Hunter*
Its President
J. P. Hunter

IN THE PRESENCE OF:

J. A. Jones
W. D. Taylor
Frank R. Clark, Jr.
Frank R. Clark, Jr.

BY: *P. H. Hunter*
Its Secretary
P. H. Hunter

* * *

STATE OF Louisiana }
COUNTY OF Calcasieu } ss:

On this the 31st day of December, 1931, before me, the undersigned Notary Public in and for Calcasieu Parish, State of Louisiana, personally appeared *Joseph P. Hunter* and *P. H. Hunter*, who respectively acknowledged themselves to be officers, to wit: *President* and *Secretary* of INDIAN OIL PIPE LINE COMPANY, a corporation, the Grantor in the foregoing instrument, and they as such officers being authorized to do so, executed the foregoing instrument for the purposes therein contained by signing the name of said corporation by the selves or such officers and affixing the corporate seal, with the assent of the board of directors of said corporation.

IN WITNESS WHEREOF I have hereunto set my hand and official seal.

Mary J. ...
Notary Public,
State of Louisiana
My Commission Expires ...

409027

OFFICE OF PROPERTY CLERK
DODD COUNTY, WISCONSIN
This is a copy of the
of *James A. D. 10 82*
of *928* of *238*
of *238* of *238*

James A. D.
James A. D.

Dputy

UNIT - CLARK DEED

INTERSTATE OIL PIPE LINE COMPANY

-to-

LAKEHEAD PIPE LINE COMPANY, INC.

Handwritten notes:
See translate of July 7th

LAKEHEAD PIPE LINE COMPANY, INC.

Superior Terminal

Those areas of Section 35 and 36, Township 49 North, Range 14 West, and Section 31, Township 49 North, Range 13 West, all in Douglass County, Wisconsin, described as follows:

Parcel No. 1

Commencing at the Northeast corner of Section 35; thence Southerly along the East boundary of said Section to the centerline of West 30th Street to the point of beginning; thence Southeasterly along the center of West 30th Street to the North boundary of 25th Avenue East; thence Southwesterly along the Northerly boundary of 25th Avenue East to the East-West centerline of Section 36; thence Westerly along the East-West centerline of Section 36, to the East boundary of Section 35; thence Southerly along the East boundary of Section 35 to the North boundary of 25th Avenue East; thence Southwesterly along the North boundary of 25th Avenue East to the East right-of-way line of the Northern Pacific Railroad as presently installed; thence Northerly along the East right-of-way line of the Northern Pacific Railroad as presently installed to the center of West 30th Street thence Southeasterly along the center of West 30th Street to the point of beginning excepting all street and avenue easements contained therein and the following parcels: the SW 1/4 of Block 25 on West 31st Street; the SE 1/4 of Block 17 on West 35th Street; the E 1/2 of Block 16 on West 37th Street; all that portion of Block 13 on West 35th Street lying East and North of Hill Avenue.

Parcel No. 2 (Pipeline Maintenance Area)

Commencing at the Northeast corner of Section 36; thence Westerly along the North boundary of Section 36 to the North-South centerline of Section 36, also known as the centerline of Bardon Avenue; thence Southerly along the centerline of Bardon Avenue for a distance of approximately 1,440 feet to a point; said point being the point of beginning; thence Southerly along the centerline of Bardon Avenue along a bearing of S 0° 03' 35" E for a distance of 660.78 feet to a point; thence S 41° 27' 35" E for a distance of 545.66 feet to a point; thence N 48° 32' 25" E for a distance of 436.98 feet to the point of beginning; all begin in Section 36, Township 49 North, Range 14 West. Douglas County, State of Wisconsin.

SUPERIOR TERMINAL (continued)

Parcel No. 3

Commencing at the Northeast corner of Section 36; thence Southerly along the East boundary of Section 36 to the centerline of East 18th Street; thence Southeasterly along the centerline of East 18th Street to the North boundary of 28th Avenue East; thence Southwesterly along the North boundary of 28th Avenue East to its junction with the Easterly boundary of East 18th Street being the point of beginning; thence 316.35 feet more or less Southwesterly along the North boundary of 28th Avenue East to a point 250 feet perpendicular to the Northern Pacific Railroad as presently installed; thence 1602.57 feet more or less and 34° 10 feet right more or less and 250 feet parallel to the Northern Pacific Railroad as presently installed to a point on the South boundary of 26th Avenue East; thence Southwesterly along the South boundary of 26th Avenue East, to a point of the East boundary of Bardon Avenue; thence Southerly along the East boundary of Bardon Avenue to a point 1168.79 feet more or less South of the East-West centerline of Section 36; thence 1627.00 feet 89° 56' 30" left; thence 188.00 feet 46° 11' right to a point, more or less on the North boundary of the Nemadji River; thence Easterly along the North boundary of the Nemadji River to a point on the East boundary of Section 36; thence Northerly 670.37 feet more or less along the East boundary of Section 36, to the North boundary of 33rd Avenue East; thence Northeasterly along the North boundary of 33rd Avenue East to the West boundary of East 18th Street; thence Northwesterly along the West boundary of East 18th Street to the center of 31st Avenue East; thence continuing along the same line but known as West 18th Street to the point of beginning. This parcel contains 255.04 acres, more or less. Excepting the portion of East 22nd Street bounded on the North by Block 3 of East 21st Street, on the South by Block 4 of East 23rd Street, on the East by the North boundary of 33rd Avenue East and on the West by a line 200 feet perpendicular and parallel to the North boundary of 33rd Avenue East.


Parcel No. 4

Block 14 on West 21st Street, Townsite of Superior, Douglas County, Wisconsin, containing 2.35 acres more or less.

Parcel No. 5

The E ½ of the SW ¼ and the SE ¼ of Block 6 on West 17th Street; the SW ¼ and the E ½ of the SE ¼ of Block 4 on West 17th Street; the S ½ of Block 2 on West 17th Street; the SW ¼ and W ½ of the SE ¼ of Block 1 on East 17th Street, Townsite of Superior, Douglas County, Wisconsin, containing a total of 4.10 acres more or less.

PARCEL #4
2.353 ACRES




I HEREBY CERTIFY THAT THIS SURVEY WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY REGISTERED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF WISCONSIN
Jack D. Salo
 DATE 4-13-13 REG NO 5-00663

ADDED 1973 PROPERTY ADDITION BY JACK D. SALO, INC.	4-3-73	J.D.S.	
ADDED HUSKY & MURPHY DWG. REF.	11-18-71	D.J.J.	
ADDED 1969 PROPERTY TRANSACTIONS - JACK D. SALO, INC.	9/28/70	J.C.S.	
ADDED INCOMING & OUTGOING PIPE LINES	5/22/69	B.A.B.	
ANGLES & DISTANCES ADJUSTED BY JACK D. SALO, INC.	5/7/69	J.C.S.	
NO.	DESCRIPTION	DATE	APPR.

LAKEHEAD PIPE LINE COMPANY, INC.
 SUPERIOR WISCONSIN
SUPERIOR, (Wisc.) TERMINAL
STATION AREA
SURVEY PLAN

DRAWN	H. R. O.	SCALE	1" = 400'	DATE	2/2/61
CHECKED		APPROVED		DATE	
PARCELS 1-6 1991 UPDATE		REV. 4-1-93		DATE	11/12/91
PRELIMINARY		REV. 7/22/02		JOB NO.	1-3477



DATE ISSUED: 7/14/2007
 DATE REVISED: 8/23/2007
 SCALE: 1" = 400'
 DRAWN BY: JPM
 SERIES: Superior NGL Density



Parcel 3 Boundary
 Parcel 3C Boundary


Enbridge Energy, Limited Partnership
Superior Terminal - Nemadji Release
Certified Surveyed Map

Enbridge Pipelines (Lakehead), L.L.C
119 N 25th Street East
Superior, Wisconsin 54880

I, Paul Meneghini, believe that the contaminated area located at the Enbridge Superior Terminal is located within the legal description described below:

Commencing at the Northeast corner of Section 36. Thence southerly along the east boundary of Section 36 to the centerline of vacated West 18th Street, thence southeasterly along the centerline of vacated West 18th Street to the north boundary of vacated 28th Avenue East, thence southwesterly along the north boundary of vacated 28th Avenue East to its junction with the westerly boundary of vacated West 18th Street being the point of beginning; thence S 41 degrees 27 minutes 3 seconds E along the westerly boundary of vacated West 18th Street a distance of 2500 feet to a point on the north line of 33rd Avenue East; thence S 48 degrees 32 minutes 25 seconds W along the north line of 33rd Avenue East a distance of 2206.96 feet to a point on the easterly line of Section 36; thence S 0 degrees 18 minutes 25 seconds W along the easterly line of Section 36 a distance of 670.62 feet more or less to the north boundary of the Nemadji River; thence N 69 degrees 38 minutes 05 seconds W along the north boundary of the Nemadji River a distance of 652.53 feet to a point thence N 51 degrees 44 minutes 40 seconds W along the north boundary of the Nemadji River a distance of 127.93 feet to a point ; thence N 68 degrees 02 minutes 45 seconds W along the north boundary of the Nemadji River a distance of 160.75 feet to a point; thence N43o49'20"W a distance of 188.00 feet to a point; thence S 89 degrees 59 minutes 55 seconds W a distance of 1627.00 feet to a point on the east boundary of Bardon Avenue; thence N 0 degrees 03 minutes 35 seconds W along the east boundary of Bardon Avenue a distance of 2386.72 feet to a point on the south line of 26th Avenue East; thence N 48 degrees 32 minutes 2 seconds E for a distance of 1120 feet to a point; thence, South 41 degrees 0 minutes 0 seconds East for a distance of 590 feet to a point of beginning for a tract of land known as "Parcel 3C"; thence, South 48 degrees 0 minutes 0 seconds West for a distance of 600 feet to a point; thence, North 41 degrees 0 minutes 0 seconds West for a distance of 60 feet to a point; thence, North 48 degrees 0 minutes 0 seconds East for a distance of 300 feet to a point; thence, North 41 degrees 0 minutes 0 seconds West for a distance of 60 feet to a point; thence, North 48 degrees 0 minutes 0 seconds East for a distance of 300 feet to a point; thence, South 41 degrees 0 minutes 0 seconds East for a distance of 120 feet to the point of beginning of Parcel 3C; Parcel 3C containing 1.24 acres, more or less; all of Parcel 3C being within the North one-half (N 1/2) of Section 36, Township 49 North, Range 13 West, Douglas County, State of Wisconsin.


Geographic position coordinates: 362334 692596



Signature

1/26/06

Date



Site Location


Legend

— Pipeline



Enbridge Energy, Limited Partnership

Figure 1: Superior Terminal Nemadji Release - Site Location Map



DATE ISSUED: 12/04/03

DATE REVISED: 12/04/03


SCALE: 1:100,126

DRAWN BY: JAS Z:\Enbridge\Leaks, Remediation, Compliance, Operations\ Superior Terminal\Superior-Nemadji_Jan24_2003.mxd

SERIES: Superior Nemadji Release



Engineering Co. 715-395-5680



Legend

-  Oiled Extent / Scraped Area
-  Excavated Area
-  Release Location
-  Sorbent Booms & Hay Bales

N



Enbridge Energy, Limited Partnership

Figure 2 : Superior Terminal Nemadji Release - Site Map

0 470 940 1,880 2,820 3,760 Feet

DATE ISSUED: 1/26/2003	
DATE REVISED: 12/12/03	
SCALE: 1:6,011	
DRAWN BY: JAS Z:\Enbridge\Leaks, Remediation, Compliance, Operations\Superior Terminal\Superior-Nemadji_Jan24,2003\maps	
SERIES: Douglas County	715-395-5680






Legend

-  Sample Location
-  Barricade
-  Hauling Route
-  Berm
-  Removed ice
-  Ice to be removed
-  Interceptor Trench



Enbridge Energy, Limited Partnership

Figure 3 : Superior Terminal Nemadji Ice Slotting Map



DATE ISSUED: 1/26/2003

DATE REVISED: 12/12/03

SCALE: 1:3,003


DRAWN BY: JAS Z:\Enbridge\Leaks, Remediation, Compliance, Operations\Superior Terminal\Superior-Nemadji_Jan24,2003\maps

SERIES: Douglas County




Engineering Co.
715-395-5680

Superior Terminal
Detail 2



(Same Scale as Embankment drawings)



Enbridge Energy, Limited Partnership

Figure 4- Detail 2



DATE ISSUED: 07/30/03

DATE REVISED: 12/05/03

SCALE: NTS


DRAWN BY: JAS Z:\Enbridge\Leaks, Remediation, Compliance, Operations\Superior Terminal\Superior-Nemadji_Jan24,2003.mxd

SERIES: Douglas County



Engineering Co.

715-395-5680




To Tank 16

To Tank 20




Enbridge Energy, Limited Partnership

Figure 4- Detail 3



DATE ISSUED: 12/04/03	
DATE REVISED: 12/04/03	
SCALE: NTS	
DRAWN BY: JAS Z:Enbridge/Leaks, Remediation, Compliance, Operations Superior Terminal/Supernormal, Ltd. 2003/11/24	
SERIES: Douglas County	
715-395-5680	



Legend

- Oiled Extent / Scraped Area
- Excavated Area
- Soil Sample Location


N



Enbridge Energy, Limited Partnership
 Figure 4: Superior Terminal Nemadji Release - Soil Sample Locations

0 125 250 500 750 1,000 1,250 Feet

DATE ISSUED: 7/22/03
 DATE REVISED: 12/12/03
 SCALE: 1:2,602
 DRAWN BY: JAS Z:Enbridge Leaks Remediation Compliance Operations
 Superior Terminal/Superior Nemadji
 SERIES: Superior Nemadji Release 5-395-5680




Legend

- Oiled Extent / Scraped Area
- Excavated Area
- Water Sampling Locations



Enbridge Energy, Limited Partnership

Figure 5: Superior Terminal Nemadji Release - Water Sample Locations



DATE ISSUED: 1/26/2003

DATE REVISED: 12/12/03

SCALE: 1:5,003


DRAWN BY: JAS Z:\Enbridge\Leaks, Remediation, Compliance, Operations\Superior Terminal\Superior-Nemadji_Jan24,2003\maps

SERIES: Douglas County



Engineering Co.

715-395-5680



Legend


-  Soil Exceeding NR 720
-  Area Excavated in 2003
-  Cross-Section
-  Temporary Monitoring Well
-  2007 Geoprobe Locations
-  2003 Excavation Soil Sampling Locations



Enbridge Energy, Limited Partnership
Superior Terminal Nemadji Release
Soil Sample Locations and
Cross-Sections



DATE ISSUED: 3/30/2007
 DATE REVISED: 11/20/2007
 SCALE: 1:1,200
 DRAWN BY: JPM
 SERIES: Superior Terminal - Nemadji Release




Legend

- Soil Boring & Benzene content (ppb)
- NR720 Exceedance. Extent estimated.
- 2003 Excavation Extent
- Approximate Water Table Elevation

Enbridge Energy, Limited Partnership
Superior Terminal Nemadji Release
Cross Section A - A'


DATE ISSUED: 7/17/07	
DATE REVISED: 11/20/07	Natural Resources Engineering Co.
SCALE: NTS	715-395-5680
DRAWN BY: JPM	
SERIES: Superior Terminal - Nemadji Release	



Legend	
	Soil Boring & Benzene content (ppb)
	2003 Excavation Extent
	NR720 Exceedance. Extent estimated.
	Approximate Water Table Elevation

Enbridge Energy, Limited Partnership
Superior Terminal Nemadji Release
Cross Section B - B'

DATE ISSUED: 7/17/07	
DATE REVISED: 9/07/07	Natural Resources
SCALE: NTS	Engineering Co.
DRAWN BY: JPM	715-395-5680
SERIES: Superior Terminal - Nemadji Release	




Legend	
	2003 Excavation Extent
	Soil Boring & Benzene content (ppb)
	Approximate Water Table Elevation

Enbridge Energy, Limited Partnership
Superior Terminal - Nemadji Release
Cross Section C - C2'

DATE ISSUED: 7/17/07	
DATE REVISED: 11/20/07	
SCALE: NTS	
DRAWN BY: JPM	715-395-5680
SERIES: Superior Terminal - Nemadji Release	

Sample ID (Sample Depth-Sample Date)



Legend

- Soil Boring & Benzene content (ppb)
- 2003 Excavation Extent
- Approximate Water Table Elevation

Enbridge Energy, Limited Partnership
Superior Terminal - Nemadji Release
Cross Section D - D'

DATE ISSUED: 7/17/07	
DATE REVISED: 11/20/07	
SCALE: NTS	
DRAWN BY: JPM	715-395-5680
SERIES: Superior Terminal - Nemadji Release	

Table 5: Soil Analytical Results: (DRO/PAH)*
Enbridge Pipeline (Lakehead), L.L.C. - Superior Terminal Nemadji Release (1/24/2003)

Location	Collection Date	Diesel Range Organics	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Indeno(1,2,3-cd)pyrene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	2-Methylnaphthalene	1-Methylnaphthalene	Naphthalene	Phenanthrene	Pyrene
Industrial RCL (ug/Kg)		-	6 x 10 ⁷	3.6 x 10 ⁵	3.0 x 10 ⁸	3.9 x 10 ³	390	3.9 x 10 ³	3.9 x 10 ⁴	3.9 x 10 ⁴	3.9 x 10 ³	3.9 x 10 ⁵	390	4.0 x 10 ⁷	4.0 x 10 ⁷	4.0 x 10 ⁷	7.0 x 10 ⁷	1.1 x 10 ⁵	3.9 x 10 ⁵	3.0 x 10 ⁷
NR 720 GRCL (mg/Kg)		250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Detail 1 Excavation Sample Locations																				
S-1 4'	4/16/2003	8.3	56	<26	26	19	11	<9.4	<17	<13	<16	12	<11	57	170	1,000	910	170	210	54
S-2 5'	4/16/2003	<4.4	<16	<26	<16	<8.7	<8.7	<9.5	<17	<13	<16	<10	<11	<12	<8.7	14	14	<11	<12	<19
S-3 6'	4/16/2003	170	<16	<26	<16	<8.8	<8.8	<9.6	<18	<13	<16	<10	<11	<12	<8.8	21	14	33	<12	<19
S-4 5'	4/16/2003	<5.0	<14	<24	<14	29	22	19	<16	20	<14	27	<9.7	61	<7.9	14	<9.2	48	30	48
S-5 4.5'	4/16/2003	<4.8	<16	<27	<16	<8.9	<8.9	<9.6	<18	<13	<16	<10	<11	<12	<8.9	<11	<10	<11	<12	<19
S-6 4'	4/16/2003	<4.7	20	<26	33	56	46	40	20	40	20	54	<11	120	18	<11	<10	26	110	98
S-7 4'	4/16/2003	<5.1	<15	<25	<15	<8.2	<8.2	<8.9	<16	<12	<15	<9.5	<10	<11	<8.2	<10	<9.6	<10	<11	<18
S-8 3'	4/16/2003	<4.0	<15	<25	<15	<8.2	<8.2	<8.9	<16	<12	<15	<9.5	<10	<11	<8.2	<10	<9.6	<10	<11	<18
B-1 8'	4/16/2003	<7.0	<16	<25	<16	30	30	29	<17	25	<16	40	<10	52	17	17	55	<11	52	41
B-2 8.5'	4/16/2003	15	100	<26	92	120	78	74	22	94	22	94	<11	370	110	110	68	86	460	290
B-3 7.5'	4/16/2003	<6.2	1,100	<150	910	830	600	570	220	460	220	610	<60	2,600	860	580	400	660	3,600	2,000
TP-13 S1-2'	5/8/2003	980	<32	<52	<32	19	26	<19	<35	<26	<32	59	<22	<23	150	1,000	610	210	310	43
TP-13 S2-2'	5/8/2003	<5.6	<33	<54	<33	<18	<18	<19	<36	<27	<33	<21	<22	<24	<18	<22	<21	<22	<24	<39
TP-13 S3-4'	5/8/2003	<6.4	<32	<52	<32	<17	<17	<19	<35	<26	<32	<20	<21	<23	<17	<22	<20	<22	<23	<38
TP-13 S4-4'	5/8/2003	31	<31	<50	<31	<17	<17	<18	<34	<25	<31	<19	<21	<22	<17	22	<20	<21	<22	<36
Detail 2 Excavation Sample Locations																				
S-NCW-5	4/17/2003	<3.3	<12	<19	<12	44	52	42	28	44	26	45	<7.8	110	<6.3	<7.9	<7.4	<7.9	21	96
S-SEW-5	4/17/2003	<5.9	<16	<27	<16	<8.8	<8.8	<9.6	<18	<13	<16	<10	<11	<12	<8.8	<11	<10	26	<12	<19
S-EW-4	4/17/2003	<4.9	<17	<29	27	90	69	60	26	61	25	85	<12	180	<9.5	250	110	280	47	150
S-SWW-6	4/17/2003	12	31	<19	97	180	170	140	60	130	63	170	21	420	26	<8.0	<7.5	<8.0	230	330
S-SCW-5	4/17/2003	9,600	3,100	<370	3,700	4,500	3,400	3,000	980	2,600	1,100	3,600	360	13,000	3,900	11,000	7,400	2,900	16,000	10,000
S-BC-8	4/17/2003	2,500	1,200	<120	1,700	2,400	2,100	1,700	810	1,600	840	1,800	260	6,200	1,300	1,200	800	750	7,000	4,700
S-WW-5	4/17/2003	<5.7	<17	<27	<17	14	12	<9.8	<18	<14	<17	13	<11	19	<9.0	<11	<11	<11	<12	<20
Detail 3 Excavation																				
DITCH-1	10/21/2003	7.3	<14	<23	<14	<7.8	<7.8	<8.4	<16	<12	<14	<9.0	<9.6	<10	<7.8	<9.7	<9.1	<9.7	<10	<17
Ditch Sample Locations																				
S-1 8'	5/8/2003	<5.1	<30	<50	<30	<17	<17	<18	<33	<25	<30	<19	<20	<22	<17	<21	<19	<21	<22	<36
S-2 1.5/2'	5/8/2003	8.4	<32	<52	<32	43	34	30	<35	27	<32	36	<22	150	<17	<22	<20	<22	140	120
S-3 3'	5/8/2003	3,500	55	<52	<32	31	46	27	<35	<32	120	<21	55	250	1,500	1,000	450	500	77	
S-4 5'	5/8/2003	49	<31	<51	36	62	26	21	<34	33	<31	180	<21	110	<17	<21	<20	<21	100	87
S-5 4' Ditch	5/15/2003	5,400	150	220	140	460	930	620	770	530	670	180	430	690	5,500	3,100	1,800	1,400	470	
S-6 8' Ditch	5/15/2003	1,300	34	<24	23	44	29	29	<16	23	<15	61	<10.0	130	100	490	300	99	300	110
S-7 8' Ditch	5/15/2003	140	<13	<22	17	68	91	110	27	80	28	79	12	100	11	<9.0	11	<9.0	57	110
S-8 12' Ditch	5/15/2003	110	<16	<26	<16	<8.6	<8.6	<9.3	<17	<13	<16	<9.9	<11	14	69	42	30	34	<19	
S-9 14' Ditch	5/15/2003	<5.9	<16	<26	<16	26	26	18	<17	23	<16	26	<11	27	<8.7	<11	<10	<11	18	25
S-10 5' Ditch	5/15/2003	340	51	<27	46	190	140	140	40	150	39	210	19	460	170	1,000	580	330	550	390
TCD-1	6/17/2003	950	450	<100	270	480	480	500	190	390	180	920	75	970	760	4,000	3,300	640	2,100	840
TCD-2	6/17/2003	<4.6	<29	<48	43	110	120	110	80	92	74	120	23	280	22	<20	<19	<20	180	200
TCD-3	6/17/2003	<5.8	<39	<63	<39	<21	<21	<23	<42	<32	<39	<24	<26	30	<21	44	32	<26	54	<46
Terminal Creek Sample Locations																				
TC-1	5/8/2003	<4.9	<34	<56	<34	<19	<19	<20	<37	<28	<34	<21	<23	<25	<19	<23	<22	<23	<25	<40
TC-2	5/8/2003	<5.0	<35	<57	<35	21	<19	<21	<38	<29	<35	<22	<24	34	<19	<24	<22	<24	<25	<41
TC-3	5/8/2003	<3.7	<25	<40	<25	<13	<13	<15	<27	<20	<25	<15	<17	<18	<13	<17	<16	<17	<18	<29
TC-4	5/8/2003	<5.2	<35	<58	<35	<19	<19	<21	<39	<29	<35	<22	<24	<26	<19	<24	<23	<24	<26	<42
TC-5	6/17/2003	8.6	<34	<56	<34	19	<19	<20	<37	<28	<34	22	<23	31	<19	<23	<22	<23	<25	<40
TC-6	6/17/2003	<5.1	<33	<54	<33	<18	<18	<19	<36	<27	<33	22	<22	<37	<18	<22	<21	<22	<24	<39
ST LF-2-1	3/07/2003	<5.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
ST LF-2-2	3/07/2003	11	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
ST LF-2-3	3/07/2003	<4.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
ST LF-2-4	3/07/2003	<6.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
ST LF-2-5	3/07/2003	<3.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
ST LF-2-6	3/07/2003	<4.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Trip Blank (MEOH)	3/07/2003	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Tank Pad 23 soil																				
SS-1	6/18/2003	<4.7	<15	<24	<15	<7.9	<7.9	<8.6	<16	<12	<15	<9.1	<9.8	<11	<7.9	<9.9	<9.3	<9.9	<11	<17
SS-2	6/18/2003	210	<15	<24	<15	<8.1	<8.1	<8.8	<16	<12	<15	<9.3	<10	<11	<8.1	<10	<9.5	<10	<11	<18
SS-3	6/18/2003	49	<14	<24	<14	21	27	25	57	20	29	24	<9.7	28	<7.9	<9.9	<9.2	<9.9	<11	21

Concentrations are reported in ug/Kg except DRO which is reported in mg/Kg.

**Table 5: Soil Analytical Results: (DRO/PAH)*
Enbridge Pipeline (Lakehead), L.L.C. - Superior Terminal Nemadji Release (1/24/2003)**

Location	Collection Date	Diesel Range Organics	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Indeno(1,2,3-cd)pyrene	Chrysene	Dibenzo(a,h)anthracene	Fluoranthene	Fluorene	2-Methylnaphthalene	1-Methylnaphthalene	Naphthalene	Phenanthrene	Pyrene
Industrial RCL (ug/Kg)		–	6 x 10 ⁷	3.6 x 10 ⁵	3.0 x 10 ⁸	3.9 x 10 ³	390	3.9 x 10 ³	3.9 x 10 ⁴	3.9 x 10 ⁴	3.9 x 10 ³	3.9 x 10 ⁵	390	4.0 x 10 ⁷	4.0 x 10 ⁷	4.0 x 10 ⁷	7.0 x 10 ⁷	1.1 x 10 ⁵	3.9 x 10 ⁵	3.0 x 10 ⁷
NR 720 GRCL (mg/Kg)		250	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
SS-4	6/19/2003	<4.2	<14	<23	<14	<7.8	<7.8	<8.5	<16	<12	<14	<9.0	<9.6	<10	<7.8	<9.8	<9.1	<9.8	<10	<17
Soil Stockpile																				
SSP-1	9/5/2003	23	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SSP-2	9/5/2003	54	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SSP-3	9/5/2003	380	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SSP-4	9/5/2003	410	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SSP-5	9/5/2003	19	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SSP-6	9/5/2003	98	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SSP-7	9/5/2003	170	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SSP-8	9/5/2003	740	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SSP-9	9/5/2003	95	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SSP-10	9/5/2003	3,300	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SSP-11	9/5/2003	900	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SSP-12	9/5/2003	2,400	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SSP-13	9/5/2003	900	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SSP-14	9/5/2003	80	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Soil Analytical Results - July 2007: (BTEX)
Enbridge Energy, Limited Partnership - Superior Terminal Nemadji Release

Location	Date	Benzene (ug/Kg)	Ethylbenzene (ug/Kg)	Toluene (ug/Kg)	Xylenes, -m,-p (ug/Kg)	Xylene,-o (ug/Kg)
NR 720 Generic RCL		5.5	2,900	1,500	4,100 (total)	
GP-1 (3')	7/17/2007	<25	<25	<25	<50	<25
GP-1 (15')	7/17/2007	<25	<25	<25	<50	<25
GP-2 (2.5')	7/16/2007	<25	<25	<25	<50	<25
GP-2 (15')	7/16/2007	<25	<25	<25	<50	<25
GP-3 (3')	7/17/2007	<25	<25	<25	<50	<25
GP-3 (15')	7/17/2007	<25	<25	<25	<50	<25
GP-4 (3')	7/17/2007	<25	<25	<25	<50	<25
GP-4 (15')	7/17/2007	<25	<25	<25	<50	<25
GP-5 (4')	7/16/2007	<25	<25	<25	<50	<25
GP-5 (15')	7/16/2007	<25	<25	<25	<50	<25
GP-6 (2.5')	7/16/2007	<25	<25	<25	<50	<25
GP-6 (10')	7/16/2007	<25	<25	<25	<50	<25
GP-7 (2.5')	7/16/2007	<25	<25	<25	<50	<25
GP-7 (15')	7/16/2007	<25	<25	<25	<50	<25
GP-8 (2.5')	7/16/2007	<25	<25	<25	<50	<25
GP-8 (7.5')	7/16/2007	<25	<25	<25	<50	<25
GP-8 (15')	7/16/2007	<25	<25	<25	<50	<25
GP-8A (2.5')	7/16/2007	<25	<25	<25	<50	<25
GP-8A (15')	7/16/2007	<25	<25	<25	<50	<25
GP-8B (3')	7/17/2007	<25	<25	<25	<50	<25
GP-8B (15')	7/17/2007	<25	<25	<25	<50	<25
GP-9 (3')	7/17/2007	<25	<25	<25	<50	<25
GP-9 (15')	7/17/2007	<25	<25	<25	<50	<25
GP-10 (3')	7/17/2007	<25	<25	<25	<50	<25
GP-10 (15')	7/17/2007	<25	<25	<25	<50	<25
GP-11 (2.5')	7/17/2007	<25	<25	<25	<50	<25
GP-11 (7.5')	7/17/2007	<25	41	<25	<50	<25
GP-11 (15')	7/17/2007	<25	<25	<25	<50	<25
GP-12 (2.5')	7/16/2007	<25	<25	<25	<50	<25
GP-12 (20')	7/16/2007	<25	<25	<25	<50	<25
MEOH BLANK	7/16/2007	<25	<25	<25	<25	<25

Soil Analytical Results - July 2007: (PAH)
Enbridge Energy, Limited Partnership - Superior Terminal Nemadji Release

Location	Date	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h)perylene	Benzo(k)fluoranthene	Indeno(1,2,3-cd)pyrene	Chrysene	Dibenzo(a,h)anthracene	Fluoranthene	Fluorene	2-Methylnaphthalene	1-Methylnaphthalene	Naphthalene	Phenanthrene	Pyrene
Industrial RCL (ug/Kg)		6 x 10 ⁷	3.6 x 10 ⁵	3.0 x 10 ⁸	3.9 x 10 ³	390	3.9 x 10 ³	3.9 x 10 ⁴	3.9 x 10 ⁴	3.9 x 10 ³	3.9 x 10 ⁶	390	4.0 x 10 ⁷	4.0 x 10 ⁷	4.0 x 10 ⁷	7.0 x 10 ⁷	1.1 x 10 ⁵	3.9 x 10 ⁵	3.0 x 10 ⁷
GP-1 (3')	7/17/2007	<3.8	<3.7	<4.5	<6.8	<3.7	<3.6	<4.5	<3.9	<3.2	<5.6	<3.5	<3.7	<4.4	<3.9	<4.0	<5.1	<3.8	<3.1
GP-1 (15')	7/17/2007	<4.3	<4.1	<5.1	<7.6	<4.1	<4.0	<5.1	<4.4	<3.6	<6.3	<4.0	<4.1	<4.9	<4.5	<4.3	<5.8	<4.2	<3.5
GP-2 (2.5')	7/16/2007	<4.0	<3.9	<4.8	<7.1	<3.9	<3.8	<4.8	<4.1	<3.4	<5.9	<3.7	<3.9	<4.6	<4.2	<4.1	<5.4	<4.0	<3.3
GP-2 (15')	7/16/2007	<4.3	<4.2	<5.2	<7.8	<4.2	<4.1	<5.2	<4.5	<3.7	<6.4	<4.0	<4.2	<5.0	<4.6	<4.4	<5.9	<4.3	<3.6
GP-3 (3')	7/17/2007	<3.9	<3.8	<4.7	8.1	10	7.4	5.9	7.7	4.8	11	<3.6	13	<4.5	<4.1	<4.0	<5.3	4.1	15
GP-3 (15')	7/17/2007	14	<4.1	33	9.4	14	10	9.4	10	7.2	13	<3.9	25	16	<4.4	<4.3	<5.7	38	20
GP-4 (3')	7/17/2007	<3.9	<3.8	<4.7	<7.0	<3.8	<3.7	<4.7	<4.1	<3.3	<5.8	<3.7	<3.8	<4.5	<4.2	<4.0	<5.3	<3.9	<3.3
GP-4 (15')	7/17/2007	<4.3	<4.2	<5.2	<7.7	<4.2	<4.1	<5.2	<4.4	<3.7	<6.3	<4.0	<4.2	<5.0	<4.5	<4.4	<5.8	<4.3	<3.6
GP-5 (4')	7/16/2007	<3.2	<3.1	<3.8	<5.7	<3.1	<3.0	<3.8	<3.3	<2.7	<4.7	<3.0	<3.1	<3.7	<3.3	<3.2	<4.3	<3.2	<2.6
GP-5 (15')	7/16/2007	<4.4	<4.2	<5.2	<7.8	<4.2	<4.1	<5.2	<4.5	<3.7	<6.4	<4.0	<4.2	<5.0	<4.6	<4.4	<5.9	<4.3	<3.6
GP-6 (2.5')	7/16/2007	<4.0	<3.9	<4.8	<7.1	<3.8	<3.8	<4.8	<4.1	<3.4	<5.8	<3.7	<3.9	<4.6	<4.2	<4.1	<5.4	<3.9	<3.3
GP-6 (10')	7/16/2007	<4.1	<4.0	<4.9	<7.3	<4.0	<3.9	<4.9	<4.2	<3.5	<6.0	<3.8	<4.0	<4.7	<4.3	<4.2	<5.6	<4.1	<3.4
GP-7 (2.5')	7/16/2007	<4.1	<3.9	5.1	10	15	12	11	12	9.1	11	<3.8	24	<4.7	<4.3	<4.1	<5.5	9.7	20
GP-7 (15')	7/16/2007	<4.2	<4.0	<5.0	<7.4	<4.0	<3.9	<5.0	<4.3	<3.5	<6.1	<3.9	<4.0	<4.8	<4.4	<4.2	<5.6	<4.1	<3.4
GP-8 (2.5')	7/16/2007	<3.6	<3.5	<4.3	<6.5	3.5	<3.4	4.6	<3.7	3.2	<5.3	<3.4	5.7	<4.2	<3.8	<3.7	<4.9	4	4.5
GP-8 (7.5')	7/16/2007	<4.2	<4.0	<5.0	<7.4	<4.0	<3.9	<5.0	<4.3	<3.5	<6.1	<3.9	<4.0	<4.8	<4.4	<4.2	<5.6	<4.1	<3.4
GP-8 (15')	7/16/2007	<4.4	<4.3	<5.3	<7.9	<4.2	<4.2	<5.3	<4.5	<3.7	<6.5	<4.1	<4.3	<5.1	<4.6	<4.5	<5.9	<4.4	<3.6
GP-8A (2.5')	7/16/2007	<3.6	<3.5	<4.4	<6.5	<3.5	<3.4	<4.4	<3.8	<3.1	<5.4	<3.4	<3.5	<4.2	<3.8	<3.7	<4.9	<3.6	<3.0
GP-8A (15')	7/16/2007	<4.4	<4.3	<5.3	<7.9	<4.3	<4.2	<5.3	<4.5	<3.7	<6.5	<4.1	<4.3	<5.1	<4.6	<4.5	<5.9	<4.4	<3.6
GP-8B (3')	7/17/2007	<4.3	<4.1	<5.1	<7.6	<4.1	<4.0	<5.1	<4.4	<3.6	<6.3	<4.0	<4.1	<4.9	<4.5	<4.4	<5.8	<4.2	<3.5
GP-8B (15')	7/17/2007	<4.5	<4.3	7	8.5	9.5	9.2	7.7	9	6.9	10	<4.2	16	<5.2	<4.7	<4.6	<6.1	10	14
GP-9 (3')	7/17/2007	<4.4	<4.3	<5.3	<7.9	<4.3	<4.2	<5.3	<4.6	<3.7	<6.5	<4.1	<4.3	<5.1	7.4	<4.5	<6.0	<4.4	<3.7
GP-9 (15')	7/17/2007	7	<4.1	12	15	14	12	7.5	12	6.4	17	<3.9	43	5.6	4.5	<4.3	<5.7	36	31
GP-10 (3')	7/17/2007	<4.0	<3.9	<4.8	<7.1	<3.8	<3.8	<4.8	<4.1	<3.4	<5.9	<3.7	<3.9	<4.6	<4.2	<4.1	<5.4	<4.0	<3.3
GP-10 (15')	7/17/2007	<4.8	<4.6	<5.7	<8.5	<4.6	<4.5	<5.7	<4.9	<4.0	<7.0	<4.4	<4.6	<5.5	<5.0	<4.9	<6.4	<4.7	<3.9
GP-11 (2.5')	7/17/2007	<4.1	<4.0	<4.9	<7.4	<4.0	<3.9	<4.9	<4.2	<3.5	<6.0	<3.8	<4.0	<4.7	<4.3	<4.2	<5.6	<4.1	<3.4
GP-11 (7.5')	7/17/2007	<4.2	<4.1	<5.0	<7.5	<4.0	<4.0	<5.0	<4.3	<3.5	<6.1	<3.9	<4.1	<4.8	6.3	5.2	<5.7	4.6	<3.5
GP-11 (15')	7/17/2007	<4.3	<4.2	<5.2	<7.7	<4.2	<4.1	<5.2	<4.5	<3.7	<6.4	<4.0	<4.2	<5.0	<4.6	<4.4	<5.8	<4.3	<3.6
GP-12 (2.5')	7/16/2007	<3.6	<3.5	<4.3	<6.4	<3.5	<3.4	<4.3	<3.7	<3.1	<5.3	<3.3	<3.5	<4.1	<3.8	<3.7	<4.9	<3.6	<3.0
GP-12 (20')	7/16/2007	<4.4	<4.2	<5.2	<7.8	<4.2	<4.1	<5.2	<4.5	<3.7	<6.4	<4.0	<4.2	<5.0	<4.6	<4.4	<5.9	<4.3	<3.6