

**GIS REGISTRY INFORMATION**

SITE NAME: Brule Town Hall  
 BRRTS # 03-16-000973 FID # (if appropriate): \_\_\_\_\_  
 COMMERCE #: (if appropriate) \_\_\_\_\_  
 CLOSURE DATE: 6/12/06  
 STREET ADDRESS: 5820 South Maple  
 CITY: Brule

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 399246 Y= 676656

CONTAMINATED MEDIA: Groundwater  Soil  Both

OFF-SOURCE CONTAMINATION (>ES):  Yes  No

IF YES, STREET ADDRESS 1: \_\_\_\_\_  
 GPS COORDINATES (meters in WTM91 projection): X= \_\_\_\_\_ Y= \_\_\_\_\_


Off -Source SOIL CONTAMINATION >GENERIC OR SITE-SPECIFIC RCL (SSRCL):  Yes  No

IF YES, STREET ADDRESS 1: \_\_\_\_\_  
 GPS COORDINATES (meters in WTM91 projection): X= \_\_\_\_\_ Y= \_\_\_\_\_

CONTAMINATION IN RIGHT OF WAY:  Yes  No

**DOCUMENTS NEEDED:**

- Closure Letter, and any conditional closure letter issued
- Copy of most recent deed, including legal description, for all affected properties
- Certified survey map or relevant portion of the recorded plat map *if referenced in the legal description* for all affected properties
- County Parcel ID number, *if used for county*, for all affected properties
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)
- Tables of Latest Soil Analytical Results (no shading or cross-hatching)
- Isoconcentration map(s), *if required for site investigation (SI)* (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.
- GW: Table of water level elevations, with sampling dates, and free product noted if present
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour.
- Geologic cross-sections, *if required for SI*. (8.5x14" if paper copy)
- RP certified statement that legal descriptions are complete and accurate
- Copies of off-source notification letters (if applicable)
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)
- Copy of (soil or land use) deed restriction(s) or deed notice *if any required as a condition of closure*.



NA  
NA  
NA



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
John Gozdzialski, Regional Director

Northern Region Headquarters  
107 Sutliff Ave.  
Rhinelander, Wisconsin 54501-3349  
Telephone 715-365-8900  
FAX 715-365-8932  
TTY Access via relay - 711

June 13, 2006

Mr. Dennis Smet, Chairperson  
Brule Town Board of Supervisors  
14103 E Seven Mile Rd  
Brule, WI 54820

**SUBJECT:** Final Case Closure By Closure Committee with Conditions Met  
Brule Town Hall Property, 5820 South Maple, Brule, WI  
WDNR BRRTS Activity #: 03-16-000973

Dear Mr. Smet:

On May 4, 2006, the Northern Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On May 12, 2006, you were notified that the Closure Committee had granted conditional closure to this case.

On June 12, 2006, the Department received correspondence indicating that you have complied with the requirements of closure. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4)(w). To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-365-8990.

Sincerely,  
NORTHERN REGION

A handwritten signature in cursive script that reads "Janet Kazda".

Janet Kazda  
Remediation and Redevelopment Program

cc: File  
Chris Saari, Ashland

Craig Johanesen  
Craig Environmental  
524 Hamilton St  
Stoughton, WI 53589



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
John Gozdziński, Regional Director

Northern Region Headquarters  
107 Sutliff Ave.  
Rhinelander, Wisconsin 54501-3349  
Telephone 715-365-8900  
FAX 715-365-8932  
TTY Access via relay - 711

May 12, 2006

Mr. Dennis Smet, Chairperson  
Town of Brule Board of Supervisors  
14103 E Seven Mile Rd  
Brule, WI 54820

Subject: Conditional Closure Decision With Requirements to Achieve Final Closure  
Brule Town Hall Property, 5820 South Maple, Brule, Wisconsin  
WDNR BRRTS Activity # 03-16-000973

Dear Mr. Smet:

On May 4, 2006, the Northern Region Closure Committee reviewed your request for closure of the case described above. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the heating oil contamination on the site appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to me on Form 3300-5B found at [www.dnr.state.wi.us/org/water/dwg/gw/](http://www.dnr.state.wi.us/org/water/dwg/gw/) or provided by the Department of Natural Resources.

When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit <http://maps.dnr.state.wi.us/brrts>.

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if

additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-365-8990.

Sincerely,  
NORTHERN REGION



Janet Kazda  
Remediation and Redevelopment Program

cc: File  
Chris Saari, Ashland

Craig Johanesen  
Craig Environmental  
524 Hamilton St  
Stoughton, WI 53589

DOUGLAS COUNTY

TO

Town of Brule

Filed for Record the 21 day of August

A. D. 1936, at 3.15 o'clock P. M.

William McDougal Register

By Deputy


### Quit Claim Deed

The County of Douglas, in the State of Wisconsin, grantor, hereby quit claims to Town of Brule  
 grantee of Douglas County, in the State of WISCONSIN  
 for the sum of One Dollar (\$1.00) Dollars, the following tract of land in said County of Douglas, to-wit:  
 Lots Twenty-six(26), Twenty-seven(27) and Twenty-eight(28)  
 in Block Twenty-five(25), Brule First Division, according to  
 the recorded plat thereof on file and of record in the office  
 of the Register of Deeds in and for said Douglas County, Wis.

IN TESTIMONY WHEREOF, I, A. R. Cole the County Clerk of the County of Douglas,  
 State of Wisconsin, have executed this Deed pursuant to, and in virtue of the authority in me vested by the Statutes of the State  
 of Wisconsin, and by the order of the Board of Supervisors of said County, of record in my office, on the  
17th day of July 1936, and for and on behalf of the said County of Douglas aforesaid,  
 and have hereunto subscribed my name officially, and affixed the seal of the said Board of Supervisors, and my seal, at Superior,  
 in said County of Douglas, this 24th day of July in the year of our Lord,  
 one thousand nine hundred and thirty-six.

DONE IN PRESENCE OF

C. P. Gray  
Bertha Adolphson



A. R. Cole  
County Clerk of Douglas County, State of Wisconsin. (Seal)

STATE OF WISCONSIN, } ss  
County of Douglas.

BE IT REMEMBERED, That on the 24th day of July A. D. 1936,  
 before the undersigned, a Notary Public in and for said County, personally appeared A. R. Cole  
 Clerk aforesaid, to me known to be the person who executed the above Deed and acknowledged the same as County Clerk of the  
 County of Douglas, State of Wisconsin, for and on behalf of said County for the purpose therein mentioned.

#####  
 Bertha Adolphson  
 Notary Public - seal  
 Douglas County, Wisconsin  
 #####


Bertha Adolphson  
 Notary Public, Douglas County, Wisconsin.  
 My Commission Expires Feb, 6th 1938



**Town of Brule, Brule, Wisconsin**

**Douglas County Parcel No: BR-006-00925-00**

**Geographical Coordinates WTM E 399243, WN 676651**




SOURCE:  
 U.S.G.S. 7.5 MIN. QUADRANGLE, BRULE, WI, 1984

<b>FIGURE 1</b> <b>AREA LOCATION MAP</b>			
<b>BRULE TOWN HALL</b> <b>BRULE WISCONSIN</b>			
DATE:	REV:	SCALE:	DRAWN BY:
		1" = 2000'	
<b>CRAIG JOHANESSEN, ENVIRONMENTAL CONSULTANT</b>			


GRAVEL ALLEY



APPROXIMATE NORTH



GP-3 ■



GARAGE

GAS VENT/  
CLEANOUT

MW-1 ⊗

GP-5 ■

GP-2 ■

GP-6 ■

GP-1 ■

MW-4 ⊗

WOOD  
DECK

RAMP

BRULE TOWN HALL

⊗

MW-2 ⊗

MW-3 ⊗

MAPLE STREET

THIS IS NOT A SURVEY

LEGEND

- MW-1 ⊗ MONITORING WELL
- ⊗ WATER SUPPLY WELL
- G—G— UNDERGROUND NATURAL GAS
- GP-1 ■ GEOPROBE
- - - - - PROPERTY LINE (NOT SURVEYED)
- ( ) LIMITS OF EXCAVATION

FIGURE 2 - SITE MAP

BRULE TOWN HALL  
BRULE WISCONSIN

DATE: 11/30/04	REV: 1/12/06	SCALE: 1" = 20'	DRAWN BY: HH
-------------------	-----------------	--------------------	-----------------

CRAIG ENVIRONMENTAL, LLC and  
NORTHERN WISCONSIN-BASED ENGINEERS, INC.

**Table 2**  
**Groundwater Analytical Results Summary**  
**Project #200416**  
(Results are in µg/l)

Sample	Date	Lab Notes	DRO	GRO	Benzene	Ethylbenzene	Toluene	Xylenes	TMBs	MTBE	Lead	Other VOCs & PAHs
GP-1	4/19/2004		5200		96	200	3.8	610	252	<0.36		Naphthalene 280
GP-2	4/19/2004		5300		0.52	2.1	<0.36	3.75	10	<0.36		Naphthalene 9
GP-3	4/19/2004		<100		<0.14	<0.4	<0.36	<0.74	<0.4	<0.36		Naphthalene <0.47
GP-4	4/19/2004		110		<0.14	<0.4	<0.36	<0.74	<0.4	<0.36		Naphthalene <0.47
GP-5	4/19/2004		<100		<0.14	<0.4	<0.36	<0.74	<0.4	<0.36		Naphthalene <0.47
GP-6	4/19/2004		90000		2.7	50	0.36 Q	92	169	<0.36		Naphthalene 200
WELL	4/19/2004				<0.41	<0.54	<0.67	<1.8	<0.97	<0.61		<LOD
MW-1	11/18/2004				<0.41	3.4	<0.67	20.3	<0.97	<0.61		Naphthalene <0.74
MW-1	3/6/2005				<0.14	<0.40	<0.36	<0.74	<0.40	<0.36		Naphthalene <0.47
MW-1	7/15/2005				<0.14	<0.40	<0.36	<0.74	<0.40	<0.36		Naphthalene <0.47
MW-1	10/28/2005				<0.21	<0.40	<0.36	<0.74	<0.40	<0.36		Naphthalene <0.47
MW-2	11/18/2004				<0.41	<0.54	<0.67	1.9 Q	<0.97	<0.61		Naphthalene <0.74
MW-2	3/6/2005				<0.14	<0.40	<0.36	<0.74	<0.40	<0.36		Naphthalene <0.47
MW-2	7/15/2005				<0.14	<0.40	<0.36	<0.74	<0.40	<0.36		Naphthalene <0.47
MW-2	10/28/2005				<0.21	<0.40	<0.36	<0.74	<0.40	<0.36		Naphthalene <0.47
MW-3	11/28/2004				<0.14	<0.40	<0.36	<0.74	<0.40	<0.36		Naphthalene <0.47
MW-3	3/6/2005				<0.14	<0.40	<0.36	<0.74	<0.40	<0.36		Naphthalene <0.47
MW-3	7/15/2005				<0.14	<0.40	<0.36	<0.74	<0.40	<0.36		Naphthalene <0.47
MW-3	10/28/2005				<0.21	<0.40	<0.36	<0.74	<0.40	<0.36		Naphthalene <0.47
MW-4	11/18/2004				3.9	15	<0.67	66	22	<0.61		Naphthalene 20
MW-4	11/18/2004											Isopropylbenzene 2.6
MW-4	11/18/2004											n-Propylbenzene 3.1
MW-4	11/18/2004											p-Isopropyltoluene Q 3.1
MW-4	11/18/2004											sec-Butylbenzene Q 1.4
MW-4	11/18/2004											Naphthalene 13
MW-4	3/6/2005				0.86	9.1	<0.36	38	19.8	<0.36		Naphthalene 1400
MW-4	7/15/2005				52	310	7.5 Q	1300	1190	<7.2		Chrysene-Q 3.4
MW-4	8/4/2005											Flourene-Q 460
MW-4	8/4/2005											Naphthalene Q 820

**Table 2**  
**Groundwater Analytical Results Summary**  
**Project #200416**  
 (Results are in µg/l)

Sample	Date	Lab Notes	DRO	GRO	Benzene	Ethylbenzene	Toluene	Xylenes	TMBs	MTBE	Lead	Other VOCs & PAHs
MW-4	10/28/2005				<b>41</b>	120	2.1 Q	330	242	<0.90		Naphthalene <b>240</b>
MW-4	1/16/2006				<b>27</b>	96	1.8 Q	330	296	<0.72		Naphthalene <b>260</b>
NR 140 Enforcement Standards (ES)			NE	NE	5	700	1,000	10,000	480	60	15	Naphthalene 40
NR 140 Preventive Action Limits (PAL)			NE	NE	0.5	140	200	1,000	96	12	1.5	Naphthalene 8

**ABBREVIATIONS:**

µg/l = micrograms per liter or parts per billion (ppb)  
 TMBs = 1,2,4- and 1,3,5-trimethylbenzenes  
 VOCs = Volatile Organic Compounds  
 ND = Not Detected

DRO = Diesel Range Organics  
 MTBE = Methyl-tert-butyl ether  
 NA = Not Analyzed  
 (Dup) = Duplicate

GRO = Gasoline Range Organics  
 PVOCS = Petroleum Volatile Organic Compounds  
 NE = No Standard Established  
 -- = Not Applicable

**NOTES:**

**Bold values** meet or exceed NR 140 enforcement standards.

*Italic values* meet or exceed NR 140 preventive action limits.

NR 140 ES - Wisconsin Administrative Code (WAC), Chapter NR 140.10 Table 1 - Public Health Groundwater Quality Standards.

NR 140 PAL - WAC, Chapter NR 140.10 Table 1 - Public Health Groundwater Quality Standards.

**LABORATORY NOTES:**

A "Q" listed after an analyte means the detection is quantified and is between the LOD and LOQ.

Created by:           CLI, 3/6/2006            
 Checked by:           BJS, 3/6/2006

**Table 1**  
**Soil Analytical Results Summary**  
**Project # 200416**

(Results are in µg/kg, except where noted otherwise)

Sample	Date	Depth (feet)	PID	Lab Notes	DRO (mg/kg)	GRO (mg/kg)	Benzene	Ethylbenzene	Toluene	Xylenes	1,2,4-TMB	1,3,5-TMB	MTBE	Lead (mg/kg)	Other VOCs
GP-1	4/19/2004	6-8			<b>1400</b>		<50	810	<50	2700	7300	2300	<50		
GP-1	4/19/2004	16			<5.4		<25	<25	<25	<50	<25	<25	<25		
GP-2	4/19/2004	8-10			<5.7		<25	<25	<25	<50	<25	<25	<25		
GP-3	4/19/2004	4-8			<5.6		<25	<25	<25	<50	<25	<25	<25		
GP-4	4/19/2004	4-6			<5.6		<25	<25	<25	<50	<25	<25	<25		
GP-5	4/19/2004	8-10			<5.0		<25	<25	<25	<50	<25	<25	<25		
GP-6	4/19/2004	8-10			<5.7		<25	<25	<25	<50	<25	<25	<25		
S-1	10/28/2004	9			32										
S-2	10/28/2004	Truck			<b>1300</b>										
S-3	10/28/2004	7			<6.2										
S-4	10/28/2004	7			9.5										
S-5	10/28/2004	7			<6.2										
S-6	10/28/2004	7			<5.7										
NR 720 Residual Contaminant Level (RCL)					100	100	5.5	2,900	1,500	4,100	NE	NE	NE	50	
NR 746 Table 1					NE	NE	8,500	4,600	38,000	42,000	83,000	11,000	NE	NE	1,2-Dichloroethane 600 Naphthalene 2,700
NR 746 Table 2					NE	NE	1,100	NE	NE	NE	NE	NE	NE	NE	1,2-Dichloroethane 540

**ABBREVIATIONS:**

µg/kg = micrograms per kilogram or parts per billion (ppb)  
DRO = Diesel Range Organics  
MTBE = Methyl-tert-butyl ether  
NA = Not Analyzed  
-- = Not Applicable

mg/kg - milligrams per kilogram or parts per million (ppm)  
GRO = Gasoline Range Organics  
VOCs = Volatile Organic Compounds  
ND = Not Detected

PID = Photo-Ionization Detector  
TMB = Trimethylbenzene  
NE = Not Established  
(Dup) = Duplicate


**NOTES:**

**Bold** values exceed NR 720 RCLs.  
NR 720 RCL - Wisconsin Administrative Code (WAC), Chapter NR 720 Residual Contaminant Level.  
NR 746 Table 1 - WAC, Chapter NR 746.06(2)(b) Table 1 - Indicators of Residual Petroleum Product in Soil Pores.  
NR 746 Table 2 - WAC, Chapter NR 746.06(2)(b) Table 2 - Protection of Human Health from Direct Contact with Contaminated Soil.



**LABORATORY NOTES:**

Created by: \_\_\_\_\_ Initials and date \_\_\_\_\_



GRAVEL ALLEY



MW-1  
⊗



⊗  
MW-2



MW-3  
⊗



MAPLE STREET

THIS IS NOT A SURVEY

LEGEND

- MW-1 ⊗ MONITORING WELL
- ⊗ WATER SUPPLY WELL
- G-G- UNDERGROUND NATURAL GAS
- [ ] FORMER UST LOCATION
- GROUNDWATER FLOW DIRECTION, JANUARY 2006
- ESTIMATED EXTENT OF GROUNDWATER CONTAMINATION

FIGURE 4 - HORIZONTAL EXTENT OF GROUNDWATER CONTAMINATION

BRULE TOWN HALL  
BRULE WISCONSIN

DATE: 2/7/06	REV:	SCALE: 1" = 20'	DRAWN BY: HH
-----------------	------	--------------------	-----------------

CRAIG ENVIRONMENTAL, LLC and  
NORTHERN WISCONSIN-BASED ENGINEERS, INC.

**Table 3**  
**Groundwater Elevation and Well Construction Data**

Well	Date	Top PVC	Top Screen	DTW	TWD	WC	GW ELEV
MW-1	11/18/2004	1002.20	994.90	12.41	17.42	5.01	989.79
MW-1	3/6/2005	1002.20	994.90	13.22	18.05	4.83	988.98
MW-1	7/15/2005	1002.20	994.90	12.77	17.95	5.18	989.43
MW-1	1/16/2006	1002.20	994.90	12.90	17.26	4.36	989.30
MW-2	11/18/2004	1003.84	994.90	15.18	19.01	3.83	988.66
MW-2	3/6/2005	1003.84	994.90	16.02	19.38	3.36	987.82
MW-2	7/15/2005	1003.84	994.90	15.20	19.37	4.17	988.64
MW-2	1/16/2006	1003.84	994.90	16.05	18.87	2.82	987.79
MW-3	11/18/2004	1001.31	993.30	13.21	17.76	4.55	988.10
MW-3	3/6/2005	1001.31	993.30	13.96	18.26	4.30	987.35
MW-3	7/15/2005	1001.31	993.30	13.43	18.07	4.64	987.88
MW-3	1/16/2006	1001.31	993.30	14.02	17.51	3.49	987.29
MW-4	11/18/2004	1001.99	993.30	12.90	17.83	4.93	989.09
MW-4	3/6/2005	1001.99	993.30	13.69	18.20	4.51	988.30
MW-4	7/15/2005	1001.99	993.30	13.80	18.17	4.37	988.19
MW-4	1/16/2005	1001.99	993.30	13.12	18.05	4.93	988.87

**NOTES**

All elevations are based on Mean Sea Level.

DTW means Depth to Water.

TWD means Total Well Depth.

WC means Water Column.

Water table elevations not available for the 10/28/2004 sampling event.

GRAVEL ALLEY



APPROXIMATE NORTH

MW-1  
⊗ 989.30

WELL NO.	LOCATION	ELEVATION*
MW-1	TOP OF PVC	1002.20
MW-1	TOP OF STICK-UP	1002.11
MW-1	GROUND	1000.44
MW-2	TOP OF PVC	1003.84
MW-2	TOP OF STICK-UP	1003.79
MW-2	GROUND	1001.42
MW-3	TOP OF PVC	1001.31
MW-3	TOP OF STICK-UP	1001.19
MW-3	GROUND	999.80
MW-4	TOP OF PVC	1001.99
MW-4	TOP OF STICK-UP	1001.98
MW-4	GROUND	999.34
SUP. WELL	TOP OF NUT ON CAP	1004.22
SUP. WELL	GROUND	1001.25


\*ELEVATIONS ARE BASED ON NGS BM C 208 LOCATED NEAR NW CORNER BRULE POST OFFICE

MW-4  
⊗ 988.87

⊗  
MW-2  
987.79

987.5

MW-3  
⊗ 987.29



MAPLE STREET

THIS IS NOT A SURVEY

LEGEND

- ⊗ MW-1 988.98 MONITORING WELL WITH GROUNDWATER ELEVATION, JANUARY 2006
- ⊙ WATER SUPPLY WELL
- 0.015 APPROX. GROUNDWATER FLOW DIRECTION AND HORIZONTAL GRADIENT
- 989.0 — WATER TABLE ELEVATION CONTOUR, 0.5 FT CONTOUR INTERVAL (FT/MSL)
- G — G UNDERGROUND NATURAL GAS

FIGURE 6 - GROUNDWATER FLOW DIRECTION, JANUARY 2006

BRULE TOWN HALL  
BRULE WISCONSIN

DATE: 2/3/06	REV:	SCALE: 1" = 20'	DRAWN BY: HH
-----------------	------	--------------------	-----------------

CRAIG ENVIRONMENTAL, LLC and  
NORTHERN WISCONSIN-BASED ENGINEERS, INC.


GRAVEL ALLEY



APPROXIMATE NORTH

WELL NO.	LOCATION	ELEVATION*
MW-1	TOP OF PVC	1002.20
MW-1	TOP OF STICK-UP	1002.11
MW-1	GROUND	1000.44
MW-2	TOP OF PVC	1003.84
MW-2	TOP OF STICK-UP	1003.79
MW-2	GROUND	1001.42
MW-3	TOP OF PVC	1001.31
MW-3	TOP OF STICK-UP	1001.19
MW-3	GROUND	999.80
MW-4	TOP OF PVC	1001.99
MW-4	TOP OF STICK-UP	1001.98
MW-4	GROUND	999.34
SUP. WELL	TOP OF NUT ON CAP	1004.22
SUP. WELL	GROUND	1001.25

\*ELEVATIONS ARE BASED ON NGS BM C 208 LOCATED NEAR NW CORNER BRULE POST OFFICE



MAPLE STREET

THIS IS NOT A SURVEY

LEGEND

- MW-1 ⊗ 988.98 MONITORING WELL WITH GROUNDWATER ELEVATION, MARCH 2005
- ⊙ WATER SUPPLY WELL
- 0.013 → APPROX. GROUNDWATER FLOW DIRECTION AND HORIZONTAL GRADIENT
- 989.0— WATER TABLE ELEVATION CONTOUR, 0.5 FT CONTOUR INTERVAL (FT/MSL)
- G—G UNDERGROUND NATURAL GAS

FIGURE 5 - GROUNDWATER FLOW DIRECTION, MARCH 2005

BRULE TOWN HALL  
BRULE WISCONSIN

DATE: 4/6/05	REV:	SCALE: 1" = 20'	DRAWN BY: HH
-----------------	------	--------------------	-----------------

CRAIG ENVIRONMENTAL, LLC and  
NORTHERN WISCONSIN-BASED ENGINEERS, INC.



GRAVEL ALLEY

GP-5

MW-1

GP-6

APPROXIMATE NORTH



GP-3

GP-2

GP-1

C/O

MW-4

⊗

⊗

MW-2

WOOD DECK

BRULE TOWN HALL

RAMP

GARAGE

GAS VENT/  
CLEANOUT

GP-4

MW-3

MAPLE STREET

THIS IS NOT A SURVEY

LEGEND


- MW-1 ⊗ MONITORING WELL
- ⊗ WATER SUPPLY WELL
- G-G- UNDERGROUND NATURAL GAS
- GP-1 ■ GEOPROBE
- - - PROPERTY LINE (NOT SURVEYED)
- ( ) LIMITS OF EXCAVATION

FIGURE 2 - SITE MAP

BRULE TOWN HALL  
BRULE WISCONSIN

DATE:	REV:	SCALE:	DRAWN BY:
11/30/04	1/12/06	1" = 20'	HH

CRAIG ENVIRONMENTAL, LLC and  
NORTHERN WISCONSIN-BASED ENGINEERS, INC.



SECTION A - A'

NOTE: MW-4 INSTALLED IN EXCAVATION AT GP-1 LOCATION

- LEGEND
- 987.29' WATER TABLE, JANUARY 2006
  - ?--- APPROX. LIMIT OF SOIL CLASS.
  - MW-3 MONITORING WELL WITH SCREEN
  - SC CLAYEY SAND
  - SM SILTY SAND
  - SP POORLY GRADED SAND
  - CL CLAY, CLAY WITH SILT AND SAND
  - ML SILT, SILT WITH FINE SAND
  - FILL SAND, SILTY SAND FILL MATERIAL





FIGURE 7  
GEOLOGICAL CROSS SECTION A - A'

BRULE TOWN HALL  
BRULE WISCONSIN

DATE: 2/6/06	REV:	SCALE: 1" = 5' VERT. 1" = 20' HORIZ.	DRAWN BY: HH
-----------------	------	--------------------------------------------	-----------------

CRAIG ENVIRONMENTAL, LLC and  
NORTHERN WISCONSIN-BASED ENGINEERS, INC.



**FIGURE 8**  
**GEOLOGICAL CROSS SECTION B - B'**

BRULE TOWN HALL  
 BRULE WISCONSIN

DATE: 2/14/06    REV:    SCALE: 1" = 5' VERT. 1" = 20' HORIZ.    DRAWN BY: HH


CRAIG ENVIRONMENTAL, LLC and  
 NORTHERN WISCONSIN-BASED ENGINEERS, INC.

**LEGEND**

987.29' WATER TABLE, JANUARY 2006  
 ---?--- APPOX. LIMIT OF SOIL CLASS.

MW-2 MONITORING WELL WITH SCREEN  
 GP-2 GEOPROBE, INSTALLED 4/20/2004

SC CLAYEY SAND  
 SM SILTY SAND  
 SP POORLY GRADED SAND  
 CL CLAY, CLAY WITH SILT AND SAND  
 ML SILT, SILT WITH FINE SAND



# TOWN OF BRULE

BRULE, WISCONSIN

54820

March 14, 2006

Town Board of Supervisors  
Town of Brule  
Brule, Wisconsin 54820

Subject: Legal Description for the Town of Brule Town Hall Property  
WDNR GIS Registry of Contaminated Properties

The Town Board of Supervisors for the Town of Brule, Douglas County, Wisconsin, believes that the legal description included in this submittal for the Town Hall contaminated site, represents the property where the Town Hall is located.

This is not a legal opinion.

By: *Tennis Smet, CHAIR*, Town of Brule