

GIS REGISTRY INFORMATION

SITE NAME:	Camper Land & Marine Co			FID #	
BRRTS #:	03-26-000632			(if appropriate):	
COMMERCE #:	54534-9770-20-A				
CLOSURE DATE:	January 11, 2007				
STREET ADDRESS:	In220 Us Hwy 2				
CITY:	Hurley				
SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):	X =	504335	Y =	666628	
CONTAMINATED MEDIA:	Groundwater	<input type="checkbox"/>	Soil	<input checked="" type="checkbox"/>	Both <input type="checkbox"/>
OFF-SOURCE GW CONTAMINATION >ES:	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	
• IF YES, STREET ADDRESS:					
• GPS COORDINATES X = Y =					
(meters in WTM91 projection):					
OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	
• IF YES, STREET ADDRESS 1:					
• GPS COORDINATES X = Y =					
(meters in WTM91 projection):					
CONTAMINATION IN RIGHT OF WAY:	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	
<u>DOCUMENTS NEEDED</u>					
Closure Letter, and any conditional closure letter issued or denial letter issued					<input checked="" type="checkbox"/>
Copy of any maintenance plan referenced in the final closure letter					<input type="checkbox"/>
Copy of (soil or land use) deed notice <i>if any required as a condition of closure</i>					<input type="checkbox"/>
Copy of most recent deed, including legal description, for all affected properties					<input checked="" type="checkbox"/>
Certified survey map or relevant portion of the recorded plat map <i>(if referenced in the legal description)</i> for all affected properties					<input type="checkbox"/>
County Parcel ID number, <i>if used for county</i> , for all affected properties					<input checked="" type="checkbox"/>
Location Map that outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily. If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.					<input checked="" type="checkbox"/>
Detailed Site Map(s) for all affected properties , showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.					<input checked="" type="checkbox"/>
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)					<input checked="" type="checkbox"/>
Tables of Latest Soil Analytical Results (no shading or cross-hatching)					<input checked="" type="checkbox"/>
Isoconcentration map(s), if required for site investigation (SI). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.					<input type="checkbox"/>
GW: Table of water level elevations, with sampling dates, and free product noted if present					<input type="checkbox"/>
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)					<input type="checkbox"/>
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour					<input checked="" type="checkbox"/>
Geologic cross-sections, <i>if required for SI</i>					<input checked="" type="checkbox"/>
RP certified statement that legal descriptions are complete and accurate					<input checked="" type="checkbox"/>
Copies of off-source notification letters (if applicable)					<input type="checkbox"/>
Letter informing ROW owner of residual contamination (if applicable) (public, highway or railroad ROW)					<input type="checkbox"/>



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
P.O. Box 8044
Madison, Wisconsin 53708-8044
TDD #: (608) 264-8777
Fax #: (608) 267-1381
Jim Doyle, Governor
Mary P. Burke, Secretary

January 11, 2007

Jeri Emmrich
Camperland & Marine Company Inc
1N220 US Hwy 2
Hurley, WI 54530

RE: **Final Closure**

Commerce # 54534-9770-20-A DNR BRRTS # 03-26-000632
Camper Land & Marine Co, In220 Us Hwy 2, Hurley

Dear Ms. Emmrich:

The Wisconsin Department of Commerce (Commerce) has received all items required for closure of the site referenced above. This case is now listed as "closed" on the Commerce database and will be included on the Department of Natural Resources (DNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual contamination. It is in your best interest to keep all documentation related to the environmental activities that were conducted.

If residual contamination is encountered in the future, it must be managed in accordance with all applicable state and federal regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (608) 261-2515.

Sincerely,

A handwritten signature in black ink, appearing to read "David E. Blair".

David E. Blair
Senior Hydrogeologist
Site Review Section

cc: John Hunt, Coleman Engineering Company

2004

Warranty Deed

Ron + Laurie Stoffel

This Deed, made between Jeri E. Emmrich, a single woman, Grantor(s) and Stoffel's Country Properties, LLC, Grantee(s),

WITNESSETH, That the said Grantor(s), for a valuable consideration conveys to Grantee(s) the following described real estate in Iron County, State of Wisconsin:

SEE ATTACHED LEGAL DESCRIPTION.

THIS SPACE RESERVED FOR RECORDING DATA

NAME AND RETURN ADDRESS

08-0405-0000 and 08-0407-0000

PARCEL IDENTIFICATION NUMBER

This is homestead property.

Together with all and singular the hereditaments and appurtenances thereunto belonging; And above named grantors warrant that the title is good, indefeasible in fee simple and free and clear of encumbrances except any easements, restrictions and reservations of record, municipal and zoning ordinances, and will warrant and defend same.

Dated: June 30, 2006

Jeri E. Emmrich (SEAL) _____ (SEAL)
Jeri E. Emmrich
_____(SEAL) _____(SEAL)


AUTHENTICATION

Signature(s) authenticated: June 30, 2006

ACKNOWLEDGMENT

State of MICHIGAN)
) SS
GOGEBIC County.)

TITLE: MEMBER STATE BAR OF WISCONSIN



Personally came before me on June 30, 2006, the above named Jeri E. Emmrich to be known to be the person(s) who executed foregoing instrument and acknowledged the same.

Brancy Rowe

(Type or print)

Notary Public, GOGEBIC County, MICHIGAN
My commission is permanent. (If not, state expiration date:

3-12-07, 20__)

THIS INSTRUMENT WAS DRAFTED BY:
DEED PREPARER MAKES NO DETERMINATION AS TO TITLE
JACOBS, SILC, MCDONALD, & MOORE, P.C.
319 AURORA STREET
IRONWOOD, MI 49938

SCHEDULE A-1 CONTINUED

Located in the TOWN OF KIMBALL.

Parcel A

All that part of Government Lot 4, Section 11, Township 46 North, Range 2 East, more particularly described as follows:

Commencing at the point of intersection of the Northerly right-of-way of U.S. Highway No. 2, and the Easterly side of the Public highway running North and South along the Western boundary of said Government Lot 4;
thence 275 feet Southeasterly along the Northerly side of U.S. Highway No. 2;
thence 208.7 feet Northerly and parallel with the West side of said Government Lot 4, which is the POINT OF BEGINNING;
thence Northerly, parallel to the West line of said Government Lot 4, a distance of 306 feet to a point;
thence in a Northwesterly direction parallel to the Northerly side of U.S. Highway No. 2, a distance of 275 feet, to the West right-of-way of said public road, located on the West line of said Government Lot 4; thence in a Southerly direction along the West right-of-way of said public road, located on the West line of said Government Lot 4, a distance of 306 feet;
thence in a Southeasterly direction parallel to the North line of said U.S. Highway No. 2, a distance of 275 feet to the POINT OF BEGINNING.

Excepting all ores and mineral interests of record; and subject to any mining and development rights thereto.

Parcel B

All that part of Government Lot 4, Section 11, Township 46 North, Range 2 East, more particularly described as follows:

Commencing at the point of intersection of the Northerly side of U.S. No. 2 Highway and the Easterly side of the public highway running North and South along Western boundary of said Lot 4;
thence Southeasterly 275 feet along Northerly side of U.S. No. 2 Highway;
thence Northerly 208.7 feet and parallel with the Westerly side of said Lot 4;
thence Northwesterly 275 feet and parallel with the Northerly side of U.S. No. 2 Highway;
thence South 208.7 feet to the POINT OF BEGINNING.

Excepting all oil, gas, ores and mineral interests of record and subject to any mining and development rights thereto.

OWNER'S AFFIDAVIT

Copy

STATE OF MICHIGAN }
COUNTY OF GOGEBIC }

Title Insurance File No. : 3939

Each of the undersigned, being first duly sworn severally depose(s) and say(s):

1. That they are the true and lawful owners in fee of the premises situated in the TOWN of KIMBALL, County of Iron, State of Wisconsin, described as follows:

2.

SEE LEGAL DESCRIPTION ON TITLE WORK

3. That no other persons have any interests in title, in equity or otherwise, in and to said premises unless hereinafter stated, and that deponent(s) is/are not holding title for another in fulfillment of any trust or agreement or for the benefit of other person, firm or corporation and there are no chattel mortgages, conditional sales contracts, security agreements, financing statements, retention of title agreements, or personal property leases have been given or are now outstanding or are contemplated with respect to any materials, fixtures, appliances, furnishings, or equipment placed upon or installed in or upon said premises or the improvements thereon.

4. That during the period of six months immediately preceding the date of this affidavit no work has been done and no materials have been furnished in connection with the erection, equipment, repair, protection or removal of any building or other structure on said premises or in connection with the improvement of said premises in any manner whatsoever. That there are no incomplete buildings, structures or other improvements situated thereon and that no claim of laborers or materialmen remain unpaid and that no material incorporated into the premises is subject to any security interest.

5. That said premises are in the possession of seller and that to the knowledge of the deponent(s) no claims have been asserted by other parties as to said premises; that there are no outstanding leases or agreements affecting said premises; and that no encroachments nor disputes exist between deponents and others concerning the title to said premises or the boundary lines of the same nor as to the location of the improvements upon the said premises or the adjoining premises, that applicable building and use restrictions are not being violated, and that there are no easements affecting deponents ownership of the premises, EXCEPT: _____

6. That deponent(s) is/are over the age of 18 years.

7. That no proceeding in bankruptcy or receivership have been instituted by or against deponent(s) which are now pending, nor has/have deponent(s) made any assignment for the benefit of creditors which is in effect as to the said premises.

8. That deponent(s) know(s) of no lien for taxes and/or special assessments, real estate, federal, or state, of any kind or nature, including, but not limited to unpaid water and/or sewer bills, which now, or will, constitute a charge or lien on the said premises.

9. This is/is not residential property, and there has been an appraisal done, and their are no apparent discrepancies, and the street address of property is:

10. That this affidavit is made for the purpose of inducing the title underwriter to issue its title policy covering the said premises.


Dated this 30 day of June, 2006.


Jeri E. Emmrich
SELLER: JERI E. EMMRICH

FURTHER, DEPONENT(S) SAITH NOT:

Subscribed and sworn to before me this 30 day of JUNE, 2006.

Dorothy Rowe
Notary Public
My Commission Expires: 5/12/07





**FIGURE 2: PROJECT LOCATION DRAWING
CAMPERLAND AND MARINE CO., INC.**



Coleman Engineering Company
Ironwood, Michigan 49938

JOB NO. E-93594
DATE: 05/30/95





FIGURE 3 - SITE MAP
CAMPERLAND & MARINE
HURLEY, WI



COLEMAN ENGINEERING COMPANY
 635 CIRCLE DRIVE
 IRON MOUNTAIN, MICHIGAN 49801

DATE 3/30/05
 JOB NO EE-93594
 CADD FILE 93594-SITE



LEGEND

-  BORING LOCATION
-  APRIL 25, 2006 BORING LOCATION

*CAMPERLAND & MARINE CO., INC.
UNDERGROUND STORAGE TANK SITE*



COLEMAN ENGINEERING COMPANY
OF IRONWOOD
205 N. HARRISON STREET
IRONWOOD, MICHIGAN 49938

DATE: 5/11/06
JOB NO: 93594 D
CADD FILE: 93594-01

C:\Users\jvw\Documents\93594-01.DWG, 5/11/2006 1:09:28 PM

TABLE 1
Summary of Groundwater Analytical Results - Additional Site Investigation
Former Camperland and Marine Site
Hurley, Wisconsin

Concentration, micrograms per Liter (ug/L)								
Sample Location	Sample Date	Benzene	Ethyl-benzene	MTBE	Toluene	1,3,5-TMB	1,2,4-TMB	Xylenes
PW	11/17/2004	<0.41	<0.54	<0.61	<0.67	<0.83	<0.97	<2.63
DUP	11/17/2004	<0.41	<0.54	<0.61	<0.67	<0.83	<0.97	<2.63
DW	11/17/2004	<0.41	<0.54	<0.61	<0.67	<0.83	<0.97	<2.63
PAL		0.5	140	12	200	96	NR	1000
ES		5	700	60	1000	480	NR	10000

Notes:

< = Results are less than the LOD.

PAL = Preventive Action Limit as defined in Chapter NR 140, Wisconsin Administrative Code.

ES = Enforcement Standard as defined in Chapter NR 140, Wisconsin Administrative Code.

Bolded results exceed the PAL.

NR = Not Regulated

MTBE = Methyl-tert-butyl ether

TMB = Trimethylbenzene

Laboratory Footnotes:

LOD = Limit of Detection

LOQ = Limit of Quantitation

Coleman Engineering Company

CEC Project No. EE-93594

F:\Data\93000\93594\Lab Tables\GW Analytical Table.xls\Contaminants

05/09/05

Table 1
Camperland and Marine Company, Inc.
Headspace Results

Boring #	Date Sampled	Depth	Headspace Reading ¹	Boring #	Date Sampled	Depth	Headspace Reading ¹		
B-1	06/07/94	2.5' - 4.5'	23	B-8	06/08/94	2.5' - 4.5'	9.6		
		5.0' - 7.0' *	145			5.0' - 7.0' *	86		
		7.5' - 9.5'	54			7.5' - 9.5' *	6.8		
		10.0' - 12.0' *	100			10.0' - 12.0'	2		
B-2	06/07/94	2.5' - 4.5'	34	B-9	06/08/94	2.5' - 4.5'	8.4		
		5.0' - 7.0' *	195			5.0' - 7.0' *	1.6		
		7.5' - 9.5'	7			7.5' - 9.5'	2.8		
		10.0' - 12.0' *	105			10.0' - 12.0' *	2.2		
B-3	06/07/94	2.5' - 4.5'	<BG	B-10	03/20/95	1.0' - 3.0'	0.0		
		5.0' - 7.0' *	<BG			3.5' - 5.5' *	0.0		
		7.5' - 9.5'	<BG			6.0' - 8.0'	NR		
		10.0' - 12.0' *	<BG			8.5' - 10.5'	NR		
B-4	06/07/94	2.5' - 4.5'	<BG	B-11	03/20/95	1.0' - 3.0'	0.0		
		5.0' - 7.0'	<BG			3.5' - 5.5'	0.0		
		7.5' - 9.5' *	250			6.0' - 8.0' *	0.0		
		10.0' - 12.0' *	240			8.5' - 10.5'	0.0		
B-5	06/07/94	2.5' - 4.5'	180	B-12	03/20/95	1.0' - 3.0'	0.0		
		5.0' - 7.0' *	240			3.5' - 5.5'	0.0		
		7.5' - 9.5'	NR			6.0' - 8.0' *	0.0		
		10.0' - 12.0' *	190			8.5' - 10.5'	0.0		
B-6	06/08/94	2.5' - 4.5'	NR	B-13	03/20/95	0.0' - 15.5'	NA		
		5.0' - 7.0' *	2.2			-			
		7.5' - 9.5' *	2.0			B-14	03/20/95	0.0' - 18.0'	NA

¹ - Headspace results in units as isobutylene.

<BG = Headspace reading below background reading.

Background headspace result for B-1 through B-5 is 2.0 units of isobutylene.

Background headspace result for B-6 through B-9 is 1.0 units of isobutylene.

NR = No soil recovery for the interval sampled

* = Sample shipped to laboratory for analysis.

NA = Sample not analyzed

**Table 2:
GRO Soil Sample Analysis Results
Camperland & Marine Company, Inc.**

Boring #	Date Sampled	Depth¹	Headspace²	GRO (ppm)³
B-1	06/07/94	2.5 - 4.5	145	87
B-1	06/07/94	10.0 - 12.0	107	ND
B-2	06/07/94	5.0 - 7.0	195	793
B-2	06/07/94	10.0 - 12.0	105	18
B-3	06/07/94	5.0 - 7.0	<BG	ND
B-3	06/07/94	10.0 - 12.0	<BG	ND
B-4	06/07/94	7.5 - 9.5	250	1064
B-4 dup.	06/07/94	7.5 - 9.5	NA	471
B-4	06/07/94	10.0 - 12.0	240	668
B-5	06/07/94	5.0 - 7.0	240	1181
B-5	06/07/94	10.0 - 12.0	190	1338
B-6	06/08/94	5.0 - 7.0	2.2	ND
B-6	06/08/94	7.5 - 9.5	2.0	ND
B-7	06/08/94	5.0 - 7.0	1.6	ND
B-7	06/08/94	7.5 - 9.5	6.0	ND
B-8	06/08/94	5.0 - 7.0	86	248
B-8	06/08/94	7.5 - 9.5	6.8	103
B-9	06/08/94	5.0 - 7.0	1.6	ND
B-9	06/08/94	10.0 - 12.0	2.2	15
B-9 dup.	06/08/94	10.0 - 12.0	NA	13
Field Blank	06/08/94	---	NA	ND
NR 720 Interim Closure Limit		---	---	100

- 1 - Approximate feet below grade.
 - 2 - Headspace readings in units as isobutylene.
 - 3 - Laboratory Detection Limit is 5.0 ppm.
- Background headspace result for B-1 through B-5 is 2.0 units of isobutylene.
Background headspace result for B-6 through B-9 is 1.0 units of isobutylene.
- <BG Below background reading in units as isobutylene.
 - ND Not detected above laboratory detection limit.
 - NA Not analyzed.

Table 2 (Continued)
GRO Soil Sample Analysis Results
Camperland & Marine Company, Inc.

Boring #	Date Sampled	Depth¹	Headspace²	GRO (ppm)³
B-10	03/20/95	3.5' - 5.5'	0.0	ND
B-11	03/20/95	6.0' - 8.0'	0.0	ND
B-12	03/20/95	6.0' - 8.0'	0.0	ND
B-13	03/20/95	6.0' - 8.0'	NA	ND
B-14	03/20/95	6.0' - 8.0'	NA	ND
Trip Blank	03/16/95	--	NA	ND
NR 720 Interim Closure Limit		---	---	100

- 1 - Approximate feet below grade.
 - 2 - Headspace readings in units as isobutylene.
 - 3 - Laboratory Detection Limit is 5.0 ppm.
- Background headspace result for B-1 through B-5 is 2.0 units of isobutylene.
Background headspace result for B-6 through B-9 is 1.0 units of isobutylene.
<BG Below background reading in units as isobutylene.
ND Not detected above laboratory detection limit.
NA Not analyzed.

**Table 3
PVOC Sample Results
Camperland & Marine Company, Inc.**

Parameter	CL	B-1	B-1	B-2	B-2	B-3	B-3	B-4
Date Sampled		06/08/94	06/08/94	06/08/94	06/08/94	06/08/94	06/08/94	06/08/94
Depth (feet below grade)		5.0-7.0	10.0-12.0	5.0-7.0	10.0-12.0	5.0-7.0	10.0-12.0	7.5-9.5
Headspace		145	100	195	105	<BG	<BG	250
Benzene	5.5	ND	9	445	7	ND	ND	ND
Toluene	1500	18	ND	2180	16	ND	13	ND
Ethylbenzene	2900	18	94	2984	13	ND	ND	227
O-Xylene	4100	7	ND	534	9	ND	ND	6826
M/P-Xylene	4100	16	ND	1560	11	ND	ND	4096
MethylTertiary Butyl Ether	--	ND	ND	ND	ND	ND	ND	ND
1,2,4 Trimethylbenzene	--	9	23	4989	13	ND	9	34580
1,3,5 Trimethylbenzene	--	16	34	7706	13	ND	4	14560
1,2 Dichloroethane	5	ND	ND	ND	ND	ND	ND	ND

Parameter	CL	B-4	B-4	B-5	B-5	B-6	B-6	B-7
Date Sampled		06/08/94	06/08/94	06/08/94	06/08/94	06/08/94	06/08/94	06/08/94
Depth (feet below grade)		7.5-9.5 (DUP.)	10.0-12.0	5.0-7.0	10.0-12.0	5.0-7.0	7.5-9.5	5.0-7.0
Headspace		--	240	240	190	2.2	2.0	1.6
Benzene	5.5	ND	ND	767	ND	ND	ND	ND
Toluene	1500	ND	ND	17140	534	ND	13	13
Ethylbenzene	2900	178	116	5860	623	ND	ND	ND
O-Xylene	4100	1824	667	13350	2180	ND	ND	ND
M/P-Xylene	4100	668	267	22550	2180	ND	ND	ND
MethylTertiary Butyl Ether	--	ND	ND	ND	ND	ND	ND	ND
1,2,4 Trimethylbenzene	--	15130	11670	23450	6674	ND	ND	18
1,3,5 Trimethylbenzene	--	6230	7377	9019	2136	ND	ND	9
1,2 Dichloroethane	5	ND	ND	ND	ND	ND	ND	ND

PVOC results in micrograms per kilogram ($\mu\text{g}/\text{kg}$).

Headspace results in units as isobutylene.

LDL = Laboratory Detection Limit

ND = Not Detected

CL = NR 720 Interim Closure Limit (listed in $\mu\text{g}/\text{kg}$).

Table 3 (continued)
PVOC Sample Results
Camperland & Marine Company, Inc.
February 1994

Parameter	CL	B-7	B-8	B-8	B-9	B-9	B-9	Field Blank
Date Sampled		06/08/94	06/08/94	06/08/94	06/08/94	06/08/94	06/08/94	06/08/94
Depth (feet below grade)		7.5-9.5	5.0-7.0	7.5-9.5	5.0-7.0	10.0-12.0	10.0-12.0 (DUP.)	
Headspace		6.0	8.6	6.8	1.6	250	--	--
Benzene	5.5	ND	ND	294	ND	5	ND	ND
Toluene	1500	13	319	59	13	16	16	ND
Ethylbenzene	2900	ND	1320	160	ND	ND	ND	ND
O-Xylene	4100	ND	455	82	ND	31	ND	ND
M/P-Xylene	4100	ND	728	140	ND	ND	ND	ND
MethylTertiary Butyl Ether	--	ND	ND	ND	ND	ND	ND	ND
1,2,4 Trimethylbenzene	--	13	10011	86	7	19	9	ND
1,3,5 Trimethylbenzene	--	5	4098	59	ND	10	ND	ND
1,2 Dichloroethane	5	ND	ND	ND	ND	ND	ND	ND

Parameter	CL	B-10	B-11	B-12	B-13	B-14	Trip Blank
Date Sampled		03/20/95	03/20/95	03/20/95	03/20/95	03/20/95	03/20/95
Depth (feet below grade)		3.5-5.5	6.0-8.0	6.0-8.0	6.0-8.0	6.0-8.0	--
Headspace		<BG	<BG	<BG	<BG	<BG	--
Benzene	5.5	ND	ND	60	ND	ND	ND
Toluene	1500	71*	79*	94*	105*	109*	64*
Ethylbenzene	2900	ND	ND	ND	ND	ND	ND
O-Xylene	4100	ND	ND	ND	ND	ND	ND
M/P-Xylene	4100	ND	ND	ND	ND	ND	ND
MethylTertiary Butyl Ether	--	ND	ND	ND	ND	ND	ND
1,2,4 Trimethylbenzene	--	ND	ND	ND	ND	ND	ND
1,3,5 Trimethylbenzene	--	ND	ND	ND	ND	ND	ND
1,2 Dichloroethane	5	NA	NA	NA	NA	NA	NA

PVOC results in micrograms per kilogram ($\mu\text{g}/\text{kg}$).

Headspace results in units as isobutylene.

ND = Not Detected

CL = NR 720 Interim Closure Limit (listed in $\mu\text{g}/\text{kg}$).

* = Detect due to laboratory contamination of sample.

Table 2
Soil Analytic Results
 Camperland Marine Company
 WDNR BRRTS No. 03-26-000632
 COMM No. 54534-9770-20

Petroleum Volatile Organic Compounds (PVOCs)			Concentration Micrograms per Kilogram (ug/Kg)						
Sample Boring ID	Sample Depth (feet BGS)	Sample Date	Benzene	1,2,4 TMB	1,3,5, TMB	Ethylbenzene	MTBE	Toluene	Total Xylenes
SB-1	4-5	4/25/2006	<25	<25	<25	<25	<25	<25	<50
SB-1	5-6	4/25/2006	<25	<25	100	49	<25	<25	123
SB-2	4-5	4/25/2006	<200	36000	13000	3700	<200	1400	16200
SB-2	6-7	4/25/2006	530	480	180	190	<25	1600	1110
SB-3	4-5	4/25/2006	<50	2400	1100	710	<50	410	3300
SB-3	6-7	4/25/2006	<25	1600	510	620	<25	580	2920
Synthetic Precipitate Leaching Procedure (SPLP)									
SB-1	8-9	4/25/2006	<0.082	<0.19	<0.17	<0.11	<0.12	<0.13	<0.53
SB-2	9-10	4/25/2006	<0.082	<0.19	<0.17	<0.11	<0.12	<0.13	<0.53
SB-3	9-10	4/25/2006	<0.082	<0.19	<0.17	<0.11	<0.12	<0.13	<0.53
RCLs - Protection of Groundwater			5.5	NS	NS	2900	4.9	1,500	4,100

Pace Project No. 871292

Notes:

RCL = Residual Contaminant Level

BGS = below ground surface

< = Results are less than the LOD.

Bolded results exceed Chapter NR 720 Soil Cleanup Standards

NS = No Chapter NR720 Soil Cleanup Standard

TABLE 2
Summary of Soil Analytical Results - Additional Site Investigation
Former Camperland and Marine Site
Hurley, Wisconsin

Sample Location	Sample Date	Concentration Micrograms per Kilogram (ug/Kg)								Concentration Milligrams per Kilogram (mg/Kg)	
		1,2-DCA	1,2,4-TMB	1,3,5-TMB	Benzene	Ethylbenzene	MTBE	Toluene	Total Xylenes	DRO	GRO
SP-1	11/17/2004	NA	<25	<25	<25	<25	<25	30 Q	<75	10	<2.9
SP-2	11/17/2004	NA	<25	<25	<25	<25	<25	<25	<75	7	<2.8
NR 720 Soil Cleanup Standards		5	NR	NR	5.5	2900	NR	1500	4100	250	250

Notes:

< = Results are less than the LOD.

Bolded results exceed the NR 720 Soil Cleanup Standards

NR = Not Regulated

NA = Not Analyzed

1,2-DCA = 1,2-Dichloroethane

TMB = Trimethylbenzene

MTBE = Methyl-tert-butyl-ether

DRO = Diesel Range Organics

GRO = Gasoline Range Organics

Laboratory Footnotes:

LOD = Limit of Detection


LOQ = Limit of Quantitation

Q = The analyte has been detected between the LOD and LOQ. The results are qualified due to the uncertainty of analyte concentrations within this range.

Coleman Engineering Company

CEC Project No. EE-93594

F:\Data\93000\93594\Lab Tables\Soil Analytical Table.xls\Soil Concentration





**FIGURE 3 - SITE MAP
CAMPERLAND & MARINE
HURLEY, WI**



COLEMAN ENGINEERING COMPANY
635 CIRCLE DRIVE
IRON MOUNTAIN, MICHIGAN 49801

DATE 3/30/05
JOB NO EE-93594
CADD FILE 93594-SITE





LEGEND

 BORING LOCATION


CAMPERLAND & MARINE CO., INC.
UNDERGROUND STORAGE TANK REMOVAL
 CROSS-SECTION LOCATIONS



COLEMAN ENGINEERING COMPANY
 OF IRONWOOD
 205 N. HARRISON STREET
 IRONWOOD, MICHIGAN 49938

DATE: JUNE 95
 JOB NO: 93594 D
 CADD FILE: 93594-01

FIGURE 4



NR = No Recovery. Headspace sample not taken.
 BG = Background Volatile Organic Compounds Concentration.

HORIZONTAL SCALE 1" = 10'
 VERTICAL SCALE 1" = 5'

CAMPERLAND & MARINE COMPANY, INC.

FIGURE 5: VERTICAL EXTENT OF IMPACT
 LOOKING NORTHWEST


NOTE: THIS CROSS SECTION APPROXIMATES ACTUAL CONDITIONS BETWEEN BORINGS. HEADSPACE SAMPLE RESULTS ARE SHOWN ON THE RIGHT SIDE OF BORINGS. VALUES PRESENTED REFLECT HEADSPACE READINGS COLLECTED EVERY 2.5 FEET.

□ INDICATES SAMPLES HAVING ELEVATED HEADSPACE READINGS.

← INDICATES SAME SOILS CHARACTERISTICS.



COLEMAN ENGINEERING COMPANY
 of Ironwood
 205 North Harrison Street
 Ironwood, MI 49938
 (906) 932-5048



HORIZONTAL SCALE 1" = 10'
 VERTICAL SCALE 1" = 5'

CAMPERLAND & MARINE COMPANY, INC.

FIGURE 6: VERTICAL EXTENT OF IMPACT
 LOOKING SOUTHWEST

NOTE: THIS CROSS SECTION APPROXIMATES ACTUAL CONDITIONS BETWEEN BORINGS. HEADSPACE SAMPLE RESULTS ARE SHOWN ON THE RIGHT SIDE OF BORINGS. VALUES PRESENTED REFLECT HEADSPACE READINGS COLLECTED EVERY 2.5 FEET.

□ INDICATES SAMPLES HAVING ELEVATED HEADSPACE READINGS.

← INDICATES SAME SOILS CHARACTERISTICS.

COLEMAN ENGINEERING COMPANY
 of Ironwood
 205 North Harrison Street
 Ironwood, MI 49938
 (906) 932-5048

Responsible Party Statement

I, Ms. Jerri Emmerich, am the former owner of the property known as Camperland and Marine Company, Inc. The property is now owned by Stoffel's Country Properties LLC. I believe that the legal description included in this GIS Registry Packet (soil) for the Camperland and Marine Company Inc. site (BRRTS# 03-26-000623) is accurate.

Signed

MS Jerri Emmerich

Ms. Jerri Emmerich

Date 12-27-06