

**GIS REGISTRY INFORMATION**

SITE NAME: Former Greg's Service a/k/a Petrovest  
 BRRTS # 03-44-000135 FID # (if appropriate): \_\_\_\_\_  
 COMMERCE #: (if appropriate) 54562-9999-26-A  
 CLOSURE DATE: 1/5/04  
 STREET ADDRESS: Hwy 32 & 45  
 CITY: Three Lakes

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 5856560 Y= 591893

CONTAMINATED MEDIA: Groundwater  Soil  Both   
 OFF-SOURCE CONTAMINATION (>ES):  Yes  No

IF YES, STREET ADDRESS 1: 1614 Hwy 32

GPS COORDINATES (meters in WTM91 projection): X= 585643 Y= 591932

IF YES, STREET ADDRESS 2: 1628 Hwy 32

GPS COORDINATES (meters in WTM91 projection): X= 585581 Y= 591944

IF YES, STREET ADDRESS 3: \_\_\_\_\_

GPS COORDINATES (meters in WTM91 projection): X= \_\_\_\_\_ Y= \_\_\_\_\_

Off -Source SOIL CONTAMINATION >GENERIC OR SITE-SPECIFIC RCL (SSRCL):  Yes  No

IF YES, STREET ADDRESS 1: \_\_\_\_\_

GPS COORDINATES (meters in WTM91 projection): X= \_\_\_\_\_ Y= \_\_\_\_\_

CONTAMINATION IN RIGHT OF WAY:  Yes  No

**DOCUMENTS NEEDED:**

Closure Letter, and any conditional closure letter issued

Copy of most recent deed, including legal description, for all affected properties

Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties  
 County Parcel ID number, if used for county, for all affected properties *(on deed copies)*

Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.

Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.

Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)

Tables of Latest Soil Analytical Results (no shading or cross-hatching)

N/A

Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.

GW: Table of water level elevations, with sampling dates, and free product noted if present

GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)

N/A

SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour.

Geologic cross-sections, if required for SI. (8.5x14" if paper copy)

RP certified statement that legal descriptions are complete and accurate


Copies of off-source notification letters (if applicable)

Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)

Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure.

N/A





## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Bruce Moss, Acting Regional Director

Northern Region Headquarters  
107 Sutliff Ave.  
Rhinelander, Wisconsin 54501  
Telephone 715-365-8900  
FAX 715-365-8932  
TDD 715-365-8957

January 7, 2004

Mr. Don Rasmussen  
2441 Willow Dr  
Plover, WI 54467

**SUBJECT:** Final Case Closure By Closure Committee  
Former Greg's Service Station, Hwy 32 & 45, Three Lakes, WI  
WDNR BRRTS #: 03-44-000135  
PECFA # 54562-9999-26

Dear Mr. Rasmussen:

On November 7, 2003, your site as described above was reviewed for closure by the Northern Region Closure Committee. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On November 7, 2003, you were notified that the Closure Committee had granted conditional closure to this case.

On January 5, 2004, the Department received correspondence indicating that you have complied with the conditions of closure, specifically, abandonment of the monitoring wells and the potable office well on site and provision of additional materials for the GIS Registry. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-365-8990.



*Quality Natural Resources Management  
Through Excellent Customer Service*




Sincerely,  
NORTHERN REGION

A handwritten signature in cursive script that reads "Janet Kazda".

Janet Kazda  
Remediation and Redevelopment Program

cc: File

Jason Bartley  
Drake Environmental  
6980 N Teutonia Ave  
Milwaukee, WI 53209-2536



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
William H. Smith, Regional Director

Northern Region Headquarters  
107 Sutliff Ave.  
Rhineland, Wisconsin 54501  
Telephone 715-365-8900  
FAX 715-365-8932  
TDD 715-365-8957

November 7, 2003

Mr. Don Rasmussen  
2441 Willow Dr  
Plover, WI 54467

Subject: Conditional Case Closure  
Former Greg's Service Station, Hwy 32 & 45, Three Lakes, Wisconsin  
WDNR BRRTS # 03-44-000135  
PECFA # 54562-9999-26

Dear Mr. Rasmussen:

On November 7, 2003, your request for closure of the case described above was reviewed by the Northern Region Closure Committee. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the gasoline contamination on the site appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

The monitoring wells and the potable well serving the office at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to me on Form 3300-5B found at [www.dnr.state.wi.us/org/water/dgw/gw/](http://www.dnr.state.wi.us/org/water/dgw/gw/) or provided by the Department of Natural Resources. **In addition, you must provide a copy of the well abandonment documentation for the potable office well to Chuck Fitzgerald at the same above address.**

The materials provided for the Soil GIS Registry did not contain a detailed site map. This map should be a "neighborhood" map showing roads, buildings, utility lines, neighboring buildings, potable wells, and other features of the surrounding area. This map should not include groundwater flow directions, monitoring well locations, or other technical details. Please send this diagram to me at the above address as soon as possible.

On July 31, 2003, the Department received your check # 222 in the amount of \$200 in payment for listing your site on the Soil GIS Registry. A review of the file indicates that this listing is not necessary. The Department will begin processing your refund, and you will receive this payment shortly.

When the above conditions have been satisfied, please submit a letter to let me know that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the

registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>.

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-365-8990.

Sincerely,  
NORTHERN REGION



Janet Kazda  
Remediation and Redevelopment Program

c: File  
Chuck Weister, Rhinelander  
Chuck Fitzgerald, Rhinelander

Jason Bartley  
Drake Environmental  
6980 N Teutonia Ave  
Milwaukee, WI 53209-2536

Scale 1 : 2,009



Please read the documentation for more

information.

▲ WTM coordinates: 585656, 591893

FORMER GROSS SERVICE STATION ("SUBJECT SITE")

INTERSECTION OF HWY 32 AND HWY 45

THREELAKES, WI 54562

PARCEL NO. 036-447-3

Scale 1 : 2,542



Please read the documentation for more

information.

▲ WTM coordinates: 585581, 591944

LAMON RESIDENCE (DOWNGRADIENT PROPERTY)

11628 Hwy 32

THREE LAKES, WI 54562

PARCEL NO. 036-446-1

Scale 1 : 2,542



Please read the documentation for more

information.

▲WTM coordinates: 585643, 591932

THREE LAKES EVANGELICAL CHURCH (DOWNGRADIENT PROPERTY)  
1614 Hwy 32  
THREE LAKES, WI 54562

Parcel NO. 036-446-2



## LEGAL DESCRIPTION

(THREE LAKES SITE)

## Parcel 1

That part of the NE 1/4 of the NE 1/4 of Section 7, Township 38 North, Range 11 East, more particularly described as follows:

Commencing at the Northeast corner of Section 7, Township 38 North, Range 11 East; thence North  $84^{\circ}02'$  West along the North line of said Section 7, a distance of 500 feet; thence South  $5^{\circ}58'$  West a distance of 33 feet to the South right of way line of State Highway "32" marked with an iron pipe, the point of beginning; thence South  $5^{\circ}58'$  West a distance of 86.3 feet to the Northerly right of way line of U.S. Highway No. "45" marked with an iron pipe; thence Northwesterly along the curve on said right of way line the long chord of which bears North  $55^{\circ}55'$  West a distance of 211 feet to an iron pipe marking the right of way intersection of U.S. Highway No. "45" and State Highway No. "32"; thence South  $84^{\circ}02'$  East along the South right of way of State Highway No. "32" a distance of 192.7 feet to the place of beginning.

## Parcel 2

That 10 foot wide strip of land adjoining the parcel previously contracted to be conveyed to the above-named grantee, Milwaukee Petroleum Company, and which 10 foot wide strip is located in part of the NE 1/4 of the NE 1/4 of Section 7, Township 38 North, Range 11 East, and is more particularly described as follows:

Begin at the Southeast corner of the said parcel previously conveyed, which corner is located by beginning at the NE corner of said NE 1/4 of the NE 1/4 and proceeding North  $84^{\circ}02'$  West along its North line 500 feet; thence South  $5^{\circ}58'$  West 33 feet to an iron pipe on the South Right of Way line of State Highway No. "32" and again on the same course 86.3 feet to the Southeast corner of the parcel previously conveyed which is the point of beginning of this parcel; thence North  $5^{\circ}58'$  East 86.3 feet to the South Right of Way line of Highway No. "32"; thence East 10 feet along said South Right of Way; thence South  $5^{\circ}58'$  West to intersect the Northerly Right of Way line of State Trunk Highway No. "45"; thence Northwesterly along the Right of Way line of Highway No. "45" to the point of beginning.

## Parcel 3

A parcel of land being a part of the NE 1/4 of the NE 1/4 Section 7, Township 38 North, Range 11 East and being more particularly described as follows:

Commencing at the Northeast corner of said NE 1/4 NE 1/4; thence North  $84^{\circ}02'$  West along the centerline of State Highway No. "32" a distance of 450.0 feet; thence South  $5^{\circ}58'$  West, a distance of 33.0 feet to an iron pipe on the South Right of Way line of said Highway and the place of beginning; thence continuing South  $5^{\circ}58'$  West, a distance of 113.4 feet to an iron pipe on the Northerly Right of Way line of U.S. Highway No. "45"; thence North  $55^{\circ}34'$  West along the chord of a curve to the left, a distance of 45.52 feet; thence North  $5^{\circ}58'$  East a distance of 91.72 feet to the South Right of Way line of State Highway No. "32"; thence South  $84^{\circ}02'$  East along said Right of Way line, a distance of 40.0 feet to an iron pipe, the place of beginning.

## ONEIDA COUNTY, WIS.

Received for Record the 12<sup>th</sup>  
 day of March A.D. 1997  
937 o'clock a M. and Recorded in  
 Vol. 125 of RECORDS on page 224-825

Thomas H. Lightton  
 REGISTER OF DEEDS

VOL 0825 PAGE 825

DOCUMENT NO.

375833

STATE BAR OF WISCONSIN FORM 3 — 1982  
QUIT CLAIM DEED

THIS SPACE RESERVED FOR RECORDING DATA

JOHN LAMON, INC., a Wisconsin corporation,  
quit-claims to JOHN C. LAMON and NOREEN M. LAMON, his wife,  
as survivorship marital property.

the following described real estate in Oneida County,  
State of Wisconsin:

Lot 2 of Certified Survey Map prepared by Robert  
E. Bandow, surveyor of part of the SE 1/4 of the  
SE 1/4, Section 6, Township 38 North, Range 11  
East, dated March 9, 1977, in Volume 2 of Survey  
Maps on Page 387. Said property being located in  
the Town of Three Lakes, County of Oneida, state of  
Wisconsin.

ONEIDA COUNTY WIS.

Received for Record the 8th  
day of May A.D. 1989  
309 of Book P  
Vol. 598 of RECORDS on page 351  
Thomas H. Langston  
REGISTER OF DEEDS

RETURN TO  
ONEIDA TITLE & ABSTRACT, INC.

Tax Parcel No: .....

FEE  
#77.25 (3)  
EXEMPT

(Downgraded Property  
ACROSS FROM THREE LAKES SITE)

Tax Parcel #  
036-446-01

This ~~is~~ is not homestead property.  
(is not)

Dated this 1st day of May, 1989.

JOHN LAMON, INC., BY:  
John Lamont (SEAL) President  
James M. James (SEAL) Vice President

AUTHENTICATION

Signature(s) \_\_\_\_\_  
authenticated this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_  
TITLE: MEMBER STATE BAR OF WISCONSIN  
(If not, authorized by § 706.06, Wis. Stats.)

ACKNOWLEDGMENT

STATE OF WISCONSIN }  
ONEIDA County. } ss.  
Personally came before me this 1st day of  
May, 1989 the above named  
officers of John Lamon, Inc.

THIS INSTRUMENT WAS DRAFTED BY  
Attorney Ralph W. Koopman  
P.O. Box 1838  
Eagle River, WI 54521  
(Signatures may be authenticated or acknowledged. Both  
are not necessary.)

to me known to be the person(s) who executed the  
foregoing instrument and acknowledge the same.  
Dwain D. Koschuta  
Notary Public, Oneida County, Wis.  
My Commission is permanent (If not, state expiration  
date: March 8, 1992...)


FEE \$4.00  
VOL 598 PAGE 351

Oneida County Planning & Zoning  
 Committee has no objection to this  
 Certified Survey. Date: March 11th, 1977  
Janner  
 Administrator  
 Rec. 1837

REGISTER'S OFFICE  
 Oneida County, Wis.  
 Received for Record the 11<sup>th</sup> day of  
March A. D. 1977 at  
11<sup>05</sup> o'clock A. M. and recorded in  
 Vol. 2 of 5 Maps on page 387-387-A  
Joseph M. Bremer  
 Register  
 Deputy

CERTIFIED SURVEY MAP NO. 387

PART OF  
 SE 1/4 - SE 1/4  
 SECTION 6, T38N, R11E  
 ONEIDA COUNTY, WIS.



See Vol 5 ESM 1379  
 See Vol 6 ESM 1550

Page 387


SURVEYOR'S CERTIFICATE


I, ROBERT E. BANDOW, REGISTERED LAND SURVEYOR S-00104, hereby certify that I have surveyed, divided and mapped this certified survey located in the SE $\frac{1}{4}$ -SE $\frac{1}{4}$ , Section 6, Township 38 North, Range 11 East, Town of Three Lakes, Oneida County, Wisconsin, bounded and described as follows:

Commencing at the Southeast corner of said Section 6, an iron pipe, thence N 79°-22'-15" W 765.36 feet to an iron pipe on the North R/W line of State Trunk Highway 32 and the place of beginning, thence N 81°-34' W 313.99 feet, thence N 6°-00' E 35.00 feet, thence N 84°-00' W 200.00 feet, thence N 1°-21' E 376.90 feet, thence N 89°-59' E 508.24 feet, thence S 1°-21' W 478.72 feet to the place of beginning.

That I have made said survey and map at the direction of John Tillman, owner: that said map is a true and correct representation of all the exterior boundaries of the land surveyed, and that I have complied with the provisions of Section 236.34 of the Wisconsin Statutes.

March 9, 1977

  
Robert E. Bandow, R.L.S. 104  
GENISOT & ASSOCIATES, INC.



Page 387-A

DOCUMENT NO.

337424

TRANSFER \$ 135.00 FEE

STATE BAR OF WISCONSIN - FORM 1 WARRANTY DEED THIS SPACE RESERVED FOR RECORDING DATA

ONEIDA COUNTY, WIS.

Received for Record this 19th day of November A.D. 1984 Vol. 810 of Record A.M. and Recorded in Vol. 519 of Records on page 205-206 Doni Varag. Kuehn REGISTER OF DEEDS

THIS DEED, made between NORMAN BREWSTER, ALVIN BREWSTER, ALICE M. PAREMSKI, ARLENE CUMMINGS, NANCY J. VAUGHN, ERWIN BREWSTER, DONALD PAREMSKI and MARY JANE GENSLER, Grantor and THREE LAKES EVANGELICAL FREE CHURCH

Witnesseth, That the said Grantor, for a valuable consideration

conveys to Grantee the following described real estate in Oneida County, State of Wisconsin:

A parcel of land being a part of the SE1/4-SE1/4, Section 6, T 36 N, R 11 E, Oneida County, Wisconsin, and being more particularly described as follows: Commencing at the Southeast corner of said Section 6 being Tax Key No. marked by a P.K. Nail in the intersection of State Trunk Highway 32 and Hwy. "X", thence N 85° 52' W 434.03 feet, thence N 73° 18' W 335.88 feet to an iron pipe on the Northerly R/W line of said Hwy. 32 and the Place of Beginning, thence N 0° 20' E 478.72 feet (N 1° 21' E of record) to an iron pipe, thence S 82° 58' 44" E 724.71 feet to an iron pipe on the Westerly R/W line of said Hwy. "X", thence along said Westerly R/W line S 0° 54' 15" W 64.00 feet to an iron pipe, N 88° 59' 06" W 21.67 feet to an iron pipe, thence S 1° 07' 35" W 300.73 feet to an iron pipe and S 47° 26' 25" W 110.97 feet to an iron pipe on the Northerly R/W line of said Hwy. 32, thence along said Northerly R/W line N 82° 45' 24" W 243.26 feet to an iron pipe, S 5° 36' 05" W 26.96 feet to an iron pipe, N 82° 45' 24" W 57.11 feet to an iron pipe and N 83° 00' 25" W 313.47 feet to the Place of Beginning.

(DOWNGRADIENT PROPERTY ACROSS FROM THREE LAKES SITE)

This is not homestead property. (is) (is not)

Together with all and singular the hereditaments and appurtenances thereto belonging: And Norman Brewster, Alvin Brewster, Alice M. Paremski, Arlene Cummings, Nancy J. Vaughn, Erwin Brewster, Donald Paremski and Mary Jane Gensler warrant that the title is good, indefeasible in fee simple and free and clear of encumbrances except zoning ordinances, easements, reservations and restrictions of record

and will warrant and defend the same.

Dated this 16th day of October, 1984.

Norman Brewster (SEAL) Alice M. Paremski Nancy J. Vaughn Donald Paremski

Alvin Brewster (SEAL) Arlene Cummings (SEAL) Erwin Brewster (SEAL) Mary Jane Gensler

AUTHENTICATION Signatures authenticated this day of 19

ACKNOWLEDGMENT STATE OF WISCONSIN Vilas County ss.

TITLE: MEMBER STATE BAR OF WISCONSIN (If not, authorized by § 706.06, Wis. Stats.)

Personally came before me, this 24th day of Sept., 1984 the above named Norman Brewster

This instrument was drafted by William W. Anderson, Attorney Eagle River, Wisconsin 54521 gvs


SEE REVERSE SIDE FOR FURTHER ACKNOWLEDGMENTS

(Signatures may be authenticated or acknowledged. Both are not necessary.)


to me known to be the person who executed the foregoing instrument and acknowledged the same Margaret E. Oberg Notary Public Vilas County, Wis. My Commission is permanent. (If not, state expiration date: September 11, 1988.)

\*Names of persons signing in any capacity must be typed or printed below their signatures.

Tax Parcel # 036-446-2



COPIED FROM 7.5 SERIES (TOPOGRAPHIC) - U.S.G.S. QUADRANGLE




THREE LAKES - WISCONSIN  
NE 1/4 NE 1/4 SEC 7 T38N R11E



FORMER GREG'S SERVICE REMEDATION	PROJECT NO. J96302 PA TRT	VICINITY DIAGRAM	FIGURE 1
	TOPO COPIED DATE: 10/15/98		
	CHKD BY: [Signature] DATE: 10/20/98		
	APRVD BY: [Signature] DATE: 10/20/98		

FILE:




FORMER GREG'S SERVICE  
REMEDICATION

PROJECT NO.: J96302 PW: JFB  
 DRAWN BY: AKV DATE: 12/9/02  
 CHECKED BY: JJS DATE: 1-2-04  
 APPROV BY: JJS DATE: 1-7-04  
 FILE: J96302.DAS

SITE DIAGRAM

FIGURE  
2



**TABLE 2 (Page 1 of 7)**  
**Groundwater Analytical Results**  
**Former Petrovest Property**  
**Three Lakes, Wisconsin**

Well No.	Sampling Date	GRO (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Toluene (ppb)	Combined TMBs (ppb)	Total Xylenes (ppb)	Dissolved Lead (ppb)
W-1	*12-2-86	NA	<0.2	<0.2	NA	1.0	NA	<1.0	NA
	*12-18-86	NA	<0.2	<0.2	NA	<0.1	NA	<1.0	NA
	*1-26-87	This well was not sampled during this event.							
	*4-14-88	NA	<1.0	<1.0	NA	<0.5	NA	<2.0	NA
	*6-1-88	NA	<1.0	<1.0	NA	<0.5	NA	<2.0	NA
	*8-1-91	NA	ND	ND	NA	ND	NA	ND	NA
	*10-28-91	NA	ND	ND	NA	ND	NA	ND	NA
	*1-28-92	NA	ND	ND	NA	ND	NA	ND	NA
	*5-6-92	NA	ND	ND	NA	ND	NA	ND	NA
	*4-20-95	NA	ND	ND	ND	ND	ND	ND	ND
	*6/26/96	This well was not sampled during this event.							
	6/4/97	<50	<0.16	<0.29	<0.20	0.61	<0.68	<1.15	<1.5
	1/15/98	NA	<0.16	<0.29	<0.20	<0.36	<0.68	<1.15	<1.5
	5/20/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	<2.1
	8/14/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	NA
	11/18/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	NA
	2/24/99	This well was not sampled during this event.							
	8/23/01	NA	<0.16	<0.5	<0.3	<0.4	<0.57	<0.57	NA
	12/5/01	This well was not sampled during these events.							
	2/28/02	This well was not sampled during these events.							
5/28/02	This well was not sampled during these events.								
W-2	*12-2-86	NA	<0.2	<0.2	NA	0.4	NA	<1.0	NA
	*12-18-86	NA	<0.2	<0.2	NA	<0.1	NA	<1.0	NA
	*1-26-87	This well was not sampled during this event.							
	*4-14-88	NA	<1.0	<1.0	NA	<0.5	NA	<2.0	NA
	*6-1-88	NA	<1.0	<1.0	NA	<0.5	NA	<2.0	NA
	*8-1-91	NA	ND	ND	NA	ND	NA	ND	NA
	*10-28-91	NA	ND	ND	NA	ND	NA	ND	NA
	*1-28-92	NA	ND	ND	NA	ND	NA	ND	NA
	*5-6-92	NA	ND	ND	NA	ND	NA	ND	NA
	*4-20-95	NA	ND	ND	ND	ND	ND	ND	ND
	*6-26-96	This well was not sampled during this event.							
	6/4/97	<50	<0.16	<0.29	<0.20	<0.36	<0.68	<1.15	<1.5
	1/15/98	NA	<0.16	<0.29	<0.20	<0.36	<0.68	<1.15	<1.5
	5/20/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	<2.1
	8/14/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	NA
	11/18/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	NA
	2/24/99	This well was not sampled during this event.							
	8/23/01	NA	<0.16	<0.5	<0.3	<0.4	<0.57	<0.57	NA
	12/5/01	This well was not sampled during these events.							
	2/28/02	This well was not sampled during these events.							
5/28/02	This well was not sampled during these events.								
ES	-	NS	5	700	60	1,000	480	10,000	15
PAL	-	NS	0.5	140	12	200	96	1,000	1.5

\* Indicates samples collected by STS Consultants, LTD. Some detection limits were not provided by STS.

Notes: Concentrations that are in bold exceed their respective WAC Chapter NR 140 ESs.

For a list of abbreviations used in this table, see the "Guide to Abbreviations in Data Tables"

**TABLE 2 (Page 2 of 7)**  
**Groundwater Analytical Results**  
**Former Petrovest Property**  
**Three Lakes, Wisconsin**

Well No.	Sampling Date	GRO (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Toluene (ppb)	Combined TMBs (ppb)	Total Xylenes (ppb)	Dissolved Lead (ppb)
W-3	*12-2-86	NA	< 10	<b>690</b>	NA	110	NA	<b>8,145</b>	NA
	*12-18-86	NA	<b>210.0</b>	<b>700</b>	NA	80	NA	<b>4,540</b>	NA
	*1-26-87	This well was not sampled during this event.							
	*4-15-88	NA	<b>107.0</b>	<b>228</b>	NA	19.4	NA	<b>4,411</b>	NA
	*6-1-88	NA	< 50	<b>1,458</b>	NA	44.5	NA	<b>10,254</b>	NA
	*8-1-91	NA	<b>13.9</b>	63.4	NA	60.7	NA	<b>2,850</b>	NA
	*10-28-91	NA	<b>11.7</b>	ND	NA	39.3	NA	<b>2,172</b>	NA
	*1-28-92	NA	ND	ND	NA	ND	NA	<b>1,896</b>	NA
	*5-6-92	NA	ND	43.6	NA	28.5	NA	<b>2,230</b>	NA
	*4-20-95	NA	ND	ND	ND	ND	<b>3,450</b>	<b>1,040</b>	<b>95</b>
	*6-26-96	NA	< 25	48	< 135	< 30	<b>3,081</b>	<b>1,430</b>	NA
	6/4/97	14,000	< 0.16	8.8	< 2	35	<b>2,500</b>	<b>1,070</b>	<b>72</b>
	1/15/98	NA	< 1.6	28	5.5	< 3.6	<b>2,140</b>	860	<b>99</b>
	5/21/98	8,900	< 2.6	26	4.9	2.2	<b>1,690</b>	700	<b>73</b>
	8/15/98	12,000	< 2.6	37	7.5	< 2.1	<b>2,660</b>	<b>1,010</b>	NA
	11/18/98	12,000	< 2.6	51	3.7	2.6	<b>2,860</b>	<b>1,260</b>	NA
	2/24/99	15,000	< 2.6	45	3.2	< 2.1	<b>2,670</b>	920	<b>180</b>
	8/23/01	NA	< 16.0	< 50.0	< 30.0	< 40.0	<b>2,206</b>	345	<b>278</b>
12/5/01	NA	< 16.0	< 50.0	< 30.0	< 40.0	<b>2,255</b>	302.9	<b>154</b>	
2/28/02	NA	< 15.5	< 25.0	< 15.0	< 15.0	<b>2,588</b>	328.9	<b>186</b>	
5/28/02	NA	< 6.20	16.6	< 6.00	6.16	<b>2,015</b>	272.1	<b>111</b>	
W-4	*12-2-86	NA	< 0.2	2.5	NA	1	NA	0.6	NA
	*12-18-86	NA	< 0.2	< 0.2	NA	< 0.1	NA	< 1.0	NA
	*1-26-87	NA	< 0.2	< 0.2	NA	0.1	NA	< 1.0	NA
	*4-14-88	NA	< 1.0	< 1.0	NA	< 0.5	NA	< 2.0	NA
	*6-1-88	NA	< 1.0	< 1.0	NA	< 0.5	NA	< 2.0	NA
	*8-1-91	NA	ND	ND	NA	ND	NA	ND	NA
	*10-28-91	NA	ND	ND	NA	ND	NA	ND	NA
	*1-28-92	NA	ND	ND	NA	ND	NA	ND	NA
	*5-6-92	NA	ND	ND	NA	ND	NA	ND	NA
	*4-20-95	NA	ND	ND	ND	ND	ND	ND	ND
	*6-26-96	This well was not sampled during this event.							
	6/4/97	This well was not sampled during this event.							
	1/15/98	NA	< 0.16	< 0.29	0.3	< 0.36	< 0.64	< 1.15	< 1.5
	5/21/98	< 50	0.41	< 0.24	0.45	< 0.21	< 1.4	< 1.34	< 2.1
	8/15/98	< 50	< 2.6	< 0.24	0.29	< 0.21	< 1.4	< 1.34	NA
	11/18/98	< 50	< 2.6	< 0.24	0.74	< 0.21	< 1.4	< 1.34	NA
	2/24/99	< 50	< 0.26	< 0.24	0.5	< 0.21	< 1.4	< 1.34	< 1.6
	8/23/01	NA	< 0.16	< 0.5	< 0.3	< 0.4	< 0.57	< 0.57	NA
12/5/01	This well was not sampled during these events.								
2/28/02	This well was not sampled during these events.								
5/28/02	This well was not sampled during these events.								
ES	-	NS	5	700	60	1,000	480	10,000	15
PAL	-	NS	0.5	140	12	200	96	1,000	1.5

\* Indicates samples collected by STS Consultants, LTD. Some detection limits were not provided by STS.

Notes: Concentrations that are in bold exceed their respective WAC Chapter NR 140 ESs.

For a list of abbreviations used in this table, see the "Guide to Abbreviations in Data Tables"

**TABLE 2 (Page 3 of 7)**  
**Groundwater Analytical Results**  
**Former Petrovest Property**  
**Three Lakes, Wisconsin**

Well No.	Sampling Date	GRO (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Toluene (ppb)	Combined TMBs (ppb)	Total Xylenes (ppb)	Dissolved Lead (ppb)
W-4A	*12-2-86	NA	<b>235</b>	<b>875</b>	NA	<b>1,172</b>	NA	<b>4,147</b>	NA
	*12-18-86	NA	<0.2	<0.2	NA	<0.1	NA	<1.0	NA
	*1-26-87	NA	<b>108</b>	86	NA	<b>323</b>	NA	NA	NA
	*4-15-88	NA	<b>568</b>	15.3	NA	<b>489</b>	NA	<b>1,278</b>	NA
	*6-1-88	NA	<1.0	<1.0	NA	<0.5	NA	<2.0	NA
	*8-1-91	NA	ND	2.1	NA	1	NA	4.9	NA
	*10-28-91	NA	<b>0.7</b>	23.4	NA	8.3	NA	53.5	NA
	*1-28-92	NA	ND	51.8	NA	84.3	NA	218.8	NA
	*5-6-92	NA	<b>4.54</b>	66.1	NA	198	NA	314.4	NA
	*4-20-95	NA	<b>7.9</b>	<b>188</b>	ND	34	<b>276.3</b>	502	3.2
	*6-26-96	NA	<5.0	214	<27	<b>309</b>	<b>238</b>	920	NA
	6/5/97	18,000	<b>11</b>	<b>1,400</b>	<b>14</b>	<b>880</b>	<b>1,830</b>	<b>5,020</b>	<1.5
	1/15/98	NA	<b>6.9</b>	<b>1,600</b>	<b>27</b>	<b>1,400</b>	<b>1,940</b>	<b>5,700</b>	<1.5
	5/21/98	18,000	<5.2	<b>1,500</b>	<b>28</b>	<b>840</b>	<b>2,090</b>	<b>4,930</b>	4.4
	8/15/98	7,800	<2.6	<b>650</b>	<b>13</b>	<b>390</b>	<b>1,000</b>	<b>2,190</b>	NA
	11/18/98	10,000	<2.6	<b>910</b>	8.4	<b>400</b>	<b>1,260</b>	<b>2,680</b>	NA
	2/24/99	9,200	<2.6	<b>680</b>	8.9	68	<b>980</b>	1,310	9.4
	8/23/01	NA	<3.20	<b>326</b>	<6.00	62.3	<b>521</b>	<b>1,065</b>	1.69
12/5/01	NA	<16.0	<b>1,080</b>	<30.0	88.2	<b>1,833</b>	<b>3,046.6</b>	7.07	
2/28/02	NA	<15.5	<b>885</b>	<15.0	40.5	<b>1,447</b>	<b>2,036.7</b>	3.04	
5/28/02	NA	<6.20	<b>355</b>	<6.00	15.9	<b>578</b>	958.74	9.50	
W-5	*4-14-88	NA	<1.0	<1.0	NA	<0.5	NA	<2.0	NA
	*6-1-88	NA	<1.0	<1.0	NA	<0.5	NA	<2.0	NA
	*8-1-91	NA	ND	ND	NA	ND	NA	ND	NA
	*10-28-91	NA	ND	ND	NA	ND	NA	ND	NA
	*1-28-92	NA	ND	ND	NA	ND	NA	ND	NA
	*5-6-92	NA	ND	ND	NA	ND	NA	ND	NA
	*4-20-95	NA	ND	ND	ND	ND	ND	ND	ND
	*6-26-96	NA	<0.5	<0.6	<2.7	<0.6	<2.6	<1.7	NA
	6/5/97	<50	<0.16	<0.29	<0.2	<0.36	<0.64	<1.15	<1.5
	1/15/98	NA	<0.16	<0.29	<0.2	<0.36	<0.64	<1.15	<1.5
	5/20/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	<2.1
	8/14/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	NA
	11/18/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	NA
	2/24/99	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	<1.6
	8/23/01	NA	<0.16	<0.5	<0.3	<0.4	<0.57	<0.57	NA
	12/5/01	This well was not sampled during these events.							
2/28/02									
5/28/02									
ES	-	NS	5	700	60	1,000	480	10,000	15
PAL	-	NS	0.5	140	12	200	96	1,000	1.5

\* Indicates samples collected by STS Consultants, LTD. Some detection limits were not provided by STS.

Notes: Concentrations that are in bold exceed their respective WAC Chapter NR 140 ESs.

For a list of abbreviations used in this table, see the "Guide to Abbreviations in Data Tables"

**TABLE 2 (Page 4 of 7)**  
**Groundwater Analytical Results**  
**Former Petrovest Property**  
**Three Lakes, Wisconsin**

Well No.	Sampling Date	GRO (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Toluene (ppb)	Combined TMBs (ppb)	Total Xylenes (ppb)	Dissolved Lead (ppb)	
W-6	*4-14-88	NA	<1.0	<1.0	NA	<0.5	NA	<2.0	NA	
	*6-1-88	NA	<1.0	<1.0	NA	<0.5	NA	<2.0	NA	
	*8-1-91	NA	ND	ND	NA	ND	NA	ND	NA	
	*10-28-91	Samples were damaged. Not analyzed.								
	*1-28-92	NA	ND	ND	NA	ND	NA	ND	NA	
	*5-6-92	NA	ND	ND	NA	ND	NA	ND	NA	
	*4-20-95	NA	ND	ND	ND	ND	ND	ND	ND	
	*6-26-96	NA	<0.5	<0.6	<2.7	<0.6	<2.6	<1.7	NA	
	6/5/97	<50	<0.16	<0.29	9.3	0.61	<0.64	<1.15	<1.5	
	1/15/98	NA	<0.16	<0.29	<b>120</b>	<0.36	<0.64	<1.15	<1.5	
	5/20/98	160	<0.65	<0.60	<b>210</b>	<0.53	<3.5	<3.32	<2.1	
	8/14/98	78	<0.26	<0.24	<b>140</b>	<0.21	<1.4	<1.34	NA	
	11/18/98	<50	<0.26	<0.24	4.4	<0.21	<1.4	<1.34	NA	
	2/24/99	This well was not sampled during this event.								
	8/23/01	NA	<0.16	<0.5	7.37	<0.4	<0.57	<0.57	NA	
	12/5/01	This well was not sampled during this event.								
	2/28/02	NA	<0.31	<0.5	2.73	<0.3	<0.71	<0.92	NA	
5/28/02	NA	<0.31	<0.5	1.13	<0.3	<0.71	<0.92	NA		
W-7R	*4-14-88	NA	<1.0	<1.0	NA	<0.5	NA	<2.0	NA	
	*6-1-88	NA	<b>3.2</b>	1.3	NA	<0.5	NA	<2.0	NA	
	*8-1-91	NA	0.289	ND	NA	ND	NA	ND	NA	
	*10-28-91	NA	ND	ND	NA	ND	NA	ND	NA	
	*1-28-92	NA	ND	ND	NA	ND	NA	ND	NA	
	*5-6-92	NA	ND	ND	NA	ND	NA	ND	NA	
	*4-20-95	NA	ND	ND	ND	ND	ND	ND	ND	
	*6-26-96	This well was not sampled during this event.								
	6/5/97	<50	<0.16	<0.29	9.3	0.6	<0.64	<1.15	<1.5	
	1/15/98	NA	<0.16	<0.29	<0.2	<0.36	<0.64	<1.15	<1.5	
	5/21/98	<50	<b>1.1</b>	<0.24	<0.22	<0.21	<1.4	<1.34	<2.1	
	8/14/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	NA	
	11/18/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	NA	
	2/24/99	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	<1.6	
	8/23/01	NA	0.335	0.526	<0.3	<0.4	0.862	1.032	NA	
	12/5/01	This well was not sampled during this event.								
	2/28/02	NA	<0.31	<0.5	<0.3	<0.3	<0.71	<0.92	NA	
5/28/02	This well was not sampled during this event.									
W-7A	*4-14-88	NA	<b>1.1</b>	<1.0	NA	<0.5	NA	<2.0	NA	
	*6-1-88	NA	<b>3</b>	1.3	NA	0.5	NA	<2.0	NA	
	*8-1-91	NA	ND	ND	NA	ND	NA	ND	NA	
	*10-28-91	NA	ND	ND	NA	ND	NA	ND	NA	
	*1-28-92	NA	ND	ND	NA	ND	NA	ND	NA	
	*5-6-92	NA	ND	ND	NA	ND	NA	ND	NA	
Well was no longer usable, and was abandoned.										
ES	-	NS	<b>5</b>	<b>700</b>	<b>60</b>	<b>1,000</b>	<b>480</b>	<b>10,000</b>	<b>15</b>	
PAL	-	NS	<b>0.5</b>	<b>140</b>	<b>12</b>	<b>200</b>	<b>96</b>	<b>1,000</b>	<b>1.5</b>	

\* Indicates samples collected by STS Consultants, LTD. Some detection limits were not provided by STS.  
Notes: Concentrations that are in bold exceed their respective WAC Chapter NR 140 ESs.  
For a list of abbreviations used in this table, see the "Guide to Abbreviations in Data Tables"

**TABLE 2 (Page 5 of 7)**  
**Groundwater Analytical Results**  
**Former Petrovest Property**  
**Three Lakes, Wisconsin**

Well No.	Sampling Date	GRO (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Toluene (ppb)	Combined TMBs (ppb)	Total Xylenes (ppb)	Dissolved Lead (ppb)	
W-8	*4-15-88	NA	<b>70</b>	<1.0	NA	<0.5	NA	432	NA	
	*6-1-88	NA	<5.0	<5.0	NA	<6.9	NA	197	NA	
	*8-1-91	NA	<b>19.4</b>	<b>1,110</b>	NA	<b>205</b>	NA	<b>5,314</b>	NA	
	*10-28-91	NA	ND	<b>1,060</b>	NA	104	NA	<b>5,170</b>	NA	
	*1-28-92	NA	ND	<b>1,140</b>	NA	ND	NA	<b>4,232</b>	NA	
	*5-6-92	NA	ND	<b>1,410</b>	NA	ND	NA	<b>7,559</b>	NA	
	*4-20-95	NA	<b>14.9</b>	97.9	ND	ND	<b>392.1</b>	260	<b>3.96</b>	
	*6-26-96	NA	<5.0	<b>416</b>	<27	7.2	<b>2,520</b>	<b>1,200</b>	NA	
	6/4/97	15,000	<3.2	<b>430</b>	7.6	<7.2	<b>2,660</b>	<b>1,423</b>	<b>54</b>	
	1/15/98	NA	<0.8	<b>280</b>	<b>15</b>	<1.8	<b>1,410</b>	905	<b>41</b>	
	5/21/98	14,000	<2.6	<b>280</b>	<b>19</b>	<2.1	<b>2,490</b>	848	<b>50</b>	
	8/15/98	12,000	<2.6	<b>240</b>	<b>20</b>	<2.1	<b>2,690</b>	656	NA	
	11/18/98	10,000	<2.6	<b>210</b>	9.6	<2.1	<b>2,390</b>	510	NA	
	2/24/99	3,200	<0.52	52	4.0	<0.42	<b>460</b>	146	<b>20</b>	
	8/23/01	NA	<0.16	33.3	<0.3	<0.4	<b>552</b>	87.62	<b>14.1</b>	
	12/5/01	NA	<1.60	12	<3.00	<4.00	<b>176</b>	15.7	<b>8.70</b>	
2/28/02	NA	<1.55	21	<1.50	<1.50	<b>422.9</b>	49.99	<b>8.90</b>		
5/28/02	NA	<1.55	6.34	<1.50	<1.50	<b>205.4</b>	12.5	<b>14.7</b>		
W-9	*4-14-88	NA	<1.0	<1.0	NA	<0.5	NA	<2.0	NA	
	*6-1-88	NA	<1.0	<1.0	NA	<0.5	NA	<2.0	NA	
	*8-1-91	NA	ND	ND	NA	ND	NA	ND	NA	
	*10-28-91	NA	ND	ND	NA	ND	NA	ND	NA	
	*1-28-92	NA	ND	ND	NA	ND	NA	ND	NA	
	*5-6-92	NA	ND	ND	NA	ND	NA	ND	NA	
	*4-20-95	NA	ND	ND	ND	ND	ND	ND	ND	
	*6-26-96	NA	<0.5	<0.6	<2.7	<0.6	<2.6	<1.7	NA	
	6/4/97	<50	<0.16	<0.29	<0.2	0.54	<0.64	<1.15	<1.5	
	1/15/98	<50	<0.16	<0.29	<0.2	<0.36	<0.64	<1.15	<1.5	
	5/21/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	<2.1	
	8/15/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	NA	
	11/18/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	NA	
	2/24/99	This well was not sampled during this event.								
	8/23/01	NA	<0.16	<0.5	<0.3	<0.4	<0.57	0.19	NA	
	12/5/01	This well was not sampled during these events.								
2/28/02										
5/28/02										
ES	-	NS	<b>5</b>	<b>700</b>	<b>60</b>	<b>1,000</b>	<b>480</b>	<b>10,000</b>	<b>15</b>	
PAL	-	NS	<b>0.5</b>	<b>140</b>	<b>12</b>	<b>200</b>	<b>96</b>	<b>1,000</b>	<b>1.5</b>	

\* Indicates samples collected by STS Consultants, LTD. Some detection limits were not provided by STS.

Notes: Concentrations that are in bold exceed their respective WAC Chapter NR 140 ESs.

For a list of abbreviations used in this table, see the "Guide to Abbreviations in Data Tables"

**TABLE 2 (Page 6 of 7)**  
**Groundwater Analytical Results**  
**Former Petrovest Property**  
**Three Lakes, Wisconsin**

Well No.	Sampling Date	GRO (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Toluene (ppb)	Combined TMBs (ppb)	Total Xylenes (ppb)	Dissolved Lead (ppb)	
W-11	*8-1-91	NA	ND	<b>1,930</b>	NA	<b>8,850</b>	NA	<b>12,030</b>	NA	
	*10-28-91	NA	ND	<b>1,480</b>	NA	<b>7,070</b>	NA	<b>9,570</b>	NA	
	*1-28-92	NA	ND	<b>1,760</b>	NA	<b>6,440</b>	NA	<b>9,710</b>	NA	
	*5-6-92	NA	ND	<b>1,541</b>	NA	<b>5,157</b>	NA	<b>10,308</b>	NA	
	*4-20-95	NA	<b>28.9</b>	<b>1,210</b>	ND	<b>4,350</b>	<b>2,190</b>	<b>6,850</b>	<b>371</b>	
	*6-26-96	NA	<50	<b>548</b>	<270	<b>1,570</b>	<b>1,184</b>	<b>3,360</b>	NA	
	6/4/97	8,200	<0.8	<b>510</b>	<1	<b>900</b>	<b>910</b>	<b>2,120</b>	<b>60</b>	
	1/15/98	NA	<b>5</b>	<b>1,300</b>	<5.0	<b>2,900</b>	<b>1,950</b>	<b>6,500</b>	<b>58</b>	
	5/21/98	12,000	<2.6	<b>830</b>	3.6	<b>1,500</b>	<b>1,300</b>	<b>3,800</b>	<b>45</b>	
	8/15/98	4,300	<1.3	<b>310</b>	<1.1	<b>390</b>	<b>490</b>	<b>1,320</b>	NA	
	11/18/98	10,000	<2.6	<b>640</b>	<2.2	<b>1,300</b>	<b>1,120</b>	<b>4,400</b>	NA	
	2/24/99	58,000	<26	<b>2,400</b>	<22	<b>7,200</b>	<b>5,500</b>	<b>14,600</b>	<b>760</b>	
	8/23/01	NA	<0.8	14.9	<1.50	22.8	75.5	289	<b>93.1</b>	
	12/5/01	NA	<3.20	54.2	<6.00	104	248.6	654	<b>77.0</b>	
	2/28/02	NA	<3.10	119	<3.00	397	298.5	1,342	<b>121.0</b>	
5/28/02	NA	<6.20	<b>230</b>	<6.00	141	375	1,061	<b>28.9</b>		
W-12	*8-1-91	NA	ND	ND	NA	ND	NA	ND	NA	
	*10-28-91	NA	ND	ND	NA	ND	NA	ND	NA	
	*1-28-92	NA	ND	ND	NA	ND	NA	ND	NA	
	*5-6-92	NA	ND	ND	NA	ND	NA	ND	NA	
	*4-20-95	NA	ND	ND	ND	ND	ND	ND	ND	
	*6-26-96	NA	<0.5	<0.6	<2.7	<0.6	<2.6	<1.7	NA	
	6/4/97	<50	<0.16	<0.29	<0.2	0.78	<0.64	<1.15	<1.5	
	1/15/98	<50	<0.16	<0.29	<0.2	<0.36	<0.64	<1.15	<1.5	
	5/21/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	<2.1	
	8/15/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	NA	
	11/18/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	NA	
	2/24/99	This well was not sampled during this event.								
	8/23/01	NA	<0.16	<0.5	<0.3	<0.4	<0.57	<0.57	NA	
	12/5/01	This well was not sampled during these events.								
	2/28/02	This well was not sampled during these events.								
5/28/02	This well was not sampled during these events.									
W-13	6/4/97	<50	<0.16	<0.29	<0.2	0.62	<0.64	<1.15	<1.5	
	1/15/98	<50	<0.16	<0.29	<0.2	<0.36	<0.64	<1.15	<1.5	
	5/20/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	<2.1	
	8/14/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	NA	
	11/18/98	<50	<0.26	<0.24	<0.22	<0.21	<1.4	<1.34	NA	
	2/24/99	This well was not sampled during this event.								
	8/23/01	NA	<0.16	<0.5	<0.3	<0.4	1.46	0.416	NA	
	12/5/01	This well was not sampled during these events.								
	2/28/02	This well was not sampled during these events.								
5/28/02	This well was not sampled during these events.									
ES	-	NS	5	700	60	1,000	480	10,000	15	
PAL	-	NS	0.5	140	12	200	96	1,000	1.5	

\* Indicates samples collected by STS Consultants, LTD. Some detection limits were not provided by STS.

Notes: Concentrations that are in bold exceed their respective WAC Chapter NR 140 ESs.

For a list of abbreviations used in this table, see the "Guide to Abbreviations in Data Tables"

**TABLE 2 (Page 7 of 7)**  
**Groundwater Analytical Results**  
**Former Petrovest Property**  
**Three Lakes, Wisconsin**

Well No.	Sampling Date	GRO (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Toluene (ppb)	Combined TMBs (ppb)	Total Xylenes (ppb)	Dissolved Lead (ppb)	
W-14	6/4/97	3,600	<0.16	<b>230</b>	6.8	3.9	57	202	<1.5	
	1/15/98	NA	<0.16	35	6.8	0.69	1.61	11.31	<1.5	
	5/20/98	1,700	<0.26	37	11	1	1.2	8.9	<2.1	
	8/14/98	2,400	<0.52	68	11	0.96	3.5	21.9	NA	
	11/18/98	2,400	<0.56	52	3.2	<0.42	19.3	39.7	NA	
	2/24/99	3,400	<0.65	120	8.9	2.2	11.1	70	<b>5.3</b>	
	8/23/01	NA	<1.60	<b>463</b>	<3.00	<4.00	59.6	421	NA	
	12/5/01	This well was not sampled during this event.								
	2/28/02	NA	<3.10	<b>434</b>	<3.00	8.47	41.25	281	NA	
	5/28/02	NA	<b>1.67</b>	<b>208</b>	<1.50	5.79	3.61	124	<b>5.84</b>	
Lamon Well	8/1/91	NA	ND	ND	NA	ND	NA	ND	NA	
	10/28/91	NA	ND	ND	NA	ND	NA	ND	NA	
	1/28/92	NA	ND	ND	NA	ND	NA	ND	NA	
	5/6/92	NA	ND	ND	NA	ND	NA	ND	NA	
	4/20/95	NA	ND	ND	ND	ND	ND	ND	ND	
	6/26/96	NA	<0.5	<0.6	<2.7	<0.6	<2.6	<1.7	NA	
	5/20/98	NA	<0.27	<0.32	<0.32	<0.27	<0.49	<0.67	NA	
	12/5/01	NA	<0.16	<0.5	<0.3	<0.4	<0.57	<0.57	1.33	
Office Well	12/5/01	NA	<0.16	<0.5	<0.3	<0.4	<0.57	<0.57	<b>1.54</b>	
<i>ES</i>	-	<i>NS</i>	<i>5</i>	<i>700</i>	<i>60</i>	<i>1,000</i>	<i>480</i>	<i>10,000</i>	<i>15</i>	
<i>PAL</i>	-	<i>NS</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>200</i>	<i>96</i>	<i>1,000</i>	<i>1.5</i>	


\* Indicates samples collected by STS Consultants, LTD. Some detection limits were not provided by STS.

Notes: Concentrations that are in bold exceed their respective WAC Chapter NR 140 ESs.

For a list of abbreviations used in this table, see the "Guide to Abbreviations in Data Tables"



**DRAKE**  
ENVIRONMENTAL, INC.




FORMER GREG'S SERVICE  
REMEDIATION

PROJECT NO: J96302 PM: JEB  
DRAWN BY: AKW DATE: 12/9/02  
CHECKED BY: [signature] DATE: 12-23-02  
APPRVD BY: [signature] DATE: 12-23-02  
FILE: J96302-06

GROUNDWATER ELEVATION  
CONTOUR DIAGRAM  
(5/28/02)

FIGURE  
6



**TABLE 1 (Page 1 of 7)  
Groundwater Elevations  
Former Petrovest Property  
Three Lakes, Wisconsin**

Well Number	Date	Total Well Depth	Top of Casing Elevation	Ground Surface Elevation	Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation
MW-1	*11/19/86	43.80	1676.33	1674.23	37.40	35.30	1638.93
	*12/2/86				37.20	35.10	1639.13
	*12/18/86				37.90	35.80	1638.43
	*1/26/87				38.30	36.20	1638.03
	*4/14/88				40.20	38.10	1636.13
	*5/9/88				39.87	37.77	1636.46
	*6/1/88				39.80	37.70	1636.53
	*8/1/91				37.05	34.95	1639.28
	*10/28/91				37.66	35.56	1638.67
	*1/28/92				37.75	35.65	1638.58
	*6/26/96				NM	NM	NM
	6/4/97				37.93	35.83	1638.40
	7/14/97				37.56	35.46	1638.77
	1/15/98				38.75	36.65	1637.58
	5/20/98				38.36	36.26	1637.97
	6/16/98				38.56	36.46	1637.77
	8/14/98				38.86	36.76	1637.47
	11/17/98				39.87	37.77	1636.46
	2/24/99				NM	NM	NM
	8/23/01				39.59	37.49	1636.74
12/5/01	NM	NM	NM				
2/28/02	NM	NM	NM				
5/28/02	NM	NM	NM				
MW-2	*11/19/86	47.80	1674.69	1672.50	35.60	33.41	1639.09
	*12/2/86				35.80	33.61	1638.89
	*12/18/86				36.10	33.91	1638.59
	*1/26/87				36.60	34.41	1638.09
	*4/14/88				38.45	36.26	1636.24
	*5/9/88				38.15	35.96	1636.54
	*6/1/88				38.12	35.93	1636.57
	*8/1/91				35.29	33.10	1639.40
	*10/28/91				35.94	33.75	1638.75
	*1/28/92				36.01	33.82	1638.68
	*6/26/96				NM	NM	NM
	6/4/97				36.06	33.87	1638.63
	7/14/97				35.62	33.43	1639.07
	1/15/98				37.10	34.91	1637.59
	5/20/98				36.63	34.44	1638.06
	6/16/98				36.70	34.51	1637.99
	8/14/98				37.13	34.94	1637.56
	11/17/98				38.19	36.00	1636.50
	2/24/99				NM	NM	NM
	8/23/01				37.89	35.70	1636.80
12/5/01	NM	NM	NM				
2/28/02	NM	NM	NM				
5/28/02	NM	NM	NM				

\*Measured by STS Consultants, LTD.

All measurements are presented in feet.

Drake used the ground surface and top of casing elevations determined by STS.

Note: For abbreviations used in this table, see the "Guide to Abbreviations in Data Tables"

**TABLE 1 (Page 2 of 7)  
Groundwater Elevations  
Former Petrovest Property  
Three Lakes, Wisconsin**

Well Number	Date	Total Well Depth	Top of Casing Elevation	Ground Surface Elevation	Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation
MW-3	*11/19/86	48.00	1676.46	1674.57	38.00	36.11	1638.46
	*12/2/86				38.50	36.61	1637.96
	*12/18/86				38.50	36.61	1637.96
	*1/26/87				38.90	37.01	1637.56
	*4/14/88				40.93	39.04	1635.53
	*5/9/88				39.40	37.51	1637.06
	*6/1/88				36.70	34.81	1639.76
	*8/1/91				37.62	35.73	1638.84
	*10/28/91				38.21	36.32	1638.25
	*1/28/92				38.26	36.37	1638.20
	*6/26/96				38.18	36.29	1638.28
	6/4/97				38.36	36.47	1638.10
	7/14/97				37.97	36.08	1638.49
	1/15/98				39.30	37.41	1637.16
	5/20/98				38.85	36.96	1637.61
	6/16/98				36.54	34.65	1639.92
	8/14/98				39.31	37.42	1637.15
	11/17/98				40.15	38.26	1636.31
	2/24/99				41.01	39.12	1635.45
	8/23/01				39.98	38.09	1636.48
12/5/01	40.22	38.33	1636.24				
2/28/02	40.46	38.57	1636.00				
5/28/02	38.18	36.29	1638.28				
MW-4	*11/19/86	76.80	1670.53	1668.69	33.50	31.66	1637.03
	*12/2/86				33.70	31.86	1636.83
	*12/18/86				34.00	32.16	1636.53
	*1/26/87				34.20	32.36	1636.33
	*4/14/88				35.40	33.56	1635.13
	*5/9/88				35.34	33.50	1635.19
	*6/1/88				35.55	33.71	1634.98
	*8/1/91				33.47	31.63	1637.06
	*10/28/91				33.84	32.00	1636.69
	*1/28/92				33.82	31.98	1636.71
	*6/26/96				NM	NM	NM
	6/4/97				NM	NM	NM
	7/14/97				NM	NM	NM
	1/15/98				34.64	32.80	1635.89
	5/20/98				34.34	32.50	1636.19
	6/16/98				34.44	32.60	1636.09
	8/14/98				35.00	33.16	1635.53
	11/17/98				35.67	33.83	1634.86
	2/24/99				36.15	34.31	1634.38
	8/23/01				35.49	33.65	1635.04
12/5/01	NM	NM	NM				
2/28/02	NM	NM	NM				
5/28/02	NM	NM	NM				

\*Measured by STS Consultants, LTD.

All measurements are presented in feet.

Drake used the ground surface and top of casing elevations determined by STS.

Note: For abbreviations used in this table, see the "Guide to Abbreviations in Data Tables"

**TABLE 1 (Page 3 of 7)  
Groundwater Elevations  
Former Petrovest Property  
Three Lakes, Wisconsin**

Well Number	Date	Total Well Depth	Top of Casing Elevation	Ground Surface Elevation	Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation
MW-4A	*11/19/86	42.00	1670.40	1668.63	33.40	31.63	1637.00
	*12/2/86				33.70	31.93	1636.70
	*12/18/86				33.90	32.13	1636.50
	*1/26/87				34.20	32.43	1636.20
	*4/14/88				35.40	33.63	1635.00
	*5/9/88				35.28	33.51	1635.12
	*6/1/88				35.35	33.58	1635.05
	*8/1/91				33.47	31.70	1636.93
	*10/28/91				33.90	32.13	1636.50
	*1/28/92				33.85	32.08	1636.55
	*6/26/96				33.62	31.85	1636.78
	6/4/97				33.90	32.13	1636.50
	7/14/97				33.76	31.99	1636.64
	1/15/98				37.74	35.97	1632.66
	5/20/98				34.44	32.67	1635.96
	6/16/98				34.52	32.75	1635.88
	8/14/98				34.96	33.19	1635.44
	11/17/98				35.72	33.95	1634.68
	2/24/99				36.12	34.35	1634.28
	8/23/01				35.52	33.75	1634.88
12/5/01	35.58	33.81	1634.82				
2/28/02	35.65	33.88	1634.75				
5/28/02	33.66	31.89	1636.74				
MW-5	MW-5 was installed on 3-22-88.						
MW-5	*4/14/88	43.65	1667.63	1665.20	32.65	30.22	1634.98
	*5/9/88				32.67	30.24	1634.96
	*6/1/88				32.88	30.45	1634.75
	*8/1/91				31.09	28.66	1636.54
	*10/28/91				31.41	28.98	1636.22
	*1/28/92				31.36	28.93	1636.27
	*6/26/96				31.40	28.97	1636.23
	6/4/97				35.66	33.23	1631.97
	7/14/97				31.25	28.82	1636.38
	1/15/98				32.12	29.69	1635.51
	5/20/98				31.78	29.35	1635.85
	6/16/98				31.92	29.49	1635.71
	8/14/98				32.39	29.96	1635.24
	11/17/98				33.01	30.58	1634.62
	2/24/99				33.35	30.92	1634.28
	8/23/01				32.83	30.40	1634.80
	12/5/01				NM	NM	NM
2/28/02	NM	NM	NM				
5/28/02	NM	NM	NM				

\*Measured by STS Consultants, LTD.

All measurements are presented in feet.

Drake used the ground surface and top of casing elevations determined by STS.

Note: For abbreviations used in this table, see the "Guide to Abbreviations in Data Tables"

**TABLE 1 (Page 4 of 7)  
Groundwater Elevations  
Former Petrovest Property  
Three Lakes, Wisconsin**

Well Number	Date	Total Well Depth	Top of Casing Elevation	Ground Surface Elevation	Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation
MW-6	MW-6 was installed on 3-22-88.						
	*4/14/88	24.30	1648.89	1645.70	13.05	9.86	1635.84
	*5/9/88				13.32	10.13	1635.57
	*6/1/88				13.51	10.32	1635.38
	*8/1/91				12.04	8.85	1636.85
	*10/28/91				12.27	9.08	1636.62
	*1/28/92				NM	NM	NM
	*6/26/96				13.50	10.31	1635.39
	6/4/97				13.44	10.25	1635.45
	7/14/97				13.42	10.23	1635.47
	1/15/98				14.15	10.96	1634.74
	5/20/98				13.85	10.66	1635.04
	6/16/98				13.88	10.69	1635.01
	8/14/98				14.57	11.38	1634.32
	11/17/98				15.04	11.85	1633.85
	2/24/99				NM	NM	NM
	8/23/01				14.80	11.61	1634.09
12/5/01				NM	NM	NM	
2/28/02				14.71	11.52	1634.18	
5/28/02				13.13	9.94	1635.76	
MW-7RR	MW-7RR was installed on 3-31-88.						
	*4/14/88	66.00	1653.44	1651.40	18.55	16.51	1634.89
	*5/9/88				18.68	16.64	1634.76
	*6/1/88				18.88	16.84	1634.56
	*8/1/91				17.17	15.13	1636.27
	*10/28/91				17.46	15.42	1635.98
	*1/28/92				17.47	15.43	1635.97
	*6/26/96				NM	NM	NM
	6/4/97				17.44	15.40	1636.00
	7/14/97				17.35	15.31	1636.09
	1/15/98				18.18	16.14	1635.26
	5/20/98				17.72	15.68	1635.72
	6/16/98				17.95	15.91	1635.49
	8/14/98				18.59	16.55	1634.85
	11/17/98				19.15	17.11	1634.29
	2/24/99				19.41	17.37	1634.03
	8/23/01				18.91	16.87	1634.53
12/5/01				NM	NM	NM	
2/28/02				18.94	16.90	1634.50	
5/28/02				NM	NM	NM	

\*Measured by STS Consultants, LTD.

All measurements are presented in feet.

Drake used the ground surface and top of casing elevations determined by STS.

Note: For abbreviations used in this table, see the "Guide to Abbreviations in Data Tables"

**TABLE 1 (Page 5 of 7)  
Groundwater Elevations  
Former Petrovest Property  
Three Lakes, Wisconsin**

Well Number	Date	Total Well Depth	Top of Casing Elevation	Ground Surface Elevation	Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation
MW-7A	MW-7A was installed on 3-23-88.						
	*4/14/88		1652.87	1650.80	17.95	15.88	1634.92
	*5/9/88				18.12	16.05	1634.75
	*6/1/88				18.31	16.24	1634.56
	*8/1/91				16.63	14.56	1636.24
	*10/28/91				16.95	14.88	1635.92
	*1/28/92				16.94	14.87	1635.93
	*6/26/96	Well was damaged and abandoned.					
MW-8	MW-8 was installed on 3-25-88.						
	*4/14/88	52.50	1675.51	1673.80	40.30	38.59	1635.21
	*5/9/88				40.18	38.47	1635.33
	*6/1/88				40.25	38.54	1635.26
	*8/1/91				37.88	36.17	1637.63
	*10/28/91				38.38	36.67	1637.13
	*1/28/92				38.39	36.68	1637.12
	*6/26/96				38.40	36.69	1637.11
	6/4/97				38.50	36.79	1637.01
	7/14/97				38.24	36.53	1637.27
	1/15/98				38.98	37.27	1636.53
	5/20/98				38.82	37.11	1636.69
	6/16/98				38.77	37.06	1636.74
	8/14/98				39.46	37.75	1636.05
	11/17/98				40.45	38.74	1635.06
	2/24/99				41.00	39.29	1634.51
	8/23/01				40.25	38.54	1635.26
	12/5/01				40.36	38.65	1635.15
2/28/02				40.51	38.80	1635.00	
5/28/02				38.31	36.60	1637.20	
MW-9	MW-9 was installed on 3-28-88.						
	*4/14/88	45.00	1672.46	1670.40	37.10	35.04	1635.36
	*5/9/88				36.97	34.91	1635.49
	*6/1/88				37.00	34.94	1635.46
	*8/1/91				34.42	32.36	1638.04
	*10/28/91				35.02	32.96	1637.44
	*1/28/92				35.05	32.99	1637.41
	*6/26/96				35.02	32.96	1637.44
	6/4/97				35.20	33.14	1637.26
	7/14/97				34.91	32.85	1637.55
	1/15/98				36.15	34.09	1636.31
	5/20/98				35.76	33.70	1636.70
	6/16/98				35.83	33.77	1636.63
	8/14/98				36.34	34.28	1636.12
	11/17/98				37.25	35.19	1635.21
2/24/99				NM	NM	NM	
8/23/01	Well was damaged and repaired as a flush-mount well and not re-surveyed.						

\*Measured by STS Consultants, LTD.

All measurements are presented in feet.

Drake used the ground surface and top of casing elevations determined by STS.

Note: For abbreviations used in this table, see the "Guide to Abbreviations in Data Tables"

**TABLE 1 (Page 6 of 7)  
Groundwater Elevations  
Former Petrovest Property  
Three Lakes, Wisconsin**

Well Number	Date	Total Well Depth	Top of Casing Elevation	Ground Surface Elevation	Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation
MW-11	MW-11 was installed in 6-91.						
	*8/1/91	44.60	1675.71	NM	37.41	-	1638.30
	*10/28/91				37.83	-	1637.88
	*1/28/92				37.78	-	1637.93
	*6/26/96				37.72	-	1637.99
	6/4/97				37.84	-	1637.87
	7/14/97				37.52	-	1638.19
	1/15/98				34.60	-	1641.11
	5/20/98				38.28	-	1637.43
	6/16/98				38.41	-	1637.30
	8/14/98				38.78	-	1636.93
	11/17/98				39.28	-	1636.43
	2/24/99				40.55	-	1635.16
	8/23/01				39.42	-	1636.29
	12/5/01				39.64	-	1636.07
2/28/02				39.91	-	1635.80	
5/28/02				37.70	-	1638.01	
MW-12	MW-12 was installed in 6-91.						
	*8/1/91	35.30	1663.53	NM	26.36	-	1637.17
	*10/28/91				26.88	-	1636.65
	*1/28/92				26.88	-	1636.65
	*6/26/96				26.80	-	1636.73
	6/4/97				26.90	-	1636.63
	7/14/97				26.74	-	1636.79
	1/15/98				27.80	-	1635.73
	5/20/98				27.46	-	1636.07
	6/16/98				27.52	-	1636.01
	8/14/98				28.02	-	1635.51
	11/17/98				28.84	-	1634.69
	2/24/99				NM	-	NM
	8/23/01				28.55	-	1634.98
	12/5/01				NM	-	NM
2/28/02				NM	-	NM	
5/28/02				NM	-	NM	

\*Measured by STS Consultants, LTD.

All measurements are presented in feet.

Drake used the ground surface and top of casing elevations determined by STS.

Note: For abbreviations used in this table, see the "Guide to Abbreviations in Data Tables"

**TABLE 1 (Page 7 of 7)  
Groundwater Elevations  
Former Petrovest Property  
Three Lakes, Wisconsin**

Well Number	Date	Total Well Depth	Top of Casing Elevation	Ground Surface Elevation	Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation
MW-13	This well not yet installed.						
	6/4/97	61.66	1681.79	NM	44.66	-	1637.13
	7/14/97				44.38	-	1637.41
	1/15/98				45.20	-	1636.59
	5/20/98				44.98	-	1636.81
	6/16/98				45.10	-	1636.69
	8/14/98				45.47	-	1636.32
	11/17/98				46.21	-	1635.58
	2/24/99				NM	-	NM
	8/23/01				46.19	-	1635.60
	12/5/01				NM	-	NM
	2/28/02				NM	-	NM
	5/28/02				NM	-	NM
MW-14	This well not yet installed.						
	6/4/97	37.70	1663.55	NM	27.26	-	1636.29
	7/14/97				27.17	-	1636.38
	1/15/98				28.14	-	1635.41
	5/20/98				27.80	-	1635.75
	6/16/98				27.91	-	1635.64
	8/14/98				28.43	-	1635.12
	11/17/98				29.13	-	1634.42
	2/24/99				29.46	-	1634.09
	8/23/01				28.86	-	1634.69
	12/5/01				NM	-	NM
	2/28/02				28.96	-	1634.59
	5/28/02				26.93	-	1636.62

Date	Flow Direction	Hydraulic Gradient	Date	Flow Direction	Hydraulic Gradient
*11/19/86	northwest	0.0077	7/14/97	northwest	0.0066
*12/2/86	northwest	0.0066	1/15/98	northwest	0.0137
*12/18/86	northwest	0.0077	5/20/98	northwest	0.0058
*1/26/88	northwest	0.0072	6/16/98	northwest	0.0125
*4/14/88	northwest	0.0019	8/14/98	northwest	0.0063
*5/9/88	northwest	0.0059	11/17/98	northwest	0.0054
*6/1/88	northwest	0.0134	2/24/99	northwest	0.0038
*8/1/91	northwest	0.0070	8/23/01	northwest	0.0053
*10/28/91	northwest	0.0063	12/5/01	northwest	0.0075
*1/28/92	northwest	0.0060	2/28/02	northwest	0.0040
*6/26/96	northwest	0.0079	5/28/02	northwest	0.0053
6/4/97	northwest	0.0057			


\*Measured by STS Consultants, LTD.

All measurements are presented in feet.

Drake used the ground surface and top of casing elevations determined by STS.

Note: For abbreviations used in this table, see the "Guide to Abbreviations in Data Tables"

- ⊕ = SOIL BORING LOCATION
- ⊕ = MONITORING WELL LOCATION
- ⊕ = PRIVATE WATER WELL
- ⊕ = GROUNDWATER ELEVATION
- ⊕ = GROUNDWATER ELEVATION CONTOUR
- (XX.XX) = NOT APPLICABLE FOR ELEVATION CONTOURS
- = NOT MEASURED ON INDICATED DATE
- = NOT MEASURED ON INDICATED DATE
- CONTOUR INTERVAL = 0.50 FOOT






**FORMER GREG'S SERVICE  
REMEDIATION**

**GROUNDWATER ELEVATION  
CONTOUR DIAGRAM  
(5/28/02)**

PROJECT NO: J96302 PM: JEB  
 DRAWN BY: AKW DATE: 12/9/02  
 CHECKED BY: VJS DATE: 12-13-02  
 APPROV BY: VJS DATE: 12-31-02  
 FILE: J96302.JAS

FIGURE  
5





FORMER GREGG'S SERVICE STATION REMEDICATION	PROJECT NO. J96302 PA TRT	FIGURE
	DRAWN BY JVA DATE: 09/24/98	10
	CHKD BY TRT DATE: 10/16/98	
APPROV BY: [Signature] DATE: 12/2/98		NORTHWEST-SOUTHEAST CROSS SECTION (PROJECTED SECTION) DIAGRAM




# Rasmussen Plumbing & Heating

2441 Willow Drive • Plover, Wisconsin 54467 • (715) 341-4893 • FAX (715) 341-5002

Don Rasmussen

January 14, 2003



Wisconsin DNR:

RE: State Hwy 32/45 – Three Lakes Commerce number 54562-9999-26

Legal description of property as described on volume 0825 page 825 is accurate and correct to the best of my knowledge. See attached copy.

Thank you,

Donald Rasmussen

December 23, 2002



Mr. John Lamon  
1630 Highway 32  
Three Lakes, WI 54562

RE: Notification of Off-Site Petroleum Contamination Associated with the Former Greg's Service Station Property located at the Intersection of Highways 32 and 45 in Three Lakes, Wisconsin. (File references: DNR BRRTS No. 03-44-000135; PECFA No. 54562-9999-26-A)

Dear Mr. Lamon:

On behalf of Mr. Don Rasmussen (property owner), Drake Environmental, Inc. submits this letter to notify you of the presence of off-site petroleum contamination beneath your property located at 1630 Highway 32 in Three Lakes, Wisconsin.

Groundwater contamination that appears to have originated on the former Greg's Service Station property has migrated beneath your property. The levels of petroleum contamination in the groundwater beneath your property are above the state groundwater enforcement standards (ESs) found in chapter NR 140, Wisconsin Administrative Code. However, based on the information obtained during the site investigation and subsequent groundwater monitoring, the groundwater plume appears to be stable or receding and will naturally degrade over time. Remediation by Natural Attenuation (RNA) should complete the cleanup at this site to meet the requirements for case closure that are found in chapters NR 726 and NR 746, Wisconsin Administrative Code. Drake is requesting that the DNR accept natural attenuation as the final remedy for this site and grant case closure. Closure means that no further investigation or cleanup action is required, other than the reliance on natural attenuation.

Since you do not own the source of the groundwater contamination, you will not be held responsible for investigation or cleanup of this groundwater contamination, as long as you comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call 1-800-367-6076 for calls originating in Wisconsin, or 608-264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Department of Natural Resources' (DNR) publication #RR-589, Fact Sheet 10: Guidance for Dealing With Properties Affected by Off-Site Contamination.

6980 North Teutonia Avenue  
Milwaukee, WI 53209-2536  
(414) 351-1440  
1-800-853-8440  
Fax: (414) 351-1404


The DNR will not review our closure request for at least 30 days after the date of this letter. You have a right to contact the DNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the DNR that is relevant to this closure request, you should mail that information to: Mr. Chuck Weister, Wisconsin Department of Natural Resources, 107 Sutliff Avenue, Rhinelander, Wisconsin 54501.


Once the DNR makes a decision on the closure request, it will be documented in a letter. If the DNR grants closure, you may obtain a copy of this letter by requesting a copy by writing to the DNR address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at [www.dnr.state.wi.us/org/at/et/geo/gwur](http://www.dnr.state.wi.us/org/at/et/geo/gwur). A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact us at (414) 351-1440, or you may contact Mr. Chuck Weister at (715) 365-8941.

Respectfully,

*DRAKE ENVIRONMENTAL, INC.*

  
Jason E. Bartley  
Project Manager

  
Richard W. Frieske, P.E.  
President

J96302X

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

JOHN LAMON  
 1630 HWY 32  
 THREELAKES, WI 54562

2. Article Number  
(Transfer from service label)

7002 0860 0004 8586 5027

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature

X *John Lamon*

- Agent
- Addressee

B. Received by (Printed Name)

JOHN LAMON

C. Date of Delivery

DEC 25 2002

D. Is delivery address different from item 1? If YES, enter delivery address below:

- Yes
- No

3. Service Type

- Certified Mail
- Registered
- Insured Mail
- Express Mail
- Return Receipt for Merchandise
- C.O.D.

4. Restricted Delivery? (Extra Fee)

- Yes

PS Form 3811, August 2001

Domestic Return Receipt

102595-02-M-0835

7002 0860 0004 8586 5027

U.S. Postal Service  
**CERTIFIED MAIL RECEIPT**  
 (Domestic Mail Only; No Insurance Coverage Provided)

**OFFICIAL USE**

Postage	\$	
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
<b>Total Postage &amp; Fees</b>	<b>\$</b>	<b>46.40</b>

Postmark Here

12/25/2002

Sent To *John Lamon*  
 Street, Apt. No., or PO Box No. *1630 Hwy 32*  
 City, State, ZIP+4 *Threelakes WI 54562*

PS Form 3800, April 2002

See Reverse for Instructions

December 23, 2002



Three Lakes Evangelical Church  
Post Office Box 687  
Three Lakes, WI 54562

RE: Notification of Off-Site Petroleum Contamination Associated with the Former Greg's Service Station Property located at the Intersection of Highways 32 and 45 in Three Lakes, Wisconsin. (File references: DNR BRRTS No. 03-44-000135; PECFA No. 54562-9999-26-A)

Dear Sir or Madam:

On behalf of Mr. Don Rasmussen (property owner), Drake Environmental, Inc. submits this letter to notify you of the presence of off-site petroleum contamination beneath your property located at 1614 Highway 32 in Three Lakes, Wisconsin.

Groundwater contamination that appears to have originated on the former Greg's Service Station has migrated beneath your property. The levels of petroleum contamination in the groundwater beneath your property may be above the state groundwater enforcement standards (ESs) found in chapter NR 140, Wisconsin Administrative Code. However, based on the information obtained during the site investigation and subsequent groundwater monitoring, the groundwater plume appears to be stable or receding and will naturally degrade over time. Remediation by Natural Attenuation (RNA) should complete the cleanup at this site to meet the requirements for case closure that are found in chapters NR 726 and NR 746, Wisconsin Administrative Code. Drake is requesting that the DNR accept natural attenuation as the final remedy for this site and grant case closure. Closure means that no further investigation or cleanup action is required, other than the reliance on natural attenuation.

Since you do not own the source of the groundwater contamination, you will not be held responsible for investigation or cleanup of this groundwater contamination, as long as you comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call 1-800-367-6076 for calls originating in Wisconsin, or 608-264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Department of Natural Resources' (DNR) publication #RR-589, Fact Sheet 10: Guidance for Dealing With Properties Affected by Off-Site Contamination.

6980 North Teutonia Avenue  
Milwaukee, WI 53209-2536  
(414) 351-1440  
1-800-853-8440  
Fax: (414) 351-1404

The DNR will not review our closure request for at least 30 days after the date of this letter. You have a right to contact the DNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the DNR that is relevant to this closure request, you should mail that information to: Mr. Chuck Weister, Wisconsin Department of Natural Resources, 107 Sutliff Avenue, Rhinelander, Wisconsin 54501.


Once the DNR makes a decision on the closure request, it will be documented in a letter. If the DNR grants closure, you may obtain a copy of this letter by requesting a copy by writing to the DNR address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at [www.dnr.state.wi.us/org/at/et/geo/gwur](http://www.dnr.state.wi.us/org/at/et/geo/gwur). A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact us at (414) 351-1440, or you may contact Mr. Chuck Weister at (715) 365-8941.

Respectfully,

*DRAKE ENVIRONMENTAL, INC.*

  
Jason E. Bartley  
Project Manager

  
Richard W. Frieske, P.E.  
President

J96302Y

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

THREE LAKES CHURCH  
P.O. BOX 687  
THREE LAKES, WI 54562

2. Article Number

(Transfer from service label)

7002 08600004 8586 5010

PS Form 3811, August 2001

Domestic Return Receipt

102595-02-M-0835

**COMPLETE THIS SECTION ON DELIVERY**


A. Signature

X *Gene Sobel*  Agent  Addressee

B. Received by (Printed Name)

C. Date of Delivery

D. Is delivery address different from item 1?  Yes  
If YES, enter delivery address below:  No



3. Service Type

- Certified Mail  Express Mail
- Registered  Return Receipt for Merchandise
- Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)

Yes

7002 0860 0004 8586 5010

**U.S. Postal Service  
CERTIFIED MAIL RECEIPT  
(Domestic Mail Only; No Insurance Coverage Provided)**

**OFFICIAL USE**

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
<b>Total Postage &amp; Fees</b>	<b>\$</b>

Postmark  
Here

Sent To

THREE LAKES CHURCH

Street, Apt. No.,  
or PO Box No.

PO BOX 687

City, State, ZIP+4

THREE LAKES, WI 54562

PS Form 3830, April 2002

See Reverse for Instructions

December 23, 2002



Mr. Bob Maass  
Highway Commissioner  
Oneida County Highway Department  
Post Office Box 696  
Rhinelander, WI 54501

RE: Notification of Potential Off-Site Petroleum Contamination Located Beneath the Right-Of-Ways of Highways 32 and 45 Adjacent to the Property Located at the Intersection of Highways 32 and 45 in Three Lakes, Wisconsin. (File references: DNR BRRTS No. 03-44-000135; Commerce No. 54562-9999-26-A)

Dear Mr. Maass:

On behalf of Mr. Don Rasmussen (property owner), Drake Environmental, Inc. submits this letter to notify you of the potential presence of petroleum contamination beneath the right-of-ways of Highways 32 and 45 adjacent to the property located at the intersection of those highways in Three Lakes, Wisconsin. When groundwater with concentrations above the state enforcement standards (ESs) found in chapter NR 140, Wisconsin Administrative Code, migrate beneath a right-of-way of a public street or highway, the Wisconsin Department of Natural Resources (DNR) requires that the municipality/agency responsible for maintenance of that right-of-way be notified.

Groundwater contamination that originated at the former Greg's Service Station property located at the intersection of Highways 32 and 45 appears to have migrated beneath the right-of-ways of those highways. The groundwater concentrations in the groundwater beneath the right-of-ways may be above the state groundwater ESs. However, based on the information obtained during the site investigation and subsequent groundwater monitoring, the groundwater plume appears to be stable or receding and will likely degrade naturally over time. We believe that by allowing natural attenuation to complete the cleanup, this site will meet the requirements for case closure that are found in chapter NR 726 and chapter NR 746, Wisconsin Administrative Code. Drake is requesting that the DNR accept natural attenuation as the final remedy for this site and grant case closure. Closure means that no further investigation or cleanup action is required, other than the reliance on natural attenuation.

Since you do not own the source of the groundwater contamination, you will not be held responsible for investigation or cleanup of this groundwater contamination, as long as you comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to the right-of-ways for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin

6980 North Teutonia Avenue  
Milwaukee, WI 53209-2536

(414) 351-1440

1-800-853-8440

Fax: (414) 351-1404

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Mr. Bob Maass  
 Oneida Co. Hwy. Dept.  
 P.O. Box 696  
 Rhinelanders, WI 54501

2. Article  
 (Tra)

PS For

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  
 X *Teri Cooper*  Agent  
 Addressee

B. Received by (Printed Name) *TERI COOPER* C. Date of Delivery *12/31/02*

D. Is delivery address different from item 1?  Yes  
 If YES, enter delivery address below:  No

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)  Yes

8

102595-02-M-0835

7002 0860 0004 8586 5058

**U.S. Postal Service  
 CERTIFIED MAIL RECEIPT  
 (Domestic Mail Only; No Insurance Coverage Provided)**

**OFFICIAL USE**

Postage	\$	Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
<b>Total Postage &amp; Fees</b>	<b>\$ 4.42</b>	

Sent To  
*Bob Maass, Oneida Co.*  
 Street, Apt. No.,  
 or PO Box No. *PO Box 696*  
 City, State, ZIP+4  
*Rhinelanders WI 54501*

PS Form 3800, April 2002 See Reverse for Instructions