

GIS REGISTRY INFORMATION

SITE NAME: Hodag Mobil  
 BRRTS #: 03-44-000645  
 CLOSURE DATE: 10/5/00  
 STREET ADDRESS: 915 E. Lincoln St.  
 CITY: Rhineland, WI 54501

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):  
 X= 566860.375 Y= 573467.875

OFF-SOURCE CONTAMINATION (>ES):  Yes  No

IF YES, STREET ADDRESS 1: \_\_\_\_\_  
 GPS COORDINATES (meters in WTM91 projection): X= \_\_\_\_\_ Y= \_\_\_\_\_

IF YES, STREET ADDRESS 2: \_\_\_\_\_  
 GPS COORDINATES (meters in WTM91 projection): X= \_\_\_\_\_ Y= \_\_\_\_\_

IF YES, STREET ADDRESS 3: \_\_\_\_\_  
 GPS COORDINATES (meters in WTM91 projection): X= \_\_\_\_\_ Y= \_\_\_\_\_

IF YES, STREET ADDRESS 4: \_\_\_\_\_  
 GPS COORDINATES (meters in WTM91 projection): X= \_\_\_\_\_ Y= \_\_\_\_\_

IF YES, STREET ADDRESS 5: \_\_\_\_\_  
 GPS COORDINATES (meters in WTM91 projection): X= \_\_\_\_\_ Y= \_\_\_\_\_

CONTAMINATION IN RIGHT OF WAY:  Yes  No

DOCUMENTS NEEDED: Groundwater Use Restriction X  
Closure Letter, and any conditional closure letter issued

Copy of most recent deed, including legal description, for all affected properties

Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties

County Parcel ID number, if used for county, for all affected properties

Location Map which outlines all properties within contaminated site boundaries in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy)

Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy)

Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)

Isoconcentration map(s), if available from site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of contamination defined. If not available, include the following 2 types of maps:

Latest groundwater flow/monitoring well location map

Latest extent of contaminant plume map

Geologic cross-sections, if available from SI. (8.5x14" if paper copy)

|   |     |
|---|-----|
| X |     |
| X |     |
|   | N/A |
|   | N/A |
| X |     |
| X |     |
| X |     |
|   |     |
| X |     |
|   |     |
| X |     |

RP certified statement that legal descriptions are complete and accurate

Copies of off-source notification letters (if applicable)

Letter informing ROW owner of residual contamination (if applicable)

Copy of (soil or land use) deed restriction(s) or deed notice *if any required as a condition of closure.*

|                          |     |
|--------------------------|-----|
| <input type="checkbox"/> | N/A |

*Pending*

TO: Eric Sandin, GEF II, Geo/8

PDF  
~~320~~  
320

Groundwater Use Registry Buckslip

Site Name Hodag Mobil

Address 915 E. Lincoln St  
Rhineland, WI 54501

BRRTS # 03-44-000645

GPS Location: 566860.375 <sup>X</sup> latitude 573467.875 longitude 4

Date of Closure Decision 10/5/00

Required

- ~~Conditional~~ Closure Letter  Final Closure Letter
- Deeds for all properties with ES exceedance in Groundwater
- GPS location (latitude and longitude)
- Location map
- Detailed Site Map
- Groundwater Flow Direction Diagram including location of monitoring wells and all drinking water wells
- Latest Groundwater Plume Map with Groundwater Flow Direction
- Latest Table of Analytical Results for Groundwater

If Available, include the following:

- Metes and Bounds Legal Description
- Tax Parcel Number
- Geologic cross sections showing soil and groundwater contaminant source extent and location, isoconcentrations for all groundwater contaminants that exceed NR 140 enforcement standards, water table and piezometric elevations, and the extent, location and elevation of geologic units, bedrock, and confining units

✓ No off-site contamination  
✓ No other violations



prohibitions or requirements are applicable prior to constructing or reconstructing a well on this property. No well may be constructed or reconstructed on this property unless applicable requirements are met.

If construction is proposed on this property that will require dewatering, or in groundwater is to be otherwise extracted from this property, while this groundwater use restriction is in effect, the groundwater shall be sampled and analyzed for contaminants that were previously detected on the property and any extracted groundwater shall be managed in compliance with applicable statutes and rules.

This restriction is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring the above-described property whether by descent, devise, purchase, or otherwise. This restriction benefits and is enforceable by, the Wisconsin Department of Natural Resources, its successors and assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that the restrictions set forth in this instrument are no longer required. Upon receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein can be extinguished. If the Department determines that the restrictions can be extinguished, an affidavit, with a copy of the Department's written determination, may be recorded to give notice that this groundwater use restriction is no longer binding.

IN WITNESS WHEREOF, the owners of the property have executed this Declaration of Restrictions, this \_\_\_\_\_ day of \_\_\_\_\_, 2001.

Signature: Eleanor A Meyer  
Printed Name: ELEANOR A. MEYER

Subscribed and sworn to before me  
this 24 day of OCTOBER, 2001.


George J. King  
Notary Public, State of WISC  
My commission EXPIRES  
3-09-03

Signature: Michael A Meyer  
Printed Name: MICHAEL A MEYER

Subscribed and sworn to before me  
this 24 day of OCTOBER, 2001.

George J. King  
Notary Public, State of WISC  
My commission EXPIRES  
3-09-03

This document was drafted by Envirogen, Inc.  
VICTORIA LOVELAND



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott McCallum, Governor  
Darrell Bazzell, Secretary  
William H. Smith, Regional Director

Northern Region Headquarters  
107 Sutliff Ave.  
Rhineland, Wisconsin 54501-0818  
Telephone 715-365-8900  
FAX 715-365-8932  
TDD 715-365-8957

March 18, 2002

Mr. Michael Meyer  
104 King St  
Rhineland, WI 54501

SUBJECT: Final Case Closure  
Hodag Mobil/Photo Site, 915 E Lincoln St, Rhineland, WI  
WDNR BRRTS #: 03-44-000645  
PECFA # 54501-3545-15

Dear Mr. Meyer:

On October 5, 2000 your site as described above was reviewed for closure by the Northern Region Closure Committee. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On October 10, 2000, you were notified that the Closure Committee had granted conditional closure to this case.

On March 18, 2002, the Department received correspondence indicating that you have complied with the conditions of closure, specifically, the recording of a groundwater use restriction. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis Adm Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.




Quality Natural Resources Management  
Through Excellent Customer Service



The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-365-8990.


Sincerely,  
NORTHERN REGION



Janet Kazda  
Remediation and Redevelopment Program

cc: File  
Chuck Weister, Rhinelander

Vicky Loveland  
Envirogen  
850 Hwy 153, Suite F  
Mosinee, WI 54455



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor  
George E. Meyer, Secretary  
William H. Smith, Regional Director

Northern Region Headquarters  
107 Sutliff Ave.  
Rhineland, Wisconsin 54501-0818  
Telephone 715-365-8900  
FAX 715-365-8932  
TDD 715-365-8957

October 10, 2000

Mr. Michael Meyer  
104 King Street  
Rhineland, WI 54501

Subject: Hodag Mobil/Photo Site, 915 E Lincoln St, Rhineland, WI  
BRRTS # 03-44-000645 PECFA #54501-3545-15

Dear Mr. Meyer:

The Department of Natural Resources provided a notice to you that the degree and extent of gasoline and diesel fuel contamination at the above-named site was required to be investigated and remediated. We have since been informed that the required investigation and remediation has been accomplished.

On October 5, 2000, the above-named site was reviewed by the Northern Region Closeout Committee for a determination as to whether or not the case qualified for close out under ch. NR 726, Wis. Adm. Code.

Based on the investigative and remedial documentation provided to the Department, it appears that the gasoline and diesel fuel contamination at the above-named site has been remediated to the extent practicable under current site conditions, and that no further action is necessary at this time. Therefore, the Department will consider the case "closed," pursuant to NR 726.05(8)(am), if the responsible party sign and record a Groundwater Use Restriction for the property.

Please send a copy of the deed for your property to me at the above address within 30 days.

Enclosed is an example of a Groundwater Use Restriction. Please draft a specific Groundwater Use Restriction for this site and submit the draft to me. This document is available on the Department's website at [www.dnr.state.wi.us](http://www.dnr.state.wi.us). Department of Natural Resources attorneys will review the draft and return it to you with revisions. After you have made the revisions, you should sign and record the restriction with the County Register of Deeds. To document that this condition has been complied with, the responsible party must submit to the Department a copy of the recorded Groundwater Use Restriction, with the recording information stamped on it, within 15 days after the Register of Deeds returns the Groundwater Use Restriction to the responsible party. The Groundwater Use Restriction may be amended in the future with the approval of DNR if conditions change at the site and the residual contamination is remediated.

The groundwater use restriction is an option that the Department can offer to you in order to close this site. If you choose not to accept this option, you may perform additional investigation and cleanup of the remaining contamination. Note that this additional work may not be eligible for reimbursement through the Petroleum Environmental Cleanup Fund Award (PECFA) Program.



Quality Natural Resources Management  
Through Excellent Customer Service



DEPARTMENT OF COMMERCE  
NORTHERN REGION

You should contact the Department of Commerce to determine eligibility of the additional work for reimbursement.

Please note that this case closure is contingent upon proper documentation of proper abandonment of the monitoring wells on site. If monitoring wells remain at this site, please provide the documentation that this action has been completed, or have your consultant do so. Please complete Form 3300-5B and send it to my attention at the above address.

If you have any additional information which was not formerly provided to the Department, and which you feel would significantly impact this closure decision, you may submit that information for our re-evaluation of case closure.

If you have any questions, please call me at 715-365-8990.

Sincerely,  
NORTHERN REGION



Janet Kazda  
Case Closeout Committee

→ cc: File  
Lori Huntoon, Dept of Commerce  
Steve Karklins, DG/2  
Chuck Fitzgerald, Rhinelander  
Ron Becker, Rhinelander  
Chuck Weister, Rhinelander

Vicky Loveland  
Envirogen, Inc  
850 Hwy 153, Suite F  
Mosinee, WI 54455

X

365411

This Deed, made between Jaye Michalski and James Michalski  
.....  
....., Grantors  
and Michael A. Meyer and Eleanor A. Meyer  
.....  
..... husband and wife

....., Grantees  
Witnesseth, That the said Grantor, for a valuable consideration.....  
conveys to Grantee the following described real estate in Oneida  
County, State of Wisconsin:

ONEIDA COUNTY, WIS.  
Recorded for Record No. 4th  
date of February 2nd 1988  
200 .....  
Vol. 576 at Office of Rec. 187-188  
Doris Verge Rueda  
REGISTER OF DEEDS  
RETURN TO  
Cirilli & Cirilli, S.C.  
P.O. Box 159, Rhinelander

Tax Parcel No: .....

A parcel of land in the NE 1/4 of the SW 1/4, Section 5, Township 36 North, Range 9 East, described as follows:

Commencing at the southeast corner of the aforesaid NE 1/4 SW 1/4, Section 5, the same being a drill hole in the concrete paving of U.S. Highway 8, 5 feet north of the center line thereof; thence north on the 1/4 line of this section (true course of N 0°23' E) 25 feet to an iron pipe on the north boundary of Lincoln Street in the City of Rhinelander; thence west on said boundary 87 feet to an iron pipe which is the place of beginning of the parcel being described; thence continuing west on said Street boundary (and on a true course of S. 89°10' W) a distance of 114 feet to an iron pipe; thence north parallel the aforesaid 1/4 line of Section 5, 130 feet to an iron pipe; thence East parallel to Lincoln Street 114 feet to an iron pipe; thence south parallel the aforesaid 1/4 line of this Section, 130 feet to the place of beginning.

Oneida County, Wisconsin

(continued on reverse)

This is not homestead property.  
(is) (is not)

Together with all and singular the hereditaments and appurtenances thereunto belonging;  
And Jaye Michalski  
warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except taxes and special assessments, if any, levied and assessed after the first day of January, 1988, restrictions, zoning ordinances, and easements of record and will warrant and defend the same.

Dated this 2nd day of February, 1988.

TRANSFER (SEAL) Jaye Michalski (SEAL)  
219.70  
FEE (SEAL) Jaye Michalski  
James Michalski (SEAL)  
James Michalski

AUTHENTICATION

Signature(s) .....  
.....  
authenticated this ..... day of ....., 19.....

TITLE: MEMBER STATE BAR OF WISCONSIN  
(If not authorized by § 706.06, Wis. Stats.)  
Per description furnished  
THIS INSTRUMENT WAS DRAFTED BY  
Korth, Rodd, Mow & Mangerson, S.C.  
P. O. Box 757, Rhinelander, WI  
(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN }  
ONEIDA County. } ss.  
Personally came before me this 2nd day of February, 1988 the above named Jaye Michalski and James Michalski  
.....  
to me known to be the person(s) who executed the foregoing instrument and acknowledge the same.  
Marcia J. Bains-Grebner  
Notary Public Oneida County, Wis.  
My Commission is permanent (If not, state expiration date: ....., 19.....)

\*Names of persons signing in any capacity should be typed or printed below their signatures.






915 Lincoln St  
Rhineland, WI  
54501-3545, US

SEND TO PRINTER

Back



©2002 MapQuest.com, Inc.; ©2002 GDT, Inc.

All rights reserved. Use Subject to License/Copyright



**MAPQUEST**

how to get there!



**MAPQUEST**

how to get there!

This map is informational only. No representation is made or warranty given as to its content. User assumes all risk of use. MapQuest and its suppliers assume no responsibility for any loss or delay resulting from such use.

Privacy Policy & Legal Notices  
© 2002 MapQuest.com, Inc. All rights reserved.

DRAWING NO. 91.491R22  
 DRAWN BY: SAJ  
 12/28/92  
 CHECKED BY: JBJ  
 1/6/93  
 APPROVED BY: JBJ  
 1/8/93





THE INTERPRETATIONS IN THIS FIGURE ARE BASED ON KNOWN POINTS IN TIME AND SPACE AND ARE INTEGRAL TO A WRITTEN REPORT AND SHOULD BE REVIEWED IN THAT CONTEXT.

**FIGURE 2.2**  
**SITE PLAN VIEW**  
**HODAG MOBIL/PHOTO**  
**RHINELANDER, WISCONSIN**



LEGEND

- ⊕ MONITORING WELL
- ⊕ TEST BORING



LINCOLN STREET

CONC. WALK

CONC. WALK

SCALE



THE INTERPRETATIONS IN THIS FIGURE ARE BASED ON KNOWN POINTS IN TIME AND SPACE AND ARE INTEGRAL TO A WRITTEN REPORT AND SHOULD BE REVIEWED IN THAT CONTEXT.

FIGURE 3.1  
 TEST BORING/MONITORING  
 WELL CONFIGURATION  
 HODAG MOBIL/PHOTO  
 RHINELANDER, WISCONSIN



DRAWING NO. 91.491R31  
 DRAWN BY: SAJ  
 12/28/92  
 CHECKED BY: JBJ  
 1/8/93  
 APPROVED BY: JBD  
 1/8/93

Table 6

Postremedial Groundwater Sample Laboratory Analytical Results  
 Hodag Mobil Site  
 Rhinelander, Wisconsin

| Well                           | Sample Date | Benzene  | Chlorobenzene | 1,1-Dichloroethane | 1,1,1-Trichloroethane | 1,2-Dichloroethane | Methylene Chloride | Methyl Ethyl Ketone | Methyl Tertiary Butyl Ether | Naphthalene | PCB   |
|--------------------------------|-------------|----------|---------------|--------------------|-----------------------|--------------------|--------------------|---------------------|-----------------------------|-------------|-------|
| MW-1                           | 11/11/97    | <0.13    | <0.22         | <0.20              | 0.40                  | <0.51              | <0.16              | NA                  | NA                          | NA          | NA    |
|                                | 2/16/98     | <0.13    | <0.22         | <0.20              | <0.23                 | <0.51              | 1.1                | NA                  | NA                          | NA          | NA    |
|                                | 6/4/98      | <0.13    | <0.22         | <0.20              | <0.23                 | <0.51              | <0.16              | NA                  | NA                          | NA          | NA    |
|                                | 8/3/98      | <0.13    | <0.22         | <0.20              | <0.23                 | <0.51              | <0.6               | <0.46               | NA                          | NA          | NA    |
|                                | 11/10/98    | <0.13    | <0.22         | <0.20              | <0.23                 | <0.51              | 1.0                | NA                  | NA                          | NA          | NA    |
|                                | 3/4/99      | <0.13    | <0.22         | <0.20              | <0.23                 | <0.51              | <0.16              | NA                  | NA                          | NA          | NA    |
|                                | 5/19/99     | <0.26    | <0.24         | <0.21              | <1.3                  | <1.4               | 1.2                | NA                  | NA                          | NA          | NA    |
|                                | 8/25/99     | <0.26    | <0.24         | <0.21              | <1.3                  | <1.4               | 0.73               | NA                  | NA                          | NA          | NA    |
|                                | 2/8/00      | <0.50    | <0.50         | <0.50              | <0.50                 | <2.0               | <0.50              | <2.0                | <0.95                       | <0.50       | <0.50 |
|                                | MW-2        | 11/11/97 |               | <0.22              | 0.20                  | 0.92               | 0.23               | <0.16               | NA                          | NA          | NA    |
| 2/16/98                        |             |          | 2.8           | 0.34               | 6.9                   | 4.8                | 2.4                | NA                  | NA                          | NA          | NA    |
| 6/4/98                         |             |          | <0.22         | <0.20              | <0.23                 | <0.51              | <0.16              | NA                  | NA                          | NA          | NA    |
| 8/3/98                         |             |          | <0.22         | <0.20              | <0.23                 | <0.51              | <0.16              | <0.46               | NA                          | NA          | NA    |
| 11/10/98                       |             |          | 1.2           | <0.20              | 1.3                   | 0.33               | 0.34               | NA                  | NA                          | NA          | NA    |
| 3/4/99                         |             |          | 1.2           | <0.20              | 3.8                   | 1.5                | <0.16              | NA                  | NA                          | NA          | NA    |
| 5/19/99                        |             |          | 0.52          | <0.21              | <1.3                  | <1.4               | <0.22              | NA                  | NA                          | NA          | NA    |
| 8/25/99                        |             |          | 4.3           | 0.24               | 1.7                   | <1.4               | 0.61               | NA                  | NA                          | NA          | NA    |
| 2/8/00                         |             | NS       | NS            | NS                 | NS                    | NS                 | NS                 | NS                  | NS                          | NS          | NS    |
| NR 140 Enforcement Standard    |             | 5.0      | 700           | 1,000              | 10,000                | 480                | 40                 | 60                  | 5.0                         | 5.0         | 5.0   |
| NR 140 Preventive Action Limit | 0.50        | 140      | 200           | 1,000              | 96                    | 8.0                | 12                 | 0.50                | 0.50                        | 0.50        |       |

(Continued)

Notes:

All results in ppb unless noted otherwise

Shading indicates value equals or exceeds the NR 140 enforcement standard

Cross hatching indicates value equals or exceeds the NR 140 preventive action limit

NS: Not sampled

NA: Not analyzed

TMB: Trimethylbenzene

TCE: Trichloroethene

MTBE: Methyl t-butyl ether

PCE: Tetrachloroethene

Checked by: VA Approved by: VA

Table 6 (Continued)  
 Postremedial Groundwater Sample Laboratory Analytical Results  
 Hodag Mobil Site  
 Rhineland, Wisconsin

| Well | Sample Date                    | Benzene | Toluene | Xylenes | Methane | IVB    | MASS  | Naphthalene | PG   | TCB  |
|------|--------------------------------|---------|---------|---------|---------|--------|-------|-------------|------|------|
| MW-3 | 11/11/97                       | X       | <0.22   | <0.20   | 1.4     | 0.86   | <0.16 | NA          | NA   | NA   |
|      | 2/16/98                        | X       | 0.26    | <0.20   | 2.7     | 1.9    | <0.16 | NA          | NA   | NA   |
|      | 6/4/98                         | X       | <0.22   | <0.20   | 1.0     | 0.47   | <0.16 | NA          | NA   | NA   |
|      | 8/3/98                         | X       | <0.22   | <0.20   | <0.23   | <0.51  | <0.16 | <0.46       | NA   | NA   |
|      | 11/10/98                       | X       | <0.22   | <0.20   | <0.23   | <0.51  | <0.16 | NA          | NA   | NA   |
|      | 3/4/99                         | X       | <0.22   | <0.20   | <0.23   | <0.51  | <0.16 | NA          | NA   | NA   |
|      | 5/19/99                        | X       | <0.24   | <0.21   | 0.49    | <1.4   | <0.22 | NA          | NA   | NA   |
|      | 8/25/99                        | X       | <0.24   | 0.66    | 1.3     | <1.4   | <0.22 | NA          | NA   | NA   |
|      | 2/8/00                         | NS      | NS      | NS      | NS      | NS     | NS    | NS          | NS   | NS   |
|      | 11/11/97                       | 0.22    | <0.22   | <0.20   | <0.23   | <0.51  | <0.16 | NA          | NA   | NA   |
| MW-4 | 2/16/98                        | X       | <0.22   | <0.20   | <0.23   | <0.51  | <0.16 | NA          | NA   | NA   |
|      | 6/4/98                         | X       | <0.22   | <0.20   | <0.23   | <0.51  | <0.16 | NA          | NA   | NA   |
|      | 8/3/98                         | X       | <0.22   | <0.20   | <0.23   | <0.51  | <0.16 | <0.46       | NA   | NA   |
|      | 11/10/98                       | X       | <0.22   | <0.20   | <0.23   | <0.51  | <0.16 | NA          | NA   | NA   |
|      | 3/4/99                         | X       | <0.22   | <0.20   | <0.83   | <0.51  | 0.50  | NA          | NA   | NA   |
|      | 5/19/99                        | X       | <0.24   | <0.21   | <1.3    | <1.4   | <0.22 | NA          | NA   | NA   |
|      | 8/25/99                        | X       | <0.24   | <0.21   | <1.3    | <1.4   | <0.22 | NA          | NA   | NA   |
|      | 2/8/00                         | NS      | NS      | NS      | NS      | NS     | NS    | NS          | NS   | NS   |
|      | NR 140 Enforcement Standard    | 5.0     | 700     | 343     | 1,000   | 10,000 | 40    | 60          | 5.0  | 5.0  |
|      | NR 140 Preventive Action Limit | 0.50    | 140     | 68.6    | 200     | 1,000  | 8.0   | 12          | 0.50 | 0.50 |

Notes:  
 All results in ppb unless noted otherwise  
 Shading indicates value equals or exceeds the NR 140 enforcement standard  
 Cross hatching indicates value equals or exceeds the NR 140 preventive action limit  
 X: Not Sampled  
 NS: Not analyzed  
 NA: Not analyzed  
 TMB: Trimethylbenzene  
 TCE: Trichloroethene  
 MTBE: Methyl t-butyl ether  
 PCE: Tetrachloroethene  
 Checked by: MA Approved by: VW

Table 6 (Continued)

Postremedial Groundwater Sample Laboratory Analytical Results  
 Hodag Mobil Site  
 Rhineland, Wisconsin

| Well  | Sample Date                    | Parameter |               |        |         |       |       |         |         |                |      |
|-------|--------------------------------|-----------|---------------|--------|---------|-------|-------|---------|---------|----------------|------|
|       |                                | Benzene   | Chlorobenzene | Methyl | Xylenes | MIBK  | MEB   | Styrene | Acetone | Diethylbenzene | TCE  |
| MW-5  | 11/11/97                       |           | 0.92          | 0.52   | 0.96    | 1.5   | <0.16 | NA      | NS      | NS             | NS   |
|       | 2/16/98                        |           | 3.1           | <0.20  | 9.5     | 3.3   | <0.16 | NA      | NS      | NS             | NS   |
|       | 6/4/98                         |           | 13            | 0.42   | 22      | 25.5  | <1.0  | NA      | NS      | NS             | NS   |
|       | 8/3/98                         |           | 3.2           | 0.26   | 4.3     | 5.1   | <0.4  | 3.1     | NS      | NS             | NS   |
|       | 11/10/98                       |           | 32            | 18     | 310     | 111   | <0.32 | NA      | NS      | NS             | NS   |
|       | 3/4/99                         |           | 18            | 57     | 860     |       | <3.2  | NA      | NS      | NS             | NS   |
|       | 5/19/99                        |           | 31            | 160    | 670     |       | 3.6   | NA      | NS      | NS             | NS   |
|       | 8/25/99                        |           | 3.9           | 11     | 152     | 34.8  | 0.82  | NA      | NS      | NS             | NS   |
|       | 2/8/00                         |           | NS            | NS     | NS      | NS    | NS    | NS      | NS      | NS             | NS   |
|       | 11/11/97                       |           | 4.8           | 0.71   | 61      | 14.8  | <0.16 | NA      | NS      | NS             | NS   |
| MW-11 | 2/16/98                        |           | 3.3           | 1.3    | 31      | 11.4  |       | NA      | NS      | NS             | NS   |
|       | 6/4/98                         |           | 19            | 3.1    | 190     | 59    | <0.32 | NA      | NS      | NS             | NS   |
|       | 8/3/98                         |           | <0.13         | <0.20  | <0.23   | <0.51 | <0.16 | <0.46   | NS      | NS             | NS   |
|       | 11/10/98                       |           | 1.3           | <0.20  | 8.0     | 2.1   | <0.16 | NA      | NS      | NS             | NS   |
|       | 3/4/99                         |           | 7.8           | 1.4    | 84      | 31.6  | <0.16 | NA      | NS      | NS             | NS   |
|       | 5/19/99                        |           | 21            | 2.6    | 110     | 67    | 0.97  | NA      | NS      | NS             | NS   |
|       | 8/25/99                        |           | <0.24         | <0.21  | <1.3    | <1.4  | <0.22 | NA      | NS      | NS             | NS   |
|       | 2/8/00                         |           | NS            | NS     | NS      | NS    | NS    | NS      | NS      | NS             | NS   |
|       | NR 140 Enforcement Standard    |           | 5.0           | 1,000  | 10,000  | 480   | 40    | 60      | 5.0     | 5.0            | 5.0  |
|       | NR 140 Preventive Action Limit |           | 0.50          | 140    | 1,000   | 96    | 8.0   | 12      | 0.50    | 0.50           | 0.50 |

(Continued)

Notes:  
 All results in ppb unless noted otherwise  
 Shading indicates value equals or exceeds the NR 140 enforcement standard  
 Cross hatching indicates value equals or exceeds the NR 140 preventive action limit  
 NS: No Standard/Not Sampled  
 NA: Not analyzed  
 TMB: Trimethylbenzene  
 TCE: Trichloroethene  
 MTBE: Methyl t-butyl ether  
 PCE: Tetrachloroethene

Checked by: WU Approved by: WU

Table 6 (Continued)  
 Postremedial Groundwater Sample Laboratory Analytical Results  
 Hodag Mobil Site  
 Rhinelander, Wisconsin

| Well  | Sample Date                    | Benzene | Chlorobenzene | o-DCB | Styrene | 1,1-DVB | 1,2-DVB | 1,1,1-TCE | 1,1,2-TCE | 1,1,1,2-TCE | 1,1,2,2-TCE | 1,1,1,2,2-PCE | 1,1,2,2,2-PCE |
|-------|--------------------------------|---------|---------------|-------|---------|---------|---------|-----------|-----------|-------------|-------------|---------------|---------------|
| MW-12 | 11/11/97                       | <0.13   | <0.22         | <0.20 | <0.23   | <0.51   | <0.16   | NA        | NA        | NA          | NA          | NA            | NA            |
|       | 2/16/98                        | <0.13   | <0.22         | <0.20 | <0.23   | <0.51   | <0.16   | NA        | NA        | NA          | NA          | NA            | NA            |
|       | 6/4/98                         | <0.13   | <0.22         | <0.20 | <0.23   | <0.51   | <0.16   | NA        | NA        | NA          | NA          | NA            | NA            |
|       | 8/3/98                         | <0.13   | <0.22         | <0.20 | <0.23   | <0.51   | <0.16   | <0.46     | NA        | NA          | NA          | NA            | NA            |
|       | 11/10/98                       | <0.13   | <0.22         | <0.20 | <0.23   | <0.51   | <0.16   | NA        | NA        | NA          | NA          | NA            | NA            |
|       | 3/4/99                         | 0.24    | <0.22         | <0.20 | 0.57    | 0.41    | <0.16   | NA        | NA        | NA          | NA          | NA            | NA            |
|       | 5/19/99                        | <0.26   | <0.24         | <0.21 | <1.3    | <1.38   | <0.22   | NA        | NA        | NA          | NA          | NA            | NA            |
|       | 8/25/99                        | <0.26   | <0.22         | <0.21 | <1.3    | <1.40   | <0.22   | NA        | NA        | NA          | NA          | NA            | NA            |
|       | 2/8/00                         | <0.50   | <0.50         | <0.50 | <0.17   | <2.0    | <0.50   | <0.22     | <0.70     | <0.50       | <0.22       | <0.70         | <0.50         |
|       | 11/11/97                       | <0.13   | <0.22         | <0.20 | <0.23   | <0.51   | <0.16   | NA        | NA        | NA          | NA          | NA            | NA            |
| MW-13 | 2/16/98                        | <0.13   | <0.22         | <0.20 | <0.23   | <0.51   | <0.16   | NA        | NA        | NA          | NA          | NA            | NA            |
|       | 6/4/98                         | <0.13   | <0.22         | <0.20 | <0.23   | <0.51   | <0.16   | NA        | NA        | NA          | NA          | NA            | NA            |
|       | 8/3/98                         | <0.13   | <0.22         | <0.20 | <0.23   | <0.51   | <0.16   | <0.46     | NA        | NA          | NA          | NA            | NA            |
|       | 11/10/98                       | <0.13   | <0.22         | <0.22 | <0.23   | <0.51   | <0.16   | NA        | NA        | NA          | NA          | NA            | NA            |
|       | 3/4/99                         | <0.13   | <0.22         | <0.20 | 0.24    | <0.51   | 1.5     | NA        | NA        | NA          | NA          | NA            | NA            |
|       | 5/19/99                        | <0.26   | <0.24         | <0.21 | <1.3    | <1.40   | <0.22   | NA        | NA        | NA          | NA          | NA            | NA            |
|       | 8/25/99                        | <0.26   | <0.24         | <0.21 | <1.3    | <1.40   | <0.22   | NA        | NA        | NA          | NA          | NA            | NA            |
|       | 2/8/00                         | NS      | NS            | NS    | NS      | NS      | NS      | NS        | NS        | NS          | NS          | NS            | NS            |
|       | NR 140 Enforcement Standard    | 5.0     | 700           | 1,000 | 10,000  | 480     | 40      | 60        | 5.0       | 5.0         | 60          | 5.0           | 5.0           |
|       | NR 140 Preventive Action Limit | 0.50    | 140           | 200   | 1,000   | 96      | 8.0     | 12        | 0.50      | 0.50        | 12          | 0.50          | 0.50          |

(Continued)

Notes:

All results in ppb unless noted otherwise

Shading indicates value equals or exceeds the NR 140 enforcement standard

Cross hatching indicates value equals or exceeds the NR 140 preventive action limit

NS: Not sampled

NA: Not analyzed

TCE: Trichloroethene

TMB: Trimethylbenzene

MTBE: Methyl t-butyl ether

PCE: Tetrachloroethene

Checked by: VAC  
 Approved by: VAC




**TANK LEGEND**


1. FORMER 1,000-GALLON FUEL OIL UST
2. FORMER 500-GALLON WASTE OIL UST
3. FORMER 8,000-GALLON UNLEADED GASOLINE UST
4. FORMER 8,000-GALLON UNLEADED GASOLINE UST
5. FORMER 5,000-GALLON UNLEADED GASOLINE UST

**LEGEND**

- — — — — APPROXIMATE PROPERTY BOUNDARY
- — — — — WOOD FENCE
- ⊕ MONITORING WELL
- ( ) CONCENTRATIONS IN ppb
- 5.0 ISOCONCENTRATION CONTOUR



NOTE: MW-3 WAS DAMAGED AND SUBSEQUENTLY REPLACED WITH MW-3A



|              |           |
|--------------|-----------|
| DATE         | ENGINEER  |
| DATE         | ENGINEER  |
| REVISIONS:   |           |
| APPROVED BY: | VM        |
| CHECKED BY:  | VM        |
| DATE         | 04/19/00  |
| RRT          |           |
| DRAWN BY:    |           |
| DATE         | 91.49.134 |
| DRAWING NO.  |           |



**ENVIROGEN**

COST EFFECTIVE LEADERSHIP FOR A CLEANER ENVIRONMENT

850 Hwy 153 Suite F  
Mosinee, Wisconsin 54455

SCALE



|  |            |
|--|------------|
| POSTREMEDIATION GROUNDWATER BENZENE DISTRIBUTION | FIGURE NO. |
| HODAG MOBIL SITE                                 | 1          |
| RHINELANDER, WISCONSIN                           |            |


**TANK LEGEND**

1. FORMER 1,000-GALLON FUEL OIL UST
2. FORMER 500-GALLON WASTE OIL UST
3. FORMER 8,000-GALLON UNLEADED GASOLINE UST
4. FORMER 8,000-GALLON UNLEADED GASOLINE UST
5. FORMER 5,000-GALLON UNLEADED GASOLINE UST

NOTE: MW-3 WAS DAMAGED AND SUBSEQUENTLY REPLACED WITH MW-3A


**LEGEND**

- — — APPROXIMATE PROPERTY BOUNDARY
- — — WOOD FENCE
- ⊕ MONITORING WELL
- ( ) CONCENTRATIONS IN FEET ABOVE MSL
- 1,527.50 ISOELEVATION CONTOUR
- ← GROUNDWATER FLOW DIRECTION



|              |            |
|--------------|------------|
| ENGINEER     | DATE       |
| ENGINEER     | DATE       |
| ENGINEER     | DATE       |
| REVISIONS:   |            |
| APPROVED BY: | VLL        |
| CHECKED BY:  | VLL        |
| DATE:        | 04/19/00   |
| RRT          |            |
| DRAWN BY:    |            |
| DRAWING NO.: | 91.49.1.36 |

**ENVIROGEN**  
 COST EFFECTIVE LEADERSHIP FOR A CLEANER ENVIRONMENT  
 850 Hwy 153 Suite F  
 Mosinee, Wisconsin 54455




|   |                  |
|---|------------------|
| POSTREMEDIATION POTENTIOMETRIC SURFACE<br>(8/25/99) | FIGURE NO.<br>16 |
| HODAG MOBIL SITE<br>RHINELANDER, WISCONSIN          |                  |

LEGEND

- ⊕ MONITORING WELL
- ( ) GROUNDWATER ELEVATION MSL

HYDRAULIC GRADIENT = 0.0052 FT/FT



THE INTERPRETATIONS IN THIS FIGURE ARE BASED ON KNOWN POINTS IN TIME AND SPACE AND ARE INTEGRAL TO A WRITTEN REPORT AND SHOULD BE REVIEWED IN THAT CONTEXT.

**FIGURE 4.4**  
**POTENTIOMETRIC SURFACE**  
**MAP 4/22/92**  
**HODAG MOBIL/PHOTO**  
**RHINELANDER, WISCONSIN**



1/8/93

JBD

APPROVED BY:

JBD

1/8/93

JBD

CHECKED BY:

JBD

12/28/92

SAJ

DRAWN BY:

SAJ

DRAWN BY:

91.491R44



DRAWING NO.

91.491R44

DRAWING NO.

91.491R44

DRAWING NO. 91.491R46  
 DRAWN BY: SAJ  
 CHECKED BY: JBD  
 APPROVED BY: JBD  
 1/8/93  
 1/6/93




THE INTERPRETATIONS IN THIS FIGURE ARE BASED ON KNOWN POINTS IN TIME AND SPACE AND ARE INTEGRAL TO A WRITTEN REPORT AND SHOULD BE REVIEWED IN THAT CONTEXT.

**FIGURE 4.6**  
**GROUNDWATER BENZENE**  
**DISTRIBUTION MAP**  
**HODAG MOBIL/PHOTO**  
**RHINELANDER, WISCONSIN**



DRAWING NO. 91.491R43  
 DRAWN BY: SAJ  
 12/28/92  
 CHECKED BY: JDD  
 1/8/93  
 APPROVED BY: JDD  
 1/8/93



HORIZONTAL DISTANCES NOT TO SCALE

THE INTERPRETATIONS IN THIS FIGURE ARE BASED  
 ON KNOWN POINTS IN TIME AND SPACE AND ARE  
 INTEGRAL TO A WRITTEN REPORT AND SHOULD BE  
 REVIEWED IN THAT CONTEXT.

**FIGURE 4.3**  
**LITHOLOGIC**  
**CROSS-SECTION B-B'**  
**HODAG MOBIL/PHOTO**  
**RHINELANDER, WISCONSIN**

