

GIS REGISTRY INFORMATION

SITE NAME: Ingman's Service
 BRRTS #: 03-44-101991 FID: # (if appropriate): _____
 COMMERCE # (if appropriate): 54487-9320-08
 CLOSURE DATE: 6/7/05
 STREET ADDRESS: 2508 CTH L
 CITY: Tomahawk

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 541908 Y= 568043

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter issued
- Copy of most recent deed, including legal description, for all affected properties
- Certified survey map or relevant portion of the recorded plat map *(if referenced in the legal description)* for all affected properties
- County Parcel ID number, *if used for county*, for all affected properties 02201-342 + 02201-342-1A
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)
- Tables of Latest Soil Analytical Results (no shading or cross-hatching)
- Isoconcentration map(s), *if required for site investigation (SI)* (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.
- GW: Table of water level elevations, with sampling dates, and free product noted if present
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour
- Geologic cross-sections, *if required for SI*. (8.5x14" if paper copy)
- RP certified statement that legal descriptions are complete and accurate
- Copies of off-source notification letters (if applicable)
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)
- Copy of (soil or land use) deed restriction(s) or deed notice *if any required as a condition of closure*

N/A
N/A
N/A
N/A
N/A
N/A





State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
John Gozdzialski, Regional Director

Northern Region Headquarters
107 Sutliff Ave.
Rhineland, Wisconsin 54501-3349
Telephone 715-365-8900
FAX 715-365-8932
TTY Access via relay - 711

June 9, 2005

Mr. Ted Ingman
Ingman's Service
2508 CTH L
Tomahawk, WI 54487

SUBJECT: Final Case Closure By Closure Committee
Ingman's Service, 2508 CTH L, Tomahawk, WI
WDNR BRRTS #:03-44-101991
PECFA # 54487-9320-08

Dear Mr. Ingman:

On December 9, 2004, your site as described above was reviewed for closure by the Northern Closure Committee. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On December 9, 2004, you were notified that the Closure Committee had granted conditional closure to this case.

On June 7, 2005, the Department received correspondence indicating that you have complied with the conditions of closure, specifically, final documents needed for the GIS Registry. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>

If your property is listed on the GIS Registry due to groundwater contamination exceeding ch. NR 140 standards at the time of closure, and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4)(w). To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at the web address listed above.

If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-365-8990.


Sincerely,
NORTHERN REGION



Janet Kazda
Remediation & Redevelopment Program

cc: File
Chuck Weister, Rhinelander

Jeff Lynott
ECCI
PO Box 614
Rhinelander, WI 54501-0614



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
John Gozdzialski, Regional Director

Northern Region Headquarters
107 Sutliff Ave.
Rhineland, Wisconsin 54501-3349
Telephone 715-365-8900
FAX 715-365-8932
TTY Access via relay - 711

December 9, 2004

Mr. Ted Ingman
Ingman's Service
2508 CTH L
Tomahawk, WI 54487

Subject: Conditional Case Closure With NR 140 Exemption
Ingman's Service, 2508 CTH L, Tomahawk, Wisconsin
WDNR BRRTS # 03-44-101991
PECFA# 54487-9320-08

Dear Mr. Ingman:

On December 9, 2004, your request for closure of the case described above was reviewed by the Regional Closure Committee. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the leaded and unleaded gasoline and diesel fuel contamination on the site from the site appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

1. The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to me on Form 3300-5B found at www.dnr.state.wi.us/org/water/dgw/gw/ or provided by the Department of Natural Resources.
2. Please obtain full-size readable copies of the three deeds for this property (Document No. 377065, 294141, and 313889) directly from the Oneida County Register of Deeds office. Reduced-size copies that have been sent through a FAX machine are not legible enough for the GIS Registry. Send the documents you obtain to me at the above address.

When the above conditions have been satisfied, please send the materials to me, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>.

Recent groundwater monitoring data at this site indicates exceedances of the NR 140 preventive action limit (PAL) for trimethylbenzene at Monitoring Well # MW-2, but compliance with the NR 140 enforcement standard. The Department may grant an exemption to a PAL for a substance of public health concern, other than nitrate, pursuant to s. NR 140.28(2)(b), Wis. Adm. Code, if all of the following criteria are met:

1. The measured or anticipated increase in the concentration of the substance will be minimized to the extent technically and economically feasible.
2. Compliance with the PAL is either not technically or economically feasible.
3. The enforcement standard for the substance will not be attained or exceeded at the point of standards application.
4. Any existing or projected increase in the concentration of the substance above the background concentration does not present a threat to public health or welfare.

Based on the information you provided, the Department believes that the above criteria have been or will be met. Therefore, pursuant to s. NR 140.28(2)(b), Wis. Adm. Code, an exemption to the PAL is granted for trimethylbenzene at Monitoring Well # MW-2. This letter serves as your exemption.

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-365-8990.

Sincerely,
Northern Region



Janet Kazda
Remediation & Redevelopment Program

cc: File
Chuck Weister, Rhinelander
Bill Phelps, DG/2

Jeff Lynott
ECCI
PO Box 614
Rhinelander, WI 54501-0614

527541
**TERMINATION OF DECEDENT'S
PROPERTY INTEREST**

RECEIVED
ONEIDA COUNTY, WIS.

'01 JAN 25 PM 2 13

V1009 P297-301

Thomas H. Feighten
REGISTER OF DEEDS

DECEDENT'S NAME VERA F. INGMAN			
ADDRESS OF DECEDENT AT DATE OF DEATH 10484 Schoettler Rd.	CITY Tomahawk	STATE WI	ZIP 54487
DATE OF DEATH 10-22-00	SOCIAL SECURITY NUMBER 399-34-4842		
PRESENTATION OF DEATH CERTIFICATE <i>ONEIDA Co.</i> I certify that I have viewed a certified copy of the decedent's death certificate. <i>Thomas H. Feighten</i> 1/25/01 REGISTER OF DEEDS SIGNATURE DATE			

Recording area

Name and return address:

Interest in property is terminated under (please check appropriate statute):

s. 867.045 which pertains to property in which the decedent was a joint tenant, had a vendor's or mortgagee's interest, or had a life estate. (You must provide a copy of the document establishing joint tenancy or life estate.)

s. 867.046 which pertains to (1) property of a decedent specified in a marital property agreement, and also to (2) survivorship marital property. (You must provide a copy of the document establishing survivorship marital property.)

Presentation of recorded document establishing joint tenancy, life estate, survivorship marital property, vendor interest, or mortgagee interest in real estate.

PARCEL IDENTIFICATION NUMBER

This document number is 377065, volume 601, page 100 of (check one) Records Deeds

This document number is 294141, volume 428, page 504 of (check one) Records Deeds

This document number is 313889, volume 472, page 781 of (check one) Records Deeds

Description of the real estate.

Include only the extent of ownership (or vendor or mortgagee's interest) in land at the time of the decedent's death. If the extent of land is exactly the same as on the document, a copy of that document may be attached to describe the real estate. Attach tax bill for year immediately preceding death, if applicable. (See directions.) The legal description of the property and the persons receiving the property are as follows: (If more space is needed, attach pages.)

See Attached

Description of personal property (if any) being transferred.

You may list savings accounts, checking accounts and securities on attached pages. Indicate person(s) receiving property.

DECLARATION: I (We) declare that this document is, to the best of my (our) knowledge and belief, true, correct and complete and is in conformity with the provisions and limitations of the Wisconsin Statutes. (If more space is needed, attach pages.)

Name and Address of Person Receiving Property	Relationship to Decedent	Signature (Notarized)	Date
THEODORE H. INGMAN	SPOUSE	<i>Theodore H. Ingman</i>	12-30-00

STATE OF WISCONSIN, County of Oneida

This document was drafted by:
(print or type name below)

THEODORE H. INGMAN

Signed and sworn to before me on 1-10-2001 by the above named person(s).

Signature of notary or other person authorized to administer an oath (as per s. 706.06, 706.07)

Janet H. ...

NOTE: SEE DIRECTIONS ON REVERSE SIDE.

Print or type name Janet H. ...

Title Town Clerk Date commission expires 8-31-2003

DOCUMENT NO.

294141

(VOL) 428 PAGE 504

STATE BAR OF WISCONSIN - FORM 1
WARRANTY DEED
THIS SPACE RESERVED FOR RECORDING DATA

ONEIDA COUNTY, WIS.

Received for Record the 15th

day of September, A. D. 1978

10:35 a.m. and Recorded in

Vol. 428 of Records on page 504

Lois George Kuehn
REGISTRAR OF DEEDS

THIS DEED, made between Raymond L. White and Helen G. White, his wife

Grantor
and Theodore H. Ingman and Vera E. Ingman, husband and wife, as joint tenants

Grantee,
Witnesseth, That the said Grantor, for a valuable consideration

conveys to Grantee the following described real estate in Oneida County, State of Wisconsin:

All that part of the Southeast Quarter of the Southeast Quarter (SE $\frac{1}{4}$ SE $\frac{1}{4}$), Section Twenty-two (22), Township Thirty-six (36) North, Range Six (6) East, described by metes and bounds as follows: Commencing at the point of intersection of the south line of said forty acre tract with the east line of the right-of-way of U.S. Highway 51, the place of beginning; running thence east on said south line 150 feet; thence north parallel with the east line of said Highway 150 feet; thence west to said east line of said Highway 150 feet; thence south 150 feet to the place of beginning.

This deed is given in fulfillment of a land contract dated May 31, 1967, and recorded June 2, 1967, in Volume 287 of Deeds, page 226.

EXEMPTION #10

This is not homestead property.
(~~is~~ (is not))

Together with all and singular the hereditaments and appurtenances thereunto belonging:

And Raymond L. White and Helen G. White, his wife warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except

and will warrant and defend the same.

Dated this 13th day of September, 19 78

_____(SEAL)

_____(SEAL)

Raymond L. White (SEAL)

Raymond L. White
Helen G. White (SEAL)
Helen G. White

AUTHENTICATION

Signatures authenticated this _____ day of _____, 19 _____

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, _____ authorized by § 706.06, Wis. Stats.)

This instrument was drafted by

Francis U. Seroogy of _____

SEROOGY & REIFF, ATTYS.

bat

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN

Lincoln County, ss.

Personally came before me, this 13th day of

Sept., 1978 the above named Raymond L. White and Helen G. White, his wife

to me known to be the person(s) who executed the foregoing instrument, and acknowledged the same.

Carol G. Vander Voort
Carol G. Vander Voort

Notary Public Lincoln County, Wis.

My Commission is perpetual (If not, state expiration date: April 19 19 81)

*Names of persons signing in any capacity must be typed or printed below their signatures.

DOCUMENT NO.

313889

FEE

77.25 (13)
EXEMPT

STATE BAR OF WISCONSIN—FORM 1
WARRANTY DEED
THIS SPACE RESERVED FOR RECORDING DATA

ONEIDA COUNTY, WIS.

Received for record the 23rd
day of June A. D. 1981

945 of Record and recorded in
Vol. 472 of Records on page 781

Doris Veraget Kuehn
REGISTER OF DEEDS

RETURN TO

SEROOGY & REIFF
ATTORNEYS AT LAW
321 West Wisconsin Ave.
Tomahawk, Wisconsin 54487

Tax Key No. _____

THIS DEED, made between Doris Vander Voort and
Connie Dorski

Grantor
and Theodore H. Ingman and Vera E. Ingman, his
wife, as joint tenants,

Grantee,
Witnesseth, That the said Grantor, for a valuable consideration

conveys to Grantee the following described real estate in Oneida
County, State of Wisconsin:

A part of the Southeast Quarter of the Southeast
Quarter (SE $\frac{1}{4}$ SE $\frac{1}{4}$), Section Twenty-two (22),
Township Thirty-six (36) North, Range Six (6)
East described as follows: Commencing at the
southwest corner of the said SE $\frac{1}{4}$ SE $\frac{1}{4}$, thence easterly
along the south line thereof a distance of 100 feet to the east boundary
line of U.S. Highway 51 right of way, thence continuing easterly along the
south line of said SE $\frac{1}{4}$ SE $\frac{1}{4}$ a distance of 100 feet to a point, the place of
beginning of the parcel to be described; thence north parallel with the
east line of said U.S. Highway 51, 150 feet, thence east parallel with
south line of said SE $\frac{1}{4}$ SE $\frac{1}{4}$, 25 feet to a point; thence south parallel with
the east line of Highway 51 150 feet to the south line of said quarter
quarter section; thence west along the south line of said quarter quarter
section a distance of 25 feet to the place of beginning.

Intending to convey the west 25 feet of the south 150 feet of that parcel
described in Volume 330 of Deeds, page 304, Oneida County Registry.

This is not homestead property.
(is) (is not)

Together with all and singular the hereditaments and appurtenances thereunto belonging;
And Doris Vander Voort and Connie Dorski

warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except easements of
record or by use.

and will warrant and defend the same.

Dated this 26th day of May, 1981

x Doris Vander Voort (SEAL)
* Doris Vander Voort
x Connie Dorski (SEAL)
* Connie Dorski

_____(SEAL)
* _____
_____(SEAL)
* _____

ACKNOWLEDGMENT

STATE OF WISCONSIN
Personality came before me, this 26th day of
June 1981 the above named
Doris Vander Voort

ACKNOWLEDGMENT

STATE OF WISCONSIN
Personality came before me, this 26th day of
1981 the above named
Connie Dorski

to me known to be the person who executed the fore-
going instrument and acknowledged the same.

to me known to be the person who executed the fore-
going instrument and acknowledged the same.

Notary Public
My Commission is permanent. (If not, state expiration
date: 1992, 19)

Notary Public
My Commission is permanent. (If not, state expiration
date: Notary Public - Wood Co., Wis.
My Commission Expires Dec 18, 1988, 19)

*Names of persons signing in any capacity must be typed or printed below their signatures.

DOCUMENT NO.

377065

VOL 601 PAGE 100

STATE BAR OF WISCONSIN—FORM 3
QUIT CLAIM DEED
THIS SPACE RESERVED FOR RECORDING DATA

ONEIDA COUNTY, WIS.

Received for Record the 3rd
day of July A.D. 19 89
845 o'clock a M. and Recorded in
Vol. 601 of RECORDS on page 100

Thomas H. Leighton
REGISTER OF DEEDS

Irene White

quit-claims to Theodore H. Ingman and Vera F. Ingman.
husband and wife as survivorship marital
property.

the following described real estate in Oneida County,
State of Wisconsin: A parcel of land being a part of
the Southeast Quarter of the Southeast Quarter
(SE1/4 SE1/4), Section Twenty-two (22), Township
Thirty-six (36) North, Range Six (6) East, of the
Fourth Principal Meridian, Oneida County, Wis-
consin, bounded and described as follows:

Commencing at an iron pipe marking the Southeast
corner of said Section 22, thence S.89°07'57"E., along the south line
of said Section 22, a distance of 1182.40 feet to a point on the easterly
right of way line of U.S. Highway 51, thence along said easterly right
of way line as follows, N.02°16'58" W., a distance of 150.00 feet to
a point and the place of beginning, thence continuing N.02°16'58"W
a distance of 8.00 feet to an iron pipe, thence leaving said easterly
right of way line on a bearing of N.89°07'57"E, parallel with said
south line a distance of 150.00 feet to an iron pipe, thence S. 02°16'
58"E, parallel with said easterly right of way line a distance of 8.00
feet to a point, thence S.89°07'57"W., parallel with said south line
a distance of 150.00 feet to a point and the place of beginning.

SUBJECT to easements and restrictions of record or by use.

RETURN TO

SEROOGY & REIFF
ATTORNEYS AT LAW
P.O. Box 327
321 West Wisconsin Ave.
Tomahawk, Wisconsin 54487

W

Tax Key No. _____

NEED TO REPAIR

TRANSFER
.90
FEE

This is not homestead property.
(is) (is not)

Dated this _____ day of June, 1989.

(SEAL)

Irene White

(SEAL)

(SEAL)

(SEAL)

AUTHENTICATION

Signatures authenticated this _____ day of
June, 1989

* David E. Reiff

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, _____
authorized by § 706.06, Wis. Stats.)

This instrument was drafted by

David E. Reiff of

SEROOGY & REIFF, ATTYS.

Per description provided.

(Signatures may be authenticated or acknowledged. Both
are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN

_____, ss.
_____, County.)

Personally came before me, this _____ day of

_____ the above named _____

to me known to be the person, who executed the fore-
going instrument and acknowledged the same.

* _____
Notary Public _____ County, Wis.
My Commission is permanent. (If not, state expiration
date: _____, 19____.)

Map created Tue Jul 20 11:04:29 CDT 2004

Legend

Closed Remediation Sites

- Groundwater
- Soil
- Groundwater and Soil
- Offsource Contamination
- County Boundary
- 24K Open Water

*Site Location

UTM Coordinates:
541930, 568031

Parcel ID #'s:
02201 342 and
02201 342 1A

Address:
2508 County Trunk-
Highway "L"

Scale: 1:3,961


DO NOT USE FOR NAVIGATION



MAP # B-380
 DATE FILED JUN 28 1936
 BY [Signature]
 DESCRIPTION FILED
 ONEIDA CO. SURVEYOR'S OFFICE

LEGEND

- 2" IRON PIPE FOUND IN PLACE
- ⊙ 1 1/2" IRON PIPE FOUND IN PLACE
- 1" IRON PIPE SET THIS SURVEY
- ▨ DENOTE BUILDINGS



Prairie Rapids Road

U.S. HIGHWAY "51"

Lake Nokomis Road


ST. P. & P. R.R. (abandoned)

BEARINGS SOLAR

SE Cor.
 Sec. 22

Part of the
 SE 1/4 of the SE 1/4
 SECTION 22
 T. 36 N., R. 6 E.
 Town of Nakomis
 Oneida County, Wis.

		TIMBERLAND SURVEYORS TOMAHAWK, WIS.	
SURVEY FOR TED INGMAN, RICHARD O'BRIEN & IRENE WHITE TOMAHAWK, WIS.			
DATE: FEB. MAY 1936	OWN. BY: [Blank]	SCALE: 1" = 40'	DWG. NO.
REVISED: [Blank]	BY: [Blank]		772




INGMAN'S SERVICE


FIGURE 1: SITE LOCATION MAP

Scale 1 inch = 2000 feet

June 1996


ENVIRONMENTAL COMPLIANCE CONSULTANTS, INC.






EXPLANATION

- OVERHEAD UTILITY
- UNDERGROUND UTILITY
- ... APPROXIMATE PROPERTY LINE
- UTILITY POLE
- x—x— FENCE
- ⊙ PRIVATE WELL
- ⊕ MONITORING WELL
- ⊕⊙ PIEZOMETER



APPROXIMATE SCALE
(IN FEET)



INGMAN'S SERVICE

FIGURE 2
SOIL BORING AND
MONITORING WELL LOCATIONS

October 2002

BDH

TABLE MW-1 (PAGE 2 OF 2)

125	Parameter concentration exceeds the NR 140 ES
<2.5	Parameter analyzed, but not detected, MDL > PAL
	Parameter not analyzed

**GROUNDWATER LABORATORY RESULTS
INGMAN'S SERVICE, TOMAHAWK, WI**

WELL IDENTIFICATION	MW-1						NR 140 PAL	NR 140 ES
	NATURAL ATTENUATION MONITORING							
Date Sampled	3/20/00	6/29/00	9/26/00	9/25/01*	12/21/01	9/17/02		
Analyte								
Lead (µg/L)					1.36	<1.00	1.5	15
Alkalinity (mg/L)					81.0	49.0		
Sulfate (mg/L)					7.68	6.70		
Nitrogen-Nitrate/Nitrite (mg/L)					1.80	2.70		
Total Iron (mg/L)					0.345	0.115		
Dissolved Oxygen (mg/L)				3.48		2.07		
Groundwater Elevations	1476.23		1476.18	1476.12	1476.4	1476.43		
PVOCs (µg/L)								
Benzene	<0.50			<0.21	<0.16	<0.31	0.5	5
Toluene	<0.52			<0.22	<0.4	<0.3	200	1000
Ethylbenzene	<0.54			<0.23	<0.5	<0.5	140	700
m&p Xylene	<1.0				<0.4	<0.62		
o-Xylene	<0.50			<0.44	<0.17	<0.3		
Total Xylenes	<1.50			<0.44	<0.57	<0.92	1000	10000
1,2,4-Trimethylbenzene	<0.55			<0.23	<0.4	<0.4		
1,3,5-Trimethylbenzene	<0.52			<0.21	<0.17	<0.31		
Total Trimethylbenzenes	<1.07			<0.44	<0.57	<0.71	96	480
Methyl tert-Butyl-ether	<0.47			<0.091	<0.3	<0.3	12	60
Naphthalene				<0.40			8	40

MDL: Laboratory Method Detection Limit

NR 140 ES: Wisconsin Administrative Code NR 140 Enforcement Standard

NR 140 PAL: Wisconsin Administrative Code NR 140 Preventive Action Limit

* Sample was analyzed for a full set of PVOCs plus Naphthalene.

TABLE MW-2 (PAGE 2 OF 3)

125	Parameter concentration exceeds the NR 140 ES
<2.5	Parameter analyzed, but not detected, MDL > PAL
	Parameter not analyzed

GROUNDWATER LABORATORY RESULTS
INGMAN'S SERVICE, TOMAHAWK, WI

WELL IDENTIFICATION	MW-2									NR 140 PAL	NR 140 ES
	NATURAL ATTENUATION MONITORING										
	Date Sampled	3/20/00	6/29/00	9/26/00	9/25/01	12/21/01	9/17/02	7/22/03	10/6/03		
Analyte											
Lead (µg/L)					<1.00	<1.00		<1.0		1.5	15
Alkalinity (mg/L)					49.0	51.0		27			
Sulfate (mg/L)					<5.00	5.39		<3.0>			
Nitrogen-Nitrate/Nitrite (mg/L)					0.393	0.845		0.55			
Total Iron (mg/L)					5.94	2.35		5.4			
Dissolved Oxygen (mg/L)				0.10		0.33					
Groundwater Elevations	1475.67	1476.02	1475.69	1475.56		1475.88		1478.35			
PVOCs* (µg/L)											
Benzene	82	<10	<2.5	13	<0.8	0.494	<4.5	<2.2	<5.6>	0.5	5
Toluene	380	49	14	6.0	16.2	9.92	<14>	16	<11>	200	1000
Ethylbenzene	<30>	<11	<2.6	2.5	5.72	0.97	<4.7	<2.4	<4.7	140	700
m&p Xylene	1300	780	62	140	155	32.5	<15>	20	<23>		
o-Xylene	840	430	40		109	24.7	<15>	15	<17>		
Total Xylenes	2140	1210	102	140	264	57.2	<30>	35	<40>	1000	10000
1,2,4-Trimethylbenzene	710	800	56	260	486	183	140	160	180		
1,3,5-Trimethylbenzene	250	250	13	96	172	80.1	79	90	93		
Total Trimethylbenzenes	960	1050	69	356	658	263.1	219	250	273	96	480
Methyl tert-Butyl-ether	<9.4	<9.4	<5.0	7.0	<1.50	<0.3	<6.0	<3.0	<6.0	12	60
Naphthalene	65	57	21	7.0	16.0	<0.8	21	9.5	<4.6	8	40

MDL: Laboratory Method Detection Limit

NR 140 ES: Wisconsin Administrative Code NR 140 Enforcement Standard

NR 140 PAL: Wisconsin Administrative Code NR 140 Preventive Action Limit

* Samples were analyzed for PVOCs plus Naphthalene.

DUP: Duplicate Sample

< > Values represent results greater than the Limit of Detection, but less than the Limit of Quantitation and are within a region of "Less-Certain Quantitation."

TABLE MW-2 (PAGE 3 OF 3)

WELL IDENTIFICATION	MW-2									NR 140 PAL	NR 140 ES
	NATURAL ATTENUATION MONITORING										
	Date Sampled	3/20/00	6/29/00	9/26/00	9/25/01	12/21/01	9/17/02	7/22/03	10/6/03		
PAHs (µg/L)											
Acenaphthene								1.7		120	600
Acenaphthylene								<0.41		1	5
Anthracene								<0.13		600	3000
Benzo(a)anthracene								<0.095		0.0048	0.048
Benzo(a)pyrene								<0.088		0.02	0.2
Benzo(b)fluoranthene								<0.10		0.02	0.2
Benzo(ghi)perylene								<0.11		0.096	0.48
Benzo(k)fluoranthene								<0.090		0.048	0.48
Chrysene								<0.088		0.02	0.2
Dibenzo(a,h)anthracene								<0.25		0.00048	0.0048
Fluoranthene								<0.060		80	400
Fluorene								1.2		80	400
Indeno(1,2,3-cd)pyrene								<0.11		0.0048	0.048
1-Methyl Naphthalene								22		140	700
2-Methyl Naphthalene								9.6		80	400
Naphthalene								0.46		8	40
Phenanthrene								0.53		0.96	4.8
Pyrene								<0.067		50	250

MDL: Laboratory Method Detection Limit

NR 140 ES: Wisconsin Administrative Code NR 140 Enforcement Standard

NR 140 PAL: Wisconsin Administrative Code NR 140 Preventive Action Limit

* Samples were analyzed for PVOCs plus Naphthalene.

DUP: Duplicate Sample

< > Values represent results greater than the Limit of Detection, but less than the Limit of Quantitation and are within a region of "Less-Certain Quantitation."

TABLE MW-3

125	Parameter concentration exceeds the NR 140 ES
<2.5	Parameter analyzed, but not detected, MDL > PAL
--	Parameter analyzed, but not detected, MDL < PAL
	Parameter not analyzed

GROUNDWATER LABORATORY RESULTS
INGMAN'S SERVICE, TOMAHAWK, WI

WELL IDENTIFICATION	MW-3									NR 140 PAL	NR 140 ES
	SITE INVESTIGATION			NATURAL ATTENUATION MONITORING							
Date Sampled	9/24/96*	12/6/96	DUP	11/14/97	2/24/98	5/29/98	9/2/98	11/17/98	9/17/02**		
Analyte											
GRO (µg/L)	239	262	243								
DRO (µg/L)		2300									
Lead (µg/L)		3							<1.00	1.5	15
Dissolved Oxygen (mg/L)				0.28					0.47		
Groundwater Elevations	1475.71	1476.05		1476.10		1475.81	1475.38	1475.83	1476.13		
PVOCs (µg/L)											
Benzene	--	--	--	--		--	--	--	<0.31	0.5	5
Toluene	0.6	--	--	--		--	--	--	<0.3	200	1000
Ethylbenzene	1.3	0.8	1.1	0.76		1.7	--	<0.64	<0.5	140	700
m&p Xylene	5.8	3.0	4.1	1.2		<2.8>	--	<2.8>	<0.62		
o-Xylene	7.2	3.5	5.0	1.5		3.0	1.7	3.6	<0.3		
Total Xylenes	13.0	6.5	9.1	2.7		<5.8>	1.7	<6.4>	<0.92	1000	10000
1,2,4-Trimethylbenzene	13	7.8	11	4.9		7.1	5.0	11	<0.4		
1,3,5-Trimethylbenzene	9.4	11	14	1.7		3.1	--	1.8	<0.31		
Total Trimethylbenzenes	22.4	18.8	25	6.6		10.2	5.0	12.8	<0.71	96	480
Methyl tert-Butyl-ether	--	--	--	--		--	--	--	<0.3	12	60
Naphthalene	2.3								<0.8	8	40
Isopropylbenzene	1.3										
n-Butylbenzene	10										
n-Propylbenzene	2.4										
sec-Butylbenzene	0.6										
p-Isopropyltoluene	--										
Di-isopropyl ether	--										
PAHs (µg/L)											
Benzo (a) pyrene	1.2	--								0.02	0.2
Benzo (a) anthracene	0.41	--								0.0048	0.048
Pyrene	0.92	--								50	250

MDL: Laboratory Method Detection Limit

NR 140 ES: Wisconsin Administrative Code NR 140 Enforcement Standard

NR 140 PAL: Wisconsin Administrative Code NR 140 Preventive Action Limit

* Sample was analyzed for a full set of VOCs and PAHs; only those detected are shown.

DUP: Duplicate Sample

** Sample was analyzed for PVOCs plus Naphthalene.

< > Values represent results greater than the limit of detection, but less than the limit of quantitation and are within a region of "Less-Certain Quantitation."

TABLE MW-4 (PAGE 2 OF 2)

125	Parameter concentration exceeds the NR 140 ES
<2.5	Parameter analyzed, but not detected, MDL > PAL
--	Parameter analyzed, but not detected, MDL < PAL
	Parameter not analyzed

**GROUNDWATER LABORATORY RESULTS
INGMAN'S SERVICE, TOMAHAWK, WI**

WELL IDENTIFICATION	MW-4						NR 140 PAL	NR 140 ES
	NATURAL ATTENUATION MONITORING							
Date Sampled	3/20/00	6/29/00*	9/26/00*	9/25/01*	12/21/01	9/17/02		
Analyte								
Dissolved Oxygen (mg/L)				2.25	2.79	2.59		
Groundwater Elevations	1475.33	1475.46	1475.50	1475.25	1475.53	1475.60		
PVOCs (µg/L)								
Benzene	<0.50	<0.50	<0.51	<0.21	<0.16	<0.31	0.5	5
Toluene	<0.52	<0.52	<0.51	<0.22	<0.4	<0.3	200	1000
Ethylbenzene	<0.54	<0.55	<0.51	<0.23	<0.5	<0.5	140	700
m&p Xylene	<2.5>	<1.0	<1.2	<0.44	<0.4	<0.62		
o-Xylene	<0.50	<0.50	<0.50		<0.17	<0.3		
Total Xylenes	<2.5>	<1.50	<1.70	<0.44	<0.57	<0.92	1000	10000
1,2,4-Trimethylbenzene,	<0.55	<0.55	<0.52	<0.23	<0.4	<0.4		
1,3,5-Trimethylbenzene	<0.52	<0.52	<0.54	<0.21	<0.17	<0.31		
Total Trimethylbenzenes	<1.07	<1.07	<1.06	<0.44	<0.57	<0.71	96	480
Methyl tert-Butyl-ether	<0.47	<0.47	<1.0	<0.091	<0.3	<0.3	12	60
Naphthalene		<0.52	<0.52	<0.40			8	40

MDL: Laboratory Method Detection Limit

NR 140 ES: Wisconsin Administrative Code NR 140 Enforcement Standard

NR 140 PAL: Wisconsin Administrative Code NR 140 Preventive Action Limit

* Sample was analyzed for PVOCs plus Naphthalene.

< > Results are greater than the Limit of Detection, but less than the Limit of Quantitation, and are within a region of "Less-Certain Quantitation."

TABLE MW-5 (PAGE 2 OF 2)

125	Parameter concentration exceeds the NR 140 ES
<2.5	Parameter analyzed, but not detected, MDL > PAL
--	Parameter analyzed, but not detected, MDL < PAL
	Parameter not analyzed

**GROUNDWATER LABORATORY RESULTS
INGMAN'S SERVICE, TOMAHAWK, WI**

WELL IDENTIFICATION	MW-5						NR 140 PAL	NR 140 ES
	NATURAL ATTENUATION MONITORING							
Date Sampled	3/20/00	6/29/00*	9/26/00*	9/25/01*	12/21/01	9/17/02		
Analyte								
Lead (µg/L)					<1.00	<1.00	1.5	15
Alkalinity (mg/L)					31.0	45.0		
Sulfate (mg/L)					6.17	6.48		
Nitrogen-Nitrate/Nitrite (mg/L)					0.876	0.874		
Total Iron (mg/L)					0.043	0.018		
Dissolved Oxygen (mg/L)				3.04	3.69	4.25		
Groundwater Elevations	1475.18	1475.43	1475.18	1475.12	1475.29	1475.38		
PVOCs (µg/L)								
Benzene	<15>	<0.50	<0.51	<0.21	<0.16	<0.31	0.5	5
Toluene	120	<0.52	<0.51	<0.22	<0.4	<0.3	200	1000
Ethylbenzene	66	<0.55	<0.51	<0.23	<0.5	<0.5	140	700
m&p Xylene	130	<1.0	<1.2	<0.44	<0.4	<0.62		
o-Xylene	28	<0.50	<0.50		<0.17	<0.3		
Total Xylenes	158	<1.50	<1.70	<0.44	<0.57	<0.92	1000	10000
1,2,4-Trimethylbenzene	54	<0.55	<0.52	<0.23	<0.4	<0.4		
1,3,5-Trimethylbenzene	32	<0.52	<0.54	<0.21	<0.17	<0.31		
Total Trimethylbenzenes	86	<1.02	<1.04	<0.44	<0.57	<0.71	96	480
Methyl tert-Butyl-ether	<4.7	<0.47	<1.0	<0.095>	<0.3	<0.3	12	60
Naphthalene		<0.52	<0.52	<0.40			8	40

MDL: Laboratory Method Detection Limit

NR 140 ES: Wisconsin Administrative Code NR 140 Enforcement Standard

NR 140 PAL: Wisconsin Administrative Code NR 140 Preventive Action Limit

* Sample was analyzed for PVOCs plus Naphthalene.

<> Values represent results greater than the limit of detection, but less than the limit of quantitation and are within a region of "Less-Certain Quantitation."

TABLE MW-6 (PAGE 2 OF 2)

125	Parameter concentration exceeds the NR 140 ES
<2.5	Parameter analyzed, but not detected, MDL > PAL
--	Parameter analyzed, but not detected, MDL < PAL
	Parameter not analyzed

**GROUNDWATER LABORATORY RESULTS
INGMAN'S SERVICE, TOMAHAWK, WI**

WELL IDENTIFICATION	MW-6						NR 140 PAL	NR 140 ES
	NATURAL ATTENUATION MONITORING							
	Date Sampled	3/20/00	6/29/00	9/26/00	9/25/01	12/21/01		
Analyte								
Lead (µg/L)						<1.00	1.5	15
Dissolved Oxygen (mg/L)				0.20	0.55	0.40		
Groundwater Elevations	1474.94	1475.13	1474.86	1474.83	1475.03	1475.07		
PVOCs* (µg/L)								
Benzene	<0.50	<1.6>	<0.51	<0.63>	0.351	<0.31	0.5	5
Toluene	<0.52	<0.52	<0.51	<0.27>	0.41	<0.3	200	1000
Ethylbenzene	2.4	8.2	2.2	9.0	7.71	2.13	140	700
m&p Xylene	<2.6>	<1.0	<1.2	4.4	0.939	<0.62		
o-Xylene	<1.1>	<0.50	<0.50		3.95	<0.3		
Total Xylenes	<3.7>	<1.50	<1.70	4.4	4.889	<0.92	1000	10000
1,2,4-Trimethylbenzene	7.4	21	2.8	13	7.24	5.38		
1,3,5-Trimethylbenzene	<1.0>	<0.52	<0.54	5.7	<0.17	<0.31		
Total Trimethylbenzenes	<8.4>	<21.52	<3.34	18.7	<7.41	<5.69	96	480
Methyl-tert-butyl-ether	<0.47	<0.47	<1.0	<0.19>	<0.3	<0.3	12	60
Naphthalene	3.5	9.5	3.2	10	6.19	2.06	8	40

MDL: Laboratory Method Detection Limit

NR 140 ES: Wisconsin Administrative Code NR 140 Enforcement Standard

NR 140 PAL: Wisconsin Administrative Code NR 140 Preventive Action Limit

* Sample was analyzed for PVOCs plus Naphthalene.

< > Values represent results greater than the Limit of Detection, but less than the Limit of Quantitation and are within a region of "Less-Certain Quantitation."

TABLE MW-7 (PAGE 3 OF 4)

125	Parameter concentration exceeds the NR 140 ES
<2.5	Parameter analyzed, but not detected, MDL > PAL
	Parameter not analyzed

GROUNDWATER LABORATORY RESULTS
INGMAN'S SERVICE, TOMAHAWK, WI

WELL IDENTIFICATION	MW-7 (PERMANENT - Same Location as TMW-7)							NR 140 PAL	NR 140 ES
	NATURAL ATTENUATION MONITORING								
Date Sampled	9/17/02	DUP	4/15/03	DUP*	7/22/03	DUP	10/6/03		
Analyte									
Alkalinity (mg/L)			58				58		
Iron (mg/L)			0.023				2.1		
NO2+NO3-N			0.37				0.34		
Sulfate (mg/L)			5.3				<4.7>		
Lead (µg/L)	<1.00						<1.1>	1.5	15
Dissolved Oxygen (mg/L)	0.44								
Groundwater Elevation	Damaged		Damaged				Damaged		
PVOCs* (µg/L)									
Benzene	15.5	13.4	<0.45	<0.45	<0.45	<0.45	<0.45	0.5	5
Toluene	2.37	2.64	<0.61	<0.61	<0.61	<0.61	<0.61	200	1000
Ethylbenzene	11.8	13.1	<0.47	<0.47	<0.47	<0.47	<0.47	140	700
m&p Xylene	57.8	63.4	<0.99	<0.99	<0.99	<0.99	<0.99		
o-Xylene	32.1	34.5	<0.60	<0.60	<0.60	<0.60	<0.60		
Total Xylenes	89.9	97.9	<1.59	<1.59	<1.59	<1.59	<1.59	1000	10000
1,2,4-Trimethylbenzene	68.0	75.3	<0.51	<0.51	<0.51	<0.51	<0.51		
1,3,5-Trimethylbenzene	9.63	10.9	<0.72	<0.72	<0.72	<0.72	<0.72		
Total Trimethylbenzenes	77.63	86.2	<1.23	<1.23	<1.23	<1.23	<1.23	96	480
Methyl-tert-butyl-ether	<0.3	<0.3	<0.60	<0.60	<0.60	<0.60	<0.60	12	60
Naphthalene	4.22	4.97	<0.46	<0.46	<0.46	<0.46	<0.46	8	40

MDL: Laboratory Method Detection Limit

NR 140 ES: Wisconsin Administrative Code NR 140 Enforcement Standard

NR 140 PAL: Wisconsin Administrative Code NR 140 Preventive Action Limit

DUP: Duplicate Sample

* Samples were analyzed for PVOCs plus Naphthalene.

< > Results are greater than the Limit of Detection, but less than the Limit of Quantitation, and are within a region of "Less-Certain Quantitation."

TABLE MW-7 (PAGE 4 OF 4)

NATURAL ATTENUATION MONITORING									
PAHs (µg/L)	9/17/02	DUP	4/15/03	DUP*	7/22/03	DUP	10/6/03	NR 140 PAL	NR 140 ES
Acenaphthene	<0.06		<0.022		<0.022	<0.022	<0.022	120	600
Acenaphthylene	<0.06		<0.082		<0.082	<0.082	<0.082	1	5
Anthracene	<0.05		<0.026		<0.026	<0.026	<0.026	600	3000
Benzo(a)anthracene	<0.04		<0.019		<0.019	<0.019	<0.019	0.0048	0.048
Benzo(a)pyrene	<0.017		<0.018		<0.018	<0.018	<0.018	0.02	0.2
Benzo(b)fluoranthene	<0.04		<0.020		<0.020	<0.020	<0.020	0.02	0.2
Benzo(ghi)perylene	<0.05		<0.021		<0.021	<0.021	<0.021	0.096	0.48
Benzo(k)fluoranthene	<0.04		<0.018		<0.018	<0.018	<0.018	0.048	0.48
Chrysene	<0.05		<0.018		<0.018	<0.018	<0.018	0.02	0.2
Dibenzo(a,h)anthracene	<0.06		<0.051		<0.051	<0.051	<0.051	0.00048	0.0048
Fluoranthene	<0.06		<0.012		<0.012	<0.012	<0.012	80	400
Fluorene	<0.12		<0.022		<0.022	<0.022	<0.022	80	400
Indeno(1,2,3-cd)pyrene	<0.05		<0.022		<0.022	<0.022	<0.022	0.0048	0.048
1-Methyl Naphthalene	<0.08		<0.020		<0.020	<0.020	<0.020	140	700
2-Methyl Naphthalene	3.85		<0.037		<0.037	<0.037	<0.037	80	400
Naphthalene	2.01		<0.013		<0.013	<0.013	<0.013	8	40
Phenanthrene	<0.08		<0.030		<0.030	<0.030	<0.030	0.96	4.8
Pyrene	<0.09		<0.013		<0.013	<0.013	<0.013	50	250

MDL: Laboratory Method Detection Limit

NR 140 ES: Wisconsin Administrative Code NR 140 Enforcement Standard

NR 140 PAL: Wisconsin Administrative Code NR 140 Preventive Action Limit

DUP: Duplicate Sample

* Samples were analyzed for PVOCs plus Naphthalene.

< > Results are greater than the Limit of Detection, but less than the Limit of Quantitation, and are within a region of "Less-Certain Quantitation."

TABLE PZ-2 (PAGE 2 OF 2)

125	Parameter concentration exceeds the NR 140 ES
<2.5	Parameter analyzed, but not detected, MDL > PAL
	Parameter not analyzed

**GROUNDWATER LABORATORY RESULTS
INGMAN'S SERVICE, TOMAHAWK, WI**

WELL IDENTIFICATION	PZ-2						NR 140 PAL	NR 140 ES
	NATURAL ATTENUATION MONITORING							
Date Sampled	3/20/00	6/29/00*	9/26/00*	9/25/01*	12/21/01	9/17/02		
Analyte								
Lead (µg/L)					<1.00		1.5	15
Dissolved Oxygen (mg/L)				3.82	5.83	2.99		
Groundwater Elevations		1476.53	1476.22	1476.16	1476.40	1476.47		
PVOCs (µg/L)								
Benzene		<0.50	<0.51	<0.21	<0.16	<0.31	0.5	5
Toluene		<0.52	<0.51	<0.22	<0.4	<0.3	200	1000
Ethylbenzene		<0.55	<0.51	<0.23	<0.5	<0.5	140	700
m&p Xylene		<1.0	<1.2	<0.44	<0.4	<0.62		
o-Xylene		<0.50	<0.50		<0.17	<0.3		
Total Xylenes		<1.50	<1.70	<0.44	<0.57	<0.92	1000	10000
1,2,4-Trimethylbenzene		<0.55	<0.52	<0.23	<0.4	<0.4		
1,3,5-Trimethylbenzene		<0.52	<0.54	<0.21	<0.17	<0.31		
Total Trimethylbenzenes		<1.07	<1.06	<0.44	<0.57	<0.71	96	480
Methyl tert-Butyl-ether		<0.47	<1.0	<0.091	<0.3	<0.3	12	60
Naphthalene		<0.52	<0.52	<0.4			8	40

MDL: Laboratory Method Detection Limit

NR 140 ES: Wisconsin Administrative Code NR 140 Enforcement Standard

NR 140 PAL: Wisconsin Administrative Code NR 140 Preventive Action Limit

* Sample was analyzed for PVOCs plus Naphthalene.

SOIL LABORATORY RESULTS

**INGMAN'S SERVICE
TOMAHAWK, WISCONSIN**

--	Parameter analyzed, but not detected, MDL < NR 720 GRCL
<10	Parameter analyzed, but not detected, MDL > NR 720 GRCL
100	Parameter concentration > NR 720 GRCL
	Parameter not analyzed

SAMPLE IDENTIFICATION	DC1 6/29/00	DC2 6/29/00	WO 6/29/00	MW-7 9/9/02	STREAM 9/17/02	NR 720 GRCL
Depth (ft)				0-4		
Analyte						
GRO (mg/Kg)	12	--		<6.03		100
DRO (mg/Kg)	<5.5>	--			31.5	100
Lead (mg/Kg)	<5.6>	--	<4.3>	4.73		
Cadmium (mg/Kg)			<0.34>			
PVOCs (µg/Kg)						
Benzene	--	--		202		5.5
Toluene	71	--		<25		1500
Ethylbenzene	<57>	--		<25		2900
1,2,4-Trimethylbenzene	140	--		403		
1,3,5-Trimethylbenzene	170	--		55.7		
Methyl tert-Butyl ether	--	--		<25		
m&p-Xylenes	<120>	--		810		
o-Xylene	130	--		685		
Total Xylenes	<250>	--		1495		4100
Naphthalene				<25		
PAHs* (µg/Kg)						
Anthracene	--	<4.6>				5,000,000
Benzo (a) anthracene	--	12				88
Benzo (b) fluoranthene	--	35				88
Benzo (k) fluoranthene	--	7.1				880
Chrysene	--	18				8800
Fluoranthene	--	16				600,000
Methyl-1-Naphthalene	17	--				1,100,000
Methyl-2-Naphthalene	23	--				600,000
Naphthalene	12	--				20,000
Phenanthrene	<2.1>	14				18,000
Pyrene	--	24				500,000
PCBs (µg/Kg)						
PCB-1016			--			
PCB-1221			--			
PCB-1232			--			
PCB-1242			--			
PCB-1248			--			
PCB-1254			--			
PCB-1260			--			

NR 720 GRCL: Wis. Adm. Code NR 720 Generic Residual Contaminant Level

Samples were analyzed for a full set of PAHs; only those parameters detected are shown.

< > Values represent results greater than the Limit of Detection, but Less than the Limit of Quantitation and are within a region of "Less-Certain Quantitation."

TABLE 4A

**SOIL LABORATORY RESULTS (SEPTEMBER 1996)
INGMAN'S SERVICE, TOMAHAWK, WI**

	Parameter Not Analyzed
100	Parameter Concentration Exceeds the NR 720 GRCL
--	Parameter Analyzed, but Not Detected, MDL < NR 720 GRCL
<10	Parameter Analyzed, but Not Detected, MDL > NR 720 GRCL

SAMPLE IDENTIFICATION	MW-1	MW-2	MW-3	MW-3	MW-4	MW-5	MW-6	MW-6	B-1	B-1	B-2	NR 720 GRCL
DEPTH (feet bgs)	3.5	3.5	3.5	9	3.5	4	3.5	9	3.5	11	3.5	
Analyte												
GRO (mg/Kg)		4920	1070	--	--	--	--	26	3940	12	93	100
DRO (mg/Kg)	--	810	3900	20	--	17	1.5	2.4	610	4.5	9.0	100
Lead (mg/Kg)		15	140	--	6.84	44	8.45	1.63	216	1.88	5.29	
VOCs* (µg/Kg)												
Benzene	<25	<5000	<1000	<25	<25	<25	<25	<25	<5000	130	<120	5.5
Toluene	--	11000	--	--	--	--	--	150	40000	71	820	1500
Ethylbenzene	--	--	--	--	--	--	--	86	13000	--	2800	2900
m&p Xylenes	--	172000	4100	--	--	--	--	1200	242000	660	15000	**4100
o-Xylene	--	106000	--	--	--	--	--	790	134000	440	5100	**4100
1,2,4-Trimethylbenzene	--	187000	19000	--	--	--	--	1300	224000	750	8600	
1,3,5-Trimethylbenzene	--	74000	160000	--	--	--	--	5300	80000	280	2600	
Methyl tertiary butyl ether (MTBE)	--	--	--	--	--	--	--	--	--	--	--	
Naphthalene	--	10000	7900						26000		2100	
Diisopropyl ether	--	--	--						--		170	
Isopropylbenzene	--	--	1400						--		250	
p-Isopropyltoluene	--	10000	1700						10000		420	
n-Propylbenzene	--	8600	1600						17000		1300	
sec-Butylbenzene	--	--	3500						--		--	
n-Butylbenzene	--	91000	36000						85000		1700	
PAHs*** (µg/Kg)												
Benzo(a)anthracene			--									
Benzo(k)fluoranthene			--									
Phenanthrene			--									
Fluoranthene			--									
1-Methylnaphthalene			--									
2-Methylnaphthalene			--									

NR 720 GRCL: Wisconsin Administrative Code NR 720 Generic Residual Contaminant Level.

* Samples analyzed for full set of VOCs (EPA Method 8021); only those detected are shown. All other soil samples analyzed for PVOCs (EPA Method 8021).

** NR 720 GRCL for total Xylenes.

*** Selected samples analyzed for full set of PAHs (EPA Method 8310); only those detected are shown.

TABLE 4B

**SOIL LABORATORY RESULTS (SEPTEMBER 1996)
INGMAN'S SERVICE, TOMAHAWK, WI**

	Parameter Not Analyzed
100	Parameter Concentration Exceeds the NR 720 GRCL
--	Parameter Analyzed, but Not Detected, MDL < NR 720 GRCL
<10	Parameter Analyzed, but Not Detected, MDL > NR 720 GRCL


SAMPLE IDENTIFICATION	B-2	B-3	B-3	B-4	B-5	B-6	B-7	HB-1	HB-2	HB-3	MeOH	TRIP	NR 720 GRCL
DEPTH (feet bgs)	9	3.5	9	3.5	3.5	3.5	4	3	3.5	3.5	BLANK	BLANK	
Analyte													
GRO (mg/Kg)	--	--	--	--	190	7.3	3.7	--	--	2.8			100
DRO (mg/Kg)	--	--	--	--	19	2.1	--	--	--	--			100
Lead (mg/Kg)	--	1.88	--	1.07	10.7	17.6	1.07	--		3.25			
VOCs* (µg/Kg)													
Benzene	<25	<25	<25	<25	1600	670	72	<25	<25	<25	<25	<25	5.5
Toluene	--	--	--	--	18000	130	35	--	--	--	--	--	1500
Ethylbenzene	--	--	--	--	590	220	69	--	--	--	--	--	2900
m&p Xylenes	--	--	--	--	30000	4100	1200	--	--	280	--	--	**4100
o-Xylene	--	--	--	--	13000	2500	500	--	--	270	--	--	**4100
1,2,4-Trimethylbenzene	--	--	--	--	15000	45	410	--	--	390	--	--	
1,3,5-Trimethylbenzene	--	--	--	--	4400	770	140	--	--	170	--	--	
Methyl tertiary butyl ether (MTBE)	--	--	--	--	--	--	--	--	--	--	--	--	
Naphthalene		--			4800						--	--	
Diisopropyl ether		--			790						--	--	
Isopropylbenzene		--			650						--	--	
p-Isopropyltoluene		--			--						--	--	
n-Propylbenzene		--			2300						--	--	
sec-Butylbenzene		--			320						--	--	
n-Butylbenzene		--			2800						--	--	
PAHs*** (µg/Kg)													
Benzo(a)anthracene		--		--						5.5			
Benzo(k)fluoranthene		--		--						5.2		--	
Phenanthrene		--		--						--			
Fluoranthene		--		--						13			
1-Methylnaphthalene		--		--						--			
2-Methylnaphthalene		--		--						--			






NR 720 GRCL: Wisconsin Administrative Code NR 720 Generic Residual Contaminant Level.

* Samples analyzed for full set of VOCs (EPA Method 8021); only those detected are shown. All other soil samples analyzed for PVOCs (EPA Method 8021).

** NR 720 GRCL for total Xylenes.

*** Selected samples analyzed for full set of PAHs (EPA Method 8310); only those detected are shown.





INFORMATION BETWEEN BORINGS IS INTERPOLATED BASED UPON AVAILABLE DATA. ACTUAL CONDITIONS BETWEEN BORINGS ARE UNKNOWN.


INGMAN'S SERVICE

FIGURE 4
APPROXIMATE EXTENT OF NON-COMPLIANCE SOIL A-A'

JANUARY 1997

JRS


ENVIRONMENTAL COMPLIANCE CONSULTANTS, INC.



SOIL EXPLANATION


-  FINE SAND FILL (SP)
-  PEAT (PT)
-  FINE TO MEDIUM SAND (SP)
-  SILTY, FINE SAND (SM)

LOCATION OF GEOLOGIC CROSS SECTION



VERTICAL SCALE IN FEET ABOVE MEAN SEA LEVEL.

HORIZONTAL SCALE (IN FEET)



INFORMATION BETWEEN BORINGS IS INTERPOLATED BASED UPON AVAILABLE DATA. ACTUAL CONDITIONS BETWEEN BORINGS ARE UNKNOWN.

INGMAN'S SERVICE

FIGURE 5
APPROXIMATE EXTENT OF NON-COMPLIANCE SOIL B-B'


JANUARY 1997


JRS


*Theodore Ingman
Ingman's Service
2508 County Trunk Highway L
Tomahawk, WI 54487
(715) 453-3483*

To Whom It May Concern:

I, Theodore Ingman, do hereby certify that, to the best of my knowledge, the enclosed legal descriptions for the property located at 2508 County Trunk Highway L, Tomahawk, Wisconsin, are complete and accurate.


Theodore Ingman


Date



July 21, 2004

Ms. Janet Panzer
Town of Nokomis
2541 Lake Nokomis Road
Tomahawk, WI 54487

CERTIFIED #7003 2260 0001 7477 3731
RETURN RECEIPT REQUESTED

Dear Janet:

***Re: Notification of Residual Petroleum Compounds in the Lake Nokomis Road Right-of-Way
from the Ingman's Service LUST Site, 2508 County Trunk Highway L, Tomahawk, WI***

Environmental Compliance Consultants, Inc. (ECCI), on behalf of the responsible party, Mr. Theodore Ingman, is hereby notifying the Town of Nokomis of residual soil contamination under the right-of-way of Lake Nokomis Road, in the town of Nokomis, from the above-referenced leaking underground storage tank (LUST) site.

The residual petroleum compounds that may be present beneath Lake Nokomis Road were observed in the soil at concentrations exceeding the Chapter NR 720, Wisconsin Administrative Code, Generic Residual Contaminant Levels.

I have enclosed a plan view map of the horizontal extent of the residual soil impacts. Soil analytical summary tables are also enclosed for your information. If petroleum-impacted soil is ever removed, it will have to be handled accordingly. If you have any questions or concerns, please contact me at (715) 365-5200.

Sincerely,

ENVIRONMENTAL COMPLIANCE CONSULTANTS, INC.

Jeffrey S. Lynott, P.G.
Division Manager

JRV/JSL/jg
Encs.

cc: Theodore Ingman

FILE



ENVIRONMENTAL COMPLIANCE CONSULTANTS, INC.

P.O. BOX 614 • RHINELANDER, WI 54501 • 715-365-5200 (VOICE) • 715-365-5201 (FAX)

July 21, 2004

Mr. Robert Maass
Oneida County Highway Department
P.O. Box 696
Rhinelander, WI 54501

CERTIFIED #7003 2260 0001 7477 3724
RETURN RECEIPT REQUESTED

Dear Robert:

Re: Notification of Residual Petroleum Compounds in the County Trunk Highway L Right-of-Way from the Ingman's Service LUST Site, 2508 County Trunk Highway L, Tomahawk, WI

Environmental Compliance Consultants, Inc. (ECCI), on behalf of the responsible party, Mr. Theodore Ingman, is hereby notifying Oneida County of residual soil contamination under the right-of-way of County Trunk Highway L, in the town of Nokomis, from the above-referenced leaking underground storage tank (LUST) site.

The residual petroleum compounds that may be present beneath County Trunk Highway L were observed in the soil at concentrations exceeding the Chapter NR 720, Wisconsin Administrative Code, Generic Residual Contaminant Levels.

I have enclosed a plan view map of the horizontal extent of the residual soil impacts. Soil analytical summary tables are also enclosed for your information. If petroleum-impacted soil is ever removed, it will have to be handled accordingly. If you have any questions or concerns, please contact me at (715) 365-5200.

Sincerely,

ENVIRONMENTAL COMPLIANCE CONSULTANTS, INC.

Jeffrey S. Lynott, P.G.
Division Manager

JRV/JSL/jg

Encs.

cc: Theodore Ingman