GIS REGISTRY INFORMATION

SITE NAME: Wanderoos Gift & Grocery

BRRTS #: 03-49-000932 **FID # (if appropriate):**

COMMERCE # (if appropriate): 54001-4720-84

CLOSURE DATE: 2/17/04

STREET ADDRESS: 684 Minneapolis St.

CITY: Wanderoos

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 324421 Y= 540132

CONTAMINATED MEDIA: Groundwater ☐ Soil ☐ Both ☒

OFF-SOURCE GW CONTAMINATION >ES: ☐ Yes ☒ No

IF YES, STREET ADDRESS 1:

GPS COORDINATES (meters in WTM91 projection): X= Y=

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): ☐ Yes ☒ No

IF YES, STREET ADDRESS 1:

GPS COORDINATES (meters in WTM91 projection): X= Y=

CONTAMINATION IN RIGHT OF WAY: ☒ Yes ☐ No

DOCUMENTS NEEDED:

- **Closure Letter, and any conditional closure letter issued** ☒
- **Copy of most recent deed, including legal description, for all affected properties** ☒
- **Certified survey map or relevant portion of the recorded plat map** ***(if referenced in the legal description)*** **for all affected properties** ☒
- **County Parcel ID number,** ***if used for county*****, for all affected properties** on deed and estate document ☒
- **Location Map** which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site. X
- **Detailed Site Map(s) for all affected properties,** showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs. X
- **Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)** ☒
- **Tables of Latest Soil Analytical Results (no shading or cross-hatching)** ☒
- **Isoconcentration map(s),** ***If required for site investigation (SI)*** (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. **If not available, include the latest extent of contaminant plume map.** X
- **GW: Table of water level elevations, with sampling dates, and free product noted if present** ☒
- **GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)** ☒
- **SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour** ☒
- **Geologic cross-sections,** ***If required for SI.*** (8.5x14' if paper copy) ☒
- **RP certified statement that legal descriptions are complete and accurate** ☒
- **Copies of off-source notification letters (if applicable)** N/A ☐
- **Letter informing ROW owner of residual contamination (if applicable)**(public, highway or railroad ROW) ☒
- **Copy of (soil or land use) deed restriction(s) or deed notice** ***if any required as a condition of closure*** N/A ☐

Scale 1 : 864



Please read the documentation for more information.

▲WTM coordinates: 324421, 540132

WISCONSIN
DEPT. OF NATURAL RESOURCES

State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Bruce Moss, Acting Regional Director

Northern Region Headquarters
107 Sutliff Ave.
Rhinelander, Wisconsin 54501
Telephone 715-365-8900
FAX 715-365-8932
TDD 715-365-8957

February 17, 2004

Ms. Joanne Martinson
28235 Wildwood Ln
Danbury, WI 54830

SUBJECT: Final Case Closure By Closure Committee
Wanderoos Gift & Grocery, 684 Minneapolis St, Wanderoos, WI
WDNR BRRTS #: 03-49-000932
PECFA # 54001-4720-84

Dear Ms. Martinson:

On October 23, 2003, your site as described above was reviewed for closure by the Northern Region Closure Committee. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On October 30, 2003, you were notified that the Closure Committee had granted conditional closure to this case.

On February 17, 2004, the Department received correspondence indicating that you have complied with the conditions of closure, specifically, documentation of the abandonment of the monitoring wells on site and submittal of materials for the GIS Registry. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-365-8990.

Sincerely,
NORTHERN REGION

Janet Kazda

Janet Kazda
Remediation and Redevelopment Program

cc: File
Phil Richard, Park Falls

Ryan Levenson
Midwest Engineering Services, Inc.
1692 STH 53, #2
Chippewa Falls, WI 54729

State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

WISCONSIN
DEPT. OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
William H. Smith, Regional Director

Northern Region Headquarters
107 Sutliff Ave.
Rhinelander, Wisconsin 54501
Telephone 715-365-8900
FAX 715-365-8932
TDD 715-365-8957

October 30, 2003

Ms. Joanne Martinson
28235 Wildwood Ln
Danbury, WI 54830

Subject: Conditional Case Closure
Wanderoos Gift & Grocery, 684 Minneapolis St, Wanderoos, Wisconsin
WDNR BRRTS # 03-49-000932
PECFA #54001-4720-84

Dear Ms. Martinson:

On October 23, 2003, your request for closure of the case described above was reviewed by the Northern Region Closure Committee. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the leaded and unleaded gasoline contamination on the site appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to me on Form 3300-5B found at www.dnr.state.wi.us/org/water/dgw/gw/ or provided by the Department of Natural Resources.

The GIS Registry packet prepared by your consultant is unacceptable. Please ask your consultant to resubmit the packet as a separate document, keeping in mind the following points:

1. FAXed copies from Register of Deeds offices are generally unacceptable for our purposes. The Department must scan the documents, which reduces legibility, so we need to begin with clear readable copies. Please ask the Register of Deeds to send you a hard copy of the documents.

2. All documents listed on the enclosed Checklist should be submitted, as both soil and groundwater are affected. Although some of the documents were included in the original closure request package, the Department is asking you to submit all documents shown on the checklist. Many of the items were missing.

When the above conditions have been satisfied, please submit a letter to let me know that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the

registry. To review the sites on the GIS Registry web page, visit http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm.

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-365-8990.

Sincerely,
NORTHERN REGION

Janet Kazda

Janet Kazda
Remediation and Redevelopment Program

c: File
Phil Richard, Park Falls

Ryan Levenson
Midwest Engineering Services, Inc.
1692 STH 53, #2
Chippewa Falls, WI 54729

DOCUMENT NO.

613706

STATE BAR OF WISCONSIN FORM 3 — 1982
QUIT CLAIM DEED

THIS BLOCK RESERVED FOR RECORDING DATA

BOOK 0866 PAGE 0228

RECEIVED FOR RECORD

JUN - 5 2001

AT 11:40 O'CLOCK A M
Bonnie Hallberg, Register of Deeds
POLK COUNTY

Bonnie J. Hallberg

RETURN TO Joanne Martinson
1623 - 68th Ave.
Amery, Wi 54001-4729

Walt Raschick

quit-claims to Joanne Martinson

the following described real estate in Polk County, State of Wisconsin:

Tax Parcel No: 24-1202-0

The North 20 feet of Lot 2, Block 2 of the Plat of Wanderoos, situated in the Northeast Quarter of Northeast Quarter (NE 1/4 NE 1/4), Section 32, Township 33 North, Range 17 West, Polk County, Wisconsin.

TRANSFER FEE $ .90

This is not (is) (is not) homestead property.

Dated this 2nd day of June, 19 01 2001

(SEAL) Walt Raschick (SEAL)

(SEAL) (SEAL)

AUTHENTICATION

Signature(s)

authenticated this day of, 19

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, authorized by § 706.06, Wis. Stats.)

HAROLD L. GELEIN NOTARY PUBLIC State of Wisconsin

THIS INSTRUMENT WAS DRAFTED BY
WALT RASCHICK

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN
Burnett County. } ss.

Personally came before me this 2nd day of June, 19 2001 the above named WALT RASCHICK to me known to be the person who executed the foregoing instrument and acknowledge the same.

Harold L. Gelein
Harold L. Gelein

Notary Public Burnett County, Wis.
My Commission is permanent. (If not, state expiration date: November 3, 2002

Stock No. 25457 435244 480 PAGE 695

STATE OF WISCONSIN, CIRCUIT COURT, POLK COUNTY IN PROBATE

IN THE MATTER OF THE ESTATE OF
JOSEPH WALTER ADAMS, also known as
JOSEPH W. ADAMS
Deceased

ABRIDGMENT OF FINAL JUDGMENT

State of Wisconsin
County of Polk

This document is a full, true and correct copy of the original on file and of record in my office and has been compared by me.

Attest July 24, 1985

By: Margaret M. Maier
Register in Probate

Tax Parcel ID# 024-1201-0

File No.

The final judgment entered in the above entitled estate, on July 24, 1985,

contains the following findings of fact and decisions, that:

1. The decedent died on November 12, 1984

2. Inheritance and income taxes have been determined and paid and all claims and charges have been paid.

3. Real property and secured interests in real property were assigned or terminated as follows: The decedent died seized of the following real property in joint tenancy with Joanne K. Adams, who survived him:
   (a) Lot 1 and the South 10 feet of Lot 2, Block 2, Plat of Wanderoos, Polk County, Wisconsin.
   (b) The Northwest Quarter of the Northwest Quarter (NW¼ NW¼) of Section 34, Township 33 North, Range 17 West, Polk County, Wisconsin, except parcels described in:
      (1) Volume 405 of Records, page 322, Document No. 384019
      (2) Volume 405 of Records, page 323, Document No. 384020
      (3) Volume 405 of Records, page 324, Document No. 384021
      (4) Volume 405 of Records, page 325, Document No. 384022
      (5) Volume 405 of Records, page 326, Document No. 384023
      all recorded in the office of the Register of Deeds for Polk County, Wisconsin.

The interest of the decedent as joint tenant in real property terminated at death.

I hereby certify that the foregoing abridgment of final judgment in the above entitled estate is true and accurate.

Dated July 24, 1985

By the Court,

James R. Erickson
Circuit Judge or Register in Probate

James R. Erickson

THIS INSTRUMENT WAS DRAFTED BY
DANIEL M. BYRNES OF
CWAYNA, NOVITZKE, BYRNES, GUST,
WILLIAMS & ERSPAMER, LTD
BOX 10, AMERY, WI 54001
Attorney

Address

Received for record

JUL 25 1985

at 9:00 o'clock a.M.
HAROLD MAIER, Register of Deeds
Polk County Wisc.
Naomi Anderson Deputy

No. 30-A (1980) ABRIDGMENT OF FINAL JUDGMENT s. 863.29(2)


MINNEAPOLIS AVE
PEPPER STR.
FIRST AVE EAST
STR.
Property Line
Village Limits
O. Christenson Garage
J. A. Johnson Gen Merch Co
Wanderoos Creamery Co.
1 Acre, 79.94 Rods
WANDEROOS
WIS.



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

WAPOGASSET LAKE, WIS.
SW/4 BALSAM LAKE 15' QUADRANGLE
N4515-W9222.5/7.5

1978

AMS 2574 IV SW-SERIES V861

QUADRANGLE LOCATION



UTM GRID AND 1978 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

midwest engineering services, inc.

Figure 1
Site Vicinity Map
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Project Number:	4-61001
Date:	12/9/97
Drawn By:	jtb



c:\environmental\projects\4-61001\cadd\up3\61001f2.dwg

midwest engineering services, inc.

Figure 2
Site Map
Wanderoos Gift & Grocery
Wanderoos, Wisconsin

Scale:	1" = 80'
Project Number:	4-61001
Date:	3/7/00
Drawn By:	jtb



c:\environmental\projects\4-61001\cadd\61001f3.dwg

midwest engineering services, inc.

Figure 2A
Site Map (Enlargement)
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Scale:	1" = 10'
Project Number:	4-61001
Date:	12/10/97
Drawn By:	jtb

Table 3
Summary of Groundwater Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	ES	PAL	Units	MW1	Dupl.	MW1			MW1A								
Date				4/30/1998		10/29/1997	5/14/1998	12/1/1998	3/25/1999	6/15/1999	12/14/1999	3/7/2000	6/27/2000	9/25/2000	1/24/2001	7/3/2001	6/25/2002
GRO			µg/l	72,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
VOC Parameters																	
Benzene	5	0.5	µg/l	11,000	9,600	3,380	7,000	3,300	2,400	5,000	2,100	2,500	4,010	2,310	2,520	1,800	610
Toluene	343	68.6	µg/l	22,000	18,000	9,630	21,000	16,000	12,000	17,000	5,700	5,700	8,880	5,180	5,950	3,600	1,700
Ethylbenzene	700	140	µg/l	2,100	1,700	929	2,100	1,900	1,300	2,300	610	520	910	471	378	390	380
Total Xylenes	620	124	µg/l	16,900	13,400	7,015	14,100	13,400	9,500	17,500	5,500	4,100	7,300	3,800	4,600	4,700	3,360
Methyl-Tert-Butyl-Ether	60	12	µg/l	220	180	X	8.3	X	200	190	66	62	X	X	<15.0	17	<11
1,2,4-Trimethylbenzene			µg/l	2,100	1,800	1,200	2,300	2,200	1,500	2,500	670	570	1,000	551	701	1,000	830
1,3,5-Trimethylbenzene			µg/l	680	500	300	620	600	370	500	180	140	241	148	178	270	160
n-Butylbenzene			µg/l	270	200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene			µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
tert-Butylbenzene			µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromobenzene			µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	0.6	0.06	µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	4.4	0.44	µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	6	0.6	µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorotoluene			µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	0.2	0.02	µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane	0.05	0.005	µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	75	15	µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	600	60	µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	850	85	µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	5	0.5	µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene			µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Isopropyltoluene			µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
di-isopropyl Ether			µg/l	220	180	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	µg/l	700	600.0	346.0	600.0	600.0	370.0	670.0	240.0	200.0	357.0	147.0	157.0	300.0	190.0
Propylbenzene			µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			µg/l	200	150	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	5	0.5	µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethane	5	0.5	µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethane	5	0.5	µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl Chloride	0.2	0.02	µg/l	X	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total VOCs			µg/l	56,390.0	48,110.0	22,800.0	47,726.3	38,000.0	27,640.0	45,750.0	15,068.0	13,792.0	22,698.0	12,607.0	14,682.0	12,277.0	7,010.0
Metals																	
Lead	15	1.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Inorganics																	
Sulfate			mg/l	NA	NA	7.1	X	X	8.5	13	6.8	19	22.6	17.8	14.4	18	26
Nitrate			mg/l	NA	NA	1.45	1.7	1.7	0.46	1.3	1.3	4.2	4.16	3.69	1.94	12	29
Field Parameters																	
Dissolved Oxygen			mg/l	NA	NA	1.12	2.09	1.17	1.85	0.97	NA	1.80	1.54	1.35	1.28	1.18	1.89
ORP			mV	NA	NA	NA	NA	151	122	97	NA	280	261	92.4	247.9	198.0	NA
pH				6.7	NA	NA	6.22	5.79	6.44	6.58	NA	6.84	6.51	6.80	6.80	6.80	NA
Conductivity			µs/cm	170	NA	NA	341	335	422	484	NA	870	1,220	702	568	NA	NA
Temperature			°F	42	NA	43	50	54	43	52	NA	44	54	61	8	16	63

Notes:

ES = NR140.10 Enforcement Standard
PAL = NR140.10 Preventive Action Limit
X = Not Detected
NA = Not Analyzed
BOLD Exceeds ES
BOLD Exceed PAL

Table 3 (Continued)
Summary of Groundwater Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	ES	PAL	Units	MW2												
Date				4/30/1996	10/29/1997	5/14/1998	12/1/1998	3/25/1999	6/15/1999	12/14/1999	3/7/2000	6/27/2000	9/25/2000	1/24/2001	7/3/2001	6/25/2002
GRO			µg/l	2,200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
VOC Parameters																
Benzene	5	0.5	µg/l	**26.0**	**5.6**	**2.2**	X	**18.0**	X	**11.0**	**5.4**	X	X	0.182	<0.45	NA
Toluene	343	68.6	µg/l	***110.0***	11.6	10	X	1.6	X	X	2.0	7.36	X	<0.4	1.5	NA
Ethylbenzene	700	140	µg/l	51	21.9	2.6	36	21	X	12	2.6	4.84	X	<0.5	15	NA
Total Xylenes	620	124	µg/l	130	15.36	13.3	7.1	7.5	X	11.1	5.9	6.00	4.51	2.06	46.9	NA
Methyl-Tert-Butyl-Ether	60	12	µg/l	X	X	X	X	7.1	X	5.0	2.2	X	X	<0.3	1.5	NA
1,2,4-Trimethylbenzene			µg/l	54	21.2	8.7	14	18	1.8	24	20	33.2	25.9	11.4	28	NA
1,3,5-Trimethylbenzene			µg/l	46	56.6	5.3	17	27	1.8	19	15	33.4	21	9.27	23	NA
n-Butylbenzene			µg/l	38	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
tert-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromobenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	0.6	0.06	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	4.4	0.44	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	6	0.6	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorotoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane	0.05	0.005	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	75	15	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	600	60	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	850	85	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			µg/l	8.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	11	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
di-Isopropyl Ether			µg/l	6.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	µg/l	***22.0***	6.68	7.3	***20.0***	***16.0***	X	***13.0***	***24.0***	4.97	X	1.26	6.7	NA
Propylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			µg/l	16	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo (ghi) perylene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3 cd) pyrene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethane	5	0.5	µg/l	**27.0**	NA	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl Chloride	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total VOCs			µg/l	**546.0**	**138.93**	**49.4**	**94.1**	**116.2**	**3.6**	**95.1**	**77.1**	**89.8**	**51.4**	**24.2**	**122.6**	**0.0**
Metals																
Lead	15	1.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Inorganics																
Sulfate			mg/l	NA	X	X	X	9.8	25	X	X	7.46	5.10	8.59	8.7	NA
Nitrate			mg/l	NA	0.01	X	X	0.06	X	0.08	0.15	X	5.73	0.776	0.22	NA
Field Parameters																
Dissolved Oxygen			mg/l	NA	1.41	3.50	1.94	2.85	0.55	NA	5.30	2.64	2.01	3.50	1.21	NA
ORP			mV	NA	NA	NA	398	160	232	NA	309	272.8	80.0	247.9	251.0	NA
pH				7.2	NA	5.95	5.74	6.70	6.62	NA	7.29	6.62	6.70	6.80	6.70	NA
Conductivity			us/cm	100	NA	125	101	111	115	NA	237	321	256	215	NA	NA
Temperature			°F	41	43	48	54	42	52	NA	45.5	54	60	7	16	NA

Notes:
ES = NR140.10 Enforcement Standard
PAL = NR140.10 Preventive Action Limit
X = Not Detected
NA = Not Analyzed
BOLD Exceeds ES
BOLD Exceed PAL

Table 3 (Continued)
Summary of Groundwater Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	ES	PAL	Units	MW3				MW3A								
Date				4/24/1996	10/29/1997	5/14/1998	12/1/1998	3/25/1999	6/15/1999	12/14/1999	3/7/2000	6/27/2000	9/25/2000	1/24/2001	7/3/2001	6/25/2002
GRO			µg/l	590	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
VOC Parameters																
Benzene	5	0.5	µg/l	X	X	NA	NA	***3.6***	X	***4.2***	**19.0**	X	***0.583***	0.484	<0.45	<0.45
Toluene	343	68.6	µg/l	X	0.19	NA	NA	X	X	X	1.5	X	X	<0.4	<0.68	<0.68
Ethylbenzene	700	140	µg/l	3.6	X	NA	NA	2.4	X	3.5	4.9	X	X	<0.5	<0.82	1.4
Total Xylenes	620	124	µg/l	1.9	5.03	NA	NA	4	X	6.6	7.0	0.494	1.01	0.965	0.98	3.50
Methyl-Tert-Butyl-Ether	60	12	µg/l	X	X	NA	NA	1.1	X	2.0	4.8	X	X	<0.3	0.70	<0.43
1,2,4-Trimethylbenzene			µg/l	X	1.82	NA	NA	X	X	2.1	2.1	0.819	0.78	0.574	<0.92	0.92
1,3,5-Trimethylbenzene			µg/l	X	13.9	NA	NA	X	X	X	X	X	0.785	<0.15	1.2	1.1
n-Butylbenzene			µg/l	3.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene			µg/l	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
tert-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromobenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	0.6	0.06	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	4.4	0.44	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	6	0.6	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorotoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane	0.05	0.005	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	75	15	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	600	60	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	850	85	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
di-Isopropyl Ether			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	µg/l	1.8	NA	NA	NA	1.3	X	6.9	7.0	1.24	X	<0.8	1.9	2.1
Propylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo (ghi) perylene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3 cd) pyrene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl Chloride	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total VOCs			**µg/l**	**13.2**	**20.94**	**0.0**	**0.0**	**12.4**	**0.0**	**25.3**	**46.3**	**2.6**	**3.1**	**2.0**	**4.8**	**9.0**
Metals																
Lead	15	1.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Inorganics																
Sulfate			mg/l	NA	6.2	NA	NA	9.1	15	X	X	9.74	9.74	13.4	19	25
Nitrate			mg/l	NA	0.069	NA	NA	X	0.24	X	0.02	X	X	<0.3	0.057	<0.023
Field Parameters																
Dissolved Oxygen			mg/l	NA	NA	NA	NA	1.98	1.64	NA	2.9	3.47	3.59	3.22	3.44	3.56
ORP			mV	NA	NA	NA	NA	130	96	NA	293	235.8	221.4	244.3	226.4	NA
pH				6.9	NA	NA	NA	6.58	6.75	NA	6.76	6.67	6.8	6.7	6.8	NA
Conductivity			µs/cm	180	NA	NA	NA	194	131	NA	247	369	161	213	NA	NA
Temperature			°F	41	NA	NA	NA	43	49	NA	46	53	57	52	62	61

Notes:
MW3 appeared to have collapsed sometime between the October 30, 1998 and May 14, 1998 sampling rounds.

ES = NR140.10 Enforcement Standard — X = Not Detected — BOLD Exceeds ES
PAL = NR140.10 Preventive Action Limit — NA = Not Analyzed — *BOLD* Exceed PAL

c:\environmental\projects\1999-4-61001-wanderoos gift & grocc-wanderoos\ [illegible]

Table 3 (Continued)
Summary of Groundwater Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	ES	PAL	Units	MW4												
Date				4/24/1996	10/29/1997	5/14/1998	12/1/1998	3/25/1999	6/15/1999	12/14/1999	3/7/2000	6/27/2000	9/25/2000	1/24/2001	7/3/2001	6/25/2002
GRO			µg/l	82	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
VOC Parameters																
Benzene	5	0.5	µg/l	X	X	X	X	X	X	NA	NA	NA	X	NA	<0.45	<0.45
Toluene	343	68.6	µg/l	5.4	X	2.5	X	X	X	NA	NA	NA	X	NA	<0.68	<0.68
Ethylbenzene	700	140	µg/l	2.3	1.3	X	X	X	X	NA	NA	NA	X	NA	<0.82	<0.82
Total Xylenes	620	124	µg/l	8	X	2.5	X	X	X	NA	NA	NA	X	NA	<1.7	<1.7
Methyl-Tert-Butyl-Ether	60	12	µg/l	X	X	X	X	X	X	NA	NA	NA	X	NA	<0.43	<0.43
1,2,4-Trimethylbenzene			µg/l	1.8	X	X	X	X	X	NA	NA	NA	X	NA	<0.92	<0.92
1,3,5-Trimethylbenzene			µg/l	X	0.16	X	X	X	X	NA	NA	NA	X	NA	<0.94	<0.94
n-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
tert-Butylbenzene			ug/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromobenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	0.6	0.06	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	4.4	0.44	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	6	0.6	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorotoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane	0.05	0.005	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	75	15	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	600	60	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	850	85	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
di-Isopropyl Ether			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	ug/l	1.8	NA	X	X	X	X	NA	NA	NA	NA	NA	NA	NA
Propylbenzene			ug/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			ug/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo (ghi) perylene			ug/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3 cd) pyrene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethane	5	0.5	ug/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl Chloride	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total VOCs			µg/l	19.3	1.46	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Metals																
Lead	15	1.5	ug/l	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Inorganics																
Sulfate			mg/l	NA	10.4	25	X	23	28	NA	NA	NA	12.6	NA	35	24
Nitrate			mg/l	NA	0.053	0.94	0.03	0.12	1.4	NA	NA	NA	X	NA	1.8	6.8
Field Parameters																
Dissolved Oxygen			mg/l	NA	4.80	2.02	1.71	3.32	1.34	NA	2.5	2.06	2.87	NA	3.41	3.88
ORP			mV	NA	NA	NA	378	76	136	NA	235	285.1	91.4	NA	279.6	NA
pH				6.8	NA	6.39	6.37	6.41	6.64	NA	6.65	6.63	6.8	NA	6.8	NA
Conductivity			µs/cm	310	NA	456	515	419	438	NA	498	697	400	NA	NA	NA
Temperature			°F	43	42	52	55	45	55	NA	44.1	58	64	NA	61	66

Notes:

ES = NR140.10 Enforcement Standard
PAL = NR140.10 Preventive Action Limit
X = Not Detected
NA = Not Analyzed
BOLD Exceeds ES
BOLD Exceed PAL

Table 3 (Continued)
Summary of Groundwater Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	ES	PAL	Units	MW5													
Date				4/30/1996	10/29/1997	5/14/1998	12/1/1998	3/25/1999	6/15/1999	12/14/1999	3/7/2000	6/27/2000	9/25/2000	1/24/2001	7/3/2001	6/25/2002
GRO			µg/l	2,400	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
VOC Parameters																
Benzene	5	0.5	µg/l	**40**	**2.34**	X	X	**3**	X	**6.0**	**5.6**	X	X	<0.15	<0.45	<0.45
Toluene	343	68.6	µg/l	***180***	11.9	1.4	X	2	X	X	X	2.26	X	<0.4	<0.68	<0.68
Ethylbenzene	700	140	µg/l	49	21.8	7.8	5.2	5.2	8.7	9.0	7.9	8.24	4.19	5.43	14	9
Total Xylenes	620	124	µg/l	***249***	23.67	28.4	14.0	18.8	27.6	31.2	36	21.58	7.13	11.1	51.3	25.4
Methyl-Tert-Butyl-Ether	60	12	µg/l	X	X	X	X	X	X	1.1	X	X	X	<0.3	1.4	0.78
1,2,4-Trimethylbenzene			µg/l	110	42.4	78	45	39	59	71	70	68.5	29.5	46.3	110	49
1,3,5-Trimethylbenzene			µg/l	62	51.9	36	18	17	22	37	37	39.5	21.0	25.7	60	27
n-Butylbenzene			µg/l	44	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
tert-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromobenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	0.6	0.06	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	4.4	0.44	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	6	0.6	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorotoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane	0.05	0.005	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	75	15	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	600	60	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	850	85	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			µg/l	24	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
di-Isopropyl Ether			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	µg/l	**21**	NA	7.5	3.9	2.9	***10***	NA	NA	NA	NA	NA	NA	NA
Propylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			µg/l	17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo (ghi) perylene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3 cd) pyrene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethane	5	0.5	µg/l	**13**	NA	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl Chloride	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total VOCs			µg/l	**819.0**	**154.01**	**159.1**	**86.1**	**87.9**	**127.3**	**155.3**	**156.5**	**140.1**	**61.8**	**88.5**	**236.7**	**111.2**
Metals																
Lead	15	1.5	µg/l	**3.6**	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Inorganics																
Sulfate			mg/l	NA	X	X	X	8	9.8	X	12	12.1	11.3	7.67	19	9.9
Nitrate			mg/l	NA	0.099	0.71	0.48	1.3	1.6	0.92	0.43	1.79	1.55	0.623	2.1	0.89
Field Parameters																
Dissolved Oxygen			mg/l	NA	NA	0.75	1.59	1.94	1.46	NA	1.6	2.66	3.31	3.49	3.44	3.24
ORP			mV	NA	NA	NA	160	81	29	NA	359	222.7	221.4	255.2	237.6	NA
pH				7.0	NA	6.77	6.18	6.68	6.78	NA	6.54	6.68	6.80	6.90	6.80	NA
Conductivity			µs/cm	140	NA	234	225	193	206	NA	364	517	161	249	NA	NA
Temperature			°F	43	NA	54	54	43	55	NA	41.2	60	57	60	59	60

Notes:

ES = NR140.10 Enforcement Standard
PAL = NR140.10 Preventive Action Limit

X = Not Detected
NA = Not Analyzed

BOLD Exceeds ES
BOLD Exceed PAL

c:\environmental projects\1999-4-61001-wanderoos gift & grocery\ [illegible] results 2001 [illegible] 3 182\mw3

Table 3 (Continued)
Summary of Groundwater Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	ES	PAL	Units	MW6													
Date				11/6/1996	1/23/1997	10/29/1997	5/14/1998	12/1/1998	3/25/1999	8/15/1999	12/14/1999	3/7/2000	6/27/2000	9/25/2000	1/24/2001	7/3/2001	6/25/2002
GRO			µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
VOC Parameters																	
Benzene	5	0.5	µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	<0.45	NA
Toluene	343	68.6	µg/l	X	X	X	1.6	X	X	X	NA	NA	NA	X	NA	<0.68	NA
Ethylbenzene	700	140	µg/l	X	X	0.27	2.5	X	X	X	NA	NA	NA	X	NA	<0.62	NA
Total Xylenes	620	124	µg/l	X	X	0.13	9	X	X	X	NA	NA	NA	X	NA	<1.7	NA
Methyl-Tert-Butyl-Ether	60	12	µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	<0.43	NA
1,2,4-Trimethylbenzene			µg/l	X	X	0.18	27	X	X	X	NA	NA	NA	X	NA	<0.92	NA
1,3,5-Trimethylbenzene			µg/l	X	X	X	13	X	X	X	NA	NA	NA	X	NA	<0.94	NA
n-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
tert-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromobenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	0.6	0.06	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	4.4	0.44	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	6	0.6	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorotoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane	0.05	0.005	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	75	15	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	600	60	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	850	85	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
di-Isopropyl Ether			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	µg/l	X	NA	NA	NA	X	X	X	NA	NA	NA	NA	NA	NA	NA
Propylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo (ghi) perylene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3 cd) pyrene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl Chloride	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total VOCs			µg/l	0.0	0.0	0.58	53.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Metals																	
Lead	15	1.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Inorganics																	
Sulfate			mg/l	NA	NA	X	X	15	12	9.7	NA	NA	NA	13.6	NA	130	NA
Nitrate			mg/l	NA	NA	0.01	0.06	0.02	0.06	0.17	NA	NA	NA	X	NA	0.17	NA
Field Parameters																	
Dissolved Oxygen			mg/l	NA	NA	2.66	3.62	2.92	3.92	3.03	NA	3.3	3.37	3.20	NA	4.02	NA
ORP			mV	NA	NA	NA	NA	385	163	243	NA	338	280.4	208.8	NA	278.2	NA
pH				6.4	7.0	NA	6.56	6.28	6.84	6.91	NA	6.94	6.77	6.9	NA	6.9	NA
Conductivity			µs/cm	NA	280	NA	255	213	158	204	NA	283	414	232	NA	NA	NA
Temperature			°F	46	42	41	49	50	41	52	NA	42.7	52	56	NA	11	NA

Notes:

ES = NR140.10 Enforcement Standard
PAL = NR140.10 Preventive Action Limit

X = Not Detected
NA = Not Analyzed

BOLD Exceeds ES
BOLD Exceed PAL

Table 3 (Continued)
Summary of Groundwater Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	ES	PAL	Units	MW7													
Date				11/6/1996	4/3/1997	10/29/1997	5/14/1998	12/1/1998	3/25/1999	6/15/1999	12/14/1999	3/7/2000	6/27/2000	9/25/2000	1/24/2001	7/3/2001	6/25/2002
GRO			µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
VOC Parameters																	
Benzene	5	0.5	µg/l	X	0.16	X	X	X	X	X	NA	NA	NA	0.327	NA	<0.45	NA
Toluene	343	68.6	µg/l	X	0.19	X	X	X	1.1	X	NA	NA	NA	X	NA	<0.88	NA
Ethylbenzene	700	140	µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	<0.82	NA
Total Xylenes	620	124	µg/l	X	0.39	X	X	X	1.3	X	NA	NA	NA	X	NA	<1.7	NA
Methyl-Tert-Butyl-Ether	60	12	µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	<0.43	NA
1,2,4-Trimethylbenzene			µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	<0.92	NA
1,3,5-Trimethylbenzene			µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	<0.94	NA
n-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
tert-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromobenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	0.6	0.06	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	4.4	0.44	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	6	0.6	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorotoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane	0.05	0.005	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	75	15	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	600	60	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	850	85	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
di-Isopropyl Ether			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	µg/l	X	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Propylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo (ghi) perylene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3 cd) pyrene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl Chloride	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total VOCs			µg/l	0.0	0.74	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0
Metals																	
Lead	15	1.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Inorganics																	
Sulfate			mg/l	NA	NA	2.1	X	X	8.7	7.7	NA	NA	NA	8.31	NA	12	NA
Nitrate			mg/l	NA	NA	0.011	1.2	X	0.03	0.2	NA	NA	NA	X	NA	0.064	NA
Field Parameters																	
Dissolved Oxygen			mg/l	NA	NA	0.78	0.5	1.09	1.97	1.93	NA	2.1	7.35	7.38	NA	3.67	NA
ORP			mV	NA	NA	NA	NA	58.2	-57	62	NA	19.9	271.8	128.6	NA	214.7	NA
pH				8.5	7.5	NA	6.45	8.22	8.60	8.72	NA	6.84	6.85	7.3	NA	7	NA
Conductivity			µs/cm	NA	440	NA	209	195	351	194	NA	1077	437	298	NA	NA	NA
Temperature			°F	48	40	38	59	50	41	59	NA	37.3	63	61	NA	17	NA

Notes:

ES = NR140.10 Enforcement Standard — X = Not Detected — BOLD Exceeds ES

PAL = NR140.10 Preventive Action Limit — NA = Not Analyzed — *BOLD* Exceed PAL

[illegible]

Table 3 (Continued)
Summary of Groundwater Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	ES	PAL	Units	MW8													
Date				11/6/1996	1/23/1997	10/29/1997	5/14/1998	12/1/1998	3/25/1999	6/15/1999	12/14/1999	3/7/2000	6/27/2000	9/25/2000	1/24/2001	7/3/2001	6/25/2002
GRO			µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
VOC Parameters																	
Benzene	5	0.5	µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	<0.45	NA
Toluene	343	68.6	µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	<0.68	NA
Ethylbenzene	700	140	µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	<0.82	NA
Total Xylenes	620	124	µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	<1.7	NA
Methyl-Tert-Butyl-Ether	60	12	µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	<0.43	NA
1,2,4-Trimethylbenzene			µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	<0.92	NA
1,3,5-Trimethylbenzene			µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	<0.94	NA
n-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
tert-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromobenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	0.6	0.06	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	4.4	0.44	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	6	0.6	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorotoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane	0.05	0.005	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	75	15	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	600	60	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	850	85	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
di-Isopropyl Ether			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	µg/l	X	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Propylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo (ghi) perylene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3 cd) pyrene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl Chloride	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total VOCs			µg/l	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Metals																	
Lead	15	1.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Inorganics																	
Sulfate			mg/l	NA	NA	8.3	X	X	9.9	6.5	NA	NA	NA	6.79	NA	5.6	NA
Nitrate			mg/l	NA	NA	0.009	X	0.03	0.02	X	NA	NA	NA	X	NA	0.041	NA
Field Parameters																	
Dissolved Oxygen			mg/l	NA	NA	1.80	1.31	1.15	3.14	0.94	NA	3.5	2.41	2.25	NA	3.41	NA
ORP			mV	NA	NA	NA	NA	114	-11	-7	NA	135	253.7	-18.5	NA	NA	NA
pH				7.4	6.9	NA	6.81	6.35	6.64	6.94	NA	6.97	7	7	NA	7	NA
Conductivity			µs/cm	NA	430	NA	366	283	121	154	NA	177	303	258	NA	NA	NA
Temperature			°F	46	39	37	54	51	42	56	NA	40.3	59	61	NA	12	NA

Notes:

ES = NR140.10 Enforcement Standard
PAL = NR140.10 Preventive Action Limit
X = Not Detected
NA = Not Analyzed
BOLD Exceeds ES
BOLD Exceed PAL

Table 3 (Continued)
Summary of Groundwater Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	ES	PAL	Units	MW9	MW9	Dupl.	MW9											
Date				11/6/1996	1/23/1997		10/29/1997	5/14/1998	12/1/1998	3/25/1999	6/15/1999	12/14/1999	3/7/2000	6/27/2000	9/25/2000	1/24/2001	7/3/2001	6/25/2002
GRO			µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
VOC Parameters																		
Benzene	5	0.5	µg/l	X	X	X	X	X	X	X	X	NA	NA	NA	X	NA	NA	NA
Toluene	343	68.6	µg/l	X	X	X	X	X	X	X	X	NA	NA	NA	X	NA	NA	NA
Ethylbenzene	700	140	µg/l	X	X	X	X	X	X	X	X	NA	NA	NA	X	NA	NA	NA
Total Xylenes	620	124	µg/l	X	X	X	0.15	X	X	X	X	NA	NA	NA	X	NA	NA	NA
Methyl-Tert-Butyl-Ether	60	12	µg/l	X	X	X	X	X	X	X	X	NA	NA	NA	X	NA	NA	NA
1,2,4-Trimethylbenzene			µg/l	X	X	X	X	X	X	X	X	NA	NA	NA	X	NA	NA	NA
1,3,5-Trimethylbenzene			µg/l	X	X	X	0.13	X	X	X	X	NA	NA	NA	X	NA	NA	NA
n-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
tert-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromobenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	0.6	0.06	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	4.4	0.44	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	6	0.6	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorotoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane	0.05	0.005	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	75	15	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	600	60	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	850	85	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
di-Isopropyl Ether			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	µg/l	X	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Propylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo (ghi) perylene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3 cd) pyrene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl Chloride	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total VOCs			µg/l	0.0	0.0	0.0	0.28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Metals																		
Lead	15	1.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Inorganics																		
Sulfate			mg/l	NA	NA	NA	X	X	X	13	16	NA	NA	NA	10	NA	NA	NA
Nitrate			mg/l	NA	NA	NA	8.78	4.2	12	5.6	2	NA	NA	NA	3.84	NA	NA	NA
Field Parameters																		
Dissolved Oxygen			mg/l	NA	NA	NA	6.00	2.10	4.81	6.40	2.72	NA	4.7	4.55	4.53	NA	NA	NA
ORP			mV	NA	NA	NA	NA	NA	394	155	225	NA	304	281.9	231.9	NA	NA	NA
pH				5.1	7.1	NA	NA	5.87	5.81	6.42	6.2	NA	6.15	7.05	6.6	NA	NA	NA
Conductivity			µs/cm	NA	190	NA	NA	97.8	129	117	126	NA	214	285	128	NA	NA	NA
Temperature			°F	46	39	NA	41	52	50	42	52	NA	44.3	54	57	NA	NA	NA

Notes:

ES = NR140.10 Enforcement Standard
PAL = NR140.10 Preventive Action Limit
X = Not Detected
NA = Not Analyzed
BOLD Exceeds ES
BOLD Exceed PAL

Table 3 (Continued)
Summary of Groundwater Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	ES	PAL	Units	MW10													
				11/6/1996	1/23/1997	10/29/1997	5/14/1998	12/1/1998	3/25/1999	6/15/1999	12/14/1999	3/7/2000	6/27/2000	9/25/2000	1/24/2001	7/3/2001	6/25/2002
GRO			µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
VOC Parameters																	
Benzene	5	0.5	µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	NA	NA
Toluene	343	68.6	µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	NA	NA
Ethylbenzene	700	140	µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	NA	NA
Total Xylenes	620	124	µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	NA	NA
Methyl-Tert-Butyl-Ether	60	12	µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	NA	NA
1,2,4-Trimethylbenzene			µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	NA	NA
1,3,5-Trimethylbenzene			µg/l	X	X	X	X	X	X	X	NA	NA	NA	X	NA	NA	NA
n-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
tert-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromobenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	0.6	0.06	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	4.4	0.44	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	6	0.6	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorotoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane	0.05	0.005	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	75	15	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	600	60	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	850	85	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
di-Isopropyl Ether			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	µg/l	X	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA	NA
Propylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo (ghi) perylene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3 cd) pyrene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl Chloride	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total VOCs			µg/l	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Metals																	
Lead	15	1.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Inorganics																	
Sulfate			mg/l	NA	NA	X	X	X	6.7	6.9	NA	NA	NA	8.38	NA	NA	NA
Nitrate			mg/l	NA	NA	3.11	3.4	4.2	4.5	1.2	NA	NA	NA	3.76	NA	NA	NA
Field Parameters																	
Dissolved Oxygen			mg/l	NA	NA	2.39	4.5	4.96	6.04	4.68	NA	9.5	6.65	5.61	NA	NA	NA
ORP			mV	NA	NA	NA	NA	400	150	247	NA	346	246.8	200.5	NA	NA	NA
pH				6.0	7.1	NA	5.73	5.57	6.82	6.08	NA	6.52	8.1	7	NA	NA	NA
Conductivity			µs/cm	NA	100	NA	103	107	134	71	NA	112	254	100	NA	NA	NA
Temperature			°F	49	40	39	48	50	43	59	NA	39.8	59	61	NA	NA	NA

Notes:

ES = NR140.10 Enforcement Standard
PAL = NR140.10 Preventive Action Limit
X = Not Detected
NA = Not Analyzed
BOLD Exceeds ES
BOLD Exceed PAL

Table 3 (Continued)
Summary of Groundwater Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	ES	PAL	Units	MW11													
				11/6/1996	1/23/1997	10/29/1997	5/14/1998	12/1/1998	3/25/1999	6/15/1999	12/14/1999	3/7/2000	6/27/2000	9/25/2000	1/24/2001	7/3/2001	6/25/2002
GRO			µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
VOC Parameters																	
Benzene	5	0.5	µg/l	NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Toluene	343	68.6	µg/l	NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Ethylbenzene	700	140	µg/l	NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Total Xylenes	620	124	µg/l	NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
Methyl-Tert-Butyl-Ether	60	12	µg/l	NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene			µg/l	NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene			µg/l	NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	NA
n-Butylbenzene			µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene			µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
tert-Butylbenzene			µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
Bromobenzene			µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	0.6	0.06	µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	4.4	0.44	µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	6	0.6	µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorotoluene			µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	0.2	0.02	µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane	0.05	0.005	µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	75	15	µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	600	60	µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	850	85	µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	5	0.5	µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene			µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
4-Isopropyltoluene			µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
di-Isopropyl Ether			µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
Propylbenzene			µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
Benzo (ghi) perylene			µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3 cd) pyrene			µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethane	5	0.5	µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl Chloride	0.2	0.02	µg/l	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA
Total VOCs			µg/l	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Metals																	
Lead	15	1.5	µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Inorganics																	
Sulfate			mg/l	NA	NA	NA	NA	NA	11	17	NA	NA	NA	NA	NA	NA	NA
Nitrate			mg/l	NA	NA	NA	NA	NA	13	9.2	NA	NA	NA	NA	NA	NA	NA
Field Parameters																	
Dissolved Oxygen			mg/l	NA	NA	NA	NA	NA	4.73	4.72	NA	NA	NA	NA	NA	NA	NA
ORP			mV	NA	NA	NA	NA	NA	106	189	NA	NA	NA	NA	NA	NA	NA
pH				NA	NA	NA	NA	NA	6.73	6.59	NA	NA	NA	NA	NA	NA	NA
Conductivity			µs/cm	NA	NA	NA	NA	NA	184	262	NA	NA	NA	NA	NA	NA	NA
Temperature			°F	NA	NA	NA	NA	NA	43	51	NA	NA	NA	NA	NA	NA	NA

Notes:

ES = NR140.10 Enforcement Standard
PAL = NR140.10 Preventive Action Limit

X = Not Detected
NA = Not Analyzed

BOLD Exceeds ES
BOLD Exceed PAL

Table 3 (Continued)
Summary of Groundwater Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	ES	PAL	Units	PZ1					PZ1A								
				4/29/1996	8/26/1996	10/29/1997	5/14/1998	12/1/1998	3/25/1999	6/15/1999	12/14/1999	3/7/2000	6/27/2000	9/25/2000	1/24/2001	7/3/2001	6/25/2002
GRO			µg/l	7,600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
VOC Parameters																	
Benzene	5	0.5	µg/l	**380**	**34**	***0.85***	X	X	**360**	X	**10**	**1.3**	X	X	<0.15	<0.45	<0.45
Toluene	343	68.6	µg/l	**1,200**	***780***	5.12	X	X	**2,600**	17	1.0	1.0	X	X	<0.4	<0.68	<0.68
Ethylbenzene	700	140	µg/l	***270***	19	X	X	X	***400***	12	4.7	1.8	X	X	<0.5	<0.82	7.1
Total Xylenes	620	124	µg/l	**1,470**	92	4.02	X	X	**3,800**	86	6.4	5.7	1.57	0.551	<0.4	<1.7	7.0
Methyl-Tert-Butyl-Ether	60	12	µg/l	X	X	X	X	X	***58***	X	5.6	1.8	X	X	<0.3	<0.43	<0.43
1,2,4-Trimethylbenzene			µg/l	380	12	3.7	X	X	1,200	17	2.2	1.9	1.56	X	<0.4	<0.92	<0.92
1,3,5-Trimethylbenzene			µg/l	130	3.5	5.38	X	X	330	X	X	X	0.769	0.463	0.222	<0.94	<0.94
n-Butylbenzene			µg/l	110	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
tert-Butylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromobenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	0.6	0.06	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromoform	4.4	0.44	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chloroform	6	0.6	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Chlorotoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane	0.05	0.005	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	75	15	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	600	60	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	850	85	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
di-Isopropyl Ether			µg/l	29	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Napnthalene	40	8	µg/l	**100**	NA	X	X	X	NA	***12***	6.9	2.6	X	X	NA	NA	2.3
Propylbenzene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			µg/l	44	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzo (ghi) perylene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3 cd) pyrene			µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethane	5	0.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl Chloride	0.2	0.02	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total VOCs			µg/l	**4,053.0**	**340.5**	**19.97**	**0.0**	**0.0**	**8,748.0**	**144.0**	**36.8**	**16.3**	**3.9**	**1.0**	**0.2**	**0.0**	**16.4**
Metals																	
Lead	15	1.5	µg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Inorganics																	
Sulfate			mg/l	NA	NA	10.5	24	X	16	23	X	X	5.22	5.48	7.49	8.7	5.7
Nitrate			mg/l	NA	NA	0.317	0.04	X	0.03	0.43	X	0.03	X	0.451	<0.3	0.044	0.14
TKN			mg/l	2.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NH4-N			mg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Available Phosphorus			mg/l	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Available Potassium			mg/l	2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Field Parameters																	
Dissolved Oxygen			mg/l	NA	NA	1.92	1.82	5.72	1.58	0.85	NA	2.0	4.72	2.37	4.05	3.22	3.75
ORP			mV	NA	NA	NA	NA	231	11.4	93	NA	273	281.4	234	216.7	211.3	NA
pH				6.8	NA	NA	6.6	6.96	6.57	6.84	NA	6.69	6.88	6.9	7.1	6.9	NA
Conductivity			µs/cm	100	NA	NA	283	185	216	175	NA	184	324	152	173	NA	NA
Temperature			°F	44	NA	44	49	54	45	49	NA	45.4	54	60	57	64	66

Notes:
ES = NR140.10 Enforcement Standard
PAL = NR140.10 Preventive Action Limit
X = Not Detected
NA = Not Analyzed
BOLD Exceeds ES
BOLD Exceed PAL

Table 3 (Continued)
Summary of Groundwater Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	ES	PAL	Units	Wanderoos Basement Well																		
				9/12/1995	8/7/1996	9/4/1996	1/23/1997	2/12/1997	10/29/1997	5/14/1998	12/16/1998	3/25/1999	5/13/1999	6/15/1999	12/14/1999	3/7/2000	6/27/2000	9/25/2000	1/24/2001	7/3/2001	6/25/2002	7/30/2003
GRO			µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
VOC Parameters																						
Benzene	5	0.5	µg/l	X	X	X	***7.3***	***1.4***	X	X	X	X	X	X	***22***	X	X	***0.501***	X	<0.28	<0.12	<0.35
Toluene	343	68.6	µg/l	X	X	X	16	1.8	X	X	X	X	X	X	3.4	X	X	X	X	<0.26	<0.20	<0.37
Ethylbenzene	700	140	µg/l	X	X	X	4.4	0.91	X	X	X	X	X	X	18	X	X	X	X	<0.28	0.49	<0.34
Total Xylenes	620	124	µg/l	X	X	X	5.07	1.31	X	X	X	X	X	X	35	X	X	0.287	X	<0.59	<0.59	<0.23
Methyl-Tert-Butyl-Ether	60	12	µg/l	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	<0.34	<0.14	<0.35
1,2,4-Trimethylbenzene			µg/l	X	X	X	0.59	1	X	0.27	X	X	X	X	9	X	X	X	X	<0.27	<0.34	<0.36
1,3,5-Trimethylbenzene			µg/l	X	1.7	X	1.3	2.2	X	0.2	3.3	0.71	0.96	0.53	2.5	X	X	X	X	<0.27	<0.35	<0.33
n-Butylbenzene			µg/l	X	X	X	2.3	X	X	0.96	0.85	X	X	X	X	X	NA	NA	NA	<0.30	<0.26	<0.39
sec-Butylbenzene			µg/l	X	X	X	1.7	0.91	X	0.56	0.94	0.52	0.69	0.82	1.9	0.64	NA	NA	NA	<0.30	0.33	0.71
tert-Butylbenzene			µg/l	X	X	X	X	0.62	X	X	X	X	X	X	X	X	NA	NA	NA	<0.29	<0.29	<0.40
Bromobenzene			µg/l	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	<0.28	<0.34	<0.32
Bromodichloromethane	0.6	0.06	µg/l	X	X	X	X	X	X	X	X	***0.5***	***0.5***	X	X	X	X	X	X	<0.29	<0.27	<0.32
Bromoform	4.4	0.44	µg/l	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	<0.31	<0.42	<0.29
Chloroform	6	0.6	µg/l	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	<0.29	<0.15	<0.35
4-Chlorotoluene			µg/l	X	X	X	X	X	NA	X	X	X	X	X	X	X	X	X	X	<0.27	<0.35	<0.35
1,2-Dibromo-3-chloropropane	0.2	0.02	µg/l	X	X	X	X	X	NA	X	NA	X	X	X	X	X	NA	NA	NA	<0.50	<0.43	<0.37
1,2-Dibromoethane	0.05	0.005	µg/l	X	X	X	X	X	NA	X	NA	X	NA	X	X	X	X	X	X	<0.36	<0.21	<0.34
1,4-Dichlorobenzene	75	15	µg/l	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	<0.31	<0.34	<0.35
1,2-Dichlorobenzene	600	60	µg/l	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	<0.28	<0.39	<0.35
1,2-Dichloroethane	5	0.5	µg/l	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	<0.31	<0.21	<0.34
1,1-Dichloroethane	850	85	µg/l	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	<0.38	<0.14	<0.35
1,2-Dichloropropane	5	0.5	µg/l	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	<0.28	<0.19	<0.35
Hexachlorobutadiene			µg/l	X	X	X	X	X	NA	X	X	X	X	X	X	X	NA	NA	NA	<0.32	<0.27	<0.38
4-Isopropyltoluene			µg/l	X	X	X	X	X	NA	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			µg/l	X	X	X	X	X	NA	X	X	X	X	X	NA	NA	NA	NA	NA	<0.30	<0.28	<0.36
Isopropylether			µg/l	X	X	X	X	0.74	NA	X	NA	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	X	X	X	**1**	X	NA	0.35	NA	0.54	NA	0.80	**4**	0.76	NA	NA	NA	<0.28	0.84	0.47
di-Isopropyl Ether			µg/l	X	X	X	1.7	X	NA	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	40	8	µg/l	X	X	X	1.1	X	NA	X	X	X	X	X	6	X	NA	NA	NA	<0.38	<0.41	<0.34
Propylbenzene			µg/l	X	X	X	X	X	NA	X	NA	NA	NA	NA	2.8	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene			µg/l	X	**1.4**	X	1.3	0.94	NA	0.68	0.81	X	0.47	0.46	NA	0.52	NA	NA	NA	<0.30	0.30	<0.37
Benzo (ghi) perylene			µg/l	X	X	X	X	X	NA	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3 cd) pyrene			µg/l	X	X	X	X	X	NA	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,2,2 Tetrachloroethane	0.2	0.02	µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	***0.132***	X	***0.110***	<0.39	<0.45	<0.44
Tetrachloroethane	5	0.5	µg/l	X	X	X	X	X	X	X	X	NA	NA	NA	NA	NA	NA	NA	NA	<0.27	<0.19	<0.35
Vinyl Chloride	0.2	0.02	µg/l	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	<0.27	<0.11	<0.12
Total VOCs			**µg/l**	**0.0**	**3.1**	**0.0**	**43.76**	**11.83**	**0.0**	**3.04**	**5.9**	**2.27**	**2.62**	**2.91**	**104.6**	**1.92**	**0.132**	**0.788**	**0.11**	**0.00**	**1.96**	**1.18**
Metals																						
Lead	15	1.5	µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Inorganics																						
Sulfate			mg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate			mg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Field Parameters																						
Dissolved Oxygen			mg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Redox Potential			mV	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
pH				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Conductivity			ppm	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Temperature			°F	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:
Water samples collected from kitchen sink in Wanderoos building.
ES = NR140.10 Enforcement Standard — X = Not Detected — **BOLD** Exceeds ES
PAL = NR140.10 Preventive Action Limit — NA = Not Analyzed — ***BOLD*** Exceed PAL

Table 3 (Continued)
Summary of Groundwater Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	ES	PAL	Units	Elmer Well								Moll Well								Martinson Well							
				3/25/1999	6/15/1999	12/14/1999	3/7/2000	6/27/2000	9/25/2000	1/24/2001	7/3/2001	3/25/1999	6/15/1999	12/14/1999	3/7/2000	6/27/2000	9/25/2000	1/24/2001	7/3/2001	3/25/1999	6/15/1999	12/14/1999	3/7/2000	6/27/2000	9/25/2000	1/24/2001	7/3/2001
GRO			µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
VOC Parameters																											
Benzene	5	0.5	µg/l	X	X	X	X	X	X	NA	<0.28	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	<0.15	<0.28
Toluene	343	68.6	µg/l	X	X	X	X	X	X	NA	<0.26	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	<0.4	<0.26
Ethylbenzene	700	140	µg/l	X	X	X	X	X	X	NA	<0.28	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	<0.15	<0.28
Total Xylenes	620	124	µg/l	X	X	X	X	X	X	NA	<0.56	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	<0.4	<0.56
Methyl-t-Butyl-Ether	60	12	µg/l	X	X	X	X	X	X	NA	<0.34	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	NA	<0.34
1,2,4-Trimethylbenzene			µg/l	X	X	X	X	X	X	NA	<0.27	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	NA	<0.27
1,3,5-Trimethylbenzene			µg/l	X	X	X	X	X	X	NA	<0.27	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	NA	<0.27
n-Butylbenzene			µg/l	X	X	X	X	NA	NA	NA	<0.30	X	X	NA	X	NA	NA	NA	NA	X	X	X	X	NA	NA	NA	<0.30
sec-Butylbenzene			µg/l	X	X	X	X	NA	NA	NA	<0.30	X	X	NA	X	NA	NA	NA	NA	X	X	X	X	NA	NA	NA	<0.30
tert-Butylbenzene			µg/l	X	X	X	X	NA	NA	NA	<0.29	X	X	NA	X	NA	NA	NA	NA	X	X	X	X	NA	NA	NA	<0.29
Bromobenzene			µg/l	X	X	X	X	X	X	NA	<0.28	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	<0.15	<0.28
Bromodichloromethane	0.6	0.06	µg/l	X	X	X	X	X	X	NA	<0.29	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	<0.06	<0.29
Bromoform	4.4	0.44	µg/l	X	X	X	X	X	X	NA	<0.31	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	<0.07	<0.31
Chloroform	6	0.6	µg/l	X	X	X	X	X	X	NA	<0.29	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	<0.06	<0.29
Chloromethane	3	0.3	µg/l	NA	NA	NA	NA	X	X	NA	<0.27	NA	NA	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	0.176	X	<0.17	<0.27
4-Chlorotoluene			µg/l	X	X	X	X	X	X	NA	<0.27	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	<0.15	<0.27
1,2-Dibromo-3-chloropropane	0.2	0.02	µg/l	X	X	X	X	NA	NA	NA	<0.50	X	X	NA	X	NA	NA	NA	NA	X	X	X	X	NA	NA	NA	<0.50
1,2-Dibromoethane	0.05	0.005	µg/l	X	X	X	X	X	X	NA	<0.36	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	<0.06	<0.36
1,4-Dichlorobenzene	75	15	µg/l	X	X	X	X	X	X	NA	<0.31	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	<0.15	<0.31
1,2-Dichlorobenzene	600	60	µg/l	X	X	X	X	X	X	NA	<0.28	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	<0.15	<0.28
1,2-Dichloroethane	5	0.5	µg/l	X	X	X	X	X	X	NA	<0.31	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	<0.15	<0.31
1,1-Dichloroethane	850	85	µg/l	X	X	X	X	X	X	NA	<0.38	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	<0.15	<0.38
1,2-Dichloropropane	5	0.5	µg/l	X	X	X	X	X	X	NA	<0.28	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	<0.15	<0.28
Hexachlorobutadiene			µg/l	X	X	X	X	NA	NA	NA	<0.32	X	X	NA	X	NA	NA	NA	NA	X	X	X	X	NA	NA	NA	<0.32
4-Isopropyltoluene			µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene			µg/l	X	NA	NA	NA	NA	NA	NA	<0.30	X	X	NA	NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	<0.30
Isopropylether			µg/l	X	X	NA	NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	X	X	X	NA	NA	NA	NA	<0.28	X	X	NA	NA	NA	NA	NA	NA	X	X	X	NA	NA	NA	NA	<0.28
di-Isopropyl Ether			µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Methylene Chloride	5	0.5	µg/l	X	X	X	X	X	X	NA	<0.27	X	X	X	X	0.547	NA	NA	NA	X	X	X	X	X	X	<0.5	<0.27
Naphthalene	40	8	µg/l	X	X	X	X	NA	NA	NA	<0.38	X	X	NA	X	NA	NA	NA	NA	X	X	X	X	NA	NA	NA	<0.38
Propylbenzene			µg/l	NA	NA	X	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	X	NA	NA	NA	NA	NA
n-Propylbenzene			µg/l	X	X	NA	NA	NA	NA	NA	<0.30	X	X	NA	NA	NA	NA	NA	NA	X	X	NA	NA	NA	NA	NA	<0.30
Benzo (ghi) perylene			µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Indeno (1,2,3-cd) pyrene			µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethane	5	0.5	µg/l	NA	NA	NA	NA	NA	NA	NA	<0.27	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.27
Vinyl Chloride	0.2	0.02	µg/l	X	X	X	X	X	X	NA	<0.27	X	X	NA	X	X	NA	NA	NA	X	X	X	X	X	X	<0.12	<0.27
Total VOCs			µg/l	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0
Metals																											
Lead	15	1.5	µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Inorganics																											
Sulfate			mg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nitrate			mg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Field Parameters																											
Dissolved Oxygen			mg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Redox Potential			mV	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
pH				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Conductivity			ppm	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Temperature			°F	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:
Water samples collected from kitchen sink in the Moll's house
Water samples collected from outdoor faucet on south side of the Elmer's house
Water samples collected from outdoor faucet on southwest side of the Martinson's house
ES = NR140.10 Enforcement Standard — X = Not Detected
PAL = NR140.10 Preventive Action Limit — NA = Not Analyzed

[illegible]

Table 2
Summary of Soil Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	RCL	Units	N5	N1	S6	S2	E8	E4	W7	W3
Date			12/16/1998	12/16/1998	12/16/1998	12/16/1998	12/16/1998	12/16/1998	12/16/1998	12/16/1998
Soil Sample No.			NA	NA	NA	NA	NA	NA	NA	NA
Depth (ft)			5	9	5	9	5	9	5	9
PID			40	150	60	500	30	400	80	300
GRO	100	mg/kg	<10	<10	<10	**2700**	<10	**4400**	**2200**	**1200**
VOC Parameters										
Benzene	5.5	µg/kg	< 50 RL	< 50 RL	< 50 RL	< 1,000 RL *	< 50 RL	< 500 RL *	**520**	< 250 RL *
Toluene	1500	µg/kg	<50	<50	<50	**3400**	<50	**2000**	**2900**	**3200**
Ethylbenzene	2900	µg/kg	<50	<50	<50	1,200	<50	**8200**	**4400**	**4900**
Total Xylenes	4100	µg/kg	1,050	<50	610	**185000**	<50	**139000**	**77000**	**179000**
Methyl-Tert-Butyl-Ether		µg/kg	<100	<100	<100	<2000	<100	<1000	580	<500
1,2,4-Trimethylbenzene		µg/kg	820	<100	700	260,000	<100	330,000	95,000	120,000
1,3,5-Trimethylbenzene		µg/kg	400	340	410	110,000	<100	170,000	67,000	43,000
1,4-Dichlorobenzene		µg/kg	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromoethane		µg/kg	NA	NA	NA	NA	NA	NA	NA	NA
di-Isopropyl Ether		µg/kg	NA	NA	NA	NA	NA	NA	NA	NA
n-Butylbenzene		µg/kg	NA	NA	NA	NA	NA	NA	NA	NA
sec-Butylbenzene		µg/kg	NA	NA	NA	NA	NA	NA	NA	NA
tert-Butylbenzene		µg/kg	NA	NA	NA	NA	NA	NA	NA	NA
p-Isopropyltoluene		µg/kg	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene		µg/kg	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene		µg/kg	NA	NA	NA	NA	NA	NA	NA	NA
Vinyl Chloride		µg/kg	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene		µg/kg	NA	NA	NA	NA	NA	NA	NA	NA
Lead	50	mg/kg	NA	NA	NA	NA	NA	NA	NA	NA
Inorganics										
TKN		mg/kg	NA	NA	NA	NA	NA	NA	NA	NA
NH4-N		mg/kg	NA	NA	NA	NA	NA	NA	NA	NA
Available Phosphorus		mg/kg	NA	NA	NA	NA	NA	NA	NA	NA
Available Potassium		mg/kg	NA	NA	NA	NA	NA	NA	NA	NA

Notes:
RCL = NR720.09(04) Residual Contaminant Level
X = Not Detected
NA = Not Analyzed
* The Reporting Limit (RL) was raised because a dilution of the sample was necessary due to matrix interference.
Exceeds RCL **BOLD**
Groundwater was measured in MW-1 at 10.63' on 12-1-1999

Table 1
Summary of Soil Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	RCL	Units	Tank 2 East	MW1	MW2			MW3		MW4			MW5		MW6		MW7	
Date			8/23/1995	4/23/1996	4/23/1996			4/22/1996		4/22/1996			4/23/1996		10/3/1996		10/3/1996	
Soil Sample No.			NA	1	1	2	5	3	6	1	2	5	2	5	3	6	3	6
Depth (ft)			7.5	13-15	4.5	5-7	12.5-14.5	5-7	12.5-14.5	4.5	5-7	12.5-14.5	5-7	12.5-14.5	5-7	12.5-14.5	5-7	12.5-14.5
GRO	100	mg/kg	6200	49	NA	X	450*	X	X	NA	X	X	X	4	X	X	X	X
VOC Parameters																		
Benzene	5.5	µg/kg	NA	**800**	NA	X	490	X	X	NA	X	X	X	X	X	X	X	X
Toluene	1500	µg/kg	NA	**3800**	NA	X	X	X	X	NA	X	X	X	150	X	X	X	X
Ethylbenzene	2900	µg/kg	NA	1,100	NA	X	**4400**	X	X	NA	X	X	X	100	X	X	X	X
Total Xylenes	4100	µg/kg	NA	**7900**	NA	X	**7380**	X	X	NA	X	X	X	202	X	X	X	X
Methyl-Tert-Butyl-Ether		µg/kg	NA	X	NA	X	X	X	X	NA	X	X	X	X	X	X	X	X
1,2,4-Trimethylbenzene		µg/kg	NA	2,900	NA	X	1,900	X	X	NA	X	X	X	380	X	X	X	X
1,3,5-Trimethylbenzene		µg/kg	NA	1,100	NA	X	1,500	X	X	NA	X	X	X	150	X	X	X	X
1,4-Dichlorobenzene		µg/kg	NA	X	NA	X	X	X	X	NA	X	X	X	X	X	X	X	X
1,2-Dibromoethane		µg/kg	NA	X	NA	X	X	X	X	NA	X	X	X	X	X	X	X	X
di-Isopropyl Ether		µg/kg	NA	X	NA	X	X	X	X	NA	X	X	X	X	X	X	X	X
n-Butylbenzene		µg/kg	NA	1,200	NA	X	11,000	X	X	NA	X	X	X	260	X	X	X	X
sec-Butylbenzene		µg/kg	NA	87	NA	47	2,500	X	X	NA	X	X	X	160	X	X	X	X
tert-Butylbenzene		µg/kg	NA	X	NA	X	2,900	X	X	NA	X	X	X	X	X	X	X	X
p-Isopropyltoluene		µg/kg	NA	160	NA	X	1,500	X	X	NA	X	X	X	X	X	X	X	X
Isopropylbenzene		µg/kg	NA	130	NA	X	1,800	X	X	NA	X	X	X	X	X	X	X	X
Naphthalene		µg/kg	NA	1,100	NA	X	2,000	X	X	NA	X	X	X	X	X	X	X	X
Vinyl Chloride		µg/kg	NA	X	NA	X	X	X	X	NA	X	X	X	X	X	X	X	X
n-Propylbenzene		µg/kg	NA	370	NA	X	5,500	X	X	NA	X	X	X	91	X	X	X	X
Lead	50	mg/kg	NA	X	NA	0.96	0.97	1.3	14	NA	1.6	1.1	2.3	X	2.1	X	**54**	1.3
Inorganics																		
TKN		mg/kg	NA	NA	80.4	NA	NA	NA	NA	138.7	NA	NA	NA	NA	NA	NA	NA	NA
NH4-N		mg/kg	NA	NA	0.5	NA	NA	NA	NA	2.2	NA	NA	NA	NA	NA	NA	NA	NA
Available Phosphorus		mg/kg	NA	NA	13	NA	NA	NA	NA	38	NA	NA	NA	NA	NA	NA	NA	NA
Available Potassium		mg/kg	NA	NA	20	NA	NA	NA	NA	15	NA	NA	NA	NA	NA	NA	NA	NA

Notes:
RCL = NR720.09(04) Residual Contaminant Level
X = Not Detected
NA = Not Analyzed
Exceeds RCL **BOLD**
* = Compounds present outside of GRO range

c:\environmental\projects\1996\4-61001-wanderoos gift & groc-wanderoos, wi\reports\1996\61001rap tb2]table 2

Table 1 (Continued)
Summary of Soil Analytical Results
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Parameter	RCL	Units	MW8		MW9		MW10		PZ1		SB1	SB2		SB3		SB4	SB5
Date			10/3/1996		10/3/1996		10/3/1996		4/23/1996		11/28/1995	4/22/1996		4/22/1996		4/22/1996	5/2/1996
Soil Sample No.			2	6	3	6	2	6	7	9	NA	2	4	3	4	2	1
Depth (ft)			2.5-4.5	12.5-14.5	5-7	12.5-14.5	2.5-4.5	12.5-14.5	17.5-19.5	22.5-24.5	9	5-7	10-12	7.5-9.5	10-12	3-5	1
GRO	100	mg/kg	X	X	X	X	X	X	19	X	11000	X	6.2	X	X	X	X
VOC Parameters																	
Benzene	5.5	µg/kg	X	X	X	X	X	X	250	X	180000	X	820	X	X	X	X
Toluene	1500	µg/kg	X	X	X	X	X	X	1,400	X	800000	X	1,300	X	X	X	X
Ethylbenzene	2900	µg/kg	X	X	X	X	X	X	470	X	190000	X	200	X	X	X	X
Total Xylenes	4100	µg/kg	X	X	X	X	X	X	3,400	X	1200000	X	940	X	X	X	X
Methyl-Tert-Butyl-Ether		µg/kg	X	X	X	X	X	X	X	X	38,000	X	130	X	X	X	X
1,2,4-Trimethylbenzene		µg/kg	X	X	X	X	X	X	1,400	X	420,000	X	210	X	X	X	X
1,3,5-Trimethylbenzene		µg/kg	X	X	X	X	X	X	500	X	160,000	X	58	X	X	X	X
1,4-Dichlorobenzene		µg/kg	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1,2-Dibromoethane		µg/kg	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
di-Isopropyl Ether		µg/kg	X	X	X	X	X	X	X	X	56,000	X	X	X	X	X	X
n-Butylbenzene		µg/kg	X	X	X	X	X	X	590	X	150,000	X	X	X	X	X	X
sec-Butylbenzene		µg/kg	X	X	X	X	X	X	56	X	20,000	X	X	X	X	X	X
tert-Butylbenzene		µg/kg	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
p-Isopropyltoluene		µg/kg	X	X	X	X	X	X	X	X	6,700	X	X	X	X	X	X
Isopropylbenzene		µg/kg	X	X	X	X	X	X	71	X	29,000	X	X	X	X	X	X
Naphthalene		µg/kg	X	X	X	X	X	X	660	X	66,000	X	X	X	X	X	X
Vinyl Chloride		µg/kg	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
n-Propylbenzene		µg/kg	X	X	X	X	X	X	170	X	63,000	X	X	X	X	X	X
Lead	50	mg/kg	8.3	1.6	X	X	2.6	X	X	X	NA	0.97	1.1	1.2	2.1	11	4.9
Inorganics																	
TKN		mg/kg	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NH4-N		mg/kg	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Available Phosphorus		mg/kg	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Available Potassium		mg/kg	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:
RCL = NR720.09(04) Residual Contaminant Level
X = Not Detected
NA = Not Analyzed
Exceeds RCL **BOLD**

c:\environmental\projects\1996\4-61001-wanderoos gift & groc-wanderoos, wi\reports\1996\[61001rap.tb2]table 2 (cont.)



c:\environmental\projects\4-61001\cadd\61001f8.dwg

midwest engineering services, inc.

Figure 8
Estimated Extent
of Groundwater Contamination
Wanderoos Gift & Grocery
Wanderoos, Wisconsin

Not to Scale	
Project Number:	4-61001
Date:	Most Recent Data
Drawn By:	rml

Table 4
Depth to Water and Water Level Elevations
Wanderoos Gift and Grocery
Wanderoos, Wisconsin

Depth to Water From Top of Well Casing (ft)

	MW1	MW1A	MW2	MW3	MW3A	MW4	MW5	MW6	MW7	MW8	MW9	MW10	MW11	PZ1	PZ1A
4/30/1996	9.70	NA	5.48	9.77	NA	8.21	4.62	NA	NA	NA	NA	NA	NA	9.84	NA
11/6/1996	NA	NA	NA	NA	NA	NA	NA	7.02	1.11	4.10	7.56	5.00	NA	NA	NA
1/22/1997	NA	NA	NA	NA	NA	NA	NA	6.87	NA	4.01	7.12	4.70	NA	NA	NA
10/29/1997	10.26	NA	6.03	10.40	NA	8.95	5.15	7.45	1.50	4.49	7.73	5.29	NA	10.38	NA
5/14/1998	9.83	NA	5.62	NA	NA	8.52	4.73	7.04	1.09	4.07	5.40	2.96	NA	9.94	NA
6/10/1998	10.07	NA	5.85	NA	NA	8.74	4.97	7.27	1.32	4.29	5.62	3.20	NA	10.17	NA
12/1/1998	10.63	NA	6.41	NA	NA	9.33	5.52	7.78	1.85	4.84	6.34	3.77	NA	10.74	NA
3/25/1999	NA	6.90	5.87	NA	7.61	8.72	4.95	7.23	1.27	4.22	5.66	3.29	7.08	NA	7.27
6/15/1999	NA	6.85	5.82	NA	7.55	8.67	4.92	7.21	1.22	4.17	5.56	3.22	7.05	NA	7.23
12/14/1999	NA	7.79	6.72	NA	8.54	9.77	5.82	8.05	2.16	5.20	6.75	4.02	NA	NA	8.17
3/7/2000	NA	7.10	6.10	NA	7.87	9.03	5.19	7.45	1.51	4.48	6.05	3.50	NA	NA	7.52
6/27/2000	NA	7.52	6.48	NA	8.24	9.40	5.56	7.82	1.89	4.85	6.36	3.82	NA	NA	7.89
9/25/2000	NA	8.22	7.11	NA	8.98	10.19	9.22	8.45	2.57	5.59	7.22	4.50	NA	NA	8.59
1/24/2001	NA	8.40	7.34	NA	9.17	NA	6.50	NA	NA	NA	NA	NA	NA	NA	8.78
7/3/2001	NA	9.85	5.80	NA	7.59	8.75	4.92	7.17	1.35	4.23	5.57	3.20	NA	NA	7.20
6/25/2002	NA	6.05	5.11	NA	6.82	7.96	4.15	6.45	NA	3.36	4.92	2.58	NA	NA	6.49

Top of Well Casing Elevation (ft)

Survey	101.60	98.39	97.38	101.73	99.12	100.10	96.48	98.76	92.71	95.62	99.07	96.88	98.53	101.71	98.76
Re-survey (11/20/97)	NA	NA	NA	99.30	NA	NA	NA	NA	NA	NA	97.22	95.03	NA	NA	NA
Top of Screen Elevation	94.20	93.49	93.58	94.53	94.92	93.10	92.78	91.76	88.71	89.37	90.32	88.03	93.93	79.76	80.66
Bottom of Screen Elevation	84.20	83.49	83.58	84.53	84.92	83.10	82.78	81.76	78.71	79.37	80.32	78.03	83.93	74.76	75.66

Ground Surface Elevation (ft)

Survey	99.20	98.76	97.81	99.50	99.38	97.73	96.87	97.01	93.07	94.15	97.44	95.24	98.90	99.22	99.21
Re-survey (11/20/97)	NA	NA	NA	99.57	NA	NA	NA	NA	NA	NA	97.52	95.22	NA	NA	NA

Depth to Water From Ground Surface (ft)

Average	7.70	8.00	6.55	7.86	8.30	6.57	5.83	5.63	1.93	2.95	4.65	2.15	7.44	7.72	8.13
Maximum	8.23	10.22	7.77	8.17	9.43	7.82	9.61	6.70	2.93	4.12	6.10	3.65	7.45	8.25	9.23
Minimum	7.30	6.42	5.54	7.54	7.08	5.59	4.54	4.70	1.45	1.89	3.29	0.94	7.42	7.35	6.94
Range	0.93	3.80	2.23	0.63	2.35	2.23	5.07	2.00	1.48	2.23	2.81	2.71	0.03	0.90	2.29

Water Table Elevation (ft)

4/30/1996	91.90	NA	91.90	91.96	NA	91.89	91.86	NA	NA	NA	NA	NA	NA	91.87	NA
11/6/1996	NA	NA	NA	NA	NA	NA	NA	91.74	91.60	91.52	91.51	91.88	NA	NA	NA
1/22/1997	NA	NA	NA	NA	NA	NA	NA	91.89	NA	91.61	91.95	92.18	NA	NA	NA
10/29/1997	91.34	NA	91.35	91.33	NA	91.15	91.33	91.31	91.21	91.13	91.34	91.59	NA	91.33	NA
5/14/1998	91.77	NA	91.76	NA	NA	91.58	91.75	91.72	91.62	91.55	91.82	92.07	NA	91.77	NA
6/10/1998	91.53	NA	91.53	NA	NA	91.36	91.51	91.49	91.39	91.33	91.60	91.83	NA	91.54	NA
12/1/1998	90.97	NA	90.97	NA	NA	90.77	90.96	90.98	90.86	90.78	90.88	91.26	NA	90.97	NA
3/25/1999	NA	91.49	91.51	NA	91.51	91.38	91.53	91.53	91.44	91.40	91.56	91.74	91.45	NA	91.49
6/15/1999	NA	91.54	91.56	NA	91.57	91.43	91.56	91.55	91.49	91.45	91.66	91.81	91.48	NA	91.53
12/14/1999	NA	90.60	90.66	NA	90.58	90.33	90.66	90.71	90.55	90.42	90.47	91.01	NA	NA	90.59
3/7/2000	NA	91.29	91.28	NA	91.25	91.07	91.29	91.31	91.20	91.14	91.17	91.53	NA	NA	91.24
6/27/2000	NA	90.87	90.90	NA	90.88	90.70	90.92	90.94	90.82	90.77	90.86	91.21	NA	NA	90.87
9/25/2000	NA	90.17	90.27	NA	90.14	89.91	87.26	90.31	90.14	90.03	90.00	90.53	NA	NA	90.17
1/24/2001	NA	89.99	90.04	NA	89.95	NA	89.98	NA	NA	NA	NA	NA	NA	NA	89.98
7/3/2001	NA	88.54	91.58	NA	91.53	91.35	91.58	91.59	91.36	91.39	91.65	91.83	NA	NA	91.56
6/25/2002	NA	92.34	92.27	NA	92.30	92.14	92.33	92.31	NA	92.26	92.30	92.45	NA	NA	92.27

Notes:
NA = Not Available
Survey elevations based on 100.00 ft datum.



midwest engineering services, inc.

Figure 9
Groundwater Contour Map (10/29/97)
Wanderoos Gift & Grocery
Wanderoos, Wisconsin

Scale:	1" = 80'
Project Number:	4-61001
Date:	12/10/97
Drawn By:	jtb



c:\environmental\projects\4-61001\cadd\excav\6100113.dwg

midwest engineering services, inc.

Figure 9A
Groundwater Contour Map (12/1/98)
Wanderoos Gift & Grocery
Wanderoos, Wisconsin

Scale:	1" = 80'
Project Number:	4-61001
Date:	12/23/98
Drawn By:	jtb



midwest engineering services, inc.

Figure 4
Estimated Extent
of Soil Contamination
Wanderoos Gift & Grocery
Wanderoos, Wisconsin

Scale:	1" = 80'
Project Number:	4-61001
Date:	12/11/97
Drawn By:	jtb





Water Level:
while drilling in boreholes;
upon completion in wells

c:\environmental\projects\4-61001\cadd\61001f4.dwg

midwest engineering services, inc.

Figure 4
Cross Section Map
Wanderoos Gift & Grocery
Wanderoos, Wisconsin

Scale:	As Shown Above
Project Number:	4-61001
Date:	12/10/97
Drawn By:	jtb

midwest engineering services, inc.

geotechnical • environmental • materials engineers

1692 State Highway 53, Suite 2
Chippewa Falls, WI 54729
715-830-0770
FAX 715-830-0660
www.midwesteng.com

January 30, 2004

Ms. Janet Kazda
Wisconsin Department of Natural Resources
107 Sutliff Avenue
Rhinelander, Wisconsin 54501

Dear Ms. Kazda:

This letter certifies that the legal descriptions included in the GIS Registry Packet accurately describe the property boundaries of the Wanderoos Gift and Grocery site.

If you need any additional information, please contact me at your convenience.

Thank you.

Sincerely,

Joanne Martinson

Joanne Martinson

midwest engineering services, inc.

geotechnical • environmental • materials engineers

1692 State Highway 53, Suite 2
Chippewa Falls, WI 54729
715-830-0770
FAX 715-830-0660
www.midwesteng.com

September 19, 2003

Mr. Edward Gullickson
Chairman-Town of Garfield
1588 90th Avenue
Amery, WI 54001

Dear Mr. Gullickson:

Midwest Engineering Services, Inc. (MES) has recently completed a Case Summary and Closeout Report dated March 17, 2003, for the Wanderoos Gift and Grocery petroleum release site located at 684 Minneapolis Street, Wanderoos, Wisconsin on behalf of Ms. Joanne Martinson. The report was forwarded to the Wisconsin Department of Natural Resources (WDNR) in Eau Claire, Wisconsin. Upon their review of the Closure Report, the WDNR requested that MES notify the Town of Garfield that contaminated soil and/or groundwater may be encountered in the street right-of-way near the former Wanderoos Gift and Grocery building during future construction activities. Data tables depicting the levels of the analyzed compounds in the soil and groundwater are included with this letter for your information. Site maps depicting the estimated locations and extents of contaminated soil and groundwater have also been included.

If you need any additional information, please contact me at your convenience.

Thank you.

Sincerely,

Ryan M. Leverson
Project Manager

enclosures

cc. Ms. Joanne Martinson, 28235 Wildwood Lane, Danbury, WI 54830
WDNR