

GIS REGISTRY INFORMATION

SITE NAME: WDNR Park Falls Area Headquarters
 BRRTS # 03-51-000330 FID # (if appropriate): 0
 COMMERCE #: (if appropriate) N/A
 CLOSURE DATE: 11/5/07
 STREET ADDRESS: 120 Case Avenue
 CITY: Park Falls

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):
 x= 485652 y= 606345

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE CONTAMINATION (>ES): Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

Off -Source SOIL CONTAMINATION >GENERIC OR SITE-SPECIFIC RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter issued
- Copy of most recent deed, including legal description, for all affected properties

Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties
 County Parcel ID number, if used for county, for all affected properties 271-1125-06

Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.

Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.

Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)

Tables of Latest Soil Analytical Results (no shading or cross-hatching)

Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.

GW: Table of water level elevations, with sampling dates, and free product noted if present

GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)

*on gw tables
see Fig. 2*

SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour.

Geologic cross-sections, if required for SI. (8.5x14" if paper copy)

RP certified statement that legal descriptions are complete and accurate

Copies of off-source notification letters (if applicable)

Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)

Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure.



N/A
N/A
N/A
N/A



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
John Gozdziwski, Regional Director

Northern Region Headquarters
810 W. Maple Street
Spooner, Wisconsin 54801
Telephone 715-635-2101
FAX 715-635-4105
TTY Access via relay - 711

November 5, 2007

Mr. Chris Rehlinger
Wisconsin DNR, Bureau of Facilities and Lands
P.O. Box 7921
Madison, Wisconsin 53707-7921

SUBJECT: Final Case Closure with Land Use Limitations or Conditions
WDNR Park Falls Old Heating Oil Site, 120 Case Avenue, Park Falls, WI
WDNR BRRTS Activity #: 03-51-000330

Dear Mr. Rehlinger:

On February 1, 2007, the Northern Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On July 25, 2007 you were notified that the Closure Committee had granted conditional closure to this case. On September 10, 2007 the Department received correspondence indicating that you have abandoned the monitoring wells at the site.

Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which the current property owner and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes (Wis. Stats.) to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wisconsin Administrative Code (Wis. Adm. Code). It is the Department's intent to conduct inspections in the future to ensure that the conditions included in this letter including compliance with referenced maintenance plans are met.

Remaining Residual Soil Contamination

Residual soil contamination remains near soil borings B-5, B-4/MW-3, and MW-9 as indicated in the Approximate Extent of NR 720 RCL Exceedences map, prepared by STS Consultants dated February 20, 2007, a copy of which is attached. If soil in the specific locations described above is excavated in

the future, then pursuant to chapter NR 718 Wis. Adm. Code or, if applicable, chapter 289, Wis. Stats., and chs. 500 to 536 of the Wis. Adm. Code, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken to prevent a direct contact health threat to humans.

Structural Impediments

Structural impediments (the shop building) existing at the time of cleanup, made complete investigation and/or remediation of the soil contamination on this property impracticable. Pursuant to s. 292.12(2)(b), Wis. Stats., if the structural impediments on this property that are described above are removed, the property owner shall conduct an investigation of the degree and extent of petroleum contamination. If contamination is found at that time, the Wisconsin Department of Natural Resources shall be immediately notified and the contamination shall be properly remediated in accordance with applicable statutes and rules. If soil in the specific locations described above is excavated, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

Vapor Migration

In addition, depending on site-specific conditions, construction over contaminated materials may result in vapor migration into enclosed structures or migration along newly placed underground utility lines. The potential for vapor inhalation and mitigation should be evaluated when planning any future redevelopment, and measures should be taken to ensure the continued protection of public health, safety, welfare and the environment at the site.

GIS Registry

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites for the following reasons:

- Remaining Residual Groundwater Contamination
- Remaining Residual Soil Contamination
- Structural Impediment

Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line

<http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact Phil Richard at (715) 762-1352.

Sincerely,



John Robinson
Northern Region Team Supervisor
Remediation & Redevelopment Program

Attachment: Figure 6, Approximate Extent of NR 720 RCL Exceedences

cc: Michael Carney
STS Consultants
1035 Kepler Drive
Green Bay, WI 54311

Tom Ratzlaff
City of Park Falls
1259 Second Avenue North
Park Falls, WI 54552

March 15, 2007

Mr. Phil Richard
Wisconsin Department of Natural Resources
Remediation and Redevelopment Program
875 South Fourth Avenue
Park Falls, Wisconsin 54552

Re: Soil and Groundwater GIS Registry Package, Former WDNR Area Headquarters Office, 120 Case Avenue, Park Falls, Wisconsin -- WDNR BRRTS No. 03-51-000330 -- STS Project No. 4-22109XF

Dear Mr. Richard:

STS Consultants, Ltd. (STS) on behalf of the Wisconsin Department of Natural Resources (WDNR) Bureau of Lands and Facilities, is providing information for the geographic information system (GIS) Registry of Closed Remediation Sites for residual soil and groundwater contamination at the above-referenced site.

In a letter dated February 5, 2007, the WDNR denied site closure pending submittal of a soil GIS package documenting NR 720 residual soil level (RCL) exceedances onsite. Accordingly, the previous submitted Groundwater GIS package has been revised to include soil. The entire soil and groundwater GIS package is submitted with this letter and replaces the previous submitted GIS package. Also, as requested in the February 2007 WDNR letter, STS is including a revised notification letter to the Mayor of Park Falls indicating residual soil and groundwater contamination is remaining onsite. The fee for the Groundwater GIS has been submitted with the previous GIS package through an internal transfer of funds within the WDNR. The Soil GIS fee will also be provided through an internal transfer of funds within the WDNR.

Please contact Mr. Mark Magee of STS at (920) 406-3141 or Mr. Chris Rehlinger of the WDNR at (608) 264-9215 if you have any questions or comments regarding the information provided in the soil and groundwater GIS package.

Sincerely,

STS CONSULTANTS, LTD.



Mark W. Magee
Senior Project Manager



Michael J. Parney, P.G.
Associate Geologist


Attachments:

Soil and Groundwater GIS Package – WDNR BRRTs No. 03-51-000330 (electronic submittal)

Copy: Mr. Chris Rehlinger
Bureau of Facilities and Lands
Wisconsin Department of Natural Resources
101 South Webster Street
P.O. Box 7921
Madison, Wisconsin 53707-7921

LEGEND

- W — WATER LINE
- OH — OVERHEAD ELECTRIC
- G — GAS LINE
- S/W — SEWER/WATER LINE
- - - - - APPROXIMATE PROPERTY LINE
- ⊕ SOIL SAMPLE LOCATION (APPLIED ENG., 1992)
- ⊕ MONITORING WELL (STS, 1997)
- SOIL SAMPLE LOCATION (COLLECTED DURING EXCAVATION, 10/96)
- ◆ SOIL BORING LOCATION (STS, 1997)
- ⊕ SOIL BORING LOCATION (STS, 1999)
- ⊕ MONITORING WELL (STS, 1999)



NOTE: MONITORING WELLS MW-2 AND MW-4 WERE ABANDONED.

MAP SOURCE: MODIFIED FROM FIGURE 3 IN REPORT PREPARED BY TWIN PORTS TESTING, INC. JUNE 1995.

DRAWN BY	J.R.L.	DATE	02-20-07
CHECKED BY	M.W.M.	DATE	02-20-07
APPROVED BY	M.J.C.	DATE	02-20-07
CADFILE			

WISCONSIN DEPARTMENT OF NATURAL RESOURCES
 FORMER AREA OFFICE (OLD HEATING OIL)
 120 CASE AVENUE
 PARK FALLS, WISCONSIN
 APPROXIMATE EXTENT OF NR 720 RCL EXCEEDENCES

STS PROJECT NO. 22109XF
 STS PROJECT FILE
 SCALE 1" = 30'
 FRAME NO. 6

GIS PACKET
Soil and Groundwater
Wisconsin Department of Natural Resources
Former WDNR Area Headquarters Office
(Old Heating Oil)
120 Case Avenue
Park Falls, Wisconsin
WDNR BRRTS No. 03-51-000330

Warranty Deed and Price County Certified Survey Map

Geographic Coordinates and Tax Parcel No.

Figure 1 – Site Location Diagram

Figure 2 – Site Map

Figure 3 – Groundwater Condition Map

Figure 4 – Soil Sample Location Diagram

Figure 6 – Approximate Extent of NR 720 RCL Exceedances

Table 1 – Summary of Groundwater Analytical Results

Table 2 – Groundwater Field Data Summary

Table 3A – Pre-Remedial Soil Analytical Results

Table 3B – Post-Remedial Soil Analytical Results

Signed Statement of Property Legal Description

Signed Letter to City of Park Falls Mayor (without attachments)

WARRANTY DEED

The City of Park Falls, Price County, Wisconsin, grantor hereby

CONVEYS AND WARRANTS to the State of Wisconsin for the sum of one dollar and other good and valuable considerations, the following tract of land situated in Price County, Wisconsin, to wit; Beginning at the intersection of the south line of Linden Street in said City of Park Falls, with the east line of Case Avenue (former State Trunk Highway 13), thence running south along the said east line of said Case Avenue a distance of three hundred and fifty-two feet (352) to a point of beginning; thence east a distance of four hundred and twenty-nine (429) feet; thence south at right angles a distance of three hundred and forty-eight (348) feet; thence west at right angles a distance of four hundred and twenty-nine (429)-feet to the east line of said Case Avenue; thence north at right angles a distance of three hundred and forty-eight (348) feet to a point of beginning, the aforesaid described tract of land being a part and portion of Lot 5 and the Northeast one-quarter (NE 1/4) of the Southwest one-quarter (SW 1/4) of Section twenty-four (24), Township forty (40) north, Range one (1) west. That there is attached hereto a blue print confirming to the above description which is made a part thereof.

It is understood that the above lands are conveyed to the State of Wisconsin for the uses and purposes of the Conservation Commission in its activities in general and particularly its activities pursuant to Chapter 26, Statutes.

It is further understood that in event the State shall not use said lands for conservation purposes and signifies its intention to abandon the same by non-user for a period of two years, then, and in that event the title to such lands shall revert to the City of Park Falls, the grantor herein.

It is further understood that in event the said lands are abandoned as aforesaid by the State and all title and right of possession reverts to the City of Park Falls, that the State shall have the right to remove from said lands, all buildings, equipment and structures of every nature placed thereon by the State or its representatives.

IN WITNESS WHEREOF, the said City of Park has caused these presents to be signed by the Mayor thereof and duly attested by the City Clerk and the Corporate Seal of said City duly attached thereto on this 10th day of August 1936.

In presence of: Corp. Seal Margaret Nelson

City of Park Falls By J. L. LaBlanc Mayor

C. E. Lovett

Attest Wm. Windus City Clerk

(City Seal)

State of Wisconsin Price County) ss.

Personally came before me this 10th day of August 1936, the above named J. L. LaBlanc Mayor and Wm. Windus City Clerk to me known to be such Mayor and Clerk executing the above instrument, and acknowledged the same.

N. P. Seal Susie Erdman Notary Public Price County Wisconsin My commission expires July 17, 1938

RESOLVED by the Common Council of the City of Park Falls that the Mayor and City Clerk of said city, be and hereby are authorized and directed to enter into a deed with the State of Wisconsin, conveying the following described property:

Beginning at the intersection of the South line of Linden Street in said city of Park Falls, with the east line of Case Avenue (Former State Trunk Highway 13), thence running south along the said east line of said Case Avenue a distance of three hundred and fifty-two (352) feet to a point of beginning; thence east a distance of four hundred and twenty-nine (429) feet; thence south at right angles a distance of three hundred and forty-eight (348) feet; thence west at right angles a distance of four hundred and twenty-nine (429) feet to the east line of said Case Avenue; thence north at right angles a distance of three hundred and forty-eight feet (348) to a point of beginning, the aforesaid described tract of land being a part and portion of Lot (5) and the Northeast one-quarter (NE 1/4) of the Southwest one-quarter (SW 1/4) of Section twenty-four (24), Township forty (40) North, Range One (1) West.

Dated at the city of Park Falls, this 1st day of September, 1936.

Attest:

Wm. Windus
City Clerk.

Moved by Alderman Chas. Pauser seconded by Alderman Burmeister to pass the resolution as read; Motion carried on roll call Vote: Ayes 8, noes none

Extract of council meeting, City of Park Falls, Sept. 1, 1936

Wm. Windus
City Clerk

RELEASE

For the considerations herein after set forth, the undersigned, Wisconsin Realty Company, hereby releases the lands above described and heretofore deeded to the City of Park Falls, Wisconsin, for Park purposes only, from such restrictions, for the uses and purposes set forth in the foregoing deed and under the conditions and terms therein mentioned.

Dated this 17th day of August, 1936.

In the presence of:

Avery Sherry
Ruth E. Fritz
(Seal)

Corp.
Seal

Wisconsin Realty Company
By E. P. Sherry
President
Laura Sherry
Secretary

State of Wisconsin,)
) ss.
Milwaukee County.

Personally appeared before me, a notary public for Milwaukee County, Wisconsin, E. P. Sherry and Laura Sherry to me known to be the president and secretary of the Wisconsin Realty Company, a corporation, and acknowledged that they were authorized to execute the said release for the uses and purposes therein mentioned.

N. P.
Seal

Ruth E. Fritz
Notary Public,
Milwaukee County,
Wisconsin.

My commission expires Feb. 26, 1939

Received for record this
2 day of Nov. A. D., 1936
at 3:30 o'clock P. M.

Walter F. Koch
Register of Deeds.

APR 16 1993
10:35
PLAT 1000
21

266106

12⁰⁰ pd.

PRICE COUNTY CERTIFIED SURVEY MAP


732

Part of Government Lot 5, and Part of the NE 1/4 of the SW 1/4
Also being part of Lot 1, Certified Survey Map, Volume 2, Page 143
Section 24, Township 40 North, Range 1 West, City of Park Falls, Price County, Wisconsin

Owner:
Marshfield Clinic
1000 North Oak Avenue
Marshfield, WI 54449

Surveyor:
David P. Malak
Davy Engineering Co.
115 S. 6th Street
La Crosse, WI 54601

NE Corner of the NW 1/4
Section 24, T 40 N - R 1 W
1-1/4" Iron Bar Found



LEGEND

- △ = P.K. nail in bituminous, set this survey.
- = 1" x 30" Iron Pipe, weighing 1.13 lbs. per lineal foot, set this survey.
- = Monument Found, size and type as noted.

Scale in Feet
0 50 100 200
1 inch = 100 feet

BASIS FOR BEARINGS
Bearings are based on the east line of SHERRY AVE, south of LINDEN ST., recorded as bearing S 0°05'07" E.



David P. Malak
2-05-93



Site: Wisconsin Department of Natural Resources
Former WDNR Area Office
(Old Heating Oil)
120 Case Avenue
Park Falls, Wisconsin

WDNR BRRTS No.: 03-51-000330


Geographic Coordinates: E485643 N606338

Tax Parcel No.: 271-1125-06

X:\PROJECTS\22109XF\G422109XF\G422109XF\FIG1.dwg; 2/20/2007 2:08:32 PM; LEMMENS, JERRY R.



SCALE





STS CONSULTANTS
 1035 Kepler Drive
 Green Bay, WI 54311
 920-468-1978
 www.stsconsultants.com
 Copyright ©2008, By: STS Consultants, Ltd.

WISCONSIN DEPARTMENT OF NATURAL RESOURCES
 FORMER AREA OFFICE
 120 CASE AVENUE
 PARK FALLS, WISCONSIN

Drawn :	J.R.L. 02/02/2006
Checked:	M.W.M.02/02/2006
Approved:	M.J.C. 02/02/2006
PROJECT NUMBER	22109XF
FIGURE NUMBER	1

LEGEND


— W —	WATER LINE
— OH —	OVERHEAD ELECTRIC
— G —	GAS LINE
— S/W —	SEWER/WATER LINE
- - - - -	APPROXIMATE PROPERTY LINE



MAP SOURCE: MODIFIED FROM FIGURE 3 IN REPORT
 PREPARED BY TWIN PORTS TESTING,
 INC. JUNE 1995.

 <p>SIS Consulting Engineers Ltd. Consulting Engineers</p>	<p>WISCONSIN DEPARTMENT OF NATURAL RESOURCES FORMER AREA OFFICE (OLD HEATING OIL) 120 CASE AVENUE PARK FALLS, WISCONSIN SITE MAP</p>		DRAWN BY J.R.L.	DATE 09-18-06
			CHECKED BY M.W.M.	DATE 09-18-06
			APPROVED BY M.J.C.	DATE 09-18-06
			CADFILE	
SIS PROJECT NO. 22109XF	SIS PROJECT FILE	SCALE 1" = 30'	FIGURE NO. 2	

LEGEND			
— W —	WATER LINE	⊕	MONITORING WELL (STS, 1997)
— OH —	OVERHEAD ELECTRIC	○	SOIL SAMPLE LOCATION (COLLECTED DURING EXCAVATION, 10/96)
— G —	GAS LINE	⊕	SOIL BORING LOCATION (STS, 1997)
— S/W —	SEWER/WATER LINE	⊕	SOIL BORING LOCATION (STS, 1999)
⊕	SOIL SAMPLE LOCATION (APPLIED ENG., 1992)	⊕	MONITORING WELL (STS, 1999)
⊕	SOIL BORING (TPT, 1994)		
⊕	MONITORING WELL (TPT, 1994)		



NOTE: MONITORING WELLS MW-2 AND MW-4 WERE ABANDONED.

MAP SOURCE: MODIFIED FROM FIGURE 3 IN REPORT PREPARED BY TWIN PORTS TESTING, INC. JUNE 1995.

WISCONSIN DEPARTMENT OF NATURAL RESOURCES
 FORMER AREA OFFICE (OLD HEATING OIL)
 120 CASE AVENUE
 PARK FALLS, WISCONSIN
 SOIL SAMPLE LOCATION DIAGRAM

DRAWN BY	J.R.L.	DATE	09-21-06
CHECKED BY	M.W.M.	DATE	09-21-06
APPROVED BY	M.J.C.	DATE	09-21-06
CADFILE			



SIS PROJECT NO.
22109XF

SCALE
1" = 30'

FIGURE NO.
4

Table 1
Summary of Groundwater Analytical Results
Former WDNR Area Headquarters Office
Old Heating Oil
120 Case Avenue
Park Falls, Wisconsin

Well No.	Date	Benzene (ug/l)	Ethylbenzene (ug/l)	Toluene (ug/l)	Xylenes (ug/l)	MTBE (ug/l)	1,2,4-TMB (ug/l)	1,3,5-TMB (ug/l)
MW-1	10/19/95	<5	<5	<5	<15	<5	<5	<5
	01/17/96	<5	<5	<5	<5	<5	<5	<5
	04/29/97	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	07/30/97	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	10/21/97	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	01/27/98	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	04/28/98	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	07/29/98	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	10/23/98	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	01/19/99	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	04/27/99	<0.2	<0.5	<0.5	<1.0	<0.3	<0.5	<0.5
	07/13/99	<0.2	<0.5	<0.5	<1.0	<0.3	<0.5	<0.5
	10/06/99	<0.15	<0.5	<0.4	<0.19	<0.3	<0.4	<0.4
	05/25/00	<0.15	<0.5	<0.4	<0.19	<0.3	<0.4	<0.15
	11/22/00	<0.15	<0.5	<0.4	<0.19	<0.3	<0.4	<0.15
05/24/01	<0.16	<0.5	<0.4	<0.21	<0.3	<0.4	<0.17	
MW-2R	01/17/96	Well not sampled due to the presence of free-product						
	04/29/97	52.2	224	125	517	<50.0	388	126
	07/30/97	64.9	407	321	1048	<10	843	261
	10/21/97	31.8	276	208	742	<10	639	206
	01/27/98	22.8	249	265	564	<20.0	696	287
	04/28/98	Well not sampled due to the presence of free-product						
	07/29/98	Well not sampled due to the presence of free-product						
	10/23/98	Well not sampled due to the presence of free-product						
	01/19/99	Well not sampled due to the presence of free-product						
	04/27/99	Well not sampled due to the presence of free-product						
	07/13/99	Well not sampled due to the presence of free-product						
	10/06/99	Well not sampled due to the presence of free-product						
	05/25/00	Well not sampled due to the presence of free-product						
	10/23/03	Well not sampled due to the presence of free-product						
	10/30/04	6.4	106	13.7	402	---	---	---
	12/04/04	No product observed						
	05/20/05	13.8	119	94	323	<3	303	132
NR 140 ES:		5	700	1,000	10,000	60	480	
NR 140 PAL:		0.5	140	200	1,000	12	96	

Table 1
Summary of Groundwater Analytical Results
Former WDNR Area Headquarters Office
Old Heating Oil
120 Case Avenue
Park Falls, Wisconsin

Well No.	Date	Benzene (ug/l)	Ethylbenzene (ug/l)	Toluene (ug/l)	Xylenes (ug/l)	MTBE (ug/l)	1,2,4-TMB (ug/l)	1,3,5-TMB (ug/l)
MW-3	10/19/95	<5	<5	<5	<15	<5	<5	<5
	01/17/96	6.8	15	<5	<5	42	<5	<5
	04/29/97	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	07/30/97	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	10/21/97	2.2	2.3	1.8	<2.0	<1.0	<1.0	<1.0
	01/27/98	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	04/28/98	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	04/27/99	<0.2	<0.5	<0.5	<1.0	<0.3	<0.5	<0.5
	07/13/99	<0.2	<0.5	<0.5	<1.0	<0.3	<0.5	<0.5
	05/25/00	<0.15	<0.5	<0.4	<0.19	<0.3	<0.4	<0.15
	05/24/01	<0.16	<0.5	<0.4	<0.21	<0.3	<0.4	<0.17
	10/23/03	2.6	4.7	1.7	0.8	<0.3	<0.4	<0.31
	05/20/05	<0.31	<0.5	<0.3	<0.92	<0.3	<0.4	<0.31
MW-4	10/19/95	<5	<5	<5	<15	15	<5	<5
MW-5	10/19/95	<5	<5	<5	<15	<5	<5	<5
	01/17/96	<5	<5	<5	<5	<5	<5	<5
	04/29/97	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	07/30/97	1.4	3.8	6.2	1.8	<1.0	1.2	<1.0
	10/21/97	<0.5	1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	01/27/98	0.6	5.1	<1.0	<2.0	<1.0	<1.0	1.5
	04/28/98	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	07/13/99	<0.2	<0.5	<0.5	<1.0	<0.3	<0.5	<0.5
MW-6	10/19/95	<5	<5	<5	<15	<5	<5	<5
	01/17/96	<5	<5	<5	<5	<5	<5	<5
	04/29/97	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	07/30/97	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	10/21/97	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	01/27/98	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	04/28/98	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	07/13/99	<0.2	<0.5	<0.5	<1.0	<0.3	<0.5	<0.5
NR 140 ES:	5	700	1,000	10,000	60	480		
NR 140 PAL:	0.5	140	200	1,000	12	96		

Table 1
Summary of Groundwater Analytical Results
Former WDNR Area Headquarters Office
Old Heating Oil
120 Case Avenue
Park Falls, Wisconsin

Well No.	Date	Benzene (ug/l)	Ethylbenzene (ug/l)	Toluene (ug/l)	Xylenes (ug/l)	MTBE (ug/l)	1,2,4-TMB (ug/l)	1,3,5-TMB (ug/l)
MW-7	04/29/97	23	13.6	24.2	25.6	<1.0	61.5	65.1
	07/30/97	<2.5	<5	<5.0	9.9	<5.0	23.1	33.6
	10/21/97	<5.0	10.3	23.0	<20	<10	20.5	36.2
	01/27/98	<2.5	8.1	<5.0	8.8	<5.0	19.1	34.4
	04/28/98	<2.5	7.3	12.0	5.0	<5.0	15.4	28.5
	04/27/99	<1.0	4.8	<2.5	8.4	4.9	9.1	24.9
	07/13/99	1.11	<2.5	<2.5	9.1	<1.5	19.6	29.2
	05/25/00	6.7	7.07	<0.4	11.2	<0.3	16.9	29.5
	11/22/00	<1.50	<5	<4	16.1	<3.00	24.2	39.2
	05/24/01	<0.8	6.6	2.3	10.6	<1.50	28.1	31.5
	11/16/01	<0.8	4.6	2.0	11.8	<1.50	19.6	32.0
	10/23/03	<0.31	7.4	1.64	7.2	<0.3	13.3	28.3
	05/20/05	1.25	<0.5	<0.3	1.3	<0.3	0.5	<0.31
	MW-8	04/29/97	15.6	47.3	9.55	89.4	<1.0	62.5
07/30/97		20.8	14.1	6.79	18.5	<1.0	15	3.1
10/21/97		10.6	14	3.87	17	<1.0	10.1	4.9
01/27/98		8.9	31.2	6.37	34.3	<5.0	26.5	12.1
04/28/98		8.9	20.1	<5.0	18.6	<5.0	17.8	<5
07/29/98		6.6	15.8	7.8	21.7	<1.0	15.9	5.3
10/23/98		5.4	5	3.9	5.0	<1.0	2.5	<1.0
01/19/99		29.6	31	16.1	15.4	<1.0	5.9	<1.0
04/27/99		1.18	<0.5	<0.5	0.8	<0.3	<0.5	<0.5
07/13/99		4.68	3.1	0.71	3.8	<0.3	1.3	<0.5
10/06/99		1.49	<0.5	<0.4	0.2	<0.3	<0.4	<0.15
05/25/00		3.85	3.1	<0.4	4.9	<0.3	3.11	<0.15
11/22/00		1	<0.5	<0.4	0.8	<0.3	0.77	0.20
05/24/01		2.62	1.6	0.5	1.8	<0.3	1.4	<0.17
11/16/01		3.39	2.3	1.7	4.3	<0.3	3.0	0.4
10/23/03	1.30	1.1	0.5	0.7	<0.3	0.5	0.3	
MW-9	04/29/97	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	07/30/97	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	10/21/97	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	01/27/98	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	04/28/98	<0.5	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0
	07/13/99	<0.2	<0.5	<0.5	<1.0	<0.3	<0.5	<0.5
	05/25/00	<0.15	<0.5	<0.4	<0.19	<0.3	<0.4	<0.15
	05/24/01	<0.16	<0.5	<0.4	<0.21	<0.3	<0.4	<0.17
NR 140 ES:	5	700	1,000	10,000	60	480		
NR 140 PAL:	0.5	140	200	1,000	12	96		

Table 1
Summary of Groundwater Analytical Results
Former WDNR Area Headquarters Office
Old Heating Oil
120 Case Avenue
Park Falls, Wisconsin

Well No.	Date	Benzene (ug/l)	Ethylbenzene (ug/l)	Toluene (ug/l)	Xylenes (ug/l)	MTBE (ug/l)	1,2,4-TMB (ug/l)	1,3,5-TMB (ug/l)
MW-10	07/13/99	<0.2	<0.5	<0.5	<1.0	<0.3	<0.5	<0.5
	10/06/99	<0.15	<0.5	<0.4	<0.19	<0.3	<0.4	<0.15
	05/25/00	<0.15	<0.5	<0.4	<0.19	<0.3	<0.4	<0.15
	11/22/00	<0.15	<0.5	<0.4	<0.19	<0.3	<0.4	<0.15
	05/24/01	<0.16	<0.5	<0.4	<0.21	<0.3	<0.4	<0.17

NR 140 ES:	5	700	1,000	10,000	60	480
NR 140 PAL:	0.5	140	200	1,000	12	96

- Notes: 1) -- = Not Analyzed
2) NR 140 ES = Enforcement Standard, Wisconsin Administrative Code NR 140
3) NR 140 PAL = Preventive Action Limit, Wisconsin Administrative Code NR 140
4) **BOLD** = NR 140 ES Exceedance
5) = NR 140 PAL Exceedance

Table 2
Groundwater Field Data Summary
Former WDNR Area Headquarters Office
Old Heating Oil
120 Case Avenue
Park Falls, Wisconsin

Well No.	Date Sampled	Depth to Water TPVC* (ft)	Elev. TPVC* (ft)	Elev. Water (ft)	Volume Purged (gal)	Temp. (°C)	pH	ORP (mV)	Cond. (Corr. to 25°C)	Color	Odor	Turbidity	Diss. Oxygen (ppm)	
MW-1	04/29/97	2.60	1491.97	1489.37	8.0	5.0	5.93	----	240	Brown	None	V. High	<1	
	07/30/97	3.71	1491.97	1488.26	4.5	12.5	5.61	----	200	Red Brown	None	High	----	
	10/21/97	3.17	1491.97	1488.80	4.8	7.0	5.51	----	290	Lt. Brown	None	High	4-5	
	01/27/98	5.08	1491.97	1486.89	3.6	2.0	5.59	----	320	Lt. Brown	None	Low	3-4	
	04/28/98	3.56	1491.97	1488.41	4.5	5.5	6.03	----	380	Lt. Brown	None	High	3-4	
	07/29/98	5.44	1491.97	1486.53	4.0	12.0	5.24	147	420	Sandy Brown	None	Moderate	1.5	
	10/23/98	6.12	1491.97	1485.85	4.1	11.5	5.20	327	410	Lt. Brown	None	Moderate	4	
	01/19/99	6.38	1491.97	1485.59	4.0	4.0	5.8	354	380	Red Brown	None	High	6-8	
	04/27/99	4.81	1491.97	1487.16	5.4	7.0	6.27	306	200	Lt. Brown	None	V. High	---	
	07/13/99	2.45	1491.97	1489.52	7.0	16.5	6.05	292	380	Lt. Brown	None	Moderate	4	
	10/06/99	4.59	1491.97	1487.38	5.0	13.0	5.62	279	390	Lt. Brown	None	High	2-3	
	05/25/00	3.85	1491.97	1488.12	6.0	5.0	6.06	300	260	Lt. Brown	None	Moderate	6	
	11/22/00	4.25	1491.97	1487.72	6.0	14.0	5.98	294	320	Lt. Brown	None	Mod to High	3	
	05/24/01	2.62	1491.97	1489.35	6.8	12.0	5.93	244	280	Lt. Brown	None	Low	7	
	10/23/03	6.11	1491.97	1485.86	----	----	----	----	----	----	----	----	----	
05/20/05	4.83	1491.97	1487.14	----	----	----	----	----	----	----	----	----		
MW-2R	04/29/97	2.02	1490.73	1488.71	12.0	1.0	6.35	----	520	Clear	V. Strong	Low	1-2	
	07/30/97	4.04	1490.73	1486.69	4.0	14.5	6.37	----	460	Brown	V. Slight	High	<1	
	10/21/97	3.10	1490.73	1487.63	4.3	6.0	6.45	----	480	Lt. Brown	V. Strong	Low	<1	
	01/27/98	4.50	1490.73	1486.23	3.6	----	----	----	----	Clear	V. Strong	Low	----	
	04/28/98	2.95	1490.73	1487.78	4.5	----	----	----	----	Clear	V. Strong	Low	----	
	07/29/98	4.97	1490.73	1485.76	----	----	----	----	----	----	----	----	----	
	10/23/98	5.81	1490.73	1484.92	----	----	----	----	----	----	----	----	----	
	01/19/99	6.21	1490.73	Approximately 3/4 inches of product in the well casing.				----	----	----	----	V. Strong	----	----
	04/27/99	---	1490.73	----	----	----	----	----	----	Yellow	None	V. High	---	
	07/13/99	2.73	1490.73	1488.00	----	----	----	----	----	Yellow	Product	----	----	
	10/06/99	4.41	1490.73	1486.32	----	----	----	----	----	----	V. Strong	----	----	
	03/07/00	---	---	Approximately 1/4 inches of product in the well casing.				----	----	----	----	----	----	----
	05/25/00	---	1490.73	Approximately 6 inches of product in the well casing.				----	----	----	----	----	----	----
	11/22/00	---	1490.73	Sheen	----	----	----	----	----	----	----	----	----	
	05/24/01	---	1490.73	Approximately 3 inches of product in the well casing.				----	----	----	----	----	----	----
	06/20/01	---	---	Approximately 1/8 inches of product in the well casing.				----	----	----	----	----	----	----
	11/16/01	---	---	Approximately 2 inches of product in the well casing.				----	----	----	----	----	----	----
	02/12/02	---	---	Approximately 0.5 inches of product in the well casing.				----	----	----	----	----	----	----
	06/10/02	---	---	Approximately 1.5 inches of product in the well casing.				----	----	----	----	----	----	----
	10/23/03	---	1490.73	Approximately 0.5 inches of product in the well casing.				----	----	----	----	----	----	----
10/30/04	---	1490.73	----	----	----	----	----	----	----	----	----	----		
05/20/05	4.24	1490.73	1486.49	----	----	----	----	----	----	----	----	----		

Table 2
Groundwater Field Data Summary
Former WDNR Area Headquarters Office
Old Heating Oil
120 Case Avenue
Park Falls, Wisconsin

Well No.	Date Sampled	Depth to Water TPVC* (ft)	Elev. TPVC* (ft)	Elev. Water (ft)	Volume Purged (gal)	Temp. (°C)	pH	ORP (mV)	Cond. (Corr. to 25°C)	Color	Odor	Turbidity	Diss. Oxygen (ppm)
MW-3	04/29/97	1.10	1487.57	1486.47	10.0	1.0	6.47	----	760	Lt. Brown	Slight	Low	<1
	07/30/97	1.83	1487.57	1485.74	5.0	12.0	6.30	----	680	Lt. Brown	None	High	1
	10/21/97	1.45	1487.57	1486.12	5.3	6.5	6.27	----	790	Lt. Brown	Slight	Moderate	0-1
	01/27/98	2.60	1487.57	1484.97	4.6	2.5	6.38	----	740	Lt. Brown	Slight	Moderate	2
	04/28/98	1.66	1487.57	1485.91	5.1	4.5	6.71	----	740	Lt. Brown	Slight	High	5-6
	07/29/98	3.20	1487.57	1484.37	----	----	----	----	----	----	----	----	----
	10/23/98	3.59	1487.57	1483.98	----	----	----	----	----	----	----	----	----
	01/19/99	3.76	1487.57	1483.81	----	----	----	----	----	----	----	----	----
	04/27/99	2.37	1487.57	1485.20	6.8	7.5	6.67	85	780	Lt. Brown	None	High	2.0
	07/13/99	1.30	1487.57	1486.27	7.5	13.5	6.37	1	800	Brown	Slight	Moderate	5-6
	10/06/99	2.41	1487.57	1485.16	----	----	----	----	----	----	----	----	----
	05/25/00	1.88	1487.57	1485.69	7.0	3.0	6.6	-009	750	Lt. Brown	Slight	Moderate	1
	11/22/00	2.15	1487.57	1485.42	---	---	---	---	---	---	---	---	---
	05/24/01	1.11	1487.57	1486.46	7.7	8.0	6.3	067	1370	Brown	Moderate	Moderate	<1
	10/23/03	4.32	1488.11	1483.79	7.0	---	---	---	---	Lt. Brown	Slight	Moderate	----
	05/20/05	2.44	1488.11	1485.67	10.0	---	---	---	---	---	---	---	---
MW-5	04/29/97	1.90	1490.11	1488.21	1.5	3.0	6.55	----	330	Dark Brown	Slight	V. High	----
	07/30/97	2.83	1490.11	1487.28	1.3	14.5	6.10	----	370	Dark Brown	None	High	2-3
	10/21/97	2.30	1490.11	1487.81	1.8	6.0	6.08	----	370	Lt. Brown	None	High	2-3
	01/27/98	4.09	1490.11	1486.02	0.7	1.5	6.20	----	360	Brown	None	High	5-6
	04/28/98	2.80	1490.11	1487.31	1.3	6.5	6.57	----	380	Lt. Brown	None	Low	1-2
	07/29/98	4.41	1490.11	1485.70	----	----	----	----	----	----	----	----	----
	10/23/98	4.60	1490.11	1485.51	----	----	----	----	----	----	----	----	----
	01/19/99	5.00	1490.11	1485.11	----	----	----	----	----	----	----	----	----
	04/27/99	3.24	1490.11	1486.87	----	----	----	----	----	----	----	----	----
	07/13/99	1.55	1490.11	1488.56	2.8	16.0	6.50	134	320	Dark Brown	Slight	Moderate	3-4
	10/06/99	3.50	1490.11	1486.61	----	----	----	----	----	----	----	----	----
	05/25/00	2.97	1490.11	1487.14	----	----	----	----	----	----	----	----	----
	11/22/00	2.82	1490.11	1487.29	----	----	----	----	----	----	----	----	----
	05/24/01	0.67	1490.11	1489.44	---	---	---	---	---	---	---	---	---
	10/23/03	4.80	1490.11	1485.31	---	---	---	---	---	---	---	---	---
	05/20/05	Monitoring well was damaged during snow removal activities											

Table 2
Groundwater Field Data Summary
Former WDNR Area Headquarters Office
Old Heating Oil
120 Case Avenue
Park Falls, Wisconsin

Well No.	Date Sampled	Depth to Water TPVC* (ft)	Elev. TPVC* (ft)	Elev. Water (ft)	Volume Purged (gal)	Temp. (°C)	pH	ORP (mV)	Cond. (Corr. to 25°C)	Color	Odor	Turbidity	Diss. Oxygen (ppm)
MW-6	04/29/97	1.44	1491.31	1489.87	2.5	4.0	6.02	----	290	Brown	None	Moderate	8-10
	07/30/97	2.63	1491.31	1488.68	1.8	14.5	5.81	----	230	Lt. Brown	None	High	2-3
	10/21/97	1.85	1491.31	1489.46	2.1	6.5	5.65	----	240	Lt. Brown	None	Moderate	2-3
	01/27/98	4.36	1491.31	1486.95	0.8	0.5	5.93	----	300	Lt. Brown	None	Low	3-4
	04/28/98	2.53	1491.31	1488.78	1.8	6.0	6.07	----	300	Lt. Brown	None	Low	5-6
	07/29/98	4.64	1491.31	1486.67	----	----	----	----	----	----	----	----	----
	10/23/98	5.32	1491.31	1485.99	----	----	----	----	----	----	----	----	----
	01/19/99	5.71	1491.31	1485.60	----	----	----	----	----	----	----	----	----
	04/27/99	3.35	1491.31	1487.96	----	----	----	----	----	----	----	----	----
	07/13/99	1.27	1491.31	1490.04	3.5	15.5	5.62	254	330	Lt. Brown	None	Moderate	5-6
	10/06/99	3.50	1491.31	1487.81	----	----	----	----	----	----	----	----	----
	05/25/00	2.75	1491.31	1488.56	----	----	----	----	----	----	----	----	----
	11/22/00	3.16	1491.31	1488.15	----	----	----	----	----	----	----	----	----
	05/24/01	1.44	1491.31	1489.87	---	---	---	---	---	---	---	---	---
	10/23/03	5.47	1491.31	1485.84	---	---	---	---	---	---	---	---	---
05/20/05	3.67	1491.31	1487.65	---	---	---	---	---	---	---	---	---	
MW-7	04/29/97	2.08	1490.15	1488.07	8.0	0.0	6.57	----	600	Brown	Strong	Low	2-3
	07/30/97	3.30	1490.15	1486.85	4.5	15.0	6.61	----	600	Dark Brown	Strong	High	2-3
	10/21/97	3.21	1490.15	1486.94	4.5	7.0	6.48	----	710	Brown	Strong	Moderate	0-1
	01/27/98	4.52	1490.15	1485.63	3.8	2.0	6.67	----	690	Lt. Brown	Strong	Low	1-2
	04/28/98	3.13	1490.15	1487.02	4.5	7.0	6.83	----	660	Brown	Strong	Moderate	2
	07/29/98	4.94	1490.15	1485.21	----	----	----	----	----	----	----	----	----
	10/23/98	5.70	1490.15	1484.45	----	----	----	----	----	----	----	----	----
	01/19/99	5.99	1490.15	1484.16	----	----	----	----	----	----	----	----	----
	04/27/99	4.28	1490.15	1485.87	3.0	7.5	6.83	78	780	Lt. Brown	Strong	Moderate	3-4
	07/13/99	2.80	1490.15	1487.35	6.8	16.5	6.20	-19	730	Lt. Brown	Strong	Moderate	2-3
	10/06/99	4.23	1490.15	1485.92	----	----	----	----	----	----	----	----	----
	05/25/00	3.60	1490.15	1486.55	6.0	6.0	6.60	048	610	Rusty Brown	Moderate	Low	2
	11/22/00	4.05	1490.15	1486.10	4.0	13.0	6.6	060	1190	Grayish Brown	Moderate	Low	1
	05/24/01	2.72	1490.15	1487.43	6.7	11.5	6.30	068	920	Lt. Brown	Moderate	Low	1
	11/16/01	---	---	---	2.5	7.0	5.31	---	910	Clear	Slight	Slight	1.5
10/23/03	5.43	1490.15	1484.72	2.0	----	----	----	----	Clear	Moderate	Slight	----	
05/20/05	3.97	1490.15	1486.18	5.0	----	----	----	----	----	----	----	----	

Table 2
Groundwater Field Data Summary
Former WDNR Area Headquarters Office
Old Heating Oil
120 Case Avenue
Park Falls, Wisconsin

Well No.	Date Sampled	Depth to Water TPVC* (ft)	Elev. TPVC* (ft)	Elev. Water (ft)	Volume Purged (gal)	Temp. (°C)	pH	ORP (mV)	Cond. (Corr. to 25°C)	Color	Odor	Turbidity	Diss. Oxygen (ppm)
MW-8	04/29/97	1.26	1488.72	1487.46	12.0	1.5	6.55	----	640	Clear	Strong	Low	<1
	07/30/97	1.91	1488.72	1486.81	5.5	15.0	6.53	----	790	Lt. Brown	Strong	High	1
	10/21/97	2.24	1488.72	1486.48	5.0	7.0	6.34	----	810	Lt. Brown	Strong	Moderate	0-1
	01/27/98	3.45	1488.72	1485.27	4.4	1.0	6.48	----	720	Lt. Brown	Strong	Moderate	1-2
	04/28/98	2.17	1488.72	1486.55	5.0	7.5	6.80	----	760	Brown	Strong	----	1-2
	07/29/98	3.56	1488.72	1485.16	6.0	16.0	6.06	157	750	Gray	Strong	High	<1
	10/23/98	4.62	1488.72	1484.10	3.5	3.5	6.3	18	870	Brown	Strong	Moderate	3
	01/19/99	4.95	1488.72	1483.77	5.0	4.0	6.74	145	790	Dark Brown	None	High	<1
	04/27/99	2.81	1488.72	1485.91	4.5	7.5	6.56	177	2150	Lt. Brown	Slight	High	5-6
	07/13/99	1.16	1488.72	1487.56	8.0	17.5	6.27	72	950	Rusty Brown	Slight	Moderate	2-3
	10/06/99	2.96	1488.72	1485.76	5.0	13.0	6.06	109	750	Lt. Brown	Slight	Low	<1
	05/25/00	2.38	1488.72	1486.34	7.0	6.0	6.48	064	790	Rusty Brown	Moderate	Low	1
	11/22/00	2.70	1488.72	1486.02	4.0	13.0	6.50	075	1040	Lt. Brown	Moderate	Low	1
	05/24/01	1.00	1488.72	1487.72	8.0	12.5	6.08	124	980	Lt. Brown	Moderate	Low	<1
	11/16/01	---	---	---	1.5	7.0	4.44	---	810	Lt. Brown	Slight	High	3.5
10/23/03	3.98	1488.72	1484.74	3.0	----	----	----	----	Clear	Slight	Low	----	
05/20/05	2.42	1488.72	1486.30	10.0	----	----	----	----	----	----	----	----	
MW-9	04/29/97	1.40	1490.36	1488.96	12.0	1.0	6.66	----	770	Lt. Brown	None	Low	5
	07/30/97	2.69	1490.36	1487.67	5.0	15.0	6.30	----	670	Rusty Brown	None	High	3-4
	10/21/97	2.35	1490.36	1488.01	5.0	6.0	6.23	----	480	Rusty Brown	None	High	3
	01/27/98	3.52	1490.36	1486.84	4.4	0.5	6.20	----	590	Lt. Brown	Slight	Moderate	5-6
	04/28/98	2.25	1490.36	1488.11	5.0	6.0	6.63	----	480	Lt. Brown	None	Moderate	5-6
	07/29/98	3.78	1490.36	1486.58	----	----	----	----	----	----	----	----	----
	10/23/98	5.57	1490.36	1484.79	----	----	----	----	----	----	----	----	----
	01/19/99	5.83	1490.36	1484.53	----	----	----	----	----	----	----	----	----
	04/27/99	3.65	1490.36	1486.71	----	----	----	----	----	----	----	----	----
	07/13/99	1.69	1490.36	1488.67	7.5	17.0	6.53	238	960	Rusty Brown	None	Moderate	5-6
	10/06/99	3.46	1490.36	1486.90	----	----	----	----	----	----	----	----	----
	05/25/00	2.90	1490.36	1487.46	6.7	5.5	6.5	215	1420	Lt. Brown	None	Low	7
	11/22/00	3.18	1490.36	1487.18	----	----	----	----	----	----	----	----	----
	05/24/01	1.77	1490.36	1488.59	7.5	11.0	6.3	193	1230	Brown	None	Low	7
	10/23/03	5.43	1490.36	1484.93	----	----	----	----	----	----	----	----	----
05/20/05	3.44	1490.36	1486.92	----	----	----	----	----	----	----	----	----	

Table 2
Groundwater Field Data Summary
Former WDNR Area Headquarters Office
Old Heating Oil
120 Case Avenue
Park Falls, Wisconsin

Well No.	Date Sampled	Depth to Water TPVC* (ft)	Elev. TPVC* (ft)	Elev. Water (ft)	Volume Purged (gal)	Temp. (°C)	pH	ORP (mV)	Cond. (Corr. to 25°C)	Color	Odor	Turbidity	Diss. Oxygen (ppm)
MW-10	07/13/99	15.46	1506.94	1491.48	10.0	12.0	6.2	272	600	Rusty Brown	None	High	3-4
	10/06/99	18.61	1506.94	1488.33	5.0	11.0	6.4	232	710	Lt. Brown	None	Moderate	8
	05/25/00	17.54	1506.94	1489.40	6.0	3.0	6.4	260	730	Lt. Brown	None	Low	10
	11/22/00	18.50	1506.94	1488.44	3.5	13.5	6.7	268	890	Lt. Brown	None	Low	2
	05/24/01	16.85	1506.94	1490.09	4.6	9.0	6.3	222	800	Lt. Brown	None	Low	9
	10/23/03	20.34	1506.94	1486.60	----	----	----	----	----	----	----	----	----
	05/20/05	19.25	1506.94	1487.69	----	----	----	----	----	----	----	----	----
RMW-1	04/29/97	4.30	1491.27	1486.97	4.0	2.0	6.40	----	350	Rusty Brown	None	V. High	4
	07/30/97	5.12	1491.27	1486.15	5.0	13.0	6.07	----	350	Lt. Brown	None	High	2-3
	10/21/97	4.79	1491.27	1486.48	5.3	6.0	6.08	----	300	Lt. Brown	None	High	1-2
	01/27/98	5.32	1491.27	1485.95	3.0	2.0	6.14	----	380	Red Brown	None	Moderate	5-6
	04/28/98	4.60	1491.27	1486.67	5.3	6.0	6.25	----	380	Rusty Brown	None	High	6-8
	07/29/98	6.44	1491.27	1484.83	----	----	----	----	----	----	----	----	----
	10/23/98	7.18	1491.27	1484.09	----	----	----	----	----	----	----	----	----
	01/19/99	7.32	1491.27	1483.95	----	----	----	----	----	----	----	----	----
	04/27/99	4.98	1491.27	1486.29	----	----	----	----	----	----	----	----	----
	07/13/99	3.94	1491.27	1487.33	7.0	15.0	6.05	300	300	Lt. Brown	None	Moderate	6-8
	10/06/99	5.55	1491.27	1485.72	----	----	----	----	----	----	----	----	----
	05/25/00	5.01	1491.27	1486.26	----	----	----	----	----	----	----	----	----
	11/22/00	4.98	1491.27	1486.29	----	----	----	----	----	----	----	----	----
	05/24/01	3.94	1491.27	1487.33	----	----	----	----	----	----	----	----	----
	10/23/03	7.03	1491.27	1484.24	----	----	----	----	----	----	----	----	----
	05/20/05	4.70	1491.27	1486.57	----	----	----	----	----	----	----	----	----

Table 2
Groundwater Field Data Summary
Former WDNR Area Headquarters Office
Old Heating Oil
120 Case Avenue
Park Falls, Wisconsin

Well No.	Date Sampled	Depth to Water TPVC* (ft)	Elev. TPVC* (ft)	Elev. Water (ft)	Volume Purged (gal)	Temp. (°C)	pH	ORP (mV)	Cond. (Corr. to 25°C)	Color	Odor	Turbidity	Diss. Oxygen (ppm)
RMW-4	04/29/97	3.97	1487.94	1483.97	4.0	2.5	6.40	----	480	Clear	Strong	Low	1-2
	07/30/97	4.63	1487.94	1483.31	5.5	10.0	6.42	----	580	Lt. Brown	None	High	1-2
	10/21/97	4.00	1487.94	1483.94	5.8	5.5	6.19	----	530	Dark Brown	Strong	High	2-3
	01/27/98	4.59	1487.94	1483.35	4.0	4.0	6.32	----	610	Lt. Brown	Slight	Low	4
	04/28/98	4.32	1487.94	1483.62	5.5	5.0	6.52	----	580	Lt. Brown	V. Slight	Moderate	<1
	07/29/98	5.72	1487.94	1482.22	6.4	12.0	6.16	151	710	Sandy Brown	None	Moderate	1
	10/23/98	5.43	1487.94	1482.51	5.3	12.0	6	131	830	Lt. Brown	Moderate	Moderate	2
	01/19/99	5.40	1487.94	1482.54	6.5	6.0	6.50	201	610	Lt. Brown	Swampy	Low	2
	04/27/99	4.63	1487.94	1483.31	5.0	7.5	6.5	187	690	Lt. Brown	None	Low	3
	07/13/99	4.24	1487.94	1483.70	6.0	12.0	6.2	168	850	Dark Brown	Slight	Moderate	3-4
	10/06/99	4.71	1487.94	1483.23	5.0	12.0	6.2	----	780	Lt. Brown	Slight	Moderate	2
	05/25/00	4.58	1487.94	1483.36	5.5	4.0	6.3	120	930	Rusty Brown	Slight	Low	2
	11/22/00	4.41	1487.94	1483.53	12.0	12.0	6.2	141	1080	Brown	Slight	Low	2
	05/24/01	3.55	1487.94	1484.39	8.4	10.0	6.1	168	630	Red Brown	Sl. sulfur	Low	3
	10/23/03	5.60	1487.94	1482.34	---	---	---	---	---	---	---	---	---
05/20/05	4.26	1487.94	1483.68	---	---	---	---	---	---	---	---	---	

Table 3A
Pre-Remedial Soil Analytical Results
(Old Heating Oil)
Wisconsin Department of Natural Resources
Former WDNR Area Headquarters Office
Park Falls, Wisconsin

Location	Depth (feet)	PID	DRO	Benzene	Ethyl Benzene	Toluene	Total Xylenes	MTBE	1,2,4-TMB	1,3,5-TMB
Soil Samples Collected During the UST Decommissioning (1992)										
S-101	9	7.2	24	---	---	---	---	---	---	---
S-102	9	108	19	---	---	---	---	---	---	---
Soil Samples Collected During Site Assessment Activities (1994)										
B-1	0 - 2	0	---	---	---	---	---	---	---	---
	2 - 4	227	---	---	---	---	---	---	---	---
	4.5 - 6.5	185	1350	23	38	35	94	<5	8.6	30
B-2 (MW-1)	0 - 2	1	---	---	---	---	---	---	---	---
	2 - 4	2	---	---	---	---	---	---	---	---
	4.5 - 6.5	1	<5	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
B-3 (MW-2)	0 - 2	239	---	---	---	---	---	---	---	---
	2 - 4	237	---	---	---	---	---	---	---	---
	4.5 - 6.5	216	410	26	27	6.5	31	<0.005	33	11
B-4 (MW-3)	0 - 2	0	---	---	---	---	---	---	---	---
	2 - 4	0	<5	0.020	0.0089	0.037	0.039	<0.005	0.022	<0.005
	4.5 - 6.5	0	---	---	---	---	---	---	---	---
B-5	0 - 2	0	---	---	---	---	---	---	---	---
	2 - 4	0	---	---	---	---	---	---	---	---
	4.5 - 6.5	260	<5	7.5	18	2.2	2.2	<0.005	2.6	2.7
B-6	0 - 2	0	---	---	---	---	---	---	---	---
	2 - 4	0	---	---	---	---	---	---	---	---
	4.5 - 6.5	0	27.6	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
B-7	0 - 2	0	---	---	---	---	---	---	---	---
	2 - 4	0	<5	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
	4.5 - 6.5	0	---	---	---	---	---	---	---	---
NR 720 RCL			100	0.0055	2.9	1.5	4.1	---	---	---

Notes:

NR 720 RCL = Wisconsin Administrative Code, Chapter NR 720, Table 1 and Table 2 Residual Contaminant Levels

Bold = indicates a RCL exceedance

Concentrations are expressed in mg/kg (ppm)

--- = Not Analyzed

Table 3A
Pre-Remedial Soil Analytical Results
(Old Heating Oil)
Wisconsin Department of Natural Resources
Former WDNR Area Headquarters Office
Park Falls, Wisconsin

Location	Depth (feet)	PID	DRO	Benzene	Ethyl Benzene	Toluene	Total Xylenes	MTBE	1,2,4-TMB	1,3,5-TMB
Soil Samples Collected During Site Assessment Activities (1997)										
B-101	0 - 5	38	---	---	---	---	---	---	---	---
MW-2R	0 - 2.5	200	---	---	---	---	---	---	---	---
	2.5 - 4.5	100	---	---	---	---	---	---	---	---
	5 - 7	100	---	---	---	---	---	---	---	---
	7 - 9	150	---	---	---	---	---	---	---	---
	10 - 12	200	---	---	---	---	---	---	---	---
MW-7	0 - 2.5	56	---	---	---	---	---	---	---	---
	2.5 - 4.5	150	---	---	---	---	---	---	---	---
	5 - 7	250	---	---	---	---	---	---	---	---
	7 - 9	120	---	---	---	---	---	---	---	---
	10 - 12	98	---	---	---	---	---	---	---	---
MW-8	0 - 2.5	20	---	---	---	---	---	---	---	---
	2.5 - 4.5	16	---	---	---	---	---	---	---	---
	5 - 7	7	---	---	---	---	---	---	---	---
	7 - 9	4	---	---	---	---	---	---	---	---
	10 - 12	1	---	---	---	---	---	---	---	---
MW-9	0 - 2.5	22	---	---	---	---	---	---	---	---
	2.5 - 4.5	1	---	---	---	---	---	---	---	---
	5 - 7	1	---	---	---	---	---	---	---	---
	7 - 9	<1	---	---	---	---	---	---	---	---
	10 - 12	<1	---	---	---	---	---	---	---	---
Soil Samples Collected During Site Assessment Activities (1999)										
MW-10	0 - 2	<1	---	---	---	---	---	---	---	---
	2 - 4	<1	---	---	---	---	---	---	---	---
	4 - 6	<1	---	---	---	---	---	---	---	---
	6 - 8	<1	---	---	---	---	---	---	---	---
	8 - 10	<1	---	---	---	---	---	---	---	---
	10 - 12	<1	---	---	---	---	---	---	---	---
	15 - 17	<1	---	---	---	---	---	---	---	---
	20 - 21.5	<1	---	---	---	---	---	---	---	---
NR 720 RCL			100	0.0055	2.9	1.5	4.1			

Notes:

NR 720 RCL = Wisconsin Administrative Code, Chapter NR 720, Table 1 and Table 2 Residual Contaminant Levels

Bold = indicates a RCL exceedance


Concentrations are expressed in mg/kg (ppm)

--- = Not Analyzed

Table 3B
Post-Remedial Soil Analytical Results
Former WDNR Area Headquarters Office
(Old Heating Oil)
120 Case Avenue
Park Falls, Wisconsin

Sample No.	Date	Sample Location	Depth (Feet)	PID Reading (units)	GRO (mg/kg)	Benzene (mg/kg)	Ethylbenzene (mg/kg)	Toluene (mg/kg)	Xylenes (mg/kg)
S-1	10/26/96	East Retaining Wall	2.5	<1	20.7	<0.030	<0.030	<0.030	<0.060
S-2	10/29/96	West Sidewall	2.5	8	<5.0	<0.029	0.076	0.045	0.123
S-3	10/30/96	Southwest Sidewall	1.5	<1	<5.0	<0.027	0.028	<0.027	<0.064
S-4	10/30/96	North Sidewall	2	7	5.9	<0.029	0.030	0.035	0.061
S-5	10/31/96	Southeast Sidewall	2.5	<1	<5.0	<0.030	<0.030	<0.030	<0.060
S-6	10/31/96	Biotreatment Cell	-	145	3750	-	-	-	-
Generic Residual Contaminant Level (RCL) NR 720			-	-	100	0.0055	2.9	1.5	4.1

- LEGEND**
- W — WATER LINE
 - OH — OVERHEAD ELECTRIC
 - G — GAS LINE
 - S/W — SEWER/WATER LINE
 - ⊕ MONITORING WELL (RREM, 1991)
 - ⊕ SOIL SAMPLE LOCATION (APPLIED ENG., 1992)
 - ⊕ SOIL BORING (TPT, 1994)
 - ⊕ MONITORING WELL (TPT, 1994)
 - ⊕ MONITORING WELL (STS, 1997)
 - ⊕ SOIL SAMPLE LOCATION (COLLECTED DURING EXCAVATION, 10/96)
 - ⊕ SOIL BORING LOCATION (STS, 1997)
 - ⊕ SOIL BORING LOCATION (STS, 1999)
 - ⊕ MONITORING WELL (STS, 1999)
 - 1486 — GROUNDWATER ELEVATION (FT.)
 - APPARENT FLOW DIRECTION



NOTE: MONITORING WELLS MW-2 AND MW-4 WERE ABANDONED.

MAP SOURCE: MODIFIED FROM FIGURE 3 IN REPORT PREPARED BY TWIN PORTS TESTING, INC. JUNE 1995.

DRAWN BY	J.R.L.	DATE	09-21-06
CHECKED BY	M.W.M.	DATE	09-21-06
APPROVED BY	M.J.C.	DATE	09-21-06
CADFILE			

WISCONSIN DEPARTMENT OF NATURAL RESOURCES
 FORMER AREA OFFICE (OLD HEATING OIL)
 120 CASE AVENUE
 PARK FALLS, WISCONSIN
 GROUNDWATER CONDITION MAP




STS PROJECT NO.
22109XF

SCALE
1" = 30'

FIGURE NO.
3

LEGEND	
— W —	WATER LINE
— OH —	OVERHEAD ELECTRIC
— G —	GAS LINE
— S/W —	SEWER/WATER LINE
---	APPROXIMATE PROPERTY LINE
▲	SOIL SAMPLE LOCATION (APPLIED ENG., 1992)
⊕	SOIL BORING (TPT, 1994)
⊕	MONITORING WELL (TPT, 1994)
⊕	MONITORING WELL (STS, 1997)
●	SOIL SAMPLE LOCATION (COLLECTED DURING EXCAVATION, 10/96)
●	SOIL BORING LOCATION (STS, 1997)
⊕	SOIL BORING LOCATION (STS, 1999)
⊕	MONITORING WELL (STS, 1999)



NOTE: MONITORING WELLS MW-2 AND MW-4 WERE ABANDONED.

MAP SOURCE: MODIFIED FROM FIGURE 3 IN REPORT PREPARED BY TWIN PORTS TESTING, INC. JUNE 1995.

DRAWN BY	J.R.L.	DATE	02-20-07
CHECKED BY	M.W.M.	DATE	02-20-07
APPROVED BY	M.J.C.	DATE	02-20-07
CADFILE			

WISCONSIN DEPARTMENT OF NATURAL RESOURCES
 FORMER AREA OFFICE (OLD HEATING OIL)
 120 CASE AVENUE
 PARK FALLS, WISCONSIN
 APPROXIMATE EXTENT OF NR 720 RCL EXCEEDENCES



STS Consulting Engineers Ltd.
 Consulting Engineers

STS PROJECT NO.
22109XF

STS PROJECT FILE

SCALE
1" = 30'

FIGURE NO.
6

STATEMENT OF PROPERTY LEGAL DESCRIPTION

As required by s.NR 726.05(3)f of the Wisconsin Administrative Code, I am providing this signed statement that to the best of my knowledge the legal description that is attached for the former Wisconsin Department of Natural Resources Area Headquarters Office located on Case Avenue, Park Falls, Wisconsin, includes the area of impacted groundwater depicted on Figure 2 of this submittal.

x RE Steffes 7-5-06
(Signature) (Date)
Richard E Steffes
(Name)
Real Est. Dir
(Title)
DNR
(Company)



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

**Jim Doyle, Governor
Scott Hassett, Secretary**

**101 S. Webster St.
Box 7921
Madison, Wisconsin 53707-7921
Telephone 608-266-2621
FAX 608-267-3579
TTY Access via relay - 711**

March 13, 2007

Mayor Thomas E. Ratzlaff
City of Park Falls
1259 Second Avenue North
Park Falls, Wisconsin 54552

Re: Notification of Residual Petroleum Impacts in Soil and Groundwater, Former WDNR Area
Headquarters Office, 120 Case Avenue, Park Falls, Wisconsin -- WDNR BRRTs No. 03-51-000281
and 03-51-000330

Dear Mr. Mayor:

The Wisconsin Department of Natural Resources (WDNR) Bureau of Facilities and Lands, is providing you with information regarding regulatory case closure for the property at 120 Case Avenue in Park Falls, Wisconsin (Property). This letter is being provided in accordance with Chapter NR 726, Wisconsin Administrative Code (WAC) requirements to notify you the site will be placed on the WDNR Geographic Information System (GIS) Registry of Closed Remediation Sites for soil and groundwater. This letter supplements a previous letter submitted to you from STS Consultants Ltd. and dated July 28, 2006. Specific language from Chapter NR 726, WAC is included as well as the inclusion of soil with groundwater on the GIS Registry.

Groundwater contamination has originated on the Property and has not migrated off site. The levels of benzene contamination on the property are above the state groundwater enforcement standards (ES) and above the soil residual contaminant levels (RCL) stipulated in WAC Chapter NR 140 and NR 720, respectively.

Based on the site investigation and remedial action data, the groundwater contaminant plume is stable or receding and will naturally degrade over time. Allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in Chapter NR 726, WAC. This site will be reviewed by the WDNR for closure by natural attenuation as the final remedy. Closure means that the WDNR will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation. A WDNR Fact Sheet on natural attenuation is enclosed with this letter.

Because the current owner is not the responsible party (RP) for the release, neither the current owner or subsequent owner of the property will be held responsible for investigation or cleanup of this groundwater contamination, as long as owners comply with the requirements of Section 292.13, Wisconsin Statutes, including allowing access to the property for environmental investigation or cleanup if access is required.

The WDNR will not review this case for at least 30 days from the date of this letter. As an affected property owner, you have a right to contact the WDNR to provide any technical information you might have indicating why closure should not be granted for this site. If you would like to submit information

to the WDNR relevant to this closure request, you should mail the information within 30 days of the date of this letter to:

Mr. Phil Richard
Wisconsin Department of Natural Resources
875 South Fourth Avenue
Park Falls, Wisconsin 54552

If this case is closed, all properties within the site boundaries where soil and groundwater contamination exceeds Chapter NR 720 RCLs and NR 140 groundwater ES respectively, will be listed on the WDNRs' GIS Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where soil and groundwater contamination above chapter NR 720 RCLs and NR 140 ES was found at the time that the case was closed. This GIS Registry will be available to the general public on the WDNR's internet web site. Please review the attached legal description (located in the GIS Registry Packet) of your property, and notify the WDNR Bureau of Facilities and Lands within the next 30 days if the legal description is incorrect.

Once the WDNR makes a decision on the closure request for this property, it will be documented in a letter. If the WDNR grants closure, you may obtain a copy of this letter by requesting a copy from the WDNR Bureau of Facilities and Lands or by accessing the WDNR GIS Registry of Closed Remediation Sites on the internet at

<http://www.dnr.wi.gov/org/aw/rr/gis/index.htm><http://www.dnr.state.wi.us/org/water/dgw/3300254.pdf>.

A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

Should you or any subsequent property owner wish to construct or reconstruct a well on the property, special well construction standards may be necessary to protect the well from residual groundwater contamination. Any well driller who proposes to construct a well on the property in the future will first need to obtain approval from a regional water supply specialist in the WDNR's Drinking Water and Groundwater Program. The well-construction application, Form 3300-254, is on the internet, or may be accessed through the GIS Registry web address in the preceding paragraph.

If you need more information, please contact Mr. Chris Rehlinger (WDNR Bureau of Facilities and Lands (608) 264-9215), Mr. Mark Magee (STS Consultants Ltd. (920) 406-3141), or Mr. Phil Richard (WDNR (715) 762-1352).

Sincerely,



Chris Rehlinger

Attachments:

WDNR Fact Sheet on Natural Attenuation
Soil - GIS Registry Packet – BRRTs No. 03-51-000281
Soil and Groundwater - GIS Registry Packet – BRRTs No. 03-51-000330

Copy: Mr. Phil Richard (without attachments)
Wisconsin Department of Natural Resources
875 South Fourth Avenue
Park Falls, Wisconsin 54552

July 28, 2006

Mayor Thomas E. Ratzlaff
City of Park Falls
1259 Second Avenue North
Park Falls, Wisconsin 54552

Re: Notification of Residual Petroleum Impacts in Groundwater , Former WDNR Area Headquarters Office, 120 Case Avenue, Park Falls, Wisconsin -- WDNR BRRTS No. 03-51-000281 and 03-51-000330 -- STS Project No. 4-22109XF

Dear Mr. Mayor:

On behalf of the Wisconsin Department of Natural Resources (WDNR) Bureau of Facilities and Lands, STS Consultants Ltd. (STS) is providing you with information regarding regulatory case closure for the site at 120 Case Avenue in Park Falls, Wisconsin. This letter is being provided in accordance with Chapter NR 726, Wisconsin Administrative Code requirements to notify you the site will be placed on the Wisconsin Department of Natural Resources (WDNR) Geographic Information System (GIS) Registry of Closed Remediation Sites for groundwater. In late 2001, the WDNR implemented the GIS Registry of Closed Remediation Sites. Closure means the WDNR will not be requiring further investigation or cleanup actions, other than natural attenuation, at this site. A WDNR Fact Sheet on natural attenuation is enclosed with this letter.

STS is currently preparing a site closure request for this site. As you are aware, groundwater impacts above Chapter NR 140, Wisconsin Administrative Code enforcement standards (ES) exist on the property located at 120 Case Avenue in Park Falls, Wisconsin. Conditions for closure can be met when all properties within the site boundaries, where groundwater impact exceeds Chapter NR 140 groundwater ES are listed in the WDNR's GIS Registry. Information in the GIS Registry includes maps showing the location of properties where groundwater impacts above Chapter NR 140 ES was found at the time of case closure. If you or any subsequent property owner wish to construct or reconstruct a water well on the site, special well construction standards might be necessary to protect the well from residual groundwater impact. Any well driller who proposes to construct a well in the future will need to contact the Drinking Water Program within the WDNR to determine if there is a need for special well construction standards. A copy of the closure letter will be included in the site file in the GIS Registry of Closed Remediation Sites. The GIS Registry will be available on the WDNR's internet website. Any well driller who proposes to construct a water supply well in Wisconsin must reference this GIS Registry.

Please review the attached legal description (located in the GIS Registry Packet of the Closure Report) of your property, and notify the WDNR Bureau of Facilities and Lands within the next 30 days if the legal description is incorrect.

As an affected property owner, you have a right to contact the WDNR to provide any technical information you might have indicating why closure should not be granted for this site. If you would like to submit information to the WDNR relevant to this closure request, you should mail the information within 30 days of the date of this letter to:

Mr. Phil Richard
Wisconsin Department of Natural Resources
875 South Fourth Avenue
Park Falls, Wisconsin 54552

Wisconsin Department of Natural Resources
STS Project No. 22109XF
July 28, 2006

Upon receiving and meeting the requirements in the conditional closure letter, the WDNR will provide a letter indicating this site has been closed and no further action is necessary. If you are not copied on the final closure letter, the WDNR will provide you a copy of the letter.

If you need more information, please contact Mr. Chris Rehlinger (WDNR Bureau of Facilities and Lands) at (608) 264-9215, Mr. Mark Magee (STS) at (920) 406-3141 or Mr. Phil Richard (WDNR) at (715) 762-1352.

Sincerely,

STS CONSULTANTS, LTD.



Mark W. Magee
Senior Consultant



Michael J. Carney, P.G.
Associate Geologist

Attachments:

WDNR Fact Sheet on Natural Attenuation
Closure Request Report (with enclosures)

Copy: Mr. Chris Rehlinger (without attachments)
Bureau of Facilities and Lands
Wisconsin Department of Natural Resources
101 South Webster Street
P.O. Box 7921
Madison, Wisconsin 54311-7921

Mr. Phil Richard (without attachments)
Wisconsin Department of Natural Resources
875 South Fourth Avenue
Park Falls, Wisconsin 54552