

GIS REGISTRY INFORMATION

SITE NAME: Shepler's Northshore Bar
 BRRTS #: 03-55-107983 FID # (if appropriate): _____
 COMMERCE # (if appropriate): 54757-8950-33
 CLOSURE DATE: 9/11/07
 STREET ADDRESS: N 1033 STH 40
 CITY: New Auburn
 SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 412819 Y= 540012

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter or denial letter issued
- Copy of any maintenance plan referenced in the final closure letter.
- Copy of (soil or land use) deed notice if any required as a condition of closure
- Copy of most recent deed, including legal description, for all affected properties
- Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties
- County Parcel ID number, if used for county, for all affected properties
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)
- Tables of Latest Soil Analytical Results (no shading or cross-hatching)
- Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.
- GW: Table of water level elevations, with sampling dates, and free product noted if present
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour
- Geologic cross-sections, if required for SI. (8.5x14" if paper copy)
- RP certified statement that legal descriptions are complete and accurate
- Copies of off-source notification letters (if applicable)
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)





State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
John Gozdziński, Regional Director

Northern Region Headquarters
107 Sutliff Ave.
Rhinelander, Wisconsin 54501-3349
Telephone 715-365-8900
FAX 715-365-8932
TTY Access via relay - 711

September 11, 2007

Mr. Randy Shepler
N1033 STH 30
New Auburn, WI 54757

SUBJECT: Final Case Closure with Land Use Limitations or Conditions
Sheplers Northshore Bar and Campground
(WDNR BRRTS Activity #: 03-55-107983)

Dear Mr. Shepler:

In a letter dated June 8, 2007, you were notified that the Closure Committee had granted conditional closure to this case listed above. On August 28, 2007 the Department received correspondence indicating that you have complied with the requirements of closure. The conditions of closure included the abandonment of the monitoring wells remaining on the site.

Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which you and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. It is the Department's intent to conduct inspections in the future to ensure that the conditions included in this letter including compliance with referenced maintenance plans are met.

Structural Impediments

Structural impediments existing at the time of cleanup, the residence/bar as shown on the attached Figure #1 Soil Contamination Map prepared in October 2002 by Ayres Associates, made complete remediation of the soil contamination on this property impracticable. Pursuant to s. 292.12(2)(b), Wis. Stats., if the structural impediments on this property that are described above are removed, the property owner shall conduct an investigation of the degree and extent of petroleum contamination in the area. If contamination is found at that time, the Wisconsin Department of Natural Resources shall be immediately notified and the contamination shall be properly remediated in accordance with applicable statutes and rules. If soil in the specific locations described above is excavated, the property owner at the time of excavation must


sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

GIS Registry

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well in the area shown on the attached Figure #2, Groundwater Contamination Map prepared by Ayres Associates in February 2004, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact William Schultz at (715) 365-8965.

Sincerely,




John Robinson
Northern Region Remediation & Redevelopment Team Supervisor

Attachments

cc: Jason Powell
METCO
1421 U.S. Highway 16
La Crosse, WI 54601



NORTH



NOTE: THIS DRAWING WAS PREPARED IN COLOR. REPRODUCTION BY MEANS OTHER THAN EQUIVALENT COLOR COPYING MAY CAUSE SOME DATA TO BE LOST OR MISREPRESENTED.

LEGEND:	
⊕ MW-3	MONITORING WELL
• B-1	SOIL BORING
• T1	SOIL SAMPLE
• CS-1	CONFIRMATION SOIL SAMPLE

K:/WASTE/10136801.DGN

SHEPLER'S NORTHSHORE BAR
AND CAMPGROUND
RUSK COUNTY, WISCONSIN

DRN. BY: *QHL* JGS
CHK. BY: *GM* GJS
DATE: OCT 2002
AYRES
ASSOCIATES

Soil
Contamination Map

Figure
#1

Modified by METCO, ED, 3/23/07

D:\WASTE\10136801.DGN 10/23/02 SPENS



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
John Gozdzialski, Regional Director

Northern Region Headquarters
107 Sutliff Ave.
Rhineland, Wisconsin 54501-3349
Telephone 715-365-8900
FAX 715-365-8932
TTY Access via relay - 711

June 8, 2007

Mr. Randy Shepler
N1033 STH 30
New Auburn, WI 54757

Subject: Conditional Closure Shepler's Northshore Bar and Campground
(DNR BRRTS # 03-55-107983; PECFA Claim # 54757-8950-33)

Dear Mr. Shepler,

On June 7, 2007, the NOR Closure Committee reviewed your request for closure of the case described above. The NOT Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the petroleum contamination on the site from the underground tank and dispenser facility appears to have been investigated and remediated to the extent practicable under site conditions. Your case meets the screening criteria of s. NR 746.07 or s. NR 746.08, Wis. Adm. Code, and the requirements of ch. NR 726, Wis. Adm. Code and will be closed if the following conditions are satisfied:

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to William Schultz on Form 3300-5B found at www.dnr.state.wi.us/org/water/dwg/gw/ or provided by the Department of Natural Resources.


When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit <http://maps.dnr.state.wi.us/brrts>.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at (715) 365-8965.

Sincerely,

A handwritten signature in black ink, appearing to read "Will Schultz". The signature is fluid and cursive, with a large initial "W" and a stylized "S".

William Schultz, PE
Bureau of Remediation and Redevelopment

cc: Will Myers – DCOM PECFA Site Review Section

Jason Powell
METCO
2956 Airport Road
La Crosse, WI 54603

WARRANTY DEED

THIS DEED, made between Clyde Calkins, also known as, Clyde E. Calkins and Mary Jane Calkins, husband and wife, and each individually, Grantors and Randy S. Shepler and Nancy J. Shepler, husband and wife, as survivorship marital property, Grantees,

Witnesseth, That the said Grantors, for a valuable consideration of one dollar and other valuable consideration convey to Grantees the following described real estate in Rusk County, State of Wisconsin:

REGISTER'S OFFICE } ss.
RUSK COUNTY }
Received for Record the 30th
day of October AD 19 95
at 3:00 o'clock P.M and
recorded in Vol. 316 of
Records on page 635
Linda Ann Effertz
Register of Deeds

A parcel of land located in the Northwest Quarter of the Southeast Quarter (NW ¼ - SE ¼), Section 21, Township 33 North, Range 8 West described as follows:

Beginning at the Southeast corner of Nelson Beach Plat; thence N 82° 30' E, a distance of 323 feet, this to be the point of beginning; thence S 9° 00' E, a distance of 270 feet to the West line of Highway 40 right-of-way; thence Northeasterly along the Highway 40 right-of-way a distance of 320 feet; thence S 82° 30' W, a distance of 179 feet to the point of beginning.

TAX PARCEL NUMBER:
02-00457-00

This is homestead property.

TRANSFER
\$22.00
FEE

Together with all and singular the hereditaments and appurtenances thereunto belonging.

And Clyde Calkins and Mary Jane Calkins warrant that the title is good, indefeasible in fee simple and free and clear of encumbrances except zoning and development laws and ordinances, recorded easements and existing highways and will warrant and defend the same.

Dated this 30th day of October, 1995.

Clyde Calkins (SEAL)
Clyde Calkins

Mary Jane Calkins (SEAL)
Mary Jane Calkins

ACKNOWLEDGEMENT

STATE OF WISCONSIN }
CHIPPEWA COUNTY } ss

Personally came before me, this 30th day of October, 1995 the above named Clyde Calkins and Mary Jane Calkins to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Drafted by:
Gregory P. Dowling
P.O. Box 65
Bloomer, WI 54724

Philuck M. K. 116
Notary Public, Chippewa County, WI
My commission is permanent. (If
not, expiration date April 21, 1996)

LAND CONTRACT

Contract, by and between Clyde Calkins, also known as, Clyde E. Calkins and Mary Jane Calkins, husband and wife who shall hold this land contract as survivorship marital property ("Vendor", whether one or more) and Randy S. Shepler and Nancy J. Shepler, husband and wife as survivorship marital property ("Purchaser", whether one or more). Vendor sells and agrees to convey to Purchaser, upon the prompt and full performance of this contract by Purchaser, the following property, together with the rents, profits, fixtures and other appurtenant interests (all called the "Property"), in Rusk County, State of Wisconsin:

REGISTER'S OFFICE } ss. 6th
RUSK COUNTY }
Received for Record the
day of Nov 1995
at 2:00 o'clock PM and
recorded in Vol. 316 of
Records on page 636
Linda Ann Ehrlich
Registrar of Deeds

A parcel of land located in the Northeast Quarter of the Southwest Quarter (NE 1/4 - SW 1/4) of Section 21, Township 33 North, Range 8 West, described as follows:

Commencing at a point ^{496'} 30 rods South and ^{627'} 38 rods West of the center of Section 21, Township 33 North, Range 8 West, the same being on the bank of Island Lake, thence Southerly along said Lake shore 10 rods; thence Easterly 8 rods; thence Northerly 10 rods, more or less to the side of the highway running East and West; thence Westerly to the lake shore, being the place of beginning.

A parcel of land ^{132'} located in the Northeast Quarter of the Southwest Quarter (NE 1/4 - SW 1/4) of Section 21, Township 33 North, Range 8 West, and more particularly described as follows:

Commencing at a point where the West right-of-way line of State Trunk Highway 40 intersects the South line of the Northeast Quarter of the Southwest Quarter (NE 1/4 - SW 1/4) of said Section 21; extending thence West along said South line of the Northeast Quarter of the Southwest Quarter to the shore of Island Lake; thence Northerly along the shore of Island Lake to the South line of the Spears property; thence East along the South line of said Spears property, said line being parallel to the East and West road located on the North side of said Spears property, 132 feet; thence Northwesterly along the East line of said Spears property 165 feet to an iron pipe located on the centerline of said East and West road; thence East along the centerline of said East and West road 432 feet to an iron pipe; thence S 41° 45' W 185 feet to an iron pipe; thence S 62° E 128 feet to said West right-of-way line of State Trunk Highway 40; thence Southwesterly along said west right-of-way line of State Trunk Highway 40 to its intersection with said South line of the Northeast Quarter of the Southwest Quarter (NE 1/4 - SW 1/4) of Section 21, the point of beginning.

TAX PARCEL NO: 02-00454-00
02-00455-00

TRANSFER
\$ 424.80
FEE

This is not homestead property.

Purchaser agrees to purchase the Property and to pay to Vendor at Old Highway D in New Auburn, Wisconsin or other place designated by Vendor the sum of \$150,000.00 in the following manner: (a) no payment at the execution of this Contract; and (b) the balance of \$150,000.00, together with interest from date hereof on the balance outstanding from time to time at the rate of 7.0 per cent per annum until paid in full, as follows:

Said principal and interest shall be payable in monthly installments of not less than \$997.00 per month, beginning on the 23rd day of November, 1995.


Provided, however, the entire outstanding balance shall be paid in full on or before the 23rd day of October, 2005 (the maturity date).

Following any default in payment, interest shall accrue at the rate of 10 % per annum on the entire amount in default (which shall include, without limitation, delinquent interest and, upon acceleration or maturity, the entire principal balance).


Included in the price of \$150,000.00 are the following items of equipment: picnic tables, boat, 6HP motor, 3 Roll-a-docks, 2 propane tanks, boat house furnishings, tractor, lawn mower, lawn tractor, and bait shop accessories, (hereinafter, Equipment) at a total price of \$8,400.00. Purchasers hereby grant to Vendors a purchase money security interest in said equipment, together with a security interest in all other campground equipment and proceeds and accessions. Purchasers shall not sell, remove from the above-described property or otherwise dispose of said equipment without written consent of Vendors. The portion of the price allocated to said equipment shall be paid after the real estate has been paid in full.

Purchaser, unless excused by Vendor, agrees to pay monthly to vendor amounts sufficient to pay reasonably anticipated annual taxes, special assessments, fire and required insurance premiums when due. To the extent received by Vendor, Vendor agrees to apply payments to these obligations when due. Such amounts received by the Vendor for payment of taxes, assessments and insurance will be deposited into an escrow fund or trustee account, buy shall not bear interest unless otherwise required by law.


TOPOI map printed on 03/16/07 from "wisconsin.tpo" and "Untitled.tpg"
91°23.000' W WGS84 91°22.000' W



SITE LOCATION MAP – CONTOUR INTERVAL 10 FEET
SHEPLER'S NORTHSHORE BAR & CAMPGROUND – NEW AUBURN, WI
SEAMLESS USGS TOPOGRAPHIC MAPS ON CD-ROM



DATE: 02/23/2004
DRAWN BY: D:\WASTE\EDDIS\EAOL001
CHK. BY: DCH LEVEL
REVISED ELEVATION BEFORE REVISION
REVISED ELEVATION AFTER REVISION
REVISED ELEVATION BEFORE REVISION
REVISED ELEVATION AFTER REVISION
REVISED ELEVATION BEFORE REVISION
REVISED ELEVATION AFTER REVISION



LEGEND:

- ◆ MW-1 MONITORING WELL
- B-1 SOIL BORING
- ▲ P-9 PIEZOMETER

NOTE: THIS DRAWING WAS PREPARED IN COLOR. REPRODUCTION BY MEANS OTHER THAN EQUIVALENT COLOR COPYING MAY CAUSE SOME DATA TO BE LOST OR MISREPRESENTED.

BENCHMARK #1:
SPIKE IN PP
ELEV. +1080.41

SITE PLAN

SHEPLER'S NORTHSHORE BAR
AND CAMPGROUND
RUSK COUNTY, WISCONSIN

FIGURE

Groundwater Analytical Results Summary
Shepler's Northshore Bar & Campground LUST Site BRRTS#03-55-107983

Well MW-1

PVC Elevation = 1082.95 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
2/12/1997	1072.10	10.85	22000	<20	50	1500	<0.20	210	2600	1220	5620
3/24/1997	1072.27	10.68	14000	NS	<40	1200	<0.20	200	2400	820	4620
9/19/2001	1072.90	10.05	NS	NS	<20	1200	<20	NS	1200	670	4060
4/10/2003	1072.35	10.60	NS	NS	<6.0	1500	<12	250	1100	1150	5090
7/29/2003	1073.83	9.12	NS	NS	<3.0	1100	17	260	630	1080	3700
10/30/2003	1071.84	11.11	NS	NS	<1.5	990	33	220	77	800	2690
1/14/2004	1071.44	11.51	NS	NS	<0.75	600	24	170	80	450	1510
9/21/2005	1071.49	11.46	NS	NS	1.8	630	<1.1	NS	370	450	1500
12/21/2005	1071.26	11.69	NS	NS	<1.2	271	<1.1	NS	106	157	489
3/21/2006	1071.98	10.97	NS	NS	<0.12	<0.5	<0.11	NS	<0.13	<1.11	<2.0
6/29/2006	1072.16	10.79	NS	NS	<1.7	142	<5.2	NS	118	91.3	211
1/10/2007	1071.45	11.50	NOT SAMPLED								

Well MW-2

PVC Elevation = 1084.18 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
2/12/1997	1072.31	11.87	<30	<0.20	<0.20	<0.20	<0.20	<0.80	<0.20	<1.10	<0.60
3/24/1997	1072.42	11.76	<30	NS	<0.20	<0.20	<0.20	<0.80	<0.20	<1.10	<0.60
9/19/2001	1073.01	11.17	NS	NS	<0.40	<0.40	<0.40	NS	<0.40	<0.80	<0.70
4/10/2003	1072.39	11.79	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
7/29/2003	1073.43	10.75	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
6/29/2006	1072.24	11.94	NOT SAMPLED								
1/10/2007	1071.58	12.60	NOT SAMPLED								

Well MW-3

PVC Elevation = 1088.24 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
2/12/1997	1072.36	15.88	<30	<0.20	<0.20	<0.20	<0.20	<0.80	<0.20	<1.10	<0.60
3/24/1997	1072.41	15.83	<30	NS	<0.20	<0.20	<0.20	<0.80	<0.20	<1.10	<0.60
9/19/2001	NM	NM	NS	NS	<0.40	<0.40	<0.40	NS	<0.40	<0.80	<0.70
4/10/2003	1075.47	12.77	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
7/29/2003	1076.74	11.50	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
6/29/2006	1075.43	12.81	NOT SAMPLED								
1/10/2007	1074.53	13.71	NOT SAMPLED								

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
 Shepler's Northshore Bar & Campground LUST Site BRRTS#03-55-107983

Well MW-4

PVC Elevation = 1083.50 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
2/12/1997	1071.68	11.82	31	<0.20	<0.20	<0.20	<0.20	<0.80	<0.20	<1.10	<0.60
3/24/1997	1072.27	11.23	<30	NS	<0.20	<0.20	<0.20	<0.80	<0.20	<1.10	<0.60
9/19/2001	1072.70	10.80	NS	NS	<0.40	<0.40	0.66	NS	0.49	<0.80	<0.70
4/9/2003	1072.23	11.27	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	1-1.52	<1.84
7/28/2003	1073.16	10.34	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
6/29/2006	1071.97	11.53	NOT SAMPLED								
1/10/2007	1071.34	12.16	NOT SAMPLED								

Well MW-5

PVC Elevation = 1084.45 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
2/12/1997	1072.06	12.39	<30	<0.20	<0.20	<0.20	<0.20	<0.80	<0.20	<1.10	<0.60
3/24/1997	1072.29	12.16	<30	NS	<0.20	<0.20	<0.20	<0.80	<0.20	<1.10	<0.60
9/19/2001	1073.02	11.43	NS	NS	<0.40	<0.40	<0.40	NS	<0.40	<0.80	<0.70
4/9/2003	1072.42	12.03	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.22
7/28/2003	1073.53	10.92	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
6/29/2006	1072.19	12.26	NOT SAMPLED								
1/10/2007	1071.43	13.02	NOT SAMPLED								

Well MW-6

PVC Elevation = 1080.59 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
3/24/1997	1072.25	8.34	2300	<2.0	7	11	<0.20	20	3	208	66
6/12/1997	1073.04	7.55	2600	NS	3.3	12	13	NS	<0.20	289	85
9/19/2001	1072.79	7.80	NS	NS	23	4.5	41	NS	<0.40	222.7	2.9
4/10/2003	1072.25	8.34	NS	NS	<0.30	6	17	NS	<0.58	297	27
7/29/2003	1073.17	7.42	NS	NS	<0.60	5	7	8	<1.2	184	21
10/30/2003	1071.69	8.90	NS	NS	<1.5	29	58	30	<2.9	750	121
1/14/2004	1071.34	9.25	NS	NS	<1.5	17	39	18	<2.9	630	73
9/21/2005	1071.38	9.21	NS	NS	4.4	58	<0.11	NS	2.6	561	220
12/21/2005	1072.21	8.38	NS	NS	1.4	<0.5	<0.11	NS	<0.13	21.74	2.6-2.9
3/21/2006	1071.93	8.66	NS	NS	<0.12	<0.5	<0.11	NS	<0.13	<1.11	<2.0
6/29/2006	1072.01	8.58	NS	NS	<0.17	1.49	<0.52	NS	1.11	106.6	15.13
1/10/2007	1071.37	9.22	NOT SAMPLED								

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
Shepler's Northshore Bar & Campground LUST Site BRRTS#03-55-107983

Well MW-7

PVC Elevation = 1083.46 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
3/24/1997	1072.29	11.17	<30	<0.20	<0.20	<0.20	<0.20	<0.80	<0.20	<1.10	<0.60
6/12/1997	1072.99	10.47	<30	NS	<0.20	<0.20	<0.20	NS	<0.20	<0.70	<0.50
9/19/2001	1072.81	10.65	NS	NS	<0.40	<0.40	<0.40	NS	<0.40	<0.80	<0.70
4/9/2003	1072.24	11.22	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
7/28/2003	1073.17	10.29	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
6/29/2006	1072.01	11.45	NOT SAMPLED								
1/10/2007	1071.58	11.88	NOT SAMPLED								

Well MW-8

PVC Elevation = 1079.84 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
3/24/1997	1071.89	7.95	<30	<0.20	<0.20	<0.20	<0.20	NS	<0.20	<1.10	<0.60
6/12/1997	1072.34	7.50	<30	NS	<0.20	<0.20	<0.20	NS	<0.20	<0.70	<0.50
9/19/2001	1072.04	7.80	NS	NS	<0.40	<0.40	<0.40	NS	<0.40	<0.80	<0.70
4/10/2003	1071.91	7.93	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<0.84
7/28/2003	1072.42	7.42	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
6/29/2006	1071.42	8.42	NOT SAMPLED								
1/10/2007	1071.15	8.69	NOT SAMPLED								

Well MW-9

PVC Elevation = 1080.03 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
3/24/1997	1072.01	8.02	480	NS	3.0	<0.20	<0.20	NS	<0.20	1.0-1.30	<0.50
6/12/1997	1072.47	7.56	290	NS	0.9	<0.20	2.0	NS	<0.20	3.5	<0.50
9/19/2001	1072.18	7.85	NS	NS	<0.40	<0.40	1.9	NS	<0.40	0.77+1.17	<0.70
4/10/2003	1072.97	7.06	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
7/29/2003	1072.51	7.52	NS	NS	0.30	<0.60	1.0	NS	<0.58	3-3.52	<1.87
10/30/2003	1071.34	8.69	NS	NS	0.32	<0.60	0.78	NS	<0.58	1-1.52	<1.84
1/14/2004	1071.09	8.94	NS	NS	0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
6/29/2006	1070.92	9.11	NOT SAMPLED								
1/10/2007	1070.57	9.46	NOT SAMPLED								

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
Shepler's Northshore Bar & Campground LUST Site BRRTS#03-55-107983

Well MW-10

PVC Elevation = 1084.74 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
5/8/1997	1073.86	10.88	24000	<20	<20	1500	<0.20	350	<20	2680	8700
6/12/1997	1073.46	11.28	160000	NS	12	1100	<0.20	NS	4.60	1780	5200
9/19/2001	1072.24	12.50	NS	NS	<40	240	<40	NS	<40	2630	1500
4/10/2003	1072.53	12.21	NS	NS	<3.0	67	13	75	<5.8	1730	390
7/29/2003	1073.70	11.04	NS	NS	<1.2	140	14	110	<2.3	1370	760
10/30/2003	1072.11	12.63	NS	NS	<3.0	150	39	150	<5.8	2460	920
1/14/2004	1071.64	13.10	NS	NS	<3.0	160	55	150	<5.8	2550	920
9/21/2005	1071.73	13.01	NS	NS	5.6	89	<0.11	NS	5.8	2700	510
12/21/2005	1072.54	12.20	NS	NS	<1.2	32	<1.1	NS	<1.3	1870	173
3/21/2006	1072.24	12.50	NS	NS	2.71	1.74	<0.11	NS	0.88	534	10.54
6/29/2006	1072.43	12.31	NS	NS	44	162	<5.2	NS	<7.8	734	497.3
1/10/2007	1071.60	13.14	NS	NS	<4.7	<3.8	<5.2	<22	<5.9	2080	22.2-25.4

Well MW-11

PVC Elevation = 1076.41 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
5/8/1997	1071.15	5.26	<30	<0.20	<0.20	<0.20	<0.20	<0.80	<0.20	<1.10	<0.60
6/12/1997	1070.77	5.64	<30	NS	<0.20	<0.20	<0.20	NS	<0.20	<0.70	<0.50
9/19/2001	1070.51	5.90	NS	NS	<0.40	<0.40	<0.40	NS	<0.40	<0.80	<0.70
4/9/2003	1070.89	5.52	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
7/28/2003	1070.64	5.77	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
6/29/2006	1070.20	6.21	NOT SAMPLED								
1/10/2007	1070.32	6.09	NOT SAMPLED								

Piezometer Well P-1

PVC Elevation = 1082.66 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
5/8/1997	1071.96	10.70	57	0.9	35	<0.20	<0.20	<0.80	0.6	<1.10	<0.60
6/12/1997	1071.66	11.00	<30	NS	0.5	<0.20	<0.20	NS	<0.20	<0.70	<0.50
9/19/2001	1071.26	11.40	NS	NS	<0.40	<0.40	1.5	NS	<0.40	1.1-1.51	<0.70
4/10/2003	NM	NM	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
7/29/2003	1071.61	11.05	NS	NS	<0.30	<0.60	<0.58	<0.58	<0.58	<1.18	<1.84
10/30/2003	1070.69	11.97	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
1/14/2004	1070.65	12.01	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
6/29/2006	1070.45	12.21	NOT SAMPLED								
1/10/2007	1069.99	12.67	NOT SAMPLED								

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
Shepler's Northshore Bar & Campground LUST Site BRRTS#03-55-107983

Piezometer Well P-9

PVC Elevation = 1079.50 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
9/19/2001	1071.02	8.48	<14	<0.40	<0.10	<0.10	<1.1	<0.70	<0.10	<0.50	<0.20
4/10/2003	1071.15	8.35	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
7/28/2003	1071.37	8.13	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84

Piezometer Well P-11

PVC Elevation = 1075.50 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
9/19/2001	1070.91	4.59	<14	<0.40	<0.10	<0.10	<1.1	<0.70	<0.10	<0.50	<0.20
4/10/2003	1070.21	5.29	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84
7/28/2003	1070.38	5.12	NS	NS	<0.30	<0.60	<0.58	NS	<0.58	<1.18	<1.84

Well PW RESIDENCE

PVC Elevation =

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
2/3/1997	NM	NM	NS	NS	<0.20	<0.20	<0.20	NS	<0.20	<0.70	<0.50
2/20/1997	NM	NM	NS	<0.20	<0.18	<0.22	<0.20	<0.24	<0.19	<0.49	<0.60
4/10/1997	NM	NM	NS	<0.20	<0.18	<0.22	<0.20	<0.24	<0.19	<0.49	<0.60
5/8/1997	NM	NM	NS	<0.20	<0.18	<0.22	<0.20	<0.24	<0.49	<0.49	<0.60
9/19/2001	NM	NM	NS	<0.070	<.22	<0.13	<0.19	<0.15	<0.16	<0.39	<0.25
7/29/2003	NM	NM	NS	<0.16	<i>1.6</i>	<0.21	<0.20	<0.26	<0.17	<0.57	<0.53
10/30/2003	NM	NM	NS	<0.16	<i>0.59</i>	<0.21	<0.20	<0.26	<0.17	<0.57	<0.53
1/14/2004	NM	NM	NS	<0.16	<i>0.36</i>	<0.21	<0.20	<0.26	<0.17	<0.57	<0.53
9/21/2005	NM	NM	NS	NS	<i>0.81</i>	<0.5	<0.11	NS	<0.13	<1.11	<1.9
12/21/2005	NM	NM	NS	NS	<0.12	<0.5	<0.11	NS	<0.13	<1.11	<2.0
3/21/2006	NM	NM	NS	NS	<0.12	<0.5	<0.11	NS	<0.13	<1.11	<2.0
6/29/2006	NM	NM	NS	NS	<0.17	<1	<0.52	NS	<0.78	<1.95	<2.84

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
Shepler's Northshore Bar & Campground LUST Site BRRTS#03-55-107983

Well PW CAMPGROUND

PVC Elevation = 1077.83 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
2/3/1997	NM	NM	NS	NS	540	0.4	<0.20	NS	2	<0.70	2.8
2/20/1997	NM	NM	NS	34	990	0.24	<0.20	<0.24	6.6	0.51	9.8
9/19/2001	NM	NM	NS	<0.070	<0.22	<0.13	<0.19	<0.15	<0.16	<0.39	<0.25
6/29/2006	NM	NM	NS		<0.17	<1	<0.52	NS	<0.78	<1.95	<2.84

Well PW REPLACEMENT

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
4/16/1997	NM	NM	<30	<0.20	<0.18	<0.22	<0.20	<0.24	<0.19	<0.49	<0.60
6/12/1997	NM	NM	NS	<0.20	<0.095	<0.22	<0.20	<0.24	<0.16	<0.66	<0.60
8/5/1997	NM	NM	NS	<0.20	<0.095	<0.22	<0.20	<0.24	<0.16	<0.66	<0.60
9/19/2001	NM	NM	NS	<0.070	<0.22	<0.13	<0.19	<0.15	<0.16	<0.39	<0.25

Well PW BOATHOUSE

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
6/12/1997	NM	NM	NS	<0.20	<0.095	<0.22	<0.20	<0.24	<0.16	<0.66	<0.60
9/19/2001	NM	NM	NS	<0.070	<0.22	<0.13	<0.19	<0.15	<0.16	<0.33	<0.25

LAKE WATER

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	1,2-DCA (ppB)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
9/19/2001	NM	NM	NS	NS	<0.40	<0.40	<0.40	NS	<0.40	<0.80	<0.70

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

**TABLE 2 (Cont.)
SOIL SAMPLE SUMMARY
SHEPLER'S NORTHSHORE BAR AND CAMPGROUND**

DATE	SAMPLE LOCATION	DEPTH (feet)	FID READIN	DRO mg/kg	GRO mg/kg	BENZENE mg/kg	ETHYL-BENZENE mg/kg	TOLUENE mg/kg	TOTAL XYLENE mg/kg	1,2,4-TMB mg/kg	1,3,5-TMB mg/kg
2/3/1997	B-1	2.5-4.5	NR	--	--	--	--	--	--	--	--
		5-7	0.2	--	--	--	--	--	--	--	--
		7.5-9.5	NR	--	--	--	--	--	--	--	--
		10-12	NR	--	--	--	--	--	--	--	--
		12.5-14.5	890	<1.6	8.9	<0.025	0.56	1.4	2.27	0.39	0.097
		15-17	160	<1.6	1.2	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025
2/4/1997	B-2	2.5-4.5	NR	--	--	--	--	--	--	--	--
		5-7	0.2	--	--	--	--	--	--	--	--
		7.5-9.5	0.2	--	--	--	--	--	--	--	--
		10-12	1.0	<1.6	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025
2/3/1997	MW-1	2.5-4.5	NR	--	--	--	--	--	--	--	--
		5-7	0.2	--	--	--	--	--	--	--	--
		7.5-9.5	NR	--	--	--	--	--	--	--	--
		10-12	NR	--	--	--	--	--	--	--	--
		12.5-14.5	260	<1.6	2.5 ^a	<0.025	0.16	0.048 ^b	0.581 ^b	0.11	<0.025
		15-17	5.8	--	--	--	--	--	--	--	--
2/3/1997	MW-2	2.5-4.5	NR	--	--	--	--	--	--	--	--
		5-7	NR	--	--	--	--	--	--	--	--
		7.5-9.5	0.2	<1.5	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025
		10-12	NR	--	--	--	--	--	--	--	--
		12.5-14.5	NR	--	--	--	--	--	--	--	--
		15-17	NR	<1.6	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025
2/3/1997	MW-3	2.5-4.5	NR	--	--	--	--	--	--	--	--
		5-7	0.6	--	--	--	--	--	--	--	--
		7.5-9.5	0.4	--	--	--	--	--	--	--	--
		10-12	0.2	--	--	--	--	--	--	--	--
		12.5-14.5	0.6	<1.6	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025
		15-17	0.2	--	--	--	--	--	--	--	--
17.5-19.5	NR	<1.5	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025		

mg/kg = Milligrams per kilogram (ppm)

NR = No response

-- = Not analyzed

< = Not detected above method detection limit

^a = Sample contained fractions lighter than GRO hydrocarbons

^b = Estimated value, concentration was less than LOQ

**TABLE 2 (Cont.)
SOIL SAMPLE SUMMARY
SHEPLER'S NORTHSORE BAR AND CAMPGROUND**

DATE	SAMPLE LOCATION	DEPTH (feet)	FID READIN	DRO mg/kg	GRO mg/kg	BENZENE mg/kg	ETHYL-BENZENE mg/kg	TOLUENE mg/kg	TOTAL XYLENE mg/kg	1,2,4-TMB mg/kg	1,3,5-TMB mg/kg
2/4/1997	MW-4	2.5-4.5	NR	--	--	--	--	--	--	--	--
		5-7	NR	--	--	--	--	--	--	--	--
		7.5-9.5	0.2	--	--	--	--	--	--	--	--
		10-12	NR	--	--	--	--	--	--	--	--
		12.5-14.5	2.6	<1.5	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025
		15-17	0.6	<1.5	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025
		10-12	0.5	--	--	--	--	--	--	--	--
		12.5-14.5	0.5	<1.5	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025
		15-17	1.0	--	--	--	--	--	--	--	--
17.5-19.5	1.2	<1.6	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025		
3/10/1997	MW-6	2.5-4.5	NR	--	--	--	--	--	--	--	--
		5-7	NR	--	--	--	--	--	--	--	--
		7.5-9.5	0.6	--	--	--	--	--	--	--	--
		10-12	18	--	--	--	--	--	--	--	--
		12.5-14.5	110	<1.5	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025
		15-17	90	<1.6	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025
3/10/1997	MW-7	2.5-4.5	NR	--	--	--	--	--	--	--	--
		5-7	NR	--	--	--	--	--	--	--	--
		7.5-9.5	NR	<1.6	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025
		10-12	NR	--	--	--	--	--	--	--	--
		12.5-14.5	NR	--	--	--	--	--	--	--	--
		15-17	NR	<1.6	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025
3/10/1997	MW-8	2.5-4.5	NR	--	--	--	--	--	--	--	--
		5-7	NR	--	--	--	--	--	--	--	--
		7.5-9.5	0.2	<1.6	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025
		10-12	NR	--	--	--	--	--	--	--	--
		12.5-14.5	NR	--	--	--	--	--	--	--	--
		15-17	NR	<1.9	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025
3/10/1997	MW-9	2.5-4.5	NR	--	--	--	--	--	--	--	--
		5-7	NR	--	--	--	--	--	--	--	--
		7.5-9.5	NR	--	--	--	--	--	--	--	--
		10-12	14	--	--	--	--	--	--	--	--
		12.5-14.5	34	<1.5	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025
		15-17	5.8	<1.6	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025

mg/kg = Milligrams per kilogram (ppm)

NR = No response

-- = Not analyzed

< = Not detected above method detection limit

^a = Sample contained fractions lighter than GRO hydrocarbons

^b = Estimated value, concentration was less than LOQ

TABLE 2 (Cont.)
SOIL SAMPLE SUMMARY
SHEPLER'S NORTHSHORE BAR AND CAMPGROUND

DATE	SAMPLE LOCATION	DEPTH (feet)	FID READIN	DRO mg/kg	GRO mg/kg	BENZENE mg/kg	ETHYL-BENZENE mg/kg	TOLUENE mg/kg	TOTAL XYLENE mg/kg	1,2,4-TMB mg/kg	1,3,5-TMB mg/kg
4/21/1997	MW-10	2.5-4.5	NR	--	--	--	--	--	--	--	--
		5-7	NR	--	--	--	--	--	--	--	--
		7.5-9.5	NR	--	--	--	--	--	--	--	--
		10-12	0.2	--	--	--	--	--	--	--	--
		12.5-14.5	1000+	--	5300 ^a	<5.0	97	<5.0	420	210	63
15-17	820.0	--	5.9 ^a	<0.025	0.3	<0.025	1.25	0.52	0.15		
4/21/1997	MW-11	2.5-4.5	0.6	--	--	--	--	--	--	--	--
		5-7	0.4	--	<1.0	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
		7.5-9.5	0.2	--	--	--	--	--	--	--	--
		10-12	0.6	--	--	--	--	--	--	--	--
		12.5-14.5	0.6	--	<1.0	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025
4/21/1997	P-1	20-22	2.2	--	--	--	--	--	--	--	--
		25-27	8.8	--	--	--	--	--	--	--	--
		30-32	14.0	--	<1.0	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
		35-37	10	--	<1.0	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
9/5/2001	P-9	15 - 17	NR								
		20 - 22	5.7								
		25 - 27	15	<1.7	<1.1	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
		30 - 32	5.0								
		35 - 37	1.0								
		40 - 42	1.8								
45 - 47	0.4	<1.6	<1.1	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	
9/5/2001	P-11	41 - 43	0.7	<1.6	<1.1	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
		58 - 60	NR	<1.6	<1.1	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
8/22/1996	T-1	3	--	<0.1	<0.1	<0.01	<0.01	<0.1	<0.2	<0.01	<0.01
		6	--	<0.1	<0.1	<0.01	<0.01	<0.1	<0.2	<0.01	<0.01
		8	--	<0.1	<0.1	<0.01	<0.01	<0.1	<0.2	<0.01	<0.01
8/22/1996	T-2	3	--	<0.1	<0.1	<0.1	<0.01	<0.1	<0.2	<0.01	<0.01
		6	--	<0.1	<0.1	<0.1	<0.01	<0.01	<0.11	<0.01	<0.01
		8	--	<0.1	<0.1	<0.1	<0.01	<0.1	<0.11	<0.01	<0.01
8/22/1996	T-3	8	--	<0.1	<0.1	<0.1	<0.01	<0.1	<0.11	<0.01	<0.01
		12	--	<0.8	1704	7.3	43.7	47.9	160.2	57.6	90.4
		14	--	<0.8	1209	8.6	35.5	23	106.3	35.4	58
8/22/1996	T-4	8	--	<0.1	<0.1	<0.1	<0.01	<0.1	<0.2	<0.1	<0.1
		12	--	<0.1	<0.1	<0.1	<0.01	<0.1	<0.2	<0.1	<0.01
8/22/1996	T-5	12	--	<0.1	<0.1	<0.01	<0.01	<0.1	<0.2	<0.01	<0.01
		14	--	<0.1	<0.1	<0.1	<0.01	<0.1	<0.11	<0.01	<0.01
9/19/2001	Lake Sediment	0 - 1	--	--	<1.1	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
	NR 720		--	100	100	.0055	2.9	1.5	4.1	--	--

mg/kg = Milligrams per kilogram (ppm)

NR = No response

-- = Not analyzed


< = Not detected above method detection limit

^a = Sample contained fractions lighter than GRO hydrocarbons

^b = Estimated value, concentration was less than LOQ



NORTH



NOTE: THIS DRAWING WAS PREPARED IN COLOR. REPRODUCTION BY MEANS OTHER THAN EQUIVALENT COLOR COPYING MAY CAUSE SOME DATA TO BE LOST OR MISREPRESENTED.

LEGEND:	
	MW-3 MONITORING WELL
	B-1 SOIL BORING
	T1 SOIL SAMPLE
	CS-1 CONFIRMATION SOIL SAMPLE

K:/WASTE/10136801.DGN

SHEPLER'S NORTHSORE BAR
AND CAMPGROUND
RUSK COUNTY, WISCONSIN

DRW. BY: *JHL* JGS
CHK. BY: *GJS* GJS
DATE: OCT 2002
AVRES
ASSOCIATES

Soil
Contamination Map

Modified by METCO, ED, 3/23/07

D:\WASTE\10136801.dgn \$PENS 10/25/02

Watertable Elevation Table
Shepler's Northshore Bar & Campground LUST Site BRRTS#03-55-107983
New Auburn, Wisconsin

	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	MW-11	P-1	P-9	P-11	CAMP
<i>pvc top (ft)</i>	1082.95	1084.18	1088.24	1083.50	1084.45	1080.59	1083.46	1079.84	1080.03	1084.74	1076.41	1082.66	1079.50	1075.50	1077.83
<i>Ground Level</i>	1083.20	1081.80	1085.62	1081.20	1084.73	1080.87	1083.74	1080.12	1080.31	1085.24	1076.69	1082.94	1080.00	1076.00	1076.69
<i>Top of Screen</i>	1075.20	1075.80	1077.62	1075.20	1076.73	1072.87	1075.74	1072.12	1072.31	1077.24	1076.41	1039.94	1039.00	1021.00	1039.69
<i>Bottom of Screen</i>	1065.20	1065.80	1067.62	1065.20	1066.73	1062.87	1065.74	1062.12	1062.31	1067.24	1072.69	1034.94	1043.00	1016.00	1036.69

Date

2/12/1997	1072.10	1072.31	1072.36	1072.68	1072.06	NI	NM								
3/24/1997	1072.27	1072.42	1072.41	1072.27	1072.29	1072.25	1072.29	1071.89	1072.01	NI	NI	NI	NI	NI	NM
5/8/1997	NM	1073.86	1071.15	1071.96	NI	NI	NM								
6/12/1997	NM	NM	NM	NM	NM	1073.04	1072.99	1072.34	1072.47	1073.46	1070.77	1071.66	NI	NI	NM
9/19/2001	1072.90	1073.01	NM	1072.70	1073.02	1072.79	1072.81	1072.04	1072.18	1072.24	1070.51	1071.26	1071.02	1070.91	NM
4/10/2003	1072.35	1072.39	1075.47	1072.73	1072.42	1072.25	1072.24	1071.91	1072.97	1072.53	1070.89	NM	1071.15	1070.21	NM
7/29/2003	1073.83	1073.43	1076.74	1073.16	1073.53	1073.17	1073.17	1072.42	1072.51	1073.70	1070.64	1071.61	1071.37	1070.38	NM
10/30/2003	1071.84	NM	NM	NM	NM	1071.69	NM	NM	1071.34	1072.11	NM	1070.69	NM	NM	NM
1/14/2004	1071.44	NM	NM	NM	NM	1071.34	NM	NM	1071.09	1071.64	NM	1070.65	NM	NM	NM
9/21/2005	1071.49	NM	NM	NM	NM	1071.38	NM	NM	NM	1071.73	NM	NM	NM	NM	NM
12/21/2005	1071.26	NM	NM	NM	NM	1072.21	NM	NM	NM	1072.54	NM	NM	NM	NM	NM
3/21/2006	1071.98	NM	NM	NM	NM	1071.93	NM	NM	NM	1072.24	NM	NM	NM	NM	NM
6/29/2006	89.75	1072.24	1075.43	1071.97	1072.19	91.51	1072.01	1071.42	1070.92	87.04	1070.20	1070.45	NM	NM	NM
1/10/2007	1071.45	1071.58	1074.53	1071.34	1071.43	1071.37	1071.58	1071.15	1070.57	1071.60	1070.32	1069.99	NM	NM	NM

Note: Elevations are presented in feet mean sea level (msl).

NM = Not Measured


NI = Not Installed

METCO

Environmental Consulting, Fuel System Design, Installation and Service




NORTH
0 50FT
SCALE




PER TABLE 1 - SHEPLER'S NORTHSHORE BAR
 DATE OF PLOT - 08/27/87
 DESIGN FILE IS - 1430000075143000
 DOW LEVELS ON - 143

PROFILING ON - 143

PROFILING ON - 143



SCALE:
 1" = 50' HORIZ.
 1" = 10' VERT.



CROSS SECTION A-A'

DRILL BITABLE FILE
 DATE: AUGUST 1987
AVRES ASSOCIATES

SHEPLER'S NORTHSHORE BAR
 AND CAMPGROUND
 RUSK COUNTY, WISCONSIN

FIGURE
 3

WDNR BRRTS Case #: 03-55-107983

WDNR Site Name: Shepler's Northshore Bar & Campground

Geographic Information System (GIS) Registry of Closed Remediation Sites

In compliance with the revisions to the NR 700 rule series requiring certain closed sites to be listed on the Geographic Information System (GIS) Registry of Closed Remediation Sites (Registry) effective Nov., 2001, I have provided the following information.

To the best of my knowledge the legal descriptions provided and attached to this statement are complete and accurate.

Responsible Party:

Randy Shepler President
(print name/title)

Randy Shepler
(signature)

3/20/07
(date)