

Source Property Information

BRRTS #: (No Dashes)

ACTIVITY NAME:

PROPERTY ADDRESS:

MUNICIPALITY:

PARCEL ID #:

CLOSURE DATE:

FID #:

DATCP #:

PECFA#:

*WTM COORDINATES:

X: Y:

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
- Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

- Groundwater Contamination > ES (236)
- Contamination in ROW
- Off-Source Contamination
(note: for list of off-source properties see "Impacted Off-Source Property" form)
- Soil Contamination > *RCL or **SSRCL (232)
- Contamination in ROW
- Off-Source Contamination
(note: for list of off-source properties see "Impacted Off-Source Property" form)

Continuing Obligations:

- N/A (Not Applicable)
- Soil: maintain industrial zoning (220)
(note: soil contamination concentrations between non-industrial and industrial levels)
- Structural Impediment (224)
- Site Specific Condition (228)
- Cover or Barrier (222)
(note: maintenance plan for groundwater or direct contact)
- Vapor Mitigation (226)
- Maintain Liability Exemption (230)
(note: local government unit or economic development corporation was directed to take a response action)

Note: Comments will not print out.

Monitoring Wells:

Are all monitoring wells properly abandoned per NR 141? (234)

- Yes No N/A

** Residual Contaminant Level
**Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: (No Dashes) PARCEL ID #:
ACTIVITY NAME: WTM COORDINATES: X: Y:

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Continuing Obligation Cover Letter** (for property owners affected by residual contamination and/or continuing obligations)
- Conditional Closure Letter**
- Certificate of Completion (COC)** (for VPLE sites)

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: 2034 Title: CSM Vol 10-s Pg. 39-43
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 11 x 17 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 Title: Site Vicinity Map
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2a & 2b Title: Site Overview & Site Map
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 4 Title: Area of Excavation & Residual Soil Contamination

BRRTS #: 02-61-555270

ACTIVITY NAME: Weather Shield Mfg Inc

MAPS (continued)

Geologic Cross-Section Map: A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: 3 Title: Cross Section A-A' and B-B'

Figure #: Title:

Groundwater Isoconcentration Map: For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: 5a-5d Title: GW Flow and Area of GW Contamination >NR 140ES (7/6/11, 10/11/11, 1/26/12, 4/3/12)

Groundwater Flow Direction Map: A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 5a-5b Title: GW Flow and Area of GW Contamination >NR 140ES (7/6/11, 10/11/11, 1/26/12, 4/3/12)

Figure #: Title:

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 11 x 17 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

Soil Analytical Table: A table showing remaining soil contamination with analytical results and collection dates.

Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 1a & 1b Title: Soil Analytical Results

Groundwater Analytical Table: Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 2a-2f Title: Groundwater Analytical Results

Water Level Elevations: Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 3 Title: Groundwater Level Data

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

Not Applicable

Site Location Map: A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: Title:

Well Construction Report: Form 4440-113A for the applicable monitoring wells.

Deed: The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

Notification Letter: Copy of the notification letter to the affected property owner(s).

BRRTS #: 02-61-555270

ACTIVITY NAME: WEATHER SHIELD MFG INC-CUSTOM PRODUCTS DIV

NOTIFICATIONS

Source Property

Not Applicable

Letter To Current Source Property Owner: If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

Not Applicable

Letter To "Off-Source" Property Owners: Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying any off-source property owner.

Deed of "Off-Source" Property: The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.

Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

Certified Survey Map: A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).

Figure #:

Title:

Letter To "Governmental Unit/Right-Of-Way" Owners: Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters:



STATE OF WISCONSIN
Department of Safety and Professional Services

2715 Post Road
Stevens Point, Wisconsin 54481-

Email: dsp@wisconsin.gov

Web: <http://dsp.wi.gov>

Governor Scott Walker

Secretary Dave Ross

October 11, 2012

Richard Harding
Weather Shield Mfg Inc
One Weather Shield Plz
Medford, WI 54451

RE: **Final Closure**

PECFA # 54451-1226-15-A DNR BRRTS # 02-61-555270
Weather Shield Mfg Inc, 615 N 8th St, Medford

Dear Mr. Harding:

The Wisconsin Department of Safety and Professional Services (DPS) has received all items required as conditions for closure of the site referenced above. This site is now listed as "closed" on the DPS database and will be included on the Department of Natural Resources (DNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual soil and groundwater contamination. To review all sites on the GIS Registry web page, visit <http://dnr.wi.gov/topic/Brownfields/rrsm.html>. If you intend to construct or reconstruct a potable well on this property, you must get prior DNR approval.

All current and future owners and occupants of the property need to be aware that excavation of contaminated soil may pose a hazard. Special precautions may be needed to prevent inhalation, ingestion or dermal contact with the residual contamination when it is removed. If soil is excavated, the property owner at the time of excavation must have the soil sampled and analyzed to determine if residual contamination remains. If sampling confirms that contamination is present, the property owner at the time of excavation must determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules.

Costs for sampling and excavation activities conducted after case closure are not eligible for PECFA reimbursement. However, if it is determined that any undisturbed remaining petroleum contamination poses a threat, the case may be reopened and further investigation or remediation may be required. If this case is reopened, any original claim under the PECFA fund would also reopen and you may apply for assistance to the extent of remaining eligibility. It is in your best interest to keep all documentation related to environmental activities at your site.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (715) 342-3802.

Sincerely,

Dee Lance
Hydrogeologist
PECFA Site Review Section

cc: Andy Delforge, REI Engineering Inc



STATE OF WISCONSIN
Department of Safety and Professional Services

2715 Post Road
Stevens Point, Wisconsin 54481-

Email: dps@wisconsin.gov
Web: <http://dps.wi.gov>

Governor Scott Walker

Secretary Dave Ross

October 2, 2012

Richard Harding
Weather Shield Mfg Inc
One Weather Shield Plz
Medford, WI 54451

RE: Conditional Case Closure

PECFA # 54451-1226-15-A DNR BRRTS # 02-61-555270
Weather Shield Mfg Inc, 615 N 8th St, Medford

Dear Mr. Harding:

The Wisconsin Department of Safety and Professional Services (DPS) has reviewed the request for case closure prepared by your consultant, Rei Engineering Inc, for the site referenced above. It is understood that residual soil and groundwater contamination remains on site. DPS has determined that this site does not pose a significant threat to human health or the environment. No further investigation or remedial action is necessary.

The following condition must be satisfied to obtain final closure:

- All [MW 1 & MW 3 – MW 6] monitoring wells must be properly abandoned within 60 days and the appropriate documentation forwarded to DPS at the letterhead address within 120 days of the date of this letter. Noncompliance with the abandonment requirement and deadline can result in enforcement action and financial penalties.

Information submitted with your closure request will be included on the Department of Natural Resources (DNR) GIS Registry of Closed Remediation Sites. All sites on the Registry can be viewed via the Remediation and Redevelopment (RR) Sites Map at <http://dnr.wi.gov/topic/Brownfields/rism.html>. Because residual contamination remains at the time of case closure, if you intend to construct or reconstruct a potable well on this property, you must get prior DNR approval.

All current and future owners and occupants of the property need to be aware that excavation of contaminated soil may pose a hazard. Special precautions may be needed to prevent inhalation, ingestion or dermal contact with the residual contamination when it is removed. If soil is excavated, the property owner at the time of excavation must have the soil sampled and analyzed to determine if residual contamination remains. If sampling confirms that contamination is present, the property owner at the time of excavation must determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. Costs for sampling and excavation activities conducted after the date of this letter are not eligible for PECFA reimbursement.

Timely filing of your final PECFA claim (if applicable) is encouraged. If your claim is not received within 120 days of the date of this letter, interest costs incurred after 60 days from the date of this letter will not be eligible for PECFA reimbursement.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (715) 342-3802.

Sincerely,

A handwritten signature in cursive script that reads "Dee Lance".

Dee Lance
Hydrogeologist
PECFA Site Review Section

cc: Andy Delforge, REI Engineering Inc

QUIT CLAIM DEED

DOCUMENT # 334731

Recorded
April 13, 2010 11:58 AM

WEATHER SHIELD MFG., INC., a Wisconsin corporation quit claims to **WEATHER SHIELD MFG., INC.**, a Wisconsin corporation the following described real estate in Taylor County, Wisconsin

TAYLOR COUNTY WISCONSIN
REGISTER OF DEEDS
MARVEL A LENKE
FEE AMOUNT: \$15.00
Page Total: 3

Lot One (1) of Taylor County Certified Survey Map No 2034 as recorded in Volume 10-S of Surveys on Pages 39-43 in the Taylor County Register of Deeds office as Document No. 334695 being a part of the Northeast Quarter of the Northeast Quarter, Section Twenty-seven, Township Thirty-one North, Range One East (NE-NE-27-31-1E), ALSO CONVEYING for the benefit of the above described parcel an easement for ingress, egress, and utilities over and across a portion of Lot Two (2) of said Certified Survey Map described as follows.

beginning at the Northwest corner of said Lot One (1), thence S 00°12'32" E, along the West line of Lot One (1), 50 00 feet, thence S 88°11'58" W, 40 25 feet, thence N 00°12'32" W, 50 00 feet to the South right-of-way line of Allman Avenue; thence N 88°11'58" E, along the said South right-of-way 40 25 feet to the point of beginning (depicted as "Easement No 1" on said Certified Survey Map.)

JENSEN, SCOTT, GRUNEWALD &
SHIFFLER, S C
P O Box 426
Medford, WI 54451

251-01820-0000

Parcel Identification Number

-AND-


Lot Two (2) of Taylor County Certified Survey Map No 2034 as recorded in Volume 10-S of Surveys on Pages 39-43 in the Taylor County Register of Deeds office as Document No 334695 being a part of the Northeast Quarter of the Northeast Quarter, Section Twenty-seven, Township Thirty-one North, Range One East (NE-NE-27-31-1E), ALSO CONVEYING for the benefit of the above described parcel an easement for ingress, egress, and utilities over and across a portion of Lot Three (3) of said Certified Survey Map being 20 feet either side of the following described line, commencing at the Northwest Corner of said Lot Three (3); thence S 06°27'59" E, along the East right-of-way line of 7th street, 36 59 feet to the point of beginning, thence N 84°30'46" E, 100 00 feet, thence N 06°27'59" W, 36 59 feet to the South line of Lot Two (2) and end of said easement (depicted as "Easement No 3" on said Certified Survey Map)

-AND-

Lot Three (3) of Taylor County Certified Survey Map No 2034 as recorded in Volume 10-S of Surveys on Pages 39-43 in the Taylor County Register of Deeds office as Document No 334695 being a part of the Northeast Quarter of the Northeast Quarter, Section Twenty-seven, Township Thirty-one North, Range One East (NE-NE-27-31N-1E) and a portion of Lot One (1) of Taylor County Certified Survey Map No. 1547 as recorded in Volume 7-S of surveys on Page 151 in the Taylor County Register of Deeds office as Document No. 300506, ALSO CONVEYING for the benefit of the above described parcel an easement for ingress, egress, and utilities over and across a portion of Lot Two (2) of said Certified Survey Map No 2034 described as follows, commencing at the Southwest corner of said Lot Two (2); thence N 84°30'46" E, along the South line of Lot Two (2), 437 56 feet to the point of

TAYLOR COUNTY CERTIFIED SURVEY MAP NO. 2094 VOL. 10-S PG. 39-43

PART OF THE NE 1/4 OF THE NE 1/4 OF SECTION 27, TOWNSHIP 31 NORTH, RANGE 1 EAST, CITY OF MEDFORD, TAYLOR COUNTY, WISCONSIN AND INCLUDING CSM# 1547 VOLUME 7-S PAGES 151-152



ASSUMED BEARINGS REFERENCED TO THE EAST LINE OF THE NE 1/4 SEC. 27 - 31 - 1E S08°04'38"E 2589.24

NOTE OVERALL LEGAL DESCRIPTION FOR LOTS 3 AND 4 AND SEPARATE LEGAL DESCRIPTIONS FOR EASEMENTS 3, 4 AND 5 ARE ON SHEET 4 SEE DETAIL OF LOT 4 ON SHEET 5

LEGEND

- 1/4" O D X 18" IRON PIPE SET WEIGHING 1.68 LBS/LIN FT
- EXISTING PK NAIL
- ⊙ EXISTING 2" IRON PIPE
- ⊙ EXISTING 3/4" IRON BAR

0 50 100
SCALE 1"=100'

SURVEYOR NOTE SOUTH LINE OF THIS SURVEY IN AGREEMENT WITH SOUTH LINE OF C S M #1547 AND ALTA SURVEY OF 2008

GARY R. KRUEGER
S-1619
WAUSAU, WI

LAND SURVEYOR

GARY R. KRUEGER RLS. NO. 1619
SURVEY COMPLETED 4/7/2010

PREPARED FOR:

WEATHER SHIELD MGF. INC.
1 WEATHER SHIELD PLAZA
MEDFORD, WI 54451

PROJECT #WEATHERSHIELD2

SURVEYING SPECIALISTS OF CENTRAL WISCONSIN INC.
220 SHERMAN ST.
WAUSAU, WI 54401
PHONE 715-842-4339 FAX 715-842-8534

DATE: 3/29/2010
DRAWN BY: GK/DRO
SHEET 2 OF 5

THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF SURVEYING SPECIALISTS OF CENTRAL WISCONSIN INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.

DOCUMENT # 334695

TAYLOR COUNTY CERTIFIED SURVEY MAP
NO. 2034 VOL 10-S PG. 37-43

PART OF THE NE1/4 OF THE NE1/4 OF
SECTION 27, TOWNSHIP 31 NORTH,
RANGE 1 EAST, CITY OF MEDFORD,
TAYLOR COUNTY, WISCONSIN

SURVEYOR CERTIFICATE

LEGAL DESCRIPTION FOR LOTS 1 AND 2

I, GARY R. KRUEGER, REGISTERED LAND SURVEYOR, DO HEREBY CERTIFY THAT I HAVE SURVEYED, DIVIDED AND MAPPED AT THE DIRECTION OF BILL GRUNEWALD AND FOR WEATHER SHIELD MFG INC, A PARCEL OF LAND LOCATED IN THE NORTHEAST 1/4 OF THE NORTHEAST 1/4 OF SECTION 27, TOWNSHIP 31 NORTH, RANGE 1 EAST, CITY OF MEDFORD, TAYLOR COUNTY, WISCONSIN AND IS MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHEAST CORNER OF SAID SECTION 27, THENCE S88°11'06"W, ALONG THE NORTH LINE OF THE NE1/4, 173.84 FEET, THENCE S46°49'28"E, 46.69 FEET TO THE POINT OF BEGINNING, THENCE CONTINUING S46°49'28"E, ALONG THE WESTERLY RIGHT-OF-WAY LINE OF STATE ROAD "13" AS PER T T P # 1610-06-20 AMENDMENT #1, 138.87 FEET, THENCE CONTINUING ALONG SAID WEST RIGHT-OF-WAY LINE OF STATE ROAD "13" AND ALONG AN ARC OF A CURVE TO THE RIGHT WITH AN ARC DISTANCE OF 155.26 FEET, WHOSE RADIUS IS 1114.00 FEET, WHOSE DELTA IS 7°59'07" AND WHOSE CHORD BEARS S13°27'22"E, 155.13 FEET, THENCE S10°03'04"E, ALONG SAID WEST RIGHT-OF-WAY LINE OF STATE ROAD "13", 249.29 FEET, THENCE S08°09'14"E, ALONG SAID WEST RIGHT-OF-WAY LINE OF STATE ROAD "13", 302.48 FEET, THENCE S89°21'21"W, 103.03 FEET, THENCE N05°39'23"W, 110.76 FEET, THENCE S84°30'46"W, 437.56 FEET, THENCE N06°27'59"W, ALONG THE EAST RIGHT-OF-WAY LINE OF 7TH STREET, 715.33 FEET, THENCE N88°11'58"E, ALONG THE SOUTH RIGHT-OF-WAY LINE OF ALLMAN AVE, 408.48 FEET TO THE POINT OF BEGINNING

THAT THE ABOVE DESCRIBED PARCEL IS SUBJECT TO ALL ROADWAYS AND EASEMENTS OF RECORD THAT SUCH PLAT IS A CORRECT REPRESENTATION OF ALL EXTERIOR BOUNDARIES OF THE LAND SURVEYED

THAT I HAVE FULLY COMPLIED WITH THE PROVISIONS OF CHAPTER 238.34 OF THE WISCONSIN STATUTES, CHAPTER A-E7 OF THE WISCONSIN ADMINISTRATIVE CODE AND LAND DIVISION REGULATIONS OF THE COUNTY OF TAYLOR AND THE CITY OF MEDFORD IN SURVEYING, DIVIDING AND MAPPING THE SAME THAT THE SURVEY IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF

LEGAL DESCRIPTION FOR EASEMENT NO 1

EASEMENT FOR INGRESS AND EGRESS OVER AND ACROSS A PARCEL OF LAND LOCATED ON LOT 2 FOR ACCESS TO LOT 1 DESCRIBED AS FOLLOWS BEGINNING AT THE NW CORNER OF SAID LOT 1, THENCE S00°12'32"E, ALONG THE WEST LINE OF LOT 1, 50.00 FEET, THENCE S88°11'58"W, 40.25 FEET, THENCE N00°12'32"W, 50.00 FEET TO THE SOUTH RIGHT-OF-WAY LINE OF ALLMAN AVENUE, THENCE N88°11'58"E, ALONG THE SAID SOUTH RIGHT-OF-WAY, 40.25 FEET TO THE POINT OF BEGINNING

LEGAL DESCRIPTION FOR EASEMENT NO 2

EASEMENT FOR INGRESS AND EGRESS OVER AND ACROSS A PARCEL OF LAND LOCATED ON LOT 2 FOR ACCESS TO LOT 3 DESCRIBED AS FOLLOWS COMMENCING AT THE SW CORNER OF SAID LOT 2, THENCE N84°30'46"E, ALONG THE SOUTH LINE OF LOT 2, 437.56 FEET TO THE POINT OF BEGINNING, THENCE CONTINUING N84°30'46"E, 97.42 FEET TO THE WEST RIGHT-OF-WAY LINE OF STATE ROAD "13", THENCE S08°09'14"E, ALONG SAID WEST RIGHT-OF-WAY, 33.44 FEET, THENCE S82°10'29"W, ALONG THE NORTH LINE OF AN EXISTING BUILDING AND ITS EXTENSION EAST AND WEST THEREOF, 98.97 FEET TO AN EASTERLY LINE OF SAID LOT 3, THENCE N05°39'23"W, ALONG SAID EASTERLY LINE OF LOT 3, 37.45 FEET TO THE POINT OF BEGINNING



G.R.K.
GARY R. KRUEGER RLS NO. 1619
SURVEY COMPLETED 4/7/2010

PREPARED FOR:

WEATHER SHIELD MFG. INC.
1 WEATHER SHIELD PLAZA
MEDFORD, WI 54451

PROJECT #WEATHERSHIELDDES



SURVEYING SPECIALISTS OF
CENTRAL WISCONSIN INC.
220 SHERMAN ST.
WAUSAU, WI 54401
PHONE 715-842-4339 FAX 715-842-0534

THIS DRAWING AND ALL INFORMATION CONTAINED THEREIN IS THE PROPERTY OF SURVEYING SPECIALISTS OF CENTRAL WISCONSIN INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.

DATE 3/29/2010

DRAWN BY GRK/DRO

SHEET 3 OF 5

REGISTER'S OFFICE } ss.

County of Taylor, Wis.
Received for record this 8th day of
Nov., 2010 at 10:42 o'clock A.M.,
and recorded in Vol. 10-S
of Surveys on page 37-43

M. A. Lemke
Mapel A Lemke, Register of Deeds

DOCUMENT # 334695

TAYLOR COUNTY CERTIFIED SURVEY MAP
NO. 3034 VOL. 10-S PG. 39-43

PART OF THE NE1/4 OF THE NE1/4 OF
SECTION 27, TOWNSHIP 31 NORTH,
RANGE 1 EAST, CITY OF MEDFORD,
TAYLOR COUNTY, WISCONSIN AND
INCLUDING CSM# 1547 VOLUME 7-S
PAGES 151-152

SURVEYOR CERTIFICATE

LEGAL DESCRIPTION FOR LOTS 3 AND 4

I, GARY R. KRUEGER, REGISTERED LAND SURVEYOR, DO HEREBY CERTIFY THAT I HAVE SURVEYED, DIVIDED AND MAPPED AT THE DIRECTION OF BILL GRUNEWALD AND FOR WEATHER SHIELD MFG INC., A PARCEL OF LAND LOCATED IN THE NORTHEAST 1/4 OF THE NORTHEAST 1/4 OF SECTION 27, TOWNSHIP 31 NORTH, RANGE 1 EAST, CITY OF MEDFORD, TAYLOR COUNTY, WISCONSIN AND INCLUDING LOT 1 OF CERTIFIED SURVEY MAP# 1547, RECORDED IN VOLUME 7-S ON PAGES 151-152 IN THE OFFICE OF THE REGISTER OF DEEDS FOR TAYLOR COUNTY AND IS MORE PARTICULARLY DESCRIBED AS FOLLOWS

COMMENCING AT THE NORTHEAST CORNER OF SAID SECTION 27, THENCE S08°04'38"E, ALONG THE EAST LINE OF THE NE1/4, 1294 64' FEET, THENCE S85°15'31"W, 33 05 FEET TO THE POINT OF BEGINNING, THENCE CONTINUING S85°15'31"W, ALONG THE SOUTH LINE OF A CERTIFIED SURVEY MAP RECORDED IN VOLUME 7-S ON PAGES 151 AND 152 IN THE OFFICE OF THE TAYLOR COUNTY REGISTER OF DEEDS, 299 95 FEET, THENCE S87°42'52"W, 252 38 FEET, THENCE N06°27'59"W, ALONG THE EAST RIGHT-OF-WAY LINE OF 7TH STREET, 561 86 FEET, THENCE N84°30'48"E, 437 56 FEET, THENCE S05°39'23"E, 110 78 FEET, THENCE N89°21'21"E, 103 03 FEET, THENCE S08°09'12"E, ALONG THE WEST RIGHT-OF-WAY LINE OF STATE ROAD "13" AS PER T P P # 1610-06-20, 50 18 FEET, THENCE S08°05'16"E, ALONG SAID WEST RIGHT-OF-WAY LINE OF STATE ROAD "13", 169 99 FEET, THENCE S08°05'13"E, ALONG SAID WEST RIGHT-OF-WAY LINE OF STATE ROAD "13", 240 62 FEET TO THE POINT OF BEGINNING

THAT THE ABOVE DESCRIBED PARCEL IS SUBJECT TO ALL ROADWAYS AND EASEMENTS OF RECORD THAT SUCH PLAT IS A CORRECT REPRESENTATION OF ALL EXTERIOR BOUNDARIES OF THE LAND SURVEYED THAT I HAVE FULLY COMPLIED WITH THE PROVISIONS OF CHAPTER 236.34 OF THE WISCONSIN STATUTES, CHAPTER A-ET OF THE WISCONSIN ADMINISTRATIVE CODE AND LAND DIVISION REGULATIONS OF THE COUNTY OF TAYLOR AND THE CITY OF MEDFORD IN SURVEYING, DIVIDING AND MAPPING THE SAME THAT THE SURVEY IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF

LEGAL DESCRIPTION FOR EASEMENT NO 3

EASEMENT FOR INGRESS AND EGRESS, 40 FEET IN WIDTH, OVER AND ACROSS A PARCEL OF LAND LOCATED ON LOT 3 FOR ACCESS TO LOT 2, BEING 20 FEET EITHER SIDE OF THE FOLLOWING DESCRIBED LINE COMMENCING AT THE NW CORNER OF SAID LOT 3, THENCE S06°27'59"E, ALONG THE EAST RIGHT-OF-WAY LINE OF 7TH STREET, 36 59 FEET TO THE POINT OF BEGINNING, THENCE N84°30'48"E, 100 00 FEET, THENCE N06°27'59"W, 36 59 FEET TO THE SOUTH LINE OF LOT 2 AND END OF SAID EASEMENT

LEGAL DESCRIPTION FOR EASEMENT NO 4

EASEMENT FOR INGRESS AND EGRESS, 40 FEET IN WIDTH, OVER AND ACROSS A PARCEL OF LAND LOCATED ON LOT 3 FOR ACCESS TO LOT 4, BEING 20 FEET EITHER SIDE OF THE FOLLOWING DESCRIBED LINE COMMENCING AT THE SW CORNER OF SAID LOT 3, THENCE N06°27'59"W, ALONG THE EAST RIGHT-OF-WAY LINE OF 7TH STREET, 86 97 FEET TO THE POINT OF BEGINNING, THENCE N84°18'48"E, 248 90 FEET TO THE WEST LINE OF LOT 4 AND END OF SAID EASEMENT

LEGAL DESCRIPTION FOR EASEMENT NO 5

EASEMENT FOR INGRESS AND EGRESS, 40 FEET IN WIDTH, OVER AND ACROSS LOT 4 FOR ACCESS TO LOT 3, BEING 20 FEET EITHER SIDE OF THE FOLLOWING DESCRIBED LINE COMMENCING AT THE SE CORNER OF SAID LOT 4, THENCE N08°04'13"W, ALONG THE WEST RIGHT-OF-WAY LINE OF STATE ROAD "13", 117 38 FEET TO THE POINT OF BEGINNING, THENCE N76°15'58"W, 138 15 FEET, THENCE S57°55'24"W, 72 70 FEET, THENCE S70°12'48"W, 107 87 FEET TO THE EAST LINE OF LOT 3 AND END OF SAID EASEMENT



GARY R. KRUEGER RLS NO. 1619
SURVEY COMPLETED 4/7/10

PREPARED FOR:

WEATHER SHIELD MFG. INC.
1 WEATHER SHIELD PLAZA
MEDFORD, WI 54451

PROJECT # WEATHERSHIELD2DES



SURVEYING SPECIALISTS OF
CENTRAL WISCONSIN INC.
220 SHERMAN ST.
WAUSAU, WI 54401
PHONE 715-842-4339 FAX 715-842-0534

THIS DRAWING AND ALL INFORMATION
CONTAINED THEREIN IS THE PROPERTY OF
SURVEYING SPECIALISTS OF CENTRAL
WISCONSIN INCORPORATED AND SHALL NOT
BE COPIED OR USED EXCEPT FOR THE
PURPOSE FOR WHICH IT IS EXPRESSLY
FURNISHED.

DATE 3/29/2010

DRAWN BY GRK/DRO


SHEET 4 OF 5

July 23, 2012

Re: Weather Shield Mfg Inc.
615 N. 8th Street
Medford, WI
BRRTS# 02-61-555270
WDSPS# 54451-1226-15

Lots 1 and 2 of Taylor County Certified Survey Map Number 2034, Volume 10-S, Pages 39-43.


I have reviewed the above referenced legal description, and hereby certify that it is correct for the Weather Shield Mfg. Inc. site.



Richard J. Harding, Corporate Environmental and Safety Manager

Date


7/22/12



DRAWING FILE: J:\DRAFTING\5480-WEATHER SHIELD.DWG\5480-VICN.DWG LAYOUT: VICN.PLOT PLOTTED: APR 18, 2012 - 11:50AM PLOTTED BY: TODDY



CONTOUR INTERVAL 10 FEET
 DATUM IS MEAN SEA LEVEL



UTM GRID AND 1969 MAGNETIC NORTH
 DECLINATION AT CENTER OF SHEET

MEDFORD, WIS.
 NE 1/4 MEDFORD 15' QUADRANGLE
 N4507.5—W9015/7.5

1969
 AMS 2974 III NE—SERIES V861




QUADRANGLE LOCATION

REI Engineering, INC.

WEATHER SHIELD MFG, INC.
 615 N. 8TH STREET
 MEDFORD, WISCONSIN 54451

FIGURE 1 : SITE VICINITY MAP		
PROJECT NO.	DRAWN BY:	DATE:
5480dxc	NAP	07/21/10

DRAWING FILE: J:\DRAFTING\5480-WEATHER SHIELD.DWG\5480-SITE.DWG LAYOUT: SITE-100 PLOTTED: JUL 24, 2012 - 9:45AM PLOTTED BY: AUSTINH



LEGEND	
0 100 SCALE: 1" = 100'	
- - - - -	APPROXIMATE PROPERTY LINE
⊕	MONITORING WELL
⊙	GEOPROBE SOIL BORING LOCATION - REI
⊠	GEOPROBE SOIL BORING LOCATION - TERRACON
W	WATER SERVICE
SAN	SANITARY SEWER SERVICE


REI Engineering, INC.

WEATHER SHIELD MFG, INC.
 615 N. 8TH STREET
 MEDFORD, WISCONSIN 54451

FIGURE 2A : SITE OVERVIEW

PROJECT NO.	DRAWN BY:	DATE:
5480auxc	ARH	07/23/12

DRAWING FILE: J:\DRAFTING\5480-WEATHER SHIELD.DWG\5480-SITE.DWG LAYOUT: SITE-30 PLOTTED: JUL 24, 2012 - 9:44AM PLOTTED BY: AUSTIN H



LEGEND

0 40
 SCALE: 1" = 40'


- WATER SERVICE
- MONITORING WELL
- GEOPROBE SOIL BORING LOCATION - REI
- GEOPROBE SOIL BORING LOCATION - TERRACON
- W— WATER SERVICE
- SAN— SANITARY SEWER SERVICE

WEATHER SHIELD MFG, INC.
 615 N. 8TH STREET
 MEDFORD, WISCONSIN 54451

FIGURE 2B : SITE MAP

PROJECT NO.	DRAWN BY:	DATE:
5480axuc	ARH	07/23/12

REI Engineering, INC.



DRAWING FILE: J:\DRAFTING\5480-WEATHER SHIELD.DWG 5480-SOIL CONTAM.DWG LAYOUT: CONTAM-30 PLOTTED: Jul 24, 2012 - 10:23AM PLOTTED BY: JUSTINH

LEGEND

0 30
 SCALE: 1" = 30'



- AREA OF EXCAVATION TO 14'
- AREA OF SOIL CONTAMINATION > NR 720 RCL
- MONITORING WELL
- GEOPROBE SOIL BORING LOCATION - REI
- GEOPROBE SOIL BORING LOCATION - TERRACON
- APPROXIMATE PROPERTY LINE
- WATER SERVICE
- SANITARY SEWER SERVICE

WEATHER SHIELD MFG, INC.
 615 N. 8TH STREET
 MEDFORD, WISCONSIN 54451

REI Engineering, INC.

FIGURE 4 : AREA OF EXCAVATION & RESIDUAL SOIL CONTAMINATION		
PROJECT NO.	DRAWN BY:	DATE:
5480oxuc	ARH	07/24/12

DRAWING FILE: J:\DRAWING\5480-WEATHER SHIELD\5480-X-SECTION PLOTTED.dwg LAYOUT: X-SECTION PLOTTED.dwg JUL 25, 2012 - 11:39AM PLOTTED BY: TERRY



LEGEND


0 50
SCALE: 1" = 50'

- ⊙ MONITORING WELL
- ⊙ GEOPROBE SOIL BORING LOCATION - REI
- ⊙ GEOPROBE SOIL BORING LOCATION - TERRACON
- W — WATER SERVICE
- SAN — SANITARY SEWER SERVICE
- ▼ DEPTH TO GROUNDWATER DURING BOREHOLE ADVANCEMENT

 REI <small>CIVIL & ENVIRONMENTAL ENGINEERING, SURVEYING</small>	WEATHER SHIELD MFG, INC. 815 N. 8TH STREET MEDFORD, WISCONSIN 54451	
	FIGURE 3 : CROSS SECTION A-A' & B-B'	

PROJECT No. 5480xuc	DRAWN BY: TAW	DATE: 4/17/2012
------------------------	------------------	--------------------

REI Engineering, INC.



DRAWING FILE: J:\DRAFTING\15480-WEATHER SHIELD.DWG 15480-GW-070611.DWG LAYOUT: GW PLOTTED: JUL 24, 2012 - 10:06AM PLOTTED BY: AUSTINW

LEGEND

0 30
 SCALE: 1" = 30'


- APPROXIMATE PROPERTY LINE
- AREA OF GROUNDWATER CONTAMINATION > NR 140 ES
- GROUNDWATER FLOW
- MONITORING WELL
- GEOPROBE SOIL BORING LOCATION - REI
- GEOPROBE SOIL BORING LOCATION - TERRACON
- WATER SERVICE
- SANITARY SEWER SERVICE

WEATHER SHIELD MFG, INC.
 615 N. 8TH STREET
 MEDFORD, WISCONSIN 54451

REI Engineering, INC.

FIGURE 5A : GROUNDWATER FLOW & AREA OF GROUNDWATER CONTAMINATION > NR 140 ES (7/6/11)

PROJECT NO.	DRAWN BY:	DATE:
5480cxuc	ARH	07/24/2012




DRAWING FILE: J:\DRAWING\5480-WEATHER SHIELD.DWG\5480-GW-101111.dwg LAYOUT: GW PLOTTED: Jul 24, 2012 - 9:51AM PLOTTED BY: AUSTIN H

LEGEND	
	SCALE: 1" = 30'
	APPROXIMATE PROPERTY LINE
	AREA OF GROUNDWATER CONTAMINATION > NR 140 ES
	GROUNDWATER FLOW
	MONITORING WELL
	GEOPROBE SOIL BORING LOCATION - REI
	GEOPROBE SOIL BORING LOCATION - TERRACON
	WATER SERVICE
	SANITARY SEWER SERVICE

WEATHER SHIELD MFG, INC.
 615 N. 8TH STREET
 MEDFORD, WISCONSIN 54451

<i>REI Engineering, INC.</i>		
FIGURE 5B : GROUNDWATER FLOW & AREA OF GROUNDWATER CONTAMINATION > NR 140 ES (10/11/11)		
PROJECT NO.	DRAWN BY:	DATE:
5480axuc	ARH	07/24/2012



DRAWING FILE: J:\DRAFTING\5480-WEATHER SHIELD.DWG\5480-GW-012612.DWG LAYOUT: GW PLOTTED: Jul. 26, 2012 - 10:17AM PLOTTED BY: AUSTINH

LEGEND

0 30
 SCALE: 1" = 30'


- APPROXIMATE PROPERTY LINE
- AREA OF GROUNDWATER CONTAMINATION > NR 140 ES
- GROUNDWATER FLOW
- MONITORING WELL
- GEOPROBE SOIL BORING LOCATION - REI
- GEOPROBE SOIL BORING LOCATION - TERRACON
- WATER SERVICE
- SANITARY SEWER SERVICE

WEATHER SHIELD MFG, INC.
 615 N. 8TH STREET
 MEDFORD, WISCONSIN 54451

REI Engineering, INC.

FIGURE 5C : GROUNDWATER FLOW & AREA OF GROUNDWATER CONTAMINATION > NR 140 ES (1/26/12)

PROJECT NO. 5480oxuc	DRAWN BY: ARH	DATE: 07/24/2012
-------------------------	------------------	---------------------



DRAWING FILE: J:\Drafting\15480-WEATHER SHIELD.dwg 15480-GW-04.0312.dwg LAYOUT: GW_PLOTTED: Jul 24, 2012 - 10:03AM PLOTTED BY: AUSTIN H

LEGEND

0 30
 SCALE: 1" = 30'

- APPROXIMATE PROPERTY LINE
- AREA OF GROUNDWATER CONTAMINATION > NR 140 ES
- ↑ GROUNDWATER FLOW
- MONITORING WELL
- GEOPROBE SOIL BORING LOCATION - REI
- GEOPROBE SOIL BORING LOCATION - TERRACON
- W WATER SERVICE
- SAN SANITARY SEWER SERVICE

WEATHER SHIELD MFG, INC.
 615 N. 8TH STREET
 MEDFORD, WISCONSIN 54451

REI Engineering, INC.

FIGURE 5D : GROUNDWATER FLOW & AREA OF GROUNDWATER CONTAMINATION > NR 140 ES (4/3/12)

PROJECT NO. 5480axuc	DRAWN BY: ARH	DATE: 07/24/2012
-------------------------	------------------	---------------------

TABLE 1a
SOIL ANALYTICAL RESULTS
WEATHER SHIELD MFG. INC.
615 NORTH 8TH STREET
MEDFORD, WI

	Date->	3/2/10		3/2/10		3/2/10		3/2/10		7/27/10		7/27/10		7/27/10		7/27/10		7/27/10		7/27/10		7/27/10		7/27/10		9/7/10		9/7/10		9/7/10	
		Sample->	P-1	P-2	P-2	P-3	P-3	GP-1	GP-1	GP-2	GP-2	GP-3	GP-3	GP-4	GP-4	GP-5	GP-5	GP-6	GP-6	MW6	MW6	MW6	MW6	MW6	MW6	MW6	MW6	MW6	MW6	MW6	
		Sample Depth-(Feet)->	13	2	13	2	19	2-4	10-12	4-6	14-16	22-24	6-8	14-16	4-6	12-14	14-16	8-10	14-16	4-6	10-12	2-4	6-8	14-16	2-4	6-8	14-16	2-4	6-8	14-16	
PID-(Instrument Units)	<1	3	1850	5	250	0.0	0.1	2.6	4.2	8.0	3.2	10.4	0.1	51	208	5.9	0.1	3.3	4.1	357	1817	502	REI	REI	REI	REI	REI	REI	REI		
Sample(s)	Terracon	Terracon	Terracon	Terracon	Terracon	REI	REI	REI	REI	REI	REI	REI	REI	REI	REI	REI	REI	REI	REI	REI	REI	REI	REI	REI	REI	REI	REI	REI	REI		
Detected PVOC's (ug/kg)	RCL	Table 1	Table 2																												
Benzene	5.5	8,500	1,100	NA	NA	NA	NA	NA	NA	<17	<18	<16	<17	<17	<16	<16	<16	<16	<16	<16	<16	<16	<16	<16	<16	<16	<16	<16	<16	<16	
Ethylbenzene	2,900	4,600	NS	NA	NA	NA	NA	NA	NA	<19	<20	<18	<19	<19	<18	<18	<18	<18	<18	<18	<18	<18	<18	<18	<18	<18	<18	<18	<18	<18	
Toluene	1,500	38,000	NS	NA	NA	NA	NA	NA	NA	<18	<19	<17	<18	<18	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	
Xylenes (Total)	4,100	42,000	NS	NA	NA	NA	NA	NA	NA	<39	<41	<37	<39	<39	<37	<37	<37	<37	<37	<37	<37	<37	<37	<37	<37	<37	<37	<37	<37	<37	
Methyl tert Butyl Ether	NS	NS	NS	NA	NA	NA	NA	NA	NA	<12	<12	<11	<12	<12	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	
1,2,4-Trimethylbenzene	NS	83,000	NS	NA	NA	NA	NA	NA	NA	<14	<14	<13	<14	<14	<13	<13	<13	<13	<13	<13	<13	<13	<13	<13	<13	<13	<13	<13	<13	<13	
1,3,5-Trimethylbenzene	NS	11,000	NS	NA	NA	NA	NA	NA	NA	<19	<20	<18	<19	<19	<18	<18	<18	<18	<18	<18	<18	<18	<18	<18	<18	<18	<18	<18	<18	<18	
PAH's (ug/kg)	GW Path	Industrial Dir. Cont.																													
1-Methyl Naphthalene	23,000	70,000,000	<2.9	NA	NA	NA	NA	NA	NA	<3.9	<4.2	<4.1	<4.3	<4.3	<4.1	<4.2	<4	11.5	58.7	<4.2	<4.2	<3.9	<4.1	<4.1	NA	NA	NA	NA	NA		
2-Methyl Naphthalene	20,000	40,000,000	<2.9	NA	NA	NA	NA	NA	NA	<4.3	<4.6	<4.6	<4.8	<4.7	<4.5	<4.7	<4.5	20.4	193	<4.7	<4.6	<4.3	<4.6	<4.6	NA	NA	NA	NA	NA		
Acenaphthene	38,000	60,000,000	<2.7	NA	NA	NA	NA	NA	NA	<4.9	<5.3	<5.3	<5.5	<5.4	<5.2	<5.4	<5.1	<5.1	<5.5	<5.3	<5.3	<5	<5.2	<5.2	NA	NA	NA	NA	NA		
Acenaphthylene	700	360,000	<3.0	NA	NA	NA	NA	NA	NA	<6.9	<7.5	<7.4	<7.7	<7.6	<7.3	<7.6	<7.2	<7.2	<7.7	<7.7	<7.5	<7.4	<7	<7.3	NA	NA	NA	NA	NA		
Anthracene	3,000,000	300,000,000	<4.4	NA	NA	NA	NA	NA	NA	<3.4	<3.6	<3.6	<3.7	<3.7	<3.5	<3.7	<3.5	<3.5	<3.7	<3.6	<3.6	<3.6	<3.6	<3.6	<3.6	NA	NA	NA	NA	NA	
Benzo (a) Anthracene	17,000	3,900	3.1	NA	NA	NA	NA	NA	NA	<4.3	<4.6	<4.6	<4.8	<4.7	<4.5	<4.7	<4.5	<4.5	<4.8	<4.7	<4.6	<4.6	<4.6	<4.6	<4.6	NA	NA	NA	NA	NA	
Benzo (a) Pyrene	48,000	390	<3.1	NA	NA	NA	NA	NA	NA	<2.4	<2.6	<2.6	<2.7	<2.7	<2.5	<2.7	<2.5	<2.5	<2.7	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	NA	NA	NA	NA	NA	
Benzo (b) Fluoranthene	340,000	3,900	<3.3	NA	NA	NA	NA	NA	NA	<2.2	<2.4	<2.3	<2.4	<2.4	<2.3	<2.4	<2.3	<2.3	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4	NA	NA	NA	NA	NA	
Benzo (ghi) Perylene	6,800,000	39,000	<3.5	NA	NA	NA	NA	NA	NA	<4.2	<4.5	<4.5	<4.7	<4.6	<4.4	<4.6	<4.4	<4.4	<4.7	<4.5	<4.5	<4.5	<4.5	<4.5	<4.5	NA	NA	NA	NA	NA	
Benzo (k) Fluoranthene	870,000	39,000	<3.5	NA	NA	NA	NA	NA	NA	<3	<3.3	<3.2	<3.4	<3.3	<3.2	<3.4	<3.2	<3.2	<3.4	<3.3	<3.3	<3.1	<3.2	<3.1	<3.2	NA	NA	NA	NA	NA	
Chrysene	37,000	390,000	4.9	NA	NA	NA	NA	NA	NA	<2.4	<2.6	<2.6	<2.7	<2.7	<2.5	<2.7	<2.5	<2.5	<2.7	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	NA	NA	NA	NA	NA	
Dibenz (a,h) Anthracene	38,000	390	<5.1	NA	NA	NA	NA	NA	NA	<2.8	<3.1	<3	<3.1	<3.1	<3	<3.1	<2.9	<2.9	<3.1	<3.1	<3	<3	<2.9	<3	<3	NA	NA	NA	NA	NA	
Fluoranthene	500,000	40,000,000	<9.4	NA	NA	NA	NA	NA	NA	<2.7	<2.9	<2.9	<3	<3	<2.9	<3	<2.8	<2.8	<3	<3	<3	<2.9	<2.7	<2.9	<2.9	NA	NA	NA	NA	NA	
Fluorene	100,000	40,000,000	<4.7	NA	NA	NA	NA	NA	NA	<3.5	<3.7	<3.7	<3.8	<3.8	<3.7	<3.8	<3.6	<3.6	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	NA	NA	NA	NA	NA	
Indeno (1,2,3-cd) Pyrene	680,000	3,900	<2.7	NA	NA	NA	NA	NA	NA	<2.3	<2.5	<2.5	<2.6	<2.5	<2.4	<2.5	<2.4	<2.4	<2.6	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	NA	NA	NA	NA	NA	
Naphthalene	400	110,000	8.2	NA	NA	NA	NA	NA	NA	<4.8	<5.2	<5.1	<5.4	<5.3	<5.1	<5.3	<5	<5	<5.3	<5.2	<5.2	<5.2	<5.2	<5.2	<5.2	NA	NA	NA	NA	NA	
Phenanthrene	1,800	390,000	<4.1	NA	NA	NA	NA	NA	NA	<4.3	<4.6	<4.6	<4.8	<4.7	<4.5	<4.7	<4.5	<4.5	<4.8	<4.7	<4.6	<4.6	<4.6	<4.6	<4.6	NA	NA	NA	NA	NA	
Pyrene	8,700,000	30,000,000	6.7	NA	NA	NA	NA	NA	NA	<3	<3.2	<3.2	<3.3	<3.3	<3.1	<3.3	<3.1	<3.1	<3.3	<3.2	<3.2	<3	<3	<3	<3	NA	NA	NA	NA	NA	
GRO (mg/kg)	100	NS	NA	NA	2,570	NA	172	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
DRO (mg/kg)	100	NS	<1.0	NA	145	NA	16.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Lead (mg/kg)	50	NS	NA	15.1	8.2	9.1	4.7	4.14	4.75	5.67	5.25	3.73	6.25	4.00	9.24	8.11	5.34	5.35	4.06	5.72	4.21	NA	NA	NA	NA	NA	NA	NA	NA	NA	

Notes:

RCL - NR 720 Soil Residual Contaminant Level (RCL for PAHs = "Suggested" Groundwater Pathway Standard & Industrial Direct Contact Standard)

Table 1 - COMM 46 Table 1 Value - Indicates Petroleum Product in Soil Pores

Table 2 - Direct Contact Standard

< - Concentration below listed laboratory detection limit

RCL exceedances are bold

Table 1 Exceedances are outlined in bold

PVOCs - Petroleum Volatile Organic Compounds

PAHs - Polynuclear Aromatic Compounds

Bold
Bold

TABLE 1b
EXCAVATION CONFIRMATION SOIL ANALYTICAL RESULTS
WEATHER SHIELD MFG. INC.
615 NORTH 8TH STREET
MEDFORD, WI

				Date-->	4/25/11	4/25/11	4/25/11	4/25/11	4/25/11
				Sample-->	SS-1	SS-2	SS-3	SS-4	SS-5
				Sample Depth--(Feet)-->	7	7	7	7	14
				Sampler-->	REI	REI	REI	REI	REI
Detected PVOC's (ug/kg)	RCL	Table 1	Table 2						
Benzene	5.5	8,500	1,100	<125	<125	<25.0	<101	<100	
Ethylbenzene	2,900	4,600	NS	2,020	1,420	<25.0	761	1,300	
Toluene	1,500	38,000	NS	2,730	1,720	<25.0	781	1,060	
Xylenes (Total)	4,100	42,000	NS	9,910	6,580	<75.0	3,960	6,650	
Methyl tert Butyl Ether	NS	NS	NS	<125	<125	<25.0	<101	<100	
1,2,4-Trimethylbenzene	NS	83,000	NS	5,110	3,170	<25.0	2,770	6,120	
1,3,5-Trimethylbenzene	NS	11,000	NS	2,440	2,110	<25.0	1,390	2,710	
Naphthalene	400	NS	NS	1,100	924	<25.0	514	1,640	

Notes:

RCL - NR 720 Soil Residual Contaminant Level

Table 1 - COMM 46 Table 1 Value - Indicates Petroleum Product in Soil Pores

Table 2 - Direct Contact Standard

< - Concentration below listed laboratory detection limit

RCL exceedances are bold

Table 1 Exceedances are outlined in bold

PVOCs - Petroleum Volatile Organic Compounds

TABLE 2a
MW1 GROUNDWATER ANALYTICAL RESULTS
WEATHER SHIELD MFG. INC.
615 NORTH 8TH STREET
MEDFORD, WI

MW1

PARAMETER	ES	PAL	9/10/10	11/4/10	7/6/2011	10/11/2011	1/26/2012	4/3/2012
Detected VOC's (ug/L)								
Benzene	5	0.5	<0.20	<0.20	<0.39	<0.39	<0.39	<0.39
Ethylbenzene	700	140	<0.20	<0.20	<0.41	<0.41	<0.41	<0.41
Toluene	800	160	<0.40	0.45	<0.42	<0.42	<0.42	<0.42
Xylenes (Total)	2,000	400	<0.60	<0.60	<1.25	<1.25	<1.25	<1.25
Trimethylbenzenes (Total)	480	96	<0.40	<0.40	<0.83	<0.83	<0.83	<0.83
Methyl Tert Butyl Ether	60	12	<0.50	<0.50	<0.38	<0.38	<0.38	<0.38
Naphthalene	100	10	<1.00	<1.00	NA	NA	NA	NA
1,2 Dichloroethane	5	0.5	<0.30	<0.30	NA	NA	NA	NA
4-Isopropyltoluene			<0.40	31.4	NA	NA	NA	NA
Detected PAH's (ug/L)								
1-Methyl Naphthalene			<0.082	NA	NA	NA	NA	NA
2-Methyl Naphthalene			<0.113	NA	NA	NA	NA	NA
Acenaphthene			<0.124	NA	NA	NA	NA	NA
Acenaphthylene			<0.124	NA	NA	NA	NA	NA
Anthracene	3000	600	<0.093	NA	NA	NA	NA	NA
Benzo (a) Anthracene			<0.103	NA	NA	NA	NA	NA
Benzo (a) Pyrene	0.2	0.02	<0.021	NA	NA	NA	NA	NA
Benzo (b) Fluoranthene	0.2	0.02	0.050	NA	NA	NA	NA	NA
Benzo (g,h,i) Perylene			<0.062	NA	NA	NA	NA	NA
Benzo (k) Fluoranthene			<0.072	NA	NA	NA	NA	NA
Chrysene	0.2	0.02	<0.031	NA	NA	NA	NA	NA
Dibenzo (a,h) Anthracene			<0.113	NA	NA	NA	NA	NA
Fluoranthene	400	80	<0.124	NA	NA	NA	NA	NA
Fluorene	400	80	<0.124	NA	NA	NA	NA	NA
Ideno (1,2,3-cd) Pyrene			<0.124	NA	NA	NA	NA	NA
Naphthalene	100	10	<0.113	NA	NA	NA	NA	NA
Phenanthrene			<0.113	NA	NA	NA	NA	NA
Pyrene	250	50	<0.103	NA	NA	NA	NA	NA
Dissolved Lead (ug/L)	15	1.5	<0.60	NA	NA	NA	NA	NA

PAL = Preventative Action Limit

ES = Enforcement Standards

BOLD	= Exceeds Enforcement Standard
<i>Italic</i>	= Exceeds Preventative Action Limit

TABLE 2b
MW2 GROUNDWATER ANALYTICAL RESULTS
WEATHER SHIELD MFG. INC.
615 NORTH 8TH STREET
MEDFORD, WI

PARAMETER	MW2				
	ES	PAL	9/10/10	11/4/10	7/6/2011
Detected VOC's (ug/L)					
Benzene	5	0.5	<0.20	<0.20	<0.39
Ethylbenzene	700	140	<0.20	<0.20	<0.41
Toluene	800	160	1.07	0.60	<0.42
Xylenes (Total)	2,000	400	0.47	<0.60	<1.25
Trimethylbenzenes (Total)	480	96	<0.40	<0.40	<0.83
Methyl Tert Butyl Ether	60	12	<0.50	<0.50	<0.38
Naphthalene	100	10	<1.00	<1.00	NA
1,2 Dichloroethane	5	0.5	<0.30	<0.30	NA
4-Isopropyltoluene			0.63	16.6	NA
Detected PAH's (ug/L)					
1-Methyl Naphthalene			<0.139	NA	NA
2-Methyl Naphthalene			<0.191	NA	NA
Acenaphthene			<0.09	NA	NA
Acenaphthylene			<0.209	NA	NA
Anthracene	3000	600	<0.157	NA	NA
Benzo (a) Anthracene			<0.174	NA	NA
Benzo (a) Pyrene	0.2	0.02	<0.035	NA	NA
Benzo (b) Fluoranthene	0.2	0.02	<0.070	NA	NA
Benzo (g,h,i) Perylene			<0.104	NA	NA
Benzo (k) Fluoranthene			<0.122	NA	NA
Chrysene	0.2	0.02	<0.052	NA	NA
Dibenzo (a,h) Anthracene			<0.191	NA	NA
Fluoranthene	400	80	<0.209	NA	NA
Fluorene	400	80	<0.209	NA	NA
Ideno (1,2,3-cd) Pyrene			<0.209	NA	NA
Napthalene	100	10	<0.191	NA	NA
Phenanthrene			<0.191	NA	NA
Pyrene	250	50	<0.174	NA	NA
Dissolved Lead (ug/L)	15	1.5	<0.60	NA	NA

Abandoned During DOT Construction Activities

PAL = Preventative Action Limit

ES = Enforcement Standards

BOLD	= Exceeds Enforcement Standard
<i>Italic</i>	= Exceeds Preventative Action Limit

TABLE 2c
MW3 GROUNDWATER ANALYTICAL RESULTS
WEATHER SHIELD MFG. INC.
615 NORTH 8TH STREET
MEDFORD, WI

MW3

PARAMETER	ES	PAL	9/10/10	11/4/10	7/6/2011	10/11/2011	1/26/2012	4/3/2012
Detected VOC's (ug/L)								
Benzene	5	0.5	<0.20	<0.20	<0.39	<0.39	<0.39	<0.39
Ethylbenzene	700	140	<0.20	<0.20	<0.41	<0.41	<0.41	<0.41
Toluene	800	160	1.86	0.48	<0.42	<0.42	<0.42	<0.42
Xylenes (Total)	2,000	400	<0.60	<0.60	<1.25	<1.25	<1.25	<1.25
Trimethylbenzenes (Total)	480	96	<0.40	<0.40	<0.83	<0.83	<0.83	<0.83
Methyl Tert Butyl Ether	60	12	<0.50	<0.50	<0.38	<0.38	<0.38	<0.38
Naphthalene	100	10	<1.00	<1.00	NA	NA	NA	NA
1,2 Dichloroethane	5	0.5	<0.30	<0.30	NA	NA	NA	NA
4-Isopropyltoluene			1.69	27.1	NA	NA	NA	NA
Detected PAH's (ug/L)								
1-Methyl Naphthalene			<0.080	NA	NA	NA	NA	NA
2-Methyl Naphthalene			<0.110	NA	NA	NA	NA	NA
Acenaphthene			<0.120	NA	NA	NA	NA	NA
Acenaphthylene			<0.120	NA	NA	NA	NA	NA
Anthracene	3000	600	<0.090	NA	NA	NA	NA	NA
Benzo (a) Anthracene			<0.100	NA	NA	NA	NA	NA
Benzo (a) Pyrene	0.2	0.02	<0.020	NA	NA	NA	NA	NA
Benzo (b) Fluoranthene	0.2	0.02	<0.040	NA	NA	NA	NA	NA
Benzo (g,h,i) Perylene			<0.060	NA	NA	NA	NA	NA
Benzo (k) Fluoranthene			<0.070	NA	NA	NA	NA	NA
Chrysene	0.2	0.02	<0.030	NA	NA	NA	NA	NA
Dibenzo (a,h) Anthracene			<0.110	NA	NA	NA	NA	NA
Fluoranthene	400	80	<0.120	NA	NA	NA	NA	NA
Fluorene	400	80	<0.120	NA	NA	NA	NA	NA
Ideno (1,2,3-cd) Pyrene			<0.120	NA	NA	NA	NA	NA
Napthalene	100	10	<0.110	NA	NA	NA	NA	NA
Phenanthrene			<0.110	NA	NA	NA	NA	NA
Pyrene	250	50	<0.100	NA	NA	NA	NA	NA
Dissolved Lead (ug/L)	15	1.5	<0.60	NA	NA	NA	NA	NA

PAL = Preventative Action Limit

ES = Enforcement Standards

BOLD	= Exceeds Enforcement Standard
<i>Italic</i>	= Exceeds Preventative Action Limit

TABLE 2d
MW4 GROUNDWATER ANALYTICAL RESULTS
WEATHER SHIELD MFG. INC.
615 NORTH 8TH STREET
MEDFORD, WI

MW4

PARAMETER	ES	PAL	9/10/10	11/4/10	7/6/2011	10/11/2011	1/26/2012	4/3/2012
Detected VOC's (ug/L)								
Benzene	5	0.5	<0.20	<0.20	<0.41	<0.41	<0.41	<0.41
Ethylbenzene	700	140	<0.20	<0.20	<0.54	<0.54	<0.54	<0.54
Toluene	800	160	0.53	<0.40	<0.67	<0.67	<0.67	<0.67
Xylenes (Total)	2,000	400	<0.60	<0.60	<2.63	<2.63	<2.63	<2.63
Trimethylbenzenes (Total)	480	96	<0.40	<0.40	<1.80	<1.80	<1.80	<1.80
Methyl Tert Butyl Ether	60	12	<0.50	<0.50	<0.61	<0.61	<0.61	<0.61
Naphthalene	100	10	<1.00	<1.00	<0.89	<0.89	<0.89	<0.89
1,2 Dichloroethane	5	0.5	<0.30	<0.30	<0.36	<0.36	<0.36	<0.36
Tetrachloroethylene	5	0.5	<i>1.43</i>	<i>0.88</i>	<i>0.94</i>	<i>1.1</i>	<i>1.2</i>	<i>0.62^j</i>
4-Isopropyltoluene			<0.40	1.59	NA	NA	NA	NA
Chloromethane	3	0.3	<0.24	<0.24	<0.24	0.27	<0.24	<0.24
Detected PAH's (ug/L)								
1-Methyl Naphthalene			<0.082	NA	NA	NA	NA	NA
2-Methyl Naphthalene			<0.113	NA	NA	NA	NA	NA
Acenaphthene			<0.124	NA	NA	NA	NA	NA
Acenaphthylene			<0.124	NA	NA	NA	NA	NA
Anthracene	3000	600	<0.093	NA	NA	NA	NA	NA
Benzo (a) Anthracene			<0.103	NA	NA	NA	NA	NA
Benzo (a) Pyrene	0.2	0.02	<0.021	NA	NA	NA	NA	NA
Benzo (b) Fluoranthene	0.2	0.02	<0.041	NA	NA	NA	NA	NA
Benzo (g,h,i) Perylene			<0.062	NA	NA	NA	NA	NA
Benzo (k) Fluoranthene			<0.072	NA	NA	NA	NA	NA
Chrysene	0.2	0.02	<0.031	NA	NA	NA	NA	NA
Dibenzo (a,h) Anthracene			<0.113	NA	NA	NA	NA	NA
Fluoranthene	400	80	<0.124	NA	NA	NA	NA	NA
Fluorene	400	80	<0.124	NA	NA	NA	NA	NA
Ideno (1,2,3-cd) Pyrene			<0.124	NA	NA	NA	NA	NA
Napthalene	100	10	<0.113	NA	NA	NA	NA	NA
Phenanthrene			<0.113	NA	NA	NA	NA	NA
Pyrene	250	50	<0.103	NA	NA	NA	NA	NA
Dissolved Lead (ug/L)	15	1.5	<0.60	NA	NA	NA	NA	NA

PAL = Preventative Action Limit

ES = Enforcement Standards

BOLD	= Exceeds Enforcement Standard
<i>Italic</i>	= Exceeds Preventative Action Limit

^j = Estimated concentration between reporting limit and detection limit

TABLE 2e
MW5 GROUNDWATER ANALYTICAL RESULTS
WEATHER SHIELD MFG. INC.
615 NORTH 8TH STREET
MEDFORD, WI
MW5

PARAMETER	ES	PAL	9/10/10	11/4/10	7/6/2011	10/11/2011	1/26/2012	4/3/2012
Detected VOC's (ug/L)								
Benzene	5	0.5	<2.00	<2.00	<0.41	<0.41	<0.41	<0.41
Ethylbenzene	700	140	129	4.90	<0.54	<0.54	<0.54	<0.54
Toluene	800	160	7.62	<4.00	<0.67	<0.67	<0.67	<0.67
Xylenes (Total)	2,000	400	15.1	14.1	<2.63	<2.63	<2.63	<2.63
Trimethylbenzenes (Total)	480	96	<i>104.1</i>	21.61	<1.80	<1.80	<1.80	<1.80
Methyl Tert Butyl Ether	60	12	<5.00	<5.00	<0.61	<0.61	<0.61	<0.61
Naphthalene	100	10	<i>37.9</i>	<10.0	<0.89	<0.89	<0.89	<0.89
1,2 Dichloroethane	5	0.5	<3.00	<3.00	<0.36	<0.36	<0.36	<0.36
4-Isopropyltoluene			10.0	5.91	NA	NA	NA	NA
Chloromethane	3	0.3	6.26	<4.00	<0.24	<i>0.34</i>	<0.24	<0.24
Isopropylbenzene			15.2	2.7	<0.59	<0.59	<0.59	<0.59
Detected PAH's (ug/L)								
1-Methyl Naphthalene			12.2	2.2	NA	NA	NA	NA
2-Methyl Naphthalene			4.71	2.08	NA	NA	NA	NA
Acenaphthene			<0.600	<0.120	NA	NA	NA	NA
Acenaphthylene			<0.600	<0.120	NA	NA	NA	NA
Anthracene	3000	600	<0.450	<0.090	NA	NA	NA	NA
Benzo (a) Anthracene			<0.500	<0.100	NA	NA	NA	NA
Benzo (a) Pyrene	0.2	0.02	<0.100	<0.020	NA	NA	NA	NA
Benzo (b) Fluoranthene	0.2	0.02	0.338	<i>0.113</i>	NA	NA	NA	NA
Benzo (g,h,i) Perylene			<0.300	0.178	NA	NA	NA	NA
Benzo (k) Fluoranthene			<0.350	<0.070	NA	NA	NA	NA
Chrysene	0.2	0.02	0.523	<0.030	NA	NA	NA	NA
Dibenzo (a,h) Anthracene			<0.550	<0.110	NA	NA	NA	NA
Fluoranthene	400	80	<0.600	<0.120	NA	NA	NA	NA
Fluorene	400	80	<0.600	<0.120	NA	NA	NA	NA
Ideno (1,2,3-cd) Pyrene			<0.600	<0.120	NA	NA	NA	NA
Napthalene	100	10	0.647	1.50	NA	NA	NA	NA
Phenanthrene			<0.550	<0.110	NA	NA	NA	NA
Pyrene	250	50	<0.500	<0.100	NA	NA	NA	NA
Dissolved Lead (ug/L)	15	1.5	<i>2.17</i>	1.12	NA	NA	NA	NA

PAL = Preventative Action Limit

ES = Enforcement Standards

BOLD	= Exceeds Enforcement Standard
<i>Italic</i>	= Exceeds Preventative Action Limit

TABLE 2f
MW6 GROUNDWATER ANALYTICAL RESULTS
WEATHER SHIELD MFG. INC.
615 NORTH 8TH STREET
MEDFORD, WI

PARAMETER	MW6				MW6R				
	ES	PAL	9/10/10	11/4/10	4/25/11	7/6/2011	10/11/2011	1/26/2012	4/3/2012
Detected VOC's (ug/L)									
Benzene	5	0.5	5,970	7,350	Excavation of Source Area - MW6 Abandoned	6,410	3,380	4,440	1,460
Ethylbenzene	700	140	862	697		<i>474</i>	<i>669</i>	<i>603</i>	<i>557</i>
Toluene	800	160	2,320	1,710		<i>673</i>	3,080	<i>593</i>	1,170
Xylenes (Total)	2,000	400	2,900	2,950		<i>1,087</i>	3,100	<i>1,468</i>	2,245
Trimethylbenzenes (Total)	480	96	613	774		<i>311.4</i>	<i>441</i>	<i>419.5</i>	613
Methyl Tert Butyl Ether	60	12	<50.0	<50.0		<15.2	<15.2	<15.2	<24.4
Naphthalene	100	10	233	241		104	177	181	163^j
1,2 Dichloroethane	5	0.5	254	<30.0		565	200	403	<14.4
1,2 Dibromoethane	0.05	0.005	1,570	1,790		1,500	724	557	122
1,2 Dichloropropane	5	0.5	94.1	114		108	57.7	84.0	<19.6
Isopropylbenzene			43.1	52.1		23.1	35.1	35.4	34.8 ^j
n-Propylbenzene			<20.2	<20.2		37.3	46.1	38.4	54.5
Detected PAH's (ug/L)									
1-Methyl Naphthalene			<0.103	25.5		NA	NA	NA	NA
2-Methyl Naphthalene			50.2	71.2		NA	NA	NA	NA
Acenaphthene			<0.154	<0.120		NA	NA	NA	NA
Acenaphthylene			<0.154	<0.120		NA	NA	NA	NA
Anthracene	3000	600	<0.115	<0.090		NA	NA	NA	NA
Benzo (a) Anthracene			<0.128	<0.100		NA	NA	NA	NA
Benzo (a) Pyrene	0.2	0.02	<0.026	<0.047		NA	NA	NA	NA
Benzo (b) Fluoranthene	0.2	0.02	<0.051	<0.040	NA	NA	NA	NA	
Benzo (g,h,i) Perylene			<0.077	<0.060	NA	NA	NA	NA	
Benzo (k) Fluoranthene			<0.090	<0.070	NA	NA	NA	NA	
Chrysene	0.2	0.02	<0.038	<0.030	NA	NA	NA	NA	
Dibenzo (a,h) Anthracene			<0.141	<0.110	NA	NA	NA	NA	
Fluoranthene	400	80	<0.154	<0.120	NA	NA	NA	NA	
Fluorene	400	80	<0.154	<0.120	NA	NA	NA	NA	
Ideno (1,2,3-cd) Pyrene			<0.154	<0.120	NA	NA	NA	NA	
Naphthalene	100	10	165	208	NA	NA	NA	NA	
Phenanthrene			<0.141	<0.110	NA	NA	NA	NA	
Pyrene	250	50	<0.128	<0.100	NA	NA	NA	NA	
Dissolved Lead (ug/L)	15	1.5	2.78	7.62	NA	NA	NA	NA	

PAL = Preventative Action Limit

ES = Enforcement Standards

BOLD	= Exceeds Enforcement Standard
<i>Italic</i>	= Exceeds Preventative Action Limit

^j = Estimated concentration between reporting limit and detection limit

**TABLE 3
GROUNDWATER LEVEL DATA
WEATHER SHIELD MFG. INC.
615 NORTH 8TH STREET
MEDFORD, WI**

	MW1	MW2	MW3	MW4	MW5	MW6	MW6R
Ground Surface Elevation	1471.94	1472.00	1470.30	1470.10	1471.39	1471.89	1472.22
Top of Casing Elevation	1471.53	1471.53	1469.67	1469.47	1470.88	1471.43	1471.66
Top of Screen Elevation	1462.58	1462.59	1461.04	1460.85	1462.33	1462.39	1462.66
Bottom of Screen Elevation	1452.58	1452.59	1451.04	1450.85	1452.33	1452.39	1452.66

Depth to Water (feet)

9/10/10	16.81	17.30	16.96	16.97	11.80	17.18	NI
11/4/10	16.22	16.38	15.40	15.37	13.34	16.46	NI
7/6/11	14.31	14.47	13.60	13.69	10.94	Abandoned	14.78
10/11/11	12.95	Abandoned	12.57	12.74	10.56	Abandoned	13.58
1/26/12	14.91	Abandoned	14.21	14.32	12.36	Abandoned	14.57
4/3/12	14.63	Abandoned	14.15	14.54	11.25	Abandoned	15.22

Groundwater Elevation

9/10/10	1454.72	1454.23	1452.71	1452.50	1459.08	1454.25	NI
11/4/10	1455.31	1455.15	1454.27	1454.10	1457.54	1454.97	NI
7/6/11	1457.22	1457.06	1456.07	1455.78	1459.94	Abandoned	1456.88
10/11/11	1458.58	Abandoned	1457.10	1456.73	1460.32	Abandoned	1458.08
1/26/12	1456.62	Abandoned	1455.46	1455.15	1458.52	Abandoned	1457.09
4/3/12	1456.90	Abandoned	1455.52	1454.93	1459.63	Abandoned	1456.44

NM = Not Measured

NI = Not Installed