

GIS REGISTRY INFORMATION

SITE NAME:

Taylor Electric Cooperative

BRRTS #:

03-61-000297

FID.# (if appropriate):

COMMERCE # (if appropriate):

54451-9220-31

CLOSURE DATE:

08/19/2004

STREET ADDRESS:

N 1831 STH 13

CITY:

Medford

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):

X= 494810 Y= 514060

CONTAMINATED MEDIA:

Groundwater

Soil

Both

OFF-SOURCE GW CONTAMINATION >ES:

Yes

No

IF YES, STREET ADDRESS 1:

GPS COORDINATES (meters in WTM91 projection):

X= _____ Y= _____

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):

Yes

No

IF YES, STREET ADDRESS 1:

GPS COORDINATES (meters in WTM91 projection):

X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY:

Yes

No

DOCUMENTS NEEDED:

Closure Letter, and any conditional closure letter issued

Copy of most recent deed, including legal description, for all affected properties

Certified survey map or relevant portion of the recorded plat map *if referenced in the legal description*) for all affected properties
County Parcel ID number, *if used for county*, for all affected properties on deed restriction

Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.

Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.

Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)

Tables of Latest Soil Analytical Results (no shading or cross-hatching)

N/A

Isoconcentration map(s), *if required for site investigation (SI)* (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.

N/A

GW: Table of water level elevations, with sampling dates, and free product noted if present

GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)

SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour

N/A

Geologic cross-sections, *if required for SI*. (8.5x14" if paper copy)

RP certified statement that legal descriptions are complete and accurate

Copies of off-source notification letters (if applicable)

N/A

Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)

N/A

Copy of (soil or land use) deed restriction(s) or deed notice *if any required as a condition of closure*





State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
John Gozdzialski, Regional Director

Northern Region Headquarters
107 Sutliff Ave.
Rhinelander, Wisconsin 54501-3349
Telephone 715-365-8900
FAX 715-365-8932
TTY Access via relay - 711

August 23, 2004

Taylor Electric Cooperative
Attn: Mike Schaefer
N 1831 Hwy 13
Medford, WI 54451-9220

SUBJECT: Final Case Closure By Closure Committee
Taylor Electric Cooperative, N 1831 Hwy 13, Medford, WI
WDNR BRRTS #: 03-61-000297
PECFA#: 54451-9220-31

Dear Mr. Schaefer:

On May 9, 2002, your site as described above was reviewed for closure by the Northern Closure Committee. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On June 5, 2002, you were notified that the Closure Committee had granted conditional closure to this case.

On August 19, 2004, the Department received correspondence indicating that you have complied with the conditions of closure, specifically, documentation of the recording of a deed restriction for the site. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm> If your property is listed on the GIS Registry due to groundwater contamination exceeding ch. NR 140 standards at the time of closure, and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4)(w). To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at the web address listed above.

If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-365-8990.

Sincerely,
NORTHERN REGION




Janet Kazda
Remediation & Redevelopment Program

cc: File

Gary Swiatko
Ayres Associates
PO Box 1590
Eau Claire, WI 54702-1590

Stuart Mondschein
Wheeler, Van Sickle & Anderson, SC
25 W Main St, Suite 801
Madison, WI 53703-3398



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott McCallum, Governor
Darrell Bazzell, Secretary
William H. Smith, Regional Director

Northern Region Headquarters
107 Sutliff Ave.
Rhinelander, Wisconsin 54501-0818
Telephone 715-365-8900
FAX 715-365-8932
TDD 715-365-8957

June 5, 2002

Mr. Mike Schaefer
Taylor Electric Cooperative
N 1831 Hwy 13
Medford, WI 54451-9220

Subject: Conditional Case Closure
Taylor Electric Cooperative, N 1831 Hwy 13, Medford, Wisconsin
WDNR BRRTS # 03-61-000297
PECFA # 54451-9220-31

Dear Mr. Schaefer:

On May 9, 2002, your request for closure of the case described above was reviewed by the Northern Region Closure Committee. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the petroleum contamination on the site appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm.. Documentation of well abandonment must be submitted to me on Form 3300-5B found at www.dnr.state.wi.us/org/water/dgw/gw/ or provided by the Department of Natural Resources

To close this site, the Department requires that a deed restriction be signed and recorded to address the issue of the remaining soil contamination associated with the site. The purpose of the restriction is to require that the owner of the property investigate the degree and extent of residual contamination that is currently inaccessible, if structural impediments that currently exist on the property are removed.

You will need to submit a draft deed restriction to me before the document is signed and recorded. You may find a model deed restriction enclosed for your use or visit our web site at www.dnr.state.wi.us/org/rr/. To assist us in our review of the deed restriction, you should submit a copy of the property deed to me along with the draft document. After the Department of Natural Resources has reviewed the draft document for completeness, you should sign it if you own the property, or have the appropriate property owner sign it, and have it recorded by the Taylor County Register of Deeds. Then you must submit a copy of the recorded document, with the recording information stamped on it, to me. Please be aware that if a deed restriction is recorded for the wrong property because of an inaccurate legal description that you have provided, you will be responsible for recording corrected documents at the Register of Deeds



*Quality Natural Resources Management
Through Excellent Customer Service*



Office to correct the problem.

When the above conditions have been satisfied, please submit a letter to let me know that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>.

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-365-8990.

Sincerely,
NORTHERN REGION



Janet Kazda
Remediation and Redevelopment Program

Enclosure

cc: File
Chris Saari, Ashland

Gary Swiatko
Ayres Associates
PO Box 1590
Eau Claire, WI 54702-1590

Vol 131 Page 117

THIS INSTRUMENT DRAFTED BY CHARLES G. GILES OF CURRAN LAW OFFICE, MEDFORD, WISCONSIN.

NUMBER

This Indenture, Made by JULIANA DUERR,

157214

Grantor, of the Town of Little Black, Taylor County, Wisconsin, hereby conveys and warrants to

TAYLOR COUNTY ELECTRIC COOPERATIVE, a Wisconsin corporation, organized and existing under the laws of the State of Wisconsin,

grantee, of Taylor County, Wisconsin, for

the sum of One Dollar and other good and valuable consideration,

the following tract of land in Taylor County, State of Wisconsin:

That part of the South half of the Northeast quarter (S½ NE¼) of Section Twelve (12), Township Thirty (30) North, of Range One (1) East, lying West of the center line of State Trunk Highway #13, containing 37.5 acres more or less.

Subject to an electric line easement to Taylor County Electric Cooperative, dated October 13, 1937, recorded March 29, 1939, in Volume U of Misc., on page 97, in the office of the Register of Deeds, Taylor County, Wisconsin.

The grantee assumes and agrees to pay all 1961 real estate taxes.

(REVENUE STAMPS \$6.60)

IN WITNESS WHEREOF, the said grantor has hereunto set her hand and seal this 3rd day of

March, A. D., 1961.

Signed and Sealed in Presence of
Charles G. Giles
(Charles G. Giles)
Mildred Zentner
(Mildred Zentner)

Juliana Duerr (SEAL)
(Juliana Duerr) (SEAL)


STATE OF WISCONSIN, }
Taylor County, } ss.

Personally came before me, this 3rd day of March, A. D., 1961.

the above named Juliana Duerr,

to me known to be the person who executed the foregoing instrument and acknowledged the same.

Received for Record this 3 day of
March A. D., 1961 at 3- o'clock P. M.
Harold R. Gowey Register of Deeds.
Deputy.



Charles G. Giles
(Charles G. Giles)
Notary Public, Taylor County, Wis.
My Commission expires August 13 A. D., 1961

REGISTER'S OFFICE } ss.

County of Taylor, Wis.
 Received for record this 31st day of July, 2003 at 10:35 o'clock A.M.,
 and recorded in Vol. 7-5
 of Surveys on page 136

Sarah K. Guernberger
 Marvel A. Lemke, Register of Deeds
Deputy

Of part of the SW 1/4 of the NE 1/4,
 Section 12, T30N, R1E, Town of Little Black,
 Taylor County, Wisconsin.

LEGEND

- Set Berntsen Survey Nail Marker in Bit. Pvmt.
- Set 3/4" x 18" Iron Rebar @ 1.50 Lbs. / Lin. Ft.
- Computed points only.


Note: Points set adjacent to existing buildings are set on a 1 foot offset from the outside walls of the buildings. The described Outlot 1 boundary lines are to the actual boundary corners which may fall inside existing buildings or on the outside wall line, and are computed points only.

Note: This survey shows the limits of a remediation system site, and is NOT for building purposes.


NE Cor. Sec. 12-30-1E,
 Exist. Berntsen Survey
 Nail Marker in Bit. Pvmt.

LANDS

OWNER E 1/4 Cor. Sec. 12-30-1E,
 Exist. 2 1/2" OD Iron Pipe.





I, James W. Denzine, professional land surveyor, hereby certify: That I have surveyed, divided and mapped part of the SW 1/4 of the NE 1/4, Section 12, T30N, R1E, Town of Little Black, Taylor County, Wisconsin, further described as follows: commencing at the E 1/4 corner of said Section 12, thence N 78°41'06" W 1495.50 feet to the point of beginning; thence S 47°40'05" W 80.00 feet; thence N 70°16'49" W 85.57 feet; thence N 42°24'37" W 64.46 feet; thence N 47°41'46" E 82.92 feet; thence S 42°18'14" E 30.00 feet; thence N 47°41'46" E 15.00 feet; thence S 42°18'14" E 71.00 feet; thence S 72°06'40" E 44.93 feet to the point of beginning. Parcel contains 12,167 square feet or 0.28 acres. That I have made this survey, land division and map by the direction of Michael Schaefer, as agent for Taylor Electric Cooperative, owners of said lands. That said map is a correct and accurate representation of the exterior boundaries of the lands surveyed, and the subdivision thereof made. That I have fully complied with the provisions of Section 236.34 of the Wisconsin Statutes and the subdivision regulations of Taylor County in surveying, dividing and mapping the same.



James W. Denzine
 July 25, 2003

Subdivision # MIS # 44-03
 Approved 7-31-03
Laurence H. Peterson
 Taylor County Zoning Office (m.c.)



<p>TAYLOR COUNTY ELECTRICAL CO OF MEDFORD, WISCONSIN</p>	<p>DRN. BY: MLE</p>	<p>LOCATION MAP</p>	<p>FIGURE 1</p>
	<p>CHK. BY: DLJ</p>		
	<p>DATE: DEC 1991</p>		

IJ5cd45-50.tbl
 01/24/02
 D:\WASTE\229501.dgn
 DGN LEVEL

*LEV12
 *LEV09
 *LEV06
 *LEV03


*REF12
 *REF09
 *REF06
 *REF03

*LEV11
 *LEV08
 *LEV05
 *LEV02

*REF11
 *REF08
 *REF05
 *REF02

*LEV10
 *LEV07
 *LEV04
 *LEV01

*REF10
 *REF07
 *REF04
 *REF01



LEGEND:	
PP	POWER POLE
TEL PED	TELEPHONE PEDESTAL
UE	UNDERGROUND ELECTRIC
MW-1	MONITORING WELL


BENCHMARK #1:
 ORANGE PAINT AT SW COR BUILDING
 ELEV.=1456.15



RECORD DRAWING
 AUGUST 1996

K1/WASTE/ TAYLCOEL/229501.DGN

REMEDIATION SYSTEM CONSTRUCTION TAYLOR ELECTRIC CO-OP	DRN. BY: <i>JMS</i> JGS	SITE PLAN	FIGURE 1
	CHK. BY: <i>JMS</i> JMS		
	DATE: JAN 2002		



T 2441

T 2454

T 2455

N-Hel
N-Hel
11.5

17.2

4.9

T 1000

T 1867

N-Hel
5.1

T 2318

REC

N-Hel

3 25.2

H 20.1

N-Hel

N-Hel

21.1

T 10194

N-Hel

8.4

33.4

**TABLE 2
GROUND WATER ANALYTICAL RESULTS
TAYLOR ELECTRIC COOPERATIVE**

WELL ID	SAMPLE DATE	TPH/GRO (µg/L)	TPH/DRO (µg/L)	BENZENE (µg/L)	ETHYL-BENZENE (µg/L)	TOLUENE (µg/L)	TOTAL XYLENES (µg/L)	MTBE (µg/L)	1,2-DICHLOROETHANE (µg/L)	1,3,5-TRIMETHYLBENZENE (µg/L)	1,2,4-TRIMETHYLBENZENE (µg/L)	OTHER VOCs (µg/L)
MW-1	08/14/91	13	ND	2+	ND	3.0	1.0	ND	ND	ND	ND	ND
	09/24/91	ND	ND	1+	ND	ND	ND	ND	ND	ND	ND	ND
	08/19/92	508	1,130.0	175	ND	ND	ND	ND	ND	ND	ND	8.3 Naphthalene
	11/10/93	980	<100	480	ND	1.1	3.8	ND	ND	ND	ND	8.3 Naphthalene
	08/10/95	870	39.0	560	<4.0	<4.0	<10.0	<4.0	<4.0	<4.0	<6.0	9.0 Naphthalene
	04/15/97	NA	<27	<0.20	<0.20	<0.20	<0.60	1.5	<0.20	<0.40	<0.70	<0.20 EDB
	01/15/98	<30	160 ^A	<0.20	<0.30	<0.20	<0.90	<0.20	NA	<0.30	<0.30	NA
	05/06/98	<30	71	<0.20	<0.30	<0.20	<0.90	<0.20	NA	<0.30	<0.30	NA
	07/06/98	<30	180 @	<0.20	<0.30	<0.20	<0.90	0.5	NA	<0.30	<0.30	NA
	10/27/98	<30	<27	<0.20	<0.30	<0.20	<0.90	1.6	NA	<0.30	<0.30	NA
04/29/99	<50	<100	<0.27	<0.32	<0.27	<0.67	1.0	<0.37	<0.27	<0.22	<0.35 Naphthalene	
MW-2	08/14/91	ND	ND	15+	2.0	30.0	4.0	ND	ND	ND	ND	ND
	09/24/91	ND	ND	ND+	ND	ND	ND	ND	ND	ND	ND	ND
	08/27/92	870	54.0	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/10/93	600 @	<100	3.7	ND	1.3	2.9	ND	ND	ND	ND	1.5 Naphthalene
	08/10/95	350	<30	5.4	<0.2	0.7	1.8	<0.2	<0.2	<0.2	2.8	3.3 Naphthalene
	01/15/98	740 @	85 ^A	8.8	1.3	2.2	<1.90	<0.20	NA	<0.30	0.4	NA
	05/06/98	790 @	140	7.3	<0.30	1.5	<0.90	<0.20	NA	<0.30	<0.30	NA
	07/06/98	960 ^A	170 @	15	11.0	19.0	19.1	<0.20	NA	1.1	12.0	NA
	10/27/98	1000	32	17	1.2	2.1	<1.7	29.0	NA	<0.30	1.2	NA
	04/29/99	420	<100	13	<0.32	1.1	1.06	<0.32	<0.37	<0.27	<0.22	1.3 Naphthalene
05/03/01	NA	NA	34	1.1	1.7	<1.1	2.0	NA	<0.40	0.7	NA	
08/16/01	NA	NA	77	23.0	18.0	58.0	6.7	NA	5.3	18.0	NA	
MW-3	08/14/91	66,000	16,000#	4,300+	710	9,500	4,500	ND	57	ND	ND	ND
	09/24/91	67,000	58,000#	20,000	1,200	29,000	26,100	ND	110	ND	ND	ND
	08/19/92	74,300	22,900.0	19,900	1,680	32,600	18,900	ND	311	ND	ND	431 Naphthalene
	11/10/93	98,000	8,600.0	23,000	2,100	38,000	11,800	ND	310	ND	ND	120 Dibromoethane (EDB)
	08/10/95	95,000	4,900.0	22,000	1,800	35,000	11,900	12,000	370	310	1,400	340 Naphthalene
	04/15/97	NA	5,700.0	21,000	800	28,000	8,100	7,000	600	<400	700	280 EDB
	01/15/98	75,000 @	5,300 ^A	15,000	1,500	24,000	8,000	1,700	NA	360	1,200	NA
	05/06/98	80,000 @	8,800 ^A	20,000	1,500	29,000	8,300	1,800	NA	300	1,100	NA
	07/06/98	87,000 @	6,200 @	25,000	1,600	35,000	9,200	1,400	NA	310	1,200	NA
	10/27/98	72,000	7,200	21,000	1,800	27,000	8,400	1,000	NA	350	1,300	NA
04/29/99	74,000	9,900	17,000	1,400	22,000	8,100	790	<37	290	1,100	310 Naphthalene	
05/03/01	NA	NA	13,000	1,100	20,000	5,300	720	NA	240	760	740 Naphthalene	
08/16/01	NA	NA	1,200	190	2,600	1,080	720	NA	390	210	430 Naphthalene	
NR 140 ENFORCEMENT STANDARD				5.0	700.0	1,000	10,000	60.0	5.0	480.0		IS
NR 140 PREVENTIVE ACTION LIMIT				0.5	140.0	200	1,000	12.0	0.5	96.0		IS

ABBREVIATIONS AND ACRONYMS:

µg/L = micrograms per liter

TPH = Total petroleum hydrocarbons

ND = No detect - less than the various detection limits

NA = Not Analyzed

NS = No Standard

IS = Individual Standards

Combined 1,2,4-TMB and 1,3,5-TMB ES and PAL shown

FOOTNOTES:

(*) After 1991, data reported as GRO and DRO.

(@) Sample contains fractions lighter than GRO Hydrocarbons

(#) Quantified as gasoline, not detected as diesel fuel

(^A) DRO was present in the method blank at 40 µg/L

(1) Sample contained fractions heavier than DRO hydrocarbons.

(2) Sample contained fractions lighter and heavier than DRO hydrocarbons

(3) Sample contained fractions lighter than DRO hydrocarbons

DESIGNATIONS:

Bold	= above PAL
	= above ES

**TABLE 2 (Cont.)
GROUND WATER ANALYTICAL RESULTS
TAYLOR ELECTRIC COOPERATIVE**

WELL ID	SAMPLE DATE	TPH/GRO (µg/L)	TPH/DRO (µg/L)	BENZENE (µg/L)	ETHYL-BENZENE (µg/L)	TOLUENE (µg/L)	TOTAL XYLENES (µg/L)	MTBE (µg/L)	1,2-DICHLOROETHANE (µg/L)	1,3,5-TRIMETHYLBENZENE (µg/L)	1,2,4-TRIMETHYLBENZENE (µg/L)	OTHER VOCs (µg/L)
MW-4	06/30/92	<10	13,700	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/19/92	2,000	15,000	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/10/93	<100	<100	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/11/95	<50	<31	<0.2	<0.2	<0.2	<0.5	<0.2	<0.2	<0.2	<0.3	ND
	01/15/98	<30	44 [^]	<0.20	<0.30	<0.20	<0.90	<0.20	NA	<0.30	<0.30	NA
	10/27/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/29/99	<50	<100	<0.27	<0.32	<0.27	<0.67	<0.32	<0.37	<0.27	<0.22	<0.35 Naphthalene
MW-5	06/30/92	<10	40,000	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/19/92	5,500	<1000	ND	ND	ND	ND	ND	25	ND	ND	ND
	11/10/93	<100	<100	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/11/95	<50	<32	<0.2	<0.2	<0.2	<0.5	<0.2	<0.2	<0.2	<0.3	ND
	01/15/98	<30	1,100 ^{^1}	<0.20	<0.30	<0.20	<0.90	<0.20	NA	<0.30	<0.30	NA
	10/27/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/29/99	<50	110	<0.27	<0.32	<0.27	<0.67	<0.32	<0.37	<0.27	<0.22	<0.35 Naphthalene
MW-6	06/30/92	<10	24,000	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/19/92	110	84	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/10/93	<100	<100	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/11/95	<50	NA	<0.2	<0.2	<0.2	<0.5	<0.2	<0.2	<0.2	<0.3	ND
	01/15/98	<30	53 [^]	<0.20	<0.30	<0.20	<0.90	<0.20	NA	<0.30	<0.30	NA
	05/06/98	<30	43 [^]	<0.20	<0.30	<0.20	<0.90	<0.20	NA	<0.30	<0.30	NA
	07/06/98	<30	<27	<0.20	<0.30	<0.20	<0.90	<0.20	NA	<0.30	<0.30	NA
	10/27/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/29/99	<50	<100	<0.27	<0.32	<0.27	<0.67	<0.32	<0.37	<0.27	<0.22	<0.35 Naphthalene
PRIVATE WELL (4)	08/21/91	NA	NA	ND ⁺	ND	ND	ND	ND	ND	ND	ND	ND
	08/11/95	<50	<31	<0.2	<0.2	<0.2	<0.5	<0.2	<0.2	ND	ND	ND
	01/15/98	<30	<27	<.20	<.30	<.20	<.90	<.20	NA	<.30	<.30	NA
	10/27/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	04/29/99	<50	<100	<0.27	<0.32	<0.27	<0.67	<0.32	<0.37	<0.27	<0.22	<0.35 Naphthalene
	05/03/01	NA	NA	<0.40	<0.40	<0.40	<1.1	<0.40	NA	<0.40	<0.40	NA
08/16/01	NA	NA	<0.40	0.43	<0.40	<1.1	<0.40	NA	<0.40	<0.40	NA	
DRY WELL	11/10/93	NA	NA	4.5	ND	8.5	4.1	ND	ND	ND	ND	1.8 Naphthalene
NR 140 ENFORCEMENT STANDARD				5	700	1000	10000	60	5	480		IS
NR 140 PREVENTIVE ACTION LIMIT				0.5	140	200	1000	12	0.5	96		IS

ABBREVIATIONS AND ACRONYMS:

µg/L = micrograms per liter
 TPH = Total Petroleum Hydrocarbons
 ND = No detect - less than the various detection limits
 NA = Not Analyzed
 IS = Individual Standards
 NS = No Standard
 Combined 1,2,4-TMB and 1,3,5-TMB ES and PAL shown

FOOTNOTES:

(*) After 1991, data reported as GRO, and DRO
 (@) Sample contains fractions lighter than GRO Hydrocarbons
 (#) Quantified as gasoline, not detected as diesel fuel
 (*) DRO was present in the method blank at 40 µg/L
 (1) Sample contained fractions heavier than DRO hydrocarbons.
 (2) Sample contained fractions lighter and heavier than DRO hydrocarbons
 (3) Sample contained fractions lighter than DRO hydrocarbons
 (4) New potable well was installed 7/01

DESIGNATIONS:

Bold	= above PAL
	= above ES

**TABLE 3
GROUND WATER BIOLOGICAL INDICATOR PARAMETERS
TAYLOR ELECTRIC COOPERATIVE**

WELL ID	SAMPLE DATE	TEMPERATURE (°C)	pH	REDOX POTENTIAL (mV)	DISSOLVED OXYGEN (ppm)	DISSOLVED IRON (mg/L)	TOTAL SULFATE (mg/L)	NITRATE + NITRITE - N (mg/L)
MW-1	01/15/98	10	5.83	221.0	5.4	<0.020	13.2	0.93
	05/06/98	8	6.10	231.2	2.0	0.031	13.5	0.94
	07/06/98	8	5.90	207.1	1.80	<0.020	13.2	0.85
	10/27/98	11	4.97	219.2	2.40	0.050	13.2	0.93
	04/29/99	8	6.10	212.7	2.50	0.086	13.0	0.72
MW-2	01/15/98	10	5.90	178.5	2.3	0.029	9.80	0.22
	05/06/98	7	5.94	165.5	0.30	0.058	10.50	<0.14
	07/06/98	8	5.70	185.5	0.20	0.080	8.2	<0.14
	10/27/98	11	4.95	254.3	0.40	0.257	9.5	0.17
	04/29/99	8	5.95	212.1	0.20	0.430	9.1	<0.017
	05/03/01	8	6.14	116.2	0.90	4.80	7.6	<0.08
	08/16/01	9	6.12	140.3	0.30	5.51	25.0	<0.18
MW-3	01/15/98	10	6.07	-157.4	4.5	0.503	3.40	<0.14
	05/06/98	8	6.10	55.2	0.60	0.826	3.40	<0.14
	07/06/98	9	5.82	77.7	0.20	0.427	4.4	<0.14
	10/27/98	12	5.25	130.1	0.30	3.310	1.7	0.15
	04/29/99	9	5.93	170.9	0.40	1.600	<0.62	<0.017
	05/03/01	8	6.14	108.2	1.00	7.160	<0.74	<0.08
	08/16/01	10	6.20	108.1	0.20	5.480	<0.74	<0.18
MW-4	01/15/98	9	5.60	257.0	4.4	<0.020	7.10	<0.14
	07/06/98	9	5.80	219.1	0.50	NA	NA	NA
	10/27/98	12	5.11	139.3	0.70	NA	NA	NA
	04/29/99	8	5.73	201.5	0.30	<0.047	7.6	1.80
MW-5	01/15/98	9	5.98	131.8	10.5	0.357	13.3	0.49
	07/06/98	9	5.74	207.8	1.90	NA	NA	NA
	10/27/98	12	5.26	123.6	0.60	NA	NA	NA
	04/29/99	7	5.80	180.1	4.10	<0.047	12.0	0.09
MW-6	01/15/98	9	6.13	269.0	12.0	0.057	12.0	1.11
	05/06/98	7	7.20	324.1	5.80	0.039	11.1	1.13
	07/06/98	8	6.09	249.6	9.70	0.023	9.3	1.10
	10/27/98	11	5.20	242.0	9.00	NA	NA	NA
	04/29/99	8	5.83	194.9	9.70	0.049	11.0	1.10
SUMP	01/15/98	8	6.45	253.1	12.2	<0.20	15.8	0.72
	05/06/98	7	6.54	223.0	4.3	<0.020	12.9	0.46
	07/06/98	9	6.25	228.9	1.50	<0.020	11.2	0.34
	10/27/98	12	5.91	58.9	4.00	NA	NA	NA
	04/29/99	11	6.35	204.6	0.70	0.140	10.0	0.81
	05/03/01	NA	7.70	139.7	NA	2.130	NA	NA

NOTES:

mg/L = Milligrams per liter or parts per million (ppm)

NA = Not analyzed

**TABLE 1
GROUND WATER ELEVATION
TAYLOR ELECTRIC COOPERATIVE**

DATE	WELL IDENTIFICATION						
	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	SUMP
	GROUND SURFACE ELEVATION						
	1455.6	1454.35	1455.6	1454.77	1454.38	1454.8	
	TOP OF CASING ELEVATION						
	1455.29	1453.91	1455.30	1454.28	1453.95	1457.37	
	TOP OF SCREEN ELEVATION						
	1440.60	1442.60	1442.50	1443.62	1443.62	1443.43	
	BOTTOM OF SCREEN ELEVATION						
	1425.60	1427.60	1427.50	1433.62	1433.62	1433.43	
GROUND WATER ELEVATIONS							
08/14/91	1439.71	1439.93	1441.38	--	--	--	--
09/25/91	1438.74	1439.26	1440.63	--	--	--	--
08/19/92	1438.03	1437.68	1439.32	1438.96	1438.97	1436.47	--
11/10/93	1440.25	1440.21	1439.50	1441.26	1441.94	1439.01	--
03/11/94	1436.91	1436.46	1437.15	1437.12	1437.25	1435.47	--
08/10/95	1437.54	1438.13	1439.37	1439.91	1439.68	1435.67	--
06/10/96	1440.47	--	1440.49	1441.91	1441.52	1438.57	--
04/15/97	1437.82	1439.23	1440.33	1440.97	1440.87	1437.47	1432.89
05/13/97	1437.72	1438.96	1440.18	1440.72	1440.55	1437.56	1432.93
06/30/97	1439.85	1440.05	1441.47	1441.81	1441.98	1438.61	1436.58
01/15/98	1438.52	1437.32	1438.51	1437.47	1437.81	1436.33	1435.84
05/06/98	1437.32	1437.69	1438.90	--	--	1436.60	1432.89
07/09/98	1437.36	1437.76	1439.30	1439.67	1438.96	1436.03	1433.63
10/27/98	1436.14	1436.19	1437.63	1437.51	1436.96	1434.59	1431.39
04/29/99	1437.25	1437.62	1438.80	1438.98	1439.00	1435.75	1434.28
05/03/01	1438.26	1438.60	1439.76	1440.24	1440.03	1436.79	--
08/16/01	1439.07	1438.74	1439.69	1439.68	1439.62	1437.17	--

Note: MW-1 and MW-3 lost during construction and replaced on 9/19/96
Bottom of screen for sump is the top of the plug

Statement

The legal descriptions attached to this statement describe the contaminated property of Taylor Electric Cooperative and are complete and accurate.

Michael Schaefer

Michael Schaefer, Manager
Taylor Electric Cooperative
N 1831 State Highway 13
Medford, WI 54451-9220
715-678-2411

1/18/02

Date

enforceable by the Wisconsin Department of Natural Resources, its successors or assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that one or more of the restrictions set forth in this covenant is no longer required. Upon the receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein can be extinguished. If the Department determines that the restrictions can be extinguished, an affidavit, attached to a copy of the Department's written determination, may be recorded by the property owner or other interested party to give notice that this deed restriction, or portions of this deed restriction, are no longer binding.

By signing this document, Dennis Engel, President, asserts that he is duly authorized to sign this document on behalf of Taylor Electric Cooperative.

IN WITNESS WHEREOF, the owner of the property has executed this Declaration of Restrictions, this 30th day of January 2004

Signature: [Handwritten Signature]
Printed Name: Dennis Engel, President

Signature: [Handwritten Signature]
Printed Name: Diane Albrecht, Secretary

STATE OF WISCONSIN)
) ss.
Taylor County)


Personally came before me this 30th day

of JANUARY, 2004

the above named Dennis Engel, President and Diane Albrecht, Secretary, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

[Handwritten Signature]
* MICHAEL SCHAEFER

Notary Public, State of Wisconsin
My Commission is permanent. (If not, state expiration date:
MARCH 2, 2008



COPY

This document was drafted by Wheeler, Van Sickle & Anderson, S.C. based on a model deed restriction provided by the Wisconsin Department of Natural Resources.