

## GIS REGISTRY INFORMATION

<b>SITE NAME:</b>	Faude's Service			<b>FID #</b>	
<b>BRRTS #:</b>	03-61-000338			(if appropriate):	
<b>COMMERCE #:</b>	54451-8983-11-A				
<b>CLOSURE DATE:</b>	August 23, 2007				
<b>STREET ADDRESS:</b>	W11211 County Rd M				
<b>CITY:</b>	Medford				
<b>SOURCE PROPERTY GPS COORDINATES</b> (meters in WTM91 projection):	<b>X =</b>	471447	<b>Y =</b>	526154	
<b>CONTAMINATED MEDIA:</b>	Groundwater	<input type="checkbox"/>	Soil	<input checked="" type="checkbox"/>	Both <input type="checkbox"/>
<b>OFF-SOURCE GW CONTAMINATION &gt;ES:</b>		Yes <input type="checkbox"/>		No <input checked="" type="checkbox"/>	
• <b>IF YES, STREET ADDRESS:</b>					
• <b>GPS COORDINATES</b> (meters in WTM91 projection):	<b>X =</b>		<b>Y =</b>		
<b>OFF-SOURCE SOIL CONTAMINATION</b> >Generic or Site-Specific RCL (SSRCL):		Yes <input type="checkbox"/>	No	<input checked="" type="checkbox"/>	
• <b>IF YES, STREET ADDRESS 1:</b>					
• <b>GPS COORDINATES</b> (meters in WTM91 projection):	<b>X =</b>		<b>Y =</b>		
<b>CONTAMINATION IN RIGHT OF WAY:</b>	Yes <input type="checkbox"/>		No	<input checked="" type="checkbox"/>	
<b><u>DOCUMENTS NEEDED</u></b>					
Closure Letter, and any conditional closure letter issued or denial letter issued					<input checked="" type="checkbox"/>
Copy of any maintenance plan referenced in the final closure letter					<input type="checkbox"/>
Copy of (soil or land use) deed notice <i>if any required as a condition of closure</i>					<input type="checkbox"/>
Copy of most recent deed, including legal description, for all affected properties					<input checked="" type="checkbox"/>
Certified survey map or relevant portion of the recorded plat map <i>(if referenced in the legal description)</i> for all affected properties					<input type="checkbox"/>
County Parcel ID number, <i>if used for county</i> , for all affected properties					<input checked="" type="checkbox"/>
<b>Location Map</b> that outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily. If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.					<input checked="" type="checkbox"/>
<b>Detailed Site Map(s) for all affected properties</b> , showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.					<input checked="" type="checkbox"/>
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)					<input checked="" type="checkbox"/>
Tables of Latest Soil Analytical Results (no shading or cross-hatching)					<input checked="" type="checkbox"/>
Isoconcentration map(s), <i>if required for site investigation (SI)</i> . The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.					<input type="checkbox"/>
GW: Table of water level elevations, with sampling dates, and free product noted if present					<input checked="" type="checkbox"/>
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)					<input checked="" type="checkbox"/>
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour					<input checked="" type="checkbox"/>
Geologic cross-sections, <i>if required for SI</i>					<input checked="" type="checkbox"/>
RP certified statement that legal descriptions are complete and accurate					<input checked="" type="checkbox"/>
Copies of off-source notification letters (if applicable)					<input type="checkbox"/>
Letter informing ROW owner of residual contamination (if applicable) (public, highway or railroad ROW)					<input type="checkbox"/>



ENVIRONMENTAL & REGULATORY SERVICES DIVISION  
BUREAU OF PECFA  
2715 Post Road  
Stevens Point, Wisconsin 54481-  
TDD #: (608) 264-8777  
Fax #: (715) 345-5269  
Jim Doyle, Governor  
Mary P. Burke, Secretary

August 23, 2007

Harley Faude  
N6457 Hwy 73  
Gilman, WI 54433

RE: **Final Closure**

**Commerce # 54451-8983-11-A DNR BRRTS # 03-61-000338**  
Faude's Service, W11211 County Rd M, Medford

Dear Mr. Faude:

The Wisconsin Department of Commerce (Commerce) has received all items required as conditions for closure of the site referenced above. This case is now listed as "closed" on the Commerce database and will be included on the Department of Natural Resources (DNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual contamination. It is in your best interest to keep all documentation related to the environmental activities that were conducted.

If residual contamination is encountered in the future, it must be managed in accordance with all applicable state and federal regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (715) 342-3802.

Sincerely,

A handwritten signature in black ink that reads "Dee Lance". The signature is written in a cursive style with a large, prominent "D" and "L".

Dee Lance  
Senior Hydrogeologist  
Site Review Section

cc: Joe Michaelchuck, Environmental & Safety Consultants, LLC  
Jeff Jagadinski, First National Bank of Manitowoc  
Bruce Faude, W11211 Cty Road M, Medford



ENVIRONMENTAL & REGULATORY SERVICES DIVISION  
BUREAU OF PECFA  
2715 Post Road  
Stevens Point, Wisconsin 54481-  
TDD #: (608) 264-8777  
Fax #: (715) 345-5269  
Jim Doyle, Governor  
Mary P. Burke, Secretary

February 7, 2007

Harley Faude  
N6457 Hwy 73  
Gilman, WI 54433

RE: **Conditional Case Closure**

**Commerce # 54451-8983-11-A** DNR BRRTS # 03-61-000338  
Faude's Service, W11211 County Rd M, Medford

Dear Mr. Faude:

The Wisconsin Department of Commerce (Commerce) has reviewed the request for case closure prepared by your consultant, Environmental & Safety Consultants, LLC, for the site referenced above. It is understood that residual soil and groundwater contamination remains on site. Commerce has determined that this site does not pose a significant threat to the environment and human health. No further investigation or remedial action is necessary.

During the final groundwater sampling event conducted on February 13, 2006, the preventive action limit (PAL) for Benzene, Total Trimethylbenzenes and Naphthalene was exceeded at monitoring well MW-3, at 2.5, 74 and 9.5 parts per billion respectfully. Commerce is issuing a PAL exemption, per NR 140.28(2), Wis. Adm. Code, for Benzene, Total Trimethylbenzenes and Naphthalene at the referenced property.

**The following condition must be satisfied to obtain final closure:**

- All [MW-1 – MW-5] monitoring wells must be properly abandoned. The appropriate documentation must be forwarded to the letterhead address.

This letter serves as your written notice of "no further action." Timely filing of your final PECFA claim (if applicable) is encouraged. If your claim is not received within 120 days of the date of this letter, interest costs incurred after 60 days of the date of this letter will not be eligible for PECFA reimbursement. Costs associated with recording deed notices or other restrictions are not eligible for PECFA reimbursement, and the recording of these notices should not delay the claim submittal process.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (715) 342-3802.

Sincerely,


A handwritten signature in black ink that reads "Dee Zoellner".

Dee Zoellner  
Senior Hydrogeologist  
Site Review Section



cc: Joe Michaelchuck, Environmental & Safety Consultants, LLC



Former Faude's Service  
 W41211 County Road M  
 Town of Grover, WI 54451



SCALE 1:24000



Contour Interval of 10 Feet



QUADRANGLE LOCATION  
 Perkinstown Quadrangle

FIGURE 1  
 Site Location Map  
 and  
 Local Topography

Environmental Associates, Inc.


Drawn by:	RRG	Drawing:	04-02872
	4/7/05	File:	FIGURE 1

"P" Town Inn Bar & Grill  
Property  
W11204 County Road M

◆ MW-1

U/G Telephone Line (Main)

County Road M



**LEGEND**

- ◆ GP1/TW1 Geoprobe Soil Boring/Temporary Well Location
- ◆ GP2 Geoprobe Soil Boring Location
- ◆ MW-4 Groundwater Monitoring Well

**FIGURE 2**  
Site Map,  
Former Tank Locations  
and  
Soil Boring/Monitoring Well  
Locations  
Scale : 1" = 20'

**Environmental Associates, Inc.**

Drawn	RRG	Drawing:	04-02872
By:	4/11/05	File:	site1.cvx

**Table 2: Temporary Monitoring Well Results, Former Faude's Service, W11211 County Road M, Town of Grover, Wisconsin**

Parameter	Units	ES	PAL	Date	TW1
<b>VOCs:</b>					
Benzene	ug/L	5.0	0.5	6/7/2004	2.2
Ethylbenzene	ug/L	700	140	6/7/2004	21
Isopropylbenzene	ug/L	--	--	6/7/2004	2.7
p-Isopropyltoluene	ug/L	--	--	6/7/2004	5.4
MTBE	ug/L	60	12	6/7/2004	<5.0
Naphthalene	ug/L	40	8	6/7/2004	29
Toluene	ug/L	1,000	200	6/7/2004	5.6
Total Xylenes	ug/L	10,000	1,000	6/7/2004	400
1,2,4-Trimethylbenzene	ug/L	--	--	6/7/2004	510
1,3,5-Trimethylbenzene	ug/L	--	--	6/7/2004	240
Total Trimethylbenzenes	ug/L	480	96	6/7/2004	<b>750</b>
<b>Metals:</b>					
Lead	ug/L	15	1.5	6/7/2004	2.8

Footnotes:

ES = NR 140.10 Enforcement Standard

PAL = NR 140.10 Preventative Action Limit

ug/L = Micrograms per Liter

< = Less than Laboratory Method Detection Limit

**Bold Value** = ES Exceedance

*Italic Value* = PAL Exceedance

**Table 4: Groundwater Analytical Results, Former Faude's Service, W11211 County Road M,  
Town of Grover, Wisconsin**

Parameter	Units	ES	PAL	Date	MW-1	MW-2	MW-3	MW-4	MW-5
<b>PVOCs:</b>									
Benzene	ug/L	5.0	0.5	4/5/05	<0.20	<0.20	2.0	<0.20	<0.20
				11/9/05	<0.25	<0.25	3.2	<0.25	<0.25
				2/13/06	<0.25	0.42	2.5	<0.25	<0.25
Ethylbenzene	ug/L	700	140	4/5/05	<0.50	<0.50	6.2	0.73	<0.50
				11/9/05	<0.22	0.42	15	<0.22	<0.22
				2/13/06	<0.22	0.69	5.6	<0.22	<0.22
Toluene	ug/L	1,000	200	4/5/05	0.30	<0.20	2.4	0.26	<0.20
				11/9/05	<0.11	<0.11	4.7	<0.11	<0.11
				2/13/06	<0.11	<0.11	1.6	<0.11	<0.11
Total Xylenes	ug/L	10,000	1,000	4/5/05	0.63	<0.50	93	1.1	<0.50
				11/9/05	<0.39	<0.39	110	<0.39	<0.39
				2/13/06	<0.39	<0.39	45	<0.39	<0.39
MTBE	ug/L	60	12	4/5/05	<0.50	<0.50	<1.0	<0.50	<0.50
				11/9/05	<0.23	<0.23	<0.23	<0.23	<0.23
				2/13/06	<0.23	<0.23	<0.23	<0.23	<0.23
1,2,4-Trimethylbenzene	ug/L	--	--	4/5/05	<0.20	<0.20	76	<0.20	<0.20
				11/9/05	<0.25	<0.25	70	<0.25	<0.25
				2/13/06	<0.25	<0.25	42	<0.25	<0.25
1,3,5-Trimethylbenzene	ug/L	--	--	4/5/05	0.94	<0.20	53	1.4	0.48
				11/9/05	<0.19	<0.19	63	<0.19	<0.19
				2/13/06	<0.19	<0.19	32	<0.19	<0.19
Total Trimethylbenzenes	ug/L	480	96	4/5/05	0.94	<0.20	129	1.4	0.48
				11/9/05	<0.25	<0.25	133	<0.25	<0.25
				2/13/06	<0.25	<0.25	74	<0.25	<0.25
<b>Selected VOCs</b>									
Naphthalene	ug/L	40	8	4/5/05	<0.25	<0.25	8.5	0.69	<0.25
				11/9/05	<0.50	<0.50	25	<0.50	<0.50
				2/13/06	<0.50	<0.50	9.5	<0.50	<0.50
n-Butylbenzene	ug/L	--	--	4/5/05	0.61	<0.20	<0.40	1.6	<0.20
sec-Butylbenzene	ug/L	--	--	4/5/05	<0.25	<0.25	1.6	0.26	<0.25
Isopropylbenzene	ug/L	--	--	4/5/05	<0.20	<0.20	1.6	<0.20	<0.20
p-Isopropyltoluene	ug/L	--	--	4/5/05	0.54	<0.20	4.2	0.28	<0.20
n-Propylbenzene	ug/L	--	--	4/5/05	<0.50	<0.50	2.7	0.77	<0.50
<b>Metals:</b>									
Lead	ug/L	15	1.5	4/5/05	<0.44	<0.44	<b>16</b>	<0.44	<0.44
				11/9/05	<1.4	<1.4	4.2	<1.4	<1.4
				2/13/06	<1.4	<1.4	<1.4	<1.4	<1.4

**Footnotes:**

ES = NR 140.10 Enforcement Standard

PAL = NR 140.10 Preventive Action Limit

ug/L = Micrograms per Liter

< = Less than Laboratory Method Detection Limit

**Bold Value** = ES Exceedance

*Italic Value* = PAL Exceedance

**Table 5: Potable Well Sampling Results, Former Faude's Service, W11211 County Road M, Town of Grover, Wisconsin**

Parameter	Units	ES	PAL	Date	PW11211 (Faude's)	PW11204 ("P" Town Inn)
<b>PVOCs:</b>						
Benzene	ug/L	5.0	0.5	4/5/05	<0.20	<0.20
Ethylbenzene	ug/L	700	140	4/5/05	<0.50	<0.50
Toluene	ug/L	1,000	200	4/5/05	<0.20	<0.20
Total Xylenes	ug/L	10,000	1,000	4/5/05	<0.50	<0.50
MTBE	ug/L	60	12	4/5/05	<0.50	<0.50
1,2,4-Trimethylbenzene	ug/L	--	--	4/5/05	<0.20	<0.20
1,3,5-Trimethylbenzene	ug/L	--	--	4/5/05	<0.20	<0.20
Total Trimethylbenzenes	ug/L	480	96	4/5/05	<0.20	<0.20

Footnotes:

ES = NR 140.10 Enforcement Standard

PAL = NR 140.10 Preventive Action Limit

ug/L = Micrograms per Liter

< = Less than Laboratory Method Detection Limit

**Bold Value** = ES Exceedance

*Italic Value* = PAL Exceedance

NI = Not Installed

**Table 1: Soil Analytical Results, Former Faude's Service, W11211 County Road M, Town of Grover, Wisconsin**

Sample Name					GP1-S2	GP1-S5	GP1-S7	GP2-S2	GP2-S4	GP3-S1	GP3-S6	GP3-S9
Sample Depth (feet)					2-4	8-10	12-15	2-4	6-8	0-2	10-12	16-18
Sample Collection Date					6/7/2004	6/7/2004	6/7/2004	6/7/2004	6/7/2004	6/7/2004	6/7/2004	6/7/2004
Parameters	Units	NR 720*	NR 746	NR 746								
			Table 1 (Screening Level)	Table 2 (Direct Contact)								
Total Solids	%	--	--	--	93.5	88.4	89.7	90.8	89.2	92.4	89.0	88.3
GRO	mg/kg	100	--	--	62	31	<b>110</b>	<5.5	<5.6	<5.4	<b>236</b>	<5.7
Benzene	ug/kg	5.5	8,500	1,100	<27	<28	<28	<28	<28	<27	<56	<28
sec-Butylbenzene	ug/kg	--	--	--	<27	<28	<28	<28	<28	<27	85	<28
Ethylbenzene	ug/kg	2,900	4,600	--	<27	<28	45	<28	<28	<27	66	<28
Isopropylbenzene	ug/kg	--	--	--	<27	<28	<28	<28	<28	<27	80	<28
p-Isopropyltoluene	ug/kg	--	--	--	32	<28	60	<28	<28	<27	110	<28
Naphthalene	ug/kg	--	2,700	--	<27	<28	67	<28	<28	<27	528	<28
n-propylbenzene	ug/kg	--	--	--	<27	<28	<28	<28	<28	<27	202	<28
Toluene	ug/kg	1,500	38,000	--	<27	<28	<28	<28	<28	<27	<56	<28
Total Xylenes	ug/kg	4,100	42,000	--	<37	<40	647	<39	<39	<38	1,570	<40
1,2,4-Trimethylbenzene	ug/kg	--	83,000	--	<27	<28	1,670	<28	<28	<27	3,480	61
1,3,5-Trimethylbenzene	ug/kg	--	11,000	--	<27	<28	1,060	<28	<28	<27	1,100	<28
Lead	mg/kg	50	--	--	8.0	10	<4.5	<4.4	<4.5	7.9	<4.5	<4.5
PID	i.u.	--	--	--	47.3	52.4	83.4	8.1	6.8	4.3	726	14.3

**Notes:**

mg/kg = milligrams per kilogram  
 ug/kg = micrograms per kilogram  
 i.u. = instrument units

\* = Wisconsin Soil Cleanup Standards

< = Less than Method Detection Limit

NT = Not Tested for Analyte

**Bold Value** = Denotes exceedance of NR 720 and/or NR 746 Standards

**Table 1: Soil Analytical Results, Former Faude's Service, W11211 County Road M, Town of Grover, Wisconsin**

Sample Name					GP4-S1	GP4-S4	GP5-S1	GP5-S4	MW1-S3	MW2-S4	MW2-S11	MW2-S13
Sample Depth (feet)					0-2	6-8	0-2	6-8	4-6	6-8	20-22	24-26
Sample Collection Date					6/7/2004	6/7/2004	6/7/2004	6/7/2004	3/15/2005	3/15/2005	3/15/2005	3/15/2005
Parameters	Units	NR 720*	NR 746	NR 746								
			Table 1	Table 2								
		(Screening Level)	(Direct Contact)									
Total Solids	%	--	--	--	93.9	91.0	90.0	90.2	88.4	88.7	90.0	90.2
GRO	mg/kg	100	--	--	<5.3	<5.5	<5.6	<5.5	<5.7	<5.6	<5.6	<5.5
Benzene	ug/kg	5.5	8,500	1,100	<27	<27	<28	<28	<28	<28	<28	<28
sec-Butylbenzene	ug/kg	--	--	--	<27	<27	<28	<28	--	--	--	--
Ethylbenzene	ug/kg	2,900	4,600	--	<27	<27	<28	<28	<28	<28	32	<28
Isopropylbenzene	ug/kg	--	--	--	<27	<27	<28	<28	--	--	--	--
p-Isopropyltoluene	ug/kg	--	--	--	<27	<27	<28	<28	--	--	--	--
Naphthalene	ug/kg	--	2,700	--	<27	<27	<28	<28	<57	<56	<56	<55
n-propylbenzene	ug/kg	--	--	--	<27	<27	<28	<28	--	--	--	--
Toluene	ug/kg	1,500	38,000	--	<27	<27	<28	<28	<28	<28	31	<28
Total Xylenes	ug/kg	4,100	42,000	--	<37	<38	<39	<39	<40	<39	144	<39
1,2,4-Trimethylbenzene	ug/kg	--	83,000	--	<27	<27	<28	<28	<28	<28	49	<28
1,3,5-Trimethylbenzene	ug/kg	--	11,000	--	<27	<27	<28	<28	<28	<28	<28	<28
Lead	mg/kg	50	--	--	<4.3	<4.4	<4.4	<4.4	--	--	--	--
PID	i.u.	--	--	--	6.2	5.6	7.4	6.2	1.0	2.1	17.5	2.1

**Notes:**

mg/kg = milligrams per kilogram  
 ug/kg = micrograms per kilogram  
 i.u. = instrument units

\* = Wisconsin Soil Cleanup Sta  
 < = Less than Method Detection  
 NT = Not Tested for Analyte  
**Bold Value** = Denotes exceedar

**Table 1: Soil Analytical Results, Former Faude's Service, W11211 County Road M, Town of Grover, Wisconsin**

Sample Name		MW3-S2	MW3-S5	MW3-S12	MW4-S5	MW5-S5	Trip Blank	Trip Blank			
Sample Depth (feet)		2-4	8-10	22-24	8-10	8-10	--	--			
Sample Collection Date		3/15/2005	3/15/2005	3/15/2005	3/16/2005	3/16/2005	6/7/2004	3/15/2005			
Parameters	Units	NR 720*	NR 746 Table 1 (Screening Level)	NR 746 Table 2 (Direct Contact)							
Total Solids	%	--	--	--	86.7	85.2	87.7	84.4	9.87	--	--
GRO	mg/kg	100	--	--	57	<b>869</b>	<5.7	<5.9	<51	--	--
Benzene	ug/kg	5.5	8,500	1,100	<29	<141	<29	<30	<250	<25	<25
sec-Butylbenzene	ug/kg	--	--	--	--	--	--	--	--	<25	<25
Ethylbenzene	ug/kg	2,900	4,600	--	<29	<141	<29	<30	<250	<25	<25
Isopropylbenzene	ug/kg	--	--	--	--	--	--	--	--	<25	<25
p-Isopropyltoluene	ug/kg	--	--	--	--	--	--	--	--	<25	<25
Naphthalene	ug/kg	--	2,700	--	<58	305	<57	<59	<510*	<25	<50
n-propylbenzene	ug/kg	--	--	--	--	--	--	--	--	<25	<25
Toluene	ug/kg	1,500	38,000	--	<29	<141	<29	<30	<250	<25	<25
Total Xylenes	ug/kg	4,100	42,000	--	<40	1,880	<40	<41	<350	<35	<35
1,2,4-Trimethylbenzene	ug/kg	--	83,000	--	<29	15,300	<29	<30	<250	<25	<25
1,3,5-Trimethylbenzene	ug/kg	--	11,000	--	<29	10,100	<29	<30	<250	<25	<25
Lead	mg/kg	50	--	--	--	--	--	--	--	--	--
PID	i.u.	--	--	--	39.4	447	3.2	1.0	1.0	--	--

Notes:

mg/kg = milligrams per kilogram  
 ug/kg = micrograms per kilogram  
 i.u. = instrument units

\* = Wisconsin Soil Cleanup Sta  
 < = Less than Method Detection  
 NT = Not Tested for Analyte  
**Bold Value** = Denotes exceedar

**Table 3: Liquid Level Measurements, Former Faude's Service, W11211 County Road M, Town of Grover, Wisconsin**

		<b>Depth to Groundwater</b>				
Well Name		<b>MW-1</b>	<b>MW-2</b>	<b>MW-3</b>	<b>MW-4</b>	<b>MW-5</b>
Units		(feet)	(feet)	(feet)	(feet)	(feet)
Ground Surface Elevation		1467.97	1472.09	1472.02	1472.21	1457.60
TOC Elevation		1467.75	1471.96	1471.79	1474.71	1460.80
<b>Date</b>						
4/5/05		3.38	8.48	8.32	9.88	3.80
4/19/05		2.32	7.01	7.23	8.66	3.92
11/9/05		4.81	9.45	9.40	11.11	4.69
2/13/06		5.20	9.87	9.87	10.83	4.53


  

		<b>Groundwater Elevations</b>				
Well Name		<b>MW-1</b>	<b>MW-2</b>	<b>MW-3</b>	<b>MW-4</b>	<b>MW-5</b>
Units		(feet)	(feet)	(feet)	(feet)	(feet)
<b>Date</b>						
4/5/05		1464.37	1463.48	1463.47	1464.83	1457.00
4/19/05		1465.43	1464.95	1464.56	1466.05	1456.88
11/9/05		1462.94	1462.51	1462.39	1463.60	1456.11
2/13/06		1462.55	1462.09	1461.92	1463.88	1456.27

**Notes:**

Site Benchmark : NE corner - front door concrete slab = 1472.49' MSL

TOC = Top of PVC Well Casing



**FIGURE 4**  
**Groundwater Elevations**  
**and Flow Direction**  
**(February 13, 2006)**

**LEGEND**

PW11211\* Potable Well Location  
 MW-4 ◆ GW Monitoring Well Location  
 (1463.88) Groundwater Elevation (ft. MSL)  
 ← Groundwater Flow Direction

Contour Interval - 2 Feet  
 (Dashed Where Inferred)

**Environmental Associates, Inc.**


Drawn	RRG	Drawing:	04-02872
By:	2/23/06	File:	gfd2-13-06.cvx

"P" Town Inn Bar & Grill  
Property  
W11204 County Road M

◆ MW-1  
( $< 5.7$ )  
[4-6]

U/G Telephone Line (Main)

County Road M



The NR 720 RCL for GRO is 100 mg/kg.

**LEGEND**


- ◆ GP1/TW1 Geoprobe Soil Boring/Temporary Well Location
- ◆ GP2 Geoprobe Soil Boring Location
- ◆ MW-3 (869) Groundwater Monitoring Well
- [8-10] Soil GRO Concentration (mg/kg)
- [8-10] Sample Interval Depth Below Surface (ft)
- 100 GRO Isoconcentration Line (mg/kg)


**FIGURE 3**  
**Estimated Extent of**  
**GRO Soil**  
**Contamination**

Scale : 1" = 20'

**Environmental Associates, Inc.**

Drawn By:	RRG	Drawing:	04-02872
	7/28/05	File:	soilGRO.cvx





**COARSE-GRAINED SOILS**

CLEAN GRAVELS (LITTLE OR NO FINES)	GW	WELL-GRADED GRAVELS, GRAVEL-SAND MIXTURES, LITTLE OR NO FINES
	GP	POORLY-GRADED GRAVELS, GRAVEL-SAND MIXTURES, LITTLE OR NO FINES
GRAVELS WITH FINES (APPROXIMATE AMOUNT OF FINES)	GM	SILTY GRAVELS, GRAVEL-SAND-SILT MIXTURES
	GC	CLAYEY GRAVELS, GRAVEL-SAND-CLAY MIXTURES
CLEAN SANDS (LITTLE OR NO FINES)	SW	WELL-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES
	SP	POORLY-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES
SANDS WITH FINES (APPROXIMATE AMOUNT OF FINES)	SM	SILTY SANDS, SAND-SILT MIXTURES
	SC	CLAYEY SANDS, SAND-CLAY MIXTURES


**FINE-GRAINED/HIGHLY ORGANIC SOILS**


SILTS AND CLAYS LIQUID LIMIT (LESS THAN 50)	ML	INORGANIC SILTS AND VERY FINE SANDS, ROCK FLOUR, SILTY OR CLAYEY FINE SANDS OR CLAYEY SILTS WITH SLIGHT PLASTICITY
	CL	INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS, SANDY CLAYS, SILTY CLAYS, LEAN CLAYS
	OL	ORGANIC SILTS AND ORGANIC SILTY CLAYS OF LOW PLASTICITY
SILTS AND CLAYS LIQUID LIMIT (GREATER THAN 50)	MH	INORGANIC SILTS, MICACIOUS OR BITUMINOUS FINE SANDY OR SILTY SOILS
	CH	INORGANIC CLAYS OF HIGH PLASTICITY, FAT CLAYS
	OH	ORGANIC CLAYS OF MEDIUM TO HIGH PLASTICITY, ORGANIC SILTS
HIGHLY ORGANIC SOILS	PT	PEAT, HUMUS, SWAMP SOILS WITH HIGH ORGANIC CONTENTS

**FIGURE 8**  
Former Faude's Service  
Geologic Cross Section A - A'

**LEGEND**  

 Approximate Groundwater Level (02/13/2006)






**COARSE-GRAINED SOILS**

CLEAN GRAVELS (LITTLE OR NO FINES)	GW	WELL-GRADED GRAVELS, GRAVEL-SAND MIXTURES, LITTLE OR NO FINES
	GP	POORLY-GRADED GRAVELS, GRAVEL-SAND MIXTURES, LITTLE OR NO FINER
GRAVELS WITH FINES (APPRECIABLE AMOUNT OF FINES)	GM	SILTY GRAVELS, GRAVEL-SAND-SILT MIXTURES
	GC	CLAYEY GRAVELS, GRAVEL-SAND-CLAY MIXTURES
CLEAN SANDS (LITTLE OR NO FINES)	SW	WELL-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES
	SP	POORLY-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES
SANDS WITH FINES (APPRECIABLE AMOUNT OF FINES)	SM	SILTY SANDS, SAND-SILT MIXTURES
	SC	CLAYEY SANDS, SAND-CLAY MIXTURES

**FINE-GRAINED/HIGHLY ORGANIC SOILS**

SILTS AND CLAYS LIQUID LIMIT (LESS THAN 50)	ML	INORGANIC SILTS AND VERY FINE SANDS, ROCK FLOUR, SILTY OR CLAYEY FINE SANDS OR CLAYEY SILTS WITH SLIGHT PLASTICITY
	CL	INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS, SANDY CLAYS, SILTY CLAYS, LEAN CLAYS
	OL	ORGANIC SILTS AND ORGANIC SILTY CLAYS OF LOW PLASTICITY
SILTS AND CLAYS LIQUID LIMIT (GREATER THAN 50)	MH	INORGANIC SILTS, MICACEOUS OR ORATOMACEOUS FINE SANDY OR SILTY SOILS
	CH	INORGANIC CLAYS OF HIGH PLASTICITY, FAT CLAYS
	OH	ORGANIC CLAYS OF MEDIUM TO HIGH PLASTICITY, ORGANIC SILTS
HIGHLY ORGANIC SOILS	PT	PEAT, HUMUS, SWAMP SOILS WITH HIGH ORGANIC CONTENTS

**FIGURE 9**  
Former Faude's Service  
Geologic Cross Section B-B'



As the responsible party for Faude's Service, located at W11211 County Road M in the Town of Grover, Wisconsin, I believe that the legal descriptions for the properties given on the most recent deeds for 11901 W11211 County Road M is complete and accurately describe the contaminated property.

Bruce Faude  
Print Name

Bruce Faude  
Signature

12-1-06  
Date