

GIS REGISTRY

Cover Sheet

July, 2008
(RR 5367)

Source Property Information

BRRTS #:

ACTIVITY NAME:

PROPERTY ADDRESS:

MUNICIPALITY:

PARCEL ID #:

CLOSURE DATE:

FID #:

DATCP #:

COMM #:

*WTM COORDINATES:

X: Y:

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
- Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Land Use Controls:

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between residential and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government or economic
development corporation)*

Monitoring wells properly abandoned? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: 03-61-219421 PARCEL ID #: 13-31-4W-15.1

ACTIVITY NAME: DRANGLE FOODS WTM COORDINATES: X: 456311 Y: 521506

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title: Taylor County Certified Survey Map 1465**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 Title: Site Location Map & Drangle Foods Site Location
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 1 Title: Parcel Map
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 4 Title: Extent of Remaining Soil Contamination

BRRTS #: 03-61-219421

ACTIVITY NAME: DRANGLE FOODS

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: -- **Title:** **Post Remedial Cross-Section A - A'**

Figure #: **Title:**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: *This is intended to show the total area of contaminated groundwater.*

Figure #: -- **Title:** **Extent of Remaining Groundwater Contamination**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 12 **Title:** **Groundwater Contour Map June 12, 2003**

Figure #: **Title:**

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 2 & 3 **Title:** **Soil Analytical results summary**

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 1 **Title:** **Groundwater Analytical Results Summary**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: **Title:**

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: *If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.*

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: *If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.*

Figure #: **Title:**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-61-219421

ACTIVITY NAME: DRANGLE FOODS

NOTIFICATIONS

Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.
- Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.*

Number of "Off-Source" Letters:

- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.
- Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.*
- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters:



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
John Gozdzialski, Regional Director

Northern Region Headquarters
107 Sutliff Ave.
Rhineland, Wisconsin 54501-3349
Telephone 715-365-8900
FAX 715-365-8932
TTY Access via relay - 711

April 29, 2010

Mr. Tom Hand
Drangle Foods
300 South Riverside Drive
Gilman, WI 54433-0187

SUBJECT: Final Case Closure with Land Use Limitations or Conditions
Drangle Foods, 300 South Riverside Drive, Gilman, Taylor County, WI
WDNR BRRTS Activity #: 03-61-219421

Dear Mr. Hand:

On December 7, 2006, the Wisconsin Department of Natural Resources Northern Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On December 11, 2006, you were notified that the Closure Committee had granted conditional closure to this case.

On January 3, 2008 the Department received correspondence from your consultant, MSA Professional Services, indicating that you have complied with the requirements of closure. Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

GIS Registry

The conditions of case closure set out below in this letter require that your site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists in the area of the former UST that must be properly managed should it be excavated or removed
- If a structural impediment that obstructed a complete site investigation or cleanup the Drangle Foods building or the storm sewer is removed or modified, additional investigation and possible remedial action will be required at that time
- Groundwater contamination is present above Chapter NR 140 enforcement standards

Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of

remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which you and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. It is the Department's intent to conduct inspections in the future to ensure that the conditions included in this letter including compliance with referenced maintenance plans are met.

Structural Impediments

Structural impediments existing at the time of cleanup, the Drangle Foods building and the storm sewer line in the area of the underground storage tank as identified on Figure 4 Extent of Remaining Soil Contamination prepared by MSA on February 16, 2000 and located on the property identified on Figure 1 Parcel Map, made complete investigation and remediation of the soil contamination on this property impracticable. Pursuant to s. 292.12(2)(b), Wis. Stats., if the structural impediments on this property that are described above are removed, the property owner shall conduct an investigation of the degree and extent of petroleum contamination. If contamination is found at that time, the Wisconsin Department of Natural Resources shall be immediately notified and the contamination shall be properly remediated in accordance with applicable statutes and rules. If soil in the specific locations described above is excavated, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

Remaining Residual Groundwater Contamination

Groundwater impacted by petroleum related contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present on the contaminated property as identified on the map identified as Extent of Remaining Groundwater Contamination prepared by MSA on February 15, 2000. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact John Sager at (715)365-8959.

Sincerely,

A handwritten signature in black ink, appearing to read "John Robinson", written over a horizontal line.

John Robinson
Northern Region Team Supervisor
Remediation & Redevelopment Program

Attachments: Figure 1 Parcel Map
Figure 4 Extent of Remaining Soil Contamination
Extent of Remaining Groundwater Contamination

cc: Ms. Lynette Carney, MSA Professional Services, Inc.

THIS INDENTURE, Made this 5 day of December A. D., 19 76, between Marcella A. Budrus, a single person Drangle Foods, Inc. part 1 of the first part and

REGISTER'S OFFICE, } ss. County of Taylor, Wis. } Received for record this 5 day of Jan. 19 81, at 9 o'clock A.M., and recorded in Vol. 161 of Deeds on page 401 Harold R. Young, Register. RETURN TO Sully Strasburger Deputy

a Corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, located at Gilman Wisconsin, party of the second part. Witnesseth, That the said part of the first part, for and in consideration of the sum of

to her in hand paid by the said party of the second part, the receipt whereof is hereby confessed and acknowledged, has given, granted, bargained, sold, remised, released, aliened, conveyed and confirmed, and by these presents do give, grant, bargain, sell, remise, release, alien, convey and confirm unto the said party of the second part, its successors and assigns forever, the following described real estate situated in the County of Taylor and State of Wisconsin, to-wit:

Lots Three (3), Four (4), Five (5) and Six (6), all in Block Twenty-one (21), Way's Plat, Village of Gilman.

TRANSFER \$ 2.50 FEE

Subject to easements and restrictions of record or of use.

Together with all and singular the hereditaments and appurtenances thereunto belonging or in any wise appertaining; and all the estate right, title, interest, claim or demand whatsoever, of the said part of the first part, either in law or equity, either in possession or expectancy of, in and to the above bargained premises, and their hereditaments and appurtenances.

To Have and To Hold the said premises as above described with the hereditaments and appurtenances unto the said party of the second part, and to its successors and assigns FOREVER.

And the said Marcella A. Budrus, a single person

for herself, her heirs, executors and administrators, do covenant, grant, bargain and agree to and with the said party of the second part, its successors and assigns, that at the time of the ensembling and delivery of these presents well seized of the premises above described, as of a good, sure, perfect, absolute and indefeasible estate of inheritance in the law, in fee simple, and that the same are free and clear from all incumbrances whatever.

and that the above bargained premises in the quiet and peaceable possession of the said party of the second part, its successors and assigns, against all and every person or persons lawfully claiming the whole or any part thereof, I will forever WARRANT AND DEFEND.

In Witness Whereof, the said part of the first part has hereunto set her hand and seal this 21 day of December, A. D., 19 76.

SIGNED AND SEALED IN PRESENCE OF

Marcella A. Budrus (SEAL) Marcella A. Budrus

(SEAL) (SEAL) (SEAL)

STATE OF WISCONSIN, Chippewa County, ss. Personally came before me, this 31 day of December, A. D., 19 76 the above named Marcella A. Budrus

to me known to be the person who executed the foregoing instrument and acknowledged the same.



This instrument drafted by Dan A. Nafzger, Attorney Notary Public Chippewa County, Wis. My Commission Expires (Is) permanent.

DRANGLE FOODS, INC. WISCONSIN'S FINEST CHEESE GILMAN, WISCONSIN 54433 Ind.

DOCUMENT NO.
262959

STATE BAR OF WISCONSIN FORM 1-1998
WARRANTY DEED

THIS SPACE RESERVED FOR RECORDING DATA

Reel 251 Image 26

REGISTER'S OFFICE } ss.
County of Taylor, Wis. }
Received for record this 1st day of
Aug. 1996 at 10:19 o'clock A.M.
and microfilmed on Reel 251
of Records on image 26

Marvel A. Lemke
Marvel A. Lemke, Register of Deeds

RETURN TO Drangle Foods, Inc
P.O. Box 187
Gilman, WI 54433

This Deed, made between
Village of Gilman, a corporate
municipality,
and Drangle Foods, Inc.,
Grantor,

Grantee,
Witnesseth, That the said Grantor, for a valuable consideration
conveys to Grantee the following described real estate in Taylor
County, State of Wisconsin:

Tax Parcel No:

Village of Gilman
Southwest Quarter of the Southeast Quarter
Section 13, Township 31 North, Range 4 West

That part of the right-of-way of Third Avenue which lies South of
Riverside Drive up to the Yellow River

(due east of CSM 157) also referenced on CSM 362

FOR
17.45(2)
EXEMPT

This is not homestead property.
(is) (is not)

Together with all and singular the hereditaments and appurtenances thereunto belonging;
And
warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except

and will warrant and defend the same.

Dated this 27th day of July, 1996

(SEAL)

Gerald H. DeStaercke
Gerald H. DeStaercke, Village Pres.

(SEAL)

James M. Whelan
James M. Whelan, Village Clerk

AUTHENTICATION

Signature(s)

authenticated this day of, 19.....

TITLE MEMBER STATE BAR OF WISCONSIN

(If not,
authorized by § 708.08, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY
James M. Whelan

(Signatures may be authenticated or acknowledged. Both
are not necessary.)



ACKNOWLEDGMENT

STATE OF WISCONSIN

Taylor County } ss.

Personally came before me this 27th day of
July, 1996 the above named

Gerald H. DeStaercke
James M. Whelan

to me known to be the person s who executed the
foregoing instrument and acknowledge the same.


Francis M. Prasnicky
Francis M. Prasnicky
Notary Public Taylor County, Wis.
My Commission is permanent. (If not, state expiration
date: 6-6, 1999)

71.00 and Gilman

TAYLOR COUNTY CERTIFIED SURVEY MAP NO. 1465

A PART OF C.S.M. 157 AND PART OF VACATED THIRD AVE, AND LOTS 4, 5, AND 6, BLOCK 21 OF WAYS PLAT,
AND A PART OF THE SOUTH WEST 1/4 OF THE SOUTH EAST 1/4 SECTION 13, TOWN 31 NORTH, RANGE 4 WEST,
VILLAGE OF GILMAN, TAYLOR COUNTY, WISCONSIN.

DOC# 294559



TAYLOR COUNTY CERTIFIED SURVEY MAP NO.

1465

A PART OF C.S.M. 157 AND PART OF VACATED THIRD AVE, AND LOTS 4, 5, AND 6, BLOCK 21 OF WAYS PLAT, AND A PART OF THE SOUTH WEST 1/4 OF THE SOUTH EAST 1/4 SECTION 13, TOWN 31 NORTH, RANGE 4 WEST, VILLAGE OF GILMAN, TAYLOR COUNTY, WISCONSIN.

DOC# 294559

I, ANTHONY R. JONES, S-2508, WISCONSIN REGISTERED LAND SURVEYOR, HEREBY CERTIFY THAT IN COMPLIANCE WITH CHAPTER 236.34 OF THE WISCONSIN STATUTES AND AT THE REQUEST OF DRANGLE FOODS INC. I HAVE SURVEYED, DIVIDED, AND MAPPED A PART OF CERTIFIED SURVEY MAP NO. 157 AND PART OF VACATED THIRD AVENUE AND LOTS 4, 5, AND 6 OF BLOCK 21 WAYS ADDITION AND A PART OF THE SOUTH WEST 1/4, OF THE SOUTH EAST 1/4, OF SECTION 13, TOWNSHIP 31 NORTH, RANGE 4 WEST, VILLAGE OF GILMAN, TAYLOR COUNTY, WISCONSIN MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SE CORNER OF SAID SECTION 13: THENCE S89°26'53"W, 2326.15 FEET; THENCE N00°12'14"E, 849.46 FEET TO THE POINT OF BEGINNING;

THENCE CONTINUING N00°12'14"E 90.75 FEET, TO A POINT ON THE SOUTH RIGHT OF WAY LINE OF RIVERSIDE DRIVE; THENCE CONTINUING ALONG SAID RIGHT OF WAY S79°45'50"E, 129.79 FEET; THENCE CONTINUING ALONG SAID RIGHT OF WAY S56°56'47"E, 113.46 FEET; THENCE CONTINUING ALONG SAID RIGHT OF WAY S33°49'31"E, 47.99 FEET; THENCE CONTINUING ALONG SAID RIGHT OF WAY S33°49'24"E, 432.01 FEET; THENCE LEAVING SAID RIGHT OF WAY N89°20'34"W, 66.59 FEET TO THE MEANDER LINE ON THE NORTH BANK OF THE YELLOW RIVER; THENCE ALONG SAID MEANDER LINE N35°37'32"W, 299.24 FEET; THENCE CONTINUING ALONG SAID MEANDER LINE N46°27'27"W, 92.33 FEET; THENCE CONTINUING ALONG SAID MEANDER LINE N46°37'06"W, 73.12 FEET; THENCE CONTINUING ALONG SAID MEANDER LINE N69°24'16"W, 99.51 FEET; THENCE CONTINUING ALONG SAID MEANDER LINE N89°47'25"W, 36.23 FEET TO THE POINT OF BEGINNING

ALSO LOTS 4, 5, AND 6 BLOCK 21 OF WAYS PLAT;

SAID PARCEL INCLUDES THE LAND LYING BETWEEN THE MEANDER LINE AND THE NORTH HIGH WATER LINE OF THE YELLOW RIVER AND THE ABOVE DESCRIBED EAST AND WEST LOT LINES EXTENDED.


SAID PARCEL CONTAINS 67,706 SQUARE FEET, (1.55 ACRES) MORE OR LESS, AND IS SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD;

ALSO AN EASEMENT FOR INGRESS AND EGRESS LOCATED IN PART OF C.S.M. 157 AND PART OF VACATED THIRD AVENUE DESCRIBED AS FOLLOWS: COMMENCING AT THE ABOVE DESCRIBED POINT OF BEGINNING; THENCE ALONG SAID MEANDER LINE S89°47'25"E, 36.23 FEET; THENCE CONTINUING ALONG SAID MEANDER LINE S69°24'16"E, 99.51 FEET; THENCE CONTINUING ALONG SAID MEANDER LINE S46°37'06"E, 73.12 FEET; THENCE CONTINUING ALONG SAID MEANDER LINE S46°27'27"E, 110.18 FEET; THENCE S43°39'29"W, 34 ± FEET, TO A POINT ON THE NORTH WATERS EDGE OF THE YELLOW RIVER; THENCE NORTH AND WEST ALONG SAID WATERS EDGE TO A POINT LOCATED S00°12'14"W FROM THE POINT OF BEGINNING THENCE N00°12'14"E, 28 ± FEET TO THE POINT OF BEGINNING.

SAID EASEMENT CONTAINS 8,478 SQUARE FEET (0.20 ACRES) AND IS SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD.

DATED THIS 29th DAY OF OCTOBER, 2002

[Signature]
ANTHONY R. JONES, S-2508
FOR: BECHER-HOPPE ASSOCIATES, INC.
DRAFTED BY: AJP



REGISTER'S OFFICE } ss.
County of Taylor, Wis. } 4h
Received for record this 30th day of
Oct, 2002 at 10:30 o'clock A.M.,
and recorded in Vol. 7-3
if Surveys on page 3-4

[Signature]
Marvel A. Lemke, Register of Deeds

Prepared by: BECHER-HOPPE ASSOCIATES, INC.
330 Fourth Street - P.O. Box 8000 - Wausau, WI 54402-8000 715/845-8000

JOB NO. 2002.069
SHEET 2 OF 2

I certify that to the best of my knowledge the attached legal description completely and accurately describes all properties within or partially within the contaminated site boundaries associated with the Drangle Foods site, WDNR BRRTS file no. 03-61-219421.

By:



Thomas P. Haid

Print


Thomas P. Haid

Signature

9/4/03
Date



PROJECT LOCATION



Gilman Quadrangle
Wisconsin Taylor Co.
7.5 Minute Series (Topographic)


NE/4 Gilman 15' Quadrangle
Contour Interval 10 Feet
1981



TRANSPORTATION • MUNICIPAL • REMEDIATION
DEVELOPMENT • ENVIRONMENTAL
P.O. Box 1826 1835 N. Stevens St. Keshelander, WI 54501
715-362-3244 1-800-844-7854 Fax 715-362-4116

FIGURE 1
SITE LOCATION MAP
DRANGLE FOODS
GILMAN, WISCONSIN

Drangle Foods



© 2001 DeLorme, Street Atlas USA; © 2001 GDT, Inc., Rel. 01/2001

Mag 15.00

Thu Sep 11 13:49 2003

Scale 1:15,625 (at center)


1000 Feet



500 Meters



-  Local Road
-  Major Connector
-  State Route
-  Railroad
-  Small Town
- Population Center
-  River/Canal
-  Intermittent River



1/4 CORNER 13-31-4

SE CORNER 13-31-4

FIGURE 1
PARCEL MAP

Drangle Foods
Gilman, Wisconsin

Taken from CSM NO 1465
Prepared by: Becher-Hoppe Associated Inc. (2002)
Scale 1"=100'




301 West First Street, Duluth, MN 55802
218-722-3915 1-800-777-7380 Fax: 218-722-4548

DRAWN BY	DATE	SHEET	OF
CHECKED BY	SCALE	FILE NO.	CAD FILE

LEGEND

- DF-1 SOIL SAMPLE
- B-4 SOIL BORING LOCATION AND NUMBER
- SS-1 SOIL SAMPLE COLLECTED




<25 = NOT DETECTED ABOVE THE INDICATED DETECTION LIMIT

NA = NOT ANALYZED FOR THIS PARAMETER

SHADED AND BOLD = RCL EXCEEDANCE

VALUES IN BRACKETS REPRESENT RESULTS GREATER THAN THE LIMIT OF DETECTION BUT LESS THAN THE LIMIT OF QUANTIFICATION AND ARE WITHIN A REGION OF "LESS CERTAIN QUANTIFICATION."



NOTE:
 FOR ADDITIONAL NOTES AND LEGEND, REFER TO FIGURE 2.





FIGURE 4

EXTENT OF REMAINING SOIL CONTAMINATION




DRANGLE FOODS
 GILMAN, WISCONSIN

MSA PROFESSIONAL ENGINEERING

TRANSPORTATION • MUNICIPAL • REMEDIATION
 DEVELOPMENT • ENVIRONMENTAL

505 N. Stevens St., Elkhon, WI 53121
 735-568-2544 1-800-844-7554 Fax: 735-568-0228

DRAWN BY: RHM DATE: 2-16-00 SHEET: _____ OF _____
 CHECKED BY: SCALE: AS NOTED FILE NO.: 212760AF1



SOIL LABORATORY ANALYTICAL RESULTS

- SOIL
120 — DRO CONCENTRATION (mg/Kg)
65 — BENZENE CONCENTRATION (μg/Kg)
12 — NAPHTHALENE CONCENTRATION (μg/Kg)
- <math><25</math> = NOT DETECTED ABOVE THE INDICATED DETECTION LIMIT
- NA = NOT ANALYZED FOR THIS PARAMETER

SHADED AND BOLD = RCL EXCEEDANCE

VALUES IN BRACKETS REPRESENT RESULTS GREATER THAN THE LIMIT OF DETECTION BUT LESS THAN THE LIMIT OF QUANTIFICATION AND ARE WITHIN A REGION OF "LESS CERTAIN QUANTIFICATION."

GROUNDWATER ANALYTICAL RESULTS (JUNE 12, 2003)

- WATER
1.9 — BENZENE CONCENTRATION (μg/L)
93 — NAPHTHALENE CONCENTRATION (μg/L)
 - 93** — BOLD NUMBERS INDICATE DETECTION EQUAL OR EXCEEDS NR140 ES
 - 1.9* — ITALICIZED NUMBERS INDICATE DETECTION EQUAL OR EXCEEDS NR140 PAL
- GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS ON 6/12/03

NOTE:
GEOLOGIC INTERPRETATIONS ARE BASED ON INTERPOLATION BETWEEN BORINGS AND MAY NOT REPRESENT ACTUAL SUBSURFACE CONDITIONS.

FIGURE
POST-REMEDIATION ACTION
CROSS SECTION A-A'

DRANGLE FOODS
GILMAN, WISCONSIN

MSA
TRANSPORTATION • MUNICIPAL • REMEDIATION
DEVELOPMENT • ENVIRONMENTAL

205 N. Monroe St., Elkhart, WI 54001
TEL: 920-2344 1-800-844-7864 FAX: 715-903-0118

PROFESSIONAL ENGINEER

DRAWN BY RHM DATE 2-18-00 SHEET _____ OF _____
CHECKED BY SCALE AS NOTED FILE NO. 212760AM1

DATE	BENZENE	NAPHTHALENE
10/24/01	<0.45	0.034
7/2/02	<0.45	0.083
12/12/02	<0.45	<0.031
6/12/03	<0.30	0.085

DATE	BENZENE	NAPHTHALENE
10/24/01	12	170
7/2/02	<i>2</i>	170
12/12/02	FREE PRODUCT	
6/12/03	<i>L9</i>	93


DATE	BENZENE	NAPHTHALENE
10/24/01	<i>2.4</i>	210
7/2/02	8.5	110
12/12/02	FREE PRODUCT	
6/12/03	<i>1.0</i>	6.4

DATE	BENZENE	NAPHTHALENE
10/24/01	<0.45	0.11
7/2/02	<0.45	0.038
12/12/02	<0.45	<0.029
6/12/03	<0.30	<0.024



DATE	BENZENE	NAPHTHALENE
10/24/01	27	<0.047
7/2/02	9.8	3.1
12/12/02	<0.45	0.075
6/12/03	<i>4.1</i>	2.2

DATE	BENZENE	NAPHTHALENE
10/24/01	<0.45	<0.029
7/2/02	<0.45	<0.027
12/12/02	<0.45	<0.030
6/12/03	<0.30	<0.024

LEGEND

- MW-4  MONITORING WELL LOCATION AND NUMBER
-  BENZENE AND NAPHTHALENE ARE MEASURED IN ug/L
- <0.45 NOT DETECTED ABOVE INDICATED LIMIT
- 93** BOLD NUMBERS INDICATE DETECTION EQUAL OR EXCEEDS NR140 ES
- L9* ITALICIZED NUMBERS INDICATE DETECTION ABOVE NR140 PAL
-  APPROXIMATE EXTENT OF REMAINING GROUNDWATER CONTAMINATION

NOTE:
FOR ADDITIONAL NOTES AND LEGEND, REFER TO FIGURE 2.




FIGURE


EXTENT OF REMAINING GROUNDWATER CONTAMINATION
DRANGLE FOODS
GILMAN, WISCONSIN

MSA
PROFESSIONAL SERVICES

TRANSPORTATION • MUNICIPAL • REMEDIATION
DEVELOPMENT • ENVIRONMENTAL
306 N. Stevens St., Elkhart, WI 54821
715-323-2344 1-800-844-7864 Fax: 715-323-2338


DRAWN BY: RHM DATE: 2-15-00 SHEET: _____ of _____
CHECKED BY: _____ SCALE: AS NOTED FILE NO.: 212750AC2





YELLOW RIVER

DRANGLE FOODS



(89.81) MW-2
 (90.13) MW-1
 (89.75) MW-3
 (89.75) MW-5
 (88.81) SPMW-1

FILL
 DT
 SS
 SS
 SS
 GR

FORMER UST

90.00
 89.00
 89.25
 89.50
 89.75

SLOPE

MW-4
 (90.14)

MW-5
 (89.75)

Table 2
Site Investigation Soil Analytical Results Summary
Drangle Foods, Gilman, Wisconsin

BORING ID	SS-1	B-1/MW-1	B-1/MW-1	B-2/MW-2	B-3/MW-3	B-3/MW-3	MW-5	MW-5	WDNR		NR 746	NR 746	
									Generic RCL		Table 1	Table 2	
SAMPLING DATE	04/27/99	05/11/99	05/11/99	05/11/99	05/11/99	05/11/99	09/10/99	09/10/99					
SAMPLING DEPTH	13'	11.5-13.5'	16.5-18.5'	11.5-13.5'	6.5-8.5'	11.5-13.5'	6-8'	12-14'					
DRO (mg/Kg)	3100	120	[3.6]	<2.6	1900	<2.6	<1.4	<1.4	100		ns	ns	
PVOCs (mg/Kg)													
Benzene	na	[0.065]	<0.024	<0.024	<1.20	<0.024	<0.025	<0.025	0.0055		8.5	1.1	
Ethylbenzene	na	0.13	<0.024	<0.024	[2.70]	<0.024	<0.025	<0.025	2.9		4.6	ns	
Methyl tert-butyl ether	na	<0.021	<0.021	<0.021	<1.10	<0.021	<0.025	<0.025	ns		ns	ns	
Toluene	na	0.067	<0.018	<0.018	[1.70]	<0.018	<0.025	<0.025	1.5		38	ns	
Xylenes	na	0.36	<0.070	<0.070	8.8	<0.070	<0.050	<0.050	4.1		42	ns	
1,2,4-Trimethylbenzene	na	0.51	<0.024	<0.024	5.1	<0.024	<0.025	<0.025	ns		83	ns	
1,3,5 - Trimethylbenzene	na	0.24	<0.025	0.17	5.4	<0.025	<0.025	<0.025	ns		11	ns	
PAH (mg/Kg)										Direct Contact	Groundwater		
Acenaphthene	na	2.7	<0.0015	<0.0015	[0.120]	<0.0015	<0.028	<0.028	60000	38	ns	ns	
Anthracene	na	1.2	[0.0015]	<0.0014	[0.11]	<0.0014	<0.0095	<0.0095	300000	3000	ns	ns	
Benzo (a) pyrene	na	<0.0014	[0.003]	<0.0014	0.0046	<0.0014	<0.0016	<0.0016	0.39	48	ns	ns	
Benzo (k) fluoranthene	na	<0.0017	<0.0017	<0.0017	0.02	<0.0017	<0.00096	<0.00096	39	870	ns	ns	
Fluorene	na	2.8	0.0059	<0.0017	0.21	<0.0017	<0.0013	<0.0013	40000	100	ns	ns	
Methyl-1-Naphthalene	na	27	0.041	<0.0021	2.1	<0.0021	<0.029	<0.029	70000	23	ns	ns	
Methyl-2-Naphthalene	na	52	0.086	[0.0036]	1.2	<0.0018	<0.023	<0.023	40000	20	ns	ns	
Naphthalene	na	12	0.017	<0.0017	0.55	<0.0017	<0.036	<0.036	110	0.4	2.7	ns	
Phenanthrene	na	10	0.021	<0.0016	1.2	<0.0016	<0.0089	<0.0089	390	1.8	ns	ns	
Pyrene	na	0.88	[0.0025]	<0.0018	[0.099]	<0.0018	<0.0034	<0.0034	30000	8700	ns	ns	

DRO = Diesel Range Organics Wisconsin Modified DRO Method

PAH = Polynuclear Aromatic Hydrocarbons SW846 8310 (Table presents only those compounds for which there were detections)

RCL = Residual Contaminant Level from ch. NR 720 Wis. Adm. Code

PAH Direct Contact and Groundwater values from Publication RR-519-97

Bold = RCL Exceedance.

Values in brackets represent results greater than the limit of detection but less than the limit of quantitation and are within a region of "Less-Certain Quantification".

<24 = Not detected above the indicated detection limit

na = not analyzed for this parameter

ns = no standard

Table 3
Remedial Action Soil Analytical Results Summary
Drangle Foods, Gilman, Wisconsin

SAMPLE ID	DF-1	DF-2	DF-3	DF-4	DF-5	DF-6	DF-7	WDNR		NR 746	NR 746
SAMPLING DATE	08/11/99	08/11/99	08/11/99	08/11/99	08/11/99	08/11/99	08/11/99	Generic RCL		Table 1	Table 2
SAMPLE LOCATION	NW Sidewall	SW Sidewall	Removed (truck)	NE Sidewall	Bottom	Removed (truck)	SE Sidewall				
SAMPLING DEPTH	13'	13'	14'	13.5'	14'	17'	3'				
DRO (mg/Kg)	530	1800	52	1100	1100	13000	[3.8]	100		ns	ns
PVOCs (mg/Kg)											
Benzene	<0.025	<0.50	<0.50	<0.50	<0.50	<2.5	<0.25	0.0055		8.5	1.1
Ethylbenzene	<0.025	2.0	<0.50	3.2	2.0	4.5	<0.25	2.9		4.6	ns
Methyl tert-butyl ether	<0.025	<0.50	<0.50	<0.50	<0.50	<2.5	<0.25	ns		ns	ns
Toluene	<0.025	<0.50	<0.50	1.6	<0.50	<2.5	<0.25	1.5		38	ns
Xylenes	<0.050	10.3	<1.0	19	10.2	36	<0.50	4.1		42	ns
1,2,4-Trimethylbenzene	0.23	25	7.1	32	19	63	<0.25	ns		83	ns
1,3,5-Trimethylbenzene	0.22	0.86	4.4	0.86	<0.50	25	<0.25	ns		11	ns
PAH (mg/Kg)								Direct Contact	Groundwater		
Acenaphthylene	<1.3	<6.7	<0.67	<6.7	<6.7	<6.7	[0.091]	360	0.7	ns	ns
Benzo (a) pyrene	<0.032	<0.16	<u>2.5</u>	<0.16	<0.16	<0.16	<0.0016	0.39	48	ns	ns
Benzo (b) fluoranthene	<0.014	<0.07	1.6	<0.07	<0.07	<0.07	<0.0007	3.9	360	ns	ns
Benzo (g,h,i) perylene	<0.082	<0.31	4.4	<0.31	<0.31	<0.31	<0.0031	39	6800	ns	ns
Benzo (k) fluoranthene	3.8	<0.096	2.2	<0.096	<0.096	<0.096	<0.00096	39	870	ns	ns
Dibenzo (a,h) anthracene	<0.18	<0.88	<u>7.8</u>	<0.88	<0.88	<0.88	<0.0088	0.39	38	ns	ns
Fluoranthene	2.9	21	3	22	19	38	[0.0034]	40000	500	ns	ns
Fluorene	0.66	7	0.81	8.2	6.7	14	<0.012	40000	100	ns	ns
Methyl-2-Naphthalene	0.55	40	2.5	45	38	64	<0.023	40000	20	ns	ns
Naphthalene	<0.72	<u>8.8</u>	0.64	<u>9.5</u>	<u>8</u>	14	<0.036	110	0.4	2.7	ns
Phenanthrene	0.65	<u>12</u>	1.1	<u>19</u>	<u>12</u>	20	[0.011]	390	1.8	ns	ns
Pyrene	6.8	<0.34	<0.034	<0.34	<0.34	<0.34	0.017	30000	8700	ns	ns

DRO = Diesel Range Organics Wisconsin Modified DRO Method

PAH = Polynuclear Aromatic Hydrocarbons SW846 8310 (Table presents only those compounds for which there were detections)

RCL = Residual Contaminant Level from ch. NR 720 Wis. Adm. Code

PAH Direct Contact and Groundwater values from Publication RR-519-97

Bold = RCL Exceedance.

Bold and Double Underline = RR-519-97 or NR 746 Table 1 and/or Table 2 Exceedance.

Values in brackets represent results greater than the limit of detection but less than the limit of quantitation and are within a region of "Less-Certain Quantification".

<25 = Not detected above the indicated detection limit

ns = no standard

**TABLE 1
GROUNDWATER ANALYTICAL RESULTS SUMMARY**

Drangle Foods
Gilman, Wisconsin

	Benzene	Ethylbenzene	MTBE	Toluene	TMBs	Xylenes	Acenaphthalene	Acenaphthylene	Anthracene	Benzo(a)Anthracene	Benzo(a)Pyrene	Benzo(b)Fluoranthene	Benzo(k)Fluoranthene	Benzo(ghi)Perylene	Chrysene	Dibenzo(a,h)Anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)Pyrene	Methyl-1-Naphthalene	Methyl-2-Naphthalene	Naphthalene	Phenanthrene	Pyrene	DRO	Qualified	Water Level
NR 140 ES	5	700	60	1000	480	10000	--	--	3000	--	0.2	0.2	--	--	--	--	400	400	--	--	--	40	--	250	--	--	--
NR 140 PAL	0.5	140	12	200	96	1000	--	--	600	--	0.02	0.02	--	--	--	--	80	80	--	--	--	8	--	50	--	--	--

MW-1R	Top of Well Screen: 92.86										Length of Well Screen: 10 Feet						TOC Elevation: 99.86											
12-May-99																											nr	
13-Oct-99																												nr
10-Jan-00																												nr
10-Apr-00																												nr
06-Jul-00																												nr
11-Oct-00	29.3	95.0	<3.00	15.3	245.2	96.5	12.8	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.6	<0.03	10.2	<0.06	135	90.2	46.8	<0.1	<0.1	na		nr	
10-Jan-01	26.4	86.3	<1.50	10.6	181.1	96.6	0.01	<0.15	20.5	0.943	0.239	0.431	1.03	0.463	0.937	<0.6	<0.1	28.1	0.149	169	103	97.1	41.4	2.21	na	Q	88.91	
26-Apr-01	1.83	14	<1.50	<2.00	177.9	74.9	14.7	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.6	0.27	17.7	<0.06	84.2	30.5	40.9	18.4	0.869	na		91.80	
31-Jul-01																											88.32	
24-Oct-01	12	83	<0.43	12	230	132	9.1	2.5	2.9	<0.53	<0.33	<0.39	<0.36	<0.42	<0.50	<0.47	<0.78	18	<0.39	220	250	170	32	1.8	na	Q	89.05	
02-Jul-02	2	48	<0.43	5.9	199	89	<36	4	4	<0.38	<0.24	<0.28	<0.26	<0.30	<0.36	<0.34	0.93	<42	<0.28	290	410	170	51	3.5	na	Q	90.45	
12-Dec-02																											88.68	
12-Jun-03	1.9	47	<1.2	3.4	310	126	7.8	<2.9	<3.0	<1.8	<2.1	<2.0	<2.9	<2.4	<2.1	<2.4	<2.0	10	<3.2	110	74	93	8	<2.6	na	Q	90.13	
23-Aug-06	<10	<10	<10	<10	123	<28	<25	<18	12	49	<1.8	<0.70	<0.90	<3.6	6	<7.0	44	26	<2.7	410	140	<32	87	270	na	Q	88.11	

**TABLE 1
GROUNDWATER ANALYTICAL RESULTS SUMMARY**

Drangle Foods
Gilman, Wisconsin

	Benzene	Ethylbenzene	MTBE	Toluene	TMBs	Xylenes	Acenaphthalene	Acenaphthylene	Anthracene	Benzo(a)Anthracene	Benzo(a)Pyrene	Benzo(b)Fluoranthene	Benzo(k)Fluoranthene	Benzo(ghi)Perylene	Chrysene	Dibenzo(a,h)Anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)Pyrene	Methyl-1-Naphthalene	Methyl-2-Naphthalene	Naphthalene	Phenanthrene	Pyrene	DRO	Qualified	Water Level
NR 140 ES	5	700	60	1000	480	10000	--	--	3000	--	0.2	0.2	--	--	--	--	400	400	--	--	--	40	--	250	--	--	--
NR 140 PAL	0.5	140	12	200	96	1000	--	--	600	--	0.02	0.02	--	--	--	--	80	80	--	--	--	8	--	50	--	--	--

MW-2	Top of Well Screen: 92.43										Length of Well Screen: 10 Feet										TOC Elevation: 99.43						
12-May-99	<0.50	<0.54	<0.47	0.63	37.0	<1.50	<0.026	<0.073	<0.023	<0.042	<0.016	<0.023	<0.028	<0.031	<0.023	<0.022	0.050	<0.031	<0.090	0.66	1.1	0.21	0.090	0.042	80	Q	nr
13-Oct-99	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.1	<0.09	<0.05	<0.04	<0.04	<0.06	<0.06	<0.05	<0.1	<0.06	<0.07	<0.07	<0.09	<0.08	<0.08	<0.08	<0.11	241		88.35
10-Jan-00	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.1	<0.09	<0.05	<0.04	<0.04	<0.06	<0.06	<0.05	<0.1	<0.06	<0.07	<0.07	<0.09	<0.08	<0.08	<0.08	<0.11	194		88.68
10-Apr-00	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	<0.11	<0.06	<0.13	<0.12	<0.06	<0.11	<0.1	665		89.10
06-Jul-00	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	<0.11	<0.06	<0.13	<0.12	<0.06	<0.11	<0.1	447		89.25
11-Oct-00	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	<0.11	<0.06	<0.13	<0.12	<0.06	<0.11	<0.1	na		81.65
10-Jan-01	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	<0.11	<0.06	<0.13	<0.12	<0.06	<0.11	<0.1	na		88.88
26-Apr-01	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	<0.11	<0.06	<0.13	<0.12	<0.06	<0.11	<0.1	na		91.40
31-Jul-01	<0.40	<0.40	<0.40	<0.40	<0.80	<1.1	<0.20	<0.15	<0.039	<0.0032	<0.0056	<0.0056	<0.0055	<0.0018	<0.032	<0.06	<0.0092	<0.11	0.036	<0.22	<0.23	<0.24	<0.042	<0.042	na	Q	88.37
24-Oct-01	<0.45	<0.82	<0.43	<0.68	<1.86	<2.47	<0.020	<0.025	<0.022	<0.021	<0.013	0.016	<0.014	0.022	<0.020	0.026	<0.031	<0.023	0.024	<0.030	0.038	0.034	<0.021	<0.022	na	Q	89.02
02-Jul-02	<0.45	<0.82	<0.43	<0.68	<1.86	<2.47	<0.018	<0.023	<0.020	<0.019	<0.012	<0.014	<0.013	<0.015	<0.018	<0.017	<0.028	<0.021	<0.014	0.074	0.11	0.083	<0.019	<0.020	na	Q	90.13
12-Dec-02	<0.45	<0.82	<0.43	<0.68	<1.86	<2.47	<0.023	<0.025	<0.026	<0.016	<0.018	<0.017	<0.025	<0.021	<0.018	<0.021	<0.017	<0.022	<0.027	<0.022	<0.022	<0.031	<0.021	<0.022	na		nr
12-Jun-03	<0.30	<0.60	<0.58	<0.58	<1.18	<1.84	<0.021	<0.023	<0.024	<0.014	<0.017	<0.015	<0.023	<0.019	<0.017	<0.019	<0.015	<0.020	<0.025	0.085	0.063	0.085	<0.019	<0.020	na	Q	89.81
23-Aug-06	<0.50	<0.50	<0.50	<0.50	1.1	<1.40	<0.25	<0.18	<0.020	<0.0080	0.041	<0.0070	<0.0090	<0.036	<0.038	<0.070	<0.022	<0.15	<0.027	<0.26	<0.27	<0.32	<0.030	<0.026	na	Q	88.09

**TABLE 1
GROUNDWATER ANALYTICAL RESULTS SUMMARY**

Drangle Foods
Gilman, Wisconsin

	Benzene	Ethylbenzene	MTBE	Toluene	TMBs	Xylenes	Acenaphthalene	Acenaphthylene	Anthracene	Benzo(a)Anthracene	Benzo(a)Pyrene	Benzo(b)Fluoranthene	Benzo(k)Fluoranthene	Benzo(ghi)Perylene	Chrysene	Dibenzo(a,h)Anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)Pyrene	Methyl-1-Naphthalene	Methyl-2-Naphthalene	Naphthalene	Phenanthrene	Pyrene	DRO	Qualified	Water Level
NR 140 ES	5	700	60	1000	480	10000	--	--	3000	--	0.2	0.2	--	--	--	--	400	400	--	--	--	40	--	250	--	--	--
NR 140 PAL	0.5	140	12	200	96	1000	--	--	600	--	0.02	0.02	--	--	--	--	80	80	--	--	--	8	--	50	--	--	--

MW-3	Top of Well Screen: 92.55										Length of Well Screen: 10 Feet						TOC Elevation: 99.55										
12-May-99	<0.50	<0.54	<0.47	<0.52	2.32	<1.50	<0.026	<0.073	0.077	<0.042	0.016	<0.023	0.038	<0.031	<0.023	<0.022	<0.034	0.77	<0.090	10	14	4.5	2.2	0.12	620	Q	nr
13-Oct-99	<1.5	8.06	<3.0	<4.0	168.6	36.39	14.7	<1.0	<0.9	<0.05	<0.4	<0.4	<0.6	<0.06	<0.05	<1.0	<0.6	72.8	<0.07	191	182	41.4	120	<1.1	125000		88.47
10-Jan-00	<0.75	3.38	<1.5	<2.0	116.6	28.60	<0.1	<1.0	<0.9	<0.05	<0.4	<0.4	<0.6	<0.6	<0.5	<1.0	<0.6	55.9	<0.07	358	765	93.3	120	<1.1	241000		88.54
10-Apr-00	0.328	1.45	<0.3	<0.4	26.89	7.53	13.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	17.3	<0.06	96.5	87.7	10.5	58.9	<0.1	120000	Q	88.98
06-Jul-00	0.837	0.897	<0.3	<0.4	6.92	2.466	2.15	<0.15	<0.09	<0.03	<0.02	<0.02	<0.02	<0.09	<0.02	<0.06	<0.03	3.26	<0.06	4.63	1.50	0.48	6.64	<0.1	21400	Q	89.14
11-Oct-00	0.276	1.07	<0.3	<0.4	12.51	3.02	2.57	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	9.45	<0.06	42.9	46.0	11.3	22.0	<0.1	na	Q	88.55
10-Jan-01	0.893	4.90	<0.3	<0.4	67.6	15.56	51.1	<1.50	108	5.73	<0.2	<0.2	<0.3	<0.9	6.17	<0.06	<0.3	80.7	<0.6	352	455	91.1	242	15.9	na		88.70
26-Apr-01	2.59	8.04	<0.3	0.685	76.4	28.2	18.5	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	0.401	25.6	<0.06	101	56.1	10.8	45.2	1.95	na	Q	91.24
31-Jul-01	free product, well was not sampled																										
24-Oct-01	2.4	7.8	<0.43	0.89	83	29	97	5.5	55	2.1	0.43	0.36	<0.28	<0.33	2.8	<0.37	10	170	<0.30	730	740	210	300	44	na	Q	88.76
02-Jul-02	8.5	25	<0.43	3.9	129	72	46	5.5	<40	0.9	<0.24	<0.28	<0.26	<0.30	1.2	<0.34	4.5	74	<0.28	440	430	110	140	<40	na	Q	90.00
12-Dec-02	free product, well was not sampled																										
12-Jun-03	1.0	2.6	<0.58	<0.58	20.4	8.3	5.8	<2.3	3.5	<1.5	<1.7	<1.6	<2.3	<2.0	<1.7	<2.0	<1.6	11	<2.6	47	13	6.4	15	<2.1	na	Q	89.75
23-Aug-03	<0.50	<0.50	<0.50	<0.50	3.0	0.81	<49	<35	44	310	<3.6	<1.4	<1.8	<7.2	50	<14	160	43	<5.4	240	57	<64	200	1100	na		87.90

**TABLE 1
GROUNDWATER ANALYTICAL RESULTS SUMMARY**

Drangle Foods
Gilman, Wisconsin

	Benzene	Ethylbenzene	MTBE	Toluene	TMBs	Xylenes	Acenaphthalene	Acenaphthylene	Anthracene	Benzo(a)Anthracene	Benzo(a)Pyrene	Benzo(b)Fluoranthene	Benzo(k)Fluoranthene	Benzo(ghi)Perylene	Chrysene	Dibenzo(a,h)Anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)Pyrene	Methyl-1-Naphthalene	Methyl-2-Naphthalene	Naphthalene	Phenanthrene	Pyrene	DRO	Qualified	Water Level
NR 140 ES	5	700	60	1000	480	10000	--	--	3000	--	0.2	0.2	--	--	--	--	400	400	--	--	--	40	--	250	--	--	--
NR 140 PAL	0.5	140	12	200	96	1000	--	--	600	--	0.02	0.02	--	--	--	--	80	80	--	--	--	8	--	50	--	--	--

MW-4	Top of Well Screen: 93.28										Length of Well Screen: 10 Feet										TOC Elevation: 100.28						
12-May-99	<0.50	<0.54	<0.47	<0.52	<1.07	<1.50	<0.026	<0.073	<0.023	<0.042	0.019	<0.023	<0.028	<0.031	<0.023	<0.022	<0.034	0.036	<0.090	0.47	0.93	0.15	0.22	0.042	120	Q	na
13-Oct-99	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.1	<0.09	<0.05	<0.04	<0.04	<0.06	<0.06	<0.05	<0.1	<0.06	<0.07	<0.07	<0.09	<0.08	<0.08	<0.08	<0.11	<100		89.20
10-Jan-00	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.1	<0.09	<0.05	<0.04	<0.04	<0.06	<0.06	<0.05	<0.1	<0.06	<0.07	<0.07	<0.09	<0.08	<0.08	<0.08	<0.11	<100		89.08
10-Apr-00	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	<0.11	<0.06	<0.13	<0.12	<0.06	<0.11	<0.1	<100		89.57
06-Jul-00	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	<0.11	<0.06	<0.13	<0.12	<0.06	<0.11	<0.1	na		89.87
11-Oct-00	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	<0.11	<0.06	<0.13	<0.12	<0.06	<0.11	<0.1	na		82.19
10-Jan-01	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	<0.11	<0.06	<0.13	<0.12	<0.06	<0.11	<0.1	na		89.23
26-Apr-01	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	<0.11	<0.06	<0.13	<0.12	<0.06	<0.11	<0.1	na		91.81
31-Jul-01	<0.40	<0.40	<0.40	<0.40	<0.80	<1.1	<0.20	<0.15	<0.039	<0.032	<0.0069	<0.0056	<0.0055	<0.09	<0.032	<0.06	<0.0092	<0.098	<0.06	<0.20	<0.22	<0.23	0.090	<0.039	na	Q	88.84
24-Oct-01	<0.45	<0.82	<0.43	<0.68	<1.86	<2.47	<0.020	<0.025	<0.022	<0.021	<0.013	<0.015	<0.014	<0.016	<0.02	<0.018	<0.03	<0.023	<0.015	<0.029	<0.030	<0.029	<0.021	<0.022	na		89.33
02-Jul-02	<0.45	<0.82	<0.43	<0.68	<1.86	<2.47	<0.018	<0.023	<0.020	<0.019	<0.012	<0.014	<0.013	<0.015	<0.018	<0.017	<0.028	<0.021	<0.014	<0.027	<0.028	<0.027	<0.019	<0.020	na		90.49
12-Dec-02	<0.45	<0.82	<0.43	<0.68	<1.86	<2.47	<0.022	<0.024	<0.025	<0.015	<0.017	<0.016	<0.024	<0.020	<0.017	<0.020	<0.016	<0.021	<0.026	<0.021	<0.021	<0.030	<0.020	<0.021	na		nr
12-Jun-03	<0.30	<0.60	<0.58	<0.58	<1.18	<1.84	<0.018	<0.019	<0.020	<0.012	<0.014	<0.013	<0.019	<0.016	<0.014	<0.016	<0.013	<0.017	<0.021	<0.018	<0.017	<0.024	<0.016	<0.017	na		90.14
23-Aug-06	<0.50	<0.50	<0.50	<0.50	<1.0	<1.40	<0.25	<0.18	<0.020	<0.0080	<0.018	<0.0070	<0.0090	<0.036	<0.038	<0.070	0.026	<0.15	<0.027	<0.26	<0.27	<0.32	<0.030	<0.026	na		88.58

TABLE 1
GROUNDWATER ANALYTICAL RESULTS SUMMARY

Drangle Foods
Gilman, Wisconsin

	Benzene	Ethylbenzene	MTBE	Toluene	TMBs	Xylenes	Acenaphthalene	Acenaphthylene	Anthracene	Benzo(a)Anthracene	Benzo(a)Pyrene	Benzo(b)Fluoranthene	Benzo(k)Fluoranthene	Benzo(ghi)Perylene	Chrysene	Dibenzo(a,h)Anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)Pyrene	Methyl-1-Naphthalene	Methyl-2-Naphthalene	Naphthalene	Phenanthrene	Pyrene	DRO	Qualified	Water Level
NR 140 ES	5	700	60	1000	480	10000	--	--	3000	--	0.2	0.2	--	--	--	--	400	400	--	--	--	40	--	250	--	--	--
NR 140 PAL	0.5	140	12	200	96	1000	--	--	600	--	0.02	0.02	--	--	--	--	80	80	--	--	--	8	--	50	--	--	--

MW-5	Top of Well Screen: 89.93										Length of Well Screen: 10 Feet					TOC Elevation: 99.39											
12-May-99	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	nr
13-Oct-99	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.1	<0.09	<0.05	<0.04	0.280	0.076	0.065	<0.05	<0.1	<0.06	<0.07	<0.07	<0.09	<0.08	<0.08	<0.08	<0.11	118	Q	88.31
10-Jan-00	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.1	<0.09	<0.05	<0.04	<0.04	<0.06	<0.06	<0.05	<0.1	<0.06	<0.07	<0.07	<0.09	<0.08	<0.08	<0.08	<0.11	<100		88.56
10-Apr-00	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	<0.11	<0.06	<0.13	<0.12	<0.06	<0.11	<0.1	<100		88.97
06-Jul-00	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	<0.11	<0.06	<0.13	<0.12	<0.06	<0.11	<0.1	na		89.16
11-Oct-00	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	<0.11	<0.06	<0.13	<0.12	<0.06	<0.11	<0.1	na		78.53
10-Jan-01	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	<0.11	<0.06	<0.13	<0.12	<0.06	<0.11	<0.1	na		88.83
26-Apr-01	<0.15	<0.5	<0.3	<0.4	<0.55	<0.55	<0.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	<0.11	<0.06	<0.13	<0.12	<0.06	<0.11	<0.1	na		91.34
31-Jul-01	<0.40	<0.40	<0.40	<0.40	<0.80	<1.1	<0.21	<0.23	<0.040	<0.0033	<0.0071	0.02	<0.0057	<0.019	<0.033	<0.048	<0.0096	<0.10	<0.019	<0.21	<0.22	<0.23	0.058	<0.040	na	Q	88.25
24-Oct-01	<0.45	<0.82	<0.43	<0.68	<1.86	<2.47	<0.02	<0.25	<0.022	<0.021	<0.013	<0.015	<0.014	<0.016	<0.02	<0.018	<0.030	<0.023	<0.015	0.17	0.14	0.11	<0.021	<0.022	na	Q	88.87
02-Jul-02	<0.45	<0.82	<0.43	<0.68	<1.86	<2.47	<0.018	<0.023	<0.020	<0.019	<0.012	<0.014	<0.013	<0.015	<0.018	<0.017	<0.028	<0.021	<0.014	<0.027	<0.028	0.038	<0.019	<0.020	na	Q	90.03
12-Dec-02	<0.45	<0.82	<0.43	<0.68	<1.86	<2.47	<0.021	<0.023	<0.024	<0.014	<0.017	<0.015	<0.023	<0.019	<0.017	<0.019	<0.015	<0.020	<0.025	<0.020	<0.020	<0.029	<0.019	<0.020	na		nr
12-Jun-03	<0.30	<0.60	<0.58	<0.58	<1.18	<1.84	<0.018	<0.019	<0.020	<0.012	<0.014	<0.013	<0.019	<0.016	<0.014	<0.016	<0.016	<0.017	<0.021	<0.018	<0.017	<0.024	<0.016	<0.017	na		89.75
23-Aug-06	<0.50	<0.50	<0.50	<0.50	<1.00	<1.40	<0.25	<0.18	<0.020	0.13	<0.018	<0.0070	<0.0090	<0.036	<0.038	<0.070	0.16	<0.15	<0.027	0.88	<0.27	<0.32	0.18	0.69	na	Q	87.95

**TABLE 1
GROUNDWATER ANALYTICAL RESULTS SUMMARY**

Drangle Foods
Gilman, Wisconsin

	Benzene	Ethylbenzene	MTBE	Toluene	TMBs	Xylenes	Acenaphthalene	Acenaphthylene	Anthracene	Benzo(a)Anthracene	Benzo(a)Pyrene	Benzo(b)Fluoranthene	Benzo(k)Fluoranthene	Benzo(ghi)Perylene	Chrysene	Dibenzo(a,h)Anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)Pyrene	Methyl-1-Naphthalene	Methyl-2-Naphthalene	Naphthalene	Phenanthrene	Pyrene	DRO	Qualified	Water Level
NR 140 ES	5	700	60	1000	480	10000	--	--	3000	--	0.2	0.2	--	--	--	--	400	400	--	--	--	40	--	250	--	--	--
NR 140 PAL	0.5	140	12	200	96	1000	--	--	600	--	0.02	0.02	--	--	--	--	80	80	--	--	--	8	--	50	--	--	--

SPMW-1	Top of Well Screen: 90.38										Length of Well Screen: 4 Feet						TOC Elevation: 96.38										
12-May-99	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	nr
13-Oct-99	1.12	<0.5	<0.3	0.714	1.683	0.483	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	Q 85.30
10-Jan-00	7.83	<0.5	<0.3	0.839	0.434	<0.55	<0.1	<0.1	<0.09	<0.05	0.475	0.257	<0.06	<0.06	<0.05	<0.1	0.429	0.250	<0.07	1.67	1.18	0.883	0.367	1.08	na	Q 88.26	
10-Apr-00	20.5	0.976	<0.3	0.994	<0.55	0.672	<0.14	<0.21	0.412	<0.042	<0.028	0.172	0.079	<0.126	<0.028	<0.084	0.355	<0.154	<0.084	1.79	1.17	0.78	0.225	<0.14	na	Q 88.67	
06-Jul-00	26.8	8.26	<0.3	0.523	<0.55	4.31	<0.2	<0.3	<0.18	0.201	<0.04	0.185	0.125	<0.18	0.096	<0.12	<0.06	<0.22	<0.12	0.349	1.64	0.784	0.433	0.815	na	Q 88.78	
11-Oct-00	34.4	13.3	<0.3	<0.4	3.424	5.834	0.221	<0.255	0.376	<0.051	0.526	0.313	0.156	<0.153	<0.034	<0.102	1.6	<0.187	<0.102	3.02	2.03	5.92	1.03	0.931	na	Q 88.20	
10-Jan-01	30.3	16.2	<0.3	0.702	6.984	9.591	<0.1	<0.15	<0.09	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	<0.03	0.21	<0.06	1.31	0.628	8.86	0.229	<0.1	na	Q 88.40	
26-Apr-01	42.6	34.0	<0.3	1.26	19.65	22.5	0.847	<0.15	0.144	<0.03	<0.02	<0.02	<0.03	<0.09	<0.02	<0.06	0.049	<0.11	<0.06	2.81	1.18	26.5	0.217	<0.1	na	Q 90.86	
31-Jul-01	20	14	<0.40	0.93	21.3	17.3	<1.9	4.2	<0.36	<0.030	0.8	1.6	0.71	<0.17	<0.30	<0.43	3.8	<0.91	3.0	<1.9	5.8	26	<0.36	<0.36	na	Q 87.68	
24-Oct-01	27	5.6	<0.43	0.84	11.2	10.9	0.06	<0.040	<0.034	<0.033	<0.021	<0.024	<0.022	<0.024	<0.031	<0.029	<0.048	<0.036	<0.024	<0.047	<0.048	<0.047	<0.033	<0.034	na	88.59	
02-Jul-02	9.8	8.3	<0.43	0.81	10.4	12.9	0.034	0.025	0.022	0.076	0.067	0.063	0.040	0.040	0.052	<0.017	0.11	<0.021	0.038	0.81	0.58	3.1	0.052	0.089	na	Q 89.84	
12-Dec-02	<0.45	<0.82	<0.43	<0.68	9.9	<2.47	0.11	<0.025	<0.026	0.018	<0.018	<0.017	<0.025	<0.021	0.024	<0.021	0.019	0.026	<0.027	0.42	0.080	0.075	<0.021	0.030	na	Q nr	
12-Jun-03	4.1	6.3	<0.58	<0.58	17.1	14.5	0.16	<0.054	<0.057	0.046	0.048	<0.037	<0.054	<0.046	0.042	<0.046	0.060	<0.049	<0.060	1.7	1.1	2.2	<0.046	0.082	na	Q 88.81	
23-Aug-06	<0.50	<0.50	<0.50	<0.50	<1.00	<1.40	<0.25	<0.18	<0.020	<0.0080	<0.018	0.022	<0.0090	<0.036	<0.038	<0.070	<0.022	0.25	<0.027	<0.26	<0.27	<0.32	<0.030	<0.026	na	Q nr	

**TABLE 1
GROUNDWATER ANALYTICAL RESULTS SUMMARY**

Drangle Foods
Gilman, Wisconsin

	Benzene	Ethylbenzene	MTBE	Toluene	TMBs	Xylenes	Acenaphthalene	Acenaphthylene	Anthracene	Benzo(a)Anthracene	Benzo(a)Pyrene	Benzo(b)Fluoranthene	Benzo(k)Fluoranthene	Benzo(ghi)Perylene	Chrysene	Dibenzo(a,h)Anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)Pyrene	Methyl-1-Naphthalene	Methyl-2-Naphthalene	Naphthalene	Phenanthrene	Pyrene	DRO	Qualified	Water Level
NR 140 ES	5	700	60	1000	480	10000	--	--	3000	--	0.2	0.2	--	--	--	--	400	400	--	--	--	40	--	250	--	--	--
NR 140 PAL	0.5	140	12	200	96	1000	--	--	600	--	0.02	0.02	--	--	--	--	80	80	--	--	--	8	--	50	--	--	--

SPMW-2	Top of Well Screen:										Length of Well Screen:					TOC Elevation:											
12-May-99																											
13-Oct-99																											
10-Jan-00																											
10-Apr-00																											
06-Jul-00																											
11-Oct-00																											
10-Jan-01	well had yet to be installed																										
26-Apr-01																											
31-Jul-01																											
24-Oct-01																											
02-Jul-02																											
12-Dec-02																											
12-Jun-03																											
23-Aug-06	<0.50	<0.50	<0.50	1.5	<1.0	<1.40	<0.30	<0.21	<0.024	<0.0098	<0.022	1.0	<0.011	<0.044	<0.046	<0.085	0.03	0.31	<0.033	<0.32	<0.32	<0.39	<0.037	<0.032	na	Q	86.96

**TABLE 1
GROUNDWATER ANALYTICAL RESULTS SUMMARY**

Drangle Foods
Gilman, Wisconsin

	Benzene	Ethylbenzene	MTBE	Toluene	TMBs	Xylenes	Acenaphthalene	Acenaphthylene	Anthracene	Benzo(a)Anthracene	Benzo(a)Pyrene	Benzo(b)Fluoranthene	Benzo(k)Fluoranthene	Benzo(ghi)Perylene	Chrysene	Dibenzo(a,h)Anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)Pyrene	Methyl-1-Naphthalene	Methyl-2-Naphthalene	Naphthalene	Phenanthrene	Pyrene	DRO	Qualified	Water Level
NR 140 ES	5	700	60	1000	480	10000	--	--	3000	--	0.2	0.2	--	--	--	--	400	400	--	--	--	40	--	250	--	--	--
NR 140 PAL	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>200</i>	<i>96</i>	<i>1000</i>	--	--	<i>600</i>	--	<i>0.02</i>	<i>0.02</i>	--	--	--	--	<i>80</i>	<i>80</i>	--	--	--	<i>8</i>	--	<i>50</i>	--	--	--

Explanation:

All elevations are in feet relative to the site datum of 100 feet.

All results are reported in ug/l, micrograms per liter

Results in **bold** equal or exceed the NR 140 Wis. Adm. Code Enforcement Standard

Results in *italics* equal or exceed the NR 140 Wis. Adm. Code Preventative Action Limit

<0.40 = less than the indicated limit of detection (LOD)

Q = a parameter was above the LOD but below the limit of quantitation (LOQ)

na = not analyzed for this parameter during this sampling event

nr = water levels not recorded during this sampling event because well had yet to be installed, developed or equipment malfunction

-- = does not apply

Water level measurements reported in December 2002 were actual recorded on 1/8/03