

GIS REGISTRY

Cover Sheet

March, 2010
(RR 5367)

Source Property Information

BRRTS #: 03-11-273160

ACTIVITY NAME: CGC ARLINGTON BULK PLT

PROPERTY ADDRESS: N1849 Delmonte Rd

MUNICIPALITY: Arlington, WI

PARCEL ID #: 11002 244.A

CLOSURE DATE: May 31, 2011

FID #:

DATCP #:

COMM #: 53911999949A

*WTM COORDINATES:

X: 570816 Y: 318934

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
 Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property" form)*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property" form)*

Land Use Controls:

N/A (Not Applicable)

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between non-industrial and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government unit or economic
development corporation was directed to
take a response action)*

Monitoring Wells:

Are all monitoring wells properly abandoned per NR 141? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: 03-11-273160

Parcel ID #: 244.A

ACTIVITY NAME: Arlington Bulk Plant

WTM COORDINATES: X: 570816 Y: 318934

CLOSURE DOCUMENTS (the Department add these items to the final GIS packet for posting on the Registry)

Closure Letter

Maintenance Plan (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)

Conditional Closure Letter

Certificate of Completion (COC) for VPLE sites

SOURCE LEGAL DOCUMENTS

Deed: The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section. **Note:** If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

Certified Survey Map: A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).

Figure #: Title:

Signed Statement: A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 X 14 inches unless the map is submitted electronically.

Location Map: A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.

Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.

Figure #: Title: Site Location Map

Detailed Site Map: A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.

Figure #: Title: Site Layout Map

Soil Contamination Contour Map: For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.

Figure #: Title: Soil Contamination Map

BRRTS #: 03-28-282713

ACTIVITY NAME: Pine Cone Travel Plaza

MAPS (continued)

N/A Geologic Cross-Section Map: A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: 3 Title: Cross Section Location Map

Figure #: 4 Title: Geologic Cross Sections

X Groundwater Isoconcentration Map: For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data. Note: This is intended to show the total area of contaminated groundwater.

Figure #: Title: GROUNDWATER CONTAMINATION MAP (September 7, 2010)

X Groundwater Flow Direction Map: A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 1 Title: Water Table Map For July 5, 2005

Figure #: Title:

TABLES (meeting the requirements of s. NR 716.15(2)(h))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

X Soil Analytical Table: A table showing remaining soil contamination with analytical results and collection dates. Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Figure #: Title: Soil Analytical Results Summary

X Groundwater Analytical Table: Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Figure #: Title: Groundwater Analytical Results Summary

X Water Level Elevations: Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Figure #: Title: Watertable Elevation Table

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: *If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.*

Not Applicable

Site Location Map: A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: Title:

Well Construction Report: Form 4440-113A for the applicable monitoring wells.

Deed: The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

Notification Letter: Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-28-282713

ACTIVITY NAME: Pine Cone Travel Plaza

NOTIFICATIONS

Source Property

N/A Letter To Current Source Property Owner: If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.

N/A Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

N/A Letter To "Off-Source" Property Owners: Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:

N/A Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying any off-source property owner.

N/A Deed of "Off-Source" Property: The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.

Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

N/A Letter To "Governmental Unit/Right-Of-Way" Owners: Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters:

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
South Central Region Headquarters
3911 Fish Hatchery Road
Fitchburg WI 53711-5397

Scott Walker, Governor
Cathy Stepp, Secretary
Lloyd L. Eagan, Regional Director
Telephone 608-275-3266
FAX 608-275-3338
TTY Access via relay - 711



May 31, 2011

Michael Elder
Landmark Services Cooperative
P.O. Box 277
203 W. Cottage Grove Road
Cottage Grove, WI 53527

SUBJECT: Final Case Closure
CGC Arlington Bulk Plt., N1849 Delmonte Road, Arlington, WI
WDNR BRRTS Activity #: 03-111-273160

Dear Mr. Elder:

On April 5, 2011, the South Central Region Closure Committee reviewed your request for closure of the case described above. The Regional Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. On April 5, 2011, you were notified that the Closure Committee had granted conditional closure to this case.

On May 13, 2011 the Department received information or documentation indicating that you have complied with the requirements for final closure. The monitoring wells at the site have been properly abandoned.

Based on the correspondence and data provided, it appears that your case meets the closure requirements in ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wisconsin Administrative Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

GIS Registry

The conditions of case closure set out below in this letter require that this site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- Groundwater contamination is present above Chapter NR 140 enforcement standards

This letter and information that was submitted with your closure request application will be included on

the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If the property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Residual Soil Contamination

Residual soil contamination remains in the vicinity of GB-9 and MW-4 at depths of greater than 4 feet as indicated in the information submitted to the Department of Natural Resources. If soil in the specific locations described above is excavated in the future, then pursuant to ch. NR 718 or, if applicable, ch. 289, Stats., and chs. 500 to 536, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material is considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken to prevent a direct contact health threat to humans.

Residual Groundwater Contamination

Groundwater impacted by petroleum contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present on this contaminated property at MW-3 and MW-4. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact me at (608) 275-3224.

Sincerely,

Randy Maass

Randy Maass Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Jason Powell, METCO, 1421 State Road 16, LaCrosse, WI, 54610
Brian Taylor, Department of Commerce (via email)
Wendy Weihemuller, DNR

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
South Central Region Headquarters
3911 Fish Hatchery Road
Fitchburg WI 53711-5397

Scott Walker, Governor
Cathy Stepp, Secretary
Lloyd L. Eagan, Regional Director
Telephone 608-275-3266
FAX 608-275-3338
TTY Access via relay - 711



April 5, 2011

Michael Elder
Landmark Services Cooperative
P.O. Box 277
203 W. Cottage Grove Road
Cottage Grove, WI 53527

Subject: Conditional Closure Decision,
With Requirements to Achieve Final Closure
CGC Arlington Bulk Plt., N1849 Delmonte Road, Arlington, Wisconsin
WDNR BRRTS Activity # 03-11-273160

Dear Mr. Elder:

On April 5, 2011, the South Central Region Closure Committee reviewed your request for closure of the case described above. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the petroleum contamination on the site from the vicinity of former above-ground storage tanks and a former load shed appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

The monitoring wells at the site must be properly abandoned in accordance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to me on Form 3300-005, found at <http://dnr.wi.gov/org/water/dwg/gw/> or provided by the Department of Natural Resources.

When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR's Remediation and Redevelopment GIS Registry. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at (608) 275-3224.

Sincerely,

Randy Maass

Randy Maass
Hydrogeologist
Remediation & Redevelopment Program

cc: Jason Powell, METCO, 1421 State Road 16, LaCrosse, WI 54601
Brian Taylor, Dept. of Commerce (via email)
Wendy Weihemuller, DNR

STATE OF WISCONSIN
Columbia County

Personally came before me this 18th day of

June A. D. 1957, the above named Walter D. Vogts and
Ruth B. Vogts


to me known to be the persons who executed the foregoing instrument and acknowledged the same.

T. J. Sanderson

Notary Public Columbia County, Wis.

My Commission expires November 9th A. D. 1958
(T. J. Sanderson)

This instrument prepared by T. J. Sanderson.



INDEXED
Grantor
Grantee
RECHECKED
Grantor

No. 293985

Walter D. Vogts and Ruth B.
Vogts, his wife, and in her
own right, TO
Pic Farmers Union Cooperative

Warranty Deed

REGISTER'S OFFICE

STATE OF WISCONSIN
COLUMBIA COUNTY

Received for Record this 13 day of
January A. D. 1957,
at 9:45 o'clock A. M., and recorded in
Volume 269 of Deeds, on page 587
Ronald J. Amund
Register of Deeds

Deputy

A. J. Adams

part 188 of the first part; and
[Name of America Union Cooperative,]
[Name of America Union Cooperative,]

corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, located
[Address] Wisconsin, party of the second part.

WITNESSETH that the said parties of the first part, for and in consideration of the sum of
[Amount] one dollar and other good and valuable considerations-----
[Name] in hand paid by the said party of the second part, the receipt whereof is hereby confessed
and acknowledged, have given, granted, bargained, sold, remised, released, aliened, conveyed and con-
firmed, and by these presents do give, grant, bargain, sell, remise, release, alien, convey and confirm
unto the said party of the second part, its successors and assigns forever, the following described real es-
tate situated in the County of [County] and State of Wisconsin, to-wit:


Beginning at the Southeast corner of the Northeast one-fourth
[Section] Southwest one-fourth of Section 13, Town 10, Range 9 East,
thence North 21 feet along the center line of the road connecting
State Highway 60 and U. S. Highway 51; thence West 180 feet; thence
South 21 feet; thence East 180 feet to the place of beginning,
containing about one acre.

And the parties of the second part for themselves, their heirs and assigns, agree
to build and maintain a legal farm fence on the North and West sides of the
property conveyed, said agreement to be a covenant running with the Northeast
Quarter of the Southwest Quarter of Section 13, Town 10, Range 9 East, and to be
binding upon the successors in title of the parties of the first to the last
mentioned hereinafter, and subject, however, to the right of the parties of the
second part and their successors in title to said Northeast Quarter of the South-
west Quarter of said Section 13 to use and maintain a non-exclusive right of way
along the south side of the property conveyed, and to have access
thereby for the purpose of ingress and egress to the adjoining property.

TOGETHER with all and singular the hereditaments and appurtenances thereunto belonging or in anywise
appertaining, and all the estate, right, title, interest, claim or demand whatsoever of the said parties of
the first part, either in law or equity, either in possession or in expectancy of, in and to the above bargained
and promised hereditaments and appurtenances.

On hand and to hand the said premises, as above described, with the hereditaments and appurte-
nances unto the said party of the second part, and to its successors and assigns forever.

Witness my hand and seal this [Date] day of [Month], A.D. 1925.
[Name] and in her own right
[Name] his wife, and in her own right
[Name] their executors and administrators, do covenant, grant, bargain and agree, to and with
the said party of the second part, its successors and assigns, that at the time of the ensembling and delivery
of these presents they are well seized of the premises above described, as of a good, sure, perfect,
absolute and indefeasible estate of inheritance in the law, in fee simple, and that the same are free and clear
from all incumbrances whatever.



and unto the above bargained premises in the quiet and peaceable possession of the said party of the second
part, its successors and assigns, against all and every person or persons lawfully claiming the whole or
any part thereof, they will forever WARRANT AND DEFEND.


In witness whereof, the said parties of the first part have hereunto set their
hands and seals this [Date] day of [Month], A.D. 1925.

[Signature] (Walter D. Vogts) [SEAL]
[Signature] (Ruth B. Vogts) [SEAL]
[Signature] (Ruth B. Vogts) [SEAL]
[Signature] [SEAL]



COLUMBIA COUNTY
INTERACTIVE MAPPING

244A



- Parcels
- Roads
- County Trunk Highway
- Other (Interchange, Service, etc.)
- Interstate Highway
- Private Road
- State Trunk Highway
- Local Roads -Town
- Local Roads -Urban
- United States Highway
- Water Body (Lines)
- Water Body (Fill)
- Water Body
- Sections
- Aerial Photo 2007 (1 Foot Pixel Resolution)

Scale: 1" = 150 Feet

Printed: 6/13/2011

DISCLAIMER: This map was prepared using the online Columbia County Interactive Mapping System. Information is believed to be correct but is ADVISORY only. Map accuracy is limited to the quality of data obtained from other public records. The user is responsible for verification of all data. Columbia County is NOT responsible for improper use. Please contact the Land Information Department for further information (www.co.columbia.wi.us).



WDNR BRRTS Case #: 03-11-273160

WDNR Site Name: Arlington Bulk Plant


Geographic Information System (GIS) Registry of Closed Remediation Sites

In compliance with the revisions to the NR 700 rule series requiring certain closed sites to be listed on the Geographic Information System (GIS) Registry of Closed Remediation Sites (Registry) effective Nov., 2001, I have provided the following information.


To the best of my knowledge the legal descriptions provided and attached to this statement are complete and accurate.

Responsible Party:

MICHAEL EIDER SAFETY & COMPLIANCE MGR.
(print name/title)

 1/24/2011
(signature) (date)

TOPO! map printed on 03/02/11 from "wisconsin.tpo" and "Untitled.tpg"
89°23.000' W WGS84 89°22.000' W



89°23.000' W WGS84 89°22.000' W
MNT IN 2 1/2" P
0 1000 FEET 0 500 1000 METERS
0 5 1 MILE
Printed from TOPO! ©2001 National Geographic Holdings (www.topo.com)

SITE LOCATION MAP – CONTOUR INTERVAL 10 FEET
ARLINGTON BULK PLANT – ARLINGTON, WI
SEAMLESS USGS TOPOGRAPHIC MAPS ON CD-ROM

HWY 51

N

AGRICULTURAL FIELD

EARTHEN BERM

GRASS

FORMER AST's

MW1

GRAVEL

MW4

GRASS

MW2

mw-7

FORMER LOAD SHED

MW3

MW3P

GRAVEL DRIVE

mw-6


MW5

DELMONTE ROAD

RIGHT-OF-WAY GREENSPACE

LEGEND

- APPROXIMATE PROPERTY LINE 94.50
- OVERHEAD ELECTRIC
- ⊙ UTILITY POLE
- LIGHT POLE
- ⊕ MONITORING WELL
- ⊕ monitoring well (Installed Nov 2006)
- WATER TABLE ELEVATION MEASURED ON 08/29/06
- WATER TABLE CONTOUR
- APPROXIMATE GROUNDWATER FLOW DIRECTION





SCALE: 1" = 40'

PROJECT NO. 2048
DRAWN BY: CS
CHECKED BY: SMS
DRAWN: 01/11/07
REVISED: 01/11/07

updated site layout map


FORMER ARLINGTON BULK PLANT
 N1849 DELMONTE ROAD
 ARLINGTON, WISCONSIN





LEGEND

- — — — — APPROXIMATE PROPERTY LINE
- OU — — — — OVERHEAD ELECTRIC
- ⊙ UTILITY POLE
- LIGHT POLE
- ⊕ GEOPROBE BORING
- MONITORING WELL
- × EXCAVATION SOIL SAMPLE



SCALE: 1" = 40'


PROJECT NO. 2048
DRAWN BY: KP
CHECKED BY: AW
DRAWN: 01/16/03
REVISED: 01/16/03

FIGURE 13
 SOIL EXCAVATION LIMITS
 CGC/ARLINGTON BULK PLANT
 N1849 DELMONTE ROAD
 ARLINGTON, WISCONSIN




SOIL PLUME MAP

HWY 51



LEGEND

- APPROXIMATE PROPERTY LINE
- OVERHEAD ELÉCTRIC
- ⊙ UTILITY POLE
- LIGHT POLE
- × HAND AUGER BORING
- ⊕ GEOPROBE BORING
- ⊙ MONITORING WELL



SCALE: 1" = 40'

MODIFIED BY METCO, AN, 3/1/11

PROJECT NO. 2048

DRAWN BY: CS


CHECKED BY: CJ

DRAWN: 09/19/01


REVISED: 06/24/02

FIGURE 2
 SITE LAYOUT MAP
 CGC/ARLINGTON BULK PLANT
 N1849 DELMONTE ROAD
 ARLINGTON, WISCONSIN






- LEGEND**
- APPROXIMATE PROPERTY LINE
 - OVERHEAD ELECTRIC
 - ⊕ UTILITY POLE
 - ⊞ LIGHT POLE
 - X HAND AUGER BORING
 - ⊕ GEOPROBE BORING
 - ⊙ MONITORING WELL



SCALE: 1" = 40'

PROJECT NO. 2048
DRAWN BY: CS/KP
CHECKED BY: AW
DRAWN: 01/27/04
REVISED: 01/27/04

FIGURE 3
 CROSS SECTION LOCATION MAP
 CGC/ARLINGTON BULK PLANT
 N1849 DELMONTE ROAD
 ARLINGTON, WISCONSIN







FIGURE 4
GEOLOGIC CROSS SECTIONS
CGC/ARLINGTON BULK PLANT
N1849 DELMONTE ROAD
ARLINGTON, WISCONSIN

PROJECT NO.	2048
DRAWN BY:	KP
CHECKED BY:	AW
DRAWN:	01/27/04
REVISED:	02/03/04




C:\BTL\Projects\General\BTL\CGC_Arlington\2048.dwg 1/27/04 1:45 PM

N



ESTIMATED EXTENT OF PETROLEUM CONTAMINATION IN GROUNDWATER EXCEEDING THE NR140 ES AND PAL.

- LEGEND *Modified by METCO/BW 11-2-10*
- APPROXIMATE PROPERTY LINE 94.50
 - - - OVERHEAD ELECTRIC
 - ⊕ UTILITY POLE
 - ⊕ LIGHT POLE
 - ⊕ MONITORING WELL
 - ⊕ monitoring well (Installed Nov 2006)
 - WATER TABLE ELEVATION MEASURED ON 08/29/06
 - WATER TABLE CONTOUR
 - APPROXIMATE GROUNDWATER FLOW DIRECTION




SCALE: 1" = 40'

PROJECT NO. 2048
DRAWN BY: CS
CHECKED BY: SMS
DRAWN: 01/11/07
REVISED: 01/11/07


GROUNDWATER CONTAMINATION MAP (SEPTEMBER 7, 2010)
 FORMER ARLINGTON BULK PLANT
 N1849 DELMONTE ROAD
 ARLINGTON, WISCONSIN





LEGEND

- APPROXIMATE PROPERTY LINE
- OU OVERHEAD ELECTRIC
- 88.99 WATER TABLE ELEVATION MEASURED ON 07/05/05
- WATER TABLE CONTOUR
- APPROXIMATE GROUNDWATER FLOW DIRECTION
- ⊙ UTILITY POLE
- LIGHT POLE
- ⊕ MONITORING WELL



SCALE: 1" = 40'

PROJECT NO. 2048
DRAWN BY: KP
CHECKED BY: SMS
DRAWN: 08/24/06
REVISED: 08/24/06

FIGURE 1
WATER TABLE MAP FOR JULY 5, 2005
FORMER ARLINGTON BULK PLANT
N1849 DELMONTE ROAD
ARLINGTON, WISCONSIN




Table 1
Soil Analytical Results Summary – DRO, GRO, VOCs
CGC Arlington / Project #2048
(Results are in µg/kg, except where noted otherwise)

Sample	Date	Depth (feet)	PID	Lab Notes	DRO (mg/kg)	GRO (mg/kg)	Benzene	Ethylbenzene	Toluene	Xylenes	1,2,4-TMB	1,3,5-TMB	MTBE	Other VOCs
GB1 S4	2/14/02	8		--	<5.5	<5.5	<27	<27	<27	<38	<27	<27	<27	ND
GB2 S3	2/14/02	6		--	<5.5	<6.0	<31	<31	<31	<41	<31	<31	<31	Methylene Chloride 62 L
GB3 S4	2/14/02	8		--	<5.4	<5.4	<27	<27	<27	<38	<27	<27	<27	ND
GB4 S4	2/14/02	7		--	<5.3	<5.9	<30	<30	<30	<40	<30	<30	<30	ND
GB5 S4	2/14/02	8		--	<5.4	<5.4	<27	<27	<27	<38	<27	<27	<27	ND
GB6 S1	2/14/02	2		--	<6.2	<6.2	<31	<31	<31	<44	<31	<31	<31	ND
GB7 S4	2/14/02	8		--	<5.4	<5.4	<27	<27	<27	<38	<27	<27	<27	ND
GB8 S1	2/14/02	1		(1)	1,700	814 H	<304	<304	<304	<425	510	2,790	<304	ND
GB8 S4	2/14/02	8		--	<5.4	<5.4	<27	<27	<27	<38	<27	<27	<27	p-Isopropyltoluene 486
GB9 S2	2/14/02	4		(1)	34,300	1,190 H	<3,180	8,510	16,500	73,700	61,000	20,300	<3,180	ND
GB10 S4	2/14/02	8		--	<5.4	<5.4	<27	<27	<27	<38	<27	<27	<27	sec-Butylbenzene 5,340 p- Isopropyltoluene 5,080 Naphthalene 4,830 n-Propylbenzene 3,810
GB11 S4	2/15/02	8		--	<5.5	<5.5	<27	<27	<27	<38	<27	<27	<27	ND
GB12 S4	2/15/02	8		--	<5.5	<5.5	<27	<27	<27	<38	<27	<27	<27	ND
GB13 S2	2/15/02	4		--	<6.2	<6.2	<31	<31	<31	<43	<31	<31	<31	ND
GB14 S2	2/15/02	4		--	<6.2	<6.2	<31	<31	<31	<43	<31	<31	<31	Methylene Chloride 68 L
GB15 S4	2/15/02	8		--	<5.5	<5.5	<28	<28	<28	<39	<28	<28	<28	ND
GB16 S4	2/15/02	8		--	<5.5	<5.5	<28	<28	<28	<39	<28	<28	<28	ND
GB17 S4	2/15/02	8		--	<5.2	<5.2	<26	<26	<26	<26	<26	<26	<26	ND

Table 1 (Continued)
Soil Analytical Results Summary - DRO, GRO, VOCs

Sample	Date	Depth (feet)	PID	Lab Notes	DRO (mg/kg)	GRO (mg/kg)	Benzene	Ethylbenzene	Toluene	Xylenes	1,2,4-TMB	1,3,5-TMB	MTBE	Other VOCs
GB17X S1	2/15/02	1		(1)	5,720	1,460 H	<305	<305	<305	2,440	5,600	4,630	<305	Naphthalene 1,950
GB18 S4	2/15/02	8		--	<5.4	<5.4	<27	<27	<27	<38	<27	<27	<27	ND
GB20 S2	4/18/02	4	0.7	--	<6.3	<6.3	<32	<32	<32	<95	<32	<32	<32	NA
GB21 S1	4/18/02	2	2.2	--	<6.3	<6.3	<32	<32	<32	<95	36	<32	<32	NA
HA1/S1	5/23/01	1	284	--	7,700 LL	2,500 LL	14	32	83	155	82	30	2.2	NA
MW1 S2	4/18/02	4	8.6	--	<6.2	<6.2	<31	<31	<31	<94	<31	<31	<31	NA
MW2 S2	4/18/02	4	6.4	--	<6.3	<6.3	<32	<32	<32	<95	<32	<32	<32	NA
MW3 S2	4/18/02	4	12.7	--	<6.4	<6.4	<32	<32	<32	<95	<32	<32	<32	NA
MW4 S2	4/18/02	4	455	--	300	175 H	424	799	1,060	3,620	7,740	3,120	387	NA
MeOH Blank	2/14/02	--	--	--	NA	<5.0	<25	<25	<25	<35	<25	<25	<25	ND
	2/15/02	--	--	--	NA	<5.0	<25	<25	<25	<35	<25	<25	<25	Methylene Chloride 62
	4/18/02	--	--	--	NA	<5.0	<25	<25	<25	<75	<25	<25	<25	NA
NR 720 Generic Soil Cleanup Standards					100	100	5.5	2,900	1,500	4,100	NE	NE	NE	
NR 746 Table 1 - Indicators of Residual Petroleum Product in Soil Pores					NE	NE	8,500	4,600	38,000	42,000	83,000	11,000	NE	Naphthalene 2,700
NR 746 Table 2 - Protection of Human Health from Direct Contact with Contaminated Soil					NE	NE	1,100	NE	NE	NE	NE	NE	NE	

ABBREVIATIONS:

µg/kg = micrograms per kilogram
 mg/kg = milligrams per kilogram
 NA = Not Analyzed

PID = Photo-ionization Detector
 TMB = Trimethylbenzene
 NE = No Standard Established

DRO = Diesel Range Organics
 MTBE = Methyl-tert-butyl ether

GRO = Gasoline Range Organics
 VOCs = Volatile Organic Compounds

NOTES:

Bold values exceed NR 720 generic soil cleanup standards.

Table 3
Soil Analytical Results Summary – PAHs
CGC – Arlington Bulk Plant, Arlington, WI / Project #2048
(Results in µg/kg, except where noted otherwise)

Sample	Date	Sample Depth (in feet)	Lab Notes	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Benzo(a)pyrene	Benzo(g,h,i)perylene	Chrysene	Dibenzo(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	Naphthalene	Phenanthrene	Pyrene
GB1 S4	2/14/02	8	--	<55	<93	<5.5	<5.5	<5.5	<5.5	<5.5	<5.5	<5.5	<8.2	<11	<11	<5.5	<33	<27	<33	<5.5	<5.5
GB2 S3	2/14/02	6	(1)	<55	<93	<5.5	<5.5	<5.5	<5.5	<5.5	<5.5	<5.5	<8.2	<11	<11	<5.5	<33	<27	<33	<5.5	<5.5
GB3 S4	2/14/02	8	--	<54	<91	<5.4	<5.4	<5.4	<5.4	<5.4	<5.4	<5.4	<8.1	<11	<11	<5.4	<32	<27	<32	<5.4	<5.4
GB4 S4	2/14/02	7	(2)	<53	<91	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<8.0	<11	<11	<5.3	<32	<27	<32	<5.3	<5.3
GB5 S4	2/14/02	8	--	<54	<93	<5.4	<5.4	<5.4	<5.4	<5.4	<5.4	<5.4	<8.2	<11	<11	<5.4	<33	<27	<33	<5.4	<5.4
GB 6 S1	2/14/02	2	--	<62	<110	<6.2	14	9.1	7.7	<50	<50	12	<9.3	30	<12	14	<37	<31	<37	15	31
GB7 S4	2/14/02	8	--	<54	<92	<5.4	<5.4	<5.4	<5.4	<43	<43	<5.4	<8.1	<11	<11	<5.4	<33	<27	<33	<5.4	<5.4
GB8 S1	2/14/02	1	--	<61	<100	<6.1	<6.1	<6.1	<6.1	<49	<49	<6.1	<9.1	<12	<12	<6.1	<36	30	<36	<6.1	<6.1
GB8 S4	2/14/02	8	--	<54	<92	<5.4	<5.4	<5.4	<5.4	<43	<43	<5.4	<8.2	<11	<11	<5.4	<33	<27	<33	<5.4	<5.4
GB9 S2	2/14/02	4	(2)	2,290	<1,650	1,270	12,600	<95	<95	<95	<95	4,450	<140	7,240	6,350	<75	26,700	29,200	6,610	12,700	10,700
GB10 S4	2/14/02	8	--	<54	<92	<5.4	<5.4	<5.4	<5.4	<43	<43	<5.4	<8.1	<11	<11	<5.4	<32	<27	<32	<5.4	<5.4
GB11 S4	2/15/02	8	--	<55	<93	<5.5	<5.5	<5.5	<5.5	<5.5	<5.5	<5.5	<8.2	<11	<11	<5.5	<33	<27	<33	<5.5	<5.5
GB12 S4	2/15/02	8	--	<55	<93	<5.5	<5.5	<5.5	<5.5	<5.5	<5.5	<5.5	<8.2	<11	<11	<5.5	<33	<27	<33	<5.5	<5.5
GB13 S2	2/15/02	4	--	<62	<100	<6.2	<6.2	<6.2	<6.2	<6.2	<6.2	<6.2	<9.2	<12	<12	<6.2	<37	<31	<37	<6.2	<6.2
GB14 S2	2/15/02	4	--	<62	<110	<6.2	<6.2	<6.2	<6.2	<6.2	<6.2	<6.2	<9.3	<12	<12	<6.2	<37	<31	<37	<6.2	<6.2
GB15 S4	2/15/02	8	--	<55	<94	<5.5	<5.5	<5.5	<5.5	<5.5	<5.5	<5.5	<8.3	<11	<11	<5.5	<33	<28	<33	<5.5	<5.5
GB16 S4	2/15/02	8	--	<55	<94	<5.5	<5.5	<5.5	<5.5	<5.5	<5.5	<5.5	<8.3	<11	<11	<5.5	<33	<28	<33	<5.5	<5.5
GB17 S4	2/15/02	8	--	<52	<88	<5.2	<5.2	<5.2	<5.2	<5.2	<5.2	<5.2	<7.8	<10	<10	<5.2	<31	<26	<31	<5.2	<5.2
GB17X S1	2/15/02	1	--	<61	<100	21	158	16	9.7	18	37	18	<9.1	353	353	22	2,800	4,140	1,080	268	378
GB18 S4	2/15/02	8	--	<54	<92	<5.4	<5.4	<5.4	<5.4	<5.4	<5.4	<5.4	<8.1	<11	<11	<5.4	<32	<27	<32	<5.4	<5.4
GB20 S2	4/18/02	4	--	<63	<110	<6.3	<6.3	<6.3	<6.3	<51	<51	<6.3	<9.5	<13	<13	<6.3	<38	<32	<38	<6.3	<6.3
GB21 S1	4/18/02	2	--	<63	<110	<6.3	<6.3	<6.3	<6.3	<51	<51	<6.3	<9.5	<13	<13	<6.3	<38	<32	<38	<6.3	<6.3
MW1 S2	4/18/02	4	--	<62	<110	<6.2	<6.2	<6.2	<6.2	<50	<50	<6.2	<9.4	<12	<12	<6.2	<37	<31	<37	<6.2	<6.2
MW2 S2	4/18/02	4	--	<63	<110	<6.3	<6.3	<6.3	<6.3	<51	<51	<6.3	<9.5	<13	<13	<6.3	<38	<32	<38	10	<6.3

Table 3 (Continued)
Soil Analytical Results Summary - PAHs

Sample	Date	Sample Depth (in feet)	Lab Notes	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Benzo(a)pyrene	Benzo(g,h,i)perylene	Chrysene	Dibenzo(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	1-Methylnaphthalene	2-Methylnaphthalene	Naphthalene	Phenanthrene	Pyrene
MW3 S2	4/18/02	4	--	<64	<110	<6.4	<6.4	<6.4	<6.4	<51	<51	<6.4	<9.5	<13	<13	<6.4	<38	<32	<38	<6.4	<6.4
MW4 S2	4/18/02	4	--	<62	<110	74	237	<6.2	<6.2	<50	<50	60	<9.4	237	15	<6.2	2,500	3,370	1,220	137	262
WDNR PAH Soil RCLs (Interim Guidance - April 1997)																					
Groundwater Pathway				38,000	700	3,000,000	17,000	360,000	870,000	48,000	6,800,000	37,000	38,000	500,000	100,000	680,000	23,000	20,000	400	1,800	8,700,000
Non-Industrial Direct Contact				900,000	18,000	5,000,000	88	88	880	8.8	1,800	8,800	8.8	600,000	600,000	88	1,100,000	600,000	20,000	18,000	500,000
Industrial Direct Contact				60,000,000	360,000	300,000,000	3,900	3,900	39,000	390	39,000	390,000	390	40,000,000	40,000,000	3,900	70,000,000	40,000,000	110,000	390,000	30,000,000

ABBREVIATIONS:

PAHs = Polynuclear Aromatic Hydrocarbons $\mu\text{g}/\text{kg}$ = micrograms per kilograms RCLs = Residual Contaminant Levels WDNR = Wisconsin Department of Natural Resources

LABORATORY NOTES:

- 1) Surr: 2-Fluorobiphenyl - Standard outside of control limits.
- 2) PNA Analyses - Matrix interference.

ISP
 Date: 3/22/02
 Checked: ABW
 Date: 3/22/02

Table 7
Soil Excavation Analytical Results Summary - DRO, GRO, PVOCs
CGC Arlington / Project #2048
 (Results are in µg/kg, except where noted otherwise)

Sample	Date	Depth (feet)	PID	Lab Notes	DRO (mg/kg)	GRO (mg/kg)	Benzene	Ethylbenzene	Toluene	Xylenes	1,2,4-TMB	1,3,5-TMB	MTBE	Lead (mg/kg)	Other VOCs
North Wall	12/10/2002	3	--	--	<6.20	<6.20	<25	<25	<25	<50	<25	<25	<25 CSL	NA	NA
West Wall	12/10/2002	3	--	--	<6.29	<6.29	<25	<25	<25	<50	<25	<25	<25 CSL	NA	NA
East Wall	12/10/2002	3	--	--	<6.20	<6.20	<25	<25	<25	<50	<25	<25	<25 CSL	NA	NA
South Wall	12/10/2002	3	--	--	<5.88	<5.88	<25	<25	<25	<50	<25	<25	<25 CSL	NA	NA
Meoh Blank	12/10/2002	--	--	--	NA	<2.50	<25	<25	<25	<50	<25	<25	<25 CSL	NA	NA
NR 720 Residual Contaminant Level (RCL)					100	100	5.5	2,900	1,500	4,100	<25	<25	<25 CSL	NA	NA
NR 746 Table 1					NE	NE	8,500	4,600	38,000	42,000	NE	NE	NE	50	
NR 746 Table 2					NE	NE	1,100	NE	NE	NE	NE	NE	NE	NE	

ABBREVIATIONS:

µg/kg - micrograms per kilogram or parts per billion (ppb)
 DRO = Diesel Range Organics
 MTBE = Methyl-tert-butyl ether
 A = Not Analyzed

mg/kg - milligrams per kilogram or parts per million (ppm).
 GRO = Gasoline Range Organics
 VOCs = Volatile Organic Compounds

PID = Photo-Ionization Detector
 TMB = Trimethylbenzene
 NE = Not Established

NOTES:

old values exceed NR 720 RCLs.
 R 720 RCL - Wisconsin Administrative Code (WAC), Chapter NR 720 Residual Contaminant Level.
 R 746 Table 1 - WAC, Chapter NR 746.06(2)(b) Table 1 - Indicators of Residual Petroleum Product in Soil Pores.
 R 746 Table 2 - WAC, Chapter NR 746.06(2)(b) Table 2 - Protection of Human Health from Direct Contact with Contaminated Soil.

LABORATORY NOTES:

SL = Check standard for this analyte exhibited a low bias. Sample results may also be biased low.

Prepared by: tlr 01/08/03
 Checked by: abw 01/08/03

Table 8
Soil Excavation Analytical Results Summary - PAHs
CGC Arlington / Project #2048
 (Results are in µg/kg, except where noted otherwise)

Sample	Date	Depth (feet)	Lab Notes	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Benzo (a) pyrene	Benzo (ghi) perylene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	1-Methylnaphthalene	2-Methylnaphthalene	Naphthalene	Phenanthrene	Pyrene
North Wall	12/10/2002	3	--	<58.3	<81.9	<12.4	<50.9	<26.1	<36	<28.5	<26.1	<28.5	<17.4	<12.4	<24.8	<19.9	<43.4	<50.9	<19.9	<28.5	<12.4
West Wall	12/10/2002	3	--	<5.91 LCH	<8.3	<1.26	<5.16 CSL	<2.64 LCH	<3.65	<2.89	<2.64 CSL	<2.89	<1.76 CSL	<1.26 LCH	<2.52	<2.01	<4.4	<5.16	<2.01	<2.89	<1.26 LCH
East Wall	12/10/2002	3	--	<58.2 LCH	<81.8	<12.4	<50.8 CSL	<26 LCH	<35.9	<28.5	<26 CSL	<28.5	<17.3	<12.4 LCH	<24.8	<19.8	<43.4	<50.8	<19.8	<28.5	<12.4 LCH
South Wall	12/10/2002	3	--	<5.53 LCH	<7.76	<1.18	<4.82 CSL	<2.47 LCH	<3.41	<2.71	<2.47 CSL	<2.71	<1.65 CSL	<1.18 LCH	<2.35	<1.88	<4.12	<4.82	<1.88	<2.71	<1.18 LCH
WDNR PAH Soil Generic Residual Contaminant Levels (RCLs) (Interim Guidance - April 1997)																					
Groundwater Pathway				38,000	700	3,000,000	17,000	360,000	870,000	48,000	6,800,000	37,000	38,000	500,000	100,000	680,000	23,000	20,000	400	1,800	8,700,000
Industrial Direct Contact				900,000	18,000	5,000,000	88	88	880	8.8	1,800	8,800	8.8	600,000	600,000	88	1,100,000	600,000	20,000	18,000	500,000
Industrial Direct Contact				60,000,000	360,000	300,000,000	3,900	3,900	39,000	390	39,000	390,000	390	40,000,000	40,000,000	3,900	70,000,000	40,000,000	110,000	390,000	30,000,000

ABBREVIATIONS:
 µg - micrograms per kilogram or parts per billion (ppb)
 PAHs - Polynuclear Aromatic Hydrocarbons
 WDNR - Wisconsin Department of Natural Resources

LABORATORY NOTES:
 SL - Check standard for this analyte exhibited a low bias. Sample results may also be biased low.
 CH - The laboratory control sample for this analyte exhibited a high bias. Sample results may also be biased high.

Checked by: tlr 01/08/03
 Checked by: abw 01/08/03

Groundwater Analytical Results Summary
Arlington Bulk Plant LUST Site BRRTS# 03-11-273160

Well MW-1

PVC Elevation = 100.00 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	EDB 1,2-Dibromoethane (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
4/19/2002	93.20	6.80	<50	<0.10	NS	<0.25	<0.25	NS	0.37	0.25	0.59
5/17/2002	94.36	5.64	NS	<0.13	NS	<0.22	<0.16	NS	<0.20	<0.29	<0.23
1/2/2003	88.18	11.82	NS	<0.31	NS	<0.5	<0.3	NS	<0.3	<0.71	<0.92
4/2/2003	88.36	11.64	NS	<0.31	NS	<0.5	<0.3	NS	<0.3	<0.71	<0.92
7/2/2003	89.66	10.34	NS	<0.31	NS	<0.5	<0.3	NS	<0.3	<0.71	<0.92
11/13/2003	89.55	10.45	<50	<0.31	NS	<0.5	<0.3	NS	<0.3	<0.71	<0.92
7/5/2005	88.99	11.01	NS	<0.25	NS	<0.22	<0.23	NS	<0.11	<0.44	<0.39
2/24/2006	89.58	10.42	NS	<0.25	NS	<0.22	<0.23	NS	<0.11	<0.44	<0.39
8/26/2006	94.73	5.27	NS	<0.25	NS	<0.22	<0.23	NS	<0.11	<0.44	<0.39
12/3/2008	89.82	10.18	NOT SAMPLED								
3/3/2009	94.63	5.37	NS	<0.24	<0.76	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
6/2/2009	95.74	4.26	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
9/2/2009	91.59	8.41	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
12/2/2009	91.55	8.45	NOT SAMPLED								
3/1/2010	90.88	9.12	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
6/3/2010	94.48	5.52	NOT SAMPLED								
9/7/2010	96.47	3.53	NS	<0.38	<0.95	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62

Well MW-2

PVC Elevation = 103.78 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	EDB 1,2-Dibromoethane (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
4/19/2002	93.18	10.60	<50	<0.10	NS	<0.25	<0.25	NS	0.34	0.28	0.35
5/17/2002	93.93	9.85	NS	<0.13	NS	<0.22	<0.16	NS	<0.20	<0.29	<0.23
1/2/2003	88.75	15.03	NS	<0.31	NS	<0.5	<0.3	NS	<0.3	<0.71	<0.92
4/2/2003	88.68	15.10	NS	<0.31	NS	<0.5	<0.3	NS	<0.3	<0.71	<0.92
7/2/2003	89.83	13.95	NS	<0.31	NS	<0.5	<0.3	NS	<0.3	<0.71	<0.92
11/13/2003	89.98	13.80	<50	<0.31	NS	<0.5	<0.3	NS	<0.3	<0.71	<0.92
7/5/2005	89.47	14.31	NS	<0.25	NS	<0.22	<0.23	NS	<0.11	<0.44	<0.39
2/24/2006	90.22	13.56	NS	<0.25	NS	<0.22	<0.23	NS	<0.11	<0.44	<0.39
8/26/2006	93.42	10.36	NS	<0.25	NS	<0.22	<0.23	NS	<0.11	<0.44	<0.39
12/3/2008			COULD NOT SAMPLE - COVER STUCK								
3/3/2009	95.11	8.67	NS	<0.24	<0.76	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
6/2/2009	95.62	8.16	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
9/2/2009	91.72	12.06	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
12/2/2009	91.52	12.26	NOT SAMPLED								
3/1/2010	91.16	12.62	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
6/3/2010	94.77	9.01	NOT SAMPLED								
9/7/2010	96.02	7.76	NS	<0.38	<0.95	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62

Well MW-3

PVC Elevation = 102.07 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	EDB 1,2-Dibromoethane (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
4/19/2002	92.83	9.24	5100	340	21	240	190	NS	79	610	730
5/17/2002	93.83	8.24	NS	25	2.8	6.6	33	NS	1.7	96	55
1/2/2003	88.22	13.85	NS	37.5	2.27	<0.5	40	NS	<0.3	<0.71	0.38
4/2/2003	88.05	14.02	NS	88.9	NS	<2.50	42.1	NS	<1.50	<3.55	2.11
7/2/2003	89.26	12.81	NS	83.8	NS	<2.50	49.5	NS	<1.50	<3.55	10.7
11/13/2003	89.17	12.90	575	208	NS	0.71	53.4	NS	0.67	6.1	26.9
7/5/2005	88.92	13.15	NS	460	4.8	80	46	NS	14	195	320
10/20/2005	88.12	13.95	NS	230	NS	8.8	34	NS	2.3	16.4	7.6
2/24/2006	89.04	13.03	NS	300	NS	3.1	41	NS	1.0	3.3	3.6
5/31/2006	94.08	7.99	NS	110	NS	92	<1.2	NS	240	313	620
8/26/2006	94.50	7.57	NS	17	NS	4.5	<0.23	NS	1.3	33.3	27
11/30/2006	94.03	8.04	NS	0.28	0.26	<0.50	<0.50	NS	<0.20	<0.40	<0.50
12/3/2008	89.28	12.79	NS	530	<7.6	300	<7	310	94	572	548
3/3/2009	94.11	7.96	NS	36	<7.6	<3.5	<7	26.3	<3.9	55.4	45-51.7
6/2/2009	94.91	7.16	NS	35	9	62	<0.5	51	93	172	208
9/2/2009	90.95	11.12	NS	120	10.6	267	<10	172	420	506	752
12/2/2009	90.99	11.08	NS	410	19.2	430	<5	390	1050	1074	2540
3/1/2010	90.20	11.87	NS	121	<5.2	47	<5	185	<5.1	61-72	<21.3
6/3/2010	93.81	8.26	NS	53	<9.5	41	<2.5	107	30.8	346	280
9/7/2010	95.49	6.58	NS	5.3	<9.5	73	<2.5	32	22.4	148	203

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
Q = Analyte detected above laboratory method detection limit but below practical quantitation limit.

Groundwater Analytical Results Summary
Arlington Bulk Plant LUST Site BRRTS# 03-11-273160

Well MW-3P
PVC Elevation = 102.27 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	EDB 1,2-Dibromoethane (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
7/5/2005	88.12	14.15	NS	<20	NS	<0.50	<0.50	NS	<0.20	<0.40	<0.50
10/20/2005	87.30	14.97	NS	<0.25	NS	<0.22	<0.23	NS	<0.11	<0.44	<0.39
2/24/2006	87.93	14.34	NS	<0.25	NS	0.22	<0.23	NS	0.19	0.39	1.0
5/31/2006	93.65	8.62	NS	<0.25	NS	<0.22	<0.23	NS	<0.11	<0.44	<0.39
8/26/2006	93.89	8.38	NS	<0.25	NS	<0.22	<0.23	NS	<0.11	<0.44	<0.39
11/30/2006	93.74	8.53	NS	<0.25	NS	<0.22	<0.23	NS	<0.11	<0.44	<0.39
12/3/2008	88.79	13.48	NS	<0.24	<0.76	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
3/3/2009	92.99	9.28	NS	<0.24	<0.76	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
6/2/2009	94.53	7.74	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
9/2/2009	90.62	11.65	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
12/2/2009	90.56	11.71	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
3/1/2010	89.74	12.53	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
6/3/2010	93.73	8.54	NS	<0.38	<0.95	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62
9/7/2010	94.25	8.02	NS	<0.38	<0.95	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62

Well MW-4
PVC Elevation = 102.61 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	EDB 1,2-Dibromoethane (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
4/19/2002	93.10	6.72	43000	820	45	2100	85	NS	4800	4380	13000
5/17/2002	94.16	5.66	NS	870	54	1800	140	NS	4700	4510	12000
1/2/2003	88.35	14.26	NS	264	NS	1130	<150	NS	1230	3099	5670
4/2/2003	87.54	15.07	NS	1630	NS	2280	188	NS	8200	5230	14460
7/5/2005	88.98	13.63	NS	800	56	1600	<100	NS	4200	3600	11000
10/20/2005	87.78	14.83	NS	1400	NS	17000	<230	NS	13000	253000	130000
2/24/2006	89.16	13.45	NS	510	NS	1900	<23	NS	4100	4680	12000
5/31/2006	93.77	8.84	NS	960	NS	1400	<23	NS	3900	3690	9300
8/26/2006	94.57	8.04	NS	860	NS	1600	<23	NS	4100	3640	11000
11/30/2006	94.29	8.32	NS	900	49	1400	<40	NS	4100	3580	10000
12/3/2008	89.63	12.98	NS	192	<76	1020	<70	900	1230	3250	8480
3/3/2009	FREE PRODUCT		NS	133	<76	303	<70	890	530	4140	7790
6/2/2009	NM	NM	NS	158	<26	420	<25	1100	730	3370	7230
9/2/2009	NM	NM	NS	213	<26	610	<25	1960	980	3170	7500
12/2/2009	91.33	11.28	NS	121	<26	670	<25	1040	840	3090	8160
3/1/2010	90.79	11.82	NS	130	<26	670	<25	1110	830	4840	9400
6/3/2010	NM	NM	NS	131	<95	510	<25	670	580	3430	7310
9/7/2010	95.30	7.31	NS	153	<47.5	490	<12.5	1060	790	3950	7440

Well MW-5
PVC Elevation = 100.10 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	EDB 1,2-Dibromoethane (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
5/17/2002	92.61	7.72	<50	<0.10	NS	<0.25	<0.25	NS	<0.10	0.25	0.38
1/2/2003	86.50	13.60	NS	<0.31	NS	<0.5	<0.3	NS	<0.3	<0.71	<0.92
4/2/2003	85.97	14.13	NS	<0.31	NS	<0.5	<0.3	NS	<0.3	<0.71	<0.92
7/2/2003	87.79	12.31	NS	<0.31	NS	<0.5	<0.3	NS	<0.3	<0.71	<0.92
11/13/2003	87.58	12.52	NS	<0.31	NS	<0.5	<0.3	NS	<0.3	<0.71	<0.92
7/5/2005	87.42	12.68	NS	<0.25	NS	<0.22	<0.23	NS	<0.11	<0.44	<0.39
2/24/2006	87.05	13.05	NS	<0.25	NS	<0.22	<0.23	NS	<0.11	<0.44	<0.39
8/26/2006	94.50	5.60	NS	<0.25	NS	<0.22	<0.23	NS	<0.11	<0.44	<0.39
12/3/2008	87.97	12.13	NOT SAMPLED								
3/3/2009	92.68	7.42	NS	<0.24	<0.76	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
6/2/2009	93.79	6.31	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
9/2/2009	89.93	10.17	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
12/2/2009	93.79	10.16	NOT SAMPLED								
3/1/2010	DRY										
6/3/2010	89.94	7.43	NOT SAMPLED								
9/7/2010	100.10	5.27	NS	<0.38	<0.95	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
Q = Analyte detected above laboratory method detection limit but below practical quantitation limit.

Groundwater Analytical Results Summary
Arlington Bulk Plant LUST Site BRRTS# 03-11-273160

Well MW-6
PVC Elevation = 98.52 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	EDB 1,2-Dibromoethane (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
12/3/2008	89.13	9.39	NS	<0.24	<0.76	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
3/3/2009	94.01	4.51	NS	<0.24	<0.76	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
6/2/2009	97.30	3.65	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
9/2/2009	93.29	7.66	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
12/2/2009	93.29	7.66	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
3/1/2010	92.51	8.44	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
6/3/2010	96.26	4.69	NS	<0.38	<0.95	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62
9/7/2010	97.87	3.08	NS	<0.38	<0.95	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62

Well MW-7
PVC Elevation = 100.95 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	EDB 1,2-Dibromoethane (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
12/3/2008	91.17	9.78	NS	<0.24	<0.76	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
3/3/2009	96.01	4.94	NS	<0.24	<0.76	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
6/2/2009	96.64	4.31	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
9/2/2009	92.84	8.11	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
12/2/2009	92.71	8.24	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
3/1/2010	92.23	8.72	NS	<0.41	<0.52	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
6/3/2010	95.69	5.26	NS	<0.38	<0.95	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62
9/7/2010	96.90	4.05	NS	<0.38	<0.95	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
Q = Analyte detected above laboratory method detection limit but below practical quantitation limit.

Table 5
MW4 Free Product Removal
Former Arlington Bulk Plant / Project #2048
Arlington, Wisconsin

Date	Depth to Product (ft)	Depth to Water (ft)	Product Thickness (ft)	Product Thickness (in)	Estimated Product Removed (gal)	Cumulative Product Removed (gal)
July 2, 2003	12.80	14.31	1.51	18.1	1.25	1.25
July 17, 2003	12.97	13.47	0.50	6.0	0.75	2.00
July 24, 2003	13.18	13.56	0.38	4.6	0.20	2.20
July 30, 2003	13.36	13.70	0.34	4.1	0.15	2.35
August 7, 2003	13.55	14.03	0.48	5.8	0.15	2.50
September 12, 2003	14.31	15.23	0.92	11.0	0.15	2.65
November 13, 2003	12.95	13.77	0.82	9.8	0.25	2.90
May 28, 2004	3.66	10.07	6.41	76.9	0.00	2.90
June 28, 2005	13.04	13.70	0.66	7.9	0.75	3.65
July 5, 2005	13.27	13.63	0.36	4.3	0.25	3.90
August 3, 2005	13.17	13.33	0.16	1.9	0.20	4.10
September 23, 2005	13.90	14.31	0.41	4.9	0.25	4.35
October 20, 2005	14.13	14.83	0.70	8.4	0.75	5.10
November 4, 2005	14.48	14.89	0.41	4.9	0.21	5.31
November 16, 2005	14.50	14.73	0.23	2.8	0.20	5.51
December 21, 2005	14.27	15.08	0.81	9.7	0.00	5.51
January 17, 2006	13.21	13.62	0.41	4.9	0.18	5.69
February 10, 2006	13.10	13.31	0.21	2.5	0.18	5.87
February 24, 2006	13.06	13.45	0.39	4.7	0.25	6.12
March 3, 2006	NM	NM	NM	NM	0.20	6.33
April 29, 2006	10.12	11.40	1.28	15.4	0.27	6.60
May 31, 2006	8.22	8.84	0.62	7.4	0.75	7.35
June 28, 2006	9.02	9.39	0.37	4.4	0.00	7.35
July 7, 2006	NM	NM	NM	NM	0.19	7.54
July 20, 2006	9.67	9.75	0.08	0.96	0.01	7.55
August 29, 2006	8.03	8.04	0.01	0.12	0.00	7.55
September 27, 2006	7.40	7.97	0.57	6.8	0.03	7.58
October 19, 2006	8.73	9.58	0.85	10.2	0.16	7.74
November 30, 2006	--	8.32	--	--	0.00	7.74

ABBREVIATIONS:

ft = feet
in = inches

gal = gallons
NM = not measured

-- = product not detected in the well

Summary of Free Product Levels and Recovery
Arlington Bulk Plant BRRS #03-11-273160

DATE		MW-4	GALS REC./PERIOD	TOTAL GALS RECOVERED
12/03/08	Inches of FP	0	0.00	0.00
	Gals Recovered w/ Absorbant Sock	No Sock		
	Gals Recovered w/Bailer	0		
03/03/09	Inches of FP	10	0.38	0.38
	Gals Recovered w/ Absorbant Sock	No Sock		
	Gals Recovered w/Bailer	0.38		
06/02/09	Inches of FP	0.5	0.03	0.41
	Gals Recovered w/ Absorbant Sock	No Sock		
	Gals Recovered w/Bailer	0.03		
09/02/09	Inches of FP	0.25	0.01	0.42
	Gals Recovered w/ Absorbant Sock	No Sock		
	Gals Recovered w/Bailer	0.01		
12/02/09	Inches of FP	0	0.00	0.42
	Gals Recovered w/ Absorbant Sock	No Sock		
	Gals Recovered w/Bailer	0		
03/01/10	Inches of FP	0	0.00	0.42
	Gals Recovered w/ Absorbant Sock	No Sock		
	Gals Recovered w/Bailer	0		
06/03/10	Inches of FP	0.5	0.01	0.43
	Gals Recovered w/ Absorbant Sock	No Sock		
	Gals Recovered w/Bailer	0.01		
09/07/10	Inches of FP	0.125	0.004	0.434
	Gals Recovered w/ Absorbant Sock	No Sock		
	Gals Recovered w/Bailer	0.004		

Watertable Elevations Table
Arlington Bulk Plant LUST Site BRRTS# 03-11-273160
Arlington, Wisconsin

<i>pvc top (ft)</i>	MW-1	MW-2	MW-3	MW-3P	MW-4	MW-5	MW-6	MW-7
	100.00	103.78	102.07	102.27	102.61	100.10	98.52	100.95

Date

Date	MW-1	MW-2	MW-3	MW-3P	MW-4	MW-5	MW-6	MW-7
4/19/2002	93.20	93.18	92.83	NI	93.10	NI	NI	NI
5/17/2002	94.36	93.93	93.83	NI	94.16	92.61	NI	NI
1/2/2003	88.18	88.75	88.22	NI	88.35	86.50	NI	NI
4/2/2003	88.36	88.68	88.05	NI	87.54	85.97	NI	NI
7/2/2003	89.66	89.83	89.26	NI	NM	87.79	NI	NI
11/13/2003	89.55	89.98	89.17	NI	NM	87.58	NI	NI
7/5/2005	88.99	89.47	88.92	88.12	88.98	87.42	NI	NI
10/20/2005	NM	NM	88.12	87.30	87.78	NM	NM	NM
2/24/2006	89.58	90.22	89.04	87.93	89.16	87.05	NI	NI
5/31/2006	NM	NM	94.08	93.65	93.77	NM	NM	NM
8/26/2006	94.73	93.42	94.50	93.89	94.57	94.50	NI	NI
11/30/2006	NM	NM	94.03	93.74	94.29	NM	NM	NM
12/3/2008	89.82	CNS	89.28	88.79	89.63	87.97	89.13	91.17
3/3/2009	94.63	95.11	94.11	92.99	FP	92.68	94.01	96.01
6/2/2009	95.74	95.62	94.91	94.53	FP	93.79	94.87	96.64
9/2/2009	91.59	91.72	90.95	90.62	FP	89.93	90.86	92.84
12/2/2009	91.55	91.52	90.99	90.56	91.33	89.94	90.86	92.71
3/1/2010	90.88	91.16	90.20	89.74	90.79	DRY	90.08	92.23
6/3/2010	94.48	94.77	93.81	93.73	FP	92.67	93.83	95.66
9/7/2010	96.47	96.02	95.49	94.25	95.30	94.83	95.44	96.90

Note: Elevations are presented in feet mean sea level (msl).

- CNL = Could Not Locate
- NI = Not Installed
- NM = Not Measured
- CNS = Could Not Sample
- FP = Free Product