

GIS REGISTRY INFORMATION

SITE NAME: Car Kote Inc.
BRRTS #: ~~03-0-540091~~ FID # (if appropriate):
COMMERCE # (if appropriate): 02-13-531512
CLOSURE DATE: 12-Apr-06
STREET ADDRESS: 5311 Wayne Terrace
CITY: Madison

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 577800 Y= 296668

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter issued X
- Copy of most recent deed, including legal description, for all affected properties X
- Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties NA
- County Parcel ID number, if used for county, for all affected properties X
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site. X
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs. X
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching) X
- Tables of Latest Soil Analytical Results (no shading or cross-hatching) X
- Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map. NA
- GW: Table of water level elevations, with sampling dates, and free product noted if present NA
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees) NA
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour X
- Geologic cross-sections, if required for SI. (8.5x14' if paper copy) X
- RP certified statement that legal descriptions are complete and accurate X
- Copies of off-source notification letters (if applicable) NA
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW) NA
- Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure NA



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Lloyd L. Eagan, Regional Director

South Central Region Headquarters
3911 Fish Hatchery Road
Fitchburg, Wisconsin 53711-5397
Telephone 608-275-3266
FAX 608-275-3338
TTY Access via relay - 711

April 12, 2006

File Ref.: 02-13-531512

Mr Craig Hayes
5331 Wayne Terrace
Madison, WI 53718

SUBJECT: Final Case Closure By Closure Committee
Car Kote, 5331 Wayne Terrace, Madison, WI
WDNR BRRTS Activity #: 02-13-531512

Dear Mr. Hayes:

On February 28, 2006, the South Central Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On February 28, 2006, you were notified that the Closure Committee had granted conditional closure to this case.

On April 5, 2006 the Department received correspondence indicating that you have complied with the requirements of closure. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

FUTURE EXCAVATION OF RESIDUAL CONTAMINATED SOIL

Residual soil contamination remains in the areas associated with the former catch basin and hoist as indicated in the information submitted to the Department of Natural Resources. If soil in these specific locations is excavated in the future, the property owner at the time of excavation will be required to sample and analyze the excavated soil to determine whether the contamination still remains. If contamination remains, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard at the time of excavation. **Special precautions may need to be taken during excavation activities to prevent a direct contact health threat to humans.** Based upon the results of sample analysis, the current owner will also have to properly store, treat, or dispose of any excavated materials, in accordance with state and federal laws.


Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4)(w). To obtain approval, Form 3300-254 needs to be completed and submitted to the

DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 608-275-3465.

Sincerely,

A handwritten signature in black ink, appearing to read "Lawrence Lester". The signature is stylized and somewhat cursive.

Lawrence Lester
Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Seymour, Seymour Environmental Services, Inc.



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Lloyd L. Eagan, Regional Director

South Central Region Headquarters
3911 Fish Hatchery Road
Fitchburg, Wisconsin 53711-5397
Telephone 608-275-3266
FAX 608-275-3338
TTY Access via relay - 711

February 28, 2006

File Ref.: 02-13-531512

Mr Craig Hayes
5331 Wayne Terrace
Madison, WI 53718

Subject: Conditional Closure Decision With Requirements to Achieve Final
Closure, Car Kote, 5331 Wayne Terrace, Madison, Wisconsin
WDNR BRRTS Activity # 03-13-531512

02

Dear Mr Hayes:

On February 28, 2006, the South Central Regional Closure Committee reviewed your request for closure of the case described above. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the committee has determined that the contamination on the site from the four identified areas of concern appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

MONITORING WELL ABANDONMENT


The monitoring well at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to the Department on Form 3300-5B found at www.dnr.state.wi.us/org/water/dwg/gw/ or provided by the Department of Natural Resources.

When the above condition has been satisfied, please submit the appropriate documentation (well abandonment form) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit <http://maps.dnr.state.wi.us/brrts>.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.


We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 608-275-3465.

Sincerely,

A handwritten signature in black ink, appearing to read "Lawrence J. Lester". The signature is written in a cursive style with a large initial "L".

Lawrence Lester
Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Seymour, Seymour Environmental Services, Inc.



ENCLOSURE A
REQUIRED DOCUMENTATION FOR GIS REGISTRY
OF CLOSED REMEDIATION SITES - SOIL

Car Kote Property, Madison, Wisconsin
(BRRTS # 03-11-540691)

- ◆ A check is attached to the WDNR for GIS registry of the site for soil contamination exceeding the NR720 RCLs.
- ◆ A copy of the most recent deed is attached.
- ◆ The contaminated site boundary lies entirely within the property. The site address is 5311 Wayne Terrace, Madison, Wisconsin. The parcel identification number is Dane County # 251-0810-224-0204-4.
- ◆ A site location map is attached.
- ◆ A map of the property showing structures, the locations where soil samples were collected and the location of residual soil contamination exceeding NR720 RCLs is attached.
- ◆ A table of the soil analytical results is attached.
- ◆ A cross-section showing the elevation of the residual soil contamination is attached.

To the best of my knowledge the legal description and parcel information attached to this package are accurate. The contamination does not extend onto any neighboring properties or public street right-of-ways.



Mr. Craig Hayes - Former Site Owner and Responsible Party

- ◆ The geographic position of the property based on the WTM91 projection is (577800, 296668)

STATE BAR OF WISCONSIN FORM 1 - 2000
WARRANTY/QUIT CLAIM DEED

Document Number

DANE COUNTY
REGISTER OF DEEDS

DOCUMENT #
3978222

10/13/2004 02:18:59PM

Trans. Fee:
Exempt #: 155

Rec. Fee: 13.00
Pages: 2

001224

This Deed, made between Craig W. Hayes, Grantor, and CKI Investments, LLC, Grantee.

Grantor, for a valuable consideration, conveys and warrants to Grantee the following described real estate in Dane County, State of Wisconsin (if more space is needed, please attach addendum):

PARCEL I: Lot Two (2), Certified Survey Map 2327, recorded in Volume 9 of Certified Survey Maps, page 182, Document No. 1510446, in the Town of Burke, except that portion conveyed for public highway purposes in Volume 4986 of Records, page 66, as Document No. 1803477.

Grantor quit claims to Grantee the following described real estate in Dane County, State of Wisconsin:

PARCEL II: 30 foot wide access easement along the Northeasterly line of Lot 18, East Towne Burke Plat (formerly a part of Lot 1, Certified Survey Map No. 2327, recorded as Document No. 1510446), and part of Burke Towne Drive, n/a High Crossing Blvd. (Vacated per Resolution recorded on February 8, 1993, as Document No. 2438397) extended to current right-of-way line of High Crossing Blvd., for the benefit of PARCEL I as referenced in said Certified Survey Map No. 2327 and dedicated in East Towne Burke Plat.

Recording Area

Name and Return Address
Jeffrey W. Younger
One West Main Street
P.O. Box 2189
Madison, WI 53701-2189

Together with all appurtenant rights, title and interests.

251/0810-224-0204-4

Parcel Identification Number (PIN)

This is not homestead property
(is) (is not)

Grantor warrants that the title to Parcel I is good, indefeasible in fee simple and free and clear of encumbrances except municipal and zoning ordinances and agreements entered under them, recorded easements for the distribution of utility and municipal services, recorded building and use restrictions and covenants, general taxes levied in 2004, and the Permitted Exceptions shown on Exhibit A attached hereto and made a part hereof.

Dated this 4th day of October, 2004.

Craig W. Hayes
* Craig W. Hayes

*

AUTHENTICATION

Signature(s) of Craig W. Hayes

authenticated this 4th day of October, 2004

Scott M. Fuhr

* Scott M. Fuhr

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, _____
authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Scott M. Fuhr

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF _____)

) ss.

County _____)

Personally came before me this _____ day of _____, _____ the above named

_____ to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.

* _____
Notary Public, State of _____



My Commission is permanent. (If not, state expiration date: _____)

* Names of persons signing in any capacity must be typed or printed below their signature.

2/13

EXHIBIT A
PERMITTED EXCEPTIONS

1. Taxes, general and special, for the year 2004.
2. Reservations for easements, building setback lines and other matters shown on the recorded certified survey map of the subject property.
3. Notes on Certified Survey Map No. 2327:
No further land division permitted of this certified survey until such time that direct public access has been dedicated for Lot 1 and 2 from the proposed East Towne Blvd. Present access is controlled by Wisconsin State Highway Commission.
4. No access to U.S. Highway 151 as shown on Certified Survey Map.
5. 50 foot private access easement for Lot 2 as shown on Certified Survey Map.
6. Easement reserved in Warranty Deed
Recorded: May 25, 1976, as Document No. 1470201.





FILE/PATH: D:\PROJECTS\CARKOTE\
Basemap.cdr
DATE: 09/24/2004
PREPARED: MDF APPROVED:
SOURCE:
DelORME TOPO USA

SEYMOUR
ENVIRONMENTAL
SERVICES, INC.

SITE LOCATION
Car Kote, Inc.
5331 Wayne Terrace
Madison, Wisconsin

FIGURE

1



FILE/PATH: D:\PROJECTS\CARKOTE\
Basemap.cdr
DATE: 09/24/2004
PREPARED: MDF APPROVED:
SOURCE:
FIELD MEASUREMENTS

**SEYMOUR
ENVIRONMENTAL
SERVICES, INC.**

**Site Map
Car Kote, Inc.
5331 Wayne Terrace
Madison, Wisconsin**

**FIGURE
2**

SUMMARY OF GROUNDWATER ANALYTICAL DATA

Car Kote, Inc.

5331 Wayne Terrace – Madison, Wisconsin


WELL	MW-1		PAL	ES
	10/10/04	1/10/05		
VOCs				
Benzene	<0.31	<0.31	0.5	5
Ethylbenzene	<0.5	<0.5	140	700
MTBE	<0.3	<0.3	12	60
Toluene	<0.3	<0.3	200	1000
1,3,5 Trimethylbenzene	<0.31	<0.31	ns	ns
1,2,4 Trimethylbenzene	<0.4	<0.4	ns	ns
Total Trimethylbenzenes	<0.71	<0.71	96	480
Xylene, -m,-p	<0.62	<0.62	ns	ns
Xylene. -o	<0.3	<0.3	ns	ns
Total Xylenes	<0.92	<0.92	1000	10000
Naphthalene	<0.8	<0.8	ns	ns
n-butylbenzene	<0.36	<0.36	ns	ns
s-butylbenzene	<0.4	<0.4	ns	ns
Isopropylbenzene	<0.31	<0.31	ns	ns
p-isopropyltoluene	<0.5	<0.5	ns	ns
n-propylbenzene	<0.3	<0.3	ns	ns
PAHs				
Acenaphthrene	<0.06	<0.06	ns	ns
Acenaphthalene	<0.06	<0.06	ns	ns
Anthracene	<0.05	<0.05	600	3000
Benzo(a)anthracene	<0.04	<0.04	ns	ns
Benzo(a)pyrene	<0.017	<0.017	0.02	0.2
Benzo(b)fluoranthene	0.043	<0.04	0.02	0.2
Benzo(g,h,i)perylene	0.363	<0.05	ns	ns
Benzo(k)fluoranthene	<0.04	<0.04	ns	ns
Indeno(1,2,3-cd)pyrene	<0.05	<0.05	ns	ns
Chrysene	<0.05	<0.05	0.02	0.2
Dibenzo(a,h)anthracene	<0.06	<0.06	ns	ns
Fluoranthene	<0.06	<0.06	80	400
Fluorene	<0.12	<0.12	80	400
2-Methylnaphthalene	<0.11	<0.11	ns	ns
1-Methylnaphthalene	<0.08	<0.08	ns	ns
Naphthalene	<0.1	<0.1	8	40
Phenanthrene	<0.08	<0.08	ns	ns
Pyrene	0.348	<0.09	50	250

- All other data in ug/kg


- ns = no standard established

- NR140 PAL = Preventative Action Limit (exceedances bold)

- NR140 ES = Enforcement Standard (exceedances shaded)



- Excavation Sampling Location
 B-1 ● - Geoprobe Location (Seymour)




FILE/PATH: D:\PROJECTS\CARKOTE\GIS
 F12-soilcont.cdr
 DATE: 06/24/2004
 PREPARED: MDF APPROVED:
 SOURCE:
 FIELD MEASUREMENTS

**SEYMOUR
 ENVIRONMENTAL
 SERVICES, INC.**

SITE LAYOUT / RESIDUAL SOIL CONTAMINATION F I G U R E
 Car Kote, Inc.
 5331 Wayne Terrace
 Madison, Wisconsin

3



LEGEND

- Excavation Sampling Location

B-1 ● - Geoprobe Location (Seymour)

HORIZONTAL SCALE

0 15' 30'

1 INCH = 15 FEET
SCALE IS APPROXIMATE

FILE/PATH: D:\PROJECTS\CARKOTE\GIS\FI3-Section.cdr

DATE: 06/24/2005

PREPARED: MDF APPROVED:

SOURCE:
FIELD MEASUREMENTS

**SEYMOUR
ENVIRONMENTAL
SERVICES, INC.**

**CROSS-SECTION SHOWING SOIL
CONTAMINATION**
Car Kote, Inc.
5331 Wayne Terrace

FIGURE
4




TABLE 1 (Page 1 of 2)
 SUMMARY OF SOIL ANALYTICAL DATA – CATCH BASIN and HOIST PIT (09/03-04/2004)
 Car Kote, Inc. - 5331 Wayne Terrace – Madison, Wisconsin

SAMPLE LOCATION	Catch Basin					Hoist Pit	NR720	NR746	
	North	South	East	West	Base			Base	Table 1
Depth (ft)	8-9	8-9	8-9	8-9	10.5	13	RCL	Table 1	Table 2
DRO	861	775	2,100	441	1560	668	100	ns	ns
VOCs									
Benzene	<25	<25	<25	<25	<25	<400	5.5	8500	1100
1,2 Dichloroethane	<25	<25	<25	<25	<25	na	ns	ns	540
Ethylbenzene	<25	<25	<25	<25	<25	<400	2900	4600	ns
MTBE	<25	<25	<25	<25	<25	<400	ns	ns	ns
Toluene	<25	<25	<25	<25	<25	<400	4100	38000	ns
1,2,4-TMB	168	<25	829	<25	802	16800	ns	83000	ns
1,3,5-TMB	40.1	<25	606	<25	324	9090	ns	11000	ns
Total Trimethylbenzenes	208.1	<50	1435	<50	1126	25890	ns	ns	ns
Total Xylenes	<50	<50	<50	<50	<50	<800	1500	42000	ns
Naphthalene	1960	<25	4290	809	1670	na	400	2700	ns
n-Butylbenzene	488	<25	<25	<25	<25	na	ns	ns	ns
p-Isopropyltoluene	106	<25	1710	45.3	637	na	ns	ns	ns
sec-Butylbenzene	<25	<25	<25	<25	952	na	ns	ns	ns
PAHs									
Acenaphthene	nd	nd	34.2	nd	nd	na	38000	ns	60000000
Acenaphthylene	nd	nd	nd	nd	nd	na	700	ns	360000
Anthracene	nd	nd	nd	nd	nd	na	3000000	ns	300000000
Benzo(a)anthracene	nd	nd	nd	nd	nd	na	17000	ns	3900
Benzo(a)pyrene	nd	nd	nd	nd	nd	na	48000	ns	390
Benzo(b)fluoranthene	nd	nd	nd	nd	nd	na	360000	ns	3900
Benzo(k)fluoranthene	nd	nd	nd	nd	nd	na	870000	ns	39000
Benzo(g,h,i)perylene	nd	nd	nd	nd	nd	na	6800000	ns	39000
Chrysene	nd	nd	nd	nd	nd	na	37000	ns	390000
Dibenzo(a,h)anthracene	nd	nd	nd	nd	nd	na	38000	ns	390
Fluoranthene	nd	nd	nd	nd	nd	na	500000	ns	40000000
Fluorene	nd	nd	nd	nd	nd	na	100000	ns	40000000
Indeno(1,2,3-cd)pyrene	nd	nd	nd	nd	nd	na	680000	ns	3900
1-Methylnaphthalene	162	nd	792	nd	2010	na	23000	ns	70000000
2-Methylnaphthalene	201	nd	810	89.6	2460	na	20000	ns	40000000
Naphthalene	nd	nd	49.7	nd	222	na	400	ns	110000
Phenanthrene	nd	nd	nd	nd	nd	na	1800	ns	390000
Pyrene	nd	nd	nd	nd	nd	na	8700000	ns	30000000

- DRO values are in mg/kg; all other data in ug/kg

- na = not analyzed

- ns = no stanard established

Soil Cleanup Levels for (PAHs) - Interim Guidance, WDNR, April 1997 Pub. RR-519-97

NR720 RCL = Residual Contaminant Level (Bold)

NR746 Table 1 = Indicator of Saturated Soil Pores

NR746 Table 2 = Direct Contact Hazard Level

TABLE 1 (Page 2 of 2)
SUMMARY OF SOIL ANALYTICAL DATA – GEOPROBE BORINGS (09/10/2004)
Car Kote, Inc.
5331 Wayne Terrace – Madison, Wisconsin

SAMPLE LOCATION	B-1	B-2	B-3	B-4	B-5	B-6	B-7	NR720 RCL	NR746	
	Depth (ft)	16-20	16-19.5	20-23	28-29.5	16-20	12-16		16-20	Table 1
DRO	<5.54	1,350	<5.62	8.98	<5.23	159	<5.30	100	ns	ns
VOCs										
Benzene	<25	<25	<25	<25	<25	<25	<25	5.5	8500	1100
1,2 Dichloroethane	na	na	na	na	na	na	na	ns	ns	540
Ethylbenzene	<25	<25	<25	<25	<25	<25	<25	2900	4600	ns
MTBE	<25	<25	<25	<25	<25	<25	<25	ns	ns	ns
Toluene	<25	<25	<25	<25	<25	<25	<25	4100	38000	ns
1,2,4-TMB	<25	364	<25	<25	<25	<25	<25	ns	83000	ns
1,3,5-TMB	<25	1740	<25	<25	<25	<25	<25	ns	11000	ns
Total Trimethylbenzenes	<50	2104	<50	<50	<50	<50	<50	ns	ns	ns
Total Xylenes	<50	<50	<50	<50	<50	<50	<50	1500	42000	ns
Naphthalene	<25	8260	54.1	56.3	<25	51.6	<25	400	2700	ns

- DRO values are in mg/kg; all other data in ug/kg
- na = not analyzed
- ns = no stanard established

NR720 RCL = Residual Contaminant Level (exceedances bold)
NR746 Table 1 = Indicator of Saturated Soil Pores (exceedances shaded)
NR746 Table 2 = Direct Contact Hazard Level

BUILDING

Grass

Excavation Limit

GB1

North

Pit 1 - Drum
Storage Area

GB2

Asphalt


South

Gravel



LEGEND

- GB1  - Previous Sampling Location
- B-1  - Geoprobe Location (Seymour)
-  - Excavation Sampling Location



1 INCH = 10 FEET
SCALE IS APPROXIMATE

FILE/PATH: D:\PROJECTS\CARKOTE\
Basemap.cdr

DATE: 09/24/2004


PREPARED: MDF APPROVED:


SOURCE:
FIELD MEASUREMENTS


SEYMOUR
ENVIRONMENTAL
SERVICES, INC.

DRUM STORAGE AREA SAMPLING
Car Kote, Inc.
5331 Wayne Terrace
Madison, Wisconsin

FIGURE







LEGEND

- GB1 ◆ - Previous Sampling Location
- B-1 ● - Geoprobe Location (Seymour)
- - Excavation Sampling Location

0 10' 20'

1 INCH = 10 FEET
SCALE IS APPROXIMATE

FILE/PATH: D:\PROJECTS\CARKOTE\Basemap.cdr
 DATE: 09/24/2004
 PREPARED: MDF APPROVED:
 SOURCE:
 FIELD MEASUREMENTS

SEYMOUR ENVIRONMENTAL SERVICES, INC.

HYDRAULIC HOIST and CATCH BASIN AREA
 Car Kote, Inc.
 5331 Wayne Terrace
 Madison, Wisconsin

FIGURE

