

GIS REGISTRY

Cover Sheet

August 2011
(RR-5367)

Source Property Information

BRRTS #:

02-13-543223

ACTIVITY NAME:

WANG BUILDING 412/414

PROPERTY ADDRESS:

Building 412/414 (2498 PEARSON ST)

MUNICIPALITY:

Madison

PARCEL ID #:

081029200996

CLOSURE DATE: Jan 3, 2012

FID #:

DATCP #:

PECFA#:

*WTM COORDINATES:

X: 573890 Y: 285730

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
 Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property" form)*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property" form)*

Land Use Controls:

N/A (Not Applicable)

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between non-industrial and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government unit or economic
development corporation was directed to
take a response action)*

Monitoring Wells:

Are all monitoring wells properly abandoned per NR 141? (234)

Yes No N/A

** Residual Contaminant Level*

*** Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: PARCEL ID #:
ACTIVITY NAME: WTM COORDINATES: X: Y:

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Continuing Obligation Cover Letter** (for property owners affected by residual contamination and/or continuing obligations)
- Conditional Closure Letter**
- Certificate of Completion (COC)** (for VPLE sites)

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title:**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 11 x 17 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 **Title: Site Location Map - IRP Site 4/Site 8 - Area 2, Truax Field**
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2 **Title: Detailed Site Map - IRP Site 4 - Truax Field**
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 3 **Title: Soil Analytical Results Summary**

BRRTS #: 02-13-543223

ACTIVITY NAME: WANG BUILDING 412/414

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: **Title:**

Figure #: **Title:**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: 2 **Title: Benzene Iso-Concentration Map**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 3 **Title: Water Table Map (May 14, 2009)**

Figure #: 4 **Title: Water Table Map (May 9, 2008)**

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 11 x 17 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 1 **Title: Soil Analytical Results**

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 1 **Title: Summary of Groundwater Analytical Results - VOCs**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 2 **Title: Groundwater Elevation Summary**

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: **Title:**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 02-13-543223

ACTIVITY NAME: WANG BUILDING 412/414

NOTIFICATIONS

Source Property

Not Applicable

Letter To Current Source Property Owner: If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

Not Applicable

Letter To "Off-Source" Property Owners: Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying any off-source property owner.

Deed of "Off-Source" Property: The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.

Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

Letter To "Governmental Unit/Right-Of-Way" Owners: Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters:



January 3, 2012

Major Chris Buhler
Wisconsin Air National Guard
115th Fighter Wing
3110 Mitchell Street
Madison WI 53704

Subject: Site Closure: IRP Site 4 - Truax Field
BRRTs: 02-13-543223

Dear Major Buhler:

On March 16, 2011, the South Central Region Closure Committee reviewed your request for closure of the case described above. The Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. On March 21, 201, you were notified that the Closure Committee had granted conditional closure to this case.

On December 2, 2011 the Department received information or documentation indicating that you have complied with the requirements for final closure. Based on the correspondence and data provided, it appears that your case meets the closure requirements in ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

GIS Registry

The conditions of case closure set out below in this letter require that this site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- Groundwater contamination is present above Chapter NR 140 enforcement standards

This letter and information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If the property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4) (w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Residual Soil Contamination

Residual soil contamination remains on site based on the information submitted to the Department of Natural Resources. If soil in the specific locations described above is excavated in the future, then pursuant to ch. NR 718 or, if applicable, ch. 289, Stats., and chs. 500 to 536, the property owner at the time of excavation must sample

and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material is considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken to prevent a direct contact health threat to humans.

Residual Groundwater Contamination

Groundwater impacted by organic chemical contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present on this contaminated property as shown in the submitted data.

Dewatering Permits

The Department's Watershed Management Program regulates point source discharges of contaminated water, including discharges to surface waters, storm sewers, pits or to the ground surface. This includes discharges from construction related dewatering activities, including utility and building construction.

Based on the concentrations of contaminants remaining in groundwater at this location, it appears likely that dewatering activities would require a permit from the Watershed Management Program. If you or any other person plan to conduct such activities, you or that person must contact that program, and if necessary, apply for the necessary discharge permit. Additional information regarding discharge permits is available at <http://www.dnr.state.wi.us/org/water/wm/ww/>

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact me at 608-275-3303.

Sincerely,



Michael Schmoller
Hydrogeologist

cc: John Marchewka, MWH, 6325 Odana Road, Madison, WI 53719

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
South Central Region Headquarters
3911 Fish Hatchery Road
Fitchburg WI 53711-5397

Scott Walker, Governor
Cathy Stepp, Secretary
Lloyd L. Eagan, Regional Director
Telephone 608-275-3266
FAX 608-275-3338
TTY Access via relay - 711



March 21, 2011

File Ref: 02-13-543223
Dane County

Major Chris Buhler
Wisconsin Air National Guard
3110 Mitchell Street
Madison WI 53704

Subject: Conditional Closure: Wisconsin Air National Guard Truax Field IRP Site 4 and IRP Site 8 Area 2

Dear Major Buhler:

On March 16, 2011, the South Central region Closure Committee reviewed your request for closure of the case described above. The Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Committee has determined that the organic chemical contamination on the site at IRP Site 4 and IRP Site 8 Area 2 appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

MONITORING WELL ABANDONMENT

The monitoring wells and soil vapor extraction system wells and lines at the site must be properly abandoned in accordance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to me on Form 3300-005, found at <http://dnr.wi.gov/org/water/dwg/gw/> or provided by the Department of Natural Resources.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment. We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 275-3303.

Sincerely,

Michael Schmoller
Hydrogeologist

Attachment to Section A, Form 4400-202:

Brief Site Summary - 115th Fighter Wing IRP Site 4 / Site 8 Area 2

Soil

IRP Site 4 is the location of a former Petroleum, Oil and Lubricant (POL) Facility constructed in 1952. The site consisted of four 50,000 gallon steel underground storage tanks (USTs) containing jet fuel, a bulk fuel receiving system, a refueling island, the terminus of the former fuel transfer line, and associated piping. Decommissioning of the POL facility began on October 11, 1999. The four 50,000-gallon USTs were removed between October 25 and November 2, 1999. This data was submitted to WI DNR in the March 2001, Montgomery Watson "Construction Completion Report POL Decommissioning, SVE system and Parking Lot". A total of 2,861.38 tons of contaminated soil and concrete was sent to the Madison Prairie Landfill.

A Soil Vapor Extraction (SVE) system was operated by Montgomery Watson from July 26, 2000 through June 16, 2004. According to data in Table 2 of the January 14, 2005 status report, as of January 12, 2004 the SVE had removed 8,532.0 lbs of VOC and had run a total of 28,404 hours. A review of the data from the SVE system indicates that 5,220.4 pounds of VOC were removed by August 20, 2001. The concentration of VOC dropped to below detection limits on September 7, 2001 and continued at a removal rate of less than 0.1 pounds per hour with the exception of September 2, 2003 with a removal of 0.41 lb/hr. The SVE system for IRP site 4 was shut down June 16, 2004.

Building 412 and 414 IRP Site 8 Area 2 (Fighter Alert Shelters) is located approximately 300 feet to the north of IRP Site 4. A subsurface investigation by Dames & Moore in April and May 1992 concluded that there was a source of contamination close to monitoring well 15 (replaced by monitoring well 26). Between October 28 and December 1, 1993, the soil in this area was remediated by Nine Springs and Sen-Tech. Approximately 1,000 cubic yards of soil was excavated, and approximately 500 cubic yards of the excavated soil was processed by Low Temperature Thermal Desorption. The soil remaining beneath the concrete area between buildings 412 and 414 had contaminant levels which were of concern. Two SVE laterals were operated in this area from January 1996 until May 1999. The SVE operation and maintenance was performed by Nine Springs Environmental, BT² and Montgomery Watson. Building 412 was upgraded between 2004-2006 to include the removal and replacement of concrete associated with the flightline, aircraft parking and taxiways. In 2004, construction to replace the concrete around building 412 and install the SVE system resulted in 1,675.55 tons of soil being removed from beneath the concrete in and around building 412. Construction was completed in 2005, and the SVE system was started up in January 2006. A section of abandoned fuel hydrant line was removed from the north end of shelter 4 in building 412 south to the perimeter road. The 115 FW removed the remaining portion of the hydrant line under the perimeter road in August 2007. The adjoining portion had been removed in 1999 as part of the POL decommissioning and remediation. Additionally, 551.73 tons of soil was removed during the addition to building 412 for the fire suppression system in 2006 by Wolverine and BT², and the 115 Fighter Wing operated an SVE system from January 18, 2006 until September 5, 2006. This SVE system included the two laterals from the previous SVE system, as well as 12 new laterals beneath

building 412. The site received no further action for soils from the WI DNR on November 20, 2006.

Groundwater

Thirteen groundwater monitoring wells have been installed in this area. Wells 7, 16, 17, 25, 27 and 28 have been abandoned.

- Monitoring well 25, the furthest up-gradient well, was sampled on 5/20/92, 9/13/94, 6/5/86 and 11/17/97. All results were below detection limits. This well was abandoned in May 2006.
- Monitoring well 17, upgradient from well 26, was initially sampled 4/8/91 and nine samples were collected between that date and June 16, 2004. All results were below detection limits, and the well was abandoned May 31, 2007.
- Monitoring well 7 is side gradient to the site and was sampled five times between March 26, 1990 and April 23, 2002. All results were below detection limits, and the well was abandoned May 10, 2006.
- Monitoring well 28 was downgradient of the site and was sampled seven times between November 17, 1997 and February 1, 2005. This well was abandoned May 10, 2006.
- Monitoring well 27 was sampled on 11/17/97, 4/23/02 and 4/18/05. Cis-1,2-dichloroethene was detected on November 17, 1997 at 0.5 µg/l which is below the PAL of 7.0 µg/l. All other results were below detection limits. This well was abandoned May 31, 2007.
- Monitoring well 16 was installed April 8, 1991 and was the furthest downgradient well on long term monitoring. The highest concentrations of benzene detected in this well were 38 µg/l on April 8, 1991 and 25 µg/l on November 17 1997. Concentrations of benzene dropped to 2.9 µg/l on 4/10/01 and 4.9 µg/l on 9/2/03, and have been below detection limits since 2004. This well was abandoned November 16, 2009.

Wells 8R, 9, 11R, 12R, 22S, 22D and 26 are on long term semi-annual monitoring for this site.

- Monitoring well 26 which is located near building 412 was tested in May 2010 and in October 2010 by Montgomery Watson Harza. In May, benzene was detected at a concentration of 7,400 µg/l with other BTEX compounds totaling 7,950 µg/l. In October, the benzene concentration had dropped by more than a quarter to 5,400 µg/l, and the combined concentration of BTEX compounds dropped to 5,720 µg/l. Monitoring well 26 is a replacement for monitoring well 15, which was originally intended as an upgradient well for IRP Site 4, the former location of four 50,000-gallon USTs. Benzene concentrations above 20,000 µg/l were detected twice in 1998, and free product was observed in the well in 2001 and 2002. Benzene concentrations fell to 2,500 µg/l after operation of the SVE in 2006, but rebounded to 17,000 µg/l in June 2007. Since then, the trend in benzene and BTEX concentrations is decreasing, but rises and falls with groundwater elevation, indicating some remaining contamination in the "smear zone".
- Monitoring Well 8R just southwest of the SVE field for IRP Site 4 was sampled in May and October 2010. Results from those two sampling events showed benzene concentrations increased from 1,100 to 1,600 µg/l, and total concentrations of BTEX compounds drop from

2,540 to 2,200 µg/l. The highest level of benzene detected in this well was 2,800 µg/l in April 2001 and May 2003. Since then, the trend in benzene and BTEX concentrations is decreasing.

- Monitoring well 9 is located between IRP Site 4 and IRP Site 8 Area 2. Concentrations of contaminants in this well have been below the preventive action limit since 2001, except for two results for benzene at 16 µg/l in May 2008, and 1.7 µg/l in May 2009.
- Monitoring well 11R had contaminant concentrations below detection limits until 2003. Benzene was below detection limits in October 2009, but has since risen to 2.5 µg/l in May 2010 and 69 µg/l in October 2010. The previous peak concentration of benzene was 42 µg/l in November 2006.
- Monitoring well 12R had contaminant concentrations below detection limits until 2002, and has been below detection limits for BTEX in the last four sampling events. The peak concentration of benzene was 19 µg/l in February 2006.
- Monitoring wells 22S and 22D are a water table well/piezometer nest. No contaminants have been detected in well 22S since 1996. The only contaminant detected in well 22D is benzene, which peaked at 170 µg/l in June 2007. The most recent sample shows 0.9 µg/l benzene.

Conclusion

Four remediation efforts have taken place at IRP Site 8 Area 2, and two remediation efforts at IRP Site 4. In late 1993, 500 cubic yards of contaminated soil was excavated from IRP Site 8 Area 2 between buildings 412 and 414 and treated on-site via low-temperature thermal desorption. (SVE laterals operated during apron remediation) In May 2006, 551.73 tons of soil was removed during the addition to building 412 for the fire suppression system. From January to September 2006, an SVE system beneath building 412 removed 1,032 lbs VOCs and 108,000 gallons of water. At IRP Site 4, 2,861.38 tons of contaminated soil and concrete were removed during the decommissioning of the POL in 1999. From July 2000 through June 2004, an SVE system operated at IRP Site 4, removing a total of 8,532.0 lbs of VOC.

This site is located north of Mitchell Street and abandoned portions of Mitchell Street which is designated for airport use and restricts the types of development that can occur in the future. After 18 years of groundwater monitoring, we feel the attached evidence shows stable and declining contamination at this site, and warrants consideration for GIS closure.

1416743

Vol 547 page 820

DUPLICATE ORIGINAL

1416749

Handwritten initials/signature

QUIT CLAIM DEED

THIS INDENTURE, made this 17th day of December, 1974, by and between the CITY OF MADISON, a Wisconsin Municipal Corporation, duly organized and existing under and by virtue of the Laws of the State of Wisconsin, located at Madison, Wisconsin, Party of the First Part; and DANE COUNTY, a Wisconsin Municipal Corporation duly organized and existing under and by virtue of the Laws of the State of Wisconsin, located at Madison, Wisconsin, Party of the Second Part.

W I T N E S S E T H:

That the said Party of the First Part, for and in consideration of the sum of One Dollar (\$1.00) and the assumption by the Party of the Second Part of all of the obligations and its taking, subject to certain reservations, restrictions and conditions, and its covenant to abide by and agree to certain other reservations, restrictions and conditions, all as set out hereinafter, has given, granted, bargained, sold, remised, released and quitclaimed, and by these presents does give, grant, bargain, sell, remise, release and quit claim unto said Party of the Second Part, and to its successors and assigns forever, the following described real estate, situate in the County of Dane, State of Wisconsin, to-wit:

DEC 19 1974

see Corporation QCD # 1679435 of Dec
on page 662 J.M. de...
5472461 57

DEC 19 1974

01

The following described parcel is part of Sections 17, 18, 19, 20, 21, 28, 29, 30, 31, 32, and 33 Town 8 North, Range 10 East City of Madison, and part of Lot 2 and 3 Certified Survey Map No. 1275 and Lot 3 Certified Survey Map No. 928, and a part of the Clyde A. Gallagher Subdivision as recorded in Volume 6 of Plats Page 28, and the plat of Sunny Side as recorded in Volume 4 of Plats Page 29A, and the Replat of Lot 25 Block 2 of Sunny Side, Dane County of Wisconsin. More fully described as follows:

Commencing at the East 1/4 corner of Section 19 being one in the same as the West 1/4 corner of Section 20.

Thence North 88° 47' 42" West along the East-West 1/4 line of said Section 19 174.16 feet to a point which is 50.00 feet Easterly of, measured at right angles to, the Easterly right-of-way line of the Chicago, Milwaukee, St. Paul, and Pacific Railroad right-of-way and the point of beginning of this description.

Thence South 14° 46' 41" West along a line which is 50.00 feet Easterly of and parallel to the Easterly right-of-way line of said railroad 2737.85 feet to the North line of Section 30. Said point being North 88° 01' 10" West 810.02 feet from the Northeast corner of Section 30.

Thence continuing parallel to said Easterly line of the railroad South 14° 46' 41" West 1856.16 feet to the West line of the Southeast 1/4 of the Northeast 1/4 of said Section 30.

Thence South 1° 18' 41" East along said West line 882.08 feet to the centerline of Darwin Road. Said centerline also being the East-West 1/4 line of said Section 30.

Thence South 88° 37' 13" East along said North line and centerline 401.04 feet to the Northerly extension of the Westerly line of International Lane.

Thence South 1° 30' 03" West along said Westerly line 202.69 feet.

Thence continuing along said Westerly line, being a curve to the right, having a radius of 326.97 feet, and a chord bearing South 14° 29' 33" West 147.01 feet, to the Southeast corner of Lot 1 of Certified Survey Map No. 394.

Thence North 72° 11' 55" West 204.69 feet along the South line of said Lot 1 to its Southwesterly corner.

Thence North 1° 22' 41" East along its Westerly line 255.00 feet to the South line of Darwin Road.

Thence 88° 37' 19" West along the North line of Lot 2 Certified Survey Map No. 1275, 235.00 feet to the Northwest corner of said Lot 2.

Thence South 13° 24' 32" West 560.00 feet to the Southeast corner of Lot 1 Certified Survey Map No. 1275.

Thence North 76° 35' 28" West along the Southerly line of Lot 1 Certified Survey Map No. 1275, 334.39 feet to a point which is 50.00 feet Easterly of, measured at right angles to, the Chicago, Milwaukee, St. Paul, and Pacific Railroad right-of-way.

Thence South 10° 52" West 990.56 feet parallel to said Easterly right-of-way to the Southwesterly line of Lot 3 Certified Survey Map No. 1275.

DEC 19 1974

PAV. 547 SUR.

Thence North 45°41'03" East 317.00 feet to the most Northerly corner of Lot 2 Certified Survey Map No. 928.

Thence South 49°35'28" East 361.53 feet to the Northwesternly right-of-way of International Lane.

Thence South 45°41'03" West along said Northwesternly line 274.17 feet to the most Easterly corner of Lot 3 Certified Survey Map No. 928.

Thence along the Northeastly line of said Lot 3, being a curve to the right, having a radius of 586.30 feet, and a chord bearing North 45°17'48" West 629.96 feet to a point which is 50.00 feet Easterly of, measured at right angles to, the Easterly right-of-way line of the Chicago, Milwaukee, St. Paul, and Pacific Railroad.

Thence South 20°10'52" West parallel to said right-of-way line 942.38 feet to the Easterly line of Packers Avenue.

Thence South 1°13'45" East along said East line 203.53 feet.

Thence continuing along said East line South 1°02'28" East 168.74 feet to the Southerly right-of-way of International Lane.

Thence continuing along said East line South 0°04'23" East 1274.51 feet.

Thence continuing along said East line, being a curve to the left, having a radius of 2,809.80 feet, and a chord bearing South 4°02'50" East 389.49 feet.

Thence continuing along said East line South 8°01'18" East 301.28 feet to the North line of the South 1/2 of the Southwest 1/4 of the Northeast 1/4 of Section 31.

Thence South 89°30'12" East along said North line 1170.98 feet to the East line of said South 1/2 of Southwest 1/4 and Northeast 1/4.

Thence South 0°09'55" West along the East line of said South 1/2 of the Southwest 1/4 of the Northeast 1/4 668.48 feet to the East-West 1/4 line of said Section 31.

Thence South 89°39'19" East 1314.24 feet to the East 1/4 corner of said Section 31.

Thence South 89°12'23" East along the East-West 1/4 line of Section 32 2657.03 feet to the center of said Section 32.

Thence continuing South 89°12'23" East along said East-West 1/4 line 370.55 feet.

Thence North 1°27'37" East 799.56 feet.

Thence South 88°32'23" East 930.00 feet to the East line of Wright Street.

Thence South 0°01'56" East along said East line of Wright Street 391.51 feet.

Thence continuing along said East line South 1°27'37" West 167.02 feet.

Thence continuing along said East line South 13°58'53" East 177.09 feet.

Thence continuing along said East line South 41°33'23" East 142.45 feet to the Northwesternly right-of-way of East Washington Avenue.

Thence North 48°26'37" East along said Northwesternly right-of-way 375.22 feet.

Thence on a curve to the left, having a radius of 25.00 feet, and a chord bearing North 3°51'09" East 35.10 feet to the Southwesternly line of Reindahl Street.

Thence North 40°44'20" West along said Southwesternly line of Reindahl Street 567.40 feet more or less to the Northwesternly

FILE 547 PAGE 622

DEC 19 1974

Thence North 47°20'25" East along said Northwesterly line of Graceland Avenue 1199.67 feet more or less to the Northeasterly line of Rowland Avenue.

Thence North 43°27'40" West 25.92 feet to the Southeasterly line of Straubel Street.

Thence South 46°20'00" West along said Southeasterly line of Straubel Street 461.17 feet.

Thence continuing on said line of Straubel Street, being a curve to the right, having a radius of 180.00 feet, and a chord bearing South 68°45'10" West 137.30 feet.

Thence along the Southerly line of Straubel Street North 88°49'40" West 449.29 feet to the Easterly line of Wright Street.

Thence North 0°01'56" West 60.00 feet along East line of Wright Street.

Thence North 1°27'37" East 1043.77 feet along Wright Street.

Thence on a curve to the right, having a radius of 25.00 feet, and a chord bearing North 46°31'10" East 35.30 feet to the Southerly line of Anderson Street.

Thence South 88°34'23" East along the South line of Anderson Street 505.91 feet.

Thence continuing on said Southerly line of Anderson Street being a curve to the left, having a radius of 390.00 feet, and a chord bearing North 74°14'07" East 230.55 feet to the Easterly line of Hilsenhoff Street.

Thence along said Easterly line, being a curve to the left, having a radius of 25.00 feet, and a chord bearing South 15°51'05" West 32.93 feet.

Thence continuing along said Easterly line South 25°20'27" East 98.31 feet.

Thence continuing on said Easterly line, being a curve to the right, having a radius of 285.00 feet, and a chord bearing South 11°42'45" East 134.30 feet.

Thence continuing on said Easterly line South 1°54'57" West 478.47 feet.

Thence South 43°27'40" East 361.37 feet.

Thence North 48°13'06" East 474.52 feet to the Westerly right-of-way line of United States Highway 51.

Thence North 2°28'27" West along said Westerly line 1074.71 feet to a point of corner radius on the Northerly side of Anderson Street. Said point being North 29°38'02" East 99.26 feet from the Southwest corner of Section 28.

Thence North 2°27'54" West along the Westerly line of United States Highway 51 685.63 feet.

Thence North 88°34'23" West 3007.35 feet to the Easterly line of Johnson Street.

Thence North 1°26'12" East along said East line of Johnson Street 1816.13 feet to the Southerly line of Bowman Street.

Thence South 88°34'23" East along said line 820.48 feet.

DEC 19 1974

Vol. 54 / Plat 1

Thence North $1^{\circ}27'16''$ East along the Easterly line of Hoffman Street and its Southerly extension 1146.12 feet.

Thence on a curve to the right, having a radius of 15.00 feet, and a chord bearing North $46^{\circ}26'16''$ East 21.21 feet to the South line of Mitchell Street.

Thence South $88^{\circ}34'44''$ East along said South line of Mitchell Street 760.24 feet.

Thence on a curve to the right, having a radius of 25.00 feet, and a chord bearing South $43^{\circ}33'34''$ East 35.37 feet to the West line of Wright Street.

Thence South $1^{\circ}27'35''$ West along said West line of Wright Street and its Southerly Extension 1125.69 feet to the Southerly line of Bowman Street.

Thence South $89^{\circ}23'28''$ East along said Southerly line of Bowman Street 199.25 feet.

Thence continuing on said South line being a curve to the left, having a radius of 580.00 feet, and a chord bearing North $79^{\circ}06'21''$ East 231.27 feet.

Thence continuing along said South line North $67^{\circ}36'20''$ East 289.61 feet.

Thence on a curve to the right, having a radius of 500.00 feet, and a chord bearing North $79^{\circ}36'09''$ East 207.86 feet.

Thence continuing along said South line South $88^{\circ}24'02''$ East 353.63 feet to the Westerly line of United States Highway 51. Said point being North $15^{\circ}54'21''$ West 166.41 feet from the East $1/4$ corner of Section 29.

Thence North $2^{\circ}28'27''$ West along the West line of United States Highway 51 42.41 feet.

Thence North $1^{\circ}00'27''$ West along said West line 37.76 feet to the Northerly line of Bowman Street.

Thence Northerly along the Westerly right-of-way line of United States Highway 51 954.89 feet.

Thence Easterly at right angles to the reference line of United States Highway 51 5.00 feet.

Thence Northerly along the Westerly line of United States Highway 51 1029.06 feet.

Thence North $88^{\circ}21'46''$ East 37.13 feet.

Thence South $38^{\circ}17'43''$ East 2213.67 feet.

Thence North $1^{\circ}34'00''$ West 1383.47 feet.

Thence North $49^{\circ}42'33''$ West 1004.70 feet.

Thence North $0^{\circ}09'01''$ East 103.78 feet to the South line of Reider Road.

Thence North $89^{\circ}51'08''$ West along the south line of Reider Road 441.53 feet to a point which is 50.00 feet Easterly of Easterly right-of-way of United States Highway 51.

Thence South $1^{\circ}39'15''$ East parallel to and 50.00 feet from the Easterly right-of-way line of United States Highway 51, 364.80 feet.

Thence ch $88^{\circ}20'53''$ East 534.19 feet to a point which is 650.00 feet West of the East line of the Northwest $1/4$ of the Northwest $1/4$ of Section 28.

PLAN 547 RECD 624

DEC 19 1974

Thence South 1°36'01" East parallel to and 650.00 feet Westerly of said East line 200.00 feet.

Thence South 88°20'53" West 510.01 feet to a point which is 50.00 feet Easterly of, measured at right angles to, the East right-of-way line of United States Highway 51.

Thence South 1°39'15" East parallel to and 50.00 feet Easterly of said Easterly line 49.35 feet.

Thence North 38°17'43" West 83.81 feet to the Easterly right-of-way line of United States Highway 51.

Thence North 1°39'15" West along said East line 53.68 feet.

Thence South 88°20'45" West 24.00 feet along said Easterly line.

Thence North 1°39'15" West along said Easterly line 527.80 feet to the North line of Section 28. Said point being South 89°51'08" East 88.04 feet from the Northwest corner of said Section 28.

Thence North 1°39'08" West 97.05 feet to the North line of Reider Road.

Thence South 89°51'08" East along the North line of Reider Road 911.00 feet to the centerline of drainage ditch.

Thence North 23°49'38" East along the centerline of said drainage ditch 839.82 feet to the East line of the West 1/2 of the Southwest 1/4 of Section 21.

Thence North 0°49'12" East along said East line 1792.46 feet to the East-West 1/4 line of said Section 21.

Thence North 0°51'37" East along the East line of the Southwest 1/4 of the Northwest 1/4 of said Section 21, 1332.11 feet to the Northeast corner thereof.

Thence North 89°44'38" East along the South line of the Northeast 1/4 of the Northwest 1/4 of said Section 21, 390.00 feet.

Thence North 0°51'37" East parallel to the West line of the Northeast 1/4 of the Northwest 1/4 of said Section 21, 480.00 feet.

Thence North 45°04'29" West 542.66 feet to the West line of said Northeast 1/4 of the Northwest 1/4 of said Section 21.

Thence North 0°51'37" East along said West line 227.11 feet to a point which is 240.00 feet South of the Northwest corner of said Section Northeast 1/4 of the Northwest 1/4.

Thence South 89°38'48" West parallel to the North line of said Section 21 290.00 feet.

Thence South 40°20'33" West 1174.05 feet to a point which is 200.00 feet North of the South line of the Northwest 1/4 of the Northwest 1/4 of said Section 21.

Thence South 89°44'38" West 240.00 feet to the Easterly right-of-way line of United States Highway 51.

Thence South 0°47'50" West along said Easterly line 200.00 feet to the South line of said Northwest 1/4 of the Northwest 1/4 of Section 21.

Thence South 89°44'38" t 50.01 feet to the West line of Section 21.

Thence North 88°12'00" West along the South line of the North 1/2 of the Northeast 1/4 of Section 20

DEC 19 1974

174-547 PAGE 625

Thence North 1°06'52" East along said North-South 1/4 line 1335.21 feet to the North 1/4 corner of said Section 20. Said point also being the centerline of Messerschmidt Road.

Thence North 88°16'22" West along the North line of Section 20 and the centerline of Messerschmidt Road 989.93 feet.

Thence North 0°34'41" East 264.00 feet.

Thence South 88°12'00" East 130.17 feet.

Thence North 0°34'00" East 731.20 feet.

Thence North 87°58'00" West 166.66 feet.

Thence North 9°58'40" East 782.69 feet.

Thence North 88°33'10" West 551.42 feet to the centerline of County Trunk Highway CV.

Thence North 26°29'20" East along said centerline 230.89 feet.

Thence North 28°20'51" East along said centerline 748.11 feet.

Thence North 87°58'24" West 509.78 feet.

Thence North 0°49'58" East 982.20 feet to the Easterly right-of-way line of Chicago, Milwaukee, St. Paul, and Pacific Railroad.

Thence continuing North 0°49'58" East 273.60 feet to said railroad's Westerly right-of-way line.

Thence North 0°49'58" East 71.79 feet.

Thence North 88°07'35" West 1316.77 feet to the West line of Section 17.

Thence South 0°44'20" West along said West line 1325.16 feet to the West 1/4 corner of said Section 17.

Thence South 0°46'42" West along the West line of said Section 17 2384.00 feet to the centerline of County Trunk Highway CV. Said point being North 0°46'42" East 270.92 feet from the Southwest corner of said Section 17.

Thence South 56°34'53" West along the centerline of County Trunk Highway CV 11.95 feet.

Thence continuing along said centerline, being a curve to the right, having a radius of 7639.50 feet, and a chord bearing South 58°48'05" West 572.09 feet.

Thence continuing along said centerline South 60°56'50" West 98.92 feet.

Thence South 41°07'40" East 1062.12 feet to the Westerly right-of-way line of the Chicago, Milwaukee, St. Paul, and Pacific Railroad.

Thence South 75°12'49" East 116.00 feet to a point which is 50.00 feet from, measured at right angles to, the Easterly right-of-way line of said Chicago, Milwaukee, St. Paul, and Pacific Railroad.

Thence South 14°47'12" West along a line which is 50.00 feet from and parallel to the Easterly right-of-way line of the Chicago, Milwaukee, St. Paul, and Pacific Railroad 1818.62 feet to the point of beginning of this description.

Also including a parcel in the North 1/2 of the Southeast 1/4 of Section

Town 8 North Range 10 East, City of Madison. More fully described as follows:

Containing ...

Thence North 15°54'21" West 166.41 feet to the intersection of the Southerly line of Bowman Street and the Westerly line of United States Highway 51.

Thence North 88°24'02" West along the South line of Bowman Street 353.63 feet.

Thence continuing along said South line being a curve to the left, having a radius of 500.00 feet, and a chord bearing South 79°36'09" West 207.86 feet.

Thence continuing along said South line South 67°36'20" West 289.61 feet.

Thence continuing along said South line being a curve to the right, having a radius of 580.00 feet, and a chord bearing South 79°06'21" West 231.27 feet.

Thence continuing along said South line North 89°23'38" West 199.25 feet to the point of beginning of this description.

Thence South 1°26'12" West along the Westerly line of Wright Street 839.62 feet to the Northerly line of Kinsman Boulevard.

Thence North 88°34'23" West along said Northerly line of Kinsman Boulevard 800.19 feet.

Thence North 1°26'12" East 828.15 feet to the Southerly line of Bowman Street.

Thence South 89°23'38" East along said South line 800.18 feet to the point of beginning of this description.

EXCEPTIONS

EXCEPTING from this description the Chicago, Milwaukee, St. Paul, and Pacific Railroad right-of-way in the Northwest 1/4 of the Northwest 1/4 of Section 20 and the West 1/2 of the Southwest 1/4 of Section 17 and the West 1/2 of the Northwest 1/4 of Section 17.

Also EXCEPTING a 50-foot transportation corridor being a part of the Northwest 1/4 of the Northwest 1/4 of Section 20 and the Southwest 1/4 of the Southwest 1/4 of Section 17. More fully described as follows:

Commencing at the East 1/4 corner of Section 19.

Thence North 88°47'42" West 174.16 feet to a point which is 50.00 feet Easterly of, measured at right angles to, the Easterly right-of-way line of the Chicago, Milwaukee, St. Paul, and Pacific Railroad.

Thence North 14°47'12" East along a line which is 50.00 feet Easterly of and parallel to said Easterly right-of-way line 1818.62 feet to the point of beginning of this description.

Thence continuing Northeasterly parallel to and 50.00 feet Easterly of said Easterly right-of-way line to the Southeasterly right-of-way line of County Trunk Highway CV.

Thence Southwesterly along said Southeasterly line to the Easterly right-of-way line of the Chicago, Milwaukee, St. Paul, and Pacific Railroad.

Thence Southwesterly along said railroad right-of-way line to a point which is North 12'49" West 50.00 feet from the point of beginning.

Thence South 75°12'49" East 50.00 feet

DEC 19 1974

WA 547 Part B27

ALSO EXCEPTING those rights-of-way and easements and drainage ways described and set forth in attached Exhibits A, B, C, and D, or which are otherwise of record which describe property interests held by the City for municipal, and specifically for non-airport-related purposes, which are reserved and retained by the City of Madison for the purposes designated therein.

ALSO EXCEPTING all other rights, rights-of-way and easements and drainage ways of record, which affect the above-described property, including those set forth in attached Exhibit E.

SUBJECT TO all Leases affecting the property described herein to which the City of Madison is a party as Lessor or Lessee, which are in existence on the date of transfer, including, but not limited to, the following which are incorporated herein by reference and made a part hereof:

AIRPORT OPERATIONAL AREA
LEASE ROSTER

VOL. 547 PAGE 828

DEC 19 1974

<u>Doc. No.</u>	<u>Effective Date</u>	<u>Lessee and Lease Type</u>	<u>Lease No.</u>	<u>Expiration/ Renewal Date</u> <u>Terms</u>
1.	7/12/58	<u>AMERICAN LOCKER COMPANY</u> Locker Operation in West Terminal Building	CM-MA58-2	7/12/79 Renegotiation at end of 5-year term; 90 days' written notice
2.	2/1/59	<u>E. J. FEILER ESTATE</u> Ground Rent/Airplane Storage Hangar	CM-MA59-3	2/1/79; when terminated 60 days to remove or dispose of Hangar
	and, 2/2/60	<u>Amendment I</u> Additional Ground Rent		
	5/16/72	Sublease to Four Lakes Aviation Corporation authorized by Resolution No. 23,427		
3.	6/1/59	<u>CORPS OF ENGINEERS</u> U. S. Army Reserve Center - Land Lease	Dall-032-ENG-5475	5-31-2058 Government <u>Only</u> may terminate - 30 days' written notice
4.	4/9/65	<u>WISCONSIN ELECTRIC CO-OP</u> Ground Rent	CM-MA65-3	4/9/75 - Two additional terms of 5 years each
	and 8/10/67	Authorizing the sale and reassignment of one-half interest and leasehold rights of Wisconsin Electric Co-op's hangar building to Dairy Equipment Co., authorized by <u>Resolution No. 13,102</u>		
	and 9/18/73	Authorizing the sale and reassignment of one-half interest and leasehold rights of Wisconsin Electric Co-op (RESCO) to Hamlin, Inc., Lake Mills, Wisconsin Authorized by <u>Resolution No. 25,386</u>		

Doc. No.	Effective Date	Lessee and Lease Type	Lease No.	Expiration/Renewal	
				Date	Terms
6.	6/1/66	NORTHWEST AIRLINES, INC. Landing and Terminal Area Facilities	CM-MA66-3	5/31/75 - 3d, 6th and 9th year reopeh for renegotiation - 60 days written notice	
and	6/1/67	Amendment I - Resolution No. 12,025 Rental with respect to Baggage Claim Area and Conveyor System		5/31/75 - Concurrent with Lease CM-MA66-3	
	2/19/68	Amendment II - Resolution No. 13,942. Charges with respect to Sky-Cap Service at West Terminal Building		Terminated	
	12/1/68	Amendment III Additional Space in West Terminal Building		Month-to-Month Renewal Terms	
	7/31/69	Amendment IV Additional Freight Storage Area in Building 3315, 750 sq. ft. (TAP Revenue)		Month-to-Month Renewal Terms	
	6/1/70	Amendment V Increase Rental Rates in West Terminal Building and Landing Fees (renegotiated)		5/31/72 - All other terms in original Lease remain the same	
7.	6/1/66	NORTH CENTRAL AIRLINES Landing and Terminal Area Facilities	CM-MA66-4	5/31/75 - 3d, 6th and 9th year reopened for renegotiation; 60 days' written notice	
and	6/1/67	Amendment I - Resolution No. 12,025 Rental with respect to Baggage Claim Area and Conveyor System		5/31/75 Concurrent with Lease CM-MA66-4	
	10/12/67	Amendment II Underground Fuel Storage Area		5/31/75 - Concurrent with Lease CM-MA66-4	
	2/19/68	Amendment III Charges with respect to Sky-Cap Service at West Terminal Building		Terminated	
	6/1/70	Amendment IV Increase Landing Fees and rental rates in West Terminal Building (Renegotiated)		5/31/72 - All other terms in original Lease remain same	
8.	6/1/66	OZARK AIRLINES, INC. Landing and Terminal Area Facilities	CM-MA66-5	5/31/75 - 3d, 6th and 9th year reopen for renegotiation - 60 days' written notice	
and	6/1/67	Amendment I - Resolution No. 12,025 Rental with respect to Baggage Claim Area and Conveyor System		5/31/75 - Concurrent with Lease CM-MA66-5	

DEC 19 1974



WISCONSIN AIR NATIONAL GUARD
HEADQUARTERS 115TH FIGHTER WING (ACC) (ANG)
3110 MITCHELL STREET
MADISON WISCONSIN 53704-2591



19 January 2011

I as the authorized representative to the responsible party have reviewed the attached legal description, 1416749 Volume 547 page 620 quit claim deed dated 17 December 1974 between the City of Madison and Dane County Wisconsin and believe the description accurately describes the correct contaminated property.

David N. Feltz

DAVID N. FELTZ

Real Estate Specialist

115th Civil Engineering Squadron

Wisconsin Air National Guard





Figure 1 – Site Location Map
Truax Field, Madison, WI




LEGEND

	BUILDING		UNDERGR. TELEPHONE, PED.
	CONCRETE		UNDERGR. ELECTRIC, PED.
	ASPHALT PAVEMENT		POWER POLE
	CHAIN LINK FENCE		STREET LIGHT
	SANITARY SEWER, MANHOLE		RETAINING WALL
	STORM SEWER, MANHOLE		MONITORING WELL
	FIELD INLET		ABANDONED MONITORING WELL
	CURB & GUTTER, INLET		SOIL BORING
	WATER MAIN, VALVE		DECIDUOUS TREE
	WATER HYDRANT		CONIFEROUS TREE
	GAS MAIN, VALVE		GEOPROBE LOCATION AND NUMBER
	GAS METER		

NOTES


1. BASE MAP DEVELOPED FROM SHEET 1 OF 1 OF A TOPOGRAPHIC SURVEY OF TRUAX FIELD BY VIERBICHER, ASSOCIATES, INC., DATED DECEMBER, 1997.
2. MONITORING WELLS MW-7 THROUGH MW-13 INSTALLED IN FEBRUARY 1990 BY WARZYH ENGINEERING, INC.
3. MONITORING WELLS MW-16 AND MW-17 INSTALLED IN APRIL 1991 BY ADVANCED SCIENCES, INC.
4. MONITORING WELLS MW-22S AND MW-22D INSTALLED IN APRIL 1992 BY DAVES & MOORE.
5. MONITORING WELLS MW-26, MW-27, AND MW-28 INSTALLED BY BOART LONGYEAR UNDER THE SUPERVISION OF MONTGOMERY WATSON ON NOVEMBER 13, 1997.
6. GROUND CONTOUR INTERVAL IS ONE FOOT.
7. GEOPROBE BORINGS POL-HP01 THROUGH POL-HP28 PERFORMED BY SOIL ESSENTIALS UNDER THE SUPERVISION OF MONTGOMERY WATSON ON MARCH 23 AND 24, 1999.



GEOPROBE INVESTIGATION
 TRUAX FIELD POL FACILITY
 WISCONSIN AIR NATIONAL GUARD
 MADISON, WISCONSIN

SITE FEATURES MAP
 FIGURE 1

MONTGOMERY WATSON



LEGEND

- BURIED UTILITY
- E — ABANDONED ELECTRIC LINE
- P — ABANDONED FUELING PRODUCT LINE
- ⊙^{MH} MANHOLE
- ⊕ DIRECT PUSH BORING
- PREVIOUS REMEDIATION EXCAVATION
- DRO DIESEL RANGE ORGANICS (mg/kg)
- GRO GASOLINE RANGE ORGANICS (mg/kg)
- B BENZENE (μg/kg)
- E ETHYLBENZENE (μg/kg)
- T TOLUENE (μg/kg)
- X XYLENES (μg/kg)
- NA NOT ANALYZED
- APPROXIMATE AREA WITH HYDROCARBON CONTAMINATION EXCEEDING NR 720 RESIDUAL CONTAMINANT LEVELS AND/OR NR 746 TABLE 1 AND 2.

- NOTES:**
- SITE PLAN BASED ON EXISTING UTILITIES MAP PREPARED BY MEAD & HUNT, DATED FEBRUARY 13, 2003.
 - ACTUAL UTILITY LOCATIONS SHOULD BE VERIFIED IN THE FIELD PRIOR TO GROUND DISTURBANCE ACTIVITIES.





FIGURE 3
SOIL ANALYTICAL RESULTS SUMMARY
AIR NATIONAL GUARD BUILDING 412
TRUAX FIELD
MADISON, WISCONSIN

PROJECT NO. 2445
DRAWN BY: KP
CHECKED BY: LM
DRAWN: 05/19/03
REVISED: 05/21/03



This document has been developed for a specific application and may not be used without the written approval of Montgomery Watson Horze.

QUALITY CONTROL	Graphic Standards_DLF	3-29-10	Technical Review		Management Review
	Lead Professional_JRM	3-29-10	Project Manager	MCC	3-29-10
					Other




BUILDING LEGEND

400	A/C JUNKIE
402	COMMUNICATIONS
412	A/C SHELTER
414	FUEL CELLS
430	FIRE STATION
503	SECURITY
1201	STORAGE
1205	BARRIER MAINTENANCE
1206	BARRIER MAINTENANCE
1207	STORAGE
1208	STORAGE
1209	STORAGE
1210	CIVIL ENGINEERING

LEGEND

	MW-07	MONITORING WELLS ABANDONED IN MAY 2006
	MW-17	MONITORING WELLS ABANDONED IN MAY 2007
	MW-08	MONITORING WELLS SELECTED FOR PROPOSED CONTINUED MONITORING PLAN FOR RFP SITE # 4
	MW-10	MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED
	MW-09	(852.09) MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED
	8510	(851.94) WATER TABLE ELEVATION (CONTOUR INTERVAL: 0.2 FT, DASHED WHERE INFERRED)
		DIRECTION OF GROUNDWATER FLOW


- NOTES**
- BASE MAP DEVELOPED FROM A DRAWING, "MONITOR WELLS AND BIRING LOCATIONS", DRAWING NO. 1, DATED MARCH 16, 2004, PREPARED BY WISCONSIN AIR NATIONAL GUARD, TRUAX FIELD, MADISON, WISCONSIN.
 - WATER TABLE ELEVATIONS OBTAINED BY MWH ON MAY 14, 2009.



	WATER TABLE MAP (MAY 14, 2009)		Developed By	JRM	Drawn By	DLF
	NOVEMBER 2009 GROUNDWATER MONITORING REPORT		Approved By		Date	6/17/10
	WISCONSIN AIR NATIONAL GUARD		Reference			
	TRUAX FIELD, MADISON, WISCONSIN		Revisions			

Drawing Number
1006585
1804
B1

QUALITY CONTROL	Graphic Standards_DLF	7-17-08	Technical Review_SGW	7-23-08	Management Review	
	Lead Professional_JCF	8-19-08	Project Manager_MGC	8-19-08	Other	




BUILDING LEGEND

400	A/O HANGAR
402	COMMUNICATIONS
412	A/C SHELTER
414	FUEL OIL
415	FUEL OIL
430	FIRE STATION
501	SECURITY
1201	STORAGE
1202	STORAGE
1205	SECURITY
1206	SECURITY
1207	SECURITY
1208	SECURITY
1209	SECURITY
1210	SECURITY
1210	CIVIL ENGINEERING


LEGEND

W-07	MONITORING WELLS ABANDONED IN MAY 2006
W-09	MONITORING WELLS ABANDONED IN MAY 2007
W-10	MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED
W-18	MONITORING WELLS SELECTED FOR PROPOSED CONTINUED MONITORING PLAN FOR RFP SITE 4
W-19	MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED
W-28	MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED
W-29	MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED
W-22D	MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED
W-22S	MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED
W-11R	MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED
W-12R	MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED
W-16	MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED
W-18	MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED
W-27	MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED
W-25	MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED
W-7	MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED
W-15	MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED
W-28	MONITORING WELLS PREVIOUSLY DESTROYED OR ABANDONED

- NOTES**
- BASE MAP DEVELOPED FROM A DRAWING, "MONITOR WELLS BEING MONITORED", DRAWING NO. 1, DATED MARCH 16, 2004, PREPARED BY WISCONSIN AIR NATIONAL GUARD, TRUAX FIELD, MADISON, WISCONSIN.
 - WATER TABLE ELEVATIONS OBTAINED BY MWH ON MAY 9, 2008.



	WATER TABLE MAP (MAY 8, 2008)	Developed By	JCF	Drawn By	DLF
	AUGUST 2008 GROUNDWATER MONITORING REPORT WISCONSIN AIR NATIONAL GUARD TRUAX FIELD, MADISON, WISCONSIN	Approved By		Date	7/6/09
	Drawing Number 2091058 871803	Reference		Revisions	
	B3				



PIPE	AT HEADER	AT END
VE01	853.75	853.32
VE02	853.70	853.55
VE03	853.68	853.55
VE04	853.65	853.45
VE05	853.61	853.32
VE06	853.60	853.40
VE07	853.54	853.33
VE08	853.55	853.47
VE09	853.53	853.27
VE10	853.50	853.46
VE11	853.46	853.16
VE12	853.48	853.66
VE13	853.44	853.01
VE14	853.44	853.30
VE15	853.39	853.01
VE16	853.40	853.21
VE17	853.41	853.02
VE18	853.40	853.29
VE19	853.35	853.97
VE20	853.35	853.30

LEGEND

- 857 — EXISTING GROUND CONTOUR
- S — SANITARY SEWER, MANHOLE
- ST — STORM SEWER, MANHOLE
- Field Inlet, Curb Inlet
- WM — WATER MAIN, VALVE
- G — GAS MAIN, VALVE
- T — EXIST. UNDERGR. TELEPHONE, PED.
- E — EXIST. UNDERGR. ELECTRIC
- ABANDONED POL PIPELINE
- Street Light
- MW-8R — MONITORING WELL LOCATION AND NUMBER
- Header Trench
- 2" SVE POLYETHYLENE PIPE (PE-RP) (TYP.)
- 2" SVE PERFORATED POLYETHYLENE PIPE (SEE DETAIL 4/A6)
- 2" SVE PERFORATED POLYETHYLENE PIPE (SEE DETAIL 5/A6)
- Pu, Tu — NEW UNDERGROUND ELECTRIC AND TELEPHONE
- San — NEW UNDERGROUND SANITARY SEWER, 4" HDPE
- Stm — NEW UNDERGROUND STORM SEWER AND CATCH BASIN
- Detail Number / Figure Number

NOTES

- BASE MAP DEVELOPED FROM SHEET 1 OF 1 OF A TOPOGRAPHIC SURVEY OF TRUAX FIELD BY VIERBICHER, ASSOCIATES, INC., DATED DECEMBER, 1997.
- ALL PIPE SHOWN IS 2" DIA. HDPE EXCEPT SANITARY AND STORM SEWER PIPE.

CONSTRUCTION COMPLETION REPORT
 POL DECOMMISSIONING, PARKING LOT, AND SVE SYSTEM
 TRUAX FIELD
 WISCONSIN AIR NATIONAL GUARD
 MADISON, WISCONSIN

SVE SYSTEM LAYOUT
FIGURE 3

MONTGOMERY WATSON

TABLE 1

Soil Analytical Results
Geoprobe Soil Investigation
Truax Field POL Facility
Wisconsin Air National Guard
Madison, Wisconsin

Sample Location	Sample Depth (ft)	Analyte			
		Benzene	Toluene	Ethylbenzene	Total Xylenes
POL-HP01	2-4	2,500	<1,000	22,000	19,000
	6-8	46,000	<25,000	520,000	220,000
POL-HP02	2-4	3,700	<1,000	34,000	20,000
	6-8	150,000	<120,000	1,400,000	1,100,000
POL-HP03	2-4	820	<200	2,400	810
	6-8	240	<100	1,800	880
POL-HP04	2-4	28	<100	<100	<100
POL-HP07	2-4	13,000	<25,000	37,000	35,000
	6-8	3,100	<10,000	<10,000	<10,000
POL-HP08	2-4	<25	<100	440	2,000
	6-8	78,000	<50,000	<50,000	<50,000
POL-HP09	2-4	<25	<100	260	740
	6-8	<2,500	<10,000	<10,000	22,000
POL-HP11	6-8	2,800	<10,000	17,000	51,000
POL-HP15	2-4	55	<100	400	730
	6-8	320	<100	640	840
POL-HP16	2-4	1,200	1,800	3,100	2,500
	6-8	<2,500	<10,000	15,000	<10,000
POL-HP17	2-4	3,100	<10,000	33,000	67,000
	6-8	3,100	10,000	52,000	71,000
POL-HP19	2-4	300	<1,000	1,500	1,400
	6-8	67,000	<50,000	<50,000	<50,000
POL-HP22	2-4	510	<1,000	1,500	<1,000
	6-8	<25	<100	330	140

- Notes: 1. Results are reported in ug/kg.
 2. Soil samples were collected and analyzed on March 23 and 24, 1999.
 3. Only results greater than the reporting limits are presented on this table.
 For a complete analytical report see Attachment A (ECCS Report).

MW-8R Analyte	Units	NR 140		Table 1 - Summary of Groundwater Analytical Results - VOCs																		
		ES	PAL	12/27/00	4/10/01	4/23/02	9/2/03	6/16/04	2/1/05	2/23/06	11/8/06	6/7/07	6/7/07 dup	11/1/07	5/9/08	5/9/08 dup	5/14/09	10/15/09	10/15/09 dup	6/7/10	10/28/10	10/28/10 dup
Total Trimethylbenzenes	ug/L	480	96	750	1,380	970	850	640	930	890	650	660	620	590	59	310	465*	680	737	89	789	792
1,2,4-Trimethylbenzene	ug/L	NS	NS	580	1,000	700	630	460	710	680	550	540	500	480	<20	270	370	600	650	<10	740	740
1,3,5-Trimethylbenzene	ug/L	NS	NS	170	380	270	220	180	220	210	100	120	120	110	59	40	95	80	87	89	49	52
Benzene	ug/L	5	0.5	2,000	2,800	1,700	2,800	1,100	1,800	1,400	1,300	1,400	1,400	1,000	690	580	570	1,200	1,300	1,100	1,600	1,600
cis-1,2-Dichloroethene	ug/L	70	7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Dichlorodifluoromethane	ug/L	1000	200	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	ug/L	700	140	430*	1,000	600*	540*	470*	620*	560*	240*	420*	380*	330*	120 (J ¹)	90 (J ¹)	250*	310*	360*	500*	210*	360*
Isopropylbenzene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Total Xylenes:	ug/L	620	124	2,500	3,800	2,200	1,200	570*	2,400	2,500	1,100	1,300	1,500	1,000	440*	340*	680	450*	600*	940	390*	600*
m&p-Xylene	ug/L	NS	NS	2,500	3,800	2,200	1,200	570	2,400	2,500	1,100	1,300	1,500	1,000	440	340	680	450	600	940	390	400
o-Xylene	ug/L	NS	NS	<40	<40	<25	<30	<4	<4	<20	<25	<25	<5	<25	<25	<25	<5	<13	<25	<13	<13	<25
n-Butylbenzene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
n-Propylbenzene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	ug/L	40	8	--	--	--	300	<9	330	--	--	--	--	--	--	--	--	--	--	--	--	--
p-Isopropyltoluene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
sec-Butylbenzene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Styrene	ug/L	100	10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
tert-Butylbenzene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	ug/L	5	0.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	ug/L	343	68.6	<40	49 (J)	56	<40	9.5 (J)	11	<20	<25	<25	8.4	<25	<25	<25	<2.0	<13	<25	<13	<13	<25
trans-1,2-Dichloroethene	ug/L	100	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trichlorofluoromethane	ug/L	3490	698	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Vinyl chloride	ug/L	0.2	0.02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Bis(2-ethylhexyl)phthalate	ug/L	6	0.6	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Dimethyl phthalate	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Methylnaphthalene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	ug/L	0.2	0.02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2,4-Dimethylphenol	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	ug/L	400	80	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	ug/L	250	50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)Anthracene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Notes:

NR 140 = Wisconsin Administrative Code, Chapter 140, Groundwater Quality

MW-8R Installed by Montgomery Watson on 1 Nov 2000

ES = NR 140 Enforcement Standard

PAL = NR 140 Preventive Action Limit

NS = NR 140 Standard not established

* = Concentration exceeds NR 140 PAL

Concentration in **Bold** exceeds NR 140 ES

-- = Compound not analyzed

(J) = Estimated value (lies between LOD (level of detection) and LOQ (level of quantification))

(J¹) = Estimated value (field duplicates relative percentage difference >25%)

ug/L = micrograms per liter

MW-9 Analyte	Units	NR 140		Table 1 - Summary of Groundwater Analytical Results - VOCs																					
		ES	PAL	3/26/90	4/4/91	5/20/92	9/94	6/96	11/19/97	12/20/00	4/10/01	4/10/01 dup	4/23/02	9/2/03	6/16/04	2/1/05	2/23/06	11/8/06	6/7/07	11/1/07	5/9/08	5/14/09	10/15/09	6/7/10	10/28/10
Total Trimethylbenzenes	ug/L	480	96	--	--	1.5	20.4	196*	400*	190*	5.8	9.3	5.6	3.6	20.1	68.4	86.9	3.7	5.7	17		24.4	2.5	<0.40	<0.50
1,2,4-Trimethylbenzene	ug/L	NS	NS	--	--	1.5	14	150	280	150	3.2	5.7	4.3	2.0	15	66	83	<0.50	5.7	17	<2.0	24	2.5	<0.40	<0.50
1,3,5-Trimethylbenzene	ug/L	NS	NS	--	--	<1	6.4	46	120	40	2.6	3.6	1.3	1.6	5.1	2.4	3.9	3.7	<0.50	<0.50	<2.5	0.40	<0.50	<0.50	<0.50
Benzene	ug/L	5	0.5	9.79	28	2.9*	98	2.1*	<0.3	<2.0	<0.4	<0.4	<0.4	<0.3	<0.26	0.53	<0.4	<0.50	<0.50	<0.50	16	1.7*	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	ug/L	70	7	<1	--	<1	--	--	<0.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Dichlorodifluoromethane	ug/L	1000	200	--	--	<1	--	--	<1.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	ug/L	700	140	27.3	<3	1.4	0.7	4.2	<0.2	<2.0	3.0	<0.4	<0.4	2.6	1.9	2.7	3.6	1.1	0.87	0.88	<2.5	<0.28	2.5	0.71	1.0
Isopropylbenzene	ug/L	NS	NS	--	--	<1	--	--	11	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Total Xylenes:	ug/L	620	140	235*	32	<1	2.6	25	100	17	4.0	5.1	2.6	1.3	8.7	6.8	6.05	1.6	<1.0	<1.0	<5.0	<0.50	<1.0	<1.0	<0.90
m&p-Xylene	ug/L	NS	NS	--	--	--	0.9	NA	100	17	1.4 (J)	2.6	2.6	1.3	8.7	5.5	5.2	1.6	<1.0	<1.0	<5.0	<0.50	<1.0	<1.0	<0.90
o-Xylene	ug/L	NS	NS	--	--	--	1.7	NA	<0.5	<2.0	2.6	2.5	<0.5	<0.3	<0.4	1.3	0.85	<0.50	<0.50	<0.50	<2.5	<0.50	<0.50	<0.50	<0.50
n-Butylbenzene	ug/L	NS	NS	--	--	<1	--	--	100	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
n-Propylbenzene	ug/L	NS	NS	--	--	<1	--	--	19	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	ug/L	40	8	--	<10	2.1	--	--	18*	--	--	--	--	2.4	2.4 (J)	13	--	--	--	--	--	--	--	--	--
p-Isopropyltoluene	ug/L	NS	NS	--	--	<1	--	--	27	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
sec-Butylbenzene	ug/L	NS	NS	--	--	<1	--	--	14	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Styrene	ug/L	100	10	--	<5	<1	--	--	<0.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
tert-Butylbenzene	ug/L	NS	NS	--	--	<1	--	--	<0.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	ug/L	5	0.5	<1	<5	<1	--	--	<0.6	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	ug/L	343	68.6	3.07	<5	<1	1.2	ND	<0.2	<2.0	2.5	2.7	<0.4	6.9	2.1	7.8	10	<0.50	2.6	4.4	<2.5	<0.20	5.4	1.3	2.1
trans-1,2-Dichloroethene	ug/L	100	20	<1	--	<1	--	--	<0.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trichlorofluoromethane	ug/L	3490	698	<1	--	<1	--	--	<0.6	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Vinyl chloride	ug/L	0.2	0.02	<1	<10	<1	--	--	<0.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Bis(2-ethylhexyl)phthalate	ug/L	6	0.6	--	<10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Dimethyl phthalate	ug/L	NS	NS	--	<10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Methylnaphthalene	ug/L	NS	NS	--	<10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	ug/L	0.2	0.02	--	<10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2,4-Dimethylphenol	ug/L	NS	NS	--	<10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	ug/L	NS	NS	--	<10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	ug/L	400	80	--	<10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	ug/L	250	50	--	<10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)Anthracene	ug/L	NS	NS	--	<10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Notes:

NR 140 = Wisconsin Administrative Code, Chapter 140, Groundwater Quality

MW-9 Installed by Warzyn Engineering on 8 Feb 1990

ES = NR 140 Enforcement Standard

PAL = NR 140 Preventive Action Limit

NS = NR 140 Standard not established

* = Concentration exceeds NR 140 PAL

Concentration in **Bold** exceeds NR 140 ES

NA = Data not available

ND = Compound not detected

-- = Compound not analyzed

(J) = Estimated value (lies between LOD (level of detection) and LOQ (level of quantification))

(J¹) = Estimated value (field duplicates relative percentage difference >25%)

ug/L = micrograms per liter

MW-11R Analyte	Units	NR 140		Table 1 - Summary of Groundwater Analytical Results - VOCs																
		ES	PAL	12/27/00	4/10/01	4/23/02	9/2/03	6/16/04	2/1/05	2/23/06	11/8/06	6/7/07	11/1/07	11/1/07 dup	5/9/08	5/14/09	10/15/09	6/7/10	10/28/10	
Total Trimethylbenzenes	ug/L	480	96	<0.8	<0.8	I	<0.6	2.8	<0.6	<0.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.24	<0.5	<2.5	<2.5	
1,2,4-Trimethylbenzene	ug/L	NS	NS	<0.4	<0.4	N	<0.3	2.8	<0.5	<0.4	<0.50	<0.40	<0.40	<0.40	<0.40	<0.24	<0.40	<2.0	<2.5	
1,3,5-Trimethylbenzene	ug/L	NS	NS	<0.4	<0.4	A	<0.3	<0.6	<0.6	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.19	<0.50	<2.50	<2.5	
Benzene	ug/L	5	0.5	<0.4	<0.4	C	4.3*	8.0	6.0	17	42	14	20	16	4.5*	6.4	<0.50	2.5*	69	
cis-1,2-Dichloroethene	ug/L	70	7	--	--	C	--	--	--	--	--	--	--	--	--	--	--	--	--	
Dichlorodifluoromethane	ug/L	1000	200	--	--	E	--	--	--	--	--	--	--	--	--	--	--	--	--	
Ethylbenzene	ug/L	700	140	<0.4	<0.4	S	<0.4	<0.5	<0.5	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.28	<0.50	<2.50	<2.5	
Isopropylbenzene	ug/L	NS	NS	--	--	S	--	--	--	--	--	--	--	--	--	--	--	--	--	
Total Xylenes:	ug/L	10,000	1,000	<1.1	<1.1	I	<1.0	<0.8	<0.8	<1.2	<0.9	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<5.0	<4.5	
m&p-Xylene	ug/L	NS	NS	<0.7	<0.7	B	<0.7	<0.8	<0.8	<0.8	<0.90	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<5.0	<4.5	
o-Xylene	ug/L	NS	NS	<0.4	<0.4	L	<0.3	<0.4	<0.4	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.5	<0.50	<2.50	<2.5	
n-Butylbenzene	ug/L	NS	NS	--	--	E	--	--	--	--	--	--	--	--	--	--	--	--	--	
n-Propylbenzene	ug/L	NS	NS	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
Naphthalene	ug/L	40	8	--	--		<0.6	<0.9	<0.9	--	--	--	--	--	--	--	--	--	--	
p-Isopropyltoluene	ug/L	NS	NS	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
sec-Butylbenzene	ug/L	NS	NS	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
Styrene	ug/L	100	10	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
tert-Butylbenzene	ug/L	NS	NS	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
Tetrachloroethene	ug/L	5	0.5	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
Toluene	ug/L	1,000	200	<0.2	<0.4		<0.4	<0.3	<0.3	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.2	<0.50	<2.50	<2.5	
trans-1,2-Dichloroethene	ug/L	100	20	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
Trichloroethene	ug/L	5	0.5	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
Trichlorofluoromethane	ug/L	3490	698	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
Vinyl chloride	ug/L	0.2	0.02	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
Bis(2-ethylhexyl)phthalate	ug/L	6	0.6	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
Dimethyl phthalate	ug/L	NS	NS	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
2-Methylnaphthalene	ug/L	NS	NS	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
Chrysene	ug/L	0.2	0.02	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
2,4-Dimethylphenol	ug/L	NS	NS	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
Phenanthrene	ug/L	NS	NS	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
Fluoranthene	ug/L	400	80	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
Pyrene	ug/L	250	50	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	
Benzo(a)Anthracene	ug/L	NS	NS	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	

Notes:
NR 140 = Wisconsin Administrative Code, Chapter 140, Groundwater Quality
ES = NR 140 Enforcement Standard
PAL = NR 140 Preventive Action Limit
NS = NR 140 Standard not established
* = Concentration exceeds NR 140 PAL
Concentration in **Bold** exceeds NR 140 ES
-- = Compound not analyzed
ug/L = micrograms per liter

MW-11R Installed by Montgomery Watson on 1 November 2000

MW-12R Analyte	Units	NR 140		Table 1 - Summary of Groundwater Analytical Results - VOCs														
		ES	PAL	12/27/00	4/10/01	4/23/02	9/2/03	6/16/04	2/1/05	2/23/06	11/8/06	6/7/07	11/1/07	5/9/08	5/14/09	10/15/09	6/7/10	10/28/10
Total Trimethylbenzenes	ug/L	480	96	<0.8	<0.8	<0.9	<0.6	<0.6	<0.6	<0.8	<0.5	<0.5	0.97	<0.5	<0.24	<0.50	<0.50	<0.50
1,2,4-Trimethylbenzene	ug/L	NS	NS	<0.4	<0.4	<0.5	<0.3	<0.5	<0.5	<0.40	<0.50	<0.40	0.97	<0.40	<0.24	<0.40	<0.40	<0.50
1,3,5-Trimethylbenzene	ug/L	NS	NS	<0.4	<0.4	<0.4	<0.3	<0.6	<0.6	<0.40	<0.50	<0.50	<0.50	<0.50	<0.19	<0.50	<0.50	<0.50
Benzene	ug/L	5	0.5	<0.4	<0.4	1.1*	16	2.7*	3*	19	<0.50	<0.50	23	2.9*	<0.16	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	ug/L	70	7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Dichlorodifluoromethane	ug/L	1000	200	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	ug/L	700	140	<0.4	<0.4	<0.4	<0.4	<0.5	<0.5	<0.40	<0.50	<0.50	<0.50	<0.50	<0.28	<0.50	<0.50	<0.50
Isopropylbenzene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Total Xylenes:	ug/L	620	124	<0.4	<1.1	<1.4	<1.0	<0.8	<0.8	<1.2	<0.9	<1.0	0.94	<1.0	<0.5	<1.0	<1.0	<0.90
m&p-Xylene	ug/L	NS	NS	<0.4	<0.7	<0.9	<0.7	<0.8	<0.8	<0.80	<0.90	<1.0	<1.0	<1.0	<0.50	<1.0	<1.0	<0.90
o-Xylene	ug/L	NS	NS	<0.4	<0.4	<0.5	<0.3	<0.4	<0.4	<0.40	<0.50	<0.50	0.94	<0.50	<0.50	<0.50	<0.50	<0.50
n-Butylbenzene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
n-Propylbenzene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	ug/L	40	8	--	--	--	<0.6	<0.9	<0.9	--	--	--	--	--	--	--	--	--
p-Isopropyltoluene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
sec-Butylbenzene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Styrene	ug/L	100	10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
tert-Butylbenzene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	ug/L	5	0.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	ug/L	343	68.6	<0.4	<0.4	<0.4	<0.4	<0.3	<0.3	<0.40	<0.50	<0.50	<0.50	<0.50	<0.20	<0.50	<0.50	<0.50
trans-1,2-Dichloroethene	ug/L	100	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	ug/L	5	0.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trichlorofluoromethane	ug/L	3490	698	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Vinyl chloride	ug/L	0.2	0.02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Bis(2-ethylhexyl)phthalate	ug/L	6	0.6	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Dimethyl phthalate	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Methylnaphthalene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	ug/L	0.2	0.02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2,4-Dimethylphenol	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	ug/L	400	80	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	ug/L	250	50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)Anthracene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Notes:

NR 140 = Wisconsin Administrative Code, Chapter 140, Groundwater Quality

MW-12R Installed by Montgomery Watson on 1 Nov 2000

ES = NR 140 Enforcement Standard

PAL = NR 140 Preventive Action Limit

NS = NR 140 Standard not established

* = Concentration exceeds NR 140 PAL

Concentration in **Bold** exceeds NR 140 ES

-- = Compound not analyzed

ug/L = micrograms per liter

Wisconsin Air National Guard, Truax Field, Madison, WI

MW-16 Analyte	Units	NR 140		Table 1 - Summary of Groundwater Analytical Results - VOCs																
		ES	PAL	4/8/91	4/30/91	9/13/94	11/17/97	4/10/01	4/23/02	9/2/03	6/16/04	2/1/05	2/24/06	11/8/06	6/7/07	11/1/07	5/9/08	5/14/09	10/15/09	11/16/09
Total Trimethylbenzenes	ug/L	480	96	--	--	2.4	2.3	<0.8	<0.9	<0.6	<0.6	<0.6	<0.8	<0.5	<0.5	<0.5	<0.5	<0.24	N	A
1,2,4-Trimethylbenzene	ug/L	NS	NS	--	--	2.4	2.3	<0.4	<0.5	<0.3	<0.5	<0.5	<0.4	<0.50	<0.40	<0.40	<0.40	<0.24	O	B
1,3,5-Trimethylbenzene	ug/L	NS	NS	--	--	<0.4	<0.3	<0.4	<0.4	<0.3	<0.6	<0.6	<0.4	<0.50	<0.50	<0.50	<0.50	<0.19	T	A
Benzene	ug/L	5	0.5	38	<5	5.1	25	2.9*	8.2	4.9*	0.66*(J)	<0.26	<0.4	<0.50	<0.50	<0.50	<0.50	<0.16		N
cis-1,2-Dichloroethene	ug/L	70	7	--	--	--	<0.2	--	--	--	--	--	--	--	--	--	--	--	A	D
Dichlorodifluoromethane	ug/L	1,000	200	--	--	--	<1.2	--	--	--	--	--	--	--	--	--	--	--	C	O
Ethylbenzene	ug/L	700	140	<5	<5	<0.4	<0.2	<0.4	<0.4	<0.4	<0.5	<0.5	<0.4	<0.50	<0.50	<0.50	<0.50	<0.28	C	N
Isopropylbenzene	ug/L	NS	NS	--	--	--	0.8	--	--	--	--	--	--	--	--	--	--	--	E	E
Total Xylenes:	ug/L	620	124	46	<2	2.2	0.4	<1.1	<1.4	<1.0	<0.8	<0.8	<1.2	<0.9	<1.0	<1.0	<1.0	<0.5	S	D
m&p-Xylene	ug/L	NS	NS	--	--	2.2	0.4	<0.7	<0.9	<0.7	<0.8	<0.8	<0.8	<0.90	<1.0	<1.0	<1.0	<0.50	S	
o-Xylene	ug/L	NS	NS	--	--	<0.4	<0.5	<0.4	<0.5	<0.3	<0.4	<0.4	<0.4	<0.50	<0.5	<0.50	<0.50	<0.50	I	
n-Butylbenzene	ug/L	NS	NS	--	--	--	<0.3	--	--	--	--	--	--	--	--	--	--	--	B	
n-Propylbenzene	ug/L	NS	NS	--	--	--	0.3	--	--	--	--	--	--	--	--	--	--	--	L	
Naphthalene	ug/L	40	8	<10	<10	--	<1.1	--	--	<0.6	<0.9	<0.9	--	--	--	--	--	--	E	
p-Isopropyltoluene	ug/L	NS	NS	--	--	--	<0.2	--	--	--	--	--	--	--	--	--	--	--		
sec-Butylbenzene	ug/L	NS	NS	--	--	--	<0.2	--	--	--	--	--	--	--	--	--	--	--		
Styrene	ug/L	100	10	<5	<5	--	<0.2	--	--	--	--	--	--	--	--	--	--	--		
tert-Butylbenzene	ug/L	NS	NS	--	--	--	<0.3	--	--	--	--	--	--	--	--	--	--	--		
Tetrachloroethene	ug/L	5	0.5	<5	<5	--	<0.6	--	--	--	--	--	--	--	--	--	--	--		
Toluene	ug/L	343	68.6	<5	<5	<0.4	<0.2	<0.4	<0.4	<0.4	<0.3	<0.3	<0.4	<0.50	<0.50	<0.50	<0.50	<0.20		
trans-1,2-Dichloroethene	ug/L	100	20	--	--	--	<0.3	--	--	--	--	--	--	--	--	--	--	--		
Trichlorofluoromethane	ug/L	3490	698	--	--	--	<0.6	--	--	--	--	--	--	--	--	--	--	--		
Vinyl chloride	ug/L	0.2	0.02	<10	<10	--	<0.5	--	--	--	--	--	--	--	--	--	--	--		
Bis(2-ethylhexyl)phthalate	ug/L	6	0.6	16	<10	--	--	--	--	--	--	--	--	--	--	--	--	--		
Dimethyl phthalate	ug/L	NS	NS	<10	<10	--	--	--	--	--	--	--	--	--	--	--	--	--		
2-Methylnaphthalene	ug/L	NS	NS	<10	<10	--	--	--	--	--	--	--	--	--	--	--	--	--		
Chrysene	ug/L	0.2	0.02	<10	<10	--	--	--	--	--	--	--	--	--	--	--	--	--		
2,4-Dimethylphenol	ug/L	NS	NS	<10	<10	--	--	--	--	--	--	--	--	--	--	--	--	--		
Phenanthrene	ug/L	NS	NS	<10	<10	--	--	--	--	--	--	--	--	--	--	--	--	--		
Fluoranthene	ug/L	400	80	<10	<10	--	--	--	--	--	--	--	--	--	--	--	--	--		
Pyrene	ug/L	250	50	<10	<10	--	--	--	--	--	--	--	--	--	--	--	--	--		
Benzo(a)Anthracene	ug/L	NS	NS	<10	<10	--	--	--	--	--	--	--	--	--	--	--	--	--		

Notes:

NR 140 = Wisconsin Administrative Code, Chapter 140, Groundwater Quality

ES = NR 140 Enforcement Standard

PAL = NR 140 Preventive Action Limit

NS = NR 140 Standard not established

* = Concentration exceeds NR 140 PAL

Concentration in **Bold** exceeds NR 140 ES

-- = Compound not analyzed

ug/L = micrograms per liter

MW 16 Installed April 1991 by ASI

Abandoned Nov 2009 by BT²

MW-22S Analyte	Units	NR 140		Table 1 - Summary of Groundwater Analytical Results - VOCs																		
		ES	PAL	4/20/92	9/14/94	6/5/96	11/18/97	12/20/00	4/10/01	4/23/02	9/2/03	6/16/04	2/1/05	2/23/06	11/8/06	6/7/07	11/1/07	5/9/08	5/14/09	10/15/09	6/7/10	10/28/10
Total Trimethylbenzenes	ug/L	480	96	<2	1.2	--	<0.9	<0.8	<0.8	<0.9	<0.6	<0.6	<0.6	<0.8	<0.5	<0.5	<0.5	<0.5	<0.24	<0.50	<0.50	<0.50
1,2,4-Trimethylbenzene	ug/L	NS	NS	<1	0.6	<0.4	<0.6	<0.4	<0.4	<0.5	<0.3	<0.5	<0.5	<0.4	<0.50	<0.40	<0.40	<0.40	<0.24	<0.40	<0.40	<0.50
1,3,5-Trimethylbenzene	ug/L	NS	NS	<1	0.6	<0.4	<0.3	<0.4	<0.4	<0.4	<0.3	<0.6	<0.6	<0.4	<0.50	<0.50	<0.50	<0.50	<0.19	<0.50	<0.50	<0.50
Benzene	ug/L	5	0.5	<1	<0.4	<0.4	<0.3	<0.4	<0.4	<0.4	<0.3	<0.26	<0.26	<0.4	<0.50	<0.50	<0.50	<0.50	<0.16	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	ug/L	70	7	<1	--	--	<0.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Dichlorodifluoromethane	ug/L	1000	200	<1	--	--	<1.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	ug/L	700	140	<1	<0.4	<0.4	<0.2	<0.4	<0.4	<0.4	<0.4	<0.5	<0.5	<0.4	<0.50	<0.50	<0.50	<0.50	<0.28	<0.50	<0.50	<0.50
Isopropylbenzene	ug/L	NS	NS	<1	--	--	<0.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Total Xylenes:	ug/L	620	140	<1	<0.4	--	<0.8	<1.1	<1.1	<1.4	<1.0	<0.8	<0.8	<1.2	<0.9	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<0.90
m&p-Xylene	ug/L	NS	NS	--	<0.4	--	<0.3	<0.7	<0.7	<0.9	<0.7	<0.8	<0.8	<0.8	<0.90	<1.0	<1.0	<1.0	<0.50	<1.0	<1.0	<0.90
o-Xylene	ug/L	NS	NS	--	<0.4	--	<0.5	<0.4	<0.4	<0.5	<0.3	<0.4	<0.4	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
n-Butylbenzene	ug/L	NS	NS	<1	--	--	<0.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
n-Propylbenzene	ug/L	NS	NS	<1	--	--	<0.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	ug/L	40	8	<1	--	--	<1.1	--	--	--	<0.6	<0.9	<0.9	--	--	--	--	--	--	--	--	--
p-Isopropyltoluene	ug/L	NS	NS	<1	--	--	<0.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
sec-Butylbenzene	ug/L	NS	NS	<1	--	--	<0.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Styrene	ug/L	100	10	<1	--	--	<0.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
tert-Butylbenzene	ug/L	NS	NS	<1	--	--	<0.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	ug/L	5	0.5	<1	--	--	<0.6	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	ug/L	343	68.6	1.3	0.4	<0.4	<0.2	<0.4	<0.4	<0.4	<0.4	<0.3	<0.3	<0.4	<0.50	<0.50	<0.50	<0.50	<0.20	<0.50	<0.50	<0.50
trans-1,2-Dichloroethene	ug/L	100	20	<1	--	--	<0.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	ug/L	5	0.5	<1	--	--	<0.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trichlorofluoromethane	ug/L	3,490	698	<1	--	--	<0.6	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1,1,1-Trichloroethane	ug/L	200	40	<1	--	--	<0.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Vinyl chloride	ug/L	0.2	0.02	<1	--	--	<0.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Bis(2-ethylhexyl)phthalate	ug/L	6	0.6	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Dimethyl phthalate	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Methylnaphthalene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	ug/L	0.2	0.02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2,4-Dimethylphenol	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	ug/L	400	80	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	ug/L	250	50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)Anthracene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Notes:

NR 140 = Wisconsin Administrative Code, Chapter 140, Groundwater Quality

ES = NR 140 Enforcement Standard

PAL = NR 140 Preventive Action Limit

NS = NR 140 Standard not established

* = Concentration exceeds NR 140 PAL

Concentration in **Bold** exceeds NR 140 ES

-- = Compound not analyzed

ug/L = micrograms per liter

MW-22S Installed by Dames & Moore on 13 Apr 1992

MW-22D Analyte	Units	NR 140		Table 1 - Summary of Groundwater Analytical Results - VOCs																		
		ES	PAL	4/20/92	6/5/96	11/18/97	12/20/00	4/10/01	4/23/02	9/2/03	6/1/04	2/1/05	2/23/06	11/8/06	6/7/07	11/1/07	5/9/08	5/14/09	5/14/09 dup	10/15/09	6/7/10	10/28/10
Total Trimethylbenzenes	ug/L	480	96	--	--	--	--	--	< 0.9	< 0.6	< 0.6	< 0.6	< 0.8	< 0.5	< 0.5	< 2.5	< 2.5	< 0.24	< 0.24	< 0.50	< 0.50	< 0.50
1,2,4-Trimethylbenzene	ug/L	NS	NS	< 1	< 0.4	< 0.6	< 0.4	< 0.4	< 0.5	< 0.3	< 0.5	< 0.5	< 0.4	< 0.50	< 0.40	< 2.0	< 2.0	< 0.24	< 0.24	< 0.40	< 0.40	< 0.50
1,3,5-Trimethylbenzene	ug/L	NS	NS	< 1	< 0.4	< 0.3	< 0.4	< 0.4	< 0.4	< 0.3	< 0.6	< 0.6	< 0.4	< 0.50	< 0.50	< 2.5	< 2.5	< 0.19	< 0.19	< 0.50	< 0.50	< 0.50
Benzene	ug/L	5	0.5	28	6.5	3.9*	10	20	4.2*	2*	0.49 (J)	82	22	120	170	71	33	8.6	8.4	15	33	0.9*
cis-1,2-Dichloroethene	ug/L	70	7	< 1	--	5.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Dichlorodifluoromethane	ug/L	1000	200	< 1	--	< 1.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	ug/L	700	140	< 1	< 0.4	< 0.2	< 0.4	< 0.4	< 0.4	< 0.4	< 0.5	< 0.5	< 0.4	< 0.50	< 0.50	< 2.5	< 2.5	< 0.28	< 0.28	< 0.50	< 0.50	< 0.50
Isopropylbenzene	ug/L	NS	NS	< 1	--	< 0.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Total Xylenes:	ug/L	620	140	< 1	< 0.4	< 0.8	< 1.1	< 1.1	< 1.4	< 1.0	< 0.8	< 0.8	< 1.2	< 0.9	< 1.0	< 5.0	< 5.0	< 0.5	< 0.5	< 1.0	< 1.0	< 0.90
m&p-Xylene	ug/L	NS	NS	--	--	< 0.3	< 0.7	< 0.7	< 0.9	< 0.7	< 0.8	< 0.8	< 0.8	< 0.90	< 1.0	< 5.0	< 5.0	< 0.5	< 0.5	< 1.0	< 1.0	< 0.90
o-Xylene	ug/L	NS	NS	--	--	< 0.5	< 0.4	< 0.4	< 0.5	< 0.3	< 0.4	< 0.4	< 0.4	< 0.50	< 0.50	< 2.5	< 2.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.90
n-Butylbenzene	ug/L	NS	NS	< 1	--	< 0.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
n-Propylbenzene	ug/L	NS	NS	< 1	--	< 0.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	ug/L	40	8	< 1	--	< 1.1	--	--	--	< 0.6	< 0.9	< 0.9	--	--	--	--	--	--	--	--	--	--
p-Isopropyltoluene	ug/L	NS	NS	< 1	--	< 0.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
sec-Butylbenzene	ug/L	NS	NS	< 1	--	< 0.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Styrene	ug/L	100	10	< 1	--	< 0.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
tert-Butylbenzene	ug/L	NS	NS	< 1	--	< 0.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	ug/L	5	0.5	< 1	--	< 0.6	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	ug/L	343	68.6	< 1	< 0.4	< 0.2	< 0.4	< 0.4	< 0.4	< 0.4	< 0.3	< 0.3	< 0.4	< 0.50	< 0.50	< 2.5	< 2.5	< 0.2	< 0.2	< 0.50	< 0.50	< 0.50
trans-1,2-Dichloroethene	ug/L	100	20	< 1	--	0.4	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Trichlorofluoromethane	ug/L	3,490	698	< 1	--	< 0.6	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Vinyl chloride	ug/L	0.2	0.02	< 1	--	< 0.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Bis(2-ethylhexyl)phthalate	ug/L	6	0.6	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Dimethyl phthalate	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Methylnaphthalene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	ug/L	0.2	0.02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2,4-Dimethylphenol	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	ug/L	400	80	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	ug/L	250	50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)Anthracene	ug/L	NS	NS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Notes:

NR 140 = Wisconsin Administrative Code, Chapter 140, Groundwater Quality

ES = NR 140 Enforcement Standard

PAL = NR 140 Preventive Action Limit

NS = NR 140 Standard not established

* = Concentration exceeds NR 140 PAL

Concentration in **Bold** exceeds NR 140 ES

-- = Compound not analyzed

ug/L = micrograms per liter

MW-22D Installed by Dames & Moore on 13 Apr 1992

MW-26 Analyte	Units	NR 140		Table 1 - Summary of Groundwater Analytical Results - VOCs																				
		ES	PAL	11/17/97	5/20/98	7/20/98	2/8/99	3/27/00	4/10/01	5/22/02	9/2/03	6/16/04	2/1/05	2/23/06	5/8/06	11/8/06	6/7/07	8/7/07	11/1/07	5/9/08	5/14/09	10/15/09	6/7/10	10/28/10
Total Trimethylbenzenes	ug/L	480	96	415*	--	260*	--	--	F	590	390*	400*	518	270*	200*	780	300*	< 120	260*	<250	270*	140*	250*	130*
1,2,4-Trimethylbenzene	ug/L	NS	NS	320	--	180	--	--	R	420	390	400 (J)	450	270	200	570	300	< 120	260	< 250	270	140(J)	250	130
1,3,5-Trimethylbenzene	ug/L	NS	NS	95	--	80	--	--	E	170	<60	<300	68	<20	< 20	210	< 25	< 100	< 250	< 250	< 1.9	< 100	< 100	<100
Benzene	ug/L	5	0.5	7,500	21,000	21,000	18,163	8,000	E	9,100	5,800	11,000	12,000	4,700	5,900	2,500	17,000	14,000	14,000	15,000	1,800	7,000	7,400	5,400
cis-1,2-Dichloroethene	ug/L	70	7	< 10	--	<5	--	--	P	<130	--	--	--	--	< 50	--	--	< 100	--	--	--	--	--	--
Dichlorodifluoromethane	ug/L	1000	200	< 60	--	<10	--	--	R	<130	--	--	--	--	< 50	--	--	< 120	--	--	--	--	--	--
Ethylbenzene	ug/L	700	140	800	790	<5	1,115	770	O	930	860	600*	650*	400*	350*	480*	520*	390*	380*	< 250	100	480*	550*	320*
Isopropylbenzene	ug/L	NS	NS	25	--	<5	--	--	D	<130	--	--	--	--	22	--	--	< 74	--	--	--	--	--	--
Total Xylenes:	ug/L	620	140	1,440	1,600	473*	1,144.3	1,200	U	1,400	500*	550*	419*	130	92	1,830	190*	<220	<500	<500	39	<200	<200	<180
m&p-Xylene	ug/L	NS	NS	1200	--	460	1,081	--	C	1,400	500	550 (J)	410	130		1,200	190	< 220	< 500	< 500	39	< 200	< 200	<180
o-Xylene	ug/L	NS	NS	240	--	13	63.3	--	T	<130	<60	<200	9	<20		630	< 25	< 100	< 250	< 250	< 5.0	< 100	< 100	<180
n-Butylbenzene	ug/L	NS	NS	60	--	<5	--	--		160	--	--	--	--	< 20	--	--	< 120	--	--	--	--	--	--
n-Propylbenzene	ug/L	NS	NS	50	--	<5	--	--		<130	--	--	--	--	< 50	--	--	< 100	--	--	--	--	--	--
Naphthalene	ug/L	40	8	180	--	220	--	--		360	190(J)	<450	250	--	100	--	--	130	--	--	--	--	--	--
p-Isopropyltoluene	ug/L	NS	NS	< 10	--	<5	--	--		<130	--	--	--	--	< 20	--	--	< 84	--	--	--	--	--	--
sec-Butylbenzene	ug/L	NS	NS	< 10	--	<5	--	--		<130	--	--	--	--	< 25	--	--	< 110	--	--	--	--	--	--
Styrene	ug/L	100	10	< 10	--	<5	--	--		--	--	--	--	--	< 20	--	--	< 110	--	--	--	--	--	--
tert-Butylbenzene	ug/L	NS	NS	< 15	--	<5	--	--		<130	--	--	--	--	< 20	--	--	< 120	--	--	--	--	--	--
Tetrachloroethene	ug/L	5	0.5	< 30	--	<5	<10	--		<130	--	--	--	--	< 50	--	--	< 56	--	--	--	--	--	--
Toluene	ug/L	343	68.6	30	<250	<5	15.5	13		<130	<80	<150	27	<20	< 20	1,100	< 25	< 84	< 250	< 250	< 2.0	< 100	< 100	<100
trans-1,2-Dichloroethene	ug/L	100	20	< 15	--	<5	<10	--		<100	--	--	--	--	< 50	--	--	< 24	--	--	--	--	--	--
Trichloroethene	ug/L	5	0.5	<15	--	<5	<10	--		<150	--	--	--	--	< 20	--	--	< 60	--	--	--	--	--	--
Trichlorofluoromethane	ug/L	3490	698	<30	--	<10	<10	--		<100	--	--	--	--	< 50	--	--	< 99	--	--	--	--	--	--
1,1,1-Trichloroethane	ug/L	200	40	<15	--	<5	<10	--		<130	--	--	--	--	< 50	--	--	< 110	--	--	--	--	--	--
Vinyl chloride	ug/L	0.2	0.02	<25	--	<10	<10	--		<100	--	--	--	--	< 20	--	--	< 22	--	--	--	--	--	--
Bis(2-ethylhexyl)phthalate	ug/L	6	0.6	--	--	--	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Dimethyl phthalate	ug/L	NS	NS	--	--	--	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Methylnaphthalene	ug/L	NS	NS	--	--	--	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	ug/L	0.2	0.02	--	--	--	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2,4-Dimethylphenol	ug/L	NS	NS	--	--	--	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	ug/L	NS	NS	--	--	--	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	ug/L	400	80	--	--	--	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	ug/L	250	50	--	--	--	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)Anthracene	ug/L	NS	NS	--	--	--	--	--		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Notes:
 NR 140 = Wisconsin Administrative Code, Chapter 140, Groundwater Quality
 ES = NR 140 Enforcement Standard
 PAL = NR 140 Preventive Action Limit
 NS = NR 140 Standard not established
 * = Concentration exceeds NR 140 PAL
 Concentration in Bold exceeds NR 140 ES
 -- = Compound not analyzed
 ug/L = micrograms per liter

MW-26 Installed by Montgomery Watson on 13 Nov 1997

TABLE 2

**Historical Summary of Groundwater Elevations
Truax Field Former POL Facility
Wisconsin Air National Guard
Madison, Wisconsin**

Monitoring Well Number	Top of Casing Elevation (msl)	Date of Water Level Measurement	Depth to Water Measurement (ft)	Groundwater Elevation (msl)
MW-8R ⁽¹⁾	856.41	17-Dec-00	7.24	849.17
		10-Apr-01	6.12	850.29
		23-Apr-02	5.81	850.60
		2-Sep-03	7.37	849.04
		16-Jun-04	4.65	851.76
		1-Feb-05	6.45	849.96
		23-Feb-06	7.11	849.30
		8-Nov-06	6.19	850.22
		7-Jun-07	4.99	851.42
		1-Nov-07	5.73	850.68
		9-May-08	4.56	851.85
		14-May-09	4.47	851.94
		15-Oct-09	6.10	850.31
		7-Jun-10	5.43	850.98
28-Oct-10	5.97	850.44		
MW-9	858.46	11-Apr-91	8.38	850.08
		29-Apr-91	8.07	850.39
		6-Apr-92	8.52	849.94
		20-May-92	11.78	846.68
		Jan-93	8.75	849.71
		16-Sep-94	7.58	850.88
		3-Jun-96	8.06	850.40
		18-Nov-97	9.53	848.93
		20-Dec-00	9.10	849.36
		10-Apr-01	7.96	850.50
		23-Apr-02	7.78	850.68
		2-Sep-03	9.32	849.14
		1-Jun-04	6.69	851.77
		1-Feb-05	8.45	850.01
		23-Feb-06	9.02	849.44
		8-Nov-06	8.13	850.33
		7-Jun-07	6.91	851.55
		1-Nov-07	7.67	850.79
		9-May-08	6.60	851.86
		14-May-09	6.37	852.09
15-Oct-09	7.98	850.48		
7-Jun-10	7.24	851.22		
28-Oct-10	7.81	850.65		
MW-11R ⁽¹⁾	856.19	27-Dec-00	7.08	849.11
		10-Apr-01	9.05	847.14
		2-Sep-03	7.27	848.92
		16-Jun-04	4.54	851.65
		1-Feb-05	6.38	849.81
		23-Feb-06	7.00	849.19
		8-Nov-06	6.12	850.07
		7-Jun-07	4.94	851.25
		1-Nov-07	5.65	850.54
		9-May-08	4.41	851.78
		14-May-09	4.36	851.83
		15-Oct-09	6.04	850.15
		7-Jun-10	5.88	850.31
		28-Oct-10	5.89	850.30

TABLE 2

**Historical Summary of Groundwater Elevations
Truax Field Former POL Facility
Wisconsin Air National Guard
Madison, Wisconsin**

Monitoring Well Number	Top of Casing Elevation (msl)	Date of Water Level Measurement	Depth to Water Measurement (ft)	Groundwater Elevation (msl)
MW-12R ⁽¹⁾	856.81	27-Dec-00	7.69	849.12
		10-Apr-01	6.75	850.06
		23-Apr-02	6.36	850.45
		2-Sep-03	7.91	848.90
		16-Jun-04	5.12	851.69
		1-Feb-05	6.94	849.87
		23-Feb-06	7.58	849.23
		8-Nov-06	6.65	850.16
		7-Jun-07	5.49	851.32
		1-Nov-07	6.14	850.67
		9-May-08	4.86	851.95
		14-May-09	4.95	851.86
		15-Oct-09	6.52	850.29
		7-Jun-10	5.41	851.40
28-Oct-10	6.37	850.44		
MW-16 ⁽²⁾	858.38	11-Apr-91	8.89	849.49
		29-Apr-91	8.23	850.15
		Jan-93	8.19	850.19
		16-Sep-94	8.46	849.92
		17-Nov-97	9.47	848.91
		10-Apr-01	8.33	850.05
		23-Apr-02	7.85	850.53
		2-Sep-03	9.48	848.90
		16-Jun-04	6.64	851.74
		1-Feb-05	8.53	849.85
		23-Feb-06	9.17	849.21
		8-Nov-06	8.21	850.17
		7-Jun-07	7.03	851.31
		1-Nov-07	7.63	850.71
	9-May-08	6.33	852.01	
14-May-09	6.36	851.98		
flooded; could not sample	15-Oct-09	inaccessible	inaccessible	
ABANDONED	16-Nov-09			
MW-22S	859.69	20-May-92	10.13	849.56
		Jan-93	10.00	849.69
		16-Sep-94	8.92	850.77
		3-Jun-96	9.27	850.42
		18-Nov-97	10.58	849.11
		20-Dec-00	10.18	849.51
		10-Apr-01	9.17	850.52
		23-Apr-02	8.89	850.80
		2-Sep-03	10.49	849.20
		16-Jun-04	7.91	851.78
		1-Feb-05	9.57	850.12
		23-Feb-06	10.15	849.54
		8-Nov-06	9.23	850.46
		7-Jun-07	8.14	851.55
		1-Nov-07	8.79	850.90
		9-May-08	7.83	851.86
14-May-09	7.67	852.02		
15-Oct-09	9.10	850.59		
7-Jun-10	8.33	851.36		
28-Oct-10	8.86	850.83		

TABLE 2

**Historical Summary of Groundwater Elevations
Truax Field Former POL Facility
Wisconsin Air National Guard
Madison, Wisconsin**

MW-22D	859.91	20-May-92	10.36	849.55
		16-Sep-94	9.17	850.74
		3-Jun-96	9.52	850.39
		18-Nov-97	10.84	849.07
		20-Dec-00	10.38	849.53
		10-Apr-01	9.45	850.46
		23-Apr-02	9.06	850.85
		2-Sep-03	10.72	849.19
		16-Jun-04	8.13	851.78
		1-Feb-05	9.82	850.09
		23-Feb-06	10.41	849.50
		8-Nov-06	9.46	850.45
		7-Jun-07	8.35	851.56
		1-Nov-07	9.02	850.89
		9-May-08	8.02	851.89
		14-May-09	7.86	852.05
		15-Oct-09	9.32	850.59
7-Jun-10	8.55	851.36		
28-Oct-10	9.08	850.83		
MW-26 ⁽³⁾	855.31	17-Nov-97	6.26	849.05
		10-Apr-01	4.78	850.53
		23-Apr-02	0.01 ft free product detected	
		2-Sep-03	6.34	848.97
		16-Jun-04	3.76	851.55
		1-Feb-05	5.45	849.86
		23-Feb-06	5.97	849.34
		8-Nov-06	5.12	850.19
		7-Jun-07	4.91	850.40
		1-Nov-07	4.80	850.51
		9-May-08	4.00	851.31
		14-May-09	4.77	850.54
		15-Oct-09	5.22	850.09
		7-Jun-10	4.42	850.89
28-Oct-10	5.11	850.20		

Notes:

- 1) Historical summary of Groundwater elevations compiled from:
 - A) April 11 and 29, 1991: Advanced Sciences, Inc. March 1994.
Site Assessment/Closure Assessment Report, Underground Storage Tank 1000-3, Wisconsin Air National Guard, 128th Fighter Wing, Dane County Airport, Truax Field, Madison Wisconsin.
 - B) September 1994 and June 1996: Parsons Engineering Science, Inc.
January 1997. *Treatability Study in Support of Intrinsic Remediation (Natural Attenuation), for the Jet Fuel Transfer Line Southwest of Building 412, and the POL Yard, Wisconsin Air National Guard at Truax Field, Madison, Wisconsin.*
 - C) November 17 and 18, 1997 groundwater elevations were measured by Montgomery Watson personnel.
- 2) msl = mean sea level.

Footnotes:

- (1) Monitoring wells MW-8, MW-11 and MW-12 were abandoned by Montgomery Watson on October 12, 1999.
- (2) Monitoring Wells MW-8R, MW-11R, and MW-12R were installed by Montgomery Watson on November 1, 2000.
Top of well casing elevations were surveyed by Junkins Survey and Design, Inc in December 2000.
- (2) Cut 0.5 inch off top of casing on June 7, 2007 so the top would close properly.
- (3) Monitoring well MW-26 was installed by Montgomery Watson on November 13, 1997. Top of well casing elevations were surveyed by Vierbicher Associates, Inc. in November 1997.

SOURCE
PROPERTY



WISCONSIN AIR NATIONAL GUARD
HEADQUARTERS 115TH FIGHTER WING (ACC) (ANG)
3110 MITCHELL STREET
MADISON WISCONSIN 53704-2591



7 January 2011

Maj Chris Buhler
Environmental Manager
Wisconsin Air National Guard
3110 Mitchell Street
Madison, WI 53704

Mr. Brad Livingston
Airport Director
Dane County Regional Airport
4000 International Lane
Madison, WI 53704

Dear Mr Livingston

Please take notice that the 115th Fighter Wing will be requesting a Geographic Information System (GIS) registry closure from the Wisconsin Department of Natural Resources (WDNR) for the former Petroleum Oil and Lubrication (POL) facility and Alert Shelters. The WI DNR GIS registry closure checklist requires the 115th Fighter Wing to give this notice to Dane County Regional Airport as the owner of the source property.

Jet fuel contaminated soil and groundwater in and around Truax Field, ANGB as a result of historical airfield operations. Starting in 1993, the 115 Fighter Wing conducted multiple environmental remediation efforts at both sites. These efforts have significantly reduced soil and groundwater contamination. Nevertheless, groundwater contamination still exists at levels above WI DNR Enforcement Standards. In our estimation, the two sites have been remediated to as low of a level as is reasonably achievable and do not appear to present any imminent risk to human health or the environment.

Please feel free to contact me if you have any further concerns regarding this matter at (608) 245-4739.

CHRIS M. BUHLER, Maj, WI ANG
Environmental Management

cc:
115 FW/CC
115 FW/CV
115 MSG/CC

SOURCE
PROPERTY

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

Chris Buhler
115 FW/EMO
Truax Field
3110 Mitchell Street
Madison, WI 53704



SOURCE
PROPERTY

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Mr. Brad Livingston
Dane County Regional Airport
4000 International Lane
Madison, WI 53704

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X *James Nowicki*

- Agent
 Addressee

B. Received by (Printed Name)

C. Date of Delivery

1-12-11

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type

- Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number
(Transfer from)

7008 1300 0000 3608 8435