

GIS REGISTRY

Cover Sheet

July, 2008
(RR 5367)

Source Property Information

BRRTS #:

ACTIVITY NAME:

PROPERTY ADDRESS:

MUNICIPALITY:

PARCEL ID #:

CLOSURE DATE:

FID #:

DATCP #:

COMM #:

*WTM COORDINATES:

X: **Y:**

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
- Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Land Use Controls:

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between residential and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government or economic
development corporation)*

Monitoring wells properly abandoned? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:	02-13-547216	PARCEL ID #:	004-0807-082-9500-9
ACTIVITY NAME:	DANCO PRAIRIE FS COOP - MAZOMANIE	WTM COORDINATES:	X: 545162 Y: 301573

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: None **Title: Certified Survey Plat**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 **Title: Site Location Map**
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2 **Title: Site Plan With Excavation Limits**
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 3 and 4 **Title: Soil excavation Area 1 Detail Map (Fig. 3) and Soil Excavation Area 2 Detail Map (Fig. 4)**

BRRTS #: 02-13-547216

ACTIVITY NAME: DANCO PRAIRIE FS COOP - MAZOMANIE

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: N/A Title: N/A

Figure #: N/A Title: N/A

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: 6 Title: Groundwater Analytical Results Map

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 7 Title: Water Table Map For March 30, 2007

Figure #: Title:

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 1 Title: Soil Excavation Analytical Results Summary

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 2 Title: Groundwater Analytical Results Summary

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 3 Title: Water Level Summary

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: Title:

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 02-13-547216

ACTIVITY NAME: DANCO PRAIRIE FS COOP - MAZOMANIE

NOTIFICATIONS

Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.
Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters: 1

- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters: 0

Impacted Off-Source Property Information

Form 4400-246 (R 3/08)

This fillable form is intended to provide a list of information that must be submitted for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request (Section H). The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

ACTIVITY NAME:

ID	Off-Source Property Address	Parcel Number	WTM X	WTM Y
<input type="text" value="A"/>	<input type="text" value="9155 State Highway 19, Mazomanie, WI 53560"/>	<input type="text" value="004/0807-082-9740-0"/>	<input type="text" value="544946"/>	<input type="text" value="301489"/>
<input type="text" value="B"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="C"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="D"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="E"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="F"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="G"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="H"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="I"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>



State of Wisconsin
Jim Doyle, Governor

Department of Agriculture, Trade and Consumer Protection
Rod Nilsestuen, Secretary

December 23, 2008

Mr. Sam Skemp
Frontier FS Cooperative
P.O. Box 359
222 E. Puerner Street
Jefferson, WI 53549

Re: Final Case Closure with Land Use Limitations or Conditions
Former Danco Prairie FS Coop - Mazomanie
DATCP Case # 02415111301
WDNR BRRTS No. 02-13-547216

Dear Mr. Skemp:

On October 7, 2008, our Closure Committee reviewed the above-referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On October 13, 2008, you were notified that the Closure Committee had granted conditional closure to this case.

On December 18, 2008 the Department received correspondence indicating that you have complied with the requirements of closure. This included documentation of abandonment of the monitoring wells.

Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

GIS Registry

The conditions of case closure set out below in this letter require that your site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- If a structural impediment that obstructs a complete site investigation or cleanup is removed or modified, additional environmental work must be completed
- Groundwater contamination is present above Chapter NR 140 enforcement standards

Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line

Agriculture generates \$51.5 billion for Wisconsin

<http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which you and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. It is the Department's intent to conduct inspections in the future to ensure that the conditions included in this letter including compliance with referenced maintenance plans are met.

Remaining Residual Soil Contamination

Residual fertilizer soil contamination remains at the approximate locations shown on Figures 3 and 4 of BT², Inc.'s (BT²) GIS Registry Package. The GIS Registry Package can be viewed at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If residual contaminated soil is excavated in the future, then the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains (requirement pursuant to ch. NR 718, and ch. 289, Stats., and chs. 500 to 536 may also apply). If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose a direct contact hazard and as a result special precautions may need to be taken to prevent a direct contact health threat to humans.

Structural Impediments

Structural impediments existing at the time of cleanup including the dry fertilizer warehouse, dry fertilizer load-in pad, and bulk liquid fertilizer and pesticide dikes and load pads made complete investigation and remediation of the soil contamination on this property impracticable. Pursuant to s. 292.12(2)(b), Wis. Stats., if the structural impediments on this property that are described above are removed, the property owner shall conduct an investigation of the degree and extent of fertilizer and/or pesticide contamination. If contamination is found at that time, the Department shall be immediately notified and the contamination shall be properly remediated in accordance with applicable statutes and rules. If soil in the specific locations described above is excavated, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose a direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

Remaining Residual Groundwater Contamination

Groundwater impacted by nitrite-nitrate contamination greater than the enforcement standard of 10 milligrams per liter (mg/L) set forth in ch. NR140, Wis. Adm. Code, is present both on the contaminated property and off the contaminated property. Off-property owners have been notified of the presence of groundwater contamination. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

ACCP Considerations

If the case is re-opened, Agricultural Chemical Cleanup Program (ACCP) reimbursement may still be available. Determination of the ACCP eligibility of any future corrective action costs incurred at this site should be made before the corrective action is performed. It is in your best interest to keep all documentation related to the cleanup project and ACCP reimbursement applications.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please call me at 608-224-4515.

Sincerely,



Jason B. Lowery, P.G.
Hydrogeologist

Copy to: Mark McCloskey, DATCP EES
Wendy Weihemuller, WDNR
Mark Tusler, BT²



State of Wisconsin
Jim Doyle, Governor

Department of Agriculture, Trade and Consumer Protection
Rod Nilsestuen, Secretary

October 13, 2008

Mr. Sam Skemp
Frontier FS Cooperative
P.O. Box 359
222 E. Puerner Street
Jefferson, WI 53549

Re: Conditional Closure
Former Danco Prairie FS Coop - Mazomanie
DATCP Case # 0241511301
WDNR BRRTS No. 02-13-547216

Dear Mr. Skemp:

I have some good news for you. Our case closure committee reviewed the information presented by your consultant and based on their review, the committee determined that you are eligible to close out the above-referenced case by listing it on the Wisconsin Department of Natural Resources (WDNR) Geographic Information Systems (GIS) Registry for residual soil and groundwater contamination. We received the GIS Registry Package and the WDNR received the fees in June 2008.

In order to close this case, monitoring wells MW1 through MW3 will need to be abandoned. I expect that the abandonment forms (WDNR Form 3300-005) will be submitted within three months. Upon receipt of monitoring well abandonment forms I will issue a final closure letter.

If you have any questions, please call me at (608) 224-4515.

Sincerely,

Jason B. Lowery, P.G.
Hydrogeologist

c: Mark McCloskey, DATCP EES
Wendy Weihemuller, WDNR
Mark Tusler, BT², Inc.

Agriculture generates \$51.5 billion for Wisconsin

DOCUMENT NO.

1530974

VOL 840 PAGE 364

STATE BAR OF WISCONSIN - FORM 2
WARRANTY DEED
THIS SPACE RESERVED FOR RECORDING DATA

Office of Register of Deeds } ss
Dane County, Wisconsin

BY THIS DEED, Felix Kerl and Viola Kerl, each
individually and as husband and wife

Received for Record all just ONE
19 77 at 2:00 o'clock P.M.

Grantor conveys and warrants to Dan-Co FS Cooperative, a
Wisconsin cooperative association,

and recorded in vol. 840
of Records on page 364
Harold J. Hill
Register

for a valuable consideration _____

Grantee _____

the following described real estate in Dane County, State of Wisconsin:

RETURN TO
DALE THOMPSON
P.O. BOX 2236
MADISON, WI 53701

Lot 1, Certified Survey Map #2370, recorded
May 5, 1977, in Vol 9 of Certified Survey Maps,
page 247, #1516161.

Tax Key # _____
This is not homestead property.

Exception to warranties: Easements and restrictions of record and zoning ordinances.

Executed at Mazomanie, Wisconsin this 15th day of July, 19 77.

SIGNED AND SEALED IN PRESENCE OF

Felix Kerl (SEAL)
Felix Kerl
Viola Kerl (SEAL)
Viola Kerl

(SEAL)

(SEAL)

Thomas H. Winch

Thomas H. Winch

TRANSFER
\$800
FEE PAID

Signatures of _____

authenticated this _____ day of _____, 19 _____.

Title: Member State Bar of Wisconsin or Other Party
Authorized under Sec. 706.06 viz. _____

STATE OF WISCONSIN

Dane County. } ss.

Personally came before me, this 15th day of July, 19 77,
the above named Felix Kerl and Viola Kerl

to me known to be the person S who executed the foregoing instrument and acknowledged the same.

Thomas H. Winch
Thomas H. Winch
State of Wisconsin
Notary Public
My Commission ~~XXXXXX~~ (Is) permanent

This instrument was drafted by
Attorney Thomas H. Winch
Mazomanie, Wisconsin 53560

The use of witnesses is optional.

Names of persons signing in any capacity should
be typed or printed below their signatures.



FURNISHED BY



SURVEYORS CERTIFICATE
STATE OF WISCONSIN
COUNTY OF DANE


CERTIFIED SURVEY PLAT

I hereby certify that this survey is in compliance with Chapter 236.34 of the Wisconsin Statutes.
I hereby certify that I have surveyed and mapped the lands described hereon and that the map is a correct representation in accordance with the information furnished



GEORGE A. WEIR
DANE COUNTY SURVEYOR
City-County Building
Madison, Wisc. 53709
Phone office 266-4251
home 274-9782
WEST OFFICE
5610 Medical Circle
Madison, Wisc. 53711
Phone 608 274-0500

George A. Weir, Professional Land Surveyor, S 0843



Description:

Part of SE 1/4 NW 1/4, Section 8, Town 8 North, Range 7 East, Town of Berry, Dane County, Wisconsin, more fully described as follows:

Commencing at the North quarter corner of said Section 8; thence S0°01'42"E 1438.22 feet to the point of beginning of this description; thence S0°01'42"E 360.54 feet; thence S66°40'00"W 335.00 feet; thence N22°18'50"W 443.47 feet; thence on a curve to the right of radius 1860.08 feet whose long chord bears N80°06'31"E 482.97 feet to the point of beginning of this description.

LEGEND

- Scale: 1 inch = 200 FEET
 • iron stakes found
 • 1"x24" iron pipe driven
 min. wt. = 1.13 #/in ft

SURVEYED KCN
 DRAWN KCN
 CHECKED GAN
 APPROVED GAN
 Field Book 564 Page 10
 Date of Survey SEP 22 1977
 Tape No. _____

Office Map No. 9690

SURVEYED FOR: DAN CO FS COOP 241-1181
5371 FARMCO DRIVE MADISON 5371A
 DESCRIPTION - LOCATION: PART OF THE SE 1/4 NW 1/4
SECTION 8, T 8 N, R 7 E, TOWN OF BERRY, DANE
COUNTY WISCONSIN

APPROVED FOR RECORDING: PER Dane County Agriculture, Zoning, Plan and Water Resources Committee action of May 3, 1977

Horbert Scribner #1700

REGISTER OF DEEDS CERTIFICATE

Received for record this 5 day of May, 1977 at 10 o'clock, P.M. and recorded in Volume 9 of CERTIFIED SURVEY MAPS of Dane County, on Page 247.
Harold H. Hill
 by James M. Kelly, Deputy Register of Deeds
1516161

DOCUMENT NO. _____
 CERTIFIED SURVEY MAP NO. 2376, VOLUME 9 PAGE 247

March 3, 2008

To: Wisconsin Department of Natural Resources

Subject: Statement that all Legal Descriptions for Properties within the
Contaminated Site Boundaries have been Included
Frontier FS Cooperative – Marxville
9119 Highway 19, Mazomanie, Wisconsin
WDATCP # 02415111301

To Whom it May Concern:

To the best of my knowledge, I believe that with the submittal of the attached property information, the legal descriptions for all of the properties within, or partially within the contaminated site's boundaries have been submitted with the case closure request.


The attached property information includes the deeds and certified survey maps for the properties located at 9119 and 9155 Highway 19, Mazomanie, Wisconsin.

If you need additional information please contact me at (920) 674-7000.

Sincerely,

A handwritten signature in black ink, appearing to read "Sam Skemp". The signature is fluid and cursive, with a large initial "S" and a stylized "K".

Mr. Sam Skemp
Frontier FS Cooperative




BLACK EARTH QUADRANGLE
 WISCONSIN
 7.5 MINUTE SERIES (TOPOGRAPHIC)
 NW/4 CROSS PLAINS 15' QUADRANGLE
 1982
 SCALE: 1" = 2,000'




PROJECT NO. 2489
DRAWN BY: KP
CHECKED BY: JS
DRAWN: 07/10/03
REVISED: 03/20/08

FIGURE 1
 SITE LOCATION MAP
 FRONTIER FS COOPERATIVE - MARXVILLE
 9119 STH 19
 MAZOMANIE, WISCONSIN






I:\2489\pgress\pgress\EXCAV LIMITS.dwg, 1/20/05 3:18:37 PM



L:\GIS\Projects\generalex\CAV AREA 1.dwg, 1/25/04 10:58:33 AM




LEGEND

- ELEVATORS
- ELECTRIC LINE
- TELEPHONE
- EXCAVATION LIMITS
- EXCAVATION SOIL SAMPLE
- NH3 AMMONIA AS NITROGEN (mg/kg)
- NO3+NO2 NITRATE PLUS NITRITE AS NITROGEN (mg/kg)
- TN TOTAL NITROGEN (mg/kg)

NOTES:

1. IMAGE SOURCE: 3.75 MINUTE DIGITAL ORTHOPHOTO QUAD, BLACK EARTH, NE, USGS. DATE OF IMAGE 05/16/00.
2. MAP UPDATED WITH GPS. COORDINATE SYSTEM IS UNIVERSAL TRANSVERSE MERCATOR, ZONE 16N NAD 1983 (CONUS) FEET.
3. BOLD VALUES EXCEED TOTAL N CONCENTRATION OF 150 mg/kg.




SCALE: 1" = 20'

PROJECT NO. 2489
DRAWN BY: KP
CHECKED BY: LM
APPROVED BY:
DRAWN: 01/19/04
REVISED: 03/10/05

FIGURE 5
SOIL EXCAVATION AREA 3 DETAIL WITH
LABORATORY RESULTS MAP
FRONTIER FS COOPERATIVE
9119 STH 19
MAZOMANIE, WISCONSIN





DATE	NH3	NO3+NO2	ACE	ATRA	METO
10/19/2005	<1.0	3.7	NA	NA	NA
10/16/2006	<1.0	3.8	<0.026	0.056	<0.0077

DATE	NH3	NO3+NO2	ACE	ATRA	METO
10/21/2003	<1.0	9.8	1.1	0.22	3.2

DATE	NH3	NO3+NO2	ACE	ATRA	METO
09/04/2007	<1.0	4.2	<0.032	0.041	0.073

DATE	NH3	NO3+NO2	ACE	ATRA	METO
10/21/2003	34	50	1.1	0.48	2.8

DATE	NH3	NO3+NO2	ACE	ATRA	METO
09/04/2007	<1.0	4.6	2.6	1.69	6.5

DATE	NH3	NO3+NO2	ACE	ATRA	METO
10/21/2003	4.5	51	NA	NA	NA

DATE	NH3	NO3+NO2	ACE	ATRA	METO
07/15/2005	<1.0	15	0.74	0.62	2.0
10/19/2005	<1.0	14	0.39	0.74	1.8
01/20/2006	<1.0	31	0.23	0.69	1.6
04/17/2006	<1.0	6.7	12	1.56	6.4
07/25/2006	<1.0	13	3.1	1.04	4.5
10/16/2006	<1.0	31	0.70	0.64	1.7
01/22/2007	<1.0	16	0.38	0.39	1.2
03/30/2007	<1.0	24	0.57	0.42	3.2

DATE	NH3	NO3+NO2	ACE	ATRA	METO
10/21/2003	<1.0	7	0.85	0.22	1.3

DATE	NH3	NO3+NO2	ACE	ATRA	METO
07/15/2005	11	3.9	<0.059	ND	0.037
10/19/2005	7.7	4.1	<0.056	ND	0.051
01/25/2006	6.1	40	<0.027	ND	0.16
04/17/2006	16	140	0.14	0.067	0.87
07/25/2006	4.9	34	<0.029	ND	0.29
10/16/2006	2.7	54	<0.027	ND	0.30
01/22/2007	1.6	29	<0.030	ND	0.15
03/30/2007	2.5	21	<0.032	ND	0.097

DATE	NH3	NO3+NO2	ACE	ATRA	METO
07/15/2005	<1.0	7.0	0.71	0.33	0.92
10/19/2005	<1.0	6.3	0.26	0.32	0.43
01/20/2006	<1.0	17	0.88	0.54	1.1
04/17/2006	<1.0	7.4	0.53	0.35	1.7
07/25/2006	<1.0	10	3.0	1.51	6.1
10/16/2006	<1.0	11	2.2	1.01	6.5
01/22/2007	<1.0	5.8	0.90	0.496	3.8
03/30/2007	<1.0	6.4	0.51	0.363	2.5

DATE	NH3	NO3+NO2	ACE	ATRA	METO
10/21/2003	<1.0	86	15	1.69	7.1

DATE	NH3	NO3+NO2	ACE	ATRA	METO
09/04/2007	<1.0	4.7	<0.031	ND	<0.015

DATE	NH3	NO3+NO2	ACE	ATRA	METO
09/04/2007	<1.0	<1.0	<0.031	0.17	0.35

DATE	NH3	NO3+NO2	ACE	ATRA	METO
09/04/2007	<1.0	<1.0	<0.033	ND	<0.016

DATE	NH3	NO3+NO2	ACE	ATRA	METO
09/04/2007	<1.0	15	<0.037	ND	<0.019

12/28/08 gpm/rel/W.Ang. 02/08/08 T.S.S.G.M.

Table 1
Soil Excavation Analytical Results Summary
Frontier FS Cooperative / BT² Project #2489

Sample	Depth (ft)	Location	Progress or Closure	Date	NH ₃ -N (mg/kg)	NO ₃ +NO ₂ -N (mg/kg)	Total N (mg/kg)
C1	4	Base	Progress	10/18/2004	260	<20	260
C2	4	Base	Progress	10/18/2004	330	110	440
C3	2	Base	Progress	10/18/2004	<20	<20	<40
C4	2	Wall	Closure	10/18/2004	1,600	150	1,750
C4 Dup**	2	Wall	Closure	10/18/2004	2,100	170	2,270
C5	6	Base	Closure	10/18/2004	<20	<20	<40
C6	6	Base	Progress	10/18/2004	240	130	370
C7	8	Base	Closure	10/18/2004	<20	56	56
C8	6	Wall	Closure	10/18/2004	<20	<20	<40
C9	8	Base	Progress	10/18/2004	2,900	<200	2,900
C10	6	Base	Progress	10/18/2004	1,200	<80	1,200
C11	4	Wall	Closure	10/18/2004	62	<20	62
C12	6	Wall	Closure	10/18/2004	<20	<20	<40
C13	10	Base	Progress	10/18/2004	1,300	<80	1,300
C14	10	Base	Progress	10/18/2004	1,200	<80	1,200
C15	8	Base	Closure	10/18/2004	66	<20	66
C16	6	Wall	Closure	10/19/2004	86	<20	86
C17	2	Wall	Progress	10/19/2004	830	<80	830
C18	2	Wall	Closure	10/19/2004	27	<20	27
C19	8	Base	Closure	10/19/2004	<20	<20	<40
C20	6	Wall	Progress	10/19/2004	1,200	<80	1,200
C21	2	Wall	Closure	10/19/2004	<20	45	45
C22	3.5	Base	Closure	10/19/2004	52	<20	52
C23	1.5	Wall	Progress	10/19/2004	1,100	<80	1,100
C24	1.5	Wall	Closure	10/19/2004	430	<20	430
C25	15.5	Base	Closure	10/19/2004	<20	<20	<40
C25 Dup**	12.5	Base	Closure	10/19/2004	<10	<20	<30
C26	6	Wall	Progress	10/19/2004	1,100	<80	1,100
C27	5	Wall	Progress	10/19/2004	1,000	<80	1,000
C28	2	Wall	Progress	10/19/2004	1,100	<80	1,100
C29	5	Base	Closure	10/19/2004	69	<20	69
C30	3	Base	Closure	10/19/2004	23	<20	23
C31	1.5	Base	Closure	10/19/2004	<20	<20	<40
C32	1.5	Wall	Closure	10/19/2004	<20	<20	<40
C33	1.5	Wall	Closure	10/19/2004	<20	<20	<40
C34	6.5	Wall	Progress	10/19/2004	1,400	110	1,510
C35	8	Base	Progress	10/19/2004	350	51	401
C36	2	Base	Closure	10/19/2004	<20	<20	<40

Table 1
Soil Excavation Analytical Results Summary
Frontier FS Cooperative / BT² Project #2489

Sample	Depth (ft)	Location	Progress or Closure	Date	NH ₃ -N (mg/kg)	NO ₃ +NO ₂ -N (mg/kg)	Total N (mg/kg)
C37	1	Wall	Closure	10/19/2004	<20	<20	<40
C38	1	Wall	Closure	10/19/2004	<20	53	53
C38 Dup**	1	Wall	Closure	10/25/2004	<10	65	65
C39	1	Wall	Closure	10/19/2004	<20	<20	<40
C40	1	Wall	Closure	10/19/2004	<20	30	30
C41	6	Wall	Progress	10/19/2004	950	80	1,030
C42	6	Wall	Progress	10/19/2004	800	<80	800
C43	6	Wall	Closure	10/19/2004	<20	37	37
C44	11	Base	Progress	10/19/2004	420	27	447
C45	6	Wall	Closure	10/19/2004	<20	20	20
C46	13	Base	Progress	10/19/2004	420	39	459
C47	15	Base	Closure	10/19/2004	<20	<20	<40
C48	2	Wall	Closure	10/20/2004	<20	<20	<40
C49	4	Base	Closure	10/20/2004	40	<20	40
C50	3	Wall	Closure	10/20/2004	29	100	129
C51	1	Wall	Closure	10/20/2004	250	<20	250
C52	2.5	Wall	Progress	10/20/2004	1,000	<80	1,000
C53	1	Base	Closure	10/20/2004	<20	40	40
C54	3.5	Wall	Closure	10/20/2004	36	<20	36
C55	1	Wall	Closure	10/20/2004	650	110	760
C56	3	Wall	Closure	10/20/2004	<20	<20	<40
C57	1	Wall	Closure	10/20/2004	<20	<20	<40
C58	3	Wall	Closure	10/20/2004	31	<20	31
C59	1	Wall	Closure	10/20/2004	27	<20	27
C60	3	Wall	Closure	10/20/2004	240	<20	240
C61	1	Wall	Closure	10/20/2004	250	33	283
C62	3	Wall	Closure	10/20/2004	160	<20	160
C63	3.5	Base	Closure	10/20/2004	24	<20	24
C64	3.5	Base	Closure	10/20/2004	21	<20	21
C65	3.5	Base	Closure	10/20/2004	<20	<20	<40
C66	3.5	Base	Closure	10/20/2004	53	<20	53
C66 Dup**	3.5	Base	Closure	10/20/2004	53	<20	53
C67	2.5	Wall	Closure	10/20/2004	<20	64	64
C68	5	Base	Progress	10/20/2004	<20	240	240
C69	7.5	Wall	Progress	10/20/2004	<20	180	180
C70	9	Base	Closure	10/20/2004	<20	130	130
C71	3	Base	Closure	10/21/2004	<20	28	28
C72	1	Wall	Progress	10/21/2004	<20	310	310

Table 1
Soil Excavation Analytical Results Summary
Frontier FS Cooperative / BT² Project #2489

Sample	Depth (ft)	Location	Progress or Closure	Date	NH ₃ -N (mg/kg)	NO ₃ +NO ₂ -N (mg/kg)	Total N (mg/kg)
C73	3	Base	Closure	10/21/2004	<20	51	51
C74	1	Wall	Closure	10/21/2004	<20	<20	<40
C75	3	Wall	Closure	10/21/2004	720	390	1,110
C75 Dup**	3	Wall	Closure	10/21/2004	860	470	1,330
C76	1	Wall	Closure	10/21/2004	<20	<20	<40
C77	4.5	Base	Closure	10/21/2004	<20	120	120
C78	4.5	Base	Closure	10/21/2004	<20	120	120
C79	6	Wall	Progress	10/21/2004	<20	200	200
C80	7	Wall	Closure	10/21/2004	<20	26	26
C80 Dup**	7	Wall	Closure	10/21/2004	<10	31	31
C81	3	Wall	Progress	10/21/2004	<20	200	200
C82	5	Wall	Progress	10/21/2004	<20	190	190
C83	3	Wall	Progress	10/21/2004	<20	200	200
C84	7	Wall	Closure	10/21/2004	<20	43	43
C84 Dup**	7	Wall	Closure	10/21/2004	<10	49	49
C85	3	Wall	Closure	10/21/2004	68	21	89
C86	5	Base	Closure	10/21/2004	<20	<20	<40
C87	0.5	Wall	Progress	10/21/2004	<20	170	170
C88	2	Wall	Closure	10/21/2004	<20	97	97
C89	0.5	Wall	Progress	10/21/2004	<20	380	380
C90	3.5	Base	Closure	10/21/2004	<20	80	80
C91	0.5	Wall	Progress	10/21/2004	150	280	430
C92	2	Wall	Progress	10/21/2004	<20	190	190
C93	5	Base	Closure	10/21/2004	<20	96	96
C94	0.5	Wall	Progress	10/21/2004	<20	100	100
C95	2	Wall	Closure	10/21/2004	<20	110	110
C96	0.5	Wall	Progress	10/21/2004	<20	170	170
C97	2	Wall	Progress	10/21/2004	<20	160	160
C98	4	Base	Closure	10/21/2004	<20	31	31
C99	1	Base	Closure	10/21/2004	<20	140	140
C100	0.5	Wall	Progress	10/21/2004	<20	400	400
C101	0.5	Base	Closure	10/21/2004	<20	110	110
C102	3	Base	Progress	10/21/2004	<20	190	190
C103	0.5	Wall	Progress	10/21/2004	480	570	1,050
C104	1.5	Wall	Progress	10/21/2004	<20	430	430
C105	1.5	Wall	Progress	10/21/2004	<20	250	250
C106	3	Base	Closure	10/21/2004	<20	150	150
C107	2	Wall	Progress	10/21/2004	<20	190	190

Table 1
Soil Excavation Analytical Results Summary
Frontier FS Cooperative / BT² Project #2489

Sample	Depth (ft)	Location	Progress or Closure	Date	NH ₃ -N (mg/kg)	NO ₃ +NO ₂ -N (mg/kg)	Total N (mg/kg)
C108	0.5	Base	Closure	10/21/2004	<20	49	49
C109	2	Wall	Progress	10/21/2004	<20	120	120
C110	0.5	Wall	Closure	10/25/2004	<20	57	57
C111	1	Wall	Closure	10/25/2004	<20	<20	<40
C112	0.5	Wall	Closure	10/25/2004	<20	<20	<40
C113	2	Base	Closure	10/25/2004	<20	81	81
C114	2	Base	Progress	10/25/2004	<20	180	180
C115	4	Base	Progress	10/25/2004	<20	160	160
C116	3	Base	Closure	10/25/2004	<20	75	75
C117	1.5	Wall	Closure	10/25/2004	<20	58	58
C118	0.5	Wall	Closure	10/25/2004	<20	130	130
C119	1.5	Wall	Closure	10/25/2004	<20	84	84
C120	5	Base	Progress	10/25/2004	<20	190	190
C121	4	Base	Closure	10/25/2004	<20	150	150
C122	6	Base	Closure	10/25/2004	<20	<20	<40
C122 Dup**	6	Base	Closure	10/25/2004	<10	22	22
TP1	2	Wall	Closure	10/18/2004	<20	30	30
	4	Wall	Closure	10/18/2004	46	<20	46
	5	Wall	Closure	10/18/2004	<20	37	37
TP2	2	Test Pit	Closure	10/18/2004	<20	<20	<40
	4	Test Pit	Closure	10/18/2004	<20	<20	<40
	6	Test Pit	Closure	10/18/2004	<20	<20	<40
TP3	2	Wall	Progress	10/18/2004	1,100	<80	1,100
	4	Wall	Progress	10/18/2004	180	<20	180
	5	Wall	Progress	10/18/2004	190	<20	190
TP4	2	Wall	Progress	10/18/2004	<20	<20	<40
	4	Wall	Progress	10/18/2004	210	76	286
	6	Wall	Progress	10/18/2004	190	<20	190
TP5	1	Test Pit	Closure	10/18/2004	<20	<20	<40
	3	Test Pit	Closure	10/18/2004	<20	<20	<40
	5	Test Pit	Closure	10/18/2004	58	<20	58
	7	Test Pit	Closure	10/18/2004	<20	<20	<40
	10	Test Pit	Closure	10/18/2004	<20	<20	<40

Table 1
Soil Excavation Analytical Results Summary
Frontier FS Cooperative / BT² Project #2489

Sample	Depth (ft)	Location	Progress or Closure	Date	NH ₃ -N (mg/kg)	NO ₃ +NO ₂ -N (mg/kg)	Total N (mg/kg)
TP6	2	Test Pit	Closure	10/18/2004	<20	<20	<40
	4	Test Pit	Closure	10/18/2004	<20	40	40
	6	Test Pit	Closure	10/18/2004	<20	<20	<40
	8	Test Pit	Closure	10/18/2004	<20	<20	<40
	10	Test Pit	Closure	10/18/2004	<20	<20	<40
TP7	2	Test Pit	Progress*	10/21/2004	<20	69	69
	4	Test Pit	Progress*	10/21/2004	<20	23	23
	6	Test Pit	Progress*	10/21/2004	<20	<20	<40
TP8	2	Test Pit	Closure	10/21/2004	<20	<20	<40
	4	Test Pit	Closure	10/21/2004	<20	<20	<40
	6	Test Pit	Closure	10/21/2004	<20	<20	<40

ABBREVIATIONS:

NO₃+NO₂ = Nitrate plus nitrite as nitrogen

NH₃ = Ammonia as nitrogen

Total N = Total Nitrogen (sum of NO₃+NO₂ and NH₃)

TP = Test Pit

NOTES:

Bold values exceed the WDATCP target concentration of 150 mg/kg total nitrogen.

Progress samples indicate that impacted soil around the sample was excavated.

Closure samples indicate that soil around the sample was left in place.

All samples were analyzed by Environmental Chemistry Consulting Services, Inc. (ECCS).

* Additional excavation was completed around test pit TP7, because excavation samples surrounding the test pit were found to exceed 150 mg/kg total nitrogen.

**Fixed lab duplicate sample.

Completed by: LMH 12/1/04

Checked by: LJM 12/7/04

I:\2489\Tables-General[Soil-exc_table.xls]Excavation

Table 2
Groundwater Analytical Results Summary
Frontier FS Cooperative - Marxville, Mazomanie, WI / BT² Project #2489
 Results are in µg/l (except where noted)

Sample	Screen Interval (ft)	Date	NH ₃ -N (mg/l)	NO ₂ +NO ₃ -N (mg/l)	Acetochlor	Alachlor	Atrazine Plus Metabolites (note 1)	Atrazine	DEA	DIA	Butylate	Chlorpyrifos	Cyanazine	Dimethenamid	EPTC	Metolachlor	Metribuzin	Pendimethalin	Prometon	Propazine	Simazine	Trifluralin	Other Pesticides
Geoprobe Groundwater Samples																							
DP1	--	9/4/2007	<1.0	<1.0	<0.031	<0.083	0.17	0.17	<0.019	<0.042	<0.038	<0.030	<0.056	<0.017	<0.025	0.35 HC	<0.038	<0.027	<0.042	<0.036	<0.038	<0.023	Hexazinone 0.97
DP2	--	9/4/2007	<1.0	4.6	2.6	<0.086	1.69	1.1	0.31	0.28	<0.039	<0.031	0.27	<0.018	<0.026	6.5 HC	<0.039	<0.028	0.14	<0.037	0.42	<0.024	Hexazinone 0.089 J
DP3	--	9/4/2007	<1.0	4.2	<0.032	<0.084	0.041	0.041 J	<0.020	<0.043	<0.039	<0.031	<0.057	<0.018	<0.026	0.073 HC	<0.039	<0.028	<0.043	<0.037	<0.039	<0.024	ND
DP4	--	9/4/2007	<1.0	4.1	<0.031	<0.082	ND	<0.019	<0.019	<0.041	<0.038	<0.030	<0.056	<0.017	<0.025	<0.015	<0.038	<0.027	<0.041	<0.036	<0.038	<0.023	ND
DP5	--	9/4/2007	<1.0	15	<0.037	<0.099	ND	<0.023	<0.023	<0.050	<0.045	<0.036	<0.057	<0.021	<0.030	<0.019	<0.045	<0.033	<0.050	<0.043	<0.045	<0.028	ND
DP6	--	9/4/2007	<1.0	<1.0	<0.033	<0.087	ND	<0.020	<0.020	<0.044	<0.040	<0.032	<0.059	<0.018	<0.027	<0.016	<0.040	<0.029	<0.044	<0.038	<0.040	<0.024	ND
GB2-W	11 to 13	10/21/2003	34	50	1.1	<0.057	0.48	0.36	0.12	<0.075	<0.08	<0.081	<0.094	<0.025	<0.11	2.8	0.96	<0.019	1.3	<0.064	<0.040	<0.058	Hexazinone 1.2
GB4-W	10 to 12	10/21/2003	4.5	51																			
GB12-W	13 to 15	10/21/2003	<1.0	9.8	1.1	0.25	0.22	0.12	0.1	<0.047	<0.048	<0.050	<0.058	<0.015	<0.066	3.2	<0.026	0.34	<0.040	<0.040	<0.024	<0.036	ND
GB14-W	6 to 8	10/21/2003	<1.0	37	0.61	0.13	0.67	0.15	0.19	0.33	<0.047	<0.049	<0.057	0.075	<0.065	3.3	0.24	<0.011	0.17	<0.039	0.077	<0.035	Hexazinone 1.0
GB17-W	6 to 8	10/21/2003	<1.0	86	15	<0.035	1.69	1.4	0.29	<0.047	<0.048	<0.051	<0.059	1.2	<0.067	17	1.6	<0.012	0.22	<0.040	<0.025	<0.036	Hexazinone 4.3
Monitoring Well Groundwater Samples																							
MW1	--	7/15/2005	11	3.9	<0.059	<0.040	ND	<0.028	<0.077	<0.095	<0.070	<0.064	<0.070	<0.021	<0.061	0.037	<0.029	<0.034	<0.044	<0.029	<0.056	<0.045	Hexazinone 0.21
	--	10/19/2005	7.7	4.4	<0.056	<0.038	ND	<0.026	<0.072	<0.089	<0.066 LC	<0.061	<0.066	<0.020	<0.058	0.051 J	<0.027	<0.032	<0.041	<0.027	<0.053	<0.042	Hexazinone 0.22 ES
	--	1/20/2006	6.1	40	<0.027	<0.035	ND	<0.020	<0.028	<0.029	<0.032	<0.022	<0.037	<0.015	<0.035	0.16 HC	<0.030	<0.011	<0.045	<0.035	<0.038	<0.015	Hexazinone 0.46 HC
	--	4/17/2006	16	140	0.14	<0.038	0.067	0.067 J	<0.029	<0.030	<0.035	<0.023	<0.038	<0.016	<0.038	0.87	0.13	<0.012	0.14 J	<0.038	<0.041	<0.016	Hexazinone 0.78
	--	7/25/2006	4.9	34	<0.029	<0.039	ND	<0.022	<0.031	<0.032	<0.036	<0.024	<0.041	<0.017	<0.039	0.29	<0.034	<0.013	<0.049	<0.039	<0.042	<0.017	Hexazinone 0.44
	--	10/16/2006	2.7	54	<0.027	<0.036	ND	<0.020	<0.028	<0.029	<0.033	<0.022	<0.038	<0.016	<0.036	0.30	<0.031	<0.012	<0.046	<0.036	<0.039	<0.016	Hexazinone 0.50 HC
	--	1/22/2007	1.6	29	<0.030	<0.040	ND	<0.023	<0.031	<0.032	<0.037	<0.025	<0.042	<0.017	<0.040	0.16	<0.034	<0.013	<0.051	<0.040	<0.043	<0.017	Hexazinone 0.47 HC
	--	3/30/2007	2.5	21	<0.032	<0.084	ND	<0.020	<0.020	<0.043	<0.039 LC	<0.031	<0.057	<0.018	<0.026	0.097	<0.039	<0.028	<0.043	<0.037	<0.039	<0.024	Hexazinone 0.31
MW2	--	7/15/2005	<1.0	7.0	0.71	<0.039	0.33	0.21	0.12	<0.093	<0.069	<0.063	<0.069	<0.064	<0.060	0.92	<0.028	<0.033	0.081	<0.038	<0.055	<0.044	Hexazinone 0.39
	--	10/19/2005	<1.0	6.3	0.26	<0.037	0.32 J	0.19	0.13 J	<0.088	<0.065 LC	<0.059	<0.065	<0.020	<0.057	0.43	<0.026	<0.031	<0.041	<0.026	<0.052	<0.042	Hexazinone 0.17 ES
	--	10/19/2005 Dup	<1.0	5.5	0.31	<0.037	0.37 J	0.23	0.14 J	<0.088	<0.065 LC	<0.059	<0.065	<0.020	<0.057	0.48	<0.026	<0.031	<0.041	<0.026	<0.052	<0.042	Hexazinone 0.17 ES
	--	1/20/2006	<1.0	17	0.68	<0.038	0.54	0.23	0.15	0.16 HC	<0.035	<0.023	<0.040	0.087	<0.038	1.1 HC	<0.033	<0.012	<0.048	<0.038	<0.041	<0.016	Hexazinone 0.63 HC
	--	1/20/2006 Dup	<1.0	15	0.65	<0.038	0.40	0.20	0.13	0.072 J,HC	<0.035	<0.023	<0.040	0.081	<0.038	0.8 HC	<0.033	<0.012	<0.048	<0.038	<0.041	<0.016	Hexazinone 0.47 HC
	--	4/17/2006	<1.0	7.4	0.63	<0.039	0.36	0.22	0.14	<0.031	<0.035	<0.024	<0.041	0.057	<0.039	1.7	<0.033	<0.013	<0.049	<0.039	<0.042	<0.017	Hexazinone 0.32
	--	7/25/2006	<1.0	10	3	<0.037	1.51	1.3	0.13	0.080 J, LC	<0.034	<0.023	<0.039	0.068	<0.037	6.7	<0.032	<0.012	<0.047	<0.037	0.36	<0.016	Hexazinone 1.1
	--	7/25/2006 Dup	<1.0	9.2	2.7	<0.039	1.57	1.3	0.15	0.12 LC	<0.036	<0.024	<0.041	0.059	<0.039	5.7	<0.034	<0.013	<0.049	<0.039	0.40	<0.017	Hexazinone 1.1
	--	10/16/2006	<1.0	11	2.2	<0.035	1.01	0.85	0.16	<0.028	<0.032	<0.022	<0.037	<0.015	<0.035	6.5	<0.030	<0.011	<0.044	<0.035	0.53	<0.015	Hexazinone 1.3 HC
	--	1/22/2007	<1.0	5.8	0.90	<0.038	0.496	0.35	0.080 J	0.066 J	<0.035	<0.024	<0.040	<0.016	<0.038	3.8	<0.033	<0.012	<0.048	<0.038	<0.041	<0.016	Hexazinone 0.60 HC
	--	3/30/2007	<1.0	6.4	0.51	<0.083	0.365	0.27	0.095	<0.042	<0.038 LC	<0.030	<0.057	<0.018	<0.025	2.5	<0.038	<0.027	<0.042	<0.036	0.13	<0.024	Hexazinone 0.25
	--	3/30/2007 Dup	<1.0	6.1	0.63	<0.083	0.408	0.32	0.088	<0.042	<0.038 LC	<0.030	<0.057	<0.018	<0.025	2.8	<0.038	<0.027	<0.042	<0.036	0.13	<0.024	Hexazinone 0.40
MW3	--	7/15/2005	<1.0	15	0.74	<0.038	0.62	0.32	0.17	0.13	<0.067	<0.061	<0.067	0.041	<0.058	2.0	<0.027	<0.032	0.34	<0.027	<0.053	<0.043	Hexazinone 0.23
	--	10/19/2005	<1.0	14	0.39	<0.038	0.74 J	0.24	0.27	0.23 J	<0.068 LC	<0.062	<0.068	<0.021	<0.059	1.6	<0.027	<0.032	0.32	<0.027	0.092 J	<0.043	Hexazinone 0.33 ES
	--	1/20/2006	<1.0	31	0.23	0.10 J	0.69	0.16	0.32	0.21 HC	<0.032	<0.022	<0.037	0.065	<0.035	1.6 HC	<0.030	<0.011	0.27 HC	<0.035	<0.038	<0.015	Hexazinone 0.25 HC
	--	4/17/2006	<1.0	6.7	12	<0.038	1.56	1.4	0.16	<0.031	<0.035	<0.024	<0.040	<0.016	<0.038	6.4	<0.033	<0.012	<0.048	<0.038	76	<0.016	Hexazinone 0.18
	--	04/17/06 Dup	<1.0	6.5	12	<0.039	ND	<0.022	<0.031	<0.032	<0.036	<0.024	<0.041	<0.017	<0.039	6.7	<0.034	<0.013	<0.049	<0.039	67	<0.016	Hexazinone 0.17
	--	7/25/2006	<1.0	13	3.1 M	<0.038	1.04	0.36	0.25	0.43 LC	<0.035	0.22	<0.040	<0.016	<0.038	8.2 M	<0.033	<0.012	0.22	<0.038	0.35	<0.016	Hexazinone 0.15
	--	10/16/2006	<1.0	31	0.70	<0.035	0.64	0.21	0.23	0.20	<0.032	<0.022	<0.037	<0.015	<0.035	4.5	<0.030	<0.011	0.22	<0.035	0.14	<0.015	Hexazinone 0.22 HC
	--	10/16/2006 Dup	<1.0	24	0.39	<0.035	0.38	0.14	0.24	<0.028	<0.032	<0.022	<0.037	0.047 J	<0.035	2.5	<0.030	<0.011	0.27	<0.035	0.099 J	<0.015	Hexazinone 0.25 HC
	--	1/22/2007	<1.0	16	0.38	<0.039	0.39	<0.022	0.23	0.16	<0.036	<0.024	<0.041	<0.017	<0.039	1.7	<0.034	<0.013	0.19	<0.039	<0.042	<0.017	Hexazinone 0.58 HC
	--	01/22/07 Dup	<1.0	19	0.35	<0.040	0.57	0.11	0.26	0.20	<0.037	<0.025	<0.043	<0.017	<0.040	2.3	<0.035	<0.013	0.22	<0.040	<0.044	<0.017	Hexazinone 0.50 HC
	--	3/30/2007	<1.0	24	0.57	<0.083	0.42	0.16	0.16	0.10 J	<0.038 LC	<0.030	1.1	<0.018	<0.025	3.2	<0.038	<0.027	0.18	<0.036	<0.038	<0.024	Hexazinone 0.22

Table 2
Groundwater Analytical Results Summary
Frontier FS Cooperative - Marxville, Mazomanie, WI / BT² Project #2489
 Results are in µg/l (except where noted)

Sample	Screen Interval (ft)	Date	NH ₃ -N (mg/l)	NO ₃ +NO ₂ -N (mg/l)	Acetochlor	Alachlor	Atrazine Plus Metabolites	Atrazine	DEA	DIA	Butylate	Chlorpyrifos	Cyanazine	Dimethenamid	EPTC	Metolachlor	Metribuzin	Pendimethalin	Prometon	Propazine	Simazine	Trifluralin	Other Pesticides	
Water Supply Well	--	10/19/2005	<1.0	3.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	--	10/16/2006	<1.0	3.8	<0.026	<0.034	0.056	<0.019	0.056	<0.028	<0.031	<0.021	<0.036	<0.015	<0.034	<0.0077	<0.030	<0.011	<0.044	<0.034	<0.037	<0.015	<0.022	ND
	--	9/4/2007	<1.0	3.6	<0.030	<0.079	ND	<0.019	<0.019	<0.040	<0.036	<0.029	<0.054	<0.017	<0.024	<0.015	<0.036	<0.026	<0.040	<0.034	<0.036	<0.022	<0.022	ND
	--	9/4/2007	<1.0	3.6	<0.030	<0.079	ND	<0.019	<0.019	<0.040	<0.036	<0.029	<0.054	<0.017	<0.024	<0.015	<0.036	<0.026	<0.040	<0.034	<0.036	<0.022	<0.022	ND
Danehek	--	9/4/2007	<1.0	3.2	<0.030	<0.079	ND	<0.019	<0.019	<0.040	<0.036	<0.029	<0.054	<0.017	<0.024	<0.015	<0.036	<0.026	<0.040	<0.034	<0.036	<0.022	<0.022	ND
Ewald	--	9/4/2007	<1.0	3.2	<0.030	<0.079	ND	<0.019	<0.019	<0.040	<0.036	<0.029	<0.054	<0.017	<0.024	<0.015	<0.036	<0.026	<0.040	<0.034	<0.036	<0.022	<0.022	ND
Serton	--	9/4/2007	<1.0	4.4	<0.030	<0.079	ND	<0.019	<0.019	<0.040	<0.036	<0.029	<0.054	<0.017	<0.024	<0.015	<0.036	<0.026	<0.040	<0.034	<0.036	<0.022	<0.022	ND
NR 140 Enforcement Standards (ES)			NE	10	NE	2	3 (a)	(a)	(a)	(a)	67	NE	1	NE	250	15	250	NE	90	NE	4	7.5	Hexazinone	NE
NR 140 Preventive Action Limits (PAL)			NE	2	NE	0.2	0.3 (a)	(a)	(a)	(a)	6.7	NE	0.1	NE	50	1.5	50	NE	18	NE	0.4	0.75	Hexazinone	NE

ABBREVIATIONS:

NH₃-N = Ammonia-Nitrogen

NO₃+NO₂-N = Nitrate/Nitrite-Nitrogen

DEA = Desethylatrazine

DIA = Deisopropylatrazine

NA = Not Analyzed

NE = Not Established

ND = Not Detected

NOTES:

- "Atrazine Plus Metabolites" includes the sum of atrazine, DEA, and DIA.
 - GB4-W sample bottle broke at the laboratory during pesticide extraction. No analytical data was obtained.
- (a) NR 140 ES and PAL for atrazine includes the sum of atrazine, DEA, DIA and other atrazine metabolites.
Bold values meet or exceed NR 140 ES.
Italic values meet or exceed NR 140 PAL.

LABORATORY NOTES:

- ES = Estimated, value derived from single point calibration curve.
 J = Estimated.
 HC = Results may be biased high due to continuing calibration verification (CCV) not within control limits.
 LC = Results may be biased low due to continuing calibration verification (CCV) not within control limits.
 M = Matrix Spike and/or Matrix Spike Duplicate recovery was outside acceptance limits.

Created by: JSP 11/14/03
 Checked by: JS 11/18/03, CMW 8/23/05, 11/23/05, 3/10/06, 5/5/06, TLR 9/6/06, CMW 11/3/06, RE 2/15/07, RE 4/19/07, CMW 9/25/07

Table 3
Water Level Summary
Frontier FS Cooperative - Marxville/ Project #2489
Mazomanie, Wisconsin

Raw Data		Depth to Water in feet below top of well casing		
		MW1	MW2	MW3
Measurement Date				
15-Jul-05	(1)	12.15	2.61	3.45
19-Oct-05	(1)	12.73	3.19	4.07
20-Jan-06	(1)	12.75	3.20	4.07
17-Apr-06	(1)	12.27	2.69	3.55
25-Jul-06	(1)	12.30	2.72	3.58
16-Oct-06	(1)	12.53	2.97	3.85
22-Jan-07	(1)	12.69	3.14	4.02
30-Mar-07	(1)	11.58	1.97	2.81

Well Number Top of Casing Elevation (feet amsl)		Ground Water Elevation in feet above mean sea level (amsl)		
		MW1	MW2	MW3
		865.30	855.33	855.92
Measurement Date				
15-Jul-05	(1)	853.15	852.72	852.47
19-Oct-05	(1)	852.57	852.14	851.85
20-Jan-06	(1)	852.55	852.13	851.85
17-Apr-06	(1)	853.03	852.64	852.37
25-Jul-06	(1)	853.00	852.61	852.34
16-Oct-06	(1)	852.77	852.36	852.07
22-Jan-07	(1)	852.61	852.19	851.90
30-Mar-07	(1)	853.72	853.36	853.11

ABBREVIATIONS:

NM = not measured

NOTES:

(1) Top of Casing Elevation was surveyed relative to the on-site water supply well, which was given an arbitrary elevation of 865 feet amsl based on the topographic map for the area.

Impacted Off-Source Property Information

Form 4400-246 (R 3/08)

This fillable form is intended to provide a list of information that must be submitted for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request (Section H). The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: 02-13-547216

ACTIVITY NAME: DANCO PRAIRIE FS COOP-MAZOMANIE

ID	Off-Source Property Address	Parcel Number	WTM X	WTM Y
A	9155 State Highway 19, Mazomanie, WI 53560	004/0807-082-9740-0	544946	301489
B				
C				
D				
E				
F				
G				
H				
I				

June 12, 2008

~~March 3, 2008~~

Mr. and Mrs. Donald Kerl
9155 Highway 19
Mazomanie, WI 53560

SUBJECT: Impacts to Ground Water from Frontier FS Cooperative – Marxville Facility

Dear Mr. and Mrs. Kerl:

Groundwater contamination that appears to have originated on the property located at 9119 Highway 19, Mazomanie, Wisconsin has migrated onto your property at 9155 Highway 19, Mazomanie, Wisconsin. The levels of nitrate plus nitrite as nitrogen contamination in the groundwater on your property are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code. However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable or receding and will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726, Wisconsin Administrative Code, and I will be requesting that the Department of Natural Resources accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. To obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination," you may visit <http://www.dnr.wi.gov/org/aw/rr/archives/pubs/RR589.pdf>.

The Department of Natural Resources will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department of Natural Resources that is relevant to this closure request, you should mail that information to: Mr. ~~Jeff Ackerman~~, P.O. Box 8911, Madison, WI 53708-8911.

Jason Lowery

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Once the Department makes a decision on my closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing

Mr. and Mrs. Donald Kerl
~~March 3, 2008~~ June 12, 2008
Page 2


to the agency address given above, or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at www.dnr.wi.gov/org/aw/rr/gis/index.htm. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to obtain approval from a regional water supply specialist in DNR's Drinking Water and Groundwater Program. The well construction application, form 3300-254, is on the internet at <http://www.dnr.wi.gov/org/water/dwg/3300254.pdf> or may be accessed through the GIS Registry web address in the preceding paragraph.

If you need more information, you may contact me at 222 E. Puerner Street, P.O. Box 359, Jefferson, Wisconsin, (920) 674-7000, or you may contact Mr. ~~Jeff Aokerman~~ at P.O. Box 8911, Madison, WI 53708-8911, (608) 224-4516.

Jason Lowery

Sincerely,



Sam Skemp
General Manager, Frontier FS Cooperative



Tracking

Tracking

Track Shipments

- Track by Reference
- Track by E-mail
- Signature Tracking
- Import Tracking Numbers

- Wireless Tracking
- Track with Quantum View
- Access Flex Global View
- Integrate Tracking Tools
- Void a Shipment
- Help

Log-In User ID: Password: | Forgot Password

Register

Track Shipments

Track Packages & Freight Quantum View Flex Global View

Tracking Detail

Printer Friendly | Help

Your package has been delivered.

Tracking Number: 1Z F51 03V 22 1002 271 5
 Type: Package
 Status: **Delivered** [Proof of Delivery](#)
 Delivered On: 06/13/2008 11:09 A.M.
 Location: FRONT DOOR
 Delivered To: MAZOMANIE, WI, US
 Shipped/Billed On: 06/12/2008
 Service: NEXT DAY AIR

To view additional tracking information, please log in to My UPS.

Go Global With UPS



Visit ups.com/international

Find Answers to Your Tracking Questions

→ Go to Tracking FAQ

Package Progress

Location	Date	Local Time	Description
MIDDLETON, WI, US	06/13/2008	11:09 A.M.	DELIVERY
	06/13/2008	6:37 A.M.	OUT FOR DELIVERY
	06/13/2008	6:15 A.M.	ARRIVAL SCAN
OAK CREEK, WI, US	06/13/2008	4:08 A.M.	DEPARTURE SCAN
OAK CREEK, WI, US	06/12/2008	11:21 P.M.	ARRIVAL SCAN
MADISON, WI, US	06/12/2008	9:19 P.M.	DEPARTURE SCAN
	06/12/2008	8:41 P.M.	ORIGIN SCAN
US	06/12/2008	8:00 P.M.	BILLING INFORMATION RECEIVED

Tracking results provided by UPS: 06/18/2008 2:37 P.M. ET

Printer Friendly

Get Notified: Quantum View NotifySM

Log in or register to e-mail this page to up to three recipients.

[Log in](#)
[Register](#)



Delivery Notification

Dear Customer,

This is in response to your request for delivery information concerning the shipment listed below.

Tracking Number: 1Z F51 03V 22 1002 271 5
Service: NEXT DAY AIR
Shipped/Billed On: 06/12/2008
Delivered On: 06/13/2008 11:09 A.M.
Delivered To: MAZOMANIE , WI , US
Location: FRONT DOOR

Thank you for giving us this opportunity to serve you.

Sincerely,
UPS

Tracking results provided by UPS: 06/18/2008 2:38 P.M. ET

101M NO. 985A



Stock No. 26273


000342

DANE COUNTY CERTIFIED SURVEY MAP NO. 11879
 LOCATED IN THE SE 1/4-NW 1/4 & THE NE 1/4-SW 1/4, SECTION 8, TOWN 8 NORTH,
 RANGE 7 EAST, TOWN OF BERRY, DANE COUNTY, WISCONSIN.

4222111

Curve	Radius	Arc	Central angle	Chord bearing	Length	Tangent bearing	Tangent bearing
1-2	1910.08'	192.14'	05°45'50"	N 69°35'01" E	192.06'	N 66°42'06" E	S 72°27'56" W
3-4	1860.08'	7.25'	00°13'24"	N 72°34'36" E	7.25'	N 72°27'56" E	S 72°41'20" W
5-6	1860.08'	208.63'	06°25'34"	N 69°13'09" E	208.52'	N 66°02'22" E	S 72°27'56" W

Refer to building site information contained in the Dane County Soil Survey





LOCATED IN THE SE ¼-NW ¼ AND A PART OF THE NE ¼-SW ¼, SECTION 8, TOWN 8 NORTH, RANGE 7 EAST, TOWN OF BERRY, DANE COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE:

I, John M. Halverson, Registered Land Surveyor, hereby certify that I have surveyed, divided, mapped, and dedicated a part of the SE ¼-NW ¼ and a part of the NE ¼-SW ¼ of Section 8, Town 8 North, Range 7 East, Town of Berry, Dane County, Wisconsin described as follows:

Commencing at the West ¼ corner of said Section 8; thence N 89°23'16" E, 1318.34 feet along the South line of the NW ¼ of said Section 8 to the Southwest corner of the SE ¼-NW ¼ of said Section 8 and the point of beginning; thence N 00°04'14" W, 902.97 feet along the West line of said SE ¼-NW ¼ to a point in the centerline of S.T.H. '19'; thence Northeasterly, 192.14 feet along the arc of a curve to the right having a central angle of 05°45'50" and a radius of 1910.08 feet, said arc also being the centerline of S.T.H. '19', the long chord of which bears N 69°35'01" E, 192.06 feet; thence N 72°27'56" E, 189.96 feet along the centerline of S.T.H. '19'; thence S 17°32'04" E, 50.00 feet; thence N 72°27'56" E, 482.39 feet along the Southerly r/w line of S.T.H. '19'; thence Northeasterly, 7.25 feet along the arc of a curve to the right having a central angle of 00°13'24" and a radius of 1860.08 feet, said arc also being the Southerly r/w line of S.T.H. '19', the long chord of which bears N 72°34'38" E, 7.25 feet; thence S 22°18'50" E, 447.69 feet; thence S 65°55'00" W, 408.26 feet; thence S 57°49'55" W, 335.87 feet; thence S 26°19'59" W, 260.04 feet; thence S 36°00'56" W, 223.71 feet; thence S 53°51'26" W, 133.63 feet; thence N 00°03'11" W, 125.37 feet along the West line of the NE ¼-SW ¼ of said Section 8 to the point of beginning, containing 14.291 acres and is subject to any and all easements of record.


That such certified survey map was completed at the request of Donald W. Kerl.

That I have complied with the provisions of Chapter 236.34 of the Wisconsin State Statutes and the Dane County Land Division and Subdivision Regulations to the best of my knowledge and belief. That such certified survey map is a true and correct representation of all the exterior boundaries of the land surveyed and the subdivision thereof made.

John M. Halverson

John M. Halverson
Registered Land Surveyor
6381 Coon Rock Road
Arena, WI 53503

Dated this 31st day of July, 2006



DANE COUNTY ZONING AND LAND REGULATION COMMITTEE

Approved for recording by the Dane County Zoning and Land Regulation Committee.

Norbert Scribner #8471

Norbert Scribner
Authorized Representative

August 4, 2006
Date

REGISTER OF DEEDS CERTIFICATE:

Received for recording this 7th day of August, 2006 at 10:09 A.M. and recorded in Volume 73 of Certified Survey Maps on Pages 19, 20, 21 as Certified Survey Map No. 11879 and Document Number 4222111.

Jane Licht by Peter Ellsted, deputy

Jane Licht
Register of Deeds

000344

LOCATED IN THE SE ¼-NW ¼ AND THE NE ¼-SW ¼, SECTION 8, TOWN 8 NORTH, RANGE 7 EAST, TOWN OF BERRY, DANE COUNTY, WISCONSIN.

OWNERS CERTIFICATE:

As Owners, We hereby certify that We caused the land described on this Certified Survey Map to be surveyed, divided, mapped, and dedicated as shown on this Certified Survey Map. We also certify that this Certified Survey Map is required by S.75.17(1)(a), Dane County Code of Ordinances to be submitted to the Dane County Zoning and Land Regulation Committee for approval.

Donald W. Kerl
Donald W. Kerl -Owner

Patricia A. Kerl
Patricia A. Kerl-Owner

State Bank of Cross Plains

Denise A Callahan, AVP
Denise A Callahan, AVP
State Bank of Cross Plains-Lender

State Bank of Cross Plains-Lender

Personally came before me this 14th day of July, 2006. The above named Owners and Lenders to me known to be the persons who executed the foregoing instrument and acknowledged the same.


STATE OF WISCONSIN)
COUNTY OF DANE) s.s.

Christine J Morgan
Notary Public
My Commission Expires 9-2-07

TOWN BOARD APPROVAL AND ACCEPTANCE

"Resolved that this Certified Survey Map, which has been duly filed for approval of the Town of Berry, Dane County, Wisconsin be and the same is hereby acknowledged and accepted by the Town of Berry." I hereby certify that the above is a true and correct copy of a resolution adopted by the Town of Berry on this 17th day of July, 2006. The public highway right-of-way dedication designated herein is hereby acknowledged and accepted by the Town of Berry.

Melvin J. Bankes
Melvin Bankes
Town Chairman



Julie [Signature]
7/31/06