

GIS REGISTRY

Cover Sheet

May, 2009
(RR 5367)

Source Property Information

BRRTS #: 03-13-000413

ACTIVITY NAME: MCFARLAND MOTORS

PROPERTY ADDRESS: 5907 S Stoughton Rd

MUNICIPALITY: McFarland

PARCEL ID #: 154-0610-032-5420-1

CLOSURE DATE: May 18, 2009

FID #: 113247200

DATCP #:

COMM #: 53558999907

*WTM COORDINATES:

X: 576866 Y: 282608

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

Approximate Center Of Contaminant Source

Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Land Use Controls:

N/A (Not Applicable)

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between non-industrial and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government or economic
development corporation)*

Monitoring Wells:

Are all monitoring wells properly abandoned per NR 141? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:	03-13-000413	PARCEL ID #:	154-0610-032-5420-1
ACTIVITY NAME:	McFarland Motors	WTM COORDINATES:	X: 576866 Y: 282608

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title:**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

- Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.
- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 2.1 Title: SITE LOCATION MAP
 - Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2 Title: SITE MAP
 - Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2 Title: PRE-EXCAVATION BTEX DISTRIBUTION IN SOIL 4-11' BGS

BRRTS #: 03-13-000413

ACTIVITY NAME: McFarland Motors

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: 5 Title: CROSS-SECTION A-A'

Figure #: 6 Title: CROSS-SECTION B-B'

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: 3 Title: ESTIMATED EXTENT OF GROUNDWATER CONTAMINATION 04/10/08

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 2 Title: POTENTIOMETRIC SURFACE 04/10/08

Figure #: 3 Title: POTENTIOMETRIC SURFACE 12/20/99

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.

Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: Title: SOIL ANALYTICAL RESULTS

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 2 Title: GROUNDWATER ANALYTICAL RESULTS

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 1 Title: GROUNDWATER ELEVATIONS

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

Not Applicable

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: 1 Title: SITE PLAN (Miller Engineers and Scientists)

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-13-000413

ACTIVITY NAME: McFarland Motors

NOTIFICATIONS

Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.
Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:

- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters: 1



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
P.O. Box 8044
Madison, Wisconsin 53708-8044
TTY: Contact Through Relay
Fax: (608) 267-1381
Jim Doyle, Governor
Richard J. Leinenkugel, Secretary

May 18, 2009

Cynthia E Albertson
State Bank Of Cross Plains
1205 Main Street
Cross Plains, WI 53528-9479

RE: **Final Closure with Land Use Limitation for Improperly Abandoned Monitoring Wells**
Commerce # 53558-9999-07-A DNR BRRTS # 03-13-000413
McFarland Motors, 5907 S Stoughton Rd, McFarland

Dear Ms. Albertson:

On February 16, 2009, the Wisconsin Department of Commerce (Commerce) determined that this site does not pose a significant threat to human health and the environment and, consequently, conditionally closed the site with the requirement that all monitoring wells be properly abandoned. Commerce has since been informed that two monitoring wells could not be properly abandoned because of construction activities for the Culver's Restaurant building.

Recent changes in state law allow Commerce to grant final closure of your site as long as the current and subsequent property owners adhere to the following limitation:

If monitoring wells MW-4 and MW-6 are located in the future, the then-current owner of the subject property will be required to properly abandon the well in compliance with the requirements in NR 141, Wis. Admin. Code, and to submit the required abandonment documentation to Commerce.

Failure to adhere to this limitation may result in financial penalties from \$10 to \$5,000 per day in accordance with section 292.99(1), Wis. Stats. Be aware that property owners may be held liable for any contamination associated with improperly abandoned monitoring wells that create a conduit for contaminants to enter groundwater.

This site is now listed as "closed" on the Commerce database and will be included on the Department of Natural Resources (DNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual soil and groundwater contamination. You can review all sites on the GIS Registry via the DNR's website at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

It is in your best interest to keep all documentation related to the environmental activities at your site. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required.

If you intend to construct or reconstruct a potable well on this property, you must get prior DNR approval. To obtain approval, complete Form 3300-254, GIS Registry Site Well Approval Application, and submit it to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or through the GIS Registry web address listed above.

All current and future owners and occupants of the property need to be aware that excavation of contaminated soil may pose a hazard. Special precautions may be needed to prevent inhalation, ingestion

or dermal contact with the residual contamination when it is removed. If soil is excavated, the property owner at the time of excavation must have the soil sampled and analyzed to determine if residual contamination remains. If sampling confirms that contamination is present, the property owner at the time of excavation must determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules.

Depending on site-specific conditions, construction over contaminated materials may result in vapor migration into enclosed structures or migration along newly placed underground utility lines. The potential for vapor inhalation and mitigation should be evaluated when planning any future redevelopment, and measures should be taken to ensure the continued protection of public health, safety, welfare and the environment at the site.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (608) 261-6543.

Sincerely,



Ralph N. Smith
Senior Hydrogeologist
Site Review Section

cc: Jennifer and Susan, LLC, 4700 Farwell Street, McFarland, WI 53558
Allan Wolfe - Shaw Environmental, Inc
Case File



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
P.O. Box 8044
Madison, Wisconsin 53708-8044
TTY: Contact Through Relay
Fax: (608) 267-1381
Jim Doyle, Governor
Richard J. Leinenkugel, Secretary

February 16, 2009

Cynthia Albertson
State Bank of Cross Plains
1205 Main Street
Cross Plains, WI 53528-9479

RE: **Conditional Case Closure**

Commerce # 53558-9999-07-A DNR BRRTS # 03-13-000413
McFarland Motors, 5907 South Stoughton Road, McFarland

Dear Ms. Albertson:

The Wisconsin Department of Commerce (Commerce) has reviewed the request for case closure prepared by your consultant, Shaw Environmental, Inc, for the site referenced above. It is understood that residual soil and groundwater contamination remains on site. Commerce has determined that this site does not pose a significant threat to the environment and human health. No further investigation or remedial action is necessary.

The following conditions must be satisfied to obtain final closure:

- Please properly abandon all nine of the remaining groundwater monitoring wells (groundwater extraction well inclusive) per NR 141.25 and provide copies of the well abandonment documentation to this office.

Information submitted with your closure request will be included on the Department of Natural Resources (DNR) GIS Registry of Closed Remediation Sites. All sites on the Registry can be viewed via the Remediation and Redevelopment (RR) Sites Map at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. Because residual contamination remains at the time of case closure, if you intend to construct or reconstruct a potable well on this property, you must get prior DNR approval.

All current and future owners and occupants of the property need to be aware that excavation of contaminated soil may pose a hazard. Special precautions may be needed to prevent inhalation, ingestion or dermal contact with the residual contamination when it is removed. If soil is excavated, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present, the property owner at the time of excavation must determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. Costs for sampling and excavation activities conducted after the date of this letter are not eligible for PECFA reimbursement.

Timely filing of your final PECFA claim (if applicable) is encouraged. If your claim is not received within 120 days of the date of this letter, interest costs incurred after 60 days from the date of this letter will not be eligible for PECFA reimbursement.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (608) 261-6543.

Sincerely,

A handwritten signature in cursive script that reads "Ralph N. Smith".

Ralph N. Smith
Senior Hydrogeologist
Site Review Section

cc: Allan Wolfe - Shaw Environmental, Inc
Jennifer and Susan, LLC, 4700 Farwell Street, McFarland, WI 53558
Mary Ann Gosda, Senior Claim Reviewer (via E-mail)
Case File

WARRANTY DEED

DOCUMENT NO.

Maco, Ltd.

conveys and warrants to Jennifer & Susan, LLC

the following described real estate in Dane County, State of Wisconsin:

Lot One (1), Certified Survey Map No. 1801, #7 recorded in Volume 7 of Certified Survey Maps, Page 210, as Document No. 1443273, in the Village of McFarland, Dane County, Wisconsin, except that part conveyed to the State of Wisconsin Department of Transportation recorded in Volume 17175 of Records, Page 15, as Document No. 2303199.

Together with an Easement for ingress and egress as created in Certified Survey Map No. 1801, recorded in Volume 7 of Certified Survey Maps, Page 210, as Document No. 1443273.

This is not homestead property.

Exception to warranties: municipal and zoning ordinances and agreements entered under them, recorded easements for the distribution of utility and municipal services, recorded building and use restrictions and covenants, and general taxes levied in the current year.

Dated this 2nd day of August, 2000

Maco, Ltd.

By: Ronald R. Mallon (SEAL) Ronald R. Mallon, President

AUTHENTICATION

Signatures Ronald R. Mallon authenticated this 2nd day of August, 2000.

TITLE: MEMBER STATE BAR OF WISCONSIN (If not, authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY Michael E. Grubb Brennan, Steil, Basting & MacDougall, S.C. Janesville, WI 53545

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN)) ss. DANE COUNTY)

Personally came before me this 2nd day of August, 2000, the above named Ronald R. Mallon as President of Maco, Ltd. to me known to be the person who executed the foregoing instrument and acknowledged the same.

NOTARY PUBLIC LAURE A. BOLLINGER STATE OF WISCONSIN Notary Public, Dane County, WI My commission: OCTOBER 27 2002

DANE COUNTY REGISTER OF DEEDS

3239052

08-08-2000 3:41 PM

Trans. Fee 3600.00

Rec. Fee 10.00

Pages 1

000744

THIS SPACE RESERVED FOR RECORDING DATA

NAME AND RETURN ADDRESS Attorney Jim Statz P.O. Box 1644 Madison, WI 53701-1644


154-0810-032-5420-1 (Parcel Identification Number)

(Computer Identification Number)


LEGEND:

- IRON STAKE FOUND
- IRON STAKE SET
- 1/8" @ 24" @ 204"/ft. CENTERLINE SHED
- ▨ EXISTING BUILDING

CERTIFIED SURVEY MAP
DONALD L. PAULSON
 Surveyor
 Madison, Wisconsin



DESCRIPTION: Part of the S.W. 1/4 of the N.W. 1/4, Section 3, T6N, R10E (Town of Dunn) and is also part of Outlot 70, Assessor's Plat of the Village of McFarland, Dane County, Wisconsin to-wit:
 Commencing at the W 1/4 corner of said Section 3; thence S 85°-51'-40"E, 701.40' to the centerline of United States Highway 51, thence N 19°-20'-00"E along said centerline 503.29' to the point of beginning of this description; thence continuing N 19°-20'-00"E, 339.91'; thence S 87°-57'-20" E, 363.34'; thence S 2°-05'-00" W, 344.36'; thence N 85°-30'-40" W, 464.54' to the point of beginning.



I HEREBY CERTIFY THAT I HAVE SURVEYED THE PROPERTY DESCRIBED ABOVE ACCORDING TO THE DESCRIPTIONS FURNISHED AND LOCATED THE BUILDINGS AS SHOWN AND THAT THE ABOVE MAP IS A CORRECT REPRESENTATION OF THE LOT LINES THEREOF AND I HAVE COMPLIED WITH CHAPTER 236.34 OF THE STATUTES OF THE STATE OF WISCONSIN.

MADISON, WISCONSIN Donald L. Paulson
 Donald L. Paulson
 Land Surveyor #S-728

Smith Oil Corporation
 1100 Kilburn Avenue
 Rockford, Illinois 61101

Arnold and O'Sheridan, Inc.
 815 Forward Drive
 Madison, Wisconsin 53711

August 22, 1975
 S-7549-1

CERTIFIED SURVEY MAP NUMBER 1801

DOCUMENT NUMBER 1443273

Sheet 1 of 2

CERTIFIED SURVEY MAP
DONALD L. PAULSON
Surveyor
Madison, Wisconsin

The Smith Oil Corporation, duly organized and existing under and by virtue of the Laws of the State of Illinois, as Owner, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and dedicated as represented on this Certified Survey Map.

In WITNESS WHEREOF, Smith Oil Corporation has caused these presents to be signed and countersigned by its officers listed below at Rockford, Illinois and its corporate seal to be hereunto affixed this 12th day of September, 1975.

Witness:

R. W. Malmberg
R. W. Malmberg
John F. Hesler
John F. Hesler

SMITH OIL CORPORATION

W. R. Williams
W. R. Williams, President
G. L. Fuchs
G. L. Fuchs, Assistant Secretary

State of Illinois))
County of Winnebago) SS

Personally came before me this 12th day of September, 1975, the above named officers of Smith Oil Corporation to me known to be the persons who executed the foregoing instrument as such officers as the deed of said corporation, by its authority.

Marsha H. Rappa
Notary Public, Rockford, Illinois

APPROVED FOR RECORDING PER VILLAGE
OF MC FARLAND VILLAGE BOARD ACTION
OF SEPTEMBER 9, 1975.
Anna Davis
Village Clerk

Received for Record this 16 day of
Sept, 1975 at 12³⁵ o'clock,
P. M. and Recorded in Volume 7
of Certified Surveys, Pages 210 and
211.

Harold K. Hill
HAROLD K. HILL, Register of Deeds
Dane County, Wisconsin

By: Vera Chapman, Deputy

Arnold and O'Sheridan, Inc.
815 Forward Drive
Madison, Wisconsin 53711

CERTIFIED SURVEY MAP NUMBER 1801
DOCUMENT NUMBER 1443273

August 22, 1975
S-7549-2

Sheet 2 of 2

vol. 7 Page -211-

I Cynthia E. Albertson, Agent of the State Bank of Cross Plains, Responsible Party (RP) for the petroleum underground storage tank release at the McFarland Motors site located at 5907 South Stoughton Road, Village of McFarland, Dane County, Wisconsin, do hereby certify that to the best of my knowledge the attached legal description includes all of the properties within the contaminated site boundaries.


Cynthia E. Albertson

1-23-09

Date


APPROVED BY:

CHECKED BY:

GAW


DRAWN BY:

DRAWING NO. 90.123-1



SITE LOCATION

SCALE
1: 24000



CONTOUR INTERVAL 10 FEET





FIGURE 2.1

SITE LOCATION MAP





- LEGEND**
- ⊕ MONITORING WELL
 - ⊕ GROUNDWATER EXTRACTION WELL
 - ⊕ SOIL/TEST BORING
 - GEOPROBE BORING
 - TANK REMOVAL SOIL SAMPLE
 - UNDERGROUND STORAGE TANK
 - GEOPROBE BORINGS WERE DRILLED 12/2/97




Shaw Environmental, Inc.
2835 North Greenleaf Blvd.
Fond du Lac, Wisconsin 53072-0090

SITE MAP
MCFARLAND MOTORS SITE
MCFARLAND, WISCONSIN

PROJECT NO.
2

DRAWING NO.	131017_1008	DRAWN BY:	JRD	10/27/08	CHECKED BY:		APPROVED BY:		REVISIONS:	ENGINEER	DATE	ENGINEER	DATE
-------------	-------------	-----------	-----	----------	-------------	--	--------------	--	------------	----------	------	----------	------




Shaw Environmental, Inc.
2435 North Gundersen Blvd.
Fond du Lac, Wisconsin 53072-0080

PRE-EXCAVATION GROUND DISTRIBUTION IN SOIL

MEFARLAND MOTORS SITE
MEFARLAND, WISCONSIN

PROJECT NO. 2

DRAWING NO.	131017_1008	DRAWN BY:	JRD	12/10/08	CHECKED BY:		APPROVED BY:		REVISIONS:	DESIGNER	DATE	DESIGNER	DATE
-------------	-------------	-----------	-----	----------	-------------	--	--------------	--	------------	----------	------	----------	------



- LEGEND**
- ⊕ MONITORING WELL
 - ⊙ SOIL BORING
 - ⊕ GROUNDWATER EXTRACTION WELL
 - ⊕ UST UNDERGROUND STORAGE TANK


Fluid Management
 A Division of ENVIROGEN, Inc.

Cross-Section Plan View
McFarland Motors Site
McFarland, Wisconsin






FIGURE NO.
4

THE INTERPRETATIONS IN THIS FIGURE ARE BASED ON KNOWN POINTS IN TIME AND SPACE AND ARE INTEGRAL TO A WRITTEN REPORT AND SHOULD BE REVIEWED IN THAT CONTEXT.

APPROVED BY: *LM* 3/19/96
 CHECKED BY: LME 3/19/96
 DRAWN BY: LME 3/19/96
 DRAWING NO. 90-125V5B



- LEGEND**
- SAMPLE INTERVAL
 - SCREENED INTERVAL
 - POTENTIOMETRIC SURFACE (4/22/93)
 - POTENTIOMETRIC SURFACE (3/12/96)

Fluid Management
 A Division of ENVIROGEN, Inc.



SCALE
 HORIZONTAL: 1" = 30'
 VERTICAL: 1" = 5'

Geologic Cross-Section A-A'
McFarland Motors Site
McFarland, Wisconsin

FIGURE NO.
5

THE INTERPRETATIONS IN THIS FIGURE ARE BASED ON BOREHOLE POINTS IN TIME AND SPACE AND ARE INTEGRAL TO A WRITTEN REPORT AND SHOULD BE REVIEWED IN THAT CONTEXT.

DRAWING NO. 90.125V6B
 APPROVED BY: *[Signature]*
 CHECKED BY: *[Signature]*
 LME 3/19/98
 DRAWN BY: LME
 3/12/96




SCALE
 HORIZONTAL: 1" = 30'
 VERTICAL: 1" = 5'

Geologic Cross-Section B-B'
McFarland Motors Site
McFarland, Wisconsin

FIGURE NO.
6

THE INTERPRETATIONS IN THIS FIGURE ARE BASED ON KNOWN POINTS IN TIME AND SPACE AND ARE INTEGRAL TO A WRITTEN REPORT AND SHOULD BE REVIEWED IN THAT CONTEXT.




- LEGEND**
- ⊕ MONITORING WELL
 - ⊕ GROUNDWATER EXTRACTION WELL
 - (NA) NOT ANALYZED
 - ESTIMATED LIMITS OF CONTAMINATION EXCEEDING MCL GROUNDWATER ENFORCEMENT STANDARDS
 - UST UNDERGROUND STORAGE TANK



Shaw
 2435 North Gundersen Blvd.
 Fennell, Wisconsin 53072-0290

ESTIMATED EXTENT OF GROUNDWATER CONTAMINATION (04/1/02)		PROJECT NO. 3
MCFARLAND MOTORS SITE MCFARLAND, WISCONSIN		

DRAWING NO.	131017_0608	DRAWN BY:	JRD	DATE	06/05/08	CHECKED BY:		APPROVED BY:		REVISIONS:	ENGINEER	DATE	ENGINEER	DATE
-------------	-------------	-----------	-----	------	----------	-------------	--	--------------	--	------------	----------	------	----------	------



- LEGEND**
- ⊕ MONITORING WELL
 - ⊕ GROUNDWATER EXTRACTION WELL
 - () GROUNDWATER ELEVATION IN FEET (MSL)
 - (NM) NOT MEASURED
 - 847.0 (ELEVATION CONTOUR SCREEN SUBMERGED)
 - UST UNDERGROUND STORAGE TANK

POTENTIOMETRIC SURFACE
 (1/22/09)
 McFARLAND MOTORS SITE
 McFARLAND, WISCONSIN



DRAWING NO.	PO.123V103E	DRAWN BY:	RRT	05/02/00	CHECKED BY:		APPROVED BY:		REVISIONS:	ENGINEER	DATE	ENGINEER	DATE
-------------	-------------	-----------	-----	----------	-------------	--	--------------	--	------------	----------	------	----------	------

**Soil Analytical Results
Former McFarland Motors Site
McFarland, Wisconsin**

Location	Sample Depth (ft bgs)	Date	DRO (ppm)	GRO (ppm)	Lead	Benzene	n-Butylbenzene	sec-Butylbenzene	Isopropylbenzene	n-Propylbenzene	1,2 DCA	Ethylbenzene	MTBE	Naphthalene	Toluene	1,2,4-TMB	1,3,5-TMB	Total Xylenes	TPH Gasoline	TPH Diesel	
S-1	9	5/9/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	53	NA	
S-2	9	5/9/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	109,230	NA	
S-3	9	5/9/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1,228	NA	
S-4	15	5/9/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	16	NA	
S-5	9	5/9/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	24	NA	
S-6	4	5/9/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	138	NA	
S-7	4	5/9/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	953	NA	
S-8	4	5/9/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1515	NA	
S-9	4	5/9/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23,514	NA	
B-1 (MW-1)	7.5	6/4/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4200	NA	
B-1 (MW-1)	10	6/4/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4600	NA	
B-1 (MW-1)	15	6/4/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1300	NA	
B-2	10	6/4/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1600	NA	
B-3 (MW-2)	10	6/4/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<4.0	NA	
B-4	10	6/4/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<4.0	NA	
B-5 (MW-3)	10	6/4/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<4.0	NA	
B-6	10	6/4/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	55	NA	
B-7 (MW-4)	NA	6/4/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	na	53	NA
B-8	10	6/4/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	14	NA	
B-9 (MW-5)	10	6/4/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<4.0	NA	
B-10	2.5	6/4/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<4.0	NA	
B-11	10	6/4/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<4.0	NA	
MW-6	7.5	12/10/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<4.0	NA	
MW-6	10	12/10/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	52	<5	
MW-7	10	12/10/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	<5	
MW-7	15	12/10/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	<5	
MW-8	7.5	12/10/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	<5	
MW-8	15	12/10/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	700	<5	
MW-9	10	12/10/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	<5	
MW-9	15	12/10/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	<5	
TB-11	4-6	10/08/1996	<4.5	<2.9	5,500	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	NA	NA	
TB-12	4-6	10/08/1996	1,900	9,900	7,600	96,000	31,000	6,400	15,000	63,000	<2500	180,000	<2500	48,000	600,000	370,000	120,000	820,000	NA	NA	
TB-13	4-6	10/08/1996	<3.6	<2.8	3,200	<25	<25	<25	<25	<25	<25	<25	<25	<25	34	<25	<25	<50	NA	NA	
GP-1	2-5	12/10/1997	28	NA	NA	3,400	NA	NA	NA	NA	NA	51,000	3,200	2,200	84,000	94,000	27,000	229,000	NA	NA	
GP-1	5-8	12/10/1997	NA	5,400	NA	36,000	NA	NA	NA	NA	NA	120,000	12,000	NA	280,000	230,000	72,000	510,000	NA	NA	
GP-2	5-8	12/10/1997	NA	10,000	NA	80,000	NA	NA	NA	NA	NA	240,000	31,000	NA	630,000	390,000	120,000	960,000	NA	NA	
GP-3	4-8	12/10/1997	NA	6,200	NA	33,000	NA	NA	NA	NA	NA	170,000	12,000	NA	380,000	280,000	89,000	680,000	NA	NA	
GP-4	4-8	12/10/1997	NA	5,700	NA	390,000	NA	NA	NA	NA	NA	120,000	8,900	NA	330,000	300,000	95,000	640,000	NA	NA	
GP-5	4-8	12/10/1997	NA	12,000	NA	100,000	NA	NA	NA	NA	NA	260,000	33,000	NA	750,000	460,000	150,000	1,130,000	NA	NA	
GP-6	7-11	12/10/1997	NA	2,900	NA	10,000	NA	NA	NA	NA	NA	54,000	4,800	NA	130,000	140,000	49,000	298,000	NA	NA	
NR 720 .09 Table 1 RCL Based on Protection of Groundwater			NES	NES	NES	5.5	NES	NES	NES	NES	4.9	2,900	NES	NES	1,500	NES	NES	4,100	NES	NES	
NR 746.06 Table 1 Soil Screening Levels			NES	NES	NES	8,500	NES	NES	NES	NES	600	4,600	NES	2,700	38,000	83,000	11,000	42,000	NES	NES	
NR 746.06 Table 2 Direct Contact			NES	NES	NES	1,100	NES	NES	NES	NES	540	NES	NES	NES	NES	NES	NES	NES	NES	NES	
NR 720 .11 Table 2 Direct Contact (non industrial)			NES	NES	50,000	NES	NES	NES	NES	NES	NES	NES	NES	NES	NES	NES	NES	NES	NES	NES	NES

Notes: Results listed in parts-per-billion unless noted
NA= Not Analyzed
bgs=Below Ground Surface

Soil Excavation Analytical Results
 October 5-6, 1998
 McFarland Motors Site
 McFarland, Wisconsin

Location	Sample Depth (ft bls)	GRO (ppm)	Benzene	Ethyl-benzene	MTBE	Toluene	1,2,4-TMB	1,3,5-TMB	Total Xylenes
WS-1	7.5	4,000	37,000	92,600	<1,400	200,000	206,000	58,300	442,000
WS-2	7.5	369	15,400	18,500	<76	56,900	15,200	4,000	87,700
WS-3	8	6,420	58,500	146,000	<1,400	288,000	319,000	89,400	670,000
WS-4	8	11,600	176,000	257,000	<2,900	750,000	444,000	132,000	1,160,000
WS-5	8	1,550	13,100	38,100	<600	64,300	94,000	26,200	179,000
WS-6	8	294	1,700	5,090	<56	6,220	14,700	3,390	20,400
WS-7	8	388	4,260	6,980	<160	16,800	19,400	5,430	34,900
WS-8	8	327	971	4,180	<135	7,110	19,200	5,870	26,000
WS-9	8	4,130	19,500	80,300	<1,400	163,000	237,000	70,000	486,000
LS-6	Excavated	2,160	23,500	83,300	<610	176,000	191,000	49,000	414,000
LS-21	Excavated	7,620	72,900	159,000	<2,800	318,000	367,000	107,000	743,000
LS-31	Excavated	223	5,640	5,120	<66	19,700	9,450	2,760	23,600
LS-42	Excavated	2,190	14,100	39,200	<390	79,900	165,000	47,000	381,000
NR 720.09 RCL		100	5.5	2,900	NS	1,500	NS	NS	4,100
NR 746.06 Table 1 Product Indicator Values		NS	8,500	4,600	NS	38,000	83,000	11,000	42,000

Notes: Results listed in parts-per-billion unless noted
 NS - no standard

TABLE 2

**Groundwater Analytical Results
Former McFarland Motors
McFarland, Wisconsin**

Well	Date	GRO	Benzene	Ethylbenzene	Toluene	Total Xylenes	MTBE	Total TMB
MW-1	6/7/90	0.073	16,000	2,400	23,000	11,000	NA	NA
	12/19/90	NS	NS	NS	NS	NS	NS	NS
	7/7/92	86	13,000	3,400	29,000	14,000	<400	3,820
	3/26/93	Free Product						
	5/26/93	Free Product						
	2/9/94	270	12,000	3,500	27,000	17,000	<500	14,800
	5/31/94	458	31,000	12,000	76,000	60,000	<500	34,900
	9/6/94	6,340	12,000	42,000	46,000	294,000	<5,000	801,000
	12/12/94	Free Product						
	3/28/95	Free Product						
	6/8/95	Free Product						
	9/12/95	Free Product						
	12/1/95	Free Product						
	3/12/96	Free Product						
	5/30/96	Free Product						
	9/18/96	Free Product						
	12/8/96	Free Product						
	3/13/97	Free Product						
	12/18/97	Free Product						
	3/13/97	Free Product						
8/19/97	Free Product							
9/17/98	Free Product							
NR 140 PAL	NS	0.5	140	200	1,000	12	96	
NR 140 ES	NS	5	700	1,000	10,000	60	480	

Table 2 (Continued)

Groundwater Analytical Results
Former McFarland Motors
McFarland, Wisconsin

Well	Date	GRO	Benzene	Ethylbenzene	Toluene	Total Xylenes	MTBE	Total TMB
MW-2	6/7/90	0.029	<2	<2	<2	<2	NA	NA
	12/19/90	NS	NS	NS	NS	NS	NS	NS
	7/7/92	<0.050	<1.0	<1.0	<1.0	2	<1.0	4
	3/17/93	<0.050	<1.0	<1.0	<1.0	<3.0	<1.0	<2.0
	5/26/93	<0.050	<1.0	<1.0	<1.0	<3.0	<1.0	<2.0
	2/9/94	NS	NS	NS	NS	NS	NS	NS
	5/31/94	NS	NS	NS	NS	NS	NS	NS
	9/6/94	NS	NS	NS	NS	NS	NS	NS
	12/12/94	NS	NS	NS	NS	NS	NS	NS
	3/28/95	NS	NS	NS	NS	NS	NS	NS
	6/8/95	NS	NS	NS	NS	NS	NS	NS
	9/12/95	<0.05	<0.50	<1.0	<1.0	<3.0	<1.0	<2.0
	12/1/95	<0.050	<0.50	<1.0	<1.0	<3.0	<1.0	<2.0
	3/12/96	<0.050	<0.50	<1.0	<1.0	<3.0	<1.0	<2.0
	5/30/96	<0.050	<0.50	<1.0	<1.0	<3.0	<1.0	<2.0
	9/18/96	<0.050	<0.50	<1.0	<1.0	<3.0	<3.0	<2.0
	12/18/96	<0.050	<0.50	<1.0	<1.0	<3.0	<1.0	<2.0
	3/13/97	<0.050	<0.13	<0.22	<0.20	<0.23	0.79	<0.51
	8/19/97	<0.050	<0.13	<0.22	<0.20	<0.23	<2.0	<0.51
	9/17/98	NA	<0.31	<0.38	<0.39	<1.1	<0.14	<0.65
10/11/99	NA	<0.13	<0.22	<0.20	<0.23	<2.0	<0.51	
4/10/08	NA	<0.14	<0.40	<0.36	<1.1	<0.36	<0.79	
NR 140 PAL	NS	0.5	140	200	1,000	12	96	
NR 140 ES	NS	5	700	1,000	10,000	60	480	

Table 2 (Continued)

Groundwater Analytical Results
Former McFarland Motors
McFarland, Wisconsin

Well	Date	GRO	Benzene	Ethylbenzene	Toluene	Total Xylenes	MTBE	Total TMB
MW-3	6/7/90	0.029	6,100	900	5,800	3,200	NA	NA
	12/19/90	Free Product						
	7/7/92	Free Product						
	3/17/93	Free Product						
	5/26/93	Free Product						
	2/9/94	Free Product						
	5/31/94	26	4,900	970	7,000	4,300	<20	960
	9/6/94	1,220	8,800	4,600	29,000	30,000	<5,000	169,000
	12/12/94	59	4,700	2,200	14,000	13,000	<200M	3,300
	3/28/95	NS	NS	NS	NS	NS	NS	NS
	6/8/95	NS	NS	NS	NS	NS	NS	NS
	9/12/95	31	3,600	1,500	8,200	7,400	<100	1,750
	12/1/95	26	2,400	770	4,400	5,400	<200M	1,480
	3/12/96	25	3,300	940	4,700	5,400	<170M	2,000
	5/30/96	27	4,300	950	6,200	4,900	<50	1,290
	9/18/96	5.1H	960	230	500	820	<33M	350
	12/18/96	13	950	560	1,600	2,800	33	1,170
	3/13/97	6.3	820	250	840	1,200	<1.6	439
	8/19/97	23	2,700	1,100	3,500	4,400	<3.2	1,500
	9/17/98	NA	1,700	1,500	5,700	6,600	<14	2,040
	1/11/99	NA	1,700	860	2,700	4,000	120	1,740
	3/25/99	NA	4,000	1,500	6,600	7,000	<16	2,350
6/21/99	NA	2,600	910	2,000	3,910	62	1,630	
10/11/99	NA	1,100	1,500	5,900	7,200	<16	2,200	
12/20/99	NA	1,400	990	3,000	5,100	20	1,710	
1/5/01	NA	1,400	290	200	1,200	47	360	
4/10/08	NA	627	1060	692	4443	18.1	1723	
MW-4	6/7/90	<0.004	<2	<2	<2	<2	NA	NA
	12/19/90	NS	NS	NS	NS	NS	NS	NS
	7/7/92	<0.050	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0
NR 140 PAL		NS	0.5	140	200	1,000	12	96
NR 140 ES		NS	5	700	1,000	10,000	60	480

Table 2 (Continued)

Groundwater Analytical Results
Former McFarland Motors
McFarland, Wisconsin

Well	Date	GRO	Benzene	Ethylbenzene	Toluene	Total Xylenes	MTBE	Total TMB
MW-5	6/7/90	<2	<2	<2	<2	<2	NA	NA
	12/19/90	NS	NS	NS	NS	NS	NS	NS
	7/7/92	0.054	1.9	2.9	12	11	<1.0	4
	3/17/93	<0.050	<1.0	<1.0	<1.0	<3.0	<1.0	<2.0
	5/26/93	<0.050	<1.0	<1.0	<1.0	<3.0	<1.0	<2.0
	2/9/94	NS	NS	NS	NS	NS	NS	NS
	5/31/94	<0.050	<1.0	<1.0	<1.0	<3.0	<1.0	<2.0
	9/6/94	<0.050	<1.0	<1.0	<1.0	<3.0	<1.0	<2.0
	12/12/94	<0.050	<1.0	<1.0	<1.0	<3.0	1.2	<2.0
	3/28/95	<0.050	<1.0	<1.0	<1.0	<3.0	<1.0	<2.0
	6/8/95	<0.050	<1.0	<1.0	<1.0	<3.0	<1.0	<2.0
	9/12/95	<0.050	<0.50	<1.0	<1.0	<3.0	<1.0	<2.0
	12/1/95	<0.050	<0.50	<1.0	<1.0	<3.0	<1.0	<2.0
	3/12/96	<0.050	<0.50	<1.0	<1.0	<3.0	<1.0	<2.0
	5/30/96	<0.050	<0.50	<1.0	<1.0	<3.0	<1.0	<2.0
	9/18/96	<0.050	<0.50	<1.0	<1.0	<3.0	<1.0	<2.0
	12/18/96	<0.050	<0.50	<1.0	<1.0	<3.0	<1.0	<2.0
	3/13/97	<0.050	<0.13	<0.22	<0.20	<0.23	<0.16	<0.51
	1/11/99	NA	<0.13	<0.22	<0.20	<0.23	<0.16	<0.51
4/10/08	NA	<0.14	<0.40	<0.36	<1.1	<0.36	<0.79	
MW-6	12/19/90	NA	1,732	220	482	1,300	NA	NA
	7/7/92	4.8	150	67	<40	430	<40	690
	3/17/93	1.9	290	100	31	260	<1.0	134.0
	5/26/93	0.83	16	1.2	2.6	81	<1.0	134.0
NR 140 PAL	NS	0.5	140	200	1,000	12	96	
NR 140 ES	NS	5	700	1,000	10,000	60	480	

Table 2 (Continued)

Groundwater Analytical Results
Former McFarland Motors
McFarland, Wisconsin

Well	Date	GRO	Benzene	Ethylbenzene	Toluene	Total Xylenes	MTBE	Total TMB
MW-7	12/19/90	NA	<1	<1	<1	<2	NA	NA
	7/7/92	7.6	3,400	380	17	240	2,000	460
	3/26/93	1	180	17	10	190	380	31
	5/26/93	3.2	1,400	190	6.7	290	730	251
	2/9/94	<0.050	6.6	<1.0	<1.0	<3.0	14	<2.0
	5/31/94	7.4	2,700	390	46	1,100	620	460
	9/6/94	1.8	940	120	<50	<150	230	130
	12/12/94	0.42	130	16	<1.0	26	120	22
	3/28/95	2	590	75	22	160	120	54
	6/8/95	2.1	880	230	<10	200	140	183
	9/12/95	0.54	33	84	<1.0	6.4	45	15
	12/1/95	0.92	150	130	1.3	25	110	41.2
	3/12/96	0.14	14	4.1	<1.0	6.7	48	1.8
	5/30/96	1.5	300	140	<2.0	210	62	140
	9/18/96	0.25	17	7.3	<1.0	<3.0	59	2.1
	12/18/96	1.3	390	94	<5.0	190	89	86
	3/13/97	0.12	17	2	0.22	11	110	0.76
	8/19/97	NA	150	100	0.91	3.3	62	34.66
	9/17/98	NA	790	260	<7.8	100	120	65
	1/11/99	NA	4.2	1.1	0.22	0.82	41	0.34
	3/25/99	NA	1,400	450	33	780	190	240
6/21/99	NA	500	120	3.3	28.8	67	26	
10/11/99	NA	55	0.71	0.49	12	7.8	2.6	
12/20/99	NA	13	<0.24	0.41	<1.34	18	<1.4	
1/5/01	NA	29	<0.4	<0.37	7.3	13	1.2	
4/10/08	NA	1190	181	51.6	1265	58.9	407.2	
NR 140 PAL	NS	0.5	140	200	1,000	12	96	
NR 140 ES	NS	5	700	1,000	10,000	60	480	

Table 2 (Continued)

**Groundwater Analytical Results
Former McFarland Motors
McFarland, Wisconsin**

Well	Date	GRO	Benzene	Ethylbenzene	Toluene	Total Xylenes	MTBE	Total TMB
MW-8	12/19/90	NA	150	150	100	78	NA	NA
	7/7/92	NS	NS	NS	NS	NS	NS	NS
	3/17/93	43	6,700	1,400	14,000	7,800	<500	1900
	5/26/93	26	3,600	1,400	11,000	6,400	<200	1190
	2/9/94	41	4,000	1,400	11,000	8,800	80	1550
	5/31/94	11	440	200	230	3,400	<100	1490
	9/6/94	35	3,300	1,200	13,000	6,500	<50	1280
	12/12/94	28	3,100	800	11,000	6,300	<100	1210
	3/28/95	38	4,400	940	14,000	8,100	<200	1560
	6/8/95	28	2,800	1,400	8,400	7,300	<50	1550
	9/12/95	18	2,500	1,200	1,800	6,300	<20	950
	12/1/95	33	4,000	1,600	7,000	7,600	96	970
	3/12/96	23	2,200	830	1,200	6,400	50	1930
	5/30/96	12	410	170	250	2,200	<10	870
	9/18/96	13	1,400	890	570	4,700	<5.0	1300
	12/18/96	11	430	430	250	1,600	<20	1240
	3/13/97	5.7	160	210	240	1,400	<0.80	830
	8/19/97	24	1,500	1,300	2,700	6,500	<3.2	1360
	9/17/98	NA	1,800	1,800	900	9,100	<14	1,810
	1/11/99	NA	6,700	1,800	1,100	8,600	<25	1,880
3/25/99	NA	6,200	910	3,200	7,100	<3.2	1,770	
6/21/99	NA	4,800	2,000	2,100	9,600	40	2,060	
10/11/99	NA	2,800	1,300	630	7,000	20	1,760	
12/20/99	NA	5,000	1,200	630	6,200	50	1,460	
1/5/01	NA	4,500	1,400	450	7,200	38	1,840	
4/10/08	NA	639	727	586	2,571	5.3	1,322	
NR 140 PAL		NS	0.5	140	200	1,000	12	96
NR 140 ES		NS	5	700	1,000	10,000	60	480

Table 2 (Continued)

Groundwater Analytical Results
Former McFarland Motors
McFarland, Wisconsin

Well	Date	GRO	Benzene	Ethylbenzene	Toluene	Total Xylenes	MTBE	Total TMB
MW-9	12/19/90	NA	<1	<1	<2	<4	NA	NA
	7/7/92	<0.050	<1.0	<1.0	<1.0	<1.0	2.2	<2.0
	3/17/93	<0.050	<1.0	<1.0	<1.0	<3.0	3.6	<2.0
	5/26/93	NS	NS	NS	NS	NS	NS	NS
	2/9/94	NS	NS	NS	NS	NS	NS	NS
	5/31/94	NS	NS	NS	NS	NS	NS	NS
	9/6/94	NS	NS	NS	NS	NS	NS	NS
	12/12/94	NS	NS	NS	NS	NS	NS	NS
	3/28/95	NS	NS	NS	NS	NS	NS	NS
	6/8/95	NS	NS	NS	NS	NS	NS	NS
	9/12/95	<0.050	<0.50	<1.0	<1.0	<3.0	<2.0 ^M	<2.0
	12/1/95	<0.050	1.8	1.9	4.4	10	2.6	2
	3/12/96	<0.050	<0.50	<1.0	<1.0	<3.0	7.6	<2.0
	5/30/96	<0.050	<0.50	<1.0	<1.0	<3.0	<1.0	<2.0
	9/18/96	<0.050	<0.50	<1.0	<1.0	<3.0	4.6	<2.0
	12/18/96	<0.050	<0.50	<1.0	<1.0	<3.0	<1.0	<2.0
	3/13/97	<0.050	<0.020	<0.22	0.57	0.8	0.59	0.32
	1/11/99	NA	<0.13	<0.22	<0.20	<0.23	3.2	<0.51
	3/25/99	NA	<0.13	<0.22	<0.20	0.24	1.9	<0.51
	6/21/99	NA	<0.27	<0.32	<0.27	<0.67	<0.32	<0.49
10/11/99	NA	<0.27	<0.32	<0.27	<0.67	0.43	<0.49	
12/20/99	NA	<0.26	<0.24	<0.21	<1.34	0.93	<1.4	
4/10/08	NA	<0.14	<0.40	<0.36	<1.1	<0.36	<0.79	
NR 140 PAL	NS	0.5	140	200	1,000	12	96	
NR 140 ES	NS	5	700	1,000	10,000	60	480	

Table 2 (Continued)

**Groundwater Analytical Results
Former McFarland Motors
McFarland, Wisconsin**

Well	Date	GRO	Benzene	Ethylbenzene	Toluene	Total Xylenes	MTBE	Total TMB
GWX-1	1/11/99	NA	1,800	14	<i>390</i>	<i>3,100</i>	150	1000
	3/25/99	NA	1,500	59	<i>450</i>	<i>3,500</i>	<1.6	870
	6/21/99	NA	1,700	54	<i>230</i>	<i>2,240</i>	52	890
	10/11/99	NA	2,100	<i>170</i>	<i>920</i>	<i>1,190</i>	34	748
	12/20/99	NA	1,800	100	150	630	<5.5	558
NR 140 PAL		NS	<i>0.5</i>	<i>140</i>	<i>200</i>	<i>1,000</i>	<i>12</i>	<i>96</i>
NR 140 ES		NS	5	700	1,000	10,000	60	480

Notes: All results in ppb unless otherwise noted.

Bold Indicates that result exceeds the NR 140 enforcement standard

Italics Indicates that result exceeds the NR 140 preventive action limit

TMB - Trimethylbenzene

GRO - gasoline range organics

MTBE - Methyl t-butyl ether

NA - not analyzed

^M: Matrix Interference

MW-1 was destroyed by excavation on 10/5/98

MW-2 was paved over in summer 1993 and could not be sampled from 2/9/94 through 6/8/95. MW-2 was relocated in July 1995.

MW-3 was not sampled 7/7/92 due free product. MW-3 could not be located for sampling 3/17/93, 5/26/93, and 2/9/94.

MW-4 has not been found since 7/7/92

MW-6 was excavated in the fall of 1993 during the construction of the building currently in use at the site

MW-9 was landscaped over in summer 1993 and was relocated August 1995. MW-9 was not sampled 5/26/93 through 6/8/95.

NS - No standard

ppb - parts per billion

ppm - parts per million

TABLE 1

Groundwater Elevations
McFarland Motors Site
McFarland, Wisconsin

Date	MW-1		MW-2		MW-3		MW-4		MW-5		MW-6		MW-7		MW-8		MW-9	
	TOC =	853.96	TOC =	851.97	TOC =	853.50	TOC =	852.63	TOC =	853.30	TOC =	853.44	TOC =	853.58	TOC =	852.86	TOC =	851.03
	TOS =	846.33	TOS =	845.34	TOS =	846.89	TOS =	845.65	TOS =	846.65	TOS =	850.02	TOS =	850.02	TOS =	849.26	TOS =	847.56
	BOS =	836.33	BOS =	835.34	BOS =	836.89	BOS =	835.65	BOS =	836.65	BOS =	840.02	BOS =	840.02	BOS =	839.26	BOS =	837.56
	DTW	GW EL.																
6/27/1990	8.75	845.21	5.71	846.26	7.41	846.09	6.30	846.33	7.14	846.16	NA	NA	NA	NA	NA	NA	NA	NA
7/7/1992	9.05	844.91	5.74	846.23	8.29	845.21	6.41	846.22	7.24	846.06	6.37	847.07	6.62	846.96	NA	NA	5.22	845.81
10/16/1992	8.45	845.51	5.63	846.34	NA	NA	NA	NA	NA	NA	6.38	847.06	NA	NA	NA	NA	NA	NA
3/17/1993	NA	NA	5.27	846.70	NA	NA	NA	NA	6.77	846.53	6.63	846.81	NA	NA	6.10	846.76	4.50	846.53
3/19/1993	NA	NA	5.23	846.74	NA	NA	NA	NA	NA	NA	6.04	847.40	NA	NA	5.17	847.69	NA	NA
4/8/1993	7.29	846.67	3.78	848.19	NA	NA	NA	NA	5.42	847.88	4.74	848.70	5.25	848.33	4.65	848.21	3.04	847.99
4/22/1993	7.76	846.20	2.92	849.05	NA	NA	NA	NA	4.21	849.09	4.02	849.42	5.78	847.80	3.39	849.47	2.45	848.58
5/7/1993	NA	NA	3.42	848.55	NA	NA	NA	NA	4.73	848.57	4.57	848.87	4.65	848.93	4.03	848.83	3.23	847.80
5/26/1993	7.95	846.01	3.92	848.05	NA	NA	NA	NA	5.32	847.98	5.03	848.41	5.18	848.40	4.67	848.19	NA	NA
6/18/1993	NA	NA	3.22	848.75	NA	NA	NA	NA	4.77	848.53	4.52	848.92	5.19	848.39	3.97	848.89	NA	NA
2/9/1994	7.92	846.04	NA	NA	7.42	846.16	7.36	845.50	NA	NA								
3/28/1994	7.73	846.23	NA	NA	NA	NA	NA	NA	6.03	847.27	NA	NA	6.13	847.45	5.64	847.22	NA	NA
4/12/1994	7.99	845.97	5.12	846.85	7.06	846.44	NA	NA	6.24	847.06	NA	NA	6.42	847.16	5.76	847.10	NA	NA
4/28/1994	8.13	845.83	5.34	846.63	7.34	846.16	NA	NA	6.51	846.79	NA	NA	6.33	847.25	5.94	846.92	NA	NA
5/17/1994	8.45	845.51	NA	NA	7.78	845.72	NA	NA	6.58	846.72	NA	NA	6.80	846.78	5.98	846.88	NA	NA
5/31/1994	8.70	845.26	NA	NA	8.23	845.27	NA	NA	6.76	846.54	NA	NA	6.86	846.72	6.27	846.59	NA	NA
6/23/1994	8.61	845.35	NA	NA	8.21	845.29	NA	NA	7.05	846.25	NA	NA	6.87	846.71	6.04	846.82	NA	NA
8/19/1994	NA	NA	NA	NA	7.96	845.54	NA	NA	6.45	846.85	NA	NA	6.09	847.49	5.43	847.43	NA	NA
9/6/1994	8.98	844.98	NA	NA	8.13	845.37	NA	NA	6.64	846.66	NA	NA	6.88	846.70	6.20	846.66	NA	NA
11/23/1994	7.82	846.14	NA	NA	7.31	846.19	NA	NA	6.75	846.55	NA	NA	NA	NA	6.31	846.55	NA	NA
1/19/1995	8.02	845.94	NA	NA	7.28	846.22	NA	NA	6.82	846.48	NA	NA	NA	NA	NA	NA	NA	NA
2/21/1995	NA	NA	NA	NA	NA	NA	NA	NA	6.82	846.48	NA	NA	7.12	846.46	6.25	846.61	NA	NA
3/13/1995	7.90	846.06	NA	NA	6.84	846.66	NA	NA	6.36	846.94	NA	NA	6.69	846.89	6.02	846.84	NA	NA
3/28/1995	8.92	845.04	NA	NA	7.25	846.25	NA	NA	6.36	846.94	NA	NA	6.59	846.99	5.83	847.03	NA	NA
5/15/1995	NA	NA	NA	NA	NA	NA	NA	NA	5.36	847.94	NA	NA	5.72	847.86	5.08	847.78	NA	NA
6/8/1995	7.31	846.65	NA	NA	8.31	845.19	NA	NA	5.88	847.42	NA	NA	6.29	847.29	5.44	847.42	NA	NA
8/3/1995	NA	NA	NA	NA	6.79	846.71	NA	NA	6.24	847.06	NA	NA	NA	NA	5.87	846.99	4.25	846.78
9/12/1995	7.90	846.06	5.80	846.17	7.04	846.46	NA	NA	6.75	846.55	NA	NA	7.07	846.51	6.30	846.56	4.75	846.28
9/14/1995	7.98	845.98	NA	NA	NA	NA	NA	NA	6.80	846.50	NA	NA	7.16	846.42	6.40	846.46	4.88	846.15
10/12/1995	7.60	846.36	NA	NA	6.90	846.60	NA	NA	6.65	846.65	NA	NA	6.87	846.71	5.95	846.91	4.62	846.41
10/14/1995	NA	NA	5.70	846.27	6.84	846.66	NA	NA	6.68	846.62	NA	NA	6.87	846.71	6.11	846.75	4.68	846.35
11/9/1995	7.55	846.41	5.43	846.54	6.55	846.95	NA	NA	6.35	846.95	NA	NA	6.67	846.91	5.90	846.96	4.26	846.77
12/1/1995	7.75	846.21	5.68	846.29	6.80	846.70	NA	NA	6.56	846.74	NA	NA	7.05	846.53	6.28	846.58	4.73	846.30
3/12/1996	7.62	846.34	5.9	846.07	6.93	846.57	NA	NA	6.79	846.51	NA	NA	7.25	846.33	5.87	846.99	4.98	846.05
5/30/1996	8.02	845.94	5.28	846.69	6.37	847.13	NA	NA	6.19	847.11	NA	NA	6.5	847.08	5.85	847.01	4.33	846.70
9/18/1996	7.72	846.24	5.64	846.33	6.76	846.74	NA	NA	6.55	846.75	NA	NA	6.99	846.59	6.28	846.58	4.7	846.33
12/18/1996	5.52	848.44	5.63	846.34	6.77	846.73	NA	NA	6.55	846.75	NA	NA	6.82	846.76	6.24	846.62	4.46	846.57
3/13/1997	6.72	847.24	5.74	846.23	6.38	847.12	NA	NA	6.12	847.18	NA	NA	6.42	847.16	8.96	843.90	3.83	847.20
9/18/1998	NA	NA	5.25	846.72	6.16	847.34	NA	NA	5.74	847.56	NA	NA	5.23	848.35	5.84	847.02	4.26	846.77
1/11/1999	NA	NA	6.07	845.90	7.05	846.45	NA	NA	6.91	846.39	NA	NA	7.39	846.19	6.66	846.20	6.28	844.75
3/25/1999	NA	NA	5.93	846.04	7.01	846.49	NA	NA	6.84	846.46	NA	NA	7.03	846.55	6.64	846.22	5.01	846.02
6/21/1999	NA	NA	4.5	847.47	5.5	848.00	NA	NA	6.26	847.04	NA	NA	5.66	847.92	5.07	847.79	3.61	847.42
10/11/1999	NA	NA	5.43	846.54	6.37	847.13	NA	NA	6.29	847.01	NA	NA	6.57	847.01	6.06	846.80	4.45	846.58
12/20/1999*	NA	NA	NM	NM	NM	NM	NA	NA	NM	NM	NA	NA	NM	NM	NM	NM	NM	NM
1/5/2001	NA	NA	6.08	845.89	7.07	846.43	NA	NA	6.93	846.37	NA	NA	7.26	846.32	6.7	846.16	5.13	845.90
4/10/2008	NA	NA	3.67	848.30	4.91	848.59	NA	NA	4.58	848.72	NA	NA	5.05	848.53	4.51	848.35	4.49	846.54

Notes:

DTW: Depth to water, feet

GW EL.: Groundwater elevation, feet above mean sea level

BOS: Bottom of screen elevation, feet above mean sea level

*: Water levels were not measured due to equipment malfunction

TOS: Top of screen elevation, feet above mean sea level


TOC: Top of casing elevation, feet above mean sea level

NA: Not available

NM: Not Measured

IMPROPERLY ABANDONED
MONITORING WELL

Improperly Abandoned Monitoring Wells



IMPROPERLY ABANDONED MONITORING WELL

State of Wisconsin
Department of Natural Resources

Route to: Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

MONITORING WELL CONSTRUCTION
Form 4400-113A Rev. 4-90

Locality/Project Name <i>Mo. Forest / 10-2-91</i>	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name <i>MW-4</i>
Wisconsin License, Permit or Monitoring Number	Grid Origin Location Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E.	Wis. Unique Well Number _____ DNR Well Number _____
Type of Well Water Table Observation Well <input type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source <i>SW 1/4 of NE 1/4 of Sec. 3, T. 6 N, R. 10</i> <input type="checkbox"/> E. <input type="checkbox"/> W.	Date Well Installed <i>2/21/92</i> m m d d v y
Distance Well Is From Waste/Source Boundary <i>100 ft</i> ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input checked="" type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) <i>John Brinkmann Layne Geo Sciences</i>
Well A Point of Enforcement Std. Application? <input type="checkbox"/> Yes <input type="checkbox"/> No		

Protective pipe, top elevation _____ ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Well casing, top elevation <i>252.63</i> ft. MSL	2. Protective cover pipe: a. Inside diameter: _____ <i>8.0</i> in. b. Length: _____ <i>1.2</i> ft. c. Material: _____ <i>Aluminum</i> Steel <input type="checkbox"/> 04 Other <input checked="" type="checkbox"/> d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
Ground surface elevation _____ ft. MSL	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
Surface seal, bottom _____ ft. MSL or <i>1.0</i> ft.	4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 30 Annular space seal <input type="checkbox"/> Other <input checked="" type="checkbox"/> <i>Concrete</i>
USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	5. Annular space seal: a. Granular Bentonite <input type="checkbox"/> 33 b. _____ Lbs/gal mud weight . . . Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 50 e. <i>2.5 bags Ft³</i> volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input type="checkbox"/> 08
Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No	6. Bentonite seal: a. Bentonite granules <input checked="" type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	7. Fine sand material: Manufacturer, product name & mesh size a. _____ b. Volume added _____ ft ³
Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99	8. Filter pack material: Manufacturer, product name and mesh size a. <i>Amargosa Material Sand 20-40</i> b. Volume added <i>4 bags</i> ft ³
Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
Describe _____	10. Screen material: <i>PVC</i> a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
Source of water (attach analysis): _____	b. Manufacturer <i>Monaflow</i> c. Slot size: _____ <i>0.310</i> in. d. Slotted length: _____ <i>12.0</i> ft.
Bentonite seal, top _____ ft. MSL or <i>1</i> ft.	11. Backfill material (below filter pack): None <input type="checkbox"/> 14 Other <input checked="" type="checkbox"/> <i>Sand</i>
Free sand, top _____ ft. MSL or _____ ft.	
Water pack, top _____ ft. MSL or <i>5.5</i> ft.	
Green joint, top _____ ft. MSL or <i>7.5</i> ft.	
Well bottom _____ ft. MSL or <i>12.25</i> ft.	
Water pack, bottom _____ ft. MSL or <i>17.5</i> ft.	
Probe hole, bottom _____ ft. MSL or <i>12.5</i> ft.	
Probe hole, diameter <i>6</i> in.	
I.D. well casing <i>2.28</i> in.	
O.D. well casing <i>2.27</i> in.	


I hereby certify that the information on this form is true and correct to the best of my knowledge.
Name *John Brinkmann* Firm *Layne Geo Sciences*

Complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats., NR 141, Wis. Ad. Code. In accordance with ch. 144, Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$100 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each violation.

Route to: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name <i>McFarland Motors</i>	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> E. <input type="checkbox"/> S. <input type="checkbox"/> W.	Well Name <i>MW-6</i>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ " Long. _____ " or _____	Wis. Unique Well No. _____ DNR Well ID No. _____
Facility ID	St. Plane _____ ft. N. _____ ft. E. S/C/N	Date Well Installed <i>12/10/61/1990</i> m m d d y y v v
Type of Well Well Code <i>11, MW</i>	Section Location of Waste/Source <i>SW 1/4 of NW 1/4 of Sec. 3, T. 6 N, R. 10</i> <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: Name (first, last) and Firm <i>Rock and Soil - Lenny G. Dave L.</i>
Distance from Waste/Source _____ ft.	Enf. Stds. Apply <input type="checkbox"/>	
	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	

A. Protective pipe, top elevation --- 0 --- ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation --- 0.5 --- ft. MSL	2. Protective cover pipe: a. Inside diameter: <i>10</i> in.
C. Land surface elevation --- ft. MSL	b. Length: <i>1</i> ft.
D. Surface seal, bottom --- 0.8 ft.	c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input checked="" type="checkbox"/> SM <input checked="" type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	d. Additional protection? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, describe: _____
13. Sieve analysis performed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 50 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input checked="" type="checkbox"/> 08
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
17. Source of water (attach analysis, if required): _____	7. Fine sand material: Manufacturer, product name & mesh size a. _____ b. Volume added _____ ft ³
E. Bentonite seal, top --- 0.8 ft.	8. Filter pack material: Manufacturer, product name & mesh size a. <i>Coarse sand</i> b. Volume added _____ ft ³
F. Fine sand, top --- 3.0 ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
G. Filter pack, top --- 4.0 ft.	10. Screen material: <i>PVC</i> a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
H. Screen joint, top --- 5.0 ft.	b. Manufacturer _____ c. Slot size: <i>0.010</i> in. d. Slotted length: _____ ft.
I. Well bottom --- 15.0 ft.	11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 14 Other <input type="checkbox"/>
J. Filter pack, bottom --- 15.0 ft.	
K. Borehole, bottom --- 15.0 ft.	
L. Borehole, diameter <i>8.3</i> in.	
M. O.D. well casing <i>2.06</i> in.	
N. I.D. well casing <i>2.4</i> in.	



I hereby certify that the information on this form is true and correct to the best of my knowledge.
 Signature *Brett Whittleson* Firm *Fluid Management, Inc.*

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.



April 1, 2009

Jennifer and Susan, LLC.
4700 Farwell Street
McFarland, WI 53558

RE: Notification of Improperly Abandoned Monitoring Wells
McFarland Motors
5907 South Stoughton Road
McFarland, WI 53558
BRRTS#: 03-13-000413

Dear Ms. Ferstl:

This letter serves as notification that during construction of the restaurant building on the former McFarland Motors property located at 5907 South Stoughton Road (currently 4700 Farwell Street), Village of McFarland, Dane County, Wisconsin, two monitoring wells MW-4 and MW-6 were destroyed. As part of the site closure requirements for the former McFarland Motors Site, the Wisconsin Department of Commerce (COMM) is requesting that you, as the property owner, be notified of the requirements for proper abandonment of the missing monitoring wells if they should ever be discovered. The WDNR requirements follow:

The groundwater monitoring wells MW-4 and MW-6, believed to be destroyed on May 26, 1993, are located on the former McFarland Motors property. These improperly abandoned monitoring wells could act as a conduit for contamination of groundwater and could represent a potential liability in the future. If in the future the lost groundwater monitoring wells are found, the then current owner of the property on which MW-4 and MW-6 is/was located will be required to notify the WDNR and properly abandon the well in compliance with the requirements in ch. NR 141, Wisconsin Administrative Code, and to submit the required documentation of that abandonment to the WDNR.

The former McFarland Motors property will be listed on the WDNR Remediation and Redevelopment GIS Registry for the improperly abandoned monitoring wells on its property.

COMM has already reviewed the site for closure and has approved closure contingent on the abandonment of the monitoring well network. All of the monitoring wells that were located were abandoned on March 25, 2009. As an affected property owner, you have a right to contact the COMM to provide any technical information that you may have that indicates that final closure should not be granted for this site. If you would like to submit any information to COMM that is relevant to this closure request, you should mail that information to: Mr. Ralph Smith, Wisconsin Department of Commerce, P.O. Box 8044, Madison, WI 53708-8044 or by phone at (608) 261-6543.

In addition, if you choose to waive the comment period prior to the site closure review for the McFarland Motors site, please contact Mr. Smith from the at the above address.

If you have any questions or need additional information, please contact me at (608) 781-5470.

Sincerely,

Shaw Environmental, Inc.




Allan Wolfe
Environmental Scientist
(608) 392-2514 (direct)

IMPROPERLY ABANDONED
MONITORING WELL

CERTIFIED MAIL™




831 CRITTER CC



7007 0220 0004 5063 2794
7007 0220 0004 5063 2794

HAW GROUP INC.®



044J830
\$5.
04/04
Mailed **A**

Sent to
Jennifer & Susan, LLC
Street, Apt. No. or PO Box No. 4700 Farwell St
City, State, ZIP+4 McFarland, WI 53558
PS Form 3800 August 2004 See Reverse for Instructions

Return Receipt Fee (Endorsement Required)	2.70
Restricted Delivery Fee (Endorsement Required)	2.20
Total Postage & Fees	\$ 5.32

OFFICIAL USE
U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)
For delivery information, visit our website at www.usps.com®

Jennifer and Susan, LLC
4700 Farwell Street
McFarland, WI 53558

SENDER: COMPLETE THIS SECTION
Complete items 1, 2, and 3. Also complete Item 4 if Restricted Delivery is desired.
Print your name and address on the reverse so that we can return the card to you.
Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:
Jennifer & Susan, LLC
4700 FARWELL ST.
McFARLAND, WI 53558

COMPLETE THIS SECTION ON DELIVERY

A. Signature
x Sandra Willoughby Agent Addressee

B. Received by (Printed Name) C. Date of Delivery
Sandra Willoughby 4-6-09

D. Is delivery address different from item 1? Yes No
If YES, enter delivery address below:
PO BOX 47
Sandra McFarland, WI 53558
Willoughby

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number
(Transfer from service label)

7007 0220 0004 5063 2794

Sauter, Ryan

From: TeBeest, Sharlene - DOT [sharlene.tebeest@dot.state.wi.us]
Sent: Friday, December 12, 2008 2:11 PM
To: Sauter, Ryan
Subject: RE: Contamination notification

Thank you Ryan,

I've received your notification for the former Mc Farland Motors site 5907 S. Stoughton Rd., McFarland BRRTS # 03-13-000413. Please keep a copy of this e-mail for your file.

Shar

Sharlene Te Beest
Hazardous Materials Specialist
Wisconsin Department of Transportation, Bureau of Equity and Environmental Services
Phone: 608-266-1476; Fax: 608-266-7818; Cell: 608-692-4546
Address: WISDOT- BEES; PO Box 7965; Room 451 HFSTB; Madison, WI 53707-7965

-----Original Message-----

From: Sauter, Ryan [mailto:ryan.sauter@shawgrp.com]
Sent: Friday, December 12, 2008 11:50 AM
To: TeBeest, Sharlene - DOT
Subject: Contamination notification

Ms. Tebeest,

Please accept this email and associated attachment as notification for groundwater contamination within the right of way for U.S. Highway 51 (Stoughton Road) in McFarland, WI. Please contact me if you require any additional information.

Ryan Sauter
Hydrogeologist
Shaw Environmental
831 Critter Ct. Suite 400
Onalaska, WI 54650
608-781-5470 main
608-392-2520 direct
608-781-5154 fax
Ryan.sauter@shawgrp.com
www.shawgrp.com web

****Internet Email Confidentiality Footer**** Privileged/Confidential Information may be contained in this message. If you are not the addressee indicated in this message (or responsible for delivery of the message to such person), you may not copy or deliver this message to anyone. In such case, you should destroy this message and notify the sender by reply email. Please advise immediately if you or your employer do not consent to Internet email for messages of this kind. Opinions, conclusions and other information in this message that do not relate to the official business of The Shaw Group Inc. or its subsidiaries shall be understood as neither given nor endorsed by it.

The Shaw Group Inc. <http://www.shawgrp.com>

12/12/2008

To: sharlene.tebeest@dot.state.wi.us
Subject: Notification of Contamination within the Right of Way

County: Dane
Highway: U.S Highway 51
Site Name: Former McFarland Motors
Site Address: 5907 South Stoughton Road, McFarland, WI 53558
BRRTS Number: 03-13-000413
PECFA Number:

Owner's Name: State Bank of Cross Plains
Owner's Address: 1205 Main Street, Cross Plains, WI 53528
Responsible party name: State Bank of Cross Plains
Responsible party address: 1205 Main Street, Cross Plains, WI 53528

Consulting Firm: Shaw Environmental, Inc
Consultant Contact: Ryan Sauter
Consultant Address: 831 Critter Court, Suite 400, Onalaska, WI 54650
Consultant Phone: 608-392-2520 **Fax:** 608-781-5154
Consultant E-mail: ryan.sauter@shawgrp.com

Soil contamination? not in right-of-way
Depth to contaminated soil: Vertical extent of contaminated soil:
Groundwater contamination? Yes
Depth to water table: Ranges from 5 feet to 7 feet below ground surface

Describe the type(s) of contamination present.

Petroleum contamination was released to the soils and groundwater on the source property. Groundwater contamination has migrated westward into the road right-of-way. Groundwater petroleum contamination exceeding the NR 140 enforcement standards is assumed to be located within the road right-of-way.

Brief summary of cleanup activity: A groundwater and soil vapor extraction remediation system was used to remove approximately 61,000 lbs of contamination. Additionally, 1,252 tons of contaminated soil were excavated and removed from the site. During the excavation, an additional 8,600 gallons of contaminated groundwater were removed. Natural attenuation mechanisms are operating at the site, and will bring groundwater contaminant concentrations under NR 140 regulatory limits within a reasonable period of time.

Figure 3 shows the extent of residual groundwater contamination that exceeds regulatory limits.



January 16, 2009

Ms. Deb Neal, Village Clerk
Village of McFarland
5915 Milwaukee Street
P.O. Box 110
McFarland, WI 53558-0110

Re: **Notification of Potential Groundwater Contaminant**
5907 South Stoughton Road, Mc Farland, Wisconsin
BRRTS # 03-13-000413
COMM 53558-9999-07

Dear Ms. Neal:

Enclosed please find notification of groundwater contamination (Stoughton Road) in Stoughton, Wisconsin. Attached illustrating the extent of contaminant distribution.

If you have any questions or require more information, please do not hesitate to call me (608) 781-5470 or e-mail me at allan.wolfe@shawgrp.com.

Sincerely,
Shaw Environmental, Inc.

Allan R. Wolfe
Environmental Scientist

Enclosures

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<p>■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.</p> <p>■ Print your name and address on the reverse so that we can return the card to you.</p> <p>■ Attach this card to the back of the mailpiece, or on the front if space permits.</p> <p>1. Article Addressed to: <i>Ms. Deb Neal, Village Clerk Village of McFarland 5915 Milwaukee St. McFarland, WI 53558-0110</i></p>	<p>A. Signature <i>[Signature]</i> Agent</p> <p>B. Received by <i>[Signature]</i> (Printed Name) C. Date of Delivery <i>1/27/09</i></p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes if YES, enter delivery address below: <input type="checkbox"/> No</p> <p>3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. <input type="checkbox"/> Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p> <p>4. Article Number (Transfer from service label) <i>7007 0220 0004 5063 2756</i></p>