

GIS REGISTRY  
Cover Sheet

July, 2008  
(RR 5367)

Source Property Information

CLOSURE DATE: Dec 9, 2008

BRRTS #: 03-13-000787  
ACTIVITY NAME: Meier Properties  
PROPERTY ADDRESS: 200 West Beltline Highway  
MUNICIPALITY: Town of Madison  
PARCEL ID #: 032/0709-362-4142-2

FID #:   
DATCP #:   
COMM #: 53713-2608

\*WTM COORDINATES:

X: 570477 Y: 285630

\*Coordinates are in  
WTM83, NAD83 (1991)

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source  
 Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

(note: for list of off-source properties  
see "Impacted Off-Source Property")

Soil Contamination > \*RCL or \*\*SSRCL (232)

Contamination in ROW

Off-Source Contamination

(note: for list of off-source properties  
see "Impacted Off-Source Property")

Land Use Controls:

Soil: maintain industrial zoning (220)

(note: soil contamination concentrations  
between residential and industrial levels)

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

(note: maintenance plan for  
groundwater or direct contact)

Vapor Mitigation (226)

Maintain Liability Exemption (230)

(note: local government or economic  
development corporation)

Monitoring wells properly abandoned? (234)

Yes  No  N/A

\*Residual Contaminant Level

\*\*Site Specific Residual Contaminant Level

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

**NOTICE: Completion of this form is mandatory** for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: 03-13-000787

PARCEL ID #: 032/0709-362-4142-2

ACTIVITY NAME: Meier Property

WTM COORDINATES: X: 570477 Y: 285630

**CLOSURE DOCUMENTS** (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

**SOURCE LEGAL DOCUMENTS**

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.  
*Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.*
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).  
**Figure #:**                      **Title:**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

**MAPS** (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.  
*Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.*  
**Figure #: 1                      Title: Site Location Map**
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.  
**Figure #: -                      Title: SVE Well and Monitoring Well Locations**
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.  
**Figure #: 4                      Title: Soil Boring/Monitoring Well Location Map**

BRRTS #: 03-13-000787

ACTIVITY NAME: Meier Property

**MAPS (continued)**

**Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: 4 Liesch Title: Geologic Cross Section A - A'

Figure #: 6 Liesch Title: Geologic Cross Section C - C'

**Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

*Note: This is intended to show the total area of contaminated groundwater.*

Figure #: - MSA Title: Extent of Groundwater Contamination Exceeding NR 140 Enforcement Standards

**Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: - Title: Groundwater Flow Direction 7-28-2005

Figure #: Title:

**TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))**

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

**Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.

*Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.*

Table #: - MSA Title: Laboratory Results - Soil

**Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: - MSA Title: Laboratory Results - Groundwater (VOCs)

**Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: Title: See Groundwater Analytical Table

**IMPROPERLY ABANDONED MONITORING WELLS**

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

*Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.*

**Not Applicable**

**Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

*Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.*

Figure #: Title:

**Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

**Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

**Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-13-000787

ACTIVITY NAME: Meier Property

**NOTIFICATIONS**

**Source Property**

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

**Off-Source Property**

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.  
*Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.*

**Number of "Off-Source" Letters:**

- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.  
*Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.*

- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

**Number of "Governmental Unit/Right-Of-Way Owner" Letters:**

## Impacted Off-Source Property Information

Form 4400-246 (R 3/08)

This fillable form is intended to provide a list of information that must be submitted for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request (Section H). The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

**NOTICE: Completion of this form is mandatory** for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

ACTIVITY NAME:

ID	Off-Source Property Address	Parcel Number	WTM X	WTM Y
<input type="text" value="A"/>	<input type="text" value="1919 Alliant Energy Ctr Way #2, Madison, WI 53713"/>	<input type="text" value="070936288409"/>	<input type="text" value="570468"/>	<input type="text" value="285701"/>
<input type="text" value="B"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="C"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="D"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="E"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="F"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="G"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="H"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="I"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Matthew J. Frank, Secretary  
Lloyd L. Eagan, Regional Director

South Central Region Headquarters  
3911 Fish Hatchery Road  
Fitchburg, Wisconsin 53711-5397  
Telephone 608-275-3266  
FAX 608-275-3338  
TTY Access via relay - 711

December 9, 2008

File Ref: 03-13-000787

Mr. David Meier  
Meier Properties  
5501 Femrite Drive  
Madison, WI 53718

Subject: Final Case Closure, Meier Properties, 200 West Beltline Highway, Madison, WI

Dear Mr. Meier:

The Department of Natural Resources Regional Closure Committee has reviewed your request for closure of the case described above. The Regional Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. On September 3, 2008, you were notified that the Closure Committee had granted conditional closure to this case.

On October 21, 2008, the Department received correspondence indicating that you have complied with the requirements of closure. Monitoring wells MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-7A, MW-8, MW-9, MW-10, P-1 and RW-1 and soil vapor extraction wells (SVE), SVE1, SVE2, SVE3, SVE4, SVE5, SVE6, SVE7, SVE8 and SVE9; also pilot study wells PS-1, PS-2 and PS-3 have been abandoned in accordance with ch. NR 141 Wis. Adm. Code.

Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wisconsin Administrative Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

### GIS Registry

The conditions of case closure set out below in this letter require that your site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed.
- Groundwater contamination is present above Chapter NR 140 enforcement standards.

Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of

remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

#### Remaining Residual Soil Contamination


Residual soil contamination remains at the former locations of boring B-16 and MW2 located at the northwest border portion of the Meier property as indicated in the information submitted to the Department of Natural Resources. If soil in the specific locations described above is excavated in the future, then pursuant to ch. NR 718 or, if applicable, ch. 289, Stats., and chs. 500 to 536, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken to prevent a direct contact health threat to humans.

#### Remaining Residual Groundwater Contamination

Groundwater impacted by petroleum-related contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present both on the contaminated property and of the contaminated property. Off-property owners have been notified of the presence of groundwater contamination. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.


The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact me at the telephone number shown below.

Sincerely,



Dino Tsoris, P.G.  
Hydrogeologist  
Remediation & Redevelopment Program  
South Central Region  
Telephone: (608) 275-3299

Cc: Ms. Jayne Englebert, MSA Professional Services, Inc., 1230 South Boulevard,  
Baraboo, WI 53913-2791  
Ms. Lawrie Kobza, Boardman Law Firm, 1 South Pinckney, P.O. Box 927,  
Madison, WI 53701-0927  
Mr. Gaylord Plummer, Dane County Land & Water Resources Department,  
1 Fen Oak court, Room 223, Madison, WI 53718-8812



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Matthew J. Frank, Secretary  
Lloyd L. Eagan, Regional Director

South Central Region Headquarters  
3911 Fish Hatchery Road  
Fitchburg, Wisconsin 53711-5397  
Telephone 608-275-3266  
FAX 608-275-3338  
TTY Access via relay - 711

September 3, 2008

File Ref: 03-13-000787

Mr. David Meier  
Meier Properties  
5501 Femrite Drive  
Madison, WI 53718

Subject: Conditions to Achieve Final Closure, Meier Properties, 200 West Beltline Highway,  
Madison, WI

Dear Mr. Meier:

The Wisconsin Department of Natural Resources South Central Region Closure Committee has reviewed your request for closure of the case described above. The South Central Region Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the South Central Region Closure Committee has determined that the petroleum contamination on the site from the Loomer Property appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

### **MONITORING WELL ABANDONMENT**

The monitoring wells MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-7A, MW-8, MW-9, MW-10, P-1, and RW-1 must be properly abandoned in compliance with ch. NR 141 Wis. Adm. Code. Also, additional abandonment efforts between Loomer and Meier are necessary, based on agreed joint remediation efforts of the comingled plumes, for proper abandonment of wells SVE1, SVE2, SVE3, SVE4, SVE5, SVE6, SVE7, SVE8 and SVE9 in compliance with ch. NR 141, Wis. Adm. Code. Monitoring well SVE1 was not located during the last groundwater monitoring event, additional efforts are necessary to locate SVE1; failure to locate the well for proper abandonment will result in identifying the site on the GIS registry as having a lost monitoring well. In addition, you need to understand that in the future you may be held liable for any problems associated with a lost monitoring well if they create a conduit for contaminants to enter groundwater. Documentation of well abandonment must be submitted to Dino Tisoris on Form 3300-005 found at <http://dnr.wi.gov/org/water/dwg/gw/> or provided by the Department of Natural Resources.

### **PURGE WATER, WASTE AND SOIL PILE REMOVAL**

Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Once that work is completed, please send appropriate documentation regarding the treatment or disposal of the remaining purge water, waste and/or soil piles.


When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at the telephone number shown below.

Sincerely,



Dino Tsoris, P.G.  
Hydrogeologist  
Remediation & Redevelopment Program  
South Central Region  
Wisconsin Department of Natural Resources  
Telephone: (608) 275-3299

Cc: Ms. Jayne Englebert, MSA Professional Services, Inc., 1230 South Boulevard,  
Baraboo, WI 53913-2791  
Ms. Lawrie Kobza, Boardman Law Firm, 1 South Pinckney, P.O. Box 927,  
Madison, WI 53701-0927  
Mr. Gaylord Plummer, Dane County Land & Water Resources Department,  
1 Fen Oak court, Room 223, Madison, WI 53718-8812

This Indenture, Made this 20th day of August, A. D. 1955

between Edward B. Denson and Esther V. Denson, his wife, and T. R. Soeben and Alice Soeben, his wife

parties of the first part, and Badger Bus Lines, Inc.

a corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, located at Madison, Wisconsin, party of the second part.

Witnesseth, That the said parties of the first part, for and in consideration of the sum of One Dollar (\$1.00) and other good and valuable consideration

to them in hand paid by the said party of the second part, the receipt whereof is hereby confessed and acknowledged, have given, granted, bargained, sold, remise, released, aliened, conveyed and confirmed, and by these presents do give, grant, bargain, sell, remise, release, alien, convey and confirm unto the said party of the second part, its successors and assigns forever, the following described real estate, situated in the County of Dane and State of Wisconsin, to wit:

Part of Lot numbered Two (2), Block numbered Two (2), W. H. Jacobs and E. S. Barker's Subdivision, in the Township of Madison, more specifically described as follows, to wit: All that part of said Lot Two (2), North of U. S. Highways 12 and 18, subject to all restrictions imposed by law or ordinances, and subject to easements and restrictions of record, if any.

Edward B. Denson and Esther V. Denson are executing this deed in fulfillment of one certain land contract dated September 9, 1955 in which they were parties of the first part and one O. C. Harris was party of the second part and this deed on behalf of the Densons is given subject to any liens and incumbrances created or suffered to be created by any persons other than themselves subsequent to the said contract of September 9, 1955.



Together with all and singular the hereditaments and appurtenances thereunto belonging or in any wise appertaining, and all the estate, right, title, interest, claim or demand whatsoever, of the said parties of the first part, either in law or equity, either in possession or expectancy of, in and to the above bargained premises, and their hereditaments and appurtenances.

To Have and to Hold the said premises as above described with the hereditaments and appurtenances unto the said party of the second part, and to its successors and assigns FOREVER.

And the said Edward B. Denson, Esther V. Denson, T. R. Bosben and

Alice Bosben part 1st of the first part for themselves their heirs, executors and administrators, do covenant, grant, bargain, and agree to and with the said party of the second part, its successors and assigns, that at the time of the executing and delivery of these presents they well seized of the premises above described, as of a good, sure, perfect, absolute and inalienable estate of inheritance in the law, in fee simple, and that the same are free and clear from all incumbrances whatever except as above stated.

and that the above bargained premises in the quiet and peaceable possession of the said party of the second part, its successors and assigns, against all and every person or persons lawfully claiming the whole or any part thereof, they will forever WARRANT AND DEFEND.

In Witness Whereof, the said party of the first part to, do hereunto set their hand and seal this 20th day of August A. D. 1956

WITNESSED AND SEALED IN PRESENCE OF I. L. McCranner, Florence E. McCranner, William J. Sachse, WILLIAM J. SACHSE, Juanita A. Peterson, JUANITA A. PETERSON

Edward B. Denson (SEAL), Esther V. Denson (SEAL), T. R. Bosben (SEAL), Alice Bosben (SEAL)

State of Wisconsin, Dane County, ss.

Personally came before me, this 20th day of August, A. D. 1956 the above named Edward B. Denson, Esther V. Denson, Alice Bosben, his wife

to me known to be the person who executed the foregoing instrument and acknowledged the same to me to be the persons who executed the foregoing instrument and acknowledged the same. I. L. McCranner, Notary Public, Dane County, My commission expires April 15, 1959

STATE OF WISCONSIN, Dane County, ss.


Personally came before me, this 20th day of August, 1956, the above named T. R. BOSBEN and ALICE BOSBEN, his wife, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

RECORDED AUG 21 1956 1040

WILLIAM J. SACHSE, WILLIAM J. SACHSE, Notary Public, Dane County, Wisconsin, My commission expires Feb 1, 1959

# Meier Property

Print Close




**Road Centerlines**

- Local Roads
- County Highways
- State Highways
- Interstate
- US Highways
- On/Off Ramps

**Other Symbols**

- Parcels
- Ownership Boundaries
- Hydrology (lines)
- Municipality Boundaries
- Hydrology (polygons)
- Open Water



## DCiMap


**DISCLAIMER**  
 This map was prepared using the Dane County DCiMap online geographic information system. All information is believed accurate but is NOT guaranteed to be without error. This map and its underlying data is intended to be used as a general index to land related information and is not intended for detailed, site-specific analysis. Dane County GIS datasets used to produce this map are copyrighted.


## RESPONSIBLE PARTY AFFIRMATION OF PROPERTY DESCRIPTIONS

The following affirmation by the responsible party is required by Wisconsin Administrative Code, ch. NR 726.05 paragraph (3)(a)4.g. (for groundwater contamination) and/or NR 726.05 paragraph (3)(b)4.f. (for soil contamination).


I hereby affirm the following:

1. I believe that legal descriptions for all of the properties within or partially within the contaminated site's boundaries that had groundwater contamination exceeding ch NR 140 enforcement standards at the time that case closure was requested, other than public street or highway rights-of-way or railroad rights-of-way, have been submitted to the agency with administrative authority for the site, either as an attachment to the site investigation report or as part of the groundwater GIS registry attachment to the case close out report,  
  
and
2. I believe that legal descriptions for all of the properties within or partially within the contaminated site's boundaries that had soil contamination exceeding generic or site-specific residual contaminant levels as determined under ch. NR 720.09, 720.11 and 720.19 at the time that case closure is requested, other than public street or highway rights-of-way or railroad rights-of-way, have been submitted to the agency with administrative authority for the site, either as an attachment to the site investigation report or as part of a soil GIS registry attachment to the case close out report.

  
\_\_\_\_\_  
David Meier for Meier Properties


  
\_\_\_\_\_  
Date





**LEGEND**

-  MONITORING WELL
-  RECOVERY WELL
-  SOIL VAPOR EXTRACTION WELL



**SVE WELL AND MONITORING WELL LOCATIONS**  
MEIER/LOOMER BUNDLE SITE  
MADISON, WISCONSIN




TRANSPORTATION • MUNICIPAL  
DEVELOPMENT • ENVIRONMENTAL  
1230 South Boulevard, Baraboo, WI 53913  
608-356-2771 1-800-362-4505 Fax: 608-356-2770  
© MSA PROFESSIONAL SERVICES

DRAWN BY	RHM	DATE	1-3-03	SHEET	..... of .....
CHECKED BY		SCALE	AS NOTED	FILE NO.	213009SC



SCALE: 1"=100' APPROX.



EXPLANATION	
	UNDERGROUND STORAGE TANK
	LIESCH MONITORING WELL
	LIESCH SOIL BORING
	KEIL SOIL BORING
	HAND AUGER BORING


NOTE: LOCATIONS AND DIMENSIONS OF TANKS ARE APPROXIMATE.

I Do Not Copy  
Other Landmarks






SCALE: 1"=100' APPROX.




Do Not Copy  
 Other Information











**LEGEND**

- MONITORING WELL WITH GROUNDWATER ELEVATION
- RECOVERY WELL
- SOIL VAPOR EXTRACTION WELL
- FREE PRODUCT
- GROUNDWATER FLOW DIRECTION



GROUNDWATER FLOW  
DIRECTION 7-28-2005

MEIER/LOOMER BUNDLE SITE  
MADISON, WISCONSIN



TRANSPORTATION • MUNICIPAL  
DEVELOPMENT • ENVIRONMENTAL  
1234 South Bodewad Parkway, WI 53713  
608-356-2771 1-800-362-4505 Fax: 608-316-2770  
© MSA PROFESSIONAL SERVICES

DRAWN BY CAR. DATE 12-28-07 SHEET \_\_\_\_\_ OF \_\_\_\_\_  
CHECKED BY SCALE AS NOTED FILE NO. 213009UC



**Laboratory Results - Soil**  
**Meier Property, 200 South Beltline Highway**  
**Town of Madison, Dane County**

Location	Depth	Date	DRO or TPH as diesel	GRO or TPH as gas	Benzene	Ethyl- benzene	Toluene	Total Xylenes	1,3,5- Trimethyl- benzene	1,2,4- Trimethyl- benzene	Methyl-tert- butyl ether
NR 720 GRCL (mg/kg)					0.0055	2.9	1.5	4.1			
NR 746 Table 1 - Indicative of Free Product (mg/kg)					8.5	4.6	38	42	11	83	
NR 746 Table 2 - Direct Contact Limit - w/i 4 feet (mg/kg)					1.10						
<b>Samples Collected During Environmental Site Assessment by Kiel. Results in mg/kg</b>											
B-2	7 to 9	10-Apr-91	27.7	10.3							
B-4	9 to 11	11-Apr-91	88.9	33	<b>3.51</b>	0.605	<b>6.71</b>	2.57			
B-7	1	11-Apr-91			<b>0.03</b>	0.04	0.14	0.41			
<b>Site Investigation Sampling (1991-92). Results in mg/kg</b>											
B-10	1 to 3	30-Mar-92		57	<0.1	<0.1	0.2	0.2	<0.1	<0.1	<0.1
B-11	1 to 3	30-Mar-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
B-12	1 to 3	30-Mar-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
B-13	11.5 to 13.5	30-Mar-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
B-13	20.5 to 22.5	30-Mar-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
B-14	11.5 to 13.5	30-Mar-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
B-14	16 to 18	30-Mar-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
B-15	11.5 to 13.5	31-Mar-92	<5.0	<7.0	<0.1	<0.1	<0.1	<0.1	<0.1	0.2	<0.1
B-16	7 to 9	31-Mar-92	<5.0	18	<b>0.3</b>	0.1	0.9	1.1	0.2	0.7	<0.1
B-16	11.5 to 13.5	31-Mar-92	<5.0	<5.0	<0.1	<0.1	<0.1	0.2	<0.1	<0.1	<0.1
B-17	7 to 9	31-Mar-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
B-17	11.5 to 13.5	31-Mar-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
B-18	11.5 to 13.5	31-Mar-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
B-18	16 to 18	31-Mar-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
MW-2	7 to 9	08-Apr-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
MW-2	11.5 to 13.5	08-Apr-92	<5.0	22	<b>0.5</b>	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
MW-3	7 to 9	08-Apr-92	<5.0	<5.0	<0.1	<0.1	<0.1	0.2	<0.1	0.1	<0.1
MW-3	11.5 to 13.5	08-Apr-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
MW-4	2.5 to 4.5	09-Apr-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
MW-5	2.5 to 4.5	09-Apr-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
MW-5	7 to 9	09-Apr-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
MW-6	2.5 to 4.5	20-Jul-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
MW-8	2.5 to 4.5	22-Jul-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
MW-8	7 to 9	22-Jul-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
MW-9	11.5 to 13.5	23-Jul-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
MW-9	16 to 18	23-Jul-92	<5.0	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1

Meier Gas

field notes

Borings 4-25-97

GP-9

MW2

MW1

### EXPLANATION

- PROPOSED GEOPROBE LOCATION
- A - FORMER 10,000 GALLON DIESEL FUEL UST.
  - B - FORMER 10,000 GALLON DIESEL FUEL UST.
  - C - FORMER 10,000 GALLON GASOLINE UST.

GP-8

GP-10

GASOLINE FUEL DISPENSER

5'

4127

C

B

A

MAINTENANCE BUILDING

BADGER BUS LINE/MEIER GMC  
OFFICES AND MAINTENANCE BUILDING

DIESEL FUEL DISPENSER



SCALE IS APPROXIMATE



FILE: C:\FIGURES\664\MS17EPL.DWG

DATE: 4/16/1997 DRAWN BY: PLW CHECKED BY:

SOURCE:  
PREVIOUS SITE MAP AND FIELD NOTES



LIESCH ENVIRONMENTAL SERVICES, INC.  
6000 GISHOLT DRIVE, SUITE 203  
MADISON, WI 53713

SITE MAP  
MEIER PROPERTIES - GAS UST SITE  
200 WEST BELTLINE HWY.  
MADISON, WISCONSIN

FIGURE

2

**Laboratory Results - Soil**  
**Meier Property, 200 South Beltline Highway**  
**Town of Madison, Dane County**

Location	Depth	Date	DRO or TPH as diesel	GRO or TPH as gas	Benzene	Ethyl- benzene	Toluene	Total Xylenes	1,3,5- Trimethyl- benzene	1,2,4- Trimethyl- benzene	Methyl-tert- butyl ether
NR 720 GRCL (mg/kg)					0.0055	2.9	1.5	4.1			
NR 746 Table 1 - Indicative of Free Product (mg/kg)					8.5	4.6	38	42	11	83	
NR 746 Table 2 - Direct Contact Limit - w/i 4 feet (mg/kg)					1.10						
B-2A	11.5 to 13.5	26-Oct-93	<5.0	<5.0	<0.05	<0.05	<0.05	<0.15	<0.05	<0.05	<0.05
B-2A	16 to 18	26-Oct-93	<5.0	<5.0	<0.05	<0.05	<0.05	<0.15	<0.05	<0.05	<0.05
B-4A	8 to 10	26-Oct-93		<5.0	<0.05	<0.05	0.11	0.3	0.11	0.31	<0.05
B-4A	12 to 14	26-Oct-93		<5.0	<0.05	<0.05	0.081	0.22	0.07	0.21	<0.05
B-19	6 to 8	26-Oct-93		12	<b>0.13</b>	0.19	0.86	2.1	0.38	1.2	<0.05
B-19	10 to 12	26-Oct-93		<5.0	<0.05	<0.05	<0.05	<0.15	<0.05	<0.05	<0.05
HA-1	2.0 to 2.5	27-Oct-93	<5.0	<5.0	<0.05	<0.05	<0.05	<0.15	<0.05	<0.05	<0.05
HA-2	2.5 to 3.0	27-Oct-93	<5.0	<5.0	<0.05	<0.05	<0.05	<0.15	<0.05	<0.05	<0.05
HA-3	1.0 to 1.5	27-Oct-93	<b>140</b>	<5.0	<0.05	<0.05	<0.05	<0.15	0.095	0.19	<0.05
<b>Samples Collected March 20, 1997 During Tank Removal?</b>											
A1		20-Mar-97	BDL								
A2		20-Mar-97	<b>1100</b>								
A3A		20-Mar-97	<b>2200</b>								
C1		20-Mar-97	<b>990</b>		<b>1.1</b>	<b>7</b>	<b>16</b>	<b>72</b>	24	66	BDL
<b>Geoprobe Investigation of Former Tank Basins</b>											
GP-1	13 to 15	25-Apr-97	<10	<10	<b>0.28</b>	0.046	0.59	0.24	<0.025	0.036	<0.025
GP-2	11 to 13	25-Apr-97	<10	<10	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025	<0.025
GP-3	13 to 15	25-Apr-97	<b>1300</b>	<b>300</b>	<b>0.22</b>	0.045	0.48	0.34	0.20	1.0	<0.025
GP-4	9 to 11	25-Apr-97	<10	<10	<0.025	<0.025	<0.025	<0.05	<0.025	0.031	<0.025
GP-4	15 to 16	25-Apr-97	28	18	<0.025	<0.025	<0.025	<0.05	0.058	0.11	<0.025
GP-5	11 to 13	25-Apr-97	<10	<b>120</b>	<b>0.35</b>	2.1	<b>3.4</b>	<b>12</b>	2.8	9.4	<0.025
GP-5	15 to 16.5	25-Apr-97	<10	39	<b>1.5</b>	0.63	<b>2.6</b>	3	0.54	1.5	<0.025
GP-6	9 to 11	25-Apr-97	<b>2300</b>	<b>11000</b>	<b>190</b>	<b>250</b>	<b>920</b>	<b>1400</b>	180	580	<2.5
GP-6	13 to 15	25-Apr-97	<10	14	<b>0.17</b>	0.35	1.2	1.9	0.28	0.89	<0.025
GP-7	9 to 11	25-Apr-97	48	<b>1100</b>	<b>21</b>	<b>17</b>	<b>72</b>	<b>110</b>	17	55	<2.5
GP-7	13 to 15	25-Apr-97	<b>2900</b>	<b>13000</b>	<b>210</b>	<b>280</b>	<b>1000</b>	<b>1400</b>	194	640	<2.5
GP-8	9 to 11	25-Apr-97	<b>150</b>	<b>330</b>	<b>2.0</b>	<b>5.2</b>	<b>12</b>	<b>32</b>	6.2	21	<0.025
GP-8	13 to 15	25-Apr-97	<b>100</b>	<b>1800</b>	<b>16</b>	<b>34</b>	<b>110</b>	<b>210</b>	3.2	110	<0.25
GP-9	13 to 15	25-Apr-97	<10	<10	<b>0.078</b>	0.025	0.2	0.12	<0.025	0.061	<0.025

The NR 720 residual contaminant level for DRO and GRO is 100 mg/kg.  
Concentrations in BOLD exceed a NR 720 residual contaminant level.

Blank cell = parameter not analyzed

**Laboratory Results - Groundwater (VOCs)**  
**Meier and Loomer Properties, Madison, Wisconsin**

	Benzene	Toluene	Ethyl-benzene	Total Tri-methyl-benzenes	Total Xylenes	Methyl- tert-butyl-ether	Naphthalene	Nitrate + Nitrite	Dissolved Oxygen	Water Level
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	mg/L	ug/L	MSL
NR 140 ES	5	1,000	700	480	10,000	60	100			
NR 140 PAL	0.5	200	140	96	1,000	12	10			
<b>MW-1</b>										<b>TOC=884.30</b>
20-Apr-92	<1.0	<1.0	<1.0	<2	<1.0	<5.0				
3-Jun-92	32	1.5	1.6	2.2	6.0	<1.0				
11-Aug-92	4.0	<1.0	<1.0	<2.0	1.2	<1.0				
27-Oct-93	<1.0	<1.0	<1.0	<2.0	<3.0	<1.0				
11-Oct-01	950	1200	950	2820	4190	<120	650			
6-Dec-01	1100	1400	1600	3020	7600	<110	1100			
26-Aug-04	16	11	130	1020	536	12	130			855.00
28-Jul-05	16	5	70	253	62	<2.0	32			853.48
25-Oct-05	66	<40	860	2350	2030	<40	500			851.93
29-Dec-05	88	68	870	2290	2810	<8.0	31			852.18
15-Jun-06	<10	20	220	1200	820	<10	270			854.57
25-Sep-06	<10	29	190	1290	960	<10	180			853.90
27-Dec-06	<10	<10	170	640	427	<10	<52	1.2	0.4	855.05
28-Mar-07	<2.5	<2.5	7.1	120	32.8	<2.5	21			856.68
29-Jun-07	<5.0	19	180	1710	880	30	28			855.24
29-Oct-07	1.4	4.5	34	431	214	14	14			855.41
<b>MW-2</b>										<b>TOC=889.12</b>
11-Oct-01	2300	1300	1600	5300	6800	460	1200			
06-Dec-01	1400	926	1500	5300	6000	<290	1600			
28-Jul-05	390	32	800	1840	1988	22	370			853.07
25-Oct-05	210	28	280	1310	729	37	240			851.30
28-Dec-05	310	55	280	1780	797	61	230			851.57
25-Sep-06	360	94	840	2370	1930	<25	490			854.71
28-Mar-07	390	60	7900	44000	20390	<25	7800			855.79
29-Jun-07	880	300	3400	9500	8410	<100	600			855.09
29-Oct-07	460	54	890	2090	1350	61	<140			854.87
<b>MW-3</b>										<b>TOC=889.63</b>
20-Apr-92	<40	700	550	1490	920	<100				
03-Jun-92	29	130	160	314	230	32				
11-Aug-92	<20	24	24	43	37	<20				
27-Oct-93	5.2	3.6	2.2	11.6	<3.0	<1.0				
11-Oct-01	<2.3	2.5	5.9	15.4	8.7	<2.3	<0.014			
06-Dec-01	<2.3	5.7	4.5	16.9	6.3	<2.3	<0.014			
26-Aug-04	not sampled									855.50
28-Jul-05	<0.40	<0.40	<0.40	<0.40	<0.80	<0.40	<1.1			853.38
15-Jun-06	<0.50	<0.50	<0.50	<0.50	<0.90	<0.50	<2.6			854.94
29-Jun-07	not sampled									855.15

**Laboratory Results - Groundwater (VOCs)**  
**Meier and Loomer Properties, Madison, Wisconsin**

	Benzene	Toluene	Ethyl-benzene	Total Tri-methyl-benzenes	Total Xylenes	Methyl- tert-butyl-ether	Naphthalene	Nitrate + Nitrite	Dissolved Oxygen	Water Level
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	mg/L	ug/L	MSL
NR 140 ES	5	1,000	700	480	10,000	60	100			
NR 140 PAL	0.5	200	140	96	1,000	12	10			
<b>MW-4</b>										TOC=875.88
20-Apr-92	94	36	67	172	80	120				
3-Jun-92	64	13	56	540	76	110				
11-Aug-92	29	<20	<20	590	93	<20				
27-Oct-93	61	9.9	46	236	36	11				
28-Jan-97	21			38						
11-Oct-01	170	<12	21	<26	12	16	4.7			
6-Dec-01	470	25	68	75	69	18	21			
2-Feb-04	<6.0	<8.0	140	880	179	47	270			851.67
26-Aug-04	not sampled									853.76
29-Apr-05	<0.40	3.1	6.3	22.9	0.96	<0.40	10			853.61
25-Oct-05	2.9	4.5	19	13.6	11.1	7.7	7.3			850.81
28-Dec-05	2.0	2.5	18	8.3	6.7	6.4	10			851.08
15-Jun-06	<0.50	0.77	2.2	6.0	7.7	2.5	9.7			853.02
29-Jun-07	18	0.71	3.5	1.6	1.6	2.3	2.8			853.68
29-Oct-07	19	1.1	4.2	3.11	3.1	2.8	<2.8			854.03
<b>MW-5</b>										TOC=876.27
20-Apr-92	<1.0	<1.0	24	43	38	<5.0				
3-Jun-92	1.5	<1.0	22	53	41	2.3				
11-Aug-92	<10	<10	31	67	41	<10				
27-Oct-93	<1.0	<1.0	2.2	1.3	<3.0	<1.0				
12-Oct-01	3.0	<2.3	19	22	<7.5	5.1	0.17			
6-Dec-01	<4.5	<4.6	29	35.9	<15.5	<4.6	0.41			
26-Aug-04	not sampled									854.03
25-Sep-06	<0.50	<0.50	<0.50	<0.50	<0.90	<0.50	<2.6			853.36
29-Jun-07	<0.50	<0.50	0.73	<0.50	<1.0	1.8	<2.8			853.83

**Laboratory Results - Groundwater (VOCs)**  
**Meier and Loomer Properties, Madison, Wisconsin**

	Benzene	Toluene	Ethyl-benzene	Total Tri-methyl-benzenes	Total Xylenes	Methyl- tert-butyl-ether	Naphthalene	Nitrate + Nitrite	Dissolved Oxygen	Water Level
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	mg/L	ug/L	MSL
NR 140 ES	5	1,000	700	480	10,000	60	100			
NR 140 PAL	0.5	200	140	96	1,000	12	10			
<b>MW-6</b>										TOC=880.64
28-Jan-97	<b>360</b>									
11-Oct-01	<b>200</b>	330	400	<b>1470</b>	1630	<120	<b>520</b>			
6-Dec-01	<b>340</b>	<b>1500</b>	<b>1600</b>	<b>4300</b>	7200	<230	<b>2800</b>			
2-Feb-04	<b>60</b>	<20	220	<b>1540</b>	493	50	84			852.05
26-Aug-04	not sampled									854.22
4-Jan-05	<b>41</b>	5.3	40	112	9.4	11	28			852.97
29-Apr-05	<b>57</b>	23	64	138	42.5	<4.0	56			854.03
28-Jul-05	<b>40</b>	25	43	262	16	<4.0	<b>130</b>			852.46
25-Oct-05	<b>45</b>	34	66	343	63	<4.0	98			851.09
28-Dec-05	<b>58</b>	21	23	87	45	<8.0	60			851.48
15-Jun-06	<b>31</b>	4.6	48	156	17	7.3	39			853.58
25-Sep-06	<b>35</b>	4.5	72	133	20	17	30			853.65
27-Dec-06	<b>25</b>	<2.5	52	221	53	19	92	0.2		854.15
28-Mar-07	<b>48</b>	7.6	85	221	63.4	12	43			855.37
29-Jun-07	<b>28</b>	15	58	204	61.7	29	59			854.31
29-Oct-07	<b>26</b>	<10	45	248	42	25	61			853.72
<b>MW-7A</b>										TOC=872.65
11-Aug-92	<b>400</b>	<b>1300</b>	<b>1600</b>	<b>2730</b>	6200	<200				
18-Feb-97	<b>20</b>									
27-Oct-93	<b>610</b>	870	<b>1400</b>	<b>1840</b>	4900	<20				
12-Oct-01	<b>240</b>	250	400	350	1280	<57	<b>130</b>			
6-Dec-01	<b>240</b>	250	500	<b>600</b>	1220	<46	<b>150</b>			
2-Feb-04	<15	<20	74	<b>1990</b>	99	<b>77</b>	<b>290</b>			851.70
26-Aug-04	not sampled									853.76
4-Jan-05	2.2	9.1	21	40	11	<1.1	63			852.69
29-Apr-05	2.8	2.9	2.8	15.5	<0.80	1.1	21			853.67
28-Jul-05	2.5	3.4	1.9	3.5	2.4	0.83	8.7			851.81
25-Oct-05	<b>5.8</b>	15	24	45	39	<2.0	<b>160</b>			850.85
28-Dec-05	<0.40	2.9	2.4	4.9	3.7	<0.40	11			853.21
15-Jun-06	2.8	6.2	12	8.0	22.7	<1.0	45			852.72
25-Sep-06	1.4	1.4	6.1	6.3	6.87	2.8	7.7			852.04
28-Mar-07	1.8	0.68	5.0	7.1	9.3	1.4	5.5			853.23
29-Jun-07	<b>110</b>	32	320	<b>580</b>	717	19	35			853.74
29-Oct-07	<b>130</b>	43	340	<b>770</b>	695	31	<56			852.98
<b>MW-7B</b>										
11-Aug-92	<50	<50	<50	<b>660</b>	670	<50				
27-Oct-93	<1.0	<1.0	<1.0	2.2	<3.0	<1.0				
	abandoned due to damage									

**Laboratory Results - Groundwater (VOCs)**  
**Meier and Loomer Properties, Madison, Wisconsin**

	Benzene	Toluene	Ethyl-benzene	Total Tri-methyl-benzenes	Total Xylenes	Methyl- tert-butyl-ether	Naphthalene	Nitrate + Nitrite	Dissolved Oxygen	Water Level
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	mg/L	ug/L	MSL
NR 140 ES	5	1,000	700	480	10,000	60	100			
NR 140 PAL	0.5	200	140	96	1,000	12	10			
<b>MW-8</b>										TOC=877.29
11-Oct-01	390	520	1500	4900	3900	<230	950			
6-Dec-01	<110	<120	520	2080	1590	<110	510			
26-Aug-04	21	33	90	388	89	<4.2	370			854.22
4-Jan-05	32	37	110	1270	202	24	300			
29-Apr-05	8.9	17	17	96	21.2	<4.0	47			853.37
28-Jul-05	18	26	95	870	199	<8.0	190			852.32
25-Oct-05	34	57	150	295	312	15	430			850.87
28-Dec-05	40	57	130	970	219	<8.0	240			851.16
15-Jun-06	1.3	3.7	13	22	9.9	<1.0	28			853.06
25-Sep-06	<2.5	<2.5	22	331	42	<2.5	33			854.06
27-Dec-06	<0.50	<0.50	6.9	16	10.4	6.5	24			853.61
29-Jun-07	<2.5	42	67	94	122	6.0	240			na
29-Oct-07	<5.0	<5.0	43	63	142	43	220			853.77
<b>MW-9</b>										TOC=889.66
11-Aug-92	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0				
13-Jan-95										
23-Oct-93	<1.0	<1.0	<1.0	<2.0	<3.0	<1.0	<1.0			
11-Oct-01	4.9	<1.2	<1.2	<2.3	<3.7	<1.2	0.14			
6-Dec-01	<1.1	<1.2	<1.2	<2.3	<3.7	<1.1	<0.014			
26-Aug-04	not sampled									855.03
<b>MW-10</b>										TOC=875.63
16-Jan-95	<1.0	<1.0	<1.0	<2.0	<3.0	<1.0	<1.0			
11-Oct-01	<1.1	<1.2	<1.2	<2.3	<3.7	<1.2	0.09			
6-Dec-01	<1.1	<1.2	<1.2	<2.3	<3.7	<1.2	<0.014			
26-Aug-04	not sampled									853.28
29-Oct-07	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<2.8			853.51

**Laboratory Results - Groundwater (VOCs)**  
**Meier and Loomer Properties, Madison, Wisconsin**

	Benzene	Toluene	Ethyl-benzene	Total Tri-methyl-benzenes	Total Xylenes	Methyl- tert-butyl-ether	Naphthalene	Nitrate + Nitrite	Dissolved Oxygen	Water Level
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	mg/L	ug/L	MSL
NR 140 ES	5	1,000	700	480	10,000	60	100			
NR 140 PAL	0.5	200	140	96	1,000	12	10			
<b>P-1</b>										TOC=879.18
28-Jan-97	820									
12-Oct-01	31	<2.9	5.2	2.9	2.8	6.4	0.1			
6-Dec-01	74	8.8	30	36	<18.6	14	0.48			
29-Apr-05	<0.40	<0.40	<0.40	<0.40	<0.80	<0.40	<1.1			853.68
29-Jun-07	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<2.8			853.75
<b>RW-1</b>										TOC=876.14
11-Jan-95	12									
12-Jan-95	24									
<b>W-1</b>										TOC=897.33
Dec-93	867	796	621	1322	3650	<200	442			
Feb-95	815	885	757	1647	2821	<40				
5-Oct-98	1800	1900	400	3500	1220	<40				
27-May-98	850	1600	3600	46000	7300	850				
22-Oct-98	740	550	400	4500	760	<20	580			
19-Aug-99	819	988	916	9060	1620	<30	1180			
29-Mar-00	680	640	240	1390	510	<24	260			
23-Aug-00	1300	1900	500	2640	1600	<24	420			
11-Oct-01	790	1600	610	1730	2430	<120	450			
6-Dec-01	540	640	650	4300	1630	<230	3000			
26-Aug-04	54	13	220	1190	268	15	210			854.22
28-Jul-05	43	6.4	140	860	171	<0.40	170			852.15
25-Oct-05	95	44	200	589	266	26	340			850.89
28-Dec-05	80	35	150	1120	230	<10	210			850.60
15-Jun-06	50	<13	160	990	174	30	310			853.24
27-Dec-06	<25	<25	230	1700	230	61	160	0.2		853.97
28-Mar-07	43	<25	270	2350	647	<25	280			854.62
29-Jun-07	54	<25	260	1390	651	<25	<140			853.28
29-Oct-07	36	<10	340	1840	840	110	130			853.96

**Laboratory Results - Groundwater (VOCs)**  
**Meier and Loomer Properties, Madison, Wisconsin**

	Benzene	Toluene	Ethyl-benzene	Total Tri-methyl-benzenes	Total Xylenes	Methyl- tert-butyl-ether	Naphthalene	Nitrate + Nitrite	Dissolved Oxygen	Water Level
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	mg/L	ug/L	MSL
NR 140 ES	5	1,000	700	480	10,000	60	100			
NR 140 PAL	0.5	200	140	96	1,000	12	10			
<b>W-2</b>										TOC=897.30
Dec-93	51.60	<100	99.1	2176	1571	<100	34.7			
Feb-95	67.20	<2.0	2.79	7.73	3.9	<2.0				
28-Jan-97	74.50	1.40	20.6	76.6	38.4	<1.0				
5-Oct-98	28.00	0.30	<0.30	<1.1	<0.60	0.40				
27-May-98	10.00	0.90	20	47	30.2	<0.20				
22-Oct-98	3.80	0.50	<0.30	2	<0.90	6.20	2.6			
19-Aug-99	2.08	0.995	6.16	27.45	19.22	<0.3	1.64			
29-Mar-00	5.30	3.50	13	41	42	<0.47	6.70			
23-Aug-00	1.30	1.20	3	5.3	9.2	<0.47	<0.53			
11-Oct-01	1.5	<1.2	6.3	6.0	3.2	<1.2	1.3			
6-Dec-01	2.3	2.0	5.9	9.6	6.8	<1.1	2.8			
26-Aug-04	0.55	<0.30	0.92	44	3.87	<0.21	40			854.95
28-Jul-05	<0.40	<0.40	0.73	0.59	<0.80	<0.40	1.9			853.16
25-Oct-05	21	18	34	230	154	<8.0	66			850.50
28-Dec-05	20	<8.0	21	580	102	<8.0	170			852.00
15-Jun-06	<13	<13	<13	184	<23	<13	210			854.30
25-Sep-06	1.4	<0.50	1.1	20.1	1.3	0.90	17			854.77
28-Mar-07	Unable to sample, located in a large rainwater puddle									
29-Jun-07	1.4	1.3	0.82	<0.50	<1.0	<0.50	7.1			854.88
<b>W-3</b>										TOC=897.94
28-Jan-97	50.9	<50	109	704	<196	<50				
5-Oct-98	50	60	160	1270	242	120				
27-May-98	32	6	58	350	92	28				
22-Oct-98	32	20	50	280	69	<1.0	36			
19-Aug-99	117	103	756	11090	2236	<30.0	775			
29-Mar-00	55	66	200	2110	670	<24	210			
23-Aug-00	62	66	130	1210	320	<9.4	120			
11-Oct-01	<110	120	250	2010	680	<120	460			
6-Dec-01	250	<120	250	1060	650	<110	300			
28-Jul-05	15	7.5	110	720	277	<2.0	150			852.81
25-Oct-05	inaccessible - load of gravel on top									
28-Dec-05	inaccessible - load of gravel on top									
28-Mar-07	<25	<25	91	1090	260	<25	<140			854.81
29-Jun-07	<25	<25	250	2270	427	<25	570			854.06
29-Oct-07	<10	<10	260	3770	610	55	350			852.79

**Laboratory Results - Groundwater (VOCs)**  
**Meier and Loomer Properties, Madison, Wisconsin**

	Benzene	Toluene	Ethyl-benzene	Total Tri-methyl-benzenes	Total Xylenes	Methyl- tert-butyl-ether	Naphthalene	Nitrate + Nitrite	Dissolved Oxygen	Water Level
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	mg/L	ug/L	MSL
NR 140 ES	5	1,000	700	480	10,000	60	100			
NR 140 PAL	0.5	200	140	96	1,000	12	10			
<b>W-4</b>										TOC=896.91
Dec-93	217	34.4	62.6	799	720	<20	163			
28-Jan-97	190	<50	221	1356	<447	<50				
5-Oct-98	140	<10	280	1500	590	<10				
27-May-98	320	55	230	1280	570	<5.0				
22-Oct-98	280	50	250	2260	<570	<20	530			
19-Aug-99	177	52.8	287	3020	55	<30.0	398			
29-Mar-00	200	28	320	1950	930	<24	370			
23-Aug-00	280	52	180	1370	480	<9.4	260			
11-Oct-01	90	12	81	440	192	<12	160			
6-Dec-01	150	79	140	980	361	<46	210			
26-Aug-04	210	<15	200	1790	580	<11	380			854.35
28-Jul-05	110	4.1	110	310	269	<0.40	150			852.51
25-Oct-05	130	<20	150	1430	349	<20	350			851.04
28-Dec-05	120	23	110	740	265	<8.0	49			851.39
27-Dec-06	130	<25	480	5900	1720	<25	200		0.2	853.79
28-Mar-07	Unable to sample, located in a large rainwater puddle									
29-Jun-07	79	<10	160	1960	609	12	85			853.63
29-Oct-07	66	<10	110	680	323	29	<56			853.08
<b>W-5</b>										TOC=896.54
Feb-95	1.24	3.28	5.9	81	90.8	<2.0	<0.11			
28-Jan-97	1.60	<1.0	8.7	13.4	<6.2	1.3				
5-Oct-98	0.70	1.1	6.9	23.6	4.2	<0.20				
27-May-98	0.20	1.3	3.8	45	7.3	1.3				
22-Oct-98	<0.20	0.7	1.1	11.6	<1.0	0.8	2.1			
19-Aug-99	<0.15	1.88	5.01	70.9	13.78	<0.3	2.63			
29-Mar-00	<2	15	13	850	46	<2.4	34			
23-Aug-00	4.60	26	6.5	253	7.7	<0.47	5.2			
11-Oct-01	<2.3	3.5	3.6	9.8	4.7	<2.3	0.22			
6-Dec-01	<11	<12	20	168	47	<11	35			
25-Oct-05	<8.0	<8.0	40	650	73	<8.0	83			850.09
15-Jun-06	<1.0	5.6	22	67	8.0	<1.0	21			852.92
29-Jun-07	<5.0	7.6	18	275	47	<5.0	140			854.75
29-Oct-07	<0.50	<0.50	12	78.2	5.4	10	19			853.41

**Laboratory Results - Groundwater (VOCs)**  
**Meier and Loomer Properties, Madison, Wisconsin**

	Benzene	Toluene	Ethyl-benzene	Total Tri-methyl-benzenes	Total Xylenes	Methyl- tert-butyl-ether	Naphthalene	Nitrate + Nitrite	Dissolved Oxygen	Water Level
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	mg/L	ug/L	MSL
NR 140 ES	5	1,000	700	480	10,000	60	100			
NR 140 PAL	0.5	200	140	96	1,000	12	10			
<b>W-6</b>										TOC=898.18
Feb-95	9.83	5.1	5.82	120	44.2	<2.0	<0.11			
28-Jan-97	25.3	1.9	47	41	18.4	<1.0				
28-Jan-97	39	3.6	87	69	38	<0.15				
5-Jan-98	12	2.8	28	3.4	<1.2	<0.20				
27-May-98	16	2.7	24	14.3	3.3	8.3				
22-Oct-98	17	3.6	14	19.1	6.4	<0.20	6.2			
19-Aug-99	10.9	<2.0	29	15.71	5.56	<1.5	<4.0			
29-Mar-00	7.8	3.1	7.8	11.7	1.7	<0.47	0.62			
23-Aug-00	15	4.3	30	38.3	11	<0.47	5.5			
11-Oct-01	14	<2.3	39	14.8	<7.5	<2.3	2.4			
11-Oct-01	12	<2.3	34	17.7	2.6	<2.3	2.5			
6-Dec-01	16	9.0	39	66.0	29	<4.6	7.9			
25-Sep-06	0.92	<0.50	3.2	1.1	<0.90	0.70	<2.6			855.75
29-Jun-07	1.6	1.0	1.1	<0.50	<1.0	0.73	<2.8			858.07
<b>W-7</b>										TOC=886.05
Feb-95	<0.2	<2.0	<1.0	<1.0	<1.0	<2.0	<0.11			
28-Jan-97	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0				
5-Jan-98	<0.20	<0.20	<0.30	<0.60	<0.60	<0.20				
27-May-98	<0.20	<0.20	<0.30	<0.60	<0.60	<0.20				
19-Aug-99	<0.15	1.28	<0.5	<0.55	<0.55	<0.3	<0.8			
29-Mar-02	<0.39	<0.37	<0.4	<1.0	<1.0	<0.47	<0.53			
23-Aug-00	<0.39	<0.37	<0.4	<1.0	<1.0	<0.47	<0.53			
26-Aug-04	not sampled									853.65
29-Oct-07	well damaged by mower, MSA abandoned on this date									

**Laboratory Results - Groundwater (VOCs)**  
**Meier and Loomer Properties, Madison, Wisconsin**

	Benzene	Toluene	Ethyl-benzene	Total Tri-methyl-benzenes	Total Xylenes	Methyl- tert-butyl-ether	Naphthalene	Nitrate + Nitrite	Dissolved Oxygen	Water Level
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	mg/L	ug/L	MSL
NR 140 ES	5	1,000	700	480	10,000	60	100			
NR 140 PAL	0.5	200	140	96	1,000	12	10			
<b>W-8</b>										<b>TOC=878.08</b>
Jan-96	1.17	<200	780	1689	2084	<200	275			
28-Jan-97	91	14	619	1052	1787	<25				
5-Jan-98	270	98	550	890	1410	<.020				
27-May-98	210	82	720	1300	1440	<5.0				
22-Oct-98	150	100	660	1160	1570	<4.0	260			
19-Aug-99	246	82.1	459	872	1002	<6.0	149			
29-Mar-00	380	120	580	1090	1200	<4.7	210			
23-Aug-00	480	150	790	1570	1500	<4.7	250			
11-Oct-01	390	190	620	1510	1540	<120	200			
6-Dec-01	240	130	360	880	820	<57	17			
18-Dec-02	55	57	300	550	744	8.6				850.95
30-Sep-03	9.6	11	200	415	423	<3.0	64			850.54
2-Feb-04	16	14	180	415	403	3.5	110			851.19
26-Aug-04	<0.26	<0.30	<0.50	<0.60	<0.80	<0.21	1.4			853.58
4-Jan-05	<0.26	<0.30	<0.50	<0.60	<0.80	<0.21	<0.90			852.36
29-Apr-05	<0.40	<0.40	<0.40	<0.40	<0.80	<0.40	<1.1			853.35
28-Jul-05	2.3	1.7	31	11	41.3	<0.40	6.2			851.76
25-Oct-05	<0.40	<0.40	0.78	0.50	1.0	<0.40	<1.1			850.49
28-Dec-05	0.88	0.87	3.1	4.9	6.28	<0.40	<1.1			850.61
15-Jun-06	5.1	3.2	110	249	123.2	<2.5	49			852.62
25-Sep-06	0.83	0.50	20	41	19.8	<0.50	5.7			852.67
29-Jun-07	8.1	6.0	310	910	417	11	160			853.75
29-Oct-07	5.1	7.2	200	710	269	10	69			853.85

**Laboratory Results - Groundwater (VOCs)**  
**Meier and Loomer Properties, Madison, Wisconsin**

	Benzene	Toluene	Ethyl-benzene	Total Tri-methyl-benzenes	Total Xylenes	Methyl- tert-butyl-ether	Naphthalene	Nitrate + Nitrite	Dissolved Oxygen	Water Level
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	mg/L	ug/L	MSL
NR 140 ES	5	1,000	700	480	10,000	60	100			
NR 140 PAL	0.5	200	140	96	1,000	12	10			
<b>W-9</b>										<b>TOC=875.74</b>
21-Feb-97	139	210	2330	7630	4802	<200				
5-Jan-98	200	280	2500	13200	4880	<80				
27-May-98	400	1200	12080	6300	26600	650				
22-Oct-98	<0.20	<0.20	<0.30	<0.60	<0.90	<0.20	<1.7			
19-Aug-99	552	590	3080	14480	5935	<150	1300			
29-Mar-00	220	130	770	2280	1400	<47	210			
23-Aug-00	720	840	2600	1330	4800	<24	1200			
11-Oct-01	<45	48	130	500	180	<46	490			
6-Dec-01	190	200	740	3380	1530	<110	520			
30-Sep-03	28	57	260	2380	617	27	350			850.72
2-Feb-04	<15	<20	420	1750	700	<15	79			850.84
28-Jul-05	<10	<10	11	1380	66	<10	92			851.69
25-Oct-05	<20	<20	220	2170	443	<20	240			850.72
25-Sep-06	<0.50	<0.50	110	411	89.5	6.1	11			852.30
28-Mar-07	<10	13	22	760	37	<25	<140			855.09
29-Jun-07	<10	40	120	2550	152	<10	520			854.93
29-Oct-07	16	24	240	1660	384	26	77			852.22
<b>W-10</b>										<b>TOC=876.52</b>
18-Dec-02	8.2	2.8	36	25.51	12	5.1				850.70
30-Sep-03	31	<2.0	140	8.3	<3.5	12	7.5			850.13
2-Feb-04	9.3	3.0	53	0.69	3.35	7.2	3.0	5.2		851.23
26-Aug-04	<0.26	<0.30	6.4	<0.60	<0.80	<0.21	1.2			853.44
29-Apr-05	0.61	<0.40	6.6	<0.40	<0.80	<0.40	<1.1			853.22
28-Jul-05	1.9	0.59	17	5.1	1.9	<0.40	2.3			851.45
25-Oct-05	5.0	1.2	3.6	<0.40	<0.80	<0.40	3.3			850.29
28-Dec-05	1.9	1.1	0.99	1.74	<0.80	<0.40	1.1			850.61
15-Jun-06	1.6	0.65	15	2.9	1.0	<0.50	<2.6			852.53
25-Sep-06	<0.50	<0.50	<0.50	<0.50	<0.90	<0.50	<2.6			852.52
28-Mar-07	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<2.8			854.35
29-Jun-07	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<2.8			853.54
29-Oct-07	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<2.8			853.62

MSL = mean sea level (measured in feet)

ES = enforcement standard

PAL = preventive action level

Values in **BOLD** exceed the ES

**FREE PRODUCT THICKNESS SUMMARY**  
**Meier Loomer Properties, Madison, Wisconsin**

	Top of PVC Elevation	Depth to Product	Depth to Groundwater	Groundwater Elevation	Product Thickness	Product Removed (L)	SVE System Vacuum
<b>MW-1</b>							
10-Apr-92	882.13	-	31.59	850.54	-	-	
20-Apr-92	882.13	-	30.64	851.49	-	-	
13-May-92	882.13	-	31.23	850.90	-	-	
4-Jun-92	882.13	-	31.97	850.16	-	-	
24-Jul-92	882.13	-	32.30	849.83	-	-	
11-Aug-92	882.13	-	32.85	849.28	-	-	
18-Jun-93	882.13	-	28.10	854.03	-	-	
27-Oct-93	882.13	-	30.68	851.45	-	-	
13-Jan-95	882.13	NM	33.21	848.92	-	-	
14-Apr-95		-	-	-	0.00	-	
28-Jan-97		-	-	-	1.00	-	
18-Feb-97		-	-	-	1.46	-	
21-Feb-01		-	-	-	1.43	1.75	
26-Feb-01		-	-	-	0.44	0.50	
19-Mar-01		-	-	-	0.14	0.11	
27-Mar-01		-	-	-	0.07	0.13	
9-Apr-01		-	-	-	0.02	0.03	
17-Apr-01		-	-	-	0.00	0.00	
4-May-01		-	-	-	0.00	0.00	
17-May-01		-	-	-	0.00	0.00	
30-May-01		-	-	-	0.00	0.00	
11-Oct-01	882.13	ND	29.50	852.63	0.00	0.00	
6-Dec-01	882.13	ND	29.45	852.68	0.00	0.00	
7-Oct-02	884.30	ND	31.12	853.18	0.00	0.00	
17-Dec-02	884.30	ND	32.24	852.06	0.00	0.00	0.00
19-Dec-02	884.30	ND	32.00	852.30	0.00	0.00	0.00
27-Dec-02	884.30	31.94	31.98	852.32	0.04	0.00	0.00
3-Jan-03	884.30	31.94	32.00	852.30	0.06	0.00	0.00
10-Jan-03	884.30	32.17	32.20	852.10	0.03	0.00	0.00
17-Jan-03	884.30	31.96	32.01	852.29	0.05	0.00	0.00
20-Jan-03	884.30	32.24	32.30	852.00	0.06	0.00	0.00
27-Jan-03	884.30	32.27	32.32	851.98	0.05	0.00	0.00
6-Feb-03	884.30	32.44	32.52	851.78	0.08	0.00	0.00
21-Feb-03	884.30	32.53	33.08	851.22	0.55	0.00	0.00
14-Mar-03	884.30	32.65	33.61	850.69	0.96	0.00	0.00
31-Mar-03	884.30	32.21	33.21	851.09	1.00	0.00	
18-Apr-03	884.30	32.12	33.08	851.22	0.96	0.00	0.00
22-May-03	884.30	30.4	34.37	849.93	3.97	1.10	+0.32
26-Jun-03	884.30	31.76	32.27	852.03	0.51	0.20	0.00
16-Jul-03	884.30	31.38	31.41	852.89	0.03	0.00	
28-Aug-03	884.30	32.72	33.07	851.23	0.35	0.00	
30-Sep-03	884.30					0.25	
29-Oct-03	884.30	32.37	33.21	851.09	0.84	0.50	0.00
20-Nov-03	884.30	30.89	31.27	853.03	0.38	0.00	+0.03
30-Dec-03	884.30	30.56	30.73	853.57	0.17	0.00	
2-Feb-04	884.30	ND*	31.76	852.54	0.00	0.50	0.00
25-Feb-04	884.30	31.68	31.74	852.56	0.06	0.50	0.00
30-Mar-04	884.30	ND*	29.81	854.49	0.00	0.50	
27-Apr-04	884.30	ND*	30.11	854.19	0.00	0.00	
25-May-04	884.30	sheen*	25.41	858.89	0.00	0.00	0.00
24-Jun-04	884.30	ND*	27.58	856.72	0.00	0.00	
20-Jul-04	884.30	ND*	28.31	855.99	0.00	0.30	0.00
26-Aug-04	884.30	ND*	29.30	855.00	0.00	0.00	0.00
21-Sep-04	884.30	ND*	29.98	854.32	0.00	0.00	0.00
4-Jan-05	884.30	ND	30.51	853.79	0.00	0.00	
29-Apr-05	884.30	29.54	29.68	854.62	0.14	0.02	
28-Jul-05	884.30	ND	30.82	853.48	0.00	0.00	
25-Oct-05	884.30	ND	32.37	851.93	0.00	0.00	
28-Dec-05	884.30	sheen	32.12	852.18	0.00	0.00	
15-Jun-06	884.30	ND	29.73	854.57	0.00	0.00	
25-Sep-06	884.30	ND	30.40	853.90	0.00	0.00	
27-Dec-06	884.30	ND	29.25	855.05	0.00	0.00	
28-Mar-07	884.30	ND	27.62	856.68	0.00	0.00	

**FREE PRODUCT THICKNESS SUMMARY**  
**Meier Loomer Properties, Madison, Wisconsin**

	Top of PVC Elevation	Depth to Product	Depth to Groundwater	Groundwater Elevation	Product Thickness	Product Removed (L)	SVE System Vacuum
29-Jun-07	884.30	ND	29.06	855.24	0.00	0.00	
29-Oct-07	884.30	ND	28.89	855.41	0.00	0.00	
<b>MW-2</b>							
10-Apr-92	887.05	-	38.12	848.93	-	-	
20-Apr-92	887.05	-	36.41	850.64	-	-	
13-May-92	887.05	-	36.89	850.16	-	-	
4-Jun-92	887.05	-	37.26	849.79	-	-	
24-Jul-92	887.05	-	37.51	849.54	-	-	
11-Aug-92	887.05	-	38.17	848.88	-	-	
18-Jun-93	887.05	-	33.06	853.99	-	-	
27-Oct-93	-	-	35.34	851.71	-	-	
8-Apr-92	-	-	-	-	0.83	-	
13-May-92	-	-	-	-	1.50	-	
24-Jul-92	-	-	-	-	yes	-	
11-Aug-92	-	-	-	-	yes	-	
18-Jun-93	-	-	-	-	yes	-	
27-Oct-93	-	-	-	-	yes	-	
10-Mar-94	-	-	-	-	0.41	-	
13-Jan-95	887.05	38.21	38.21	848.84	-	-	
14-Apr-95	-	-	-	-	0.37	-	
28-Jan-97	-	-	-	-	0.28	-	
18-Feb-97	-	-	-	-	0.25	-	
23-Aug-00	-	-	-	-	3.4	-	
26-Feb-01	-	-	-	-	3.92	4.25	
19-Mar-01	-	-	-	-	0.49	0.28	
27-Mar-01	-	-	-	-	0.13	0.17	
9-Apr-01	-	-	-	-	0.13	0.1	
17-Apr-01	-	-	-	-	0.01	0	
4-May-01	-	-	-	-	0.07	0.07	
17-May-01	-	-	-	-	0.01	0	
30-May-01	-	-	-	-	0.02	0	
11-Oct-01	887.01	33.98	34.18	852.83	0.2	0.8	
6-Dec-01	887.01	34.56	35.59		1.03	1.1	
7-Oct-02	889.12	36.24	37.11	852.01	0.87	0	
17-Dec-02	889.12	36.55	37.31	851.81	0.76	0	0.00
19-Dec-02	889.12	36.24	37.42	851.70	1.18	0	0.00
27-Dec-02	889.12	36.59	37.52	851.60	0.93	0	
3-Jan-03	889.12	36.67	38.16	850.96	1.49	0	0.00
10-Jan-03	889.12	36.85	38.18	850.94	1.33	0	0.00
17-Jan-03	889.12	36.61	37.07	852.05	0.46	0	0.00
20-Jan-03	889.12	37.07	38.23	850.89	1.16	0	
27-Jan-03	889.12	37.05	38.25	850.87	1.2	0	0.00
6-Feb-03	889.12	37.31	38.32	850.80	1.01	0	0.00
21-Feb-03	889.12	37.55	40.25	848.87	2.7	0	0.00
14-Mar-03	889.12	38.02	40.09	849.03	2.07	0	
31-Mar-03	889.12	37.31	39.33	849.79	2.02	0	
18-Apr-03	889.12	37.11	39.08	850.04	1.97	0	0.00
22-May-03	889.12	34.92	38.71	850.41	3.79	2.2	
26-Jun-03	889.12	37.08	38.33	850.79	1.25	0.2	
16-Jul-03	889.12	36.85	37.55	851.57	0.7	0.4	
28-Aug-03	889.12	38.21	38.62	850.50	0.41	0	
29-Oct-03	889.12	38.22	38.88	850.24	0.66	0	
20-Nov-03	889.12	36.39	37.3	851.82	0.91	0	0.00
30-Dec-03	889.12	35.85	36.59	852.53	0.74	0.25	
2-Feb-04	889.12	36.8	37.66	851.46	0.86	0.5	0.00
25-Feb-04	889.12	37.02	37.06	852.06	0.04	0	
30-Mar-04	889.12	34.81	35.05	854.07	0.24	0	
27-Apr-04	889.12	35.15	35.21	853.91	0.06	0	0.00
25-May-04	889.12	38.95	39.31	849.81	0.36	0	0.00
24-Jun-04	889.12	32.85	33.1	856.02	0.25	0.5	
20-Jul-04	889.12	33.35	33.42	855.70	0.07	0.5	0.00
26-Aug-04	889.12	34.31	34.43	854.69	0.12	0.5	0.00
21-Sep-04	889.12	ND*	34.76	854.36	0	0.5	0.00
4-Jan-05	889.12	35.6	35.8	853.32	0.2	0.5	

**FREE PRODUCT THICKNESS SUMMARY**  
**Meier Loomer Properties, Madison, Wisconsin**

	Top of PVC Elevation	Depth to Product	Depth to Groundwater	Groundwater Elevation	Product Thickness	Product Removed (L)	SVE System Vacuum
29-Apr-05	889.12	34.35	34.88	854.24	0.53	0.2	
28-Jul-05	889.12	35.91	36.05	853.07	0.14	0.2	
25-Oct-05	889.12	37.77	37.82	851.30	0.05	0.05	
28-Dec-05	889.12	sheen	37.55	851.57	0	0	
15-Jun-06	889.12	34.46	35.07	854.05	0.61	0.3	
25-Sep-06	889.12	34.3	34.41	854.71	0.11	0.1	
27-Dec-06	889.12	33.85	34.35	854.77	0.5	0.2	
28-Mar-07	889.12	32.6	33.33	855.79	0.73	0.1	
29-Jun-07	889.12	33.37	34.03	855.09	0.66	0.2	
29-Oct-07	889.12	34	34.25	854.87	0.25	0.1	
<b>MW-3</b>							
10-Apr-92	887.56	-	36.81	850.75	-	-	
20-Apr-92	887.56	-	35.97	851.59	-	-	
13-May-92	887.56	-	36.42	851.14	-	-	
4-Jun-92	887.56	-	37.12	850.44	-	-	
24-Jul-92	887.56	-	37.57	849.99	-	-	
11-Aug-92	887.56	-	38.03	849.53	-	-	
18-Jun-93	887.56	-	33.17	854.39	-	-	
27-Oct-93	887.56	-	35.70	851.86	-	-	
13-Jan-95	887.56	38.53	38.65	848.91	0.12	-	
11-Oct-01	887.56	ND	34.10	853.46	0.00	0.00	
6-Dec-01	887.56	ND	34.84	852.72	0.00	0.00	
7-Oct-02	889.63	ND	36.30	853.33	0.00	0.00	
17-Dec-02	889.63	ND	37.10	852.53	0.00	0.00	0.00
19-Dec-02	889.63	ND	37.02	852.61	0.00	0.00	0.00
27-Dec-02	889.63	ND	37.11	852.52	0.00	0.00	0.00
3-Jan-03	889.63	ND	37.12	852.51	0.00	0.00	0.00
10-Jan-03	889.63	ND	37.25	852.38	0.00	0.00	0.00
25-May-04	889.63	ND	28.75	860.88	0.00	0.00	
26-Aug-04	889.63	ND	34.13	855.50	0.00	0.00	0.00
29-Apr-05	889.63	ND	34.47	855.16	0.00	0.00	
28-Jul-05	889.63	ND	36.25	853.38	0.00	0.00	
15-Jun-06	889.63	ND	34.69	854.94	0.00	0.00	
29-Jun-07	889.63	ND	34.48	855.15	0.00	0.00	
<b>MW-4</b>							
10-Apr-92	873.74	-	24.05	849.69	-	-	
20-Apr-92	873.74	-	23.17	850.57	-	-	
13-May-92	873.74	-	23.76	849.98	-	-	
4-Jun-92	873.74	-	24.39	849.35	-	-	
24-Jul-92	873.74	-	24.84	848.90	-	-	
11-Aug-92	873.74	-	25.32	848.42	-	-	
18-Jun-93	873.74	-	20.86	852.88	-	-	
27-Oct-93	873.74	-	23.14	850.60	-	-	
13-Jan-95	873.74	NM	25.47	848.27	NM	-	
11-Oct-01	873.74	ND	22.58	851.16	0.00	0.00	
6-Dec-01	873.74	ND	22.56	851.18	0.00	0.00	
7-Oct-02	875.88	ND	23.93	851.95	0.00	0.00	
17-Dec-02	875.88	ND	24.74	851.14	0.00	0.00	0.00
18-Dec-02	875.88	ND	24.71	851.17	0.00	0.00	0.00
19-Dec-02	875.88	ND	24.61	851.27	0.00	0.00	-0.02
27-Dec-02	875.88	ND	24.57	851.31	0.00	0.00	0.00
3-Jan-03	875.88	ND	24.54	851.34	0.00	0.00	0.00
10-Jan-03	875.88	24.71	24.75	851.13	0.04	0.00	0.00
17-Jan-03	875.88	24.72	24.75	851.13	0.03	0.00	0.00
20-Jan-03	875.88	ND	24.83	851.05	0.00	0.00	0.00
27-Jan-03	875.88	ND	24.85	851.03	0.00	0.00	0.00
6-Feb-03	875.88	SHEEN	25.09	850.79	0.00	0.00	0.00
21-Feb-03	875.88	25.21	25.30	850.58	0.09	0.00	0.00
14-Mar-03	875.88	25.43	25.46	850.42	0.03	0.00	0.00
31-Mar-03	875.88	ND	25.02	850.86	0.00	0.00	
18-Apr-03	875.88	ND	24.97	850.91	0.00	0.00	0.00
26-Jun-03	875.88	24.58	24.62	851.26	0.04	0.00	0.00
16-Jul-03	875.88	ND	24.32	851.56	0.00	0.00	0.00

**FREE PRODUCT THICKNESS SUMMARY**  
**Meier Loomer Properties, Madison, Wisconsin**

	Top of PVC Elevation	Depth to Product	Depth to Groundwater	Groundwater Elevation	Product Thickness	Product Removed (L)	SVE System Vacuum
28-Aug-03	875.88	25.46	25.62	850.26	0.16	0.12	0.00
30-Sep-03	875.88	25.25	25.38	850.50	0.13	0.10	0.00
29-Oct-03	875.88	25.27	25.30	850.58	0.03	0.00	0.00
20-Nov-03	875.88	ND*	23.95	851.93	0.00	0.00	0.00
30-Dec-03	875.88	ND*	23.46	852.42	0.00	0.00	
2-Feb-04	875.88	ND*	24.21	851.67	0.00	0.50	0.00
25-Feb-04	875.88	ND*	24.19	851.69	0.00	0.00	0.00
30-Mar-04	875.88	ND*	22.68	853.20	0.00	0.00	
27-Apr-04	875.88	ND*	22.94	852.94	0.00	0.00	
25-May-04	875.88	ND*	19.62	856.26	0.00	0.00	0.00
20-Jul-04	875.88	ND*	21.32	854.56	0.00	0.00	0.00
26-Aug-04	875.88	ND*	22.12	853.76	0.00	0.00	0.00
21-Sep-04	875.88	ND*	22.68	853.20	0.00	0.00	0.00
4-Jan-05	875.88	ND*	23.16	852.72	0.00	0.20	
29-Apr-05	875.88	ND	22.27	853.61	0.00	0.00	
28-Jul-05	875.88	ND	23.73	852.15	0.00	0.00	
25-Oct-05	875.88	SHEEN	25.07	850.81	0.00	0.00	
28-Dec-05	875.88	ND	24.80	851.08	0.00	0.00	
15-Jun-06	875.88	ND	22.86	853.02	0.00	0.00	
29-Jun-07	875.88	ND	22.20	853.68	0.00	0.00	
29-Oct-07	875.88	ND	21.85	854.03	0.00	0.00	
<b>MW-5</b>							
10-Apr-92	874.12	-	24.11	850.01	-	-	
20-Apr-92	874.12	-	23.27	850.85	-	-	
13-May-92	874.12	-	23.79	850.33	-	-	
4-Jun-92	874.12	-	24.44	849.68	-	-	
24-Jul-92	874.12	-	24.86	849.26	-	-	
11-Aug-92	874.12	-	25.34	848.78	-	-	
18-Jun-93	874.12	-	20.90	853.22	-	-	
27-Oct-93	874.12	-	23.16	850.96	-	-	
13-Jan-95	874.12	NM	25.61	848.51	NM	-	
11-Oct-01	874.12	ND	22.65	851.47	0.00	0.00	
6-Dec-01	874.12	ND	22.57	851.55	0.00	0.00	
7-Oct-02	876.27	ND	24.00	852.27	0.00	0.00	
17-Dec-02	876.27	ND	24.75	851.52	0.00	0.00	0.00
19-Dec-02	876.27	ND	24.64	851.63	0.00	0.00	0.00
27-Dec-02	876.27	ND	24.71	851.56	0.00	0.00	0.00
30-Sep-03	876.27	ND	25.35	850.92	0.00	0.00	
25-May-04	876.27	ND	19.34	856.93	0.00	0.00	
26-Aug-04	876.27	ND	22.24	854.03	0.00	0.00	0.00
29-Apr-05	876.27	ND	22.51	853.76	0.00	0.00	
28-Jul-05	876.27	ND	23.88	852.39	0.00	0.00	
25-Sep-06	876.27	ND	22.91	853.36	0.00	0.00	
29-Jun-07	876.27	ND	22.44	853.83	0.00	0.00	
<b>MW-6</b>							
24-Jul-92	878.49	-	29.71	848.78	-	-	
11-Aug-92	878.49	-	30.27	848.22	-	-	
18-Jun-93	878.49	-	25.01	853.48	-	-	
27-Oct-93	878.49	-	27.68	850.81	-	-	
13-Jan-95	878.49	30.00	30.29	848.20	0.29	-	
11-Oct-01	878.53	26.97	27.07	851.46	0.10	0.12	
6-Dec-01	878.53	27.09	27.20	851.33	0.11	0.12	
7-Oct-02	880.64	28.39	28.86	851.78	0.47	0.00	
17-Dec-02	880.64	28.67	30.49	850.15	1.82	0.00	0.00
18-Dec-02	880.64	28.63	30.33	850.31	1.70	0.00	-0.10
19-Dec-02	880.64	28.63	30.33	850.31	1.70	0.00	-0.10
27-Dec-02	880.64	28.65	30.39	850.25	1.74	0.00	0.00
3-Jan-03	880.64	28.58	29.79	850.85	1.21	4.20	-0.30
10-Jan-03	880.64	28.95	29.49	851.15	0.54	0.00	-0.06
20-Jan-03	880.64	29.18	29.88	850.76	0.70	0.00	-0.03
27-Jan-03	880.64	29.15	29.85	850.79	0.70	0.00	-0.03
6-Feb-03	880.64	29.48	30.30	850.34	0.82	0.00	-0.04
21-Feb-03	880.64	29.62	30.87	849.77	1.25	0.00	0.00

**FREE PRODUCT THICKNESS SUMMARY**  
**Meler Loomer Properties, Madison, Wisconsin**

	Top of PVC Elevation	Depth to Product	Depth to Groundwater	Groundwater Elevation	Product Thickness	Product Removed (L)	SVE System Vacuum
14-Mar-03	880.64	29.85	30.66	849.98	0.81	0.00	0.00
31-Mar-03	880.64	29.23	30.08	850.56	0.85	0.00	
18-Apr-03	880.64	29.13	29.99	850.65	0.86	0.00	0.00
22-May-03	880.64	28.07	28.75	851.89	0.68	0.40	+0.07
26-Jun-03	880.64	29.03	29.10	851.54	0.07	0.00	0.00
16-Jul-03	880.64	28.62	28.82	851.82	0.20	0.10	0.00
28-Aug-03	880.64	29.71	30.11	850.53	0.40	0.50	-0.06
30-Sep-03	880.64	29.65	29.90	850.74	0.25	0.10	0.00
29-Oct-03	880.64	30.11	30.26	850.38	0.15	0.00	0.00
20-Nov-03	880.64	ND	28.30	852.34	0.00	0.00	0.00
30-Dec-03	880.64	ND	27.79	852.85	0.00	0.00	
2-Feb-04	880.64	sheen	28.59	852.05	0.00	0.00	0.00
25-Feb-04	880.64	28.65	28.69	851.95	0.04	0.50	0.00
30-Mar-04	880.64	ND*	27.08	853.56	0.00	0.10	
27-Apr-04	880.64	ND*	27.27	853.37	0.00	0.00	0.00
25-May-04	880.64	ND*	23.51	857.13	0.00	0.00	0.00
24-Jun-04	880.64	ND*	25.00	855.64	0.00	0.00	
20-Jul-04	880.64	ND*	25.57	855.07	0.00	0.00	0.00
26-Aug-04	880.64	ND*	26.42	854.22	0.00	0.00	0.00
21-Sep-04	880.64	ND*	27.04	853.60	0.00	0.00	-0.02
4-Jan-05	880.64	ND*	27.67	852.97	0.00	0.10	
29-Apr-05	880.64	ND	26.61	854.03	0.00	0.00	
28-Jul-05	880.64	ND	28.18	852.46	0.00	0.00	
25-Oct-05	880.64	sheen	29.55	851.09	0.00	0.00	
28-Dec-05	880.64	sheen	29.16	851.48	0.00	0.00	
15-Jun-06	880.64	sheen	27.06	853.58	0.00	0.00	
25-Sep-06	880.64	ND	26.99	853.65	0.00	0.00	
27-Dec-06	880.64	ND	26.49	854.15	0.00	0.00	
28-Mar-07	880.64	ND	25.27	855.37	0.00	0.00	
29-Jun-07	880.64	ND	26.33	854.31	0.00	0.00	
29-Oct-07	880.64	ND	26.92	853.72	0.00	0.00	
<b>MW-7A</b>							
24-Jul-92	872.66	-	23.71	848.95	-	-	
11-Aug-92	872.66	-	24.20	848.46	-	-	
18-Jun-93	872.66	-	19.68	852.98	-	-	
27-Oct-93	872.66	-	22.12	850.54	-	-	
13-Jan-95	870.52	NM	22.12	848.40	NM	-	
11-Oct-01	870.52	ND	19.46	851.06	0.00	0.00	
6-Dec-01	870.52	ND	19.47	851.05	0.00	0.00	
7-Oct-02	872.65	ND	20.83	851.82	0.00	0.00	
17-Dec-02	872.65	ND	23.28	849.37	0.00	0.00	0.00
18-Dec-02	872.65	ND	23.27	849.38	0.00	0.00	0.00
19-Dec-02	872.65	ND	23.13	849.52	0.00	0.00	0.24
27-Dec-02	872.65	ND	22.95	849.70	0.00	0.00	0.00
3-Jan-03	872.65	22.51	22.68	849.97	0.17	0.18	0.03
10-Jan-03	872.65	21.30	21.85	850.80	0.55	0.00	0.00
17-Jan-03	872.65	21.45	22.09	850.56	0.64	0.40	0.00
20-Jan-03	872.65	21.70	22.00	850.65	0.30	0.00	0.06
6-Feb-03	872.65	21.85	22.30	850.35	0.45	0.00	0.00
21-Feb-03	872.65	22.01	22.57	850.08	0.56	0.00	0.00
14-Mar-03	872.65	22.22	22.63	850.02	0.41	0.00	
31-Mar-03	872.65	22.48	22.86	849.79	0.38	0.00	
18-Apr-03	872.65	21.69	22.06	850.59	0.37	0.00	0.00
22-May-03	872.65	20.34	20.80	851.85	0.46	0.20	0.00
22-May-03	872.65	21.42	21.48	851.17	0.06	0.00	0.00
28-Aug-03	872.65	22.20	22.50	850.15	0.30	0.12	0.00
29-Oct-03	872.65	22.36	22.40	850.25	0.04	0.00	0.00
20-Nov-03	872.65	ND	21.96	850.69	0.00	0.00	+1.9
30-Dec-03	872.65	ND	21.07	851.58	0.00	0.00	
2-Feb-04	872.65	sheen	20.95	851.70	0.00	0.00	0.00
25-Feb-04	872.65	20.71	20.75	851.90	0.04	0.50	0.00
30-Mar-04	872.65	ND*	19.47	853.18	0.00	0.50	
27-Apr-04	872.65	ND*	19.68	852.97	0.00	0.00	0.00
25-May-04	872.65	ND*	16.41	856.24	0.00	0.00	0.00

**FREE PRODUCT THICKNESS SUMMARY**  
Meier Loomer Properties, Madison, Wisconsin

	Top of PVC Elevation	Depth to Product	Depth to Groundwater	Groundwater Elevation	Product Thickness	Product Removed (L)	SVE System Vacuum
24-Jun-04	872.65	ND*	17.62	855.03	0.00	0.00	
20-Jul-04	872.65	ND*	18.08	854.57	0.00	0.00	0.00
26-Aug-04	872.65	ND*	18.89	853.76	0.00	0.00	+0.06
21-Sep-04	872.65	ND*	19.44	853.21	0.00	0.00	0.00
4-Jan-05	872.65	ND*	19.96	852.69	0.00	0.50	
29-Apr-05	872.65	ND	18.98	853.67	0.00	0.00	
28-Jul-05	872.65	ND	20.84	851.81	0.00	0.00	
25-Oct-05	872.65	sheen	21.80	850.85	0.00	0.00	
28-Dec-05	872.65	sheen	19.44	853.21	0.00	0.00	
15-Jun-06	872.65	sheen	19.93	852.72	0.00	0.00	
25-Sep-06	872.65	ND	20.61	852.04	0.00	0.00	
28-Mar-07	872.65	ND	19.42	853.23	0.00	0.00	
29-Jun-07	872.65	ND	18.91	853.74	0.00	0.00	
29-Oct-07	872.65	ND	19.67	852.98	0.00	0.00	
<b>MW-7B</b>							
24-Jul-92	873.04	-	24.31	848.73	-	-	
11-Aug-92	873.04	-	24.74	848.30	-	-	
18-Jun-93	873.04	-	20.37	852.67	-	-	
27-Oct-93	873.04	-	22.55	850.49	-	-	
abandoned							
<b>MW-8</b>							
24-Jul-92	878.20	-	29.45	848.75	-	-	
11-Aug-92	878.20	-	29.90	848.30	-	-	
18-Jun-93	878.20	-	24.75	853.45	-	-	
27-Oct-93	878.20	-	27.43	850.77	-	-	
13-Jan-95	875.36	27.07	27.53	847.82	0.46	-	
11-Oct-01	875.36	23.61	23.95	851.41	0.34	0.70	
6-Dec-01	875.36	23.95	24.30	851.06	0.35	0.25	
7-Oct-02	877.29	25.25	25.30	851.99	0.05	0.00	
18-Dec-02	877.29	24.65	25.27	852.02	0.62	0.00	-15.50
19-Dec-02	877.29	24.84	25.80	851.49	0.96	0.00	-14.50
27-Dec-02	877.29	24.90	25.37	851.92	0.47	0.00	-13.50
3-Jan-03	877.29	ND	24.57	852.72	0.00	0.00	-13.80
17-Jan-03	877.29	24.68	25.40	851.89	0.72	0.00	-17.50
20-Jan-03	877.29	25.85	26.32	850.97	0.47	0.00	-23.50
27-Jan-03	877.29	26.04	26.72	850.57	0.68	0.00	-18.75
6-Feb-03	877.29	25.39	25.82	851.47	0.43	0.00	-24.50
21-Feb-03	877.29	26.37	27.25	850.04	0.88	0.00	-24.50
14-Mar-03	877.29	26.60	27.21	850.08	0.61	0.00	0.00
31-Mar-03	877.29	24.98	25.46	851.83	0.48	0.00	
18-Apr-03	877.29	25.51	26.80	850.49	1.29	0.00	0.00
22-May-03	877.29	24.74	26.04	851.25	1.30	0.40	-4.20
26-Jun-03	877.29	25.08	25.19	852.10	0.11	0.00	-6.50
16-Jul-03	877.29	24.42	24.75	852.54	0.33	0.10	-18.50
28-Aug-03	877.29	26.05	26.45	850.84	0.40	0.25	-15.00
30-Sep-03	877.29	25.46	25.94	851.35	0.48	0.10	-16.00
29-Oct-03	877.29	24.61	25.11	852.18	0.50	0.60	-41.00
20-Nov-03	877.29	24.77	25.31	851.98	0.54	0.10	-5.80
30-Dec-03	877.29	24.43	24.89	852.40	0.46	0.00	
25-Feb-04	877.29	25.16	25.52	851.77	0.36	0.25	0.00
30-Mar-04	877.29	22.32	22.45	854.84	0.13	0.00	
27-Apr-04	877.29	ND*	23.45	853.84	0.00	0.50	0.00
25-May-04	877.29	ND*	20.25	857.04	0.00	0.00	+0.80
24-Jun-04	877.29	ND*	21.61	855.68	0.00	0.00	
20-Jul-04	877.29	ND*	22.26	855.03	0.00	0.00	+0.8
26-Aug-04	877.29	ND*	23.07	854.22	0.00	0.00	+0.80
21-Sep-04	877.29	ND*	23.55	853.74	0.00	0.00	0.00
4-Jan-05	877.29	ND*	24.51	852.78	0.00	0.00	
29-Apr-05	877.29	ND	23.92	853.37	0.00	0.00	
28-Jul-05	877.29	sheen	24.97	852.32	0.00	0.00	
25-Oct-05	877.29	ND	26.42	850.87	0.00	0.00	
28-Dec-05	877.29	sheen	26.13	851.16	0.00	0.00	
15-Jun-06	877.29	sheen	24.23	853.06	0.00	0.00	

**FREE PRODUCT THICKNESS SUMMARY**  
**Meler Loomer Properties, Madison, Wisconsin**

	Top of PVC Elevation	Depth to Product	Depth to Groundwater	Groundwater Elevation	Product Thickness	Product Removed (L)	SVE System Vacuum
25-Sep-06	877.29	sheen	23.23	854.06	0.00	0.00	
27-Dec-06	877.29	sheen	23.68	853.61	0.00	0.00	
29-Jun-07	877.29	sheen					
29-Oct-07	877.29	ND	23.52	853.77	0.00	0.00	
<b>MW-9</b>							
24-Jul-92	887.57	-	37.42	850.15	-	-	
11-Aug-92	887.57	-	38.10	848.47	-	-	
18-Jun-93	887.57	-	33.18	854.39	-	-	
27-Oct-93	887.57	-	35.77	851.80	-	-	
13-Jan-95	887.57	NM	38.50	849.07	NM	-	
11-Oct-01	887.57	ND	34.80	852.76	0.00	0.00	
6-Dec-01	887.57	ND	34.80	852.76	0.00	0.00	
7-Oct-02	889.66	ND	36.49	853.17	0.00	0.00	
17-Dec-02	889.66	ND	37.25	852.41	0.00	0.00	
19-Dec-02	889.66	ND	37.15	852.51	0.00	0.00	0.00
27-Dec-02	889.66	ND	37.18	852.48	0.00	0.00	0.00
3-Jan-03	889.66	ND	37.18	852.48	0.00	0.00	0.00
10-Jan-03	889.66	ND	37.31	852.35	0.00	0.00	0.00
25-May-04	889.66	ND	30.86	858.80	0.00	0.00	
26-Aug-04	889.66	ND	34.63	855.03	0.00	0.00	0.00
29-Apr-05	889.66	ND	34.97	854.69	0.00	0.00	
28-Jul-05	889.66	ND	36.42	853.24	0.00	0.00	
<b>MW-10</b>							
13-Jan-95	872.41	NM	25.75	846.66	NM	-	
11-Oct-01	872.41	ND	22.92	849.49	0.00	0.00	
6-Dec-01	872.41	ND	22.85	849.56	0.00	0.00	
7-Oct-02	875.63	ND	24.25	851.38	0.00	0.00	
21-Feb-03	875.63	ND	25.48	850.15	0.00	0.00	
25-May-04	875.63	ND	20.03	855.60	0.00	0.00	
26-Aug-04	875.63	ND	22.35	853.28	0.00	0.00	
29-Apr-05	875.63	ND	22.51	853.12	0.00	0.00	
28-Jul-05	875.63	ND	24.00	851.63	0.00	0.00	
29-Oct-07	875.63	ND	22.12	853.51	0.00	0.00	
<b>P-1</b>							
11-Oct-01	-	ND	25.75	-	0.00	0.00	
6-Dec-01	-	ND	25.69	-	0.00	0.00	
7-Oct-02	879.18	ND	27.15	852.03	0.00	0.00	
17-Dec-02	879.18	ND	27.87	851.31	0.00	0.00	0.00
30-Sep-03	879.18	ND	28.48	850.70	0.00	0.00	
25-May-04	879.18	ND	22.32	856.86	0.00	0.00	
29-Apr-05	879.18	ND	25.50	853.68	0.00	0.00	
29-Jun-07	879.18	ND	25.43	853.75	0.00	0.00	
<b>RW-1</b>							
21-Feb-01	-	-	-	-	0.10	0.25	
26-Feb-01	-	-	-	-	0.06	0.25	
19-Mar-01	-	-	-	-	0.01	0	
27-Mar-01	-	-	-	-	0.01	0	
9-Apr-01	-	-	-	-	0.01	0	
17-Apr-01	-	-	-	-	0.01	0	
4-May-01	-	-	-	-	0.01	0	
17-May-01	-	-	-	-	0.01	0	
30-May-01	-	-	-	-	0.00	0	
11-Oct-01	-	ND	22.06	-	0.00	0.00	
6-Dec-01	-	ND	22.10	-	0.00	0.00	
7-Oct-02	876.14	SHEEN	23.54	852.60	SHEEN	0.00	
17-Dec-02	876.14	SHEEN	24.74	851.40	SHEEN	0.00	0.00
30-Sep-03	876.14	ND	25.37	850.77	0.00	0.00	
25-May-04	876.14	ND	18.36	857.78	0.00	0.00	
<b>W-1</b>							
7-Dec-93	-	-	-	-	0.00	-	
9-Mar-94	-	-	-	-	0.00	-	
6-Oct-94	-	-	-	-	0.00	-	

**FREE PRODUCT THICKNESS SUMMARY**  
**Meier Loomer Properties, Madison, Wisconsin**

	Top of PVC Elevation	Depth to Product	Depth to Groundwater	Groundwater Elevation	Product Thickness	Product Removed (L)	SVE System Vacuum
15-Feb-95	-	-	-	-	0.00	-	
14-Apr-95	-	-	-	-	0.00	-	
8-Nov-96	-	-	-	-	0.73	-	
12-Nov-96	-	-	-	-	0.71	-	
28-Jan-97	-	-	-	-	0.82	-	
18-Feb-97	-	-	-	-	0.82	-	
23-Oct-97	-	-	-	-	0.05	-	
27-May-98	-	-	-	-	0.16	-	
22-Oct-98	-	-	-	-	0.37	-	
19-Aug-99	-	-	-	-	0.34	-	
3-Sep-99	-	-	-	-	0.15	-	
25-Feb-00	-	-	-	-	0.23	-	
29-Mar-00	-	-	-	-	0.27	-	
23-Aug-00	-	-	-	-	0.23	-	
30-Oct-00	-	-	-	-	0.01(2)	-	
7-Dec-00	-	-	-	-	sheen	-	
14-Feb-01	-	-	-	-	sheen	-	
1-Mar-01	-	-	-	-	sheen	-	
13-Apr-01	-	-	-	-	0.01	-	
11-Oct-01	897.53	43.78	44.15	853.38	0.37	0.22	
6-Dec-01	897.53	43.81	44.20	853.33	0.39	0.26	
7-Oct-02	897.33	44.91	45.85	851.48	0.94	0.00	
17-Dec-02	897.33	45.08	46.44	850.89	1.36	0.00	0.00
19-Dec-02	897.33	44.57	46.64	850.69	2.07	0.00	-1.20
27-Dec-02	897.33	44.71	46.68	850.65	1.97	0.00	-1.80
3-Jan-03	897.33	44.89	46.66	850.67	1.77	0.00	-2.00
10-Jan-03	897.33	45.07	47.37	849.96	2.30	0.00	-3.80
17-Jan-03	897.33	44.71	47.20	850.13	2.49	0.00	-1.10
20-Jan-03	897.33	45.11	48.36	848.97	3.25	0.00	-1.33
27-Jan-03	897.33	45.16	48.25	849.08	3.09	0.00	-2.20
6-Feb-03	897.33	45.44	48.73	848.60	3.29	0.00	0.00
21-Feb-03	897.33	45.59	49.03	848.30	3.44	0.00	0.00
31-Mar-03	897.33	45.13	48.77	848.56	3.64	0.00	
18-Apr-03	897.33	45.72	46.82	850.51	1.10	0.00	0.00
22-May-03	897.33	44.50	45.53	851.80	1.03	0.50	-0.21
26-Jun-03	897.33	45.45	46.17	851.16	0.72	0.20	-0.45
16-Jul-03	897.33	45.17	45.59	851.74	0.42	0.10	-1.80
28-Aug-03	897.33	46.35	46.67	850.66	0.32	0.00	-0.12
30-Sep-03	897.33	46.62	46.98	850.35	0.36	0.25	-0.52
29-Oct-03	897.33	46.34	46.60	850.73	0.26	0.10	-0.05
20-Nov-03	897.33	44.80	45.00	852.33	0.20	0.10	-0.22
30-Dec-03	897.33	44.11	44.31	853.02	0.20	0.00	
30-Mar-04	897.33	ND*	43.61	853.72	0.00	0.50	
27-Apr-04	897.33	ND*	43.60	853.73	0.00	0.50	-0.60
25-May-04	897.33	39.35	39.39	857.94	0.04	0.00	
24-Jun-04	897.33	40.88	41.11	856.22	0.23	0.45	
20-Jul-04	897.33	41.50	41.71	855.62	0.21	0.50	0.00
26-Aug-04	897.33	ND*	43.11	854.22	0.00	0.00	-0.02
21-Sep-04	897.33	ND*	42.90	854.43	0.00	0.00	0.00
4-Jan-05	897.33	43.69	43.75	853.58	0.06	0.00	
29-Apr-05	897.33	42.28	42.45	854.88	0.17	0.20	
28-Jul-05	897.33	sheen	45.18	852.15	0.00	0.00	
25-Oct-05	897.33	46.41	46.44	850.89	0.03	0.01	
28-Dec-05	897.33	ND	46.73	850.60	0.00	0.00	
15-Jun-06	897.33	sheen	44.09	853.24	0.00	0.00	
27-Dec-06	897.33	ND	43.36	853.97	0.00	0.00	
28-Mar-07	897.33	41.80	42.71	854.62	0.91	0.30	
29-Jun-07	897.33	42.51	44.05	853.28	1.54	0.70	
29-Oct-07	897.33	43.12	43.37	853.96	0.25	0.10	
<b>W-2</b>							
7-Dec-93	-	-	-	-	0.00	-	
9-Mar-94	-	-	-	-	0.00	-	
6-Oct-94	-	-	-	-	0.00	-	
15-Feb-95	-	-	-	-	0.00	-	

**FREE PRODUCT THICKNESS SUMMARY**  
**Meier Loomer Properties, Madison, Wisconsin**

	Top of PVC Elevation	Depth to Product	Depth to Groundwater	Groundwater Elevation	Product Thickness	Product Removed (L)	SVE System Vacuum
14-Apr-95	-	-	-	-	0.00	-	
8-Nov-96	-	-	-	-	0.01	-	
28-Jan-97	-	-	-	-	0.00	-	
18-Feb-97	-	-	-	-	0.00	-	
23-Oct-97	-	-	-	-	0.00	-	
27-May-98	-	-	-	-	0.00	-	
22-Oct-98	-	-	-	-	0.00	-	
19-Aug-99	-	-	-	-	0.00	-	
25-Feb-00	-	-	-	-	0.00	-	
29-Mar-00	-	-	-	-	0.00	-	
23-Aug-00	-	-	-	-	0.00	-	
26-Sep-00	-	-	-	-	0.00	-	
7-Dec-00	-	-	-	-	sheen	-	
14-Feb-01	-	-	-	-	sheen	-	
1-Mar-01	-	-	-	-	sheen	-	
13-Apr-01	-	-	-	-	0.00	-	
11-Oct-01	895.20	sheen	42.17	853.03	0.00	0.00	
6-Dec-01	895.20	ND	42.30	852.90	0.00	0.00	
7-Oct-02	897.30	ND	43.85	853.45	0.00	0.00	
17-Dec-02	897.30	ND	45.32	851.98	0.00	0.00	0.00
19-Dec-02	897.30	ND	45.12	852.18	0.00	0.00	0.00
27-Dec-02	897.30	ND	45.23	852.07	0.00	0.00	0.00
3-Jan-03	897.30	ND	45.21	852.09	0.00	0.00	0.00
10-Jan-03	897.30	ND	45.35	851.95	0.00	0.00	-0.02
17-Jan-03	897.30	ND	45.39	851.91	0.00	0.00	0.00
20-Jan-03	897.30	ND	45.50	851.80	0.00	0.00	-0.02
6-Feb-03	897.30	ND	45.75	851.55	0.00	0.00	0.00
31-Mar-03	897.30	ND	45.34	851.96	0.00	0.00	
18-Apr-03	897.30	ND	45.24	852.06	0.00	0.00	0.00
26-Jun-03	897.30	ND	44.49	852.81	0.00	0.00	-0.45
16-Jul-03	897.30	ND	44.11	853.19	0.00	0.00	0.00
28-Aug-03	897.30	ND	45.17	852.13	0.00	0.00	0.00
30-Dec-03	897.30	ND	43.03	854.27	0.00	0.00	
2-Feb-04	897.30	ND	44.02	853.28	0.00	0.00	0.00
30-Mar-04	897.30	ND	42.77	854.53	0.00	0.00	
26-Aug-04	897.30	ND	42.35	854.95	0.00	0.00	0.00
28-Jul-05	897.30	ND	44.14	853.16	0.00	0.00	
25-Oct-05	897.30	SHEEN	46.80	850.50	0.00	0.00	
28-Dec-05	897.30	45.22	45.30	852.00	0.08	0.10	
15-Jun-06	897.30	ND	43.00	854.30	0.00	0.00	
25-Sep-06	897.30	sheen	42.53	854.77	0.00	0.00	
29-Jun-07	897.30	ND	42.42	854.88	0.00	0.00	
<b>W-3</b>							
7-Dec-93	-	-	-	-	0.08	-	
9-Mar-94	-	-	-	-	0.01	-	
6-Oct-94	-	-	-	-	0.08	-	
15-Feb-95	-	-	-	-	0.17	-	
14-Apr-95	-	-	-	-	0.03	-	
8-Nov-96	-	-	-	-	0.02	-	
28-Jan-97	-	-	-	-	0.02	-	
18-Feb-97	-	-	-	-	0.01	-	
23-Oct-97	-	-	-	-	sheen	-	
27-May-98	-	-	-	-	0.00	-	
22-Oct-98	-	-	-	-	0.00	-	
19-Aug-99	-	-	-	-	0.06	-	
3-Sep-99	-	-	-	-	0.58	-	
25-Feb-00	-	-	-	-	1.08	-	
29-Mar-00	-	-	-	-	0.82	-	
23-Aug-00	-	-	-	-	0.31	-	
30-Oct-00	-	-	-	-	0.05	-	
7-Dec-00	-	-	-	-	sheen	-	
14-Feb-01	-	-	-	-	sheen	-	
1-Mar-01	-	-	-	-	sheen	-	
13-Apr-01	-	-	-	-	0.00	-	

**FREE PRODUCT THICKNESS SUMMARY**  
Meier Loomer Properties, Madison, Wisconsin

	Top of PVC Elevation	Depth to Product	Depth to Groundwater	Groundwater Elevation	Product Thickness	Product Removed (L)	SVE System Vacuum
11-Oct-01	895.83	42.27	42.29	853.54	0.02	0.01	
6-Dec-01	895.83	44.45	44.65	851.18	0.20	0.05	
7-Oct-02	897.94	45.26	47.18	850.76	1.92	0.00	
17-Dec-02	897.94	46.34	47.68	850.26	1.34	0.00	0.00
19-Dec-02	897.94	46.12	47.33	850.61	1.21	0.00	0.00
27-Dec-02	897.94	45.76	47.01	850.93	1.25	0.00	0.00
3-Jan-03	897.94	45.86	47.15	850.79	1.29	2.27	-0.01
10-Jan-03	897.94	46.01	46.73	851.21	0.72	0.00	-0.06
17-Jan-03	897.94	45.96	46.74	851.20	0.78	0.00	0.00
20-Jan-03	897.94	46.22	47.05	850.89	0.83	0.00	-0.03
27-Jan-03	897.94	46.18	47.08	850.86	0.90	0.00	0.00
6-Feb-03	897.94	46.38	47.30	850.64	0.92	0.00	0.00
21-Feb-03	897.94	46.80	47.79	850.15	0.99	0.00	0.00
14-Mar-03	897.94	46.87	47.75	850.19	0.88	0.00	0.00
31-Mar-03	897.94	46.47	47.37	850.57	0.90	0.00	
18-Apr-03	897.94	46.29	47.15	850.79	0.86	0.00	0.00
22-May-03	897.94	45.11	46.00	851.94	0.89	0.20	+0.03
26-Jun-03	897.94	46.02	46.56	851.38	0.54	0.20	-0.02
16-Jul-03	897.94	45.74	45.81	852.13	0.07	0.10	0.00
28-Aug-03	897.94	46.72	46.82	851.12	0.10	0.00	0.00
30-Sep-03	897.94	46.74	47.17	850.77	0.43	0.35	0.00
29-Oct-03	897.94	46.79	46.88	851.06	0.09	0.00	0.00
20-Nov-03	897.94	45.20	45.31	852.63	0.11	0.00	0.00
30-Dec-03	897.94	43.68	43.71	854.23	0.03	0.00	
2-Feb-04	897.94	45.51	45.78	852.16	0.27	0.10	0.00
25-Feb-04	897.94	45.41	45.70	852.24	0.29	0.25	0.00
30-Mar-04	897.94	43.99	44.10	853.84	0.11	0.50	
27-Apr-04	897.94	ND*	43.32	854.62	0.00	0.50	
25-May-04	897.94	ND*	40.41	857.53	0.00	0.00	0.00
20-Jul-04	897.94	42.10	42.45	855.49	0.35	0.50	0.00
26-Aug-04	897.94	43.51	43.66	854.28	0.15	0.50	0.00
21-Sep-04	897.94	ND*	44.03	853.91	0.00	0.00	0.00
4-Jan-05	897.94	44.42	45.58	852.36	1.16	0.50	
29-Apr-05	897.94	43.32	44.80	853.14	1.48	1.80	
28-Jul-05	897.94	44.90	45.13	852.81	0.23	0.20	
15-Jun-06	897.94	46.88	47.11	850.83	0.23	0.30	
25-Sep-06	897.94	43.77	44.40	853.54	0.63	0.50	
27-Dec-06	897.94	43.52	44.50	853.44	0.98	0.60	
28-Mar-07	897.94	42.01	43.13	854.81	1.12	0.40	
29-Jun-07	897.94	42.82	43.88	854.06	1.06	0.50	
29-Oct-07	897.94	42.39	45.15	852.79	2.76	1.00	
W-4							
7-Dec-93	-	-	-	-	0.00	-	
9-Mar-94	-	-	-	-	0.23	-	
6-Oct-94	-	-	-	-	0.15	-	
15-Feb-95	-	-	-	-	yes	-	
14-Apr-95	-	-	-	-	0.01	-	
8-Nov-96	-	-	-	-	0.01	-	
28-Jan-97	-	-	-	-	0.08	-	
18-Feb-97	-	-	-	-	0.01	-	
23-Oct-97	-	-	-	-	0.02	-	
27-May-98	-	-	-	-	0.00	-	
22-Oct-98	-	-	-	-	0.00	-	
19-Aug-99	-	-	-	-	0.00	-	
3-Sep-99	-	-	-	-	0.02	-	
25-Feb-00	-	-	-	-	0.20	-	
29-Mar-00	-	-	-	-	0.06	-	
23-Aug-00	-	-	-	-	0.05	-	
30-Oct-00	-	-	-	-	0.10	-	
7-Dec-00	-	-	-	-	0.00	-	
14-Feb-01	-	-	-	-	sheen	-	
1-Mar-01	-	-	-	-	sheen	-	
13-Apr-01	-	-	-	-	sheen	-	
11-Oct-01	894.73	ND	43.18	851.55	0.00	0.00	

**FREE PRODUCT THICKNESS SUMMARY**  
Meier Loomer Properties, Madison, Wisconsin

	Top of PVC Elevation	Depth to Product	Depth to Groundwater	Groundwater Elevation	Product Thickness	Product Removed (L)	SVE System Vacuum
6-Dec-01	894.73	ND	43.16	851.57	0.00	0.00	
7-Oct-02	896.91	44.58	44.85	852.06	0.27	0.00	
17-Dec-02	896.91	45.15	45.42	851.49	0.27	0.00	0.00
19-Dec-02	896.91	45.04	45.33	851.58	0.29	0.00	0.00
27-Dec-02	896.91	45.05	45.35	851.56	0.30	0.00	0.00
3-Jan-03	896.91	45.11	45.36	851.55	0.25	0.00	0.00
10-Jan-03	896.91	45.37	45.73	851.18	0.36	0.00	0.00
17-Jan-03	896.91	45.41	45.78	851.13	0.37	0.00	0.00
27-Jan-03	896.91	45.39	45.62	851.29	0.23	0.00	0.00
21-Feb-03	896.91	45.81	46.22	850.69	0.41	0.00	0.00
31-Mar-03	896.91	45.52	45.81	851.10	0.29	0.00	
18-Apr-03	896.91	45.50	45.75	851.16	0.25	0.00	0.00
22-May-03	896.91	44.16	45.05	851.86	0.89	0.40	0.00
26-Jun-03	896.91	45.07	45.98	850.93	0.91	0.20	-0.06
16-Jul-03	896.91	44.72	45.42	851.49	0.70	0.10	0.00
28-Aug-03	896.91	46.01	46.44	850.47	0.43	0.00	0.00
30-Sep-03	896.91	45.75				0.25	0.00
29-Oct-03	896.91	45.75	46.32	850.59	0.57	0.25	0.00
20-Nov-03	896.91	44.64	44.76	852.15	0.12	0.05	
30-Dec-03	896.91	43.98	44.21	852.70	0.23	0.00	
2-Feb-04	896.91	ND*	44.78	852.13	0.00	0.50	
25-Feb-04	896.91	ND*	44.78	852.13	0.00	0.00	0.00
30-Mar-04	896.91	43.01	43.18	853.73	0.17	0.50	
27-Apr-04	896.91	ND*	43.57	853.34	0.00	0.50	0.00
25-May-04	896.91	ND*	39.95	856.96	0.00	0.00	0.00
20-Jul-04	896.91	41.75	41.78	855.13	0.03	0.50	0.00
26-Aug-04	896.91	ND*	42.56	854.35	0.00	0.50	0.00
21-Sep-04	896.91	ND*	43.21	853.70	0.00	0.00	0.00
4-Jan-05	896.91	ND*	43.78	853.13	0.00	0.50	
29-Apr-05	896.91	42.73	42.90	854.01	0.17	0.45	
28-Jul-05	896.91	44.25	44.40	852.51	0.15	0.20	
25-Oct-05	896.91	45.61	45.87	851.04	0.26	0.30	
28-Dec-05	896.91	45.32	45.52	851.39	0.20	0.20	
15-Jun-06	896.91	43.25	44.32	852.59	1.07	0.60	
25-Sep-06	896.91	42.33	43.02	853.89	0.69	0.50	
27-Dec-06	896.91	ND	43.12	853.79	0.00	0.00	
29-Jun-07	896.91	42.42	43.28	853.63	0.86	0.50	
29-Oct-07	896.91	43.80	43.83	853.08	0.03	0.01	
<b>W-5</b>							
15-Feb-95	-	-	-	-	0.00	-	
14-Apr-95	-	-	-	-	0.00	-	
8-Nov-96	-	-	-	-	0.00	-	
28-Jan-97	-	-	-	-	0.00	-	
18-Feb-97	-	-	-	-	0.00	-	
23-Oct-97	-	-	-	-	sheen	-	
27-May-98	-	-	-	-	0.00	-	
22-Oct-98	-	-	-	-	0.00	-	
19-Aug-99	-	-	-	-	0.00	-	
29-Mar-00	-	-	-	-	0.15	-	
23-Aug-00	-	-	-	-	0.01	-	
30-Oct-00	-	-	-	-	0.01	-	
7-Dec-00	-	-	-	-	sheen	-	
14-Feb-01	-	-	-	-	sheen	-	
1-Mar-01	-	-	-	-	sheen	-	
13-Apr-01	-	-	-	-	0.01	-	
11-Oct-01	894.42	sheen	42.04	852.38	0.00	0.00	
6-Dec-01	894.42	42.35	42.40	852.02	0.05	0.06	
7-Oct-02	896.54	ND	43.74	852.80	0.00	0.00	
17-Dec-02	896.54	ND	44.54	852.00	0.00	0.00	0.00
19-Dec-02	896.54	ND	44.43	852.11	0.00	0.00	0.00
27-Dec-02	896.54	ND	44.47	852.07	0.00	0.00	0.00
3-Jan-03	896.54	ND	44.45	852.09	0.00	0.00	0.00
10-Jan-03	896.54	ND	44.61	851.93	0.00	0.00	0.00
30-Sep-03	896.54	ND	46.40	850.14	0.00	0.00	

**FREE PRODUCT THICKNESS SUMMARY**  
Meier Loomer Properties, Madison, Wisconsin

	Top of PVC Elevation	Depth to Product	Depth to Groundwater	Groundwater Elevation	Product Thickness	Product Removed (L)	SVE System Vacuum
25-May-04	896.54	sheen	40.22	856.32	sheen	0.00	+3.50
26-Aug-04	896.54	42.80	43.21	853.33	0.41	0.80	+0.12
4-Jan-05	896.54	42.91	43.25	853.29	0.34	0.50	
29-Apr-05	896.54	43.85	44.00	852.54	0.15	0.45	
25-Oct-05	896.54	45.65	46.45	850.09	0.80	0.95	
15-Jun-06	896.54	ND	43.62	852.92	0.00	0.00	
25-Sep-06	896.54	43.10	43.25	853.29	0.15	0.40	
29-Jun-07	896.54	sheen	41.79	854.75	0.00	0.10	
29-Oct-07	896.54	ND	43.13	853.41	0.00	0.00	
<b>W-6</b>							
15-Feb-95	-	-	-	-	0.01	-	
14-Apr-95	-	-	-	-	0.00	-	
8-Nov-96	-	-	-	-	0.00	-	
28-Jan-97	-	-	-	-	0.01	-	
18-Feb-97	-	-	-	-	0.00	-	
23-Oct-97	-	-	-	-	sheen	-	
27-May-98	-	-	-	-	0.00	-	
22-Oct-98	-	-	-	-	0.00	-	
19-Aug-99	-	-	-	-	0.00	-	
25-Feb-00	-	-	-	-	0.00	-	
29-Mar-00	-	-	-	-	0.00	-	
23-Aug-00	-	-	-	-	0.00	-	
26-Sep-00	-	-	-	-	sheen	-	
7-Dec-00	-	-	-	-	0.00	-	
14-Feb-01	-	-	-	-	0.00	-	
1-Mar-01	-	-	-	-	sheen	-	
13-Apr-01	-	-	-	-	sheen	-	
11-Oct-01	896.06	ND	41.50	854.56	0.00	0.00	
6-Dec-01	896.06	ND	41.89	854.17	0.00	0.00	
7-Oct-02	898.18	ND	42.37	855.81	0.00	0.00	
27-Dec-02	898.18	ND	43.36	854.82	0.00	0.00	0.00
3-Jan-03	898.18	ND	43.37	854.81	0.00	0.00	0.00
10-Jan-03	898.18	ND	43.44	854.74	0.00	0.00	0.00
30-Sep-03	898.18	ND	43.56	854.62	0.00	0.00	
25-May-04	898.18	ND	38.21	859.97	0.00	0.00	+0.06
25-Sep-06	898.18	ND	42.43	855.75	0.00	0.00	
29-Jun-07	898.18	ND	40.11	858.07	0.00	0.00	
<b>W-7</b>							
15-Feb-95	-	-	-	-	0.00	-	
14-Apr-95	-	-	-	-	0.00	-	
8-Nov-96	-	-	-	-	0.00	-	
28-Jan-97	-	-	-	-	0.00	-	
18-Feb-97	-	-	-	-	0.00	-	
27-May-98	-	-	-	-	0.00	-	
22-Oct-98	-	-	-	-	0.00	-	
19-Aug-99	-	-	-	-	0.00	-	
29-Mar-00	-	-	-	-	0.00	-	
23-Aug-00	-	-	-	-	0.00	-	
26-Sep-00	-	-	-	-	0.00	-	
11-Oct-01	883.94	ND	33.06	850.88	0.00	0.00	
6-Dec-01	883.94	ND	33.01	850.93	0.00	0.00	
7-Oct-02	886.05	ND	34.58	851.47	0.00	0.00	
25-May-04	886.05	ND	29.84	856.21	0.00	0.00	
26-Aug-04	886.05	ND	32.40	853.65	0.00	0.00	
29-Apr-05	886.05	ND	32.71	853.34	0.00	0.00	
29-Jun-07	damaged						
<b>W-8</b>							
22-Jan-96	-	-	-	-	0.00	-	
5-Nov-96	-	-	-	-	sheen	-	
28-Jan-97	-	-	-	-	0.00	-	
18-Feb-97	-	-	-	-	0.00	-	
27-May-98	-	-	-	-	sheen	-	
22-Oct-98	-	-	-	-	sheen	-	

**FREE PRODUCT THICKNESS SUMMARY**  
Meier Loomer Properties, Madison, Wisconsin

	Top of PVC Elevation	Depth to Product	Depth to Groundwater	Groundwater Elevation	Product Thickness	Product Removed (L)	SVE System Vacuum
19-Aug-99	-	-	-	-	sheen	-	
29-Mar-00	-	-	-	-	sheen	-	
23-Aug-00	-	-	-	-	0.01	-	
30-Oct-00	-	-	-	-	sheen	-	
7-Dec-00	-	-	-	-	sheen	-	
14-Feb-01	-	-	-	-	sheen	-	
1-Mar-01	-	-	-	-	sheen	-	
13-Apr-01	-	-	-	-	sheen	-	
11-Oct-01	875.93	ND	25.21	850.72	0.00	0.00	
6-Dec-01	875.93	ND	25.02	850.91	0.00	0.00	
7-Oct-02	878.08	ND	26.57	851.51	0.00	0.00	
17-Dec-02	878.08	ND	27.12	850.96	0.00	0.00	0.00
18-Dec-02	878.08	ND	27.13	850.95	0.00	0.00	-0.05
19-Dec-02	878.08	ND	27.15	850.93	0.00	0.00	-0.08
27-Dec-02	878.08	ND	27.12	850.96	0.00	0.00	-0.06
3-Jan-03	878.08	ND	27.03	851.05	0.00	0.00	0.00
10-Jan-03	878.08	ND	27.22	850.86	0.00	0.00	0.00
6-Feb-03							-0.38
21-Feb-03							-0.20
18-Apr-03							0.00
26-Jun-03							-4.00
16-Jul-03							-17.00
28-Aug-03							-4.20
30-Sep-03	878.08	ND	27.54	850.54	0.00	0.00	-1.20
20-Nov-03							+2.20
2-Feb-04	878.08	ND	26.89	851.19	0.00	0.00	-0.10
25-Feb-04							-0.50
27-Apr-04							+0.40
25-May-04	878.08	ND	22.20	855.88	0.00	0.00	+4.7
26-Aug-04	878.08	ND	24.50	853.58	0.00	0.00	0.00
4-Jan-05	878.08	ND	25.72	852.36	0.00	0.00	
29-Apr-05	878.08	ND	24.73	853.35	0.00	0.00	
28-Jul-05	878.08	ND	26.32	851.76	0.00	0.00	
25-Oct-05	878.08	ND	27.59	850.49	0.00	0.00	
28-Dec-05	878.08	ND	27.47	850.61	0.00	0.00	
15-Jun-06	878.08	ND	25.46	852.62	0.00	0.00	
25-Sep-06	878.08	ND	25.41	852.67	0.00	0.00	
29-Jun-07	878.08	ND	24.33	853.75	0.00	0.00	
29-Oct-07	878.08	ND	24.23	853.85	0.00	0.00	
<b>W-9</b>							
22-Jan-96	-	-	-	-	sheen	-	
8-Nov-96	-	-	-	-	0.00	-	
18-Feb-97	-	-	-	-	0.00	-	
23-Oct-97	-	-	-	-	NM	-	
27-May-98	-	-	-	-	sheen	-	
22-Oct-98	-	-	-	-	sheen	-	
19-Aug-99	-	-	-	-	0.00	-	
29-Mar-00	-	-	-	-	0.07	-	
23-Aug-00	-	-	-	-	0.03	-	
30-Oct-00	-	-	-	-	sheen	-	
7-Dec-00	-	-	-	-	0.01	-	
14-Feb-01	-	-	-	-	sheen	-	
1-Mar-01	-	-	-	-	sheen	-	
13-Apr-01	-	-	-	-	0.00	-	
11-Oct-01	873.58	ND	22.47	851.11	0.00	0.00	
6-Dec-01	873.58	ND	22.77	850.81	0.00	0.00	
7-Oct-02	875.74	ND	24.22	851.52	0.00	0.00	
17-Dec-02	875.74	ND	25.37	850.37	0.00	0.00	0.00
19-Dec-02	875.74	24.42	24.51	851.23	0.09	0.00	-3.20
27-Dec-02	875.74	24.45	24.72	851.02	0.27	0.00	-3.60
3-Jan-03	875.74	ND	24.42	851.32	0.00	0.00	-3.90
10-Jan-03	875.74	24.50	24.72	851.02	0.22	0.00	-4.00
17-Jan-03	875.74	24.50	24.91	850.83	0.41	0.00	-6.20
20-Jan-03	875.74	24.95	25.46	850.28	0.51	0.00	-6.00

**FREE PRODUCT THICKNESS SUMMARY**  
**Meier Loomer Properties, Madison, Wisconsin**

	Top of PVC Elevation	Depth to Product	Depth to Groundwater	Groundwater Elevation	Product Thickness	Product Removed (L)	SVE System Vacuum
27-Jan-03	875.74	24.94	25.36	850.38	0.42	0.00	-5.60
6-Feb-03	875.74	ND	25.04	850.70	0.00	0.00	-14.50
21-Feb-03	875.74	25.34	25.41	850.33	0.07	0.00	-14.50
14-Mar-03	875.74	ND	25.62	850.12	0.00	0.00	0.00
31-Mar-03	875.74	ND	24.22	851.52	0.00	0.00	
18-Apr-03	875.74	ND	25.11	850.63	0.00	0.00	0.00
22-May-03	875.74	ND	23.73	852.01	0.00	0.00	+4.1
26-Jun-03	875.74	ND	24.70	851.04	0.00	0.00	+0.32
16-Jul-03	875.74	ND	24.44	851.30	0.00	0.00	+1.60
28-Aug-03	875.74	ND	25.25	850.49	0.00	0.00	-4.80
30-Sep-03	875.74	ND	25.02	850.72	0.00	0.00	-4.40
29-Oct-03	875.74	ND	24.08	851.66	0.00	0.00	-16.00
20-Nov-03	875.74	24.00	24.11	851.63	0.11	0.05	-0.90
30-Dec-03	875.74	23.51	23.61	852.13	0.10	0.00	
2-Feb-04	875.74	ND*	24.90	850.84	0.00	0.50	-4.20
25-Feb-04	875.74	ND*	23.88	851.86	0.00	0.25	-1.80
30-Mar-04	875.74	ND	23.30	852.44	0.00	0.00	
27-Apr-04	875.74	ND	24.05	851.69	0.00	0.00	+4.2
25-May-04	875.74	ND	20.54	855.20	0.00	0.00	+8.8
20-Jul-04	875.74	ND	21.80	853.94	0.00	0.00	+6.5
26-Aug-04	875.74	23.13	23.31	852.43	0.18	0.50	+11.6
4-Jan-05	875.74	23.11	23.30	852.44	0.19	0.50	
29-Apr-05	875.74	23.41	23.61	852.13	0.20	0.45	
28-Jul-05	875.74	sheen	24.05	851.69	0.00	0.00	
25-Oct-05	875.74	24.94	25.02	850.72	0.08	0.10	
28-Dec-05	875.74	24.49	25.70	850.04	1.21	2.00	
15-Jun-06	875.74	23.90	24.26	851.48	0.36	0.20	
25-Sep-06	875.74	ND	23.44	852.30	0.00	0.00	
27-Dec-06	875.74	23.74	23.96	851.78	0.22	0.10	
28-Mar-07	875.74	ND	20.65	855.09	0.00	0.00	
29-Jun-07	875.74	ND	20.81	854.93	0.00	0.00	
29-Oct-07	875.74	23.46	23.52	852.22	0.06	0.01	
<b>W-10</b>							
19-Nov-02	876.52						
17-Dec-02	876.52	ND	25.85	850.67	0.00	0.00	0.00
18-Dec-02	876.52	ND	25.82	850.70	0.00	0.00	0.00
19-Dec-02	876.52	ND	25.73	850.79	0.00	0.00	0.00
27-Dec-02	876.52	ND	25.81	850.71	0.00	0.00	0.00
3-Jan-03	876.52	ND	25.88	850.64	0.00	0.00	0.00
10-Jan-03	876.52	ND	28.90	847.62	0.00	0.00	
17-Jan-03	876.52	ND	25.85	850.67	0.00	0.00	-0.26
20-Jan-03	876.52					0.00	-0.11
6-Feb-03	876.52						-1.60
21-Feb-03							-1.20
18-Apr-03							0.00
16-Jul-03							+7.0
28-Aug-03							+2.80
30-Sep-03	876.52	ND	26.39	850.13	0.00	0.00	-0.60
29-Oct-03							-1.10
20-Nov-03							+1.60
2-Feb-04	876.52	ND	25.29	851.23	0.00	0.00	0.00
25-May-04	876.52	ND	20.80	855.72	0.00	0.00	+10.2
26-Aug-04	876.52	ND	23.08	853.44	0.00	0.00	+0.04
4-Jan-05	876.52	ND	24.48	852.04	0.00	0.00	
29-Apr-05	876.52	ND	23.30	853.22	0.00	0.00	
28-Jul-05	876.52	ND	25.07	851.45	0.00	0.00	
25-Oct-05	876.52	ND	26.23	850.29	0.00	0.00	
28-Dec-05	876.52	ND	25.91	850.61	0.00	0.00	
15-Jun-06	876.52	ND	23.99	852.53	0.00	0.00	
25-Sep-06	876.52	ND	24.00	852.52	0.00	0.00	
28-Mar-07	876.52	ND	22.17	854.35	0.00	0.00	
29-Jun-07	876.52	ND	22.98	853.54	0.00	0.00	
29-Oct-07	876.52	ND	22.90	853.62	0.00	0.00	

**FREE PRODUCT THICKNESS SUMMARY**  
**Meier Loomer Properties, Madison, Wisconsin**

	Top of PVC Elevation	Depth to Product	Depth to Groundwater	Groundwater Elevation	Product Thickness	Product Removed (L)	SVE System Vacuum
<b>SVE-1</b>							
17-Dec-02		33.01	34.40		1.39		
19-Dec-02		31.11	33.02		1.91		
27-Dec-02		31.51	33.51		2.00		
3-Jan-03		32.83	34.60		1.77		
10-Jan-03		32.10	32.88		0.78		
<b>SVE-2</b>							
17-Dec-02		32.90	32.98		0.08		
19-Dec-02		ND	28.66		0.00		
27-Dec-02		ND	29.35		0.00		
3-Jan-03		ND	29.39		0.00		
10-Jan-03		30.49	30.51		0.02		
25-May-04		ND	17.70		0.00		
<b>SVE-3</b>							
17-Dec-02		41.52	41.60		0.08		
19-Dec-02		ND	39.12		0.00		
27-Dec-02		ND	41.98		0.00		
10-Jan-03		ND	41.66		0.00		
25-May-04		ND	32.02		0.00		
<b>SVE-4</b>							
17-Dec-02		41.71	42.12		0.41		
19-Dec-02		38.35	38.55		0.20		
27-Dec-02		40.20	40.52		0.32		
3-Jan-03		39.60	39.78		0.18		
10-Jan-03		39.90	40.15		0.25		
27-Apr-04		ND	37.51		0.00		
25-May-04		ND	34.42		0.00		
<b>SVE-5</b>							
17-Dec-02		ND	26.47		0.00		
18-Dec-02		ND	21.35		0.00		
19-Dec-02		ND	21.49		0.00		
27-Dec-02		ND	21.75		0.00		
3-Jan-03		ND	22.35		0.00		
27-Apr-04		ND	20.45		0.00		
25-May-04		ND	15.84		0.00		
24-Jun-04		ND	19.90		0.00		
<b>SVE-6</b>							
18-Dec-02		22.37	22.46		0.09		
19-Dec-02		21.88	22.20		0.32		
27-Dec-02		21.35	21.55		0.20		
3-Jan-03		ND	23.04		0.00		
10-Jan-03		23.32	23.50		0.18		
27-Apr-04		ND	21.10		0.00		
25-May-04		ND	15.84		0.00		
<b>SVE-7</b>							
17-Dec-02		ND	24.51		0.00		
27-Dec-02		ND	29.19		0.00		
3-Jan-03		ND	21.21		0.00		
10-Jan-03		ND	21.02		0.00		
25-May-04		ND	7.56		0.00		
24-Jun-04		ND	18.30		0.00		
<b>SVE-9</b>							
17-Dec-02		ND	42.17		0.00		
27-Dec-02		ND	41.00		0.00		
3-Jan-03		ND	42.33		0.00		
10-Jan-03		ND	41.95		0.00		
25-May-04		ND	33.17		0.00		

\* = absorbent sock in well

Amount of Product Bailed, in liters =

65.32

## Impacted Off-Source Property Information

Form 4400-246 (R 3/08)

This fillable form is intended to provide a list of information that must be submitted for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request (Section H). The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

**NOTICE: Completion of this form is mandatory** for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

03-13-000787

ACTIVITY NAME:

MEIER PROPERTIES INC

ID	Off-Source Property Address	Parcel Number	WTM X	WTM Y
A	1919 Alliant Energy Ctr Way #2, Madison, WI 53713	070936288409	570468	285701
B				
C				
D				
E				
F				
G				
H				
I				



**PROFESSIONAL SERVICES**

TRANSPORTATION • MUNICIPAL  
DEVELOPMENT • ENVIRONMENTAL

January 2, 2008

Mr. Gaylord Plummer  
Dane County Real Estate Manager  
Dane County Building, Room 425  
210 Martin Luther King Jr. Blvd.  
Madison, WI 53703-3342

Re: Notification of Groundwater Contamination

Dear Mr. Plummer:

Groundwater contamination that appears to have originated on the Alyce Loomer Property at 2213 South Beltline Court and the Meier Properties site at 200 West Beltline Highway has migrated onto the Alliant Energy Center Property located immediately to the north. The levels of petroleum contamination in the groundwater on your property are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code. However, MSA Professional Services, Inc. has investigated this contamination and determined that the groundwater contaminant plume is stable or receding and will naturally degrade over time. MSA Professional Services, Inc. further believes that allowing natural attenuation to complete the cleanup at these sites will meet the requirements for case closure that are found in chapter NR 726, Wisconsin Administrative Code. Therefore, the owners of the two properties will be requesting that the Department of Natural Resources accept natural attenuation as the final remedy and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Because the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call (800) 367-6076 for calls originating in Wisconsin, or (608) 264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination.

The Department of Natural Resources will not review the closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department of Natural Resources that is relevant to this closure request, you should mail that information to: Dino Tsoris, South Central Region DNR, 3911 Fish Hatchery Road, Madison, WI 53711. Mr. Tsoris may be reached by phone at (608) 275-3299.

*Offices in Illinois, Iowa, Minnesota, and Wisconsin*

1230 SOUTH BOULEVARD • BARABOO, WI 53913-2791  
608.356.2771 • 1.800.362.4505 • FAX: 608.356.2770  
www.msa-ps.com

Page 2

Mr. Gaylord Plummer  
January 2, 2008

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry is available to the general public on the Department of Natural Resources' internet web site. A map showing the property boundaries in the area and the most recent extent of groundwater contamination is attached for your review, along with a complete legal description of your property. Please review the enclosed legal description of your property and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline, (800) 242-8511, if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the Department of Natural Resources if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

Once the Department makes a decision on this closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from the agency contact listed above or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at [www.dnr.state.wi.us/org/at/et/geo/gwur](http://www.dnr.state.wi.us/org/at/et/geo/gwur). A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at (800) 362-4505 or you may contact Dino Tsois, the DNR contact for this project, at (608) 275-3299.

Sincerely,

MSA Professional Services, Inc.



Jayne A. Englebort, P.G.  
Senior Hydrogeologist

JAE:tjr


cc: Kevin Gould, Business Manager, Alliant Energy Center  
David Meier, Meier Properties  
William Offerdahl, for the Alyce Loomer Irrevocable Trust  
Lawrie Kobza, Boardman, Suhr, Curry and Field  
Dino Tsois, DNR  
Kevin Olson, MSA



Land Acquisition Division  
Dane County Land & Water Resources Department  
Laura Guyer, Conservation Fund Manager

January 25, 2008

Dino Tsois  
3911 Fish Hatchery Rd  
Madison WI 53711



Dear Dino:

I am sending a copy of one sheet of the Master Plan for the eventual expansion of the Exposition Hall at Dane County's Alliant Energy Center. As you can see, the expansion area extends into the area of the plume of groundwater contamination. That part of the expansion also happens to be in Phase I of the Master Plan.

I am also including a copy of an email Larry Barton of Strang, Inc. sent to Kevin Gould in response to a question you had raised regarding the depth of footings.

If you have any further question, please call or email.

I'll look forward to hearing from you soon.

Sincerely,

  
Gaylord R. Plummer  
*Facilities Planner & Real Estate Officer*  
Room 223, 1 Fen Oak Court  
Madison, WI 53718-8812  
Phone: (608) 224-3761

Enclosures (2)

Cc: Laura Guyer without enclosures  
Kevin Gould without enclosures

DOCUMENT NO.  
**1258018**

NO. 156 PAGE 380

WARRANTY DEED  
STATE OF WISCONSIN - FORM 1  
THIS SPACE RESERVED FOR RECORDING DATA

Office of Register of Deeds  
Dane County, Wisconsin

Received for Record Jan 27  
A. D. 1970 at 1:58 o'clock P M

and recorded in vol. 156  
of Records on page 380

Harold M. Ziegler  
RETURN TO

THIS INDENTURE, Made this 27th day of January  
A. D. 19 70 between C. R. Starr, June C. Starr, his  
wife, Harold M. Ziegler and Phyllis H. Ziegler,  
his wife

part 1ES of the first part and  
Dane County, Wisconsin, a municipal  
corporation  
part Y of the second part,

Witnesseth, That the said part 1ES of the first part, for and in consideration  
of the sum of One Dollar (\$1.00) and other good and  
valuable consideration

to them in hand paid by the said part Y of the second part, the receipt whereof is hereby  
confessed and acknowledged, have given, granted, bargained, sold, remised, released, aliened, conveyed and confirmed, and by these presents  
do give, grant, bargain, sell, remise, release, alien, convey and confirm unto the said part Y of the second part, its heirs and assigns  
forever, the following described real estate situated in the County of Dane and State of Wisconsin, to-wit: Part of  
the North 1/4 of the Northwest 1/4 of Section 36, Township 7 North, Range 9 East, Town  
of Madison, Dane County, Wisconsin, more fully described as follows: Beginning at  
the Southwest corner of said North 1/4; thence Easterly 1329.15 feet along the South  
line of said North 1/4; thence Northerly 326.5 feet, more or less, to the intersec-  
tion with the Northerly line of lands described in Volume 600 of Deeds, page 200,  
Dane County Register of Deeds Office, said point being hereinafter called "Point A"  
thence Westerly 1327.43 feet along said Northerly line and along the North line of  
lands described in Vol. 838 of Deeds, p. 560; thence Southerly 329.1 feet along the  
West line of said North 1/4 to the point of beginning of this description. Said  
parcel is subject to a public roadway over the Westerly side thereof known as Rusk  
Ave. (This deed is given in fulfillment of a land contract between the parties  
hereto)

Together with all and singular the hereditaments and appurtenances thereunto belonging or in any wise appertaining; and all the estate  
right, title, interest, claim or demand whatsoever, of the said part 1ES of the first part, either in law or equity, either in possession or expectancy  
of, in and to the above bargained premises, and their hereditaments and appurtenances.

To Have and To Hold the said premises as above described with the hereditaments and appurtenances, unto the said part Y of the  
second part, and to its successors and assigns FOREVER.

And the said C. R. Starr, June C. Starr, Harold M. Ziegler and Phyllis H. Ziegler  
for themselves and their heirs, executors and administrators, do covenant, grant, bargain, and agree to and  
with the said part Y of the second part, its successors  
they are well seized of the premises above described, as of a good, sure, perfect, absolute and indefeasible estate of inheritance  
in the law, in fee simple, and that the same are free and clear from all incumbrances whatever, except any liens or  
encumbrances created by 2nd party, municipal and zoning ordinances and  
recorded easements and restrictions.

and that the above bargained premises in the quiet and peaceable possession of the said part Y of the second part, its successors  
against all and every person or persons lawfully claiming the whole or any part thereof, they will forever WARRANT AND DEFEND.

In Witness Whereof, the said part 1ES of the first part has herunto set their hands and seals this 27th  
day of JANUARY, A. D. 19 70

SIGNED AND SEALED IN PRESENCE OF  
Robert H. Brigham  
Eugene S. Calhoun

C. R. Starr (SEAL)  
June C. Starr (SEAL)  
Harold M. Ziegler (SEAL)  
Phyllis H. Ziegler (SEAL)

STATE OF WISCONSIN, }  
Dane County, } # 2  
EXEMPT

Personally came before me, this 27th day of January, A. D. 19 70  
the above named C. R. Starr, June C. Starr, his wife, Harold M. Ziegler and  
Phyllis H. Ziegler, his wife

to me known to be the persons who executed the foregoing instrument and acknowledged the same.  
of the above named corporation, to me known to be such persons and officers who executed the foregoing instrument and acknowledged that  
they executed the same as such officers, by its authority, for the purposes therein expressed.

Robert H. Brigham  
Robert H. Brigham

This instrument drafted by Robert H. Brigham, Atty. Notary Public Dane County, Wis.  
My Commission Expires (Is) Permanent

\*Delete as required

(Section 99.3) (1) of the Wisconsin Statutes provides that all instruments to be recorded here have  
plainly printed or typewritten thereon the names of the printers, and that, with their seal and name.