

GIS REGISTRY INFORMATION

SITE NAME: Joe Daniels Construction

BRRTS #: 03-13-001510

CLOSURE DATE: 27-Sep-01

STREET ADDRESS: 919 Applegate Road

CITY: Madison

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):

X= _____ Y= _____

OFF-SOURCE CONTAMINATION (>ES):

Yes

No

CONTAMINATION IN RIGHT OF WAY:

Yes

No

DOCUMENTS NEEDED:

Closure Letter, and any conditional closure letter issued	<input checked="" type="checkbox"/>
Copy of most recent deed, including legal description, for all affected properties	<input checked="" type="checkbox"/>
Certified survey map or relevant portion of the recorded plat map (<i>if referenced in the legal description</i>) for all affected properties	NA
County Parcel ID number, <i>if used for county</i> , for all affected properties	<input checked="" type="checkbox"/>
Location Map which outlines all properties within contaminated site boundaries in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy)	<input checked="" type="checkbox"/>
Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy)	<input checked="" type="checkbox"/>
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)	<input checked="" type="checkbox"/>
Isoconcentration map(s), <i>if available from site investigation (SI)</i> (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of contamination defined. If not available, include the following 2 types of maps:	<input checked="" type="checkbox"/>
· Latest groundwater flow/monitoring well location map	NA
· Latest extent of contaminant plume map	NA
Geologic cross-sections, <i>if available from SI</i> . (8.5x14" if paper copy)	<input checked="" type="checkbox"/>
RP certified statement that legal descriptions are complete and accurate	NA
Copies of off-source notification letters (if applicable)	NA
Letter informing ROW owner of residual contamination (if applicable)	NA
Copy of (soil or land use) deed restriction(s) or deed notice <i>if any required as a condition of closure</i> .	NA



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott McCallum, Governor
Darrell Bazzell, Secretary
Ruthe E. Badger, Regional Director

South Central Region Headquarters
3911 Fish Hatchery Road
Fitchburg, Wisconsin 53711-5397
Telephone 608-275-3266
FAX 608-275-3338
TTY 608-275-3231

September 27, 2001

File Ref.: 03-13-001510

Mr. Joseph Daniels
919 Applegate Road
Madison, WI 53713

SUBJECT: Final Case Closure by Closure Committee -With Conditions Met
Joe Daniels Construction, 922 Jonathon Drive, Madison, WI
WDNR BRRTS # 03-13-001510

Dear Mr. Daniels:

On March 13, 2000 your site, as described above, was reviewed for closure by the South Central Closure Committee. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On March 21, 2000 you were notified that the Closure Committee had granted conditional closure to this case.


On July 30, 2001, the Department received copies of the recorded groundwater use restriction and well abandonment forms indicating that you have complied with the conditions of closure. Based on the correspondence and data provided, it appears that your site has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

State Statute 101.143 requires that owners seeking reimbursement of interest costs from the PECFA Program submit a final reimbursement claim within 120 days after they receive a closure letter on their site. If you are eligible for the PECFA Program, and anticipate filing a PECFA reimbursement claim that includes interest costs, you must file a final reimbursement claim to the Department of Commerce within 120 days from receipt of this letter. If you fail to file a claim within that 120-day period, subsequent interest costs will not be eligible for reimbursement by PECFA.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.


The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 608-275-3465.

Sincerely,

A handwritten signature in cursive script, appearing to read "Lawrence J. Lester".

Lawrence Lester
Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Van Camp, Ramaker



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
Ruthe E. Badger, Regional Director

South Central Region Headquarters
3911 Fish Hatchery Road
Fitchburg, Wisconsin 53711-5397
Telephone 608-275-3266
FAX 608-275-3338
TDD 608-275-3231

March 21, 2000

File Ref.: 03-13-001510

Mr Joseph Daniels
919 Applegate Road
Madison, WI 53713

Subject: Conditional Site Closure: Joe Daniels Construction, 922 Jonathon Drive, Madison

Dear Mr. Daniels:

On March 13, 2000 your request for closure of the above named site, was reviewed by the South Central Region Closure Committee. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. The contamination at the site appears to have been remediated to the extent practicable under current site conditions. Your case will be granted closure under s. NR 726.05, Wis. Adm. Code, when the following conditions have been met.

MONITORING WELL ABANDONMENT The groundwater quality monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to us on forms provided by the Department.

GROUNDWATER USE RESTRICTION The closure committee has required that a groundwater use restriction be prepared and recorded at the county register of deeds office to address the issue of remaining groundwater contamination associated with the site. The purpose of this document is to restrict the use of groundwater that may be contaminated in the vicinity of the site.


To assist us in the preparation of the groundwater use restriction document, you must submit a copy of the property deed to me within 30 days of the date of this letter. This information will be used to prepare a draft groundwater use restriction that will be sent to you for review. If you approve of its content, you will sign it, have it recorded by the Dane County Register of Deeds, and submit a copy with the proof of filing to the Department.

The groundwater use restriction is an option that the Department can offer to you in order to close this site. If you choose not to accept this option, you may perform additional investigation and cleanup of the remaining contamination. Note that this additional work may not be eligible for reimbursement through the Petroleum Environmental Cleanup Fund Award (PECFA) Program. You should contact the Department of Commerce to determine eligibility of the additional work for reimbursement.

When the above conditions have been met, a final case closure letter will be sent to you. Please be aware that the site case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the sites poses a threat to public health, safety, or welfare or to the environment. Your efforts in the restoration of the environment are greatly

appreciated. If you have any questions regarding this letter please contact me at the above address or by telephone at 608-275-3465.

Sincerely,

A handwritten signature in cursive script, appearing to read "Lawrence Lester".

Lawrence Lester, Hydrogeologist
Remediation and Redevelopment

Cc: Van Camp, Ramaker

DANE COUNTY
REGISTER OF DEEDS

3350501

07-20-2001 4:35 PM

Trans. Fee

Rec. Fee 16.00
Pages 4

Document Number

GROUNDWATER USE RESTRICTION

Declaration of Restrictions

In Re: The Property described in Exhibit 1 (Quit Claim Deed)
attached hereto and made a part of this restriction.

STATE OF WISCONSIN

COUNTY OF DANE

WHEREAS, Joseph M. Daniels and Vera L. Daniels, are the
owners of the above-described property.

WHEREAS, one or more petroleum discharges have occurred at this property. Volatile organic compounds (9/23/99, benzene 2.86 ppm, toluene 11.80 ppm, ethylbenzene 1.79 ppm, xylene 12.41 ppm, trimethylbenzene 5.85 ppm and naphthalene 8.82 ppm) in groundwater above the ch. NR140 Wis. Adm. Code enforcement standards exist at the following location(s): within a 50-foot radius surrounding the former pump location at the southwest corner of the building at 922 Jonathon Drive (Exhibit 2, (Figure K, Post-Remedial Groundwater Contaminant Contours Map))

WHEREAS, it is the desire and intention of the property owner to impose on the property restrictions which will make it unnecessary to conduct additional soil or groundwater remediation activities on the property at the present time.

WHEREAS, natural attenuation has been approved by the Department of Natural Resources to remediate groundwater exceeding ch. NR140 Wis. Adm. Code groundwater standards within the boundaries of this property.

WHEREAS, construction of wells where the water quality exceeds the drinking water standards in ch. NR 809 Wis. Adm. Code is restricted by ch. NR811 and ch. NR812 Wis. Adm. Code. Special well construction standards or water treatment requirements, or both, or well construction prohibitions may apply.

NOW THEREFORE, the owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitation and restrictions:

Anyone who proposes to construct or reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater, or its successor agency, to determine what specific requirements are applicable, prior to constructing or reconstructing a well on this property. No well may be constructed or reconstructed on this property unless applicable requirements are met.

Recording Area

Name and Return Address

JOSEPH M DANIELS
919 APPLGATE ROAD
MADISON, WI 53713

60-0709-353-0504-9

Parcel Identification Number (PIN)

This restriction is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring the above-described property whether by descent, devise, purchase or otherwise. This restriction benefits and is enforceable by, the Wisconsin Department of Natural Resources, its successors and assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that the restrictions set forth in this covenant are no longer required. Upon receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein can be extinguished. If the Department determines that the restrictions can be extinguished, an affidavit, with a copy of the Department's written determination, may be recorded to give notice that this groundwater use restriction is no longer binding.

IN WITNESS WHEREOF, the owner of the property has executed this Declaration of Restrictions, this

6 day of July, 2004

Signature:

Joseph M Daniels

Printed Name:

JOSEPH M DANIELS
JOSEPH M DANIELS

Signature:

Vera I. Daniels

Printed Name:

VERA I DANIELS
VERA I. DANIELS

Subscribe and sworn to before me

this 6th day of July, 2004

Dee A. Sansbury

Notary Public, State of Wisconsin

My commission 8/22/04

This document was drafted by Ramaker & Associates, Inc., with assistance from the Wisconsin Department of Natural Resources.

EXHIBIT I

Lot 2 (*more precisely Lot 22, Belt Line Projects Plat*) of Certified Survey Map No. 1354 recorded in the office of the Register of Deeds for Dane County, Wisconsin, in Volume 5 of Certified Survey Map, page 318, as Document No. 1385243, in the City of Madison, Dane County, Wisconsin.

LEGEND

- GAS
- WATER
- FIBER OPTIC
- TELEPHONE
- CABLE TELEVISION
- SANITARY SEWER
- POWER
- FIBER OPTIC CABLE
- FIBER LINE
- SANDY SOIL
- MANHOLE
- POWER POLE
- GAS VALVE
- ELECTRIC METER
- HYDRANT
- WATER VALVE
- TELEPHONE PEDestal
- DRINKING WELL
- TREE
- WASH
- INLET
- LIGHT POLE
- LIGHT POLE & MAST ARM
- SEPTIC TANK
- SEPTIC TANK
- GAS VALVE
- TEMPORARY WELL
- GEOPHIC BORING
- SOIL BORING
- PNEUMETER
- MONITORING WELL
- SPARGE POINTS
- HARD BODD BORING
- RECOVERY WELL
- TEST PIT
- NAPOI POINTS
- GAS SAMPLE LOCATION





EXHIBIT II

<p>RAMAKER & ASSOCIATES, INC. Consulting Engineers 100 S. Lincoln St. Madison, WI 53703 Tel: 608/261-1100 Fax: 608/261-1101</p>	Average Benzene Concentration (ppb) Contents of Post-Remedial Investigation	
	NO. 1 NO. 2 NO. 3 NO. 4 NO. 5 NO. 6 NO. 7 NO. 8 NO. 9 NO. 10 NO. 11 NO. 12 NO. 13 NO. 14 NO. 15 NO. 16 NO. 17 NO. 18 NO. 19 NO. 20 NO. 21 NO. 22 NO. 23 NO. 24 NO. 25 NO. 26 NO. 27 NO. 28 NO. 29 NO. 30 NO. 31 NO. 32 NO. 33 NO. 34 NO. 35 NO. 36 NO. 37 NO. 38 NO. 39 NO. 40 NO. 41 NO. 42 NO. 43 NO. 44 NO. 45 NO. 46 NO. 47 NO. 48 NO. 49 NO. 50 NO. 51 NO. 52 NO. 53 NO. 54 NO. 55 NO. 56 NO. 57 NO. 58 NO. 59 NO. 60 NO. 61 NO. 62 NO. 63 NO. 64 NO. 65 NO. 66 NO. 67 NO. 68 NO. 69 NO. 70 NO. 71 NO. 72 NO. 73 NO. 74 NO. 75 NO. 76 NO. 77 NO. 78 NO. 79 NO. 80 NO. 81 NO. 82 NO. 83 NO. 84 NO. 85 NO. 86 NO. 87 NO. 88 NO. 89 NO. 90 NO. 91 NO. 92 NO. 93 NO. 94 NO. 95 NO. 96 NO. 97 NO. 98 NO. 99 NO. 100	NO. 1 NO. 2 NO. 3 NO. 4 NO. 5 NO. 6 NO. 7 NO. 8 NO. 9 NO. 10 NO. 11 NO. 12 NO. 13 NO. 14 NO. 15 NO. 16 NO. 17 NO. 18 NO. 19 NO. 20 NO. 21 NO. 22 NO. 23 NO. 24 NO. 25 NO. 26 NO. 27 NO. 28 NO. 29 NO. 30 NO. 31 NO. 32 NO. 33 NO. 34 NO. 35 NO. 36 NO. 37 NO. 38 NO. 39 NO. 40 NO. 41 NO. 42 NO. 43 NO. 44 NO. 45 NO. 46 NO. 47 NO. 48 NO. 49 NO. 50 NO. 51 NO. 52 NO. 53 NO. 54 NO. 55 NO. 56 NO. 57 NO. 58 NO. 59 NO. 60 NO. 61 NO. 62 NO. 63 NO. 64 NO. 65 NO. 66 NO. 67 NO. 68 NO. 69 NO. 70 NO. 71 NO. 72 NO. 73 NO. 74 NO. 75 NO. 76 NO. 77 NO. 78 NO. 79 NO. 80 NO. 81 NO. 82 NO. 83 NO. 84 NO. 85 NO. 86 NO. 87 NO. 88 NO. 89 NO. 90 NO. 91 NO. 92 NO. 93 NO. 94 NO. 95 NO. 96 NO. 97 NO. 98 NO. 99 NO. 100



RAMAKER & ASSOC., INC.

SITE LOCATION MAP




NOTE:

BASE MAP TAKEN FROM THE USGS
7.5 MINUTE TOPOGRAPHIC 1983



BUILDINGS ARE SHOWN
PURPLE TINT INDICATES EXTENSION OF URBAN AREAS

DRAWN BY: Julie
DATE: 12-11-96



MADISON WEST, WIS.
8W/4 MADISON 15' QUADRANGLE
18000 15' TYP. 804

- LEGEND**
- GAS
 - WATER
 - TELEPHONE
 - ELECTRIC
 - STORM SEWER
 - SANITARY SEWER
 - CABLE TV
 - FIBER OPTIC CABLE
 - FENCE LINE
 - BENCH MARK
 - MANHOLE
 - ⊕ POWER POLE
 - ⊖ GAS VENT
 - ⊕ ELECTRIC METER
 - ⊖ HYDRANT
 - ⊕ WATER VALVE
 - ⊖ TELEPHONE PEDestal
 - ⊕ DRINKING WELL
 - ⊖ TREE
 - ⊕ MARSH
 - ⊖ INLET
 - ⊕ LIGHT POLE
 - ⊖ LIGHT POLE & MAST ARM
 - ⊕ SEPTIC VENT
 - ⊖ GAS VALVE
 - TEMPORARY WELL
 - GEOPHISIC BORING
 - SOIL BORING
 - △ PIZOMETER
 - MONITORING WELL
 - SPARGE POINTS
 - HAND AUGER BORING
 - ⊕ RECOVERY WELL
 - ⊖ TEST PIT
 - ⊕ VAPOR POINTS
 - ⊖ GRAB SAMPLE LOCATION



RAMAKER & ASSOCIATES, INC.
 Consulting Engineers
 400 South Street
 Oak City, Wisconsin 53080
 Phone: (608) 407-4000
 Fax: (608) 407-1000
 Website: www.ramaker.com

Soil and Groundwater Sample Locations





JOSEPH M. DANIELS CONSTRUCTION
 922 JONATHAN DRIVE
 MADISON, WISCONSIN 53714

NO.	DATE	REVISIONS

FILE # 10-2000-008-2478400
 DATE: 2003-04
 DRAWN BY: []
 CHECKED BY: []
 SCALE: 1" = 20'
 SHEET: 1 of 1
 FILE NAME: []

LEGEND

—	GAS
—	WATER
—	TELEPHONE
—	ELECTRIC
—	STORM SEWER
—	SANITARY SEWER
—	CABLE TV
—	FIBER OPTIC CABLE
—	FENCE LINE
●	BENCH MARK
○	MANHOLE
⊕	POWER POLE
⊖	GAS VENT
⊙	ELECTRIC METER
⊗	HYDRANT
⊘	WATER VALVE
⊚	TELEPHONE PEDESTAL
⊛	DRINKING WELL
⊜	TREE
⊝	MARSH
⊞	INLET
⊟	LIGHT POLE
⊠	LIGHT POLE & MAST ARM
⊡	SEPTIC VENT
⊢	GAS VALVE
⊣	TEMPORARY WELL
⊤	GEOPHORE BORING
⊥	SOIL BORING
⊦	PIEZOMETER
⊧	MONITORING WELL
⊨	SPARGE POINTS
⊩	HAND AUGER BORING
⊪	RECOVERY WELL
⊫	TEST PIT
⊬	VAPOR POINTS
⊭	GRAB SAMPLE LOCATION



<p>RAMAKER & ASSOCIATES, INC. Consulting Engineers 835 Blue Island Sun Prairie, WI 53588 Phone: 608-845-4422 Fax: 608-845-2889 Web: www.ramaker.com</p>		<p>Average Benzene Concentration (ug/l) Contours of Post-Remedial Groundwater</p>	
FILE NO.	DATE	SCALE	SHEET
100-000-0000	08/01/99	1" = 20'	1 of 1
PROJECT	NO. 100-000-0000	DATE	08/01/99
CLIENT	JOSEPH M. DANIELS CONSTRUCTION 822 JONATHAN DRIVE MADISON, WISCONSIN 53714	SCALE	1" = 20'

Groundwater Analytical Results
Joseph M. Daniels LUST Site # 2061

RAMAKER & ASSOCIATES, INC.
Consulting Engineers



Sample No.	Sampling Date	GND	Leak	VOC					MTBE	1,2,4 Trimethyl- benzene	1,3,5 Trimethyl- benzene	1,2 Dichloro- ethane	Naphthalene
				PVOG									
				BTEX									
				Benzene	Toluene	Ethyl- benzene	m & p Xylene	o- Xylene					
		ES	15	5	340	700	630 Total	60	480 Total	5	40		
		PAL	1.5	53	68.6	140	124 Total	12	96 Total	0.5	8		
		mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L		
MW1	10/16/92	0.78		160	13.0	124		16.0	<0.0				
	12/1/93			604									
	12/28/94	20	<0.0	470									
	7/7/95												
	8/27/96			190									
	2/18/97			428									
	6/2/97			<0.0									
	12/15/97			644									
	3/26/98												
	7/6/98												
	10/5/98												
	2/17/99												
	5/20/99												
	9/23/99												
MW1 DUP	12/28/94	22	<0.0	500									
MW2	10/16/92	<0.0	6	<0.0	<0.0	50.0	20.0	<0.0	<0.0	<0.0			
	11/12/93	3.44		<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	12/1/93			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	12/28/94	2.7	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	7/7/95			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	8/27/96			24.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	2/18/97			0.2	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	6/2/97			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	12/15/97			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	3/26/98			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	7/6/98			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	10/5/98			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	2/17/99			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	5/20/99			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	9/23/99			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
MW3	3/12/93	1.3		72.0	24.0	81.0	56.0	44.0	14.0				
	12/1/93			34.1	5.85	8.65	9.62	38.5	2.49	2.49			
	12/28/94	<0.0	<0.0	3.10	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	7/7/95			2.40	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	8/27/96			20.0	2.40	9.20	10.0	7.70	<0.0	3.0			
	2/12/97			<0.0	<0.0	<0.0	<0.0	1.00	<0.0	<0.0			
	6/2/97			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	12/15/97			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	5/20/99			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	9/23/99			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
MW4	8/12/93	<0.0	6.9	1.60	4.4	24.0	81.0	<0.0	1.80	<0.0			
	12/1/93			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	12/28/94	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	7/6/95			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
MW5	8/12/93	0.22	2.1	3.50	2.30	<0.0	4.10	1.10	2.30	3.60			
	12/1/93			1.61	5.04	<0.0	<0.0	<0.0	3.58	3.58			
	12/28/94	<0.0	<0.0	3.80	9.90	<0.0	<0.0	<0.0	<0.0	<0.0			
	7/6/95			1.70	4.20	<0.0	<0.0	<0.0	<0.0	<0.0			
MW6	8/12/93	<0.0	<0.0	<0.0	<0.0	<0.0	26.0	<0.0	<0.0	<0.0			
	12/1/93			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	7/7/95			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	8/27/96			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	2/18/97			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	6/2/97			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	12/15/97			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
MW7	8/12/93	1	<0.0	320	28.0	140	7.80	18.0	10.0				
	12/1/93			72.0									
	12/28/94	0.11	<0.0	20.0	<0.0	12.0	8.20	3.40	3.30				
	7/7/95			190	4.10	63.0	55.0	42.0	15.0	9.40			
	8/27/96			190	6.80	53.0	66.0	45.0	22.0	14.0			
	2/18/97			<0.0	<0.0	<0.0	0.30	2.70	0.30	0.40			
	6/2/97			48.4	3.20	14.1	14.1	13.3	3.31	4.31	<0.0		
	12/15/97			52.4	4.91	22.4	13.0	<0.0	6.81	4.54			
	3/26/98			64.5	4.55	27.5	17.1	13.0	7.66	5.57			
	7/6/98			36.2	2.59	10.4	8.82	16.4	2.12	2.58			
	10/5/98			38.0	2.64	6.78	18.9	<0.0	2.34	2.42			
	2/17/99			88.9	7.68	35.5	25.7	33.4	9.25	11.2			
	5/20/99			129	11.9	72.1	48.1	15.2	30.9	22.9			
	9/23/99			115	10.5	46.9	31.9	20.0	8.70	9.65	<0.0		
MW8	8/12/93	<0.0	<0.0	1.00	1.10	<0.0	<0.0	<0.0	<0.0	<0.0			
	12/1/93			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	7/7/95			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	8/27/96			<0.0	<0.0	<0.0	<0.0	47.0	<0.0	<0.0			
	2/18/97			<0.0	<0.0	<0.0	<0.0	0.90	<0.0	<0.0			
	6/2/97			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	12/15/97			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	5/20/99			<0.0	<0.0	<0.0	<0.0	2.31	<0.0	<0.0			
	9/23/99			<0.0	<0.0	<0.0	1.23	0.275	8.66	0.238			
MW9	11/30/93	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	7/7/95			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	8/27/96			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	2/18/97			<0.0	0.5	<0.0	<0.0	2.1	<0.0	<0.0			
	6/2/97			<0.0	<0.0	<0.0	<0.0	1.1	<0.0	<0.0			
	12/15/97			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
MW10	11/30/93			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	7/7/95			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	8/27/96			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	2/18/97			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	6/2/97			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			
	12/15/97			<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0			

Groundwater Analytical Results
Joseph M. Daniels LUST Site # 2061

RAMAKER & ASSOCIATES, INC.
Consulting Engineers

Sample No.	Sampling Date	VOC											1,2 Dichloroethane	Naphthalene	
		P/VOC													
		BTEX								MTBE	1,2,4 Trimethyl benzene	1,3,5 Trimethyl benzene			
		ORD	Lead	Benzene	Toluene	Ethyl benzene	m & p Xylene	o-Xylene	60 Total						
ES	na	15	5	140	700	124 Total		60	480 Total		5	40			
PAL	na	15	5	48.6	140	124 Total		12	480 Total		0.5	4			
		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
MW11	12/1/93		<0.1	<0.1	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0
	12/27/94		<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0
	7/7/95		**	**	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0
	8/22/96		**	**	<0.6	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0
	2/12/97		**	**	<0.2	<0.4	<0.1	<0.9	<0.2	<0.7	<0.7	<0.7	<0.1	<0.0	<0.0
	6/2/97		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0
12/15/97		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	
5/20/99		**	**	<0.200	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	
RW1	7/7/95		**	**	23.0	32.0	2.2	23.0	15.0	13.0	5.8	4.0	**	**	
	8/28/96		**	**	330.0	150	24.0	70.0	43.0	25.0	25.0	12.0	**	**	
	5/20/99		**	**	82.0	100	19.9	66.1	28.2	21.5	19.9	8.85	**	**	
RW2	8/28/96		**	**	<0.0	<0.0	640	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
P1	8/12/93		<0.1	3.9	<0.0	1.8	<0.0	2.3	14.0	<0.0	<0.0	<0.0	**	**	
	12/1/93		**	**	<0.0	<0.0	<0.0	<0.0	1.7	<0.0	<0.0	<0.0	**	**	
	12/27/94		<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
	7/7/95		**	**	<0.0	<0.0	<0.0	<0.0	3.3	<0.0	<0.0	<0.0	**	**	
	8/22/96		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
	7/6/97		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
	10/1/98		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	1.3	<0.0	<0.0	**	**	
	2/17/99		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
Influent	8/18/96		**	**	240	130	19.0	57.0	35.0	240	21.0	9.2	**	**	
	8/11/96		**	**	420	350	49.0	240	140	440	71.0	24.0	**	**	
	9/10/96		**	**	110	250	19.0	140.0	81.0	670	42.0	17.0	**	**	
	11/21/96		**	**	59.0	100	12.0	71.0	45.0	240	29.0	11.0	**	**	
	11/27/96		**	**	310	61.0	<0.0	37.0	22.0	630	9.6	<0.0	**	**	
	12/5/96		**	**	79.0	150	15.0	79.0	44.0	200	18.0	7.7	**	**	
	12/18/96		**	**	47.0	79.0	7.7	45.0	23.0	270	13.0	4.9	**	**	
	1/2/97		**	**	20.0	37.0	4.2	23.0	11.0	220	6.5	2.5	**	**	
	1/17/97		**	**	39.0	68.0	7.3	39.0	18.0	340	12.0	4.7	**	**	
	2/12/97		**	**	0.5	0.8	<0.1	<0.1	0.4	300	<0.1	<0.1	**	**	
	3/12/97		**	**	3.8	6.9	1.2	4.4	2.6	33.0	1.7	1.0	**	**	
	4/12/97		**	**	6.7	14.0	2.7	10.0	5.1	44.0	3.1	1.7	**	**	
	6/2/97		**	**	1.6	3.1	<0.0	2.0	1.2	21.9	<0.0	<0.0	<0.0	<0.0	
	6/18/97		**	**	2.0	4.2	<0.0	3.8	2.2	14.4	<0.0	<0.0	**	**	
	7/12/97		**	**	2.3	4.1	<0.0	2.2	<0.0	9.8	<0.0	<0.0	**	**	
	8/21/97		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	35.2	<0.0	<0.0	**	**	
	10/20/97		**	**	<0.1	27.6	5.5	26.8	11.3	25.7	7.0	3.7	**	**	
	11/18/97		**	**	11.2	24.4	3.4	19.0	9.0	30.0	4.5	2.7	**	**	
	12/15/97		**	**	16.0	16.0	1.9	10.1	6.0	19.5	2.6	1.4	**	**	
	1/13/98		**	**	7.4	7.4	1.1	6.2	5.0	17.5	3.3	1.4	**	**	
3/17/98		**	**	<0.1	<0.0	<0.0	6.7	6.2	21.8	1.5	3.5	**	**		
5/16/98		**	**	39.0	67.3	10.6	37.0	17.5	39.1	10.5	4.6	**	**		
6/20/98		**	**	14.0	183.0	15.0	114.0	54.2	12.5	30.7	15.6	**	**		
Effluent	8/28/96		**	**	<0.6	<0.0	<0.0	<0.0	<0.0	43.0	<0.0	<0.0	**	**	
	9/11/96		**	**	<0.0	2.4	<0.0	1.1	<0.0	41.0	<0.0	<0.0	**	**	
	9/10/96		**	**	<0.0	<0.0	<0.0	<0.0	<0.0	1.8	<0.0	<0.0	**	**	
	11/21/96		**	**	2.0	4.5	<0.0	2.9	2.0	39.0	1.7	<0.0	**	**	
	11/27/96		**	**	<0.6	<0.0	<0.0	<0.0	<0.0	40.0	<0.0	<0.0	**	**	
	12/5/96		**	**	<0.6	<0.0	<0.0	<0.0	<0.0	28.0	<0.0	<0.0	**	**	
	12/18/96		**	**	<0.6	<0.0	<0.0	<0.0	<0.0	26.0	<0.0	<0.0	**	**	
	1/2/97		**	**	<0.1	0.4	0.7	<0.0	<0.1	12.0	0.4	0.3	**	**	
	1/17/97		**	**	<0.2	1.2	<0.0	<0.0	0.2	16.0	<0.0	<0.0	**	**	
	2/12/97		**	**	<0.1	<0.4	<0.1	<0.0	<0.1	6.9	<0.1	<0.1	**	**	
	3/12/97		**	**	<0.1	<0.4	<0.1	<0.0	<0.1	4.2	<0.1	<0.1	**	**	
	4/12/97		**	**	<0.1	0.5	<0.1	<0.0	<0.1	3.7	0.3	<0.1	**	**	
	6/2/97		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	2.9	<0.0	<0.0	<0.0	<0.0	
	6/18/97		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	1.7	<0.0	<0.0	**	**	
	7/12/97		**	**	<0.0	<0.0	<0.0	<0.0	<0.0	1.2	<0.0	<0.0	**	**	
	8/21/97		**	**	0.58	<0.1	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
	10/20/97		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
	11/18/97		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
	12/15/97		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
	1/13/98		**	**	<0.1	1.2	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
3/17/98		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**		
5/16/98		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**		
6/20/98		**	**	<0.1	1.49	<0.0	1.15	<0.0	<0.0	<0.0	<0.0	**	**		
Trip Blank	8/28/96		**	**	<0.6	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
	9/11/96		**	**	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
	9/10/96		**	**	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
	11/21/96		**	**	<0.6	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
	12/18/96		**	**	<0.6	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
	1/2/97		**	**	<0.1	<0.4	<0.1	<0.0	<0.1	<0.1	<0.1	<0.1	**	**	
	1/17/97		**	**	<0.2	<0.4	<0.1	<0.0	<0.1	<0.1	<0.1	<0.1	**	**	
	2/12/97		**	**	<0.1	<0.4	<0.1	<0.0	<0.1	<0.1	<0.1	<0.1	**	**	
	3/12/97		**	**	<0.1	<0.4	<0.1	<0.0	<0.1	<0.1	<0.1	<0.1	**	**	
	4/12/97		**	**	<0.1	<0.4	<0.1	<0.0	<0.1	<0.1	<0.1	<0.1	**	**	
	6/2/97		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	
	6/18/97		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	8.2	<0.0	<0.0	**	**	
	7/12/97		**	**	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
	8/21/97		**	**	0.5	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
	10/20/97		**	**	<0.1	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	<0.0	**	**	
5/20/99		**	**	<0.200	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	**	**		
9/23/99		**	**	<0.200	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	**	**		

LEGEND:
 - No PAL or ES has been established for this compound, but notification to the WDNR is required
 ** A measurement for this parameter was not made.
 <0.0 No detection
 1.0 Detection below PAL
 1.0 Detection above Protective Action Limit (PAL)
 <1.0 Detection above Enforcement Standard (ES)



 RAMAKER & ASSOCIATES, INC. Consulting Engineers 425 Deerp Drive Oak Creek, Wisconsin 53095 Phone: 414-224-1100 Fax: 414-224-1105 Web: www.ramaker.com		SOIL PROFILE CROSS SECTION	
		JOE M. DANIELS CONSTRUCTION 922 JOHNATHON DRIVE MADISON, WISCONSIN 53714	JOB NO. 2010-14 DATE 07/26/09 SHEET 1 of 1 SCALE P - 8'-0"
FILE PATH L:\7000\700-04\700047	DRAWN BY JMD	CHECKED BY JMD	REVISIONS
NO.	DATE	REMARKS	