

GIS REGISTRY

Cover Sheet

May, 2009
(RR 5367)

Source Property Information

BRRTS #:

ACTIVITY NAME:

PROPERTY ADDRESS:

MUNICIPALITY:

PARCEL ID #:

CLOSURE DATE:

FID #:

DATCP #:

COMM #:

*WTM COORDINATES:

X: Y:

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
 Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Land Use Controls:

N/A (Not Applicable)

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between non-industrial and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government or economic
development corporation)*

Monitoring Wells:

Are all monitoring wells properly abandoned per NR 141? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: 03-22-207258

Parcel ID #: 172-171-0001 and 172-174-0000

ACTIVITY NAME: Potosi Township Garage

WTM COORDINATES: X: 461556 Y: 247296

CLOSURE DOCUMENTS (the Department add these items to the final GIS packet for posting on the Registry)

Closure Letter

Maintenance Plan (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)

Conditional Closure Letter

Certificate of Completion (COC) for VPLE sites

SOURCE LEGAL DOCUMENTS

Deed: The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section. *Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.*

Certified Survey Map: A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).

Figure #: Title: Plat of Survey

Signed Statement: A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 X 14 inches unless the map is submitted electronically.

Location Map: A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.

Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.

Figure #: Title: Site Location Map

Detailed Site Map: A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.

Figure #: Title: Site Layout Map

Soil Contamination Contour Map: For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.

Figure #: Title: Estimated Extent of Petroleum contaminated soil

BRRTS #: 03-22-207258

ACTIVITY NAME: Potosi Township Garage

MAPS (continued)

Geologic Cross-Section Map: A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: Title: Cross Section A-A'

Figure #: Title: Cross Section B-B'

Groundwater Isoconcentration Map: For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data. Note: This is intended to show the total area of contaminated groundwater.

Figure #: Title: Groundwater Contamination Map (June 11, 2009)

Groundwater Flow Direction Map: A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: Title: Groundwater Contour Map (June 11, 2009)

Figure #: Title:

TABLES (meeting the requirements of s. NR 716.15(2)(h))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

Soil Analytical Table: A table showing remaining soil contamination with analytical results and collection dates. Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Figure #: Title:

Groundwater Analytical Table: Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Figure #: Title: Groundwater Analytical Results Summary

Water Level Elevations: Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Figure #: Title: Watertable Elevations Table

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

Not Applicable

_____ **Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: Title:

_____ **Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

_____ **Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

_____ **Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-22-207258

ACTIVITY NAME: Potosi Township Garage

NOTIFICATIONS

Source Property

N/A Letter To Current Source Property Owner: If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.

N/A Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

N/A Letter To "Off-Source" Property Owners: Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:

N/A Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying any off-source property owner.

N/A Deed of "Off-Source" Property: The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source** property(ies). This does not apply to right-of-ways.

Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

N/A Letter To "Governmental Unit/Right-Of-Way" Owners: Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters:



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Lloyd L. Eagan, Regional Director

South Central Region Headquarters
3911 Fish Hatchery Road
Fitchburg, Wisconsin 53711-5397
Telephone 608-275-3266
FAX 608-275-3338
TTY Access via relay - 711

January 14, 2010

Mr. Curtis Fetzek, Chairman
Town of Potosi
5375 British Hollow Road
Potosi, WI 53820

File Ref: 03-22-207258

Subject: Final Case Closure with Continuing Obligations
Potosi Town Garage, 125 Cross Street, Potosi, Wisconsin
WDNR BRRTS Activity Number: 03-22-207258

Dear Mr. Fetzek:

On October 20, 2009, the South Central Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On that same day, you were notified that the Closure Committee had granted conditional closure to this case.

On November 23, 2009, the Department received the monitoring well abandonment forms and confirmation that no investigative waste remains on-site, indicating that you have complied with the requirements for final closure.

Based on the correspondence and data provided, it appears that your case meets the closure requirements in ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time, however, you and future property owners must comply with certain continuing obligations as explained in this letter.

GIS Registry

This site will be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- Groundwater contamination is present above Chapter NR 140 enforcement standards

This letter and information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If the property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Closure Conditions

Please be aware that pursuant to s. 292.12, Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which the Township and any subsequent property owners must adhere. The Township must pass on the information about these continuing obligations to the next property owner or owners. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11, Stats., to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. The Department intends to conduct inspections in the future to ensure that the conditions included in this letter are being met.

Residual Soil Contamination

Residual soil contamination remains at depth in the vicinity of the former tank bed (borings SB1, SB2 and all sampling locations associated with the excavation) as indicated on the attached map and in the information submitted to the Department of Natural Resources. It seems likely that contamination has also migrated beneath the building in the area of the excavation. However, data from borings SB5 and B600 indicates the extent of potentially impacted soil does not extend to these locations, thereby adequately defining the extent of soil contamination that may remain beneath the building.

If soil in the specific locations described above is excavated in the future, then pursuant to ch. NR 718, Wis. Adm. Code or, if applicable, ch. 289, Stats., and chs. 500 to 536, Wis. Adm. Code, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material is considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken to prevent a direct contact health threat to humans.

Residual Groundwater Contamination

Groundwater impacted by petroleum-related contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present on this contaminated property. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact Linda Hanefeld at 608-275-3310.

Sincerely,



Hank Kuehling, Acting Team Supervisor
South Central Region Remediation & Redevelopment Program

cc: Jason Powell, METCO
Andy Alles, COMM

206107

VOL 285 PAGE 557

THIS INDENTURE, Made this 13th day of September A. D. 1949, between Vincent McLaughlin and Genevieve McLaughlin, husband and wife, as joint tenants, of the Village of Potosi, Grant County, Wis. parties of the first part, and the Town of Potosi in said county and state party of the second part,

WITNESSETH, That the said parties of the first part, for and in consideration of the sum of Three Hundred and no/100 (\$300.00) Dollars, to them in hand paid by the said party of the second part, the receipt whereof is hereby confessed and acknowledged, have given, granted, bargained, sold, remised, released, aliened, conveyed and confirmed, and by these presents do give, grant, bargain, sell, remise, release, alien, convey and confirm unto the said party of the second part its successors and assigns, forever, the following described real estate, situated in Grant County, and State of Wisconsin, to-wit:

From the Northeast Corner of the Northwest Quarter (NW 1/4) of Section Thirty-four (34), Town Three (3) North, Range Three (3) West, Grant County, Wisconsin, run South 45° West 726 feet, thence North 50° West 110 feet along County Trunk Highway "U" (to the Point of Beginning,) thence North 45° East 217.8 feet, thence North 50° West 100 feet, thence South 45° West 217.8 feet, thence South 50° East 100 feet to the Point of Beginning. This parcel of land contains 1/2 acre more or less and lies within the Corporate Limits of the Village of Potosi in said County and State.

COPY

TOGETHER with all and singular the hereditaments and appurtenances thereunto belonging or in anywise appertaining; and all the estate, right, title, interest, claim or demand whatsoever, of the said parties of the first part, either in law or equity, either in possession or expectancy of, in and to the above bargained premises, and their hereditaments and appurtenances.

TO HAVE AND TO HOLD the said premises as above described with the hereditaments and appurtenances, unto the said party of the second part and to its successors and assigns FOREVER.

AND THE SAID Vincent McLaughlin and Genevieve McLaughlin for themselves and their heirs, executors and administrators, do covenant, grant, bargain and agree to and with the said party of the second part its successors and assigns, that at the time of the ensembling and delivery of these presents they are well seized of the premises above described, as of a good, sure, perfect, absolute and indefeasible estate of inheritance in the law, in fee simple, and that the same are free and clear from all incumbrances whatever,

and that the above bargained premises in the quiet and peaceable possession of the said party of the second part, its successors and assigns, against all and every person or persons lawfully claiming the whole or any part thereof, they will forever WARRANT AND DEFEND.

IN WITNESS WHEREOF, the said parties of the first part have hereunto set their hands and seals this 13th day of September, A. D. 1949

Signed and Sealed in Presence of Richard W. Orton, Laura Miller

Vincent McLaughlin (Seal), Genevieve McLaughlin (Seal)

STATE OF WISCONSIN, }
Grant County } ss.


COPY

Personally came before me, this 13th day of September A. D. 1949, the above named
Vincent McLaughlin and Genevieve McLaughlin, husband and wife,
as joint tenants,
to me known to be the person s who executed the foregoing instrument and acknowledged the same.

[Signature]

Notary Public Grant County, Wis.

My Commission expires October 23 A. D. 1949.



No. 206107

Vincent McLaughlin and
Genevieve McLaughlin

TO

Town of Potosi

Tax ID # 172-171-0001

WARRANTY DEED
Form No. 1

REGISTER'S OFFICE

State of Wisconsin, }
Grant County }

Received for Record this 14th day

of Nov A. D. 1949,

at 3:46 o'clock P. M., and recorded in

Vol. 285 of Deeds on page 557

[Signature]
Register of Deeds.

Deputy

Recording Fee \$1.00

Tax ID # 172-171-0000

662094

STATE BAR OF WISCONSIN FORM 1 - 2000
WARRANTY DEED

COPY

Document Number

This Deed, made between Thomas J. Oyen a/k/a Tom Oyen & Mary Jo Oyen, husband & wife, Grantor, and Town of Potosi, Grantee.
Grantor, for a valuable consideration, conveys to Grantee the following described real estate in Grant County, State of Wisconsin (the "Property") (if more space is needed, please attach addendum):
Part of Lots 10, 11, 22 and 23 of the Subdivision of Section Thirty-four (34) according to the recorded map or plat thereof, being located in the Northeast Quarter (NE 1/4) of the Northwest Quarter (NW 1/4) of Section Thirty-four (34), Village of Potosi, and the Southeast Quarter (SE 1/4) of the Southwest Quarter (SW 1/4) of Section Twenty-seven (27), Potosi Township, being in Town Three (3) North, Range Three (3) West of the 4th P.M., Grant County, Wisconsin, containing 1.00 acres, more or less, and being described as follows: Commencing at the North Quarter (N 1/4) corner of said Section Thirty-four (34);
thence South 89° 07' 21" West 310.91' along the North line of said Section 34;
thence South 43° 49' 58" West 96.78' to the point of beginning;
thence South 43° 49' 58" West 420.00';
thence North 43° 39' 48" West 103.71';
thence North 43° 49' 58" East 420.00';
thence South 43° 39' 48" East 103.71' to the point of beginning.
Tract being subject to any and all easements of record and/or usage.

GRANT COUNTY, WI
RECEIVED FOR RECORD

NOV 25 2003

at 8:15A
Vol. 1004 of Records Page 297
Meredith Pierce Register

Recording Area
Name and Return Address
Kramer & Brownlee
1038 Lincoln Avenue
Fennimore, WI 53809
11/09/03

Together with all appurtenant rights, title and interests.

State Transfer
Fee Paid
\$ 36.00
107

172-171
Parcel Identification Number (PIN)
This is not homestead property.

Grantor warrants that the title to the Property is good, indefeasible in fee simple and free and clear of encumbrances except ordinances, easements, rights of way and other restrictions of record and taxes for the year 2003.

Dated this 12 day of November, 2003.

Mary Jo Oyen
Mary Jo Oyen

Thomas J. Oyen
*Thomas J. Oyen

ACKNOWLEDGMENT

STATE OF WISCONSIN)
) ss.
Grant County)

ACKNOWLEDGMENT

STATE OF WISCONSIN)
) ss.
Grant County)

Personally came before me this 21st day of November 2003, the above named Mary Jo Oyen to me known to be the person who executed the foregoing instrument and acknowledged the same.

Personally came before me this 21 day of November 2003, the above named Thomas J. Oyen to me known to be the person who executed the foregoing instrument and acknowledged the same.

* Karen J. Lynch
Notary Public, State of Wisconsin
My Commission is permanent. (If not, state expiration date:
8-14-05)
THIS INSTRUMENT WAS DRAFTED BY
Attorney Eileen A. Brownlee
Fennimore, Wisconsin 53809



* Karen J. Lynch
Notary Public, State of Wisconsin
My Commission is permanent. (If not, state expiration date:
8-14-05)

*Names of persons signing in any capacity must be typed or printed below their signature.

PLAT OF SURVEY

LEGEND

- ☐ No. 8 rebar found
- No. 6 rebar found
- △ 1" diameter iron pipe found
- ⊙ Railroad Spike found
- No. 6 x 24" rebar set with cap
- () Recorded as




ALL PLANS THAT DO NOT SHOW A SEAL IMPRINT IN RED INK MAY CONTAIN UNAUTHORIZED ALTERATIONS. THE CERTIFICATION CONTAINED ON THIS DOCUMENT SHALL NOT APPLY TO ANY COPIES. DATED: JULY 8, 2003. REVISED: JULY 28, 2003 (ROAD NAME)

Larry & Austin



Bearings referenced to the North line of the NW 1/4 of Section 35 which is assumed to bear as shown.

Right of way established from Project S-1908



Prepared For: TOM OYEN
AUSTIN ENGINEERING, LLC
 4211 HWY 81 E, LANCASTER, WI 53813
 PHONE 608-723-6363 FAX 608-723-6702

JOB NO: 03S071
 FIELDBOOK: 2104
 G:\T3NR3W\34GCC
 H:\PLAT\POTOSI\SEC34\03S071-OYEN

DRAWN BY: AJ AUSTIN
 APPROVED: LL AUSTIN
 CREW: BS - SA

PLAT OF SURVEY

DESCRIPTION SURVEYED:

An exception to that property as described in Volume 911, Page 188, recorded as Document No. 638410, Grant County Registry, that exception being described as follows:

EXCEPT commence at the Northeast Corner of the Northwest Quarter (N.W.1/4) of said Section Thirty-four (34), thence South 45° West 726 feet; thence North 50° West 110 feet along County Trunk Highway "U" to the point of beginning; thence North 45° East 420 feet; thence North 50° West 100 feet; thence South 45° West 420 feet; thence South 50° East 100 feet to the point of beginning.

SURVEYOR'S NOTES:

There appears to be a discrepancy between the described location of the starting point and the 3/4" rebar marking the North 1/4 corner of Section 34. The rebar has been accepted and used by previous surveyors in the area. A second description has been prepared for the intended location of the above described parcel and is described as follows:

TRACT 1 DESCRIPTION:

Part of Lots 9, 10, 22 and 23 of the Subdivision of Section Thirty-four (34), according to the recorded map or plat thereof, being located in the Northeast Quarter (NE 1/4) of the Northwest Quarter (NW 1/4) of Section Thirty-four (34), Town Three (3) North, Range Three (3) West of the 4th P.M., Village of Potosi, Grant County, Wisconsin, containing 0.96 acres, more or less, and being described as follows:

Commencing at the North Quarter (N 1/4) corner of said Section Thirty-four (34);
 thence South 89° 07' 21" West 310.91' along the North line of said Section 34;
 thence South 43° 49' 58" West 96.78' to the point of beginning;
 thence South 43° 49' 58" West 420.00';
 thence South 43° 39' 48" East 100.00';
 thence North 43° 49' 58" East 420.00' to the Southwesterly line of a previous survey by Michael Miller dated May 17, 1978;
 thence North 43° 39' 48" West 100.00' along a line of said survey to the point of beginning.

Tract being subject to any and all easements of record and/or usage.

SURVEYOR'S CERTIFICATE:

I, Larry L. Austin, Registered Wisconsin Land Surveyor, hereby certify:

That the above description was surveyed, mapped and monumented as shown on this plat by me or under my direct supervision.
 That conformance with local ordinances are not guaranteed with this survey.
 That this survey was prepared under the instructions of Curtis Fetzek, Chairman for the Town of Potosi.
 That to the best of my knowledge and belief, this plat is an accurate representation thereof.
 That all plans that do not show a seal imprint in red ink may contain unauthorized alterations.
 The certification contained on this description shall not apply to any copies.

Dated this 7th day of July, 2007.
 Revised this 28th day of July, 2003. (Change in description) *LL*

Larry L. Austin
 Larry L. Austin, S-1903



SURVEYOR'S NOTES:

Surveyor has made no investigation for easements of record, encumbrances, restrictive covenants, ownership title evidence except as specifically shown on this plat. No distance should be assumed by scaling. No underground improvements have been located unless shown and noted. No representation as to ownership, use or possession should be hereon implied. Refer to abstract, title or local ordinances for any additional restriction, easements or building setback lines. No abstract, nor title commitment, nor results of title searches were furnished the surveyor. There may exist documents of record which would affect this parcel.

PLAT OF SURVEY

TRACT 2 DESCRIPTION:

Part of Lots 10, 11, 22 and 23 of the Subdivision of Section Thirty-four (34) according to the recorded map or plat thereof, being located in the Northeast Quarter (NE 1/4) of the Northwest Quarter (NW 1/4) of Section Thirty-four (34), Village of Potosi, and the Southeast Quarter (SE 1/4) of the Southwest Quarter (SW 1/4) of Section Twenty-seven (27), Potosi Township, being in Town Three (3) North, Range Three (3) West of the 4th P.M., Grant County, Wisconsin, containing 1.00 acres, more or less, and being described as follows: Commencing at the North Quarter (N 1/4) corner of said Section Thirty-four (34);
 thence South 89° 07' 21" West 310.91' along the North line of said Section 34;
 thence South 43° 49' 58" West 96.78' to the point of beginning;
 thence South 43° 49' 58" West 420.00';
 thence North 43° 39' 48" West 103.71';
 thence North 43° 49' 58" East 420.00';
 thence South 43° 39' 48" East 103.71' to the point of beginning.

Tract being subject to any and all easements of record and/or usage.

SURVEYOR'S CERTIFICATE:

I, Larry L. Austin, Registered Wisconsin Land Surveyor, hereby certify:

That the above description was surveyed, mapped and monumented as shown on this plat by me or under my direct supervision.

That conformance with local ordinances are not guaranteed with this survey.

That this survey was prepared under the instructions of Tom Oyen.

That to the best of my knowledge and belief, this plat is an accurate representation thereof.

That all plans that do not show a seal imprint in red ink may contain unauthorized alterations.

The certification contained on this document shall not apply to any copies.

Dated this 8th day of July, 2003.

Revised this 28th day of July, 2003. (No change in description) *LLA*

Larry L. Austin
 Larry L. Austin, S-1903



SURVEYOR'S NOTES:

Surveyor has made no investigation for easements of record, encumbrances, restrictive covenants, ownership title evidence except as specifically shown on this plat. No distance should be assumed by scaling. No underground improvements have been located unless shown and noted. No representation as to ownership, use or possession should be hereon implied. Refer to abstract, title or local ordinances for any additional restriction, easements or building setback lines. No abstract, nor title commitment, nor results of title searches were furnished the surveyor. There may exist documents of record which would affect this parcel.

Prepared For: TOM OYEN

AUSTIN ENGINEERING, LLC
 4211 HWY 81 E, LANCASTER, WI 53813
 PHONE 608-723-6363 FAX 608-723-6702

JOB NO: 03S071
 FIELDBOOK: 2104
 G:\T3NR3W\34GCC
 H:\PLAT\POTOSI\SEC34\03S071-OYEN

DRAWN BY: AJ AUSTIN
 APPROVED: LL AUSTIN
 CREW: BS - SA

SHEET 2 OF 2

WDNR BRRTS Case #: 03-22-207258

WDNR Site Name: Potosi Township Garage

Geographic Information System (GIS) Registry of Closed Remediation Sites

In compliance with the revisions to the NR 700 rule series requiring certain closed sites to be listed on the Geographic Information System (GIS) Registry of Closed Remediation Sites (Registry) effective Nov., 2001, I have provided the following information.


To the best of my knowledge the legal descriptions provided and attached to this statement are complete and accurate.

Responsible Party:

Curtis A. Fetrek Chairman
(print name/title)

Curtis A. Fetrek 9-25-09
(signature) (date)

TOPO! map printed on 09/22/09 from "wisconsin.tpo" and "Untitled.tpg"
90°43.000' W WGS84 90°42.000' W




TN
MN
1°

90°43.000' W WGS84 90°42.000' W
0 5 1 MILE
0 1000 FEET 0 500 1000 METERS
Printed from TOPO! ©2001 National Geographic Holdings (www.topo.com)

SITE LOCATION MAP – CONTOUR INTERVAL 10 FEET
POTOSI TOWNSHIP GARAGE – POTOSI, WI
SEAMLESS USGS TOPOGRAPHIC MAPS ON CD-ROM

SITE LAYOUT MAP	
POTOSI TOWNSHIP GARAGE	
METCO <small>142 STATE ST. W. 201 WISCONSIN 908/79-2883 FAX</small>	POTOSI, WISCONSIN <small>DRAWN BY: BW DATE: 3/4/08</small>




NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

To Tim Reynold's Private Well
 (Approx. 325' Northeast from Former USTs)



- MONITORING WELL LOCATION
- PRIVATE WELL
- GEOPROBE LOCATION
- HOLLOW STEM AUGER BORING
- HAND AUGER BORING
- APPROXIMATE PROPERTY LINE



CTH U
 (CROSS STREET)

LAWN





LEGEND

- ✦ GEOPROBE LOCATION
- ⊙ HOLLOW STEM AUGER BORING
- ⊙ PRIVATE WELL LOCATION
- ▲ HAND AUGER BORING
- [---] EXTENT OF SOIL EXCAVATION (10/98) (APPROXIMATE)
- UST UNDERGROUND STORAGE TANK
- RCL RESIDUAL CONTAMINANT LEVEL

NOTE: 1) FIGURE DRAFTED FROM DRAWING COMPLETED BY ECCI

2) BORINGS B1, B2 AND SB1-SB8 WERE ADVANCED BY ECCI.

ESTIMATED EXTENT OF PETROLEUM CONTAMINATED SOIL EXCEEDING NR720 RCLs



Northern Environmental SM
Hydrologists · Engineers · Geologists
 1203 Storbeck Drive, Waupun, Wisconsin
 Phone: 800-498-3921 Fax 920-324-3023

WISCONSIN · MICHIGAN · ILLINOIS · IOWA

ESTIMATED EXTENT OF PETROLEUM CONTAMINATED SOIL

TOWN OF POTOSI GARAGE
 POTOSI, WISONSIN


CREATION DATE:	10/06/03	THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.
DRAWN BY:	DDP	
REVISION DATE:	00/00/00	

PROJECT NUMBER: TOP08-2200-0529	FIGURE 4
---------------------------------	----------



SAMPLE ID	DEPTH
P-East (East Wall)	10'
P-West (West Wall)	9'
P-North (North Wall)	9'
P-South (South Wall)	10'
P-Bottom (Bottom)	13'

Approximate
Excavation Limits



LEGEND



Excavation Sample 10/20/98



Soil Probe Location 4/19/99




Approximate Excavation Limits

SB5

Town of Potosi
Hall and Garage
(125 Cross St.)

TOWN OF POTOSI GARAGE, POTOSI, VI		
FIGURE 3		
EXCAVATION SAMPLE LOCATIONS		
SCALE:	1" = ~5'	DATE: 03-19-00
ECCI		BY: P. Doyle




TOWN OF POTOSI LUST SITE

FIGURE 4. CROSS SECTION A TO A'

DATE: 03-18-00





Environmental Compliance Consultants, Inc. BY: P. Doyle



NORTHWEST

SOUTHEAST

Surface Elevation = ~950'




GROUNDWATER CONTAMINATION
MAP
JUNE 11, 2009

POTOSI TOWNSHIP
GARAGE

METCO
METCO CONSULTING, INC.
1000 W. WISCONSIN AVE.
MILWAUKEE, WI 53233
TEL: 414-224-1100
FAX: 414-224-1101

POTOSI,
WISCONSIN
DRAWN BY: BW
DATE: 6/3/09



NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.


To Tim Reynold's Private Well
(Approx. 325' Northeast from Former USTS)



- - MONITORING WELL LOCATION
- ▲ - PRIVATE WELL
- - GEOPROBE LOCATION
- - HOLLOW STEM AUGER BORING
- ▲ - HAND AUGER BORING

----- - APPROXIMATE PROPERTY LINE

SCALE: 1 INCH = 60 FEET



ESTIMATED EXTENT OF
PETROLEUM CONTAMINATION
IN GROUNDWATER EXCEEDING
THE NR 140 ES AND PAL.


CTH U
(CROSS STREET)

PAL

LAWN

MW-500
B1800

GROUNDWATER CONTOUR MAP JUNE 11, 2009	
POTOSI TOWNSHIP GARAGE	
METCO METCO CONSULTING, INC. 1000 W. WISCONSIN MILWAUKEE, WI 53233 TEL: 414-224-1100 FAX: 414-224-1101	POTOSI WISCONSIN DRAWN BY: BW DATE: 8/3/09



NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

To Tim Reynold's Private Well
(Approx. 325' Northeast from Former USTS)

- MONITORING WELL LOCATION
- PRIVATE WELL
- GEOPROBE LOCATION
- HOLLOW STEM AUGER BORING
- HAND AUGER BORING
- APPROXIMATE PROPERTY LINE





Table 1 Soil Quality Results, Town of Potosi Garage, Potosi, Wisconsin

Boring Number	Depth (feet)	Date Collected	Laboratory Analytical Parameters												GRO (mg/kg)	DRO (mg/kg)
			PVOCs (ug/kg)													
			Benzene	n-Butylbenzene	Ethylbenzene	Isopropylbenzene	MTBE	Naphthalene	n-Propylbenzene	Toluene	1,2,4 Trimethylbenzene	1,3,5 Trimethylbenzene	Total Xylenes			
Wis. Admin Code Chapter NR720 RCLs			5.5	NE	2,900	NE	NE	NE	NE	1,500	NE	NE	4,100	100	100	
Comm 46.06 Table 1 Indicators of Residual Product in Soil Pores			8,500	NE	4,600	NE	NE	2,700	NE	38,000	83,000	11,000	42,000	NE	NE	
Comm 46.06 Table 2 Direct Contact Criteria (Only for samples collected from 0-4 ft)			1,100	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	
SB1-4	12-16	4/19/99	10,000	---	15,000	---	6,800	---	---	72,000	42,000	21,000	137,000	2,400	3,900	
SB1-5	16-18.5	4/19/99	830	---	9,000	---	1,200	---	---	15,000	43,000	16,000	80,000	760	---	
SB2-3	8-12	4/19/99	9,400	---	12,000	---	6,300	---	---	40,000	20,000	6,200	52,000	690	180	
SB2-5	16-19.5	4/19/99	4,500	---	38,000	---	2,100	---	---	65,000	110,000	35,000	204,000	1,400	---	
SB3-4	12-16	4/19/99	330	---	430	---	<25	---	---	160	2,800	940	1,370	49	15	
SB3-5	16-20	4/19/99	<25	---	<25	---	<25	---	---	<25	<25	<25	<25	<3.0	---	
SB4-4	12-16	4/19/99	<25	---	<25	---	<25	---	---	<25	<25	<25	<25	<2.7	<5.6	
SB5-4	12-14	4/19/99	<25	---	<25	---	<25	---	---	<25	<25	<25	<25	<2.6	<4.4	
SB6-2	4-8	4/19/99	1,500	---	620	---	190	---	---	2,400	830	230	2,330	22	<4.4	
SB7-4	12-15	4/19/99	<25	---	<25	---	<25	---	---	<25	<25	<25	<25	<2.6	<5.0	
SB8-5	16-20	4/19/99	<25	---	<25	---	<25	---	---	<25	<25	<25	<25	<3.0	---	

Table 1 Soil Quality Results, Town of Potosi Garage, Potosi, Wisconsin

Boring Number	Depth (feet)	Date Collected	Laboratory Analytical Parameters											GRO (mg/kg)	DRO (mg/kg)	
			PVOCs (ug/kg)										Total Xylenes			
			Benzene	n-Butylbenzene	Ethylbenzene	Isopropylbenzene	MTBE	Naphthalene	n-Propylbenzene	Toluene	1,2,4 Trimethyl-benzene	1,3,5 Trimethyl-benzene				
Wis. Admin Code Chapter NR720 RCLs			5.5	NE	2,900	NE	NE	NE	NE	NE	1,500	NE	NE	4,100	100	100
Comm 46.06 Table 1 Indicators of Residual Product in Soil Pores			8,500	NE	4,600	NE	NE	2,700	NE	38,000	83,000	11,000	42,000	NE	NE	
Comm 46.06 Table 2 Direct Contact Criteria (Only for samples collected from 0-1 fbg)			1,100	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	
SB8-6	20-24	4/19/99	<25	---	<25	---	<25	---	---	<25	<25	<25	<25	<3.0	---	
B-1-1	12.5-14.5	10/5/99	---	---	---	---	---	---	---	---	---	---	---	---	3,200	
B-1-2	17.5-19.5	10/5/99	---	---	---	---	---	---	---	---	---	---	---	---	200	
B-2-1	15-17	10/5/99	---	---	---	---	---	18,000	---	---	---	---	---	---	510	
B115	37.5-39.5	10/17/01	12,000	34,000	55,000	4,500	<1900	19,000	18,000	160,000	88,000	26,000	262,000	1,900	850	
B-200	7.5-10	7/23/02	<25	---	<25	---	<25	---	---	<25	<25	<25	<75	<10	<10	
B-300	7.5-10	7/23/02	<25	---	<25	---	<25	---	---	<25	<25	<25	<75	<10	<10	
B-400	17.5-20	7/23/02	<25	---	<25	---	<25	---	---	<25	<25	<25	<75	<10	<10	
B-500	17.5-20	7/23/02	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<75	<10	<10	
B-600	7.5-10	7/23/02	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<75	<10	<10	
B-700	7.5-10	7/23/02	<25	---	<25	---	<25	---	---	<25	<25	<25	<50	---	---	
HB-1*	2 to 4	9/16/03	<25	---	<25	---	<25	---	---	<25	<25	<25	<50	---	---	

NOTE:
 iui = instrument units as isobutylene
 PID = Photoionization Detector
 PVOCs = Petroleum Volatile Organic Compounds
 MTBE = methyl-tertiary-butyl-ether
 DRO = Diesel Range Organics
 GRO = Gasoline Range Organics
 --- = not analyzed
 mg/kg = milligrams per kilogram
 ug/kg = micrograms per kilograms
 X = exceeds NR720 RCLs
 X = exceeds Comm 46.06 Table 1 Indicators of Residual Product in Soil Pores
 X = exceeds Comm 46.06 Table 2 Direct Contact Criteria (Only for samples collected from 0-4 fbg)

Table 2 Stockpiled Soil Analytical Results, Town of Potosi Garage, Potosi, Wisconsin

Boring Number	Date Collected	POTOSI GARAGE																	
		PVOCs (ug/kg)							GRO (mg/kg)	DRO (mg/kg)	PAHs (ug/kg) (Detected)								
		Benzene	Ethylbenzene	MTBE	Toluene	1,2,4 Trimethyl-benzene	1,3,5 Trimethyl-benzene	Total Xylenes			Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Chrysene	Fluorene	Naphthalene	Phenanthrene	Pyrene
Wis Admin Code Chapter NR720 RCLs		5.5	2,900	NE	1,500	NE	NE	4,100	100	100	NE	NE	NE	NE	NE	NE	NE	NE	NE
COMM 46.06 Table 1 Value		8,500	4,600	NE	38,000	83,000	11,000	42,000	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
COMM 46.06 Table 2 Value		1,100	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
S-1*	10/20/98	600	13,000	640	3,200	48,000			1,100	400	---	---	---	---	---	---	---	---	---
SS-1	10/5/99 3/22/00	---	---	---	---	---	---	---	---	46	---	---	---	---	---	---	---	---	---
SS-2	10/5/99 3/22/00	---	---	---	---	---	---	---	---	430	---	---	---	---	---	---	---	---	---
SS-3	10/5/99	---	---	---	---	---	---	---	---	26	---	---	---	---	---	---	---	---	---
SS-4	10/5/99	---	---	---	---	---	---	---	---	49	---	---	---	---	---	---	---	---	---
Stockpile 1	10/17/01	<120	<40	<110	<180	170	<70	340	150	430	---	---	---	---	---	---	---	---	---
Stockpile 2	10/17/01	<25	<25	<25	<25	<25	<25	<25	<0.30	<3.4	---	---	---	---	---	---	---	---	---
SP-2	9/16/03	<25	<25	<25	<25	<25	<25	<25	<2.7	77	23	10	11	7.5	11	8.5	11	30	19
SP-4	9/16/03	<25	<25	<25	<25	<25	<25	<25	<2.8	19	<12	<6.8	<6.8	<7.4	<14	<7.8	<8.5	<9.1	<15

NOTE:
 PAH - Polynuclear Aromatic Hydrocarbons
 iui = instrument units as isobutylene
 PID = Photoionization Detector
 PVOCs = Petroleum Volatile Organic Compounds
 MTBE = methyl-tertiary-butyl-ether
 DRO = Diesel Range Organics
 GRO = Gasoline Range Organics
 --- = not submitted for laboratory analysis
 mg/kg = milligrams per kilogram
 ug/kg = micrograms per kilogram
 X = exceeds NR720 RCLs
 X = exceeds Comm 46.06 Table 1 Indicators of Residual Product in Soil Pores

38 88 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8

TABLE 1.

Excavation Soil Samples -- Laboratory Analytical Data Summary

TOWN OF POTOSI GARAGE
POTOSI, WISCONSIN

Analyte	NR 720	October 20, 1998				
		P-East Wall @ 10 ft.	P-West Wall @ 9 ft.	P-North Wall @ 9 ft.	P-South Wall @ 10 ft.	P-Bottom @ 13 ft.
Field Headspace		56	28	93	46	20
GRO (mg/kg)	100	9.3	300	2600	<5.8	650
DRO (mg/kg)	100	8.2	1000	990	7.4	1300
PVOCs (ug/kg)						
Benzene	5.5	630	630	790	73	5200
Ethylbenzene	2900	200	6100	9500	55	12000
MTBE		2300	<250	310	65	2300
Toluene	1500	900	<250	5900	110	4400
1,3,5-Trimethylbenzene		100	17000	15000	78	24000
1,2,4-Trimethylbenzene		390	33000	34000	250	51000
Total Xylenes	4100	800	26500	41000	255	58000

Analytical results by EnChem, Inc., Green Bay, Wisconsin.
Bolded data exceed NR720 GRCLs

Groundwater Analytical Results Summary
Potosi Township Garage LUST Site BRRTS# 03-22-207258

Well MW-100

PVC Elevation = 948.97 (feet)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
10/24/2001	874.77	74.20	1200	2000	NS	540	1900	2690	8900
7/25/2002	875.37	73.60	2700	2200	NS	310	9300	2780	11200
7/15/2003	870.07	78.90	2000	820	NS	250	2100	1670	4400
8/6/2007	872.31	76.66	6500	4500	2680	NS	18400	9560	21300
11/6/2007	875.95	73.02	2970	1440	410	NS	3600	3100	7240
2/5/2008	876.26	72.71	7800	2980	1380	NS	16700	4530	14400
3/12/2009	875.51	73.46	1800	1960	224	NS	2600	3100	9420
6/11/2009	877.15	71.82	2030	2320	420	NS	4700	3860	10800

Well MW-200

PVC Elevation = 948.14 (feet)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
7/25/2002	873.43	74.71	2500	780	NS	<140	2800	960	4200
7/15/2003	868.93	79.21	1300	430	NS	110	650	640	1920
8/6/2007	869.99	78.15	227	37	30.7	NS	36	30	82.7
11/6/2007	873.10	75.04	650	157	42	NS	164	287	906
2/5/2008	873.53	74.61	1520	490	104	NS	106	712	1344
3/12/2009	872.87	75.27	1380	350	205	NS	158	344	737
6/11/2009	874.38	73.76	2460	720	410	NS	320	826	1392

Well MW-300

PVC Elevation = 947.48 (feet)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
7/25/2002	872.68	74.80	10	0.6	NS	<1.4	2.5	0.49	2.6
7/15/2003	DRY								
8/6/2007	DRY								
11/6/2007	870.77	76.71	<0.47	<0.38	<0.52	NS	<0.46	<1.57	<0.99
2/5/2008	870.94	76.54	<0.49	<0.68	<0.62	NS	<0.46	<1.42	<1.85
3/12/2009	870.30	77.18	<0.45	<0.76	<0.42	NS	<0.53	<1.13	<1.58
6/11/2009	872.10	75.38	<0.45	<0.76	<0.42	NS	<0.53	<1.13	<1.58

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
Potosi Township Garage LUST Site BRRTS# 03-22-207258

Well MW-400

PVC Elevation = 952.03 (feet)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
7/25/2002	878.01	74.02	4.7	0.7	NS	<1.4	6.2	<1.14	2.2
7/15/2003	873.13	78.90	<0.30	<0.60	NS	<0.58	<0.58	<1.18	<1.84
8/6/2007	874.22	77.81	NOT SAMPLED						
11/6/2007	877.95	74.08	NOT SAMPLED						
2/5/2008	878.29	73.74	NOT SAMPLED						
3/12/2009	PVC FULL OF ICE								
6/11/2009	879.32	72.71	<0.45	<0.76	<0.42	NS	<0.53	<1.13	<1.58

Well MW-500

PVC Elevation = 944.15 (feet)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
7/15/2003	847.36	96.79	<0.41	<0.54	NS	<0.74	<0.67	<1.8	<2.63
8/6/2007	852.81	91.34	<0.22	<0.44	<0.53	NS	0.66	<0.67	<1.21
11/6/2007	856.74	87.41	<0.47	<0.38	<0.52	NS	<0.46	<1.57	<0.99
2/5/2008	856.89	87.26	<0.49	<0.68	<0.62	NS	<0.46	<1.42	<1.85
3/12/2009	856.54	87.61	<0.45	<0.76	5.8	NS	<0.53	<1.13	<1.58
6/11/2009	858.03	86.12	<0.45	<0.76	1.44	NS	<0.53	<1.13	<1.58

Well Potosi Township Garage

PVC Elevation = NM (feet)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
10/24/2001	NM	NM	<0.10	<0.10	NS	<0.70	<0.10	<0.50	<0.30
7/25/2002	NM	NM	<0.43	<0.49	NS	<1.4	<0.63	<1.14	<1.45
8/6/2007	NM	NM	0.26	<0.22	<0.25	NS	0.79	<0.34	<0.44
3/12/2009	NM	NM	<0.24	<0.35	<0.7	NS	<0.39	<0.74	<1.67
6/11/2009	NM	NM	<0.41	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13

Well Reynolds

PVC Elevation = NM (feet)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
10/24/2001	NM	NM	<0.10	<0.10	NS	<0.70	<0.10	<0.50	<0.30
7/25/2002	NM	NM	<0.43	<0.49	NS	<1.4	<0.63	<1.14	<1.45
8/6/2007	NM	NM	<0.19	<0.22	<0.25	NS	0.66	<0.34	0.5-0.65
3/12/2009	NM	NM	<0.24	<0.35	<0.7	NS	<0.39	<0.74	<1.67
6/11/2009	NM	NM	<0.41	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Watertable Elevations Table
Potosi Township Garage BRRTS# 03-22-207258
Potosi, Wisconsin

	MW-100	MW-200	MW-300	MW-400	MW-500
<i>pvc top (ft)</i>	948.97	948.14	947.48	952.03	944.15

<i>Date</i>					
10/24/2001	874.77	NI	NI	NI	NI
7/25/2002	875.37	873.43	872.68	878.01	NI
7/15/2003	870.07	868.93	DRY	873.13	847.36
8/6/2007	872.31	869.99	DRY	874.22	852.81
11/6/2007	875.95	873.10	870.77	877.95	856.74
2/5/2008	876.26	873.53	870.94	878.29	856.89
3/12/2009	875.51	872.87	870.30	PVC	856.54
6/11/2009	877.15	874.38	872.10	879.32	858.03

Note: Elevations are presented in feet mean sea level (msl).

NM = Not Measured

NI= Not Installed

CNO = Could Not Open

CNS = Could Not Sample

CNL = Could not locate

PO = Paved Over

PVC = PVC full of ice