

GIS REGISTRY INFORMATION

SITE NAME: Blanchardville Coop in Dodgeville
BRRTS #: 02-25-000937 **FID # (if appropriate):** _____
COMMERCE # (if appropriate): _____
CLOSURE DATE: 01-May-2007
STREET ADDRESS: 102 West King Street
CITY: Dodgeville
SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 509043 Y= 278066

CONTAMINATED MEDIA: Groundwater Soil Both
OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: 208 West King Street
GPS COORDINATES (meters in WTM91 projection): X= 509060 Y= 278068


IF YES, STREET ADDRESS 2: West Leffler Street
GPS COORDINATES (meters in WTM91 projection): X= 509056 Y= 278040

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No
CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter or denial letter issued
- Copy of most recent deed, including legal description, for all affected properties
- Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties
- County Parcel ID number, if used for county, for all affected properties
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)
- Tables of Latest Soil Analytical Results (no shading or cross-hatching)
- Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.
- GW: Table of water level elevations, with sampling dates, and free product noted if present
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour
- Geologic cross-sections, if required for SI. (8.5x14' if paper copy)
- RP certified statement that legal descriptions are complete and accurate
- Copies of off-source notification letters (if applicable)
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)
- Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure
- Copy of any maintenance plan referenced in the deed restriction.

x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
na
na



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Lloyd Eagan, Regional Director

South Central Region Headquarters
3911 Fish Hatchery Road
Fitchburg, Wisconsin 53711-5397
Telephone 608-275-3266
FAX 608-275-3338
TTY Access via relay - 711

May 1, 2007

Mr. Bob Goehring
Blanchardville Coop Oil
401 South Main Street
Blanchardville, WI 53516

File Ref: 02-25-000937

Subject: Final Case Closure with Land Use Limitations or Conditions
Blanchardville Coop Oil, 102 King Street, Dodgeville
WDNR BRRTS Activity Number: 02-25-000937

Dear Mr. Goehring:

On February 20, 2007, the South Central Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On February 21, 2007, you were notified that the Closure Committee had granted conditional closure to this case.

On April 17, 2007, the Department received the well abandonment documentation that was required to meet the condition of closure.

Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which the current property owner and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code.

Residual soil contamination remains in the vicinity of boring B1200, located in the southwest corner of the property, as indicated in the information submitted to the Department of Natural Resources. If soil in the specific location(s) described above is excavated in the future, then pursuant to ch. NR 718 or, if applicable, ch. 289, Stats., and chs. 500 to 536, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present, the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an


inhalation or other direct contact hazard and as a result special precautions may need to be taken to prevent a direct contact health threat to humans.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact Linda Hanefeld at 608-275-3310.


Sincerely,



Patrick McCutcheon

South Central Region Remediation & Redevelopment Team Supervisor

cc: Chris Hatfield, Northern Environmental
William Hennessey, 915 N. Main St., Dodgeville
Ralph Smith, Comm (via email)



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Lloyd Eagan, Regional Director

South Central Region Headquarters
3911 Fish Hatchery Road
Fitchburg, Wisconsin 53711-5397
Telephone 608-275-3266
FAX 608-275-3338
TTY Access via relay - 711

February 21, 2007

Mr. Bob Goehring
Blanchardville Coop Oil
401 South Main Street
Blanchardville, WI 53516

File Ref: 02-25-000937

Subject: Conditional Closure Decision, with Requirements to Achieve Final Closure
Blanchardville Coop Oil, 102 King Street, Dodgeville
WDNR BRRTS Activity Number: 02-25-000937

Dear Mr. Goehring:

On February 20, 2007, the South Central Region Closure Committee reviewed your request for closure of the case described above. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the petroleum contamination on the site from a leaking above-ground petroleum storage tank appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

MONITORING WELL ABANDONMENT

The monitoring wells and free product recovery well at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to me at the address noted above on Form 3300-5B found at www.dnr.state.wi.us/org/water/dwg/gw/ or provided by the Department of Natural Resources.

When the above condition has been satisfied, please submit the appropriate documentation to verify that applicable condition has been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit <http://maps.dnr.state.wi.us/brrts>.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 608-275-3310.

Sincerely,



Linda Hanefeld
Hydrogeologist - South Central Region
Bureau for Remediation & Redevelopment

cc: Chris Hatfield, Northern Environmental
Ralph Smith, Comm (via email)




12075 North Corporate Parkway, Suite 210
Mequon, WI 53092
(262) 241-3133
(800) 776-7140
Fax (262) 241-8222
www.northernenvironmental.com

PROPERTY INFORMATION

**Blanchardville Co-op Oil Association
WDNR BRRTS # 02-25-000937**

Parcel Identification	Property Owner(s)	Owner Address	Property Address	Property Geographic Position (WTM)
216-1074.A	VP AG I, Inc.	P.O. Box 9126, Madison, WI 53715	208 West King Street	509060, 278068
216-1074.B	William Hennessey	915 N. Main Street, Dodgeville, WI 53533	202 West King Street	509043, 278061
216-0273	Wallace Rogers	621 W. Division St., Dodgeville, WI 53533	West Leffler St.	509056, 278040

13 20 11



Northern En
 Hydrologists + Engin
 12075 North Corporate Parkway, Su
 Phone: 800-776-7140

WISCONSIN + MICHIGAN

This drawing and all information contained therein is the property of Northern Engineering and is not to be reproduced or used in any manner without the written consent of Northern Engineering. Professional seal assumes all responsibility and risk for the accuracy and content of this drawing.

DATE: 01/28/07	DRAWN BY:
----------------	-----------

285094

State Bar of Wisconsin Form 2 - 2003

WARRANTY DEED

Document Number

Document Name

THIS DEED, made between BLANCHARDVILLE CO-OP OIL ASSOCIATION, INC., A/K/A BLANCHARDVILLE COOPERATIVE OIL ASSOCIATION ("Grantor," whether one or more), and WILLIAM R. HENNESSEY

("Grantee," whether one or more).

Grantor, for a valuable consideration, conveys and warrants to Grantee the following described real estate, together with the rents, profits, fixtures and other appurtenant interests, in IOWA County, State of Wisconsin ("Property") (if more space is needed, please attach addendum):

SEE ATTACHED DESCRIPTION

RECORDED Dodgeville WI 53533

NOV 01 2005

2:30 O'CLOCK P.M. DIXIE L. EDGE, Iowa Co. Registrar of Deeds

Recording Area

Name and Return Address

ROBERT J. JACKSON P.O. BOX 170 DODGEVILLE, WI. 53533

\$ 210.00 TRANSFER FEE

216-1074.B

Parcel Identification Number (PIN)

This IS NOT homestead property. (is) (is not)

Exceptions to warranties:

EASEMENTS AND RESTRICTIONS OF RECORD; MUNICIPAL AND COUNTY ORDINANCES; REAL ESTATE TAXES LEVIED IN 2005; RESTRICTIONS AS MAY BE REQUIRED BY THE STATE OF WISCONSIN REGARDING REMEDIATION OF THE PROPERTY.

Dated OCTOBER 31, 2005

BLANCHARDVILLE CO-OP OIL ASSOCIATION, INC.

* By:

(SEAL) David Erickson (SEAL)

* DAVID ERICKSON, PRESIDENT

(SEAL) Steven Stangeland (SEAL)

* STEVEN STANGELAND, SECRETARY

AUTHENTICATION

ACKNOWLEDGMENT

Signature(s)

STATE OF WISCONSIN)) ss. LAFAYETTE COUNTY)

authenticated on

Personally came before me on 10-24-2005, the above-named David Erickson, President, and Steven Stangeland, Secretary, to me known to be the person(s) who executed the foregoing instrument and acknowledged the same, with full power to bind the grantor.

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, authorized by Wis. Stat. § 706.06)

* RALPH E. FARRELL

THIS INSTRUMENT DRAFTED BY:

RALPH E. FARRELL, ATTORNEY BLANCHARDVILLE, WI.

Notary Public, State of Wisconsin My Commission (is permanent) ()

(Signatures may be authenticated or acknowledged. Both are not necessary.)

NOTE: THIS IS A STANDARD FORM. ANY MODIFICATIONS TO THIS FORM SHOULD BE CLEARLY IDENTIFIED. WARRANTY DEED STATE BAR OF WISCONSIN FORM No. 2-2003

*Type name below signatures.

10

DOCUMENT NO.
175993

WARRANTY DEED
STATE BAR OF WISCONSIN FORM 2 - 1982

THIS SPACE RESERVED FOR RECORDING DATA
Vol. 0417

RECORDED
January 4, 1990
9:35 O'CLOCK A.M.
Lynn T. Martin
LYNN T. MARTIN
Iowa County Reg. of Deeds
Dodgeville, WI 53533

William A. Teynor and Ann O. Teynor, his wife

conveys and warrants to VP AG I, Inc., a Wisconsin corporation

the following described real estate in Iowa County,
State of Wisconsin:

See attached Exhibit A

RETURN TO VP AG I, INC.
PO. 9126
MADISON, WI, 53715

Tax Parcel No: 1074E & 1074EA

\$ 752.10
TRANSFER FEE

This is NOT homestead property.
(is) (is not)

Exception to warranties: See attached Permitted Encumbrances

Dated this 2nd day of January, 1990

(SEAL) William A. Teynor (SEAL)
• William A. Teynor
(SEAL) Ann O. Teynor (SEAL)
• Ann O. Teynor

AUTHENTICATION

Signature(s) of William A. Teynor
and Ann O. Teynor
authenticated this 2nd day of January, 1990
James R. Pope
JAMES R. POPE
TITLE: ~~NOTARY PUBLIC~~ NOTARY PUBLIC OF WISCONSIN
(If not Notary Public, Wisconsin
authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY
Thomas J. Sobota

(Signatures may be authenticated or acknowledged. Both
are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN }
County. } ss.
Personally came before me this _____ day of _____, 19____ the above named _____
to me known to be the person _____ who executed the foregoing instrument and acknowledge the same.
Notary Public _____ County, Wis.
My Commission is permanent. (If not, state expiration date: _____, 19____)

PARCEL 1:

That part of the Southeast 1/4 of the Southeast 1/4 of Section 21, Township 6 North, Range 3 East, City of Dodgeville, Iowa County, Wisconsin, described as follows: Commencing at the point of intersection of the Westerly boundary line of the former Chicago and Northwestern Railway Company with the Northwesterly line of U. S. Highway No. 18, as now established, thence Easterly along the Northwesterly line of said Highway a distance of 350 feet, more or less, to a point 8.5 feet Southwesterly, as measured at right angles, from the Southeasterly extension of the center line of Spur Tract I.C.C. No. 38 of said Railway Company, as now located and established, said point being also the Southeasterly corner of that certain parcel of real estate conveyed by said Railway Company to Glen C. Dunn and Lucille V. Dunn by deed dated April 15, 1965 (recorded in Volume 222 Record book, page 235), thence Northwesterly along a line parallel with the center line of said Spur Track and Southeasterly extension, said line being also the Easterly line of that certain parcel conveyed by said deed dated April 15, 1965, a distance of 100 feet, for the point of beginning of the real estate herein described; thence Northeasterly along a line at right angles to the last described course a distance of 220 feet, thence Southerly parallel with the East line of the Southwest 1/4 of the Southeast 1/4 of the Southeast 1/4 of said Section 21 a distance of 150 feet, more or less, to a point in the aforesaid Northwesterly line of U. S. Highway No. 18, thence Northeasterly along said Northwesterly line of U. S. Highway No. 18 a distance of 48 feet, more or less, to the Southwest corner of that certain parcel of real estate conveyed to Socony Mobil Oil Co., Inc. by deed dated June 15, 1965 (recorded in Volume 228 Record book, page 189), thence North 10°30' East along the Westerly line of that certain parcel conveyed by said deed dated June 15, 1965, a distance of 230 feet to the Northwesterly corner thereof; thence South 67°00' East, a distance of 228 feet, more or less, to a point in the Northerly extension of the West line of Dydno Street, thence South along said extended West line of Dydno Street, a distance of 42 feet, more or less, to a point in the aforesaid Northwesterly line of U. S. Highway No. 18, thence Northwesterly along said Northwesterly line of U. S. Highway No. 18 a distance of 35 feet, more or less, to a point in the Northerly extension of the center line of Dydno Street, thence North along said extended center line of Dydno Street a distance of 137 feet, more or less, to a point distant 9 feet Southwesterly, measured radially, from the center line of a Spur Track of said former Chicago and Northwestern Railway Company, known as Spur Tract I.C.C. No. 16, as the same is now located and established, thence Northwesterly parallel with last said Spur Track center line, to a point distant 30 feet Southwesterly, measured radially, from the center line of the main track of said Railway Company, as the same is now located and established, thence Northwesterly parallel with said main track center line, to a point of intersection with the aforesaid Westerly boundary line of said former Railway Company, thence Southeasterly along said Westerly boundary line of the said former Railway Company a distance of 450 feet, more or less, to the Northwest corner of the aforesaid certain parcel of real estate conveyed by deed dated April 15, 1965, thence Northeasterly along the Northerly line of that certain parcel conveyed by said deed dated April 15, 1965, a distance of 65 feet, more or less, to the Northeasterly corner thereof, thence Southeasterly along the Easterly line of that certain parcel conveyed by said deed dated April 15, 1965, a distance of 400 feet, more or less, to the point of beginning.

EXCEPT that portion conveyed to Iowa County in deed recorded in Volume 250 of Records, page 167, described as follows: A parcel of land located in the City of Dodgeville, Iowa County, Wisconsin, in the Southeast 1/4 of the Southeast 1/4 of Section 21, Township 6 North, Range 3 East, which is described as follows:

Commencing at the Southeast corner of said Section 21, thence North 87°49' West 664.35 feet, thence North 2°30' East 304.30 feet to the Northeast corner of lands described in Volume 237, page 445 of deeds, thence continuing North 2°30' East 181.20 feet to a point which is 50 feet Southerly and at right angles to the centerline of the Chicago and Northwestern Railroad main line and also the point of beginning of this description, thence South 2°30' West 67.10 feet, thence North 69°57' West 215.75 feet, thence South 64°59' West 92.55 feet, thence North 27°47' West 146.45 feet, thence North 20°49' West

That part of the Southeast Quarter of the Southeast Quarter (SE 1/4 SE 1/4) of Section Twenty-one (21), Township Six (6) North, Range Three (3) East of the Fourth Principal Meridian, bounded and described as follows:

Commencing at the point of intersection of the northwesterly line of Highway Number 18 with the northerly extension of the east line of Dydno Street; thence southwesterly along the northwesterly line of said Highway Number 18, a distance of Sixty-nine (69) feet to the point of beginning of land to be described; thence continuing southwesterly along the northwesterly line of said Highway, a distance of Ninety-two (92) feet; thence North along a line parallel with the northerly extension of the east line of said Dydno Street, a distance of One Hundred Twenty-five (125) feet; thence southeasterly along a straight line drawn to a point Forty-two (42) feet north of the point of beginning, as measured along a line parallel with the northerly extension of the east line of said Dydno Street; thence South along a line parallel with the northerly extension of the east line of said Dydno Street, a distance of forty-two (42) feet to the point of beginning.

EXHIBIT "A" (continued)

0417 782

204.20 feet to a point which is 50 feet Southwesterly from the centerline of the Chicago and Northwestern Railroad main line and at right angles thereto, thence on a curve concave to the Northeast, radius 1196.28 feet, Southeasterly to the point of beginning of this description.

PARCEL II:

That part of the Southeast 1/4 of the Southeast 1/4 of Section 21, Township 6 North, Range 3 East, City of Dodgeville, Iowa County, Wisconsin, described as follows: Beginning at the point of intersection of the Westerly boundary line of the former Chicago and Northwestern Railway Company with the Northerly line of U. S. Highway No. 18, as now established, thence Easterly along the Northerly line of said highway 350 feet, more or less, to a point 8.5 feet Southwesterly, as measured at right angles, from the Southeasterly extension of the center line of spur tract I.C.C. No. 38 of said Railway Company, as now located and established, thence Northwesterly along a line parallel with the center line of said spur tract and Southeasterly extension, 300 feet, thence Southwesterly along a line at right angles to the last described course 64 feet, more or less, to the Westerly boundary line of said Railway Company, thence Southerly along the Westerly boundary line of said Railway Company 480 feet, more or less, to the point of beginning.

(Tax Parcel Nos. 1074E and 1074EA)

221143

STATE BAR OF WISCONSIN FORM 1 - 1982
WARRANTY DEED

VOL 0522 PAGE 526

DOCUMENT NO

This Deed, made between EDNA M. LEE, a/k/a
EDNA LEE

and WALLACE W. ROGERS

Witnesseth, That the said Grantor, for a valuable consideration

conveys to Grantor the following described real estate in Iowa
County, State of Wisconsin

That part of Lot 12, Dodgeville Station, City of
Dodgeville, Iowa County, Wisconsin, described as
commencing at the Southeast corner of said Lot 12,
thence West 150 feet, thence North 106 feet 8 inches, more
or less, to the North line of said Lot 12, thence North
62 degrees 20 minutes East 171 feet, more or less, to
the Northeast corner thereof, thence South 189 feet,
more or less, to the place of beginning.

RECORDED
June 2, 1998
10:30 CLOCK A.M.
Dixie L. Edge
DIXIE L. EDGE
Iowa County Reg. of Deeds
Dodgeville, WI 53533

THIS SPACE RESERVED FOR RECORDING DATA
NAME AND RETURN ADDRESS
ATTY. JAMES R. POPP
P.O. BOX 165
DODGEVILLE, WI
25216 CDV273 & 25216 CDV272
PARCEL IDENTIFICATION NUMBER

\$ 143.70
TRANSFER FEE

This is homestead property
(s) (~~is~~)

Together with all and singular the hereditaments and appurtenances thereunto belonging,
And Edna M. Lee

warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except municipal and zoning
ordinances and agreements entered under them, recorded easements for the distribution
of utility and municipal services, recorded building and use restrictions and covenants,
general taxes levied in the year of closing.
and will warrant and defend the same

Dated this 1st day of June, 19 98

(SEAL) Edna M. Lee (SEAL)
• Edna M. Lee

(SEAL) _____ (SEAL)
• _____

AUTHENTICATION

Signature(s) of Edna M. Lee

authenticated this 1 day of June, 19 98

Bradley M. Glass
• Bradley M. Glass

TITLE MEMBER STATE BAR OF WISCONSIN
(If not,
authorized by §706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY
Attorney Bradley M. Glass
Dodgeville, WI 53533

(Signatures may be authenticated or acknowledged. Both are not
necessary.)

ACKNOWLEDGMENT

State of Wisconsin, }
County } ss

Personally came before me this _____ day of
19____, the above named

to me known to be the person _____ who executed the foregoing
instrument and acknowledge the same

• _____
Notary Public, _____ County, Wis
My commission is permanent (If not, state expiration date
19____)



SCALE IN FEET

1" = 2000'



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929



QUADRANGLE LOCATION

BASE MAP SOURCE: USGS 7.5 MINUTE QUADRANGLE, DODGEVILLE, WISCONSIN, 1980 (NATIONAL GEOGRAPHIC HOLDINGS, INC.)

Northern Environmental SM
Hydrologists • Engineers • Geologists

1214 West Venture Court, Mequon, Wisconsin
Phone: 800-776-7140 Fax 262-241-8222

WISCONSIN • MICHIGAN • ILLINOIS • IOWA

SITE LOCATION &
LOCAL TOPOGRAPHY


BLANCHARDVILLE CO-OP
DODGEVILLE, WISCONSIN

CREATION DATE: 08/04/03
DRAWN BY: KAA
REVISION DATE:

THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.


PROJECT NUMBER: BCA0-1408-1751

FIGURE 1



LEGEND

- DIB ▲ SOIL SAMPLE LOCATION & IDENTIFICATION
- BI200 ⊕ BOREHOLE LOCATION & IDENTIFICATION
- PZ1000 ⊕ PIEZOMETER LOCATION & IDENTIFICATION
- RW ⊕ RECOVERY WELL LOCATION & IDENTIFICATION
- MW100 ⊕ MONITORING WELL LOCATION & IDENTIFICATION
- W — W — W — W — WATER LINE
- ST — ST — ST — ST — STORM SEWER
- SAN — SAN — SAN — SAN — SANITARY SEWER
- G — G — G — G — GAS LINE
- AST FORMER ABOVEGROUND STORAGE TANK
- ▭ AST FORMER ABOVEGROUND STORAGE TANK
- — — — — APPROXIMATE PROPERTY BOUNDARY
- — — — — APPROXIMATE EXTENT OF REMEDIAL EXCAVATION



Northern EnvironmentalSM
 Hydrologists • Engineers • Surveyors • Scientists
 12075 North Corporate Parkway, Suite 210, Mequon, Wisconsin 53092
 Phone: 800-776-7140 Fax: 262-241-8222

WISCONSIN • MICHIGAN • ILLINOIS • IOWA

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

DATE: 05/02/05 DRAWN BY: KAA TASK NUMBER: 820

SOIL SAMPLE LOCATIONS

BLANCHARDVILLE CO-OP
 DODGEVILLE, WISCONSIN

PROJECT NUMBER: BCA 01-1408-1751 FIGURE 2

Table 2 Groundwater Quality Laboratory Results, Blanchardville Co-op, Dodgeville, Wisconsin

Monitoring Well	Date Sampled	Diesel Range Organics	Gasoline Range Organics	Detected Petroleum Volatile Organic Compounds (micrograms per liter)									Detected Polynuclear Aromatic Hydrocarbons (micrograms per liter)									
				Benzene	n-Butylbenzene	Ethylbenzene	Methyl-tertiary-butyl-ether	Naphthalene	n-Propylbenzene	Toluene	Trimethylbenzenes	Xylenes	1-Methylnaphthalene	2-Methylnaphthalene	Ace-naphthalene	Ace-naphthylene	Anthracene	Flourene	Naphthalene	Phenanthrene	Pyrene	
WDNR Preventive Action Limit		NR	NR	0.5	NR	140	12	8	NR	200	96	1000	NR	NR	NR	NR	600	80	8	NR	50	
WDNR Enforcement Standard		NR	NR	5	NR	700	60	40	NR	1000	480	10,000	NR	NR	NR	NR	3000	400	40	NR	250	
MW1	10/18/90	-	0.283*	1737	-	76	-	-	-	370	-	538	-	-	-	-	-	-	-	-	-	-
	11/16/90	-	0.253*	121	-	<1	-	-	-	<1	-	7	-	-	-	-	-	-	-	-	-	-
	12/17/90	-	0.485*	1848	-	<100	-	-	-	<100	-	<100	-	-	-	-	-	-	-	-	-	-
	01/25/91	-	0.211*	7	-	<0.7	-	-	-	<0.7	-	<1	-	-	-	-	-	-	-	-	-	-
	02/21/91	-	0.272*	612	-	<10	<10	-	-	<10	<20	<10	-	-	-	-	-	-	-	-	-	-
	05/15/91	-	0.843*	1729	-	<20	<20	-	-	670	189.3	474	-	-	-	-	-	-	-	-	-	-
	12/08/92	-	3700	320	-	79	<8	-	-	500	286	860	-	-	-	-	-	-	-	-	-	-
	12/08/92	-	3800	370	-	88	<20	-	-	510	322	960	-	-	-	-	-	-	-	-	-	-
	08/19/93	-	2300	35	-	17	<20	-	-	390	224	780	-	-	-	-	-	-	-	-	-	-
	10/10/95	-	8700	57	-	210	<20	-	-	350	1240	2800	-	-	-	-	-	-	-	-	-	-
	10/10/95	-	8100	49	-	190	<40	-	-	310	1200	2800	-	-	-	-	-	-	-	-	-	-
	04/25/97	-	-	60	-	228	<2.1	-	-	98	828	1580	-	-	-	-	-	-	-	-	-	-
	02/26/98	-	-	480	-	120	93	-	-	310	370	680	-	-	-	-	-	-	-	-	-	-
	02/26/98	-	-	470	-	123	90	-	-	303	351	670	-	-	-	-	-	-	-	-	-	-
	05/29/98	-	-	1400	-	380	100 "J"	-	-	3890	2580	4700	-	-	-	-	-	-	-	-	-	-
	08/24/98	-	-	420	-	20	17	-	-	1100	1670	1500	-	-	-	-	-	-	-	-	-	-
	11/21/98	-	-	170	-	20	<3.1	-	-	200	580	580	-	-	-	-	-	-	-	-	-	-
	07/19/99	-	-	120	-	320	<6.2	-	-	1100	1560	3700	-	-	-	-	-	-	-	-	-	-
03/29/00	-	-	140	-	220	52	-	-	300	860	1490	-	-	-	-	-	-	-	-	-	-	
11/22/02	-	-	0.56 "J"	-	<0.82	2.2	-	-	<0.68	<1.86	<1.84	-	-	-	-	-	-	-	-	-	-	
04/25/03	-	-	0.91 "Q"	-	<0.60	3.5	-	-	<0.58	0.66	>	0.14	<0.017	0.038	<0.019	<0.020	0.034	0.061	0.025	<0.17		
07/20/05	-	-	2.6	-	3.2	0.67 "J"	39	-	<0.52	58	9.5	-	-	-	-	-	-	-	-	-		
11/11/05	-	-	1.7	-	<0.5	<0.11	<1.2	-	<0.13	<1.11	<1.9	-	-	-	-	-	-	-	-	-		
MW2	10/18/90	-	7.177*	139	-	<833	-	-	-	142	-	837	-	-	-	-	-	-	-	-	-	
	11/16/90	-	28.413*	100	-	<5	-	-	-	<	-	40	-	-	-	-	-	-	-	-	-	
	12/17/90	-	1.912*	427	-	<25	-	-	-	178	-	403	-	-	-	-	-	-	-	-	-	
	01/25/91	-	4.021*	17	-	<8.75	-	-	-	<8.75	-	48	-	-	-	-	-	-	-	-	-	
	02/21/91	-	3.414*	420	-	<10	<10	-	-	220	184	473	-	-	-	-	-	-	-	-	-	
	05/15/91	-	0.044*	184	-	<2	<2	-	-	35.8	111.7	90	-	-	-	-	-	-	-	-	-	
	12/08/92	-	840	18	-	<1	<4	-	-	17	10.8	34	-	-	-	-	-	-	-	-	-	
	08/19/93	-	890	6	-	5	<4	-	-	19	4.3	12	-	-	-	-	-	-	-	-	-	
	08/19/93	-	420	3.3	-	<1	<4	-	-	7.2	8.3	13	-	-	-	-	-	-	-	-	-	
	10/10/95	-	290	21	-	<1	<4	-	-	11	2	3.7	-	-	-	-	-	-	-	-	-	
	04/25/97	-	-	8.2	-	<0.68	<0.21	-	-	<1.5	<1.86	<1.8	-	-	-	-	-	-	-	-	-	
	02/26/98	-	-	34	-	<0.68	<0.21	-	-	2.2	4.6	11	-	-	-	-	-	-	-	-	-	
	05/29/98	-	-	8.4	-	<0.34	<0.31	-	-	<0.35	<0.99	<1	-	-	-	-	-	-	-	-	-	
	05/29/98	-	-	7.1	-	<0.34	<0.31	-	-	0.66 "J"	<0.99	<1	-	-	-	-	-	-	-	-	-	
	08/24/98	-	-	2.2	-	<0.34	<0.31	-	-	<0.35	0.35 "J"	<1	-	-	-	-	-	-	-	-	-	
	08/24/98	-	-	2.4	-	<0.34	<0.31	-	-	<0.35	<0.99	<1	-	-	-	-	-	-	-	-	-	
	11/21/98	-	-	1.4	-	<0.34	<0.31	-	-	<0.35	0.83 "J"	<0.98	-	-	-	-	-	-	-	-	-	
	07/19/99	-	-	1.7	-	<0.34	<0.31	-	-	<0.35	<0.99	<1	-	-	-	-	-	-	-	-	-	
05/29/00	-	-	62	-	<0.4	<0.47	-	-	<0.37	<1.03	2.6 "J"	-	-	-	-	-	-	-	-	-		
11/22/02	-	-	0.70 "J"	-	<0.82	<0.43	-	-	<0.68	<1.84	<2.47	-	-	-	-	-	-	-	-	-		
04/25/03	-	-	20	-	<0.60	1.8	-	-	<0.58	<1.18	<1.84	0.019	0.021	<0.018	<0.019	<0.020	0.019	0.028	0.017	0.022		
07/20/05	-	-	0.27 "J"	-	<0.3	<0.36	<0.85	-	<0.52	<1.15	<1.17	-	-	-	-	-	-	-	-	-		
11/11/05	-	-	<0.12	-	<0.5	<0.11	<1.2	-	<0.13	<1.11	<2.0	-	-	-	-	-	-	-	-	-		

Table 2 Groundwater Quality Laboratory Results, Blanchardville Co-op, Dodgeville, Wisconsin

Monitoring Well	Date Sampled	Diesel Range Organics	Gasoline Range Organics	Detected Petroleum Volatile Organic Compounds (micrograms per liter)									Detected Polynuclear Aromatic Hydrocarbons (micrograms per liter)								
				Benzene	n-Butylbenzene	Ethylbenzene	Methyl-tertiary-butyl-ether	Naphthalene	n-Propylbenzene	Toluene	Trimethylbenzenes	Xylenes	1-Methylnaphthalene	2-Methylnaphthalene	Ace-naphthalene	Ace-naphthylene	Anthracene	Flourene	Naphthalene	Phenanthrene	Pyrene
WDNR Preventive Action Limit		NR	NR	0.5	NR	140	12	8	NR	200	96	1000	NR	NR	NR	NR	600	80	8	NR	50
WDNR Enforcement Standard		NR	NR	5	NR	700	60	40	NR	1000	480	10,000	NR	NR	NR	NR	3000	400	40	NR	250
MW3	12/08/92	-	840	2.5	-	<1	<4	-	-	5.7	26.8	55	-	-	-	-	-	-	-	-	-
	08/19/93	-	740	<1	-	<1	<4	-	-	5.3	13.6	41	-	-	-	-	-	-	-	-	-
	10/10/95	-	79	<1	-	<1	<4	-	-	1.6	2.6	5.1	-	-	-	-	-	-	-	-	-
	04/25/97	-	-	<0.21	-	<0.68	<0.21	-	-	<1.5	<1.86	<1.8	-	-	-	-	-	-	-	-	-
	02/26/98	-	-	<0.21	-	<0.68	<0.21	-	-	<1.5	<1.86	<1.8	-	-	-	-	-	-	-	-	-
	05/29/98	-	-	<0.32	-	<0.34	<0.31	-	-	<0.35	<0.99	<1	-	-	-	-	-	-	-	-	-
	08/24/98	-	-	<0.32	-	<0.34	<0.31	-	-	<0.35	<0.99	<1	-	-	-	-	-	-	-	-	-
	11/21/98	-	-	<0.32	-	<0.34	<0.31	-	-	<0.35	<0.99	<0.98	-	-	-	-	-	-	-	-	-
	07/19/99	-	-	<0.32	-	<0.34	<0.31	-	-	0.59"J"	<0.99	<1	-	-	-	-	-	-	-	-	-
	03/29/00	-	-	7.2	-	<0.4	<0.47	-	-	1.4	<1.03	<1.55	-	-	-	-	-	-	-	-	-
	11/22/02	-	-	<0.45	-	<0.82	<0.43	-	-	<0.68	<1.84	<2.47	-	-	-	-	-	-	-	-	-
	04/25/03	-	-	<0.30	-	<0.60	<0.58	-	-	<0.58	<1.18	<1.84	<0.018	<0.017	<0.018	<0.019	<0.020	<0.017	<0.024	<0.016	<0.017
07/20/05	-	-	<0.26	-	<0.3	<0.36	<0.85	-	<0.52	<1.15	<1.17	-	-	-	-	-	-	-	-	-	
11/11/05	-	-	<0.12	-	<0.5	<0.11	<1.2	-	<0.13	<1.11	<2.0	-	-	-	-	-	-	-	-	-	
MW4	04/25/97	-	-	7000	-	2600	<21	-	-	30,000	3350	15,300	-	-	-	-	-	-	-	-	-
	02/26/98	-	-	3500	-	3300	<11	-	-	20,000	3800	18,000	-	-	-	-	-	-	-	-	-
	05/29/98	-	-	4600	-	1300	<31	-	-	5600	2260	6400	-	-	-	-	-	-	-	-	-
	08/24/98	-	-	6400	-	1600	<31	-	-	10,000	2220	7800	-	-	-	-	-	-	-	-	-
	11/21/98	-	-	6800	-	1800	<31	-	-	16,000	2280	8800	-	-	-	-	-	-	-	-	-
	07/19/99	-	-	5100	-	1900	<6.2	-	-	6300	5100	10,000	-	-	-	-	-	-	-	-	-
	03/29/00	-	-	2900	-	1400	<24	-	-	4700	2470	6200	-	-	-	-	-	-	-	-	-
	11/22/02	-	-	1200	-	2000	<22	-	-	9200	2030	8400	-	-	-	-	-	-	-	-	-
	04/25/03	-	-	510	-	1800	50 "Q"	-	-	7800	2570	8700	85	140	<18	<19	<20	<17	360	<16	<17
	07/20/05	-	-	128 "J"	-	1970	<72	-	318 "J"	7220	1844	8940	-	-	-	-	-	-	-	-	-
	11/11/05	-	-	<24	-	1160	<22	-	370 "J"	2730	1670	4150	-	-	-	-	-	-	-	-	-
	MW5	08/19/93	-	26,000	4800	-	1800	740	-	-	1800	3400	6700	-	-	-	-	-	-	-	-
04/25/97		-	-	1610	-	650	35 "J"	-	-	2590	2010	3120	-	-	-	-	-	-	-	-	-
02/26/98		-	-	1500	-	780	53	-	-	1100	2220	2690	-	-	-	-	-	-	-	-	-
05/29/98		-	-	200	-	170	18	-	-	170	1000	510	-	-	-	-	-	-	-	-	-
08/24/98		-	-	180	-	140	8.7 "J"	-	-	160	640	330	-	-	-	-	-	-	-	-	-
11/21/98		-	-	180	-	170	<3.1	-	-	220	620	430	-	-	-	-	-	-	-	-	-
07/19/99		-	-	170	-	160	<0.31	-	-	160	610	350	-	-	-	-	-	-	-	-	-
03/29/00		-	-	520	-	390	8.5 "J"	-	-	300	1210	740	-	-	-	-	-	-	-	-	-
03/29/00		-	-	680	-	470	<24	-	-	400	1280	920	-	-	-	-	-	-	-	-	-
11/22/02		-	-	120	-	230	3.4 "J"	-	-	50	435	430	-	-	-	-	-	-	-	-	-
04/25/03		-	-	64	-	110	7.5	-	-	45	418	380	45	9.2	0.96	<0.38	<0.40	1.1	20	1.8	<0.34
07/20/05		-	-	162	-	320	<9	-	168	110	757	1007	-	-	-	-	-	-	-	-	-
11/11/05	-	-	152	-	267	<2.75	-	161	29	887	462	-	-	-	-	-	-	-	-	-	
MW100	11/22/02	-	-	<0.25	<0.65	<0.53	1.9"J"	<0.63	<0.95	<0.84	<1.33	<1.83	-	-	-	-	-	-	-	-	-
	04/25/03	-	-	<0.30	-	<0.60	2.8	-	-	<0.58	<1.18	<1.84	0.07	0.11	<0.018	<0.019	<0.020	<0.017	0.32	<0.016	<0.017


Table 2 Groundwater Quality Laboratory Results, Blanchardville Co-op, Dodgeville, Wisconsin

Monitoring Well	Date Sampled	Diesel Range Organics	Gasoline Range Organics	Detected Petroleum Volatile Organic Compounds (micrograms per liter)									Detected Polynuclear Aromatic Hydrocarbons (micrograms per liter)								
				Benzene	n-Butyl-benzene	Ethyl-benzene	Methyl-tertiary-butyl-ether	Naphthalene	n-Propyl-benzene	Toluene	Trimethyl-benzenes	Xylenes	1-Methyl-naphthalene	2-Methyl-naphthalene	Ace-naphthalene	Ace-naphthylene	Anthracene	Flourene	Naphthalene	Phen-anthrene	Pyrene
WDNR Preventive Action Limit		NR	NR	0.5	NR	140	12	8	NR	200	96	1000	NR	NR	NR	NR	600	80	NR	NR	50
WDNR Enforcement Standard		NR	NR	5	NR	700	60	40	NR	1000	480	10,000	NR	NR	NR	NR	3000	400	40	NR	250
MW600	04/25/97	<100	<100	0.61 "J"	-	<0.68	<0.21	-	-	<1.5	<1.86	<1.8	-	-	-	-	-	-	-	-	-
	02/26/98	-	-	<0.21	-	<0.68	<0.21	-	-	<1.5	<1.86	<1.8	-	-	-	-	-	-	-	-	-
	05/29/98	-	-	<0.32	-	<0.34	<0.31	-	-	<0.35	<0.99	<1	-	-	-	-	-	-	-	-	-
	08/24/98	-	-	<0.32	-	<0.34	<0.31	-	-	<0.35	<0.99	<1	-	-	-	-	-	-	-	-	-
	11/21/98	-	-	<0.32	-	<0.34	<0.31	-	-	<0.35	<0.99	<1	-	-	-	-	-	-	-	-	-
	07/19/99	-	-	<0.32	-	<0.34	<0.31	-	-	<0.35	<0.99	<0.98	-	-	-	-	-	-	-	-	-
	03/29/00	-	-	0.52 "J"	-	<0.4	<0.47	-	-	<0.35	<0.99	<1	-	-	-	-	-	-	-	-	-
	11/22/02	-	-	5.9	-	<0.82	<0.43	-	-	<0.37	<2.23	<2.09	-	-	-	-	-	-	-	-	-
	04/25/03	-	-	1.8	-	<0.60	1.2 "Q"	-	-	<0.68	2.9	1.3 "J"	-	-	-	-	<0.020	<0.017	0.069	<0.016	<0.017
	07/20/05	-	-	1.3	-	<0.3	<0.36	<0.85	-	0.66 "Q"	2.9 "Q"	<1.84	0.13	<0.017	0.021	<0.019	-	-	-	-	-
11/11/05	-	-	<0.12	-	<0.5	<0.11	<1.2	-	1.11 "J"	1.1	3.07 "J"	-	-	-	-	-	-	-	-	-	
									<0.13	<1.11	<2.0	-	-	-	-	-	-	-	-	-	
MW700	04/25/97	260	270	<0.21	-	<0.68	0.31 "J"	-	-	<1.5	17.9	2.4	-	-	-	-	-	-	-	-	-
	02/26/98	-	-	<0.21	-	<0.78	<0.21	-	-	<1.5	4.96	2.6	-	-	-	-	-	-	-	-	-
	05/29/98	-	-	<0.32	-	<0.34	0.64 "J"	-	-	0.49 "J"	0.41 "J"	<1	-	-	-	-	-	-	-	-	-
	08/24/98	-	-	<0.32	-	<0.34	<0.31	-	-	<0.35	<0.99	<1	-	-	-	-	-	-	-	-	-
	11/21/98	-	-	<0.32	-	<0.34	<0.31	-	-	<0.35	<0.99	<0.98	-	-	-	-	-	-	-	-	-
	07/19/99	-	-	<0.32	-	<0.34	<0.31	-	-	<0.35	<0.99	<1	-	-	-	-	-	-	-	-	-
	03/29/00	-	-	<0.32	-	<0.34	<0.31	-	-	<0.35	<0.99	<1	-	-	-	-	-	-	-	-	-
	11/22/02	-	-	5.9	-	<0.4	0.74 "J"	-	-	<0.37	<4.43	<1.43	-	-	-	-	-	-	-	-	-
	04/25/03	-	-	<0.45	-	<0.82	<0.43	-	-	<0.68	<1.86	<2.47	-	-	-	-	-	-	-	-	-
	07/20/05	-	-	<0.26	-	<0.3	<0.36	<0.85	-	<0.52	<1.15	<1.17	-	-	-	-	-	-	-	-	-
11/11/05	-	-	<0.12	-	<0.5	<0.11	<1.2	-	<0.13	<1.11	<2.0	-	-	-	-	-	-	-	-	-	
MW800	04/25/97	<100	<100	<0.21	-	<0.68	<0.21	-	-	<1.5	<1.86	<1.8	-	-	-	-	-	-	-	-	-
	02/26/98	-	-	<0.21	-	<0.68	<0.21	-	-	<1.5	<1.86	<1.8	-	-	-	-	-	-	-	-	-
	05/29/98	-	-	<0.32	-	<0.34	<0.31	-	-	<0.35	<0.99	<1	-	-	-	-	-	-	-	-	-
	08/24/98	-	-	<0.32	-	<0.34	<0.31	-	-	<0.35	<0.99	<1	-	-	-	-	-	-	-	-	-
	11/21/98	-	-	<0.32	-	<0.34	<0.31	-	-	<0.35	<0.99	<0.98	-	-	-	-	-	-	-	-	-
	07/19/99	-	-	<0.32	-	<0.34	<0.31	-	-	<0.35	<0.99	<1	-	-	-	-	-	-	-	-	-
	03/29/00	-	-	<0.39	-	<0.4	<0.47	-	-	<0.35	<0.99	<1	-	-	-	-	-	-	-	-	-
	11/22/02	-	-	<0.45	-	<0.82	<0.43	-	-	<0.37	<1.03	<1.43	-	-	-	-	-	-	-	-	-
	04/25/03	-	-	<0.30	-	<0.60	<0.58	-	-	<0.68	<1.86	<2.47	-	-	-	-	<0.020	<0.017	<0.024	<0.016	<0.017
	07/20/05	-	-	<0.26	-	<0.3	<0.36	<0.85	-	<0.52	<1.15	<1.17	<0.018	<0.017	<0.018	<0.019	-	-	-	-	-
11/11/05	-	-	<0.12	-	<0.5	<0.11	<1.2	-	<0.13	<1.11	<2.0	-	-	-	-	-	-	-	-	-	
MW900	11/22/02	-	-	14	<0.65	<0.53	<0.87	<0.63	<0.95	<0.84	4.9	3.6	-	-	-	-	-	-	-	-	-
	04/25/03	-	-	78	-	5.0	20	-	-	13	53	27.9	4.6 "D"	0.40	0.25	0.027 "Q"	0.033 "Q"	0.18	8 "D"	0.071	<0.017
MW1000	11/22/02	-	-	330	<32	3000	<44	560	240	1800	2510	8100	-	-	-	-	-	-	-	-	-
	04/25/03	-	-	300	-	1800	56	-	-	1600	2070	6900	20 "QD"	19 "QD"	<0.36	<0.38	<0.4	<0.34	190 "D"	<0.32	<0.34
	07/20/05	-	-	41	-	2040	<9	473	-	248	2026	5444	-	-	-	-	-	-	-	-	-
	11/11/05	-	-	60	-	2210	<5.5	690	-	370	2340	6250	-	-	-	-	-	-	-	-	-
PZ1000	11/22/02	-	-	5.3	2.5	14	5.2	6.4	2.6 "J"	8.0	40	69	-	-	-	-	-	-	-	-	-
	04/25/03	-	-	1.8	-	<0.60	5.1	-	-	<0.58	<1.18	<1.84	0.023 "Q"	0.031 "Q"	<0.018	<0.019	<0.020	<0.017	0.095	<0.016	<0.017
	07/20/05	-	-	<0.26	-	<0.3	8.7	<0.85	-	<0.52	<1.15	<1.17	-	-	-	-	-	-	-	-	-
	11/11/05	-	-	<0.12	-	<0.5	6.5	<1.2	-	<0.13	<1.11	<2.0	-	-	-	-	-	-	-	-	-

Table 2 Groundwater Quality Laboratory Results, Blanchardville Co-op, Dodgeville, Wisconsin

Monitoring Well	Date Sampled	Diesel Range Organics	Gasoline Range Organics	Detected Petroleum Volatile Organic Compounds (micrograms per liter)									Detected Polynuclear Aromatic Hydrocarbons (micrograms per liter)								
				Benzene	n-Butyl-benzene	Ethyl-benzene	Methyl-tertiary-butyl-ether	Naphthalene	n-Propyl-benzene	Toluene	Trimethyl-benzenes	Xylenes	1-Methyl-naphthalene	2-Methyl-naphthalene	Acenaphthalene	Acenaphthylene	Anthracene	Flourene	Naphthalene	Phenanthrene	Pyrene
WDNR Preventive Action Limit		NR	NR	0.5	NR	140	12	8	NR	200	96	1000	NR	NR	NR	NR	600	80	8	NR	50
WDNR Enforcement Standard		NR	NR	5	NR	700	60	40	NR	1000	480	10,000	NR	NR	NR	NR	3000	400	40	NR	250
RW1***	08/20/90	-	-	9579	-	<5	-	-	-	17,886	-	12,351	-	-	-	-	-	-	-	-	-
	08/28/90	-	-	9051	-	<250	-	-	-	18,003	-	12,806	-	-	-	-	-	-	-	-	-
	09/04/90	-	-	5903	-	<5	-	-	-	10,994	-	8005	-	-	-	-	-	-	-	-	-
	09/11/90	-	-	5050	-	<100	-	-	-	11,700	-	85,800	-	-	-	-	-	-	-	-	-
	09/18/90	-	-	4908	-	575	<200	-	-	13,487	<400	-	-	-	-	-	-	-	-	-	-
	10/18/90	-	115*	4840	-	969	-	-	-	12,983	-	14,434	-	-	-	-	-	-	-	-	-
	11/16/90	-	51*	941	-	<20	-	-	-	2179	-	2286	-	-	-	-	-	-	-	-	-
	12/17/90	-	52*	2759	-	<250	-	-	-	6041	-	7818	-	-	-	-	-	-	-	-	-
	02/21/91	-	62*	2872	-	<50	<50	-	-	5424	1333	-	-	-	-	-	-	-	-	-	-
	05/15/91	-	49*	4558	-	163	<100	-	-	8495	2440	-	-	-	-	-	-	-	-	-	-
	08/15/91	-	82*	3595	-	<100	<100	-	-	5663	2072	-	-	-	-	-	-	-	-	-	-
	10/10/95	-	20,000	960	-	280	<40	-	-	1900	1450	3800	-	-	-	-	-	-	-	-	-
	07/20/05	-	-	207	-	1670	<36	259 "J"	-	2870	1569	4498	-	-	-	-	-	-	-	-	-
	11/11/05	-	-	320	-	1120	<5.5	315	-	1570	1370	2440	-	-	-	-	-	-	-	-	-

Note:
 NR = not regulated
 - = not analyzed
 "J" or "Q" = analyte detected between limit of detection and limit of quantification
 "D" = analyte value from diluted analysis, or surrogate results not applicable due to sample dilution
 * = total petroleum hydrocarbons as gasoline (milligrams per liter)
 ** = duplicate sample
 *** = does not conform to section NR 141.07 Wisconsin Administrative Code monitoring well construction requirements
 XXX = exceeds Wisconsin Department of Natural Resources (WDNR) preventive action limit
 XXX = exceeds WDNR enforcement standard



LEGEND

- B1200
- PZ1000
- RW1
- MW1 1228.35
- WATER UTILITY
- STORM SEWER
- SANITARY SEWER
- NATURAL GAS UTILITY
- FORMER ABOVEGROUND STORAGE TANK
- FORMER ABOVEGROUND STORAGE TANK
- APPROXIMATE PROPERTY BOUNDARY
- EXTENT OF GROUNDWATER WITH PVOCs CONCENTRATIONS EXCEEDING THE NR140 ENFORCEMENT STANDARDS
- APPROXIMATE PROPERTY BOUNDARY
- GROUNDWATER FLOW DIRECTION



Northern EnvironmentalSM
 Hydrologists • Engineers • Surveyors • Scientists
 12075 North Corporate Parkway, Suite 210, Mequon, Wisconsin 53092
 Phone: 800-776-7140 Fax: 262-241-8222

WISCONSIN • MICHIGAN • ILLINOIS • IOWA

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

DATE: 04/11/06 DRAWN BY: KAA TASK NUMBER: 840

GROUNDWATER ELEVATION
 NOVEMBER 11, 2005

BLANCHARDVILLE CO-OP
 DODGEVILLE, WISCONSIN

PROJECT NUMBER: BCA 01-2200-1751 FIGURE 2

Table 1 Soil Sample Field Screening and Laboratory Analytical Results, Blanchardville Cooperative, Dodgeville, Wisconsin

Borehole Number	Sample Number	Depth (feet)	Date Collected	PID Headspace Analysis			Gasoline Range Organics (mg/kg)	Diesel Range Organics (mg/kg)	Detected Volatile Organic Compounds Analytes (micrograms per kilogram)										Laboratory Analysis										Odor	Soil Type									
				Time Collected	Time Analyzed	Response (iu)			Benzene	Ethylbenzene	Methyl-tertiary-butyl-ether	Toluene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Total Xylenes	1-Methyl naphthalene	2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene			Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene				
B600	601	0.5-2.5	04/24/97	0945	1016	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Gravel/Clay Fill			
	602	3-5	04/24/97	0958	1024	3	<10	15	<25	<25	<25	<25	<25	<25	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay			
	603	5.5-7.5	04/24/97	1004	1025	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay			
	604	8-10	04/24/97	1007	1027	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay/silt			
B700	701	0.5-2.5	04/24/97	1320	1344	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Gravel Fill			
	702	3-5	04/24/97	1323	1344	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay			
	703	5.5-7.5	04/24/97	1332	1355	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay/rock fragments			
	704	8-10	04/24/97	1336	1356	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Rock fragments			
B800	801	0.5-2.5	04/24/97	1600	1625	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Gravel fill/silty clay			
	802	3-5	04/24/97	1603	1625	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay			
	803	5.5-7.5	04/24/97	1605	1626	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Silty/silty clay			
	804	8-10	04/24/97	1610	1630	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay/rock fragments			
	805	10.5-12	04/24/97	1640	1640	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Rock fragments			
B100	101	0-2	11/07/02	0909	0941	2	3.2	220	<25	67	<25	160	110	56	310	150	260	<13	<22	32	26	35	33	45	27	47	9.2	29	9.2	37	120	99	46	None	Topsoil, silty clay loam				
	102	2-4	11/07/02	0915	0942	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay				
	103	4-6	11/07/02	0920	0942	1	<4.0	<14	<25	<25	<25	<25	<25	<25	<50	<11	<12	<18	<29	<18	<9.6	<9.6	<11	<19	<14	<11	<12	<13	<9.6	<18	<12	<13	<21	None	Silty clay				
B900	901	0-2	11/07/02	1120	1155	0	<3.2	110	<25	<25	<25	<25	<25	<25	<50	14	30	<14	<23	<14	7.8	9.7	9.1	<16	<12	12	<9.7	14	<7.8	<14	12	16	18	None	Topsoil, silty clay loam				
	902	2-4	11/07/02	1130	1155	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay				
	903	4-6	11/07/02	1138	1156	1	<3.4	<9.9	<25	<25	<25	<25	<25	<25	<50	<9.5	<10	<15	<25	<15	<8.2	<8.2	<9.5	<16	<12	<9.5	<10	<11	<8.2	<15	<10	<11	<18	None	Silty clay, bedrock				
B1200	1201	0-2	11/07/02	0840	0924	289	210	1200	75	1000	<50	78	9700	5500	2180	3300	4700	<140	<210	<140	<77	<77	<90	<150	<120	<90	<96	<100	310	<140	1300	<100	<170	Medium	Gravel, silty clay				
	1202	2-4	11/07/02	0845	0925	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Slight	Silty clay				
	1203	4-6	11/07/02	0850	0925	33	9.5	62	<25	<25	<25	<25	310	150	77	24	38	<14	<23	<14	<7.7	<7.7	<9.0	<15	<12	<9.0	12	<10	<7.7	<14	19	<10	<17	Slight	Silty clay				
B1300	1301	0-2	11/07/02	1320	1428	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Topsoil, gravel				
	1302	2-4	11/07/02	1325	1428	390	440	79	870	4600	260	6400	28,000	10,000	24,800	140	290	<14	<22	<14	<7.5	<7.5	<8.7	<15	<11	<8.7	<9.4	<10.0	<7.5	<14	170	11	<16	Strong	Silty clay				
	1303	4-6	11/07/02	1327	1429	569	1100	2700	1700	17,000	<310	25,000	62,000	22,000	88,000	3700	6600	140	<230	<140	<7.8	<7.8	<9.1	<160	<120	<9.1	<9.7	<100	240	<140	3100	700	<170	Strong	Silty clay, bedrock				
B1400	1401	0-2	11/07/02	1338	1431	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Topsoil and sand				
	1402	2-4	11/07/02	1342	1432	5	<3.1	<8.7	<25	<25	<25	<25	<25	<25	<50	<8.6	<9.2	<14	<22	<14	<7.4	<7.4	<8.6	<15	<11	<8.6	<9.2	<9.9	<7.4	<14	<9.2	<9.9	<16	None	Silty clay				
	1403	4-6	11/07/02	1346	1432	270	39	<10	<25	150	<25	130	1500	650	690	410	720	<15	<24	<15	<8.0	<8.0	<9.3	<16	<12	<9.3	<10	<11	<8.0	<15	210	<11	<17	Medium	Silty clay, bedrock				
B1500	1501	0-2	11/07/02	1410	1437	2	11	320	<25	30	<25	<25	260	160	340	86	110	12	<20	15	13	21	19	30	14	28	<8.2	17	<6.5	24	33	100	37	None	Topsoil and silty clay				
	1502	2-4	11/07/02	1412	1438	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay				
	1503	4-6	11/07/02	1415	1439	2	<3.2	<10	<25	<25	<25	<25	<25	<25	<50	<9.0	9.7	<14	<23	<14	<7.7	<7.7	<9.0	<15	<12	<9.0	<9.7	<10	<7.7	<14	<9.7	<10	<17	None	Silty clay				
Chapter NR 720, Wisconsin Administrative Code Residual Contaminant Levels							100	100	5.5	2900	NE	1500	NE	NE	4100	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE			
Chapter NR 746, Wisconsin Administrative Code Table 1 Values							NE	NE	8500	4600	NE	3800	83,000	11,000	42,000	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	
Chapter NR 746 Wisconsin Administrative Code Table 2 Values							NE	NE	1100	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE

Note:
 PID = photoionization detector
 iu = instrument units as isobutylene
 mg/kg = milligrams per kilogram
 - = not laboratory analyzed
 <x = compound not detected to a detection limit of x
 NE = not established

XXX = exceeds Chapter NR 720, Wisconsin Administrative Code residual contaminant levels
 XXX = exceeds Chapter NR 746, Wisconsin Administrative Code Table 1 values
 XXX = exceeds Chapter NR 746, Wisconsin Administrative Code Table 2 values

Table 1 Soil Sample Field Screening and Laboratory Analytical Results, Blanchardville Cooperative, Dodgeville, Wisconsin

Sample Number	Date Sampled	Sample Depth (feet)	PID Response			Relevant and Significant Volatile Organic Compounds Analytical Results (micrograms per kilogram)									Sample Odor	Sample Description	Disposition
			Time Collected	Time Analyzed	Reading (iui)	Benzene	Ethyl-benzene	Methyl-tertiary butyl-ether	Naphthalene	Toluene	1,2,4-Trimethyl-benzene	1,3,5-Trimethyl-benzene	Total Xylenes				
D1	04/20/05	1	0746	0834	20	-	-	-	-	-	-	-	-	Strong	Silty clay	Landfill	
D2	04/20/05	1	0800	0834	16	-	-	-	-	-	-	-	-	Strong	Silty clay	Landfill	
D3	04/20/05	3	0852	0950	93	-	-	-	-	-	-	-	-	Strong	Silty clay	Landfill	
D4	04/20/05	5	0859	0958	404	-	-	-	-	-	-	-	-	Strong	Silty clay	Landfill	
D5	04/20/05	6	0902	0958	399	-	-	-	-	-	-	-	-	Strong	Silty clay	Landfill	
D6	04/20/05	5	0911	0959	365	-	-	-	-	-	-	-	-	Strong	Silty clay	Landfill	
D7	04/20/05	5	0940	1000	335	-	-	-	-	-	-	-	-	Strong	Silty clay	Landfill	
D8	04/20/05	3	1007	1116	4	<32	<32	<32	<32	<32	46	<32	<110	None	Silty clay	Wall	
D9	04/20/05	5	1008	1117	7	-	-	-	-	-	-	-	-	None	Silty gravel	Landfill	
D10	04/20/05	3	1015	1117	138	-	-	-	-	-	-	-	-	Slight	Silty clay	Landfill	
D11	04/20/05	5	1018	1118	12	<32	<32	<32	<32	140	74	38	270	None	Silty clay	Wall	
D12	04/20/05	3	1026	1118	12	<32	<32	<32	<32	<32	<32	<32	<110	None	Silty clay	Wall	
D13	04/20/05	5	1028	1119	3	-	-	-	-	-	-	-	-	None	Silty gravel	Landfill	
D14	04/20/05	3	1040	1120	27	<32	<32	<32	<32	<32	<32	<32	<110	None	Silty clay	Wall	
D15	04/20/05	3	1041	1120	6	<31	<31	<31	<31	<31	<31	<31	<110	None	Silty clay	Wall	
D16	04/20/05	3	1050	1121	12	<32	<32	<32	<32	<32	<32	35	<110	None	Silty clay	Wall	
D17	04/20/05	5	1052	1121	459	-	-	-	-	-	-	-	-	Slight	Silty gravel	Landfill	
D18	04/20/05	3	1100	1122	19	<32	<32	<32	<32	<32	<32	<32	<110	None	Silty clay	Wall	
D19	04/20/05	Stockpile	1150	1251	288	-	-	-	-	-	-	-	-	Strong	Silty clay	Landfill	
D20	04/20/05	Stockpile	1156	1251	450	-	-	-	-	-	-	-	-	Strong	Silty clay	Landfill	
D21	04/20/05	Stockpile	1203	1252	440	-	-	-	-	-	-	-	-	Strong	Silty clay	Landfill	
D22	04/20/05	Stockpile	1215	1254	469	-	-	-	-	-	-	-	-	Strong	Silty clay	Landfill	
D23	04/20/05	5	1225	1254	321	-	-	-	-	-	-	-	-	Strong	Silty gravel	Landfill	
Section NR 720.09, Wis. Adm. Code Residual Contaminant Level						5.5	2900	NE	NE	1500	NE	NE	4100				
Section NR 746.06 Wis. Adm. Code Table 1 Values						8500	4600	NE	2700	38,000	83,000	11,000	42,000				
Section NR 746.06 Wis. Adm. Code Table 2 Values						1100	NE	NE	NE	NE	NE	NE	NE				

Note:

PID = photoionization detector

iui = instrument units as isobutylene

<x = compound not detected to a detection limit of x


- = not laboratory analyzed

NE = not established by Wisconsin Administrative Code (Wis. Adm. Code)

XXX = exceeds Chapter NR 720, Wisconsin Administrative Code residual contaminant levels

XXX = exceeds Chapter NR 726, Wisconsin Administrative Code Table 1 Values

XXX = exceeds Chapter NR 726, Wisconsin Administrative Code Table 2 Values



G:\SHARED\PROJECTS\BCA\131751\FIGURES\082897-3

FIGURE 3

Table 1 Groundwater Elevation Data, Blanchardville Co-op, Dodgeville, Wisconsin

Monitoring Well	Date	Ground Surface Elevation (feet)	Reference Point Elevation* (feet)	Depth to Water Below Reference Point* (feet)	Water Table Elevation (feet)				
MW1	04/25/97	1244.82	1247.51	16.51	1231.00				
	02/26/98			16.87	1230.64				
	05/29/98			15.21	1232.30				
	08/24/98			15.71	1231.80				
	11/20/98			16.89	1230.62				
	07/19/99			15.15	1232.36				
	03/29/00			19.07	1228.44				
	11/22/02			19.35	1228.16				
	04/25/03			20.44	1227.07				
	07/20/05			17.88	1229.63				
	11/11/05			19.16	1228.35				
	MW2			04/25/97	1246.16	1248.54	16.65	1231.89	
02/26/98		16.67	1231.87						
05/29/98		15.45	1233.09						
08/24/98		15.78	1232.76						
11/20/98		16.21	1232.33						
07/19/99		15.78	1232.76						
03/29/00		18.37	1230.17						
11/22/02		18.68	1229.86						
04/25/03		19.95	1228.59						
07/20/05		17.34	1231.20						
11/11/05		18.49	1230.05						
MW3		04/25/97	1245.12	1247.32			14.89	1232.43	
	02/26/98	15.05			1232.27				
	05/29/98	13.44			1233.88				
	08/24/98	13.94			1233.38				
	11/20/98	14.56			1232.76				
	07/19/99	14.09			1233.23				
	03/29/00	16.73			1230.59				
	11/22/02	16.96			1230.36				
	04/25/03	18.02			1229.30				
	07/20/05	15.72			1231.60				
	11/11/05	16.43			1230.89				
	MW4	04/25/97			1243.75	1243.57	14.19 **	1228.05	
02/26/98		14.18 **							
08/24/98		15.52							
11/20/98		13.97							
07/19/99		13.16							
03/29/00		15.19							
11/22/02		15.29							
04/25/03		15.93							
07/20/05		14.60							
11/11/05		15.00							
MW5		04/25/97	1243.50	1243.01			13.47 **		1230.17
		02/26/98					13.69 **		
	08/24/98	12.84							
	11/20/98	13.00							
	07/19/99	12.83							
	03/29/00	14.43							
	11/22/02	14.50							
	04/25/03	15.42							
	07/20/05	13.46							
	11/11/05	14.44							
	MW100	11/22/02			1245.12	1247.45	19.00	1228.45	
		04/25/03					19.76	1227.69	
07/20/05		16.81	1230.64						

Table 1 Groundwater Elevation Data, Blanchardville Co-op, Dodgeville, Wisconsin


Monitoring Well	Date	Ground Surface Elevation (feet)	Reference Point Elevation* (feet)	Depth to Water Below Reference Point* (feet)	Water Table Elevation (feet)
MW600	04/25/97	1240.04	1239.58	13.67	1225.91
	02/26/98			13.68	1225.90
	05/29/98			13.59	1225.99
	08/24/98			15.46	1224.12
	11/20/98			13.88	1225.70
	07/19/99			13.69	1225.89
	03/29/00			14.81	1224.77
	11/22/02			14.96	1224.62
	04/25/03			15.45	1224.13
	07/20/05			14.25	1225.33
	11/11/05			14.51	1225.07
MW700	04/25/97	1244.85	1244.30	15.83	1228.47
	02/26/98			17.82	1226.48
	05/29/98			13.48	1230.82
	08/24/98			13.77	1230.53
	11/20/98			15.73	1228.57
	07/19/99			15.32	1228.98
	03/29/00			18.29	1226.01
	11/22/02			18.02	1226.28
	04/25/03			18.62	1225.68
	07/20/05			17.22	1227.08
	11/11/05			18.51	1225.79
MW800	04/25/97	1244.63	1244.28	14.84	1229.44
	02/26/98			14.77	1229.51
	05/29/98			15.00	1229.28
	08/24/98			13.60	1230.68
	11/20/98			14.32	1229.96
	07/19/99			13.80	1230.48
	03/29/00			14.67	1229.61
	11/22/02			15.60	1228.68
	04/25/03			14.52	1229.76
	07/20/05			14.93	1229.35
	11/11/05			14.64	1229.64
MW900	11/22/02	1244.33	1246.79	18.83	1227.96
	04/25/03			19.40	1227.39
	07/20/05				
MW1000	11/22/02	1242.98	1242.41	15.70	1226.71
	04/25/03			16.38	1226.03
	07/20/05			14.45	1227.96
	11/11/05			14.90	1227.51
PZ1000	11/22/02	1242.95	1242.53	30.51	1212.02
	04/25/03			31.54	1210.99
	07/20/05			29.10	1213.43
	11/11/05			30.37	1212.16
RW1	07/20/05			18.55	
	11/11/05			19.65	

Note:


Elevations are referenced to mean sea level


* = reference point is the top of the monitoring well casing

** = depth to free-phase product



LEGEND

-  FORMER ABOVEGROUND STORAGE TANK
-  FORMER ABOVEGROUND STORAGE TANK
-  APPROXIMATE PROPERTY BOUNDARY
-  APPROXIMATE ADJACENT LOTS
-  EXTENT REMAINING OF SOIL EXCEED GENERIC RCL'S



Northern EnvironmentalTM
 Hydrologists • Engineers • Surveyors • Scientists
 12075 North Corporate Parkway, Suite 210, Mequon, Wisconsin 53092
 Phone: 800-776-7140 Fax: 262-241-8222

WISCONSIN • MICHIGAN • ILLINOIS • IOWA

This drawing and all information contained hereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

DATE: 01/26/07 DRAWN BY: BMP TASK NUMBER: 840 PROJECT NUMBER: BCA 01-2200-1751

EXTENT OF PETROLEUM COMPOUNDS IN SOIL

BLANCHARDVILLE COUNCIL OF DODGEVILLE, WISCONSIN

December 26, 2006

Mr. Chris Hatfield
Northern Environmental Technologies, Incorporated
12075 North Corporate Parkway, Suite 210
Mequon, Wisconsin 53092

RE: Signed Statement, Blanchardville Coop Oil Former Bulk Storage Plant, 204 West
King Street, Dodgeville, Wisconsin

Dear Mr. Hatfield:

The most-recent deeds from the Iowa County Register of Deeds for the above-referenced site, 202 West King Street, 208 West Leffler Street, and the additional West Leffler Street parcel are enclosed. I, Robert Goehring, am providing a signed statement that the legal descriptions and attachments to this statement are, to the best of my knowledge, complete and accurate.

Sincerely,



Mr. Robert Goehring
Blanchardville Cooperative Oil Association

Enclosures

December 26, 2006

VP AG I, Inc.
P.O. Box 9126
Madison, Wisconsin 53715

RE: GIS Registry Closure Requirements

To Whom It May Concern:

Gasoline-contaminated groundwater that originated from the former bulk storage plant property (WDNR BRRTS #02-25-000937) located at 202 West King Street, Dodgeville, Wisconsin has migrated onto your property at 208 West King Street. The levels of gasoline contamination in the groundwater on your property are above the state groundwater enforcement standards (ES) found in Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis. Adm. Code). However, the released gasoline has been investigated and remediated, and the residual groundwater contaminant plume is stable or receding and will naturally degrade over time. The Blanchardville Cooperative Oil Association (Blanchardville Co-op) believes that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in NR 726, Wis. Adm. Code, and Blanchardville Co-op will be requesting that the Wisconsin Department of Natural Resources (WDNR) accept natural attenuation as the final remedy and grant case closure. Closure means that the WDNR will not require any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the gasoline-related groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of Section 292.13, Wisconsin Statutes (s.292.13, Wis. Stats), including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of s. 292.13, Wis. Stats., you may call (800) 367-6076 for calls originating in Wisconsin or (608) 264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the WDNR publication #RR-589, "Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination."

The WDNR will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the WDNR to provide any technical information that you may have that indicates that closure should not be granted to this site. If you would like to submit information to the WDNR that is relevant to this closure request, you should mail that information to:

Ms. Linda Hanefeld
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, Wisconsin 53711

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds the NR 140, Wis. Adm. Code groundwater ES will be listed on the WDNR's geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above NR 140, Wis. Adm. Code ES was found at the time that the case was closed. This GIS Registry will be available to the general public on the WDNR's Internet web site.

Once the WDNR makes a decision on my closure request, it will be documented in a letter. If the WDNR grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above, or by accessing the WDNR GIS Registry of Closed Remediation Sites on the internet at <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information you may contact Mr. Chris Hatfield (Northern Environmental) at (262) 241-3133 or you may contact Ms. Linda Hanefeld (WDNR) at (608) 275-3310.

Sincerely,



Robert Goehring
Blanchardville Cooperative Oil Association

c: Chris Hatfield, Northern Environmental
Linda Hanefeld, WDNR

December 26, 2006

Mr. Wallace W. Rogers
621 West Division Street
Dodgeville, Wisconsin 53533

RE: GIS Registry Closure Requirements

Dear Mr. Rogers:

Gasoline-contaminated groundwater that originated from the former bulk storage plant property (WDNR BRRTS #02-25-000937) located at 202 West King Street, Dodgeville, Wisconsin has migrated onto your property located on the southwest corner of King Street and Dydno Street. The levels of gasoline contamination in the groundwater on the your property are above the state groundwater enforcement standards (ES) found in Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis. Adm. Code). However, the released gasoline has been investigated and remediated, and the residual groundwater contaminant plume is stable or receding and will naturally degrade over time. The Blanchardville Cooperative Oil Association (Blanchardville Co-op) believes that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in NR 726, Wis. Adm. Code, and Blanchardville Co-op will be requesting that the Wisconsin Department of Natural Resources (WDNR) accept natural attenuation as the final remedy and grant case closure. Closure means that the WDNR will not require any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the gasoline-related groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of Section 292.13, Wisconsin Statutes (s.292.13, Wis. Stats), including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of s. 292.13, Wis. Stats., you may call (800) 367-6076 for calls originating in Wisconsin or (608) 264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the WDNR publication #RR-589, "Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination."

The WDNR will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the WDNR to provide

any technical information that you may have that indicates that closure should not be granted to this site. If you would like to submit information to the WDNR that is relevant to this closure request, you should mail that information to:


Ms. Linda Hanefeld
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, Wisconsin 53711

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds the NR 140, Wis. Adm. Code groundwater ES will be listed on the WDNR's geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above NR 140, Wis. Adm. Code ES was found at the time that the case was closed. This GIS Registry will be available to the general public on the WDNR's Internet web site.

Once the WDNR makes a decision on my closure request, it will be documented in a letter. If the WDNR grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above, or by accessing the WDNR GIS Registry of Closed Remediation Sites on the internet at <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information you may contact Mr. Chris Hatfield (Northern Environmental) at (262) 241-3133 or you may contact Ms. Linda Hanefeld (WDNR) at (608) 275-3310.

Sincerely,



Robert Goehring
Blanchardville Cooperative Oil Association

c: Chris Hatfield, Northern Environmental
Linda Hanefeld, WDNR

December 26, 2006

City Clerk
City of Dodgeville
100 East Fountain Street
Dodgeville, Wisconsin 53533

RE: GIS Registry Closure Requirements

Dear City Clerk:

Gasoline-contaminated groundwater that originated from the former bulk storage plant property (WDNR BRRTS #02-25-000937) located at 202 West King Street, Dodgeville, Wisconsin has migrated onto the City of Dodgeville (the City) West King Street and Leffler Street right-of-ways. The levels of gasoline contamination in the groundwater on the City right-of-ways are above the state groundwater enforcement standards (ES) found in Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis. Adm. Code). However, the released gasoline has been investigated and remediated, and the residual groundwater contaminant plume is stable or receding and will naturally degrade over time. The Blanchardville Cooperative Oil Association (Blanchardville Co-op) believes that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in NR 726, Wis. Adm. Code, and Blanchardville Co-op will be requesting that the Wisconsin Department of Natural Resources (WDNR) accept natural attenuation as the final remedy and grant case closure. Closure means that the WDNR will not require any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the gasoline-related groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of Section 292.13, Wisconsin Statutes (s.292.13, Wis. Stats), including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of s. 292.13, Wis. Stats., you may call (800) 367-6076 for calls originating in Wisconsin or (608) 264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the WDNR publication #RR-589, "Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination."

The WDNR will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the WDNR to provide any technical information that you may have that indicates that closure should not be granted to this site. If you would like to submit information to the WDNR that is relevant to this closure request, you should mail that information to:


Ms. Linda Hanefeld
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, Wisconsin 53711

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds the NR 140, Wis. Adm. Code groundwater ES will be listed on the WDNR's geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above NR 140, Wis. Adm. Code ES was found at the time that the case was closed. This GIS Registry will be available to the general public on the WDNR's Internet web site.

Once the WDNR makes a decision on my closure request, it will be documented in a letter. If the WDNR grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above, or by accessing the WDNR GIS Registry of Closed Remediation Sites on the internet at <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information you may contact Mr. Chris Hatfield (Northern Environmental) at (262) 241-3133 or you may contact Ms. Linda Hanefeld (WDNR) at (608) 275-3310.

Sincerely,



Robert Goehring
Blanchardville Cooperative Oil Association

c: Chris Hatfield, Northern Environmental
Linda Hanefeld, WDNR