

**Source Property Information**

BRRTS #: 03-25-000139

ACTIVITY NAME: BRAATEN OIL/FOOD SHOP

PROPERTY ADDRESS: 610 N Bequette St

MUNICIPALITY: Dodgeville

PARCEL ID #: 25-216-0611

CLOSURE DATE: Dec 22, 2003

FID #: 125025890

DATCP #:

COMM #: 53533110810

**\*WTM COORDINATES:**

X: 509168 Y: 277043

*\* Coordinates are in  
WTM83, NAD83 (1991)***WTM COORDINATES REPRESENT:** Approximate Center Of Contaminant Source Approximate Source Parcel Center**Please check as appropriate:** (BRRTS Action Code)**Contaminated Media:** Groundwater Contamination > ES (236) Contamination in ROW Off-Source Contamination*(note: for list of off-source properties  
see "Impacted Off-Source Property" form)* Soil Contamination > \*RCL or \*\*SSRCL (232) Contamination in ROW Off-Source Contamination*(note: for list of off-source properties  
see "Impacted Off-Source Property" form)***Land Use Controls:** N/A (Not Applicable) Soil: maintain industrial zoning (220)*(note: soil contamination concentrations  
between non-industrial and industrial levels)* Structural Impediment (224) Site Specific Condition (228) Cover or Barrier (222)*(note: maintenance plan for  
groundwater or direct contact)* Vapor Mitigation (226) Maintain Liability Exemption (230)*(note: local government unit or economic  
development corporation was directed to  
take a response action)***Monitoring Wells:**

Are all monitoring wells properly abandoned per NR 141? (234)

 Yes  No  N/A*\* Residual Contaminant Level**\*\*Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

**NOTICE: Completion of this form is mandatory** for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:  PARCEL ID #:   
ACTIVITY NAME:  WTM COORDINATES: X:  Y:

**CLOSURE DOCUMENTS** (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Continuing Obligation Cover Letter** (for property owners affected by residual contamination and/or continuing obligations)
- Conditional Closure Letter**
- Certificate of Completion (COC)** (for VPLE sites)

**SOURCE LEGAL DOCUMENTS**

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.  
**Note:** If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).  
**Figure #:**                      **Title: Plat Map**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

**MAPS** (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 11 x 17 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.  
**Note:** Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.  
**Figure #:**                      **Title: Site Location Map**
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.  
**Figure #: 2**                      **Title: Site Map**
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.  
**Figure #: 4**                      **Title: Estimated Extent of Soil Excavation**

BRRTS #: 03-25-000139

ACTIVITY NAME: BRAATEN OIL/FOOD SHOP

**MAPS (continued)**

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

**Figure #: 4**                      **Title: Geologic Cross Section Location Map**

**Figure #: 5**                      **Title: Hydrogeologic Cross Section A-A**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

**Note:** This is intended to show the total area of contaminated groundwater.

**Figure #: 5**                      **Title: Ground Water Chemical Concentration Map**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

**Figure #: 3**                      **Title: Groundwater Contour Map**

**Figure #:**                      **Title:**

**TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))**

Tables must be no larger than 11 x 17 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.  
**Note:** This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

**Table #:**                      **Title: Soil Investigation Analytical Results**

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

**Table #: 3**                      **Title: Ground Water Analytical Results**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

**Table #: 1**                      **Title: Ground Water Elevation Summary**

**IMPROPERLY ABANDONED MONITORING WELLS**

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

**Note:** If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

**Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

**Note:** If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

**Figure #:**                      **Title: Lost Well Map**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

**Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

**Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-25-000139

ACTIVITY NAME: BRAATEN OIL/FOOD SHOP

## NOTIFICATIONS

### Source Property

**Not Applicable**

**Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.

**Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

### Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

**Not Applicable**

**Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

**Note:** Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

**Number of "Off-Source" Letters: 1**

**Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.

**Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.

**Note:** If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

**Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

**Number of "Governmental Unit/Right-Of-Way Owner" Letters: 2**

## Impacted Off-Source Property Information

Form 4400-246 (R 3/08)

This fillable form is intended to provide a list of information that must be submitted for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request (Section H). The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

**NOTICE: Completion of this form is mandatory** for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

ACTIVITY NAME:

ID	Off-Source Property Address	Parcel Number	WTM X	WTM Y
<input type="text" value="A"/>	<input type="text" value="604 N Bequette St, Dodgeville, WI (Bob's Electric Property)"/>	<input type="text" value="25-216-0615 &amp; 25-216-0617"/>	<input type="text" value="509175"/>	<input type="text" value="277000"/>
<input type="text" value="B"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="C"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="D"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="E"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="F"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="G"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="H"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="I"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Ruthe E. Badger, Regional Director

1500 N. Johns Street  
Dodgeville, Wisconsin 53533  
Telephone 608-935-3368  
FAX 608-935-9652

December 22, 2003

Mr. Donald Braaten  
1840 Beloit Avenue  
Janesville, WI 53546

File Ref: 03-25-000139

Subject: Final Case Closure by Project Manager with Conditions Met  
Braaten Oil/Food Shop, 610 Bequette Street, Dodgeville  
WDNR BRRTS # 03-25-000139

Dear Mr. Braaten:

On March 13, 2000, the Department of Natural Resources reviewed your site, as described above, for closure. The Department reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On March 22, 2000, you were notified that conditional closure was granted to this case.

On the following dates, the Department received correspondence indicating that you have complied with the conditions of closure:

**October 20, 2000** – the Department received documentation that monitoring wells MW1, MW2, MW5, MW5D, MW6, MW7, MW8, MW9 and MW10 have been abandoned. However, it was noted that, due to the reconstruction of State Highway 23, several of the monitoring wells, soil vapor extraction wells, recovery wells, etc. could not be located and were presumed lost or destroyed (wells MW3, MW4, RW1, RW2, OP1, OP2, AS1, AS2, AS3, AS4 SV1, SV2 and SV3). Please be aware that these potentially improperly abandoned wells can act as a conduit through which contamination can reach groundwater. These wells represent a potential liability for you and any subsequent property owner. You and/or future owners can be held responsible if future information indicates any of the wells noted above have allowed contamination to reach groundwater.

**December 22, 2003** – the Department received documentation needed to list the property on the GIS Registry. The GIS Registry has become an alternative to the previously-required groundwater use restriction.

It should be noted that residual soil contamination remains at the building foundation, the east street right-of-way, and the south property boundary, as indicated in the information submitted to the Department. If that soil is excavated in the future, a waste determination will be required at that time to determine appropriate disposal options, and precautions may be necessary to prevent direct contact treats to humans handling the material.

Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. It is my understanding that, for PECFA claims purposes, the issuance of the Conditional Closure letter begins the 120-day reimbursement time-clock. If have not already submitted your final claim, you *may* not be reimbursed for some of the interest accrued. *If you have questions, please contact the PECFA claims section at 608-267-3753.* For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 608-935-1948.

Sincerely,



Linda Hanefeld  
Hydrogeologist - Dodgeville Service Center  
Bureau for Remediation & Redevelopment

cc: Scott Rademaker, Delta Environmental, 17500 W. Liberty Lane, Suite A, New Berlin, WI  
53146-2109



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Ruthe E. Badger, Regional Director

1500 N. Johns Street  
Dodgeville, Wisconsin 53533  
Telephone 608-935-3368  
FAX 608-935-9652

*file  
H. Braaten*

October 20, 2003

Mr. Donald Braaten  
1840 Beloit Avenue  
Janesville, WI 53546

Subject: Additional Items Needed for Final Site Closure  
Braaten Oil/Food Shop, 610 Bequette Street, Dodgeville

Dear Mr. Braaten:

This letter follows-up on our telephone conversation last week about the additional items our office will need to grant final closure to the site noted above. Unfortunately, additional fees will also be required due to the rule changes that have been promulgated since the Braaten Oil/Food Shop site was granted conditional closure in March of 2000.

The following items are needed to complete closure documentation:

Copies of the most recent deeds for the Braaten Oil property, and the property south of Braaten Oil. The property south of Braaten Oil has been identified as Bob's Electric in the reports we have received. These can be obtained (for a small fee) by contacting the Iowa County Register of Deeds:

If these deeds reference a recorded plat (the deed may say something like "blocks 3 and 4 of the original plat of Dodgeville, for example), then you will also need to provide a copy of that plat showing the location of the site. If there is a certified survey associated with the site, then that survey map must also be provided. These items are available through the Iowa County Register of Deed office, as well.

County parcel identification numbers, again, available from the Iowa County Register of Deeds.

A statement signed by you certifying that the deeds that have been provided are complete and accurate for the properties in question, to the best of your knowledge.

A letter needs to be sent to the owner of the Bob's Electric property notifying them of the fact that groundwater contamination has migrated onto their property, and it is intended that natural attenuation will address the residual contamination. This letter must contain the language from the enclosed "Appendix A." This letter should be sent "certified mail/return receipt requested." Once you receive your return receipt, send a copy of the letter and the signed mail receipt to me. This letter will give the owner of Bob's Electric notice of contamination, and will give them the opportunity to provide a technical reason demonstrating natural attenuation is not an appropriate closure option for the Braaten Oil site. The enclosed fact sheet regarding natural attenuation must also be sent to the owner of Bob's Electric.

Letters also need to be sent certified mail/return receipt requested the City of Dodgeville and the Wisconsin Department of Transportation (contact Sharon TeBeest), informing them of the residual soil contamination in the road right-of-way east of the site. An example of this letter is enclosed for your information. Copies of these letters and the return receipts must also be sent to me.

Fees in the amount of \$450.00. These fees include a \$250.00 one-time fee for listing your site (and the Bob's Electric property) on the Groundwater Geographic Information Systems Registry (GIS Registry), and a \$200.00 one-time fee for listing your site on the Soil GIS Registry. Please make your check payable to the Wisconsin Department of Natural Resources (WI DNR).

I have reviewed the information in the file and have compiled all other information that will be needed to list your site on the registries.

Please contact me at the number below if you have any questions.

Respectfully,



Linda Hanefeld  
Hydrogeologist - Dodgeville Service Center  
(608) 935-1948

---



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor  
George E. Meyer, Secretary  
Ruthe E. Badger, Regional Director

South Central Region Headquarters  
3911 Fish Hatchery Road  
Fitchburg, Wisconsin 53711-5397  
Telephone 608-275-3266  
FAX 608-275-3338  
TDD 608-275-3231

March 22, 2000

File Ref: 03-25-000139

Mr. Don Braaten  
Braaten Oil Company  
1840 Beloit Ave.  
Janesville, WI 53545

Subject: Conditional Case Closure for Braaten Oil/Food Shop, 610 North Bequette Street,  
Dodgeville; Iowa County

Dear Mr. Braaten:

On March 13, 2000, your request for closure of the site named above was reviewed by the South Central Region Closure Committee. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. The contamination on the site property appears to have been remediated to the extent practicable under site conditions. Your case will be granted closure under s. NR 726.05; Wis. Adm. Code, when the following conditions have been met.

MONITORING WELL ABANDONMENT The groundwater monitoring wells and any remaining remediation system wells such as groundwater extraction wells and soil vapor extraction wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to us on forms provided by the Department.

GROUNDWATER USE RESTRICTION The closure committee has required that two groundwater use restrictions be prepared and recorded at the county register of deeds office to address the issue of remaining groundwater contamination associated with the site. One of the restrictions will address the groundwater contamination of your site property and the other restriction will address the groundwater contamination of the property to the south of yours that is identified as that of "Bob's Electric" on your site maps. The purpose of these documents is to restrict the use of groundwater that may be contaminated in the vicinity of the site. A sample of a groundwater use restriction is attached.

To assist us in the preparation of the groundwater use restriction document, you must submit a copy of the deeds for your property and for the "Bob's Electric" property within 30 days of the date of this letter. Note that Linda Hanefeld of our program has been assigned as the Department project manager for your site, so please submit the copies of the deeds with descriptions of the properties to her at the DNR Service Center, 1500 North Johns Street, Dodgeville, WI 53533.

This deed information will be used to prepare a draft groundwater use restriction that will be sent to you for review. If you approve of its content, you will sign it, have it recorded by the Iowa County Register of Deeds, and submit a copy with the proof of filing to the Department.

The groundwater use restriction is an option that the Department can offer to you in order to close this site. If you choose not to accept this option, you may perform additional investigation and cleanup of the remaining contamination. Note that this additional work may not be eligible for reimbursement through the Petroleum Environmental Cleanup Fund Award (PECFA) Program. You should contact the Department of Commerce to determine eligibility of the additional work for reimbursement.


When the above conditions have been met, a final case closure letter will be sent to you.

NOTICE OF REMAINING SOIL CONTAMINATION Residual soil contamination remains at the building foundation, the east street right-of-way, and the south property boundary, as indicated in the information submitted to the Department. If site conditions change in the future and this residual contaminated soil is excavated, the property owner at that time will be required to sample and analyze the excavated soil in order to determine whether the contamination still remains. Depending upon the results of that characterization, the owner may also have to properly store, treat, or dispose of any excavated materials, and/or take special precautions during excavation activities to prevent a direct contact threat to humans.

Please be aware that the site case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the sites poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at the address listed above or as indicated below.

Sincerely,



Harlan Kuehling, P.G.  
Remediation & Redevelopment Program Hydrogeologist  
(608) 275-3286  
[kuehlh@dnr.state.wi.us](mailto:kuehlh@dnr.state.wi.us)

cc: Rick Carney – Delta Environmental Consultants, Inc.  
Linda Hanefeld – SCR Dodgeville Service Center

WARRANTY DEED

THIS SPACE RESERVED FOR RECORDING DATA

163961

Vol. 397 700

September 3, 1986

RICHARD L. KETCHUM and DAVID BURRESON, d/b/a  
Clare's Standard Service, a partnership

RECORDED

9:25 CLOCK a.m.  
*Trigunne Dist*

County and State of DONALD L. BRAATEN, II

REC. OF REC. IOWA COUNTY  
DODGEVILLE, IOWA 52933

The following described real estate in Iowa  
State of Wisconsin:

Atty. John T. Lampert  
407 S. Main St.  
P.O. Atkinson, WI 53538

Tax Parcel No.

Part of Lots 41 and 42 in Maddin's Addition, and part of  
Lot 4 of Thomas' Addition to the City of Dodgeville,  
Iowa County, Wisconsin, beginning at the Southeast corner  
of Lot 47, which point is on the westerly line of Bequette  
Street, thence Northwestly along the curve of the westerly  
line of Bequette Street to a point which is North 77 degrees  
West 138 feet, thence following the curve of Bequette Street  
North 11 1/2 degrees West 76 feet to a point intersecting the  
South line of Washington Street, thence West along the South  
line of Washington Street 90 feet, thence South 11 1/2 degrees  
East 88 feet, thence North 80 degrees East 15 feet, thence  
South 11 degrees East 126 feet to the South line of Lots 41  
and 42 of Maddin's Addition, thence East 90 feet to the place  
of beginning.

TRANSFER  
187.10  
FEE

Subject to highways, easements and right-of-ways of record

Not to be recorded until the above described property is  
located in the State of Wisconsin.

Not to be recorded until the above described property is  
subject to highways, easements and right-of-ways of  
record and municipal zoning ordinances.

Witness my hand and seal of the County of Iowa, this 2nd day of  
September, 1986.  
RICHARD L. KETCHUM and DAVID BURRESON,  
d/b/a Clare's Standard Service Station,  
a partnership.  
BY *Richard L. Ketchum* (SEAL)  
RICHARD L. KETCHUM, individually and as  
partner.  
BY *David Burreson* (SEAL)  
DAVID BURRESON, individually and as a  
partner.

AUTHENTICATION

ACKNOWLEDGMENT


Signature(s) \_\_\_\_\_  
Notary Public for the State of Iowa, my commission expires \_\_\_\_\_  
I, \_\_\_\_\_, Notary Public for the State of Iowa, do hereby certify that  
the foregoing is a true and correct copy of the original as recorded in my  
office.

STATE OF WISCONSIN  
Iowa County  
Personally appeared before me this 2nd day of  
September, 1986, the above named  
Richard L. Ketchum and David Burreson,  
d/b/a Clare's Standard Service, a  
partnership.

PAUL F. ANGEL  
Notary Public for the State of Iowa  
My Commission Expires \_\_\_\_\_

*Paul F. Angel*  
PAUL F. ANGEL  
Notary Public for the State of Iowa  
My Commission Expires \_\_\_\_\_

STATE OF WISCONSIN }  
COUNTY OF IOWA } SS  
This document having been compared by  
me with the original on file and of record in  
my office, is a true copy thereof  
Attest May 3 20 00  
Dixie L. Edge  
DIXIE L. EDGE, Register of Deeds





## **PARCEL IDENTIFICATION NUMBERS**

### **Braaten Oil Property**

**PIN 25-216-0611 Includes Lots 41 and 42**

### **Bob's Electric Property**

**PIN 25-216-0615 Includes Lots 43, 45, 47, and 149**

**PIN 25-216-0617 Includes Property 60 Feet to the East and South**

**STATEMENT OF LEGAL DESCRIPTION ACCURACY**

**FOR**


Braaten Oil Company/ Food Shop  
610 North Bequette Street, Dodgeville, Wisconsin  
Commerce No. 03-25-000139  
Delta No. I096-507

And


Property at 604 North Bequette Street

This statement is being provided by Delta Environmental Consultants, Inc. (Delta), on behalf of Braaten Oil Company. The enclosed property deeds, with legal descriptions, for the above-mentioned properties were provided by the Iowa County Register of Deeds Office. According to the information available to Delta, the legal descriptions are accurate and complete.


**DELTA ENVIRONMENTAL CONSULTANTS, INC.**




Scott Rademaker, Project Hydrogeologist



Date



**DODGEVILLE QUADRANGLE  
WISCONSIN  
7.5 MINUTE SERIES (TOPOGRAPHIC)**




**FIGURE 1  
SITE LOCATION MAP  
AND TOPOGRAPHIC MAP  
BRAATEN OIL COMPANY  
DODGEVILLE, WISCONSIN**

PROJECT NO. 10-87-028	PREPARED BY AWV/LS
DATE 9-13-91	REVIEWED BY ERK



**Delta**  
Environmental  
Consultants, Inc.



**LEGEND**

- EXISTING MONITORING WELL LOCATIONS
- POWER POLE LOCATIONS
- ⊙ RECOVERY WELL LOCATION
- △ TANK BASIN OBSERVATION WELL
- S — STORM SEWER LINE
- SS — SANITARY SEWER LINE
- E — EFFLUENT LINE
- I — INFLUENT LINE
- E & T — OVERHEAD ELECTRIC AND TELEPHONE LINES



**FIGURE 2**  
SITE MAP

BRAATEN OIL COMPANY  
DODGEVILLE, WISCONSIN

PROJECT NO.: N/16-507	DRAWN BY: DD
PREPARED BY: SR	DATE: 12/3/99
FILE NAME: 96507-5	




POST  
CLOSURE

WEST WASHINGTON STREET

NORTH BEQUETTE STREET

*Benzene  
Isoconcentration  
Map for Soil  
by METCO 6/19/12  
All results are in ppb.*


EAST  
DODGE  
STREET



● - SITE ASSESSMENT SOIL SAMPLE LOCATON

TANK SYSTEM SITE ASSESSMENT CONDUCTED ON 4/5/12		
BRAATEN OIL DODGEVILLE, WISCONSIN		
	DRAWN BY: RA DATE: 4/20/12 SCALE 1 INCH = 30 FEET	
1421 State Road 16 La Crosse, WI 54601 Tel: (608) 781-8879 Fax: (608) 781-8893 <small>Excellence through experience™</small>		

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER



**LEGEND**

- ⊙ EXISTING MONITORING WELL LOCATIONS
- ⊕ EXISTING VACUUM ENHANCED RECOVERY WELL LOCATIONS
- FIELD TEST AIR SPARGE POINT
- △ FIELD TEST SVE POINT
- ▲ SOIL GAS OBSERVATION POINT LOCATION
- ✦ SOIL BORING

DEPTH	SAMPLE DEPTH (FT)
B=	BENZENE (mg/kg)
T=	TOLUENE (mg/kg)
E=	ETHYLBENZENE (mg/kg)
X=	TOTAL XYLENES (mg/kg)
GRD=	GASOLINE RANGE ORGANICS (mg/kg)
DRO=	DIESEL RANGE ORGANICS (mg/kg)
Pb=	LEAD (mg/kg)

(mg/kg) MICROGRAMS PER KILOGRAM  
 ND NOT DETECTED ABOVE LABORATORY METHOD DETECTION LIMITS  
 NA NOT ANALYZED




**FIGURE 4**  
 ESTIMATED EXTENT OF SOIL EXCAVATION  
 AND SOIL BORING CONCENTRATIONS  
 JULY 1995

BRAATEN OIL COMPANY  
 DODGEVILLE, WISCONSIN

PROJECT NO.: 1995-507  
 DRAWN BY: DD  
 PREPARED BY: SR  
 DATE: 12/3/99  
 FILE NAME: 95507-5







- LEGEND:
- MONITORING WELL LOCATIONS
  - SOIL BORING LOCATIONS
  - ⊙ RECOVERY WELL LOCATION



FIGURE 4  
GEOLOGIC CROSS SECTION LOCATION MAP  
BRAATEN OIL COMPANY  
DODGEVILLE, WISCONSIN

PROJECT NO. 10-87-028	PREPARED BY BRK/LS	REVIEWED BY <i>[Signature]</i>	
DATE 10-15-91	REVISION NO.	FILE NAME 87028-1	
<p>Delta Environmental Consultants, Inc.</p>			





**LEGEND**

- ⊙ EXISTING MONITORING WELL LOCATIONS
  - POWER POLE LOCATIONS
  - ⊕ RECOVERY WELL LOCATION
  - △ TANK BASIN OBSERVATION WELL
  - S — STORM SEWER LINE
  - SS — SANITARY SEWER LINE
  - E — EFFLUENT LINE
  - I — INFLUENT LINE
  - E & T — OVERHEAD ELECTRIC AND TELEPHONE LINES
- 
- B → BENZENE (μg/L)
  - T → TOLUENE (μg/L)
  - E → ETHYLENE (μg/L)
  - X → XYLENES (μg/L)
  - 135T → 135-TRIMETHYLBENZENE (μg/L)
  - 124T → 124-TRIMETHYLBENZENE (μg/L)
  - N → NAPHTHALENE (μg/L)
  - DO → DISSOLVED OXYGEN (ppm)
  - REDOX → OXIDATION-REDUCTION POTENTIAL (mV)
- (μg/L) MICROGRAMS PER LITER  
 (ppm) PARTS PER MILLION  
 (mV) MILLIVOLTS  
 NS NOT SAMPLED




**FIGURE 5**  
 GROUND WATER CHEMICAL CONCENTRATION MAP  
 OCTOBER 19, 1999

BRAATEN OIL COMPANY  
 DODGEVILLE, WISCONSIN

PROJECT NO.: 096-507  
 DRAWN BY: DD  
 PREPARED BY: SR  
 DATE: 12/3/99  
 PLOT NAME: 98507-S





**LEGEND**

- EXISTING MONITORING WELL LOCATIONS
- POWER POLE LOCATIONS
- RECOVERY WELL LOCATION
- △ TANK BASIN OBSERVATION WELL
- S STORM SEWER LINE
- SS SANITARY SEWER LINE
- E EFFLUENT LINE
- I INFLUENT LINE
- E & T- OVERHEAD ELECTRIC AND TELEPHONE LINES

(1182.00) GROUND WATER ELEVATION (IN FEET)

—1182— GROUND WATER CONTOUR LINE  
CONTOUR INTERVAL = 1.0 FEET

NOTE: ANOMALOUS DATA AT MW-10 NOT INCLUDED  
IN PREPARATION OF MAP.



**FIGURE 3**  
GROUND WATER CONTOUR MAP  
OCTOBER 19, 1999

BRAATEN OIL COMPANY  
DODGEVILLE, WISCONSIN

PROJECT NO.: 1090-507  
DRAWN BY: DD  
PREPARED BY: SH  
DATE: 12/3/99  
FILE NAME: 84507-S



**Soil Analytical Results Summary**  
**Braaten Oil/Food Shop BRRTS# 03-25-000139**

Sample ID	Depth (feet)	Date	PID	Lead (ppm)	DRO (ppm)	GRO (ppm)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (Total) (ppb)	Xylene (Total) (ppb)	Other VOC's (ppb)
SA-1	12-13	04/05/12	NS	NS	NS	91	<250	252	<250	2500	<250	2740	690	NS
SA-2	12-13	04/05/12	NS	NS	NS	<10	68	71	<25	310	36	568	239	NS
SA-3	12-13	04/05/12	NS	NS	NS	<b>232</b>	<b>1410</b>	2750	<250	<b>3900</b>	980	25500	<b>12200</b>	NS
SA-4	12-13	04/05/12	NS	NS	NS	<b>297</b>	<b>1860</b>	2190	<250	<b>4400</b>	870	40300	<b>6770</b>	NS
SA-5	12-13	04/05/12	NS	NS	NS	76	<b>450</b>	245	<25	350	58	2120	506	NS
SA-6	12-13	04/05/12	NS	NS	NS	<b>186</b>	<b>880</b>	1260	<250	<b>3200</b>	500	9300	3280	NS
SA-7	4-5	04/05/12	NS	NS	NS	<10	<25	<25	<25	28	<25	<25	<50	NS
SA-8	4-5	04/05/12	NS	NS	NS	<10	<10	<25	<25	<25	<25	<25	<50	NS
NR720				50	100	100	5.5	2900	---	---	1500	---	4100	
NR746 Table 1				---	---	---	8500	4600	---	2700	38000	83000	42000	
NR746 Table 2				---	---	---	1100	---	---	---	---	---	---	

**Bold = NR720 Exceedance**  
**Bold/Underline = NR746 Exceedance**  
 NS = Not Sampled

POST  
CLOSURE

**SOIL INVESTIGATION ANALYTICAL RESULTS,**

Braaten Oil Company Amoco Station

610 North Bequette Street

Dodgeville, Wisconsin

Delta No. I096-507

	Sample Depth feet	Sample Date	Benzene mg/kg	Toluene mg/kg	Ethyl-benzene mg/kg	Total Xylenes mg/kg	MTBE mg/kg	1,2,4-TMB mg/kg	1,3,5-TMB mg/kg	GRO mg/kg	DRO mg/kg	TRPH mg/kg	Lead mg/kg
NR-720-RGL			55	1,500	2,900	4,100	NS	NS	NS	100	100		50
SB-6/MW-7	7-9'	5/18/92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	130
SB-6/MW-7	9-11'	5/18/92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	240
SB-7	9-11'	5/18/92	<10	33	17	90	<10	58	18	820	28	178	320
SB-7	11-13'	5/18/92	11	91	43	206	<10	110	34	1,700	2,700	NA	NA
SB-8/AS-1	8.5-11'	5/18/92	<10	52	42	52	<10	90	32	3,400	720	NA	NA
SB-8/AS-1	11-13'	5/18/92	<10	47	45	180	<10	100	34	240	460	255	200
SB-9/MW-5D	7-9'	5/19/92	ND	ND	ND	2.4	ND	2	ND	ND	11	ND	1,460
SB-10	5-7'	5/19/92	88	24	28	98	ND	52	15	720	1,300	1020	580
SB-11	5-7'	5/20/92	ND	ND	0.4	0.9	ND	2.4	0.8	25	62	54	36
SB-12/MW-8	5-7'	5/20/92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
SB-13/MW-9	5-6.1'	5/20/92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	65
SB-14	7-9'	5/20/92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	220
SB-14	11-12.2'	5/20/92	<10	16	21	83	<10	48	14	680	440	91	230
SB-15	9-11'	5/20/92	1.4	6.2	24	69	0.6	61	21	950	540	176	120
SB-15	11-13'	5/20/92	1.1	0.1	3.8	9	ND	4.6	1.5	65	450	ND	590
SB-16	7-9'	5/20/92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	230

**Notes:**

MTBE = Methyl tert-butyl ether

GRO = Gasoline range organics

DRO = Diesel range organics

TMB = Trimethylbenzene

ug/kg = micrograms per kilogram

mg/kg = milligrams per kilogram

NS = No NR 720 Standard

ND = Not Detected Above Laboratory Method Detection Limits

**TABLE 2**  
**SOIL INVESTIGATION ANALYTICAL RESULTS,**  
 Braaten Oil Company Amoco Station  
 610 North Bequette Street  
 Dodgeville, Wisconsin  
 Delta No. I096-507

	Sample Depth feet	Sample Date	Benzene mg/kg	Toluene mg/kg	Ethyl-benzene mg/kg	Total Xylenes mg/kg	MTBE mg/kg	1,2,4-TMB mg/kg	1,3,5-TMB mg/kg	GRO mg/kg	DRO mg/kg	TRPH mg/kg	Lead mg/kg
NR 720 RCL			5/5	10500	2,900	4,100	NS	NS	NS	100	100		50
SB-6/MW-7	7-9'	5/18/1992	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	150
SB-6/MW-7	9-11'	5/18/1992	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	240
SB-9/MW-5D	7-9'	5/19/1992	ND	ND	ND	2.4	ND	2	ND	ND	11	ND	460
SB-12/MW-8	5-7'	5/20/1992	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
SB-13/MW-9	5-6.1'	5/20/1992	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	65
SB-14	7-9'	5/20/1992	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	220
SB-14	11-12.2'	5/20/1992	<10	16	21	83	<10	48	14	680	440	91	230
SB-15	9-11'	5/20/1992	1.4	6.2	24	69	0.6	61	21	950	540	176	120
SB-15	11-13'	5/20/1992	1.1	0.1	3.8	9	ND	4.6	1.5	65	450	ND	590
SB-16	7-9'	5/20/1992	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	230

**Notes:**

- MTBE = Methyl tert-butyl ether
- GRO = Gasoline range organics
- DRO = Diesel range organics
- TMB = Trimethylbenzene
- ug/kg = micrograms per kilogram
- mg/kg = milligrams per kilogram
- NS = No NR 720 Standard
- ND = Not Detected Above Laboratory Method Detection Limits

**TABLE 3  
GROUND WATER ANALYTICAL AND IN-FIELD BIODEGRADATION DATA SUMMARY**

Braaten Oil Company Amoco Station  
610 North Bequette Street  
Dodgeville, Wisconsin  
Delta No. 1096-507

MW-1													In-field Biodegradation Measurements						
Parameter Date Sampled	Volatile Organic Compounds								Naphthalene ug/L	DRO mg/L	Lead ug/L	DO ppm	REDOX milli Volts	Temp °C	Conductivity µmhos/cm	pH	Iron (T) ppm	Iron (S) ppm	
	B ug/L	T ug/L	E ug/L	X ug/L	1,3,5 TMB ug/L	1,2,4 TMB ug/L	MTBE ug/L	GRO ug/L											
Nr 140/ES	6.0	343	700	620	480	60		40		75									
06/17/87	ND	ND	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM		
09/10/87	ND	ND	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM		
10/08/87	ND	ND	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM		
01/22/88	ND	ND	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM		
04/07/88	ND	ND	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM		
07/13/88	ND	ND	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM		
09/14/88	ND	ND	ND	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM		
12/28/88	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM		
04/10/89	ND	ND	ND	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM		
12/13/89	ND	ND	ND	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM		
03/29/90	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM		
09/27/90	ND	ND	ND	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM		
03/28/91	ND	ND	ND	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM		
09/25/91	ND	ND	ND	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM		
05/22/92	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	0.2	<5	NM	NM	NM	NM	NM	NM		
10/28/92	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	NM	NM	NM	NM	NM	NM		
03/24/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	NA	NM	NM	NM	NM	NM	NM		
08/15/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM		
08/25/93	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM		
09/22/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM		
12/28/93	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM		
03/22/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM		
06/28/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM		
07/11/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM		
07/14/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM		
07/20/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM		
09/08/94	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	NA	NM	NM	NM	NM	NM	NM		
04/05/95	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM		
09/14/95	<0.5	<1.0	<1.0	<3.0	<1.0	<1.0	1.1	<50	NA	NA	NA	1.6	NM	NM	NM	NM	NM		
06/11/96	<0.5	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	1.5	NM	NM	NM	NM	NM		
10/11/96	<0.5	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	1.8	139	15.7	1200	7.1	0.1	0.0	
12/17/96	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	1.3	161	NA	NA	NA	NA	NA	
03/27/97	0.37	<0.20	<0.22	<0.23	<0.29	0.28	2.0	<50	NA	NA	NA	1.2	142	7	1000	6.9	0.1	0.0	
10/07/97	NS	NS	NS	NS	NS	NS	NS	NS	NS	NA	NA	NS	NS	NS	NS	NS	NS	NS	
01/28/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	<50	<0.46	NA	NA	2.4	24	12	300	7.9	0.3	0.0	
03/31/98	<0.13	<0.20	<0.22	0.43	<0.29	0.39	<0.16	<50	1.7	NA	NA	2.0	37	10	600	7.9	0.4	0.3	
07/07/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	NA	<0.46	NA	NA	1.1	249	17	100	7.7	0.4	0.2	
10/14/98	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.4	144	NM	NM	NM	NM	NM	
04/20/99	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.6	79	NM	NM	NM	NM	NM	
10/19/99	<0.10	<0.10	<0.25	<0.25	<0.10	<0.10	<0.25	NS	<0.10	NS	NS	2.0	99	NM	NM	NM	NM	NM	

**TABLE 3  
GROUND WATER ANALYTICAL AND IN-FIELD BIODEGRADATION DATA SUMMARY**

Brnaten Oil Company Amoco Station  
610 North Bequette Street  
Dodgeville, Wisconsin  
Delta No. 1096-307

MW-2													In-field Biodegradation Measurements					
Parameter Date Sampled	Volatile Organic Compounds											DO ppm	REDOX milli Volts	Temp °C	Conductivity µmhos/cm	pH	Iron (T) ppm	Iron (S) ppm
	B ug/L	T ug/L	E ug/L	X ug/L	1,3,6 TMB ug/L	1,2,4 TMB ug/L	MTBE ug/L	GRO ug/L	Naphthalene ug/L	DRO mg/L	Lead ug/L							
NR 140 ES	6.0	343	700	620	180	60		40		75								
06/17/87	ND	ND	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/10/87	ND	ND	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
10/08/87	ND	ND	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
01/22/88	ND	ND	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
04/07/88	ND	ND	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
07/13/88	ND	ND	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/14/88	ND	ND	ND	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
12/29/88	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
04/10/89	ND	ND	ND	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
12/13/89	ND	ND	ND	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
03/29/90	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
09/27/90	ND	ND	ND	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
03/28/91	ND	ND	ND	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/25/91	ND	ND	ND	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
05/22/92	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	<0.1	<5	NM	NM	NM	NM	NM	NM	NM
10/28/92	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
03/24/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	NA	NM	NM	NM	NM	NM	NM	NM
06/15/93	7.2	7.8	1.5	5.8	5.8	4.8	ND	29	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
08/25/93	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
09/22/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
12/28/93	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
03/22/94	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
06/28/94	11	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
07/11/94	25	ND	2.9	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
07/14/94	21	ND	2.1	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
07/20/94	11	2.0	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/08/94	22	ND	ND	ND	ND	ND	ND	ND	NA	ND	NA	NM	NM	NM	NM	NM	NM	NM
04/05/95	<0.5	<1.0	<1.0	<3.0	<1.0	<1.0	1.1	<50.0	NA	NA	NA	4.9	NM	NM	NM	NM	NM	NM
09/14/95	<0.5	<1.0	<1.0	<3.0	<1.0	<1.0	1.1	<50.0	NA	NA	NA	2.8	NM	NM	NM	NM	NM	NM
08/11/95	<0.5	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	<50.0	NA	NA	NA	3.4	NM	NM	NM	NM	NM	NM
10/11/96	<0.5	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	<50.0	NA	NA	NA	2.4	24	13.6	1000	7.0	0.4	0.2
12/17/96	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	0.3	182	NA	NA	NA	NA	NA
03/27/97	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	1.3	<50	NA	NA	NA	2.3	31	7.5	1000	6.8	0.4	0.2
10/08/97	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	14	<50	1.1	NA	NA	4.8	66	16	800	7.3	0.8	0.2
01/28/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.70	<50	<0.48	NA	NA	2.1	29	10	200	7.7	0.6	0.3
04/01/98	0.36	<0.20	<0.22	0.54	<0.29	<0.22	31	<50	1.2	NA	NA	1.8	33	11	300	7.8	0.4	0.2
07/07/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	7	NA	<0.46	NA	NA	2.1	221	16	200	7.7	0.8	0.6
10/14/98	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.9	71	NM	NM	NM	NM	NM
04/20/99	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.8	33	NM	NM	NM	NM	NM
10/19/99	<0.10	<0.10	<0.25	<0.25	<0.10	<0.10	<0.25	NS	NS	NS	NS	2.9	102	NM	NM	NM	NM	NM

**TABLE 3  
GROUND WATER ANALYTICAL AND IN-FIELD BIODEGRADATION DATA SUMMARY**

Braaten Oil Company Amoco Station  
610 North Bequette Street  
Dodgeville, Wisconsin  
Delta No. 1096-507

MW-3		Volatile Organic Compounds										In-field Biodegradation Measurements						
Parameter Date Sampled	B ug/L	T ug/L	E ug/L	X ug/L	1,3,6 TMB ug/L	1,2,4 TMB ug/L	MTBE ug/L	GRO ug/L	NAPHTHALENE ug/L	DRO mg/L	Lead ug/L	DO ppm	REDOX milli Volts	Temp °C	Conductivity µmhos/cm	pH	Iron (T) ppm	Iron (S) ppm
<del>NR-140 ES</del>	<del>5.0</del>	<del>743</del>	<del>700</del>	<del>620</del>	<del>480</del>	<del>80</del>	<del>40</del>	<del>15</del>										
08/17/87	11000	19000	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/10/87	8400	12000	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
10/08/87	18000	30000	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
01/22/88	14000	23000	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
04/07/88	27000	45000	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
07/13/88	518000	32000	NA	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/14/88	11000	17000	480	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
12/28/88	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
04/10/89	25800	2000	ND	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
12/13/89	4000	4700	580	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
03/29/90	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
09/27/90	24000	32000	400	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
03/28/91	14000	21000	2800	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/25/91	15000	18000	2800	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
08/22/92	20000	31000	7600	20800	1600	8800	<200	120000	5	NS	80	NM	NM	NM	NM	NM	NM	NM
10/28/92	8700	8300	3100	ND	840	3500	ND	ND	NA	NA	11	NM	NM	NM	NM	NM	NM	NM
03/24/93	4300	3700	1400	ND	140	1800	50	ND	NA	ND	NA	NM	NM	NM	NM	NM	NM	NM
06/15/93	8600	8000	2000	56	280	1200	ND	29	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
08/25/93	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
09/22/93	2700	850	810	ND	150	600	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
12/28/93	4800	1400	870	NS	120	520	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
03/22/94	4100	1700	1800	ND	110	480	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
08/28/94	4600	2800	1400	ND	200	670	<100	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
07/11/94	9300	4700	3100	ND	450	2000	<50	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
07/14/94	3400	1800	1000	ND	220	600	<2.0	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
07/20/94	4200	1600	1200	ND	170	700	14	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/08/94	5400	940	2100	ND	320	1300	<250	ND	NA	ND	NA	NM	NM	NM	NM	NM	NM	NM
04/05/96	5300	2600	1800	5300	320	1400	100	24000	NA	NA	NA	3.1	NM	NM	NM	NM	NM	NM
09/14/95	ABANDONED																	

**TABLE 3  
GROUND WATER ANALYTICAL AND IN-FIELD BIODEGRADATION DATA SUMMARY**

Braaten Oil Company Amoco Station  
610 North Bequette Street  
Dodgeville, Wisconsin  
Delta No. I096-507

MW-4													In-field Biodegradation Measurements					
Parameter Date Sampled	Volatile Organic Compounds										Lead ug/L	DO ppm	REDOX milli Volts	Temp °C	Conductivity µmhos/cm	pH	Iron (T) ppm	Iron (S) ppm
	B ug/L	T ug/L	E ug/L	X ug/L	1,3,5 TMB ug/L	1,2,4 TMB ug/L	MTBE ug/L	GRO ug/L	NAPHTHALENE ug/L	DRO mg/L								
NR 140 ES	5.0	343	700	620	460	60		40		75								
MW-4 was installed on 11/16/88.																		
12/28/88	2900	18000	6600	23000	NA	NA	NA	NA	NA	NA	1200	NM	NM	NM	NM	NM	NM	NM
04/10/89	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
12/13/89	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
03/29/90	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
09/27/90	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
03/28/91	470	230	1300	1700	NA	NA	NA	41000	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/25/91	1300	370	1400	1000	NA	NA	NA	71000	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
06/22/92	1600	100	1300	300	750	2000	50	25000	NA	10	13	NM	NM	NM	NM	NM	NM	NM
10/28/92	880	<100	950	<300	340	1100	<100	18000	70	NA	15	NM	NM	NM	NM	NM	NM	NM
03/24/93	850	430	1000	590	210	650	25	9900	NA	ND	NA	NM	NM	NM	NM	NM	NM	NM
06/15/93	750	130	860	290	130	470	20	6500	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
08/25/93	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
09/22/93	460	79	920	190	440	200	23	7400	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
12/28/93	560	ND	1400	310	410	1200	ND	12000	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
03/22/94	850	160	980	750	170	440	43	7600	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
06/28/94	1100	330	2000	1900	480	1600	<100	14000	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
07/11/94	1200	430	2100	2100	700	2000	ND	21000	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
07/14/94	700	<200	1000	580	280	650	<200	6000	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
07/20/94	840	100	1300	630	350	1000	22	15000	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/08/94	1200	290	2100	1300	560	1700	<50	18000	NA	ND	NA	NM	NM	NM	NM	NM	NM	NM
04/05/95 09/14/95	1100 ABANDONED	750	2000	2800	<200	1100	<200	14000	NA	NA	NA	0.9	NM	NM	NM	NM	NM	NM

**TABLE 3  
GROUND WATER ANALYTICAL AND IN-FIELD BIODEGRADATION DATA SUMMARY**

Braaten Oil Company Amoco Station  
610 North Bequette Street  
Dodgeville, Wisconsin  
Delta No. I096-507

MW-5													In-field Biodegradation Measurements					
Parameter Date Sampled	Volatile Organic Compounds											DO	REDOX	Temp	Conductivity	pH	Iron (T)	Iron (S)
	B ug/L	T ug/L	E ug/L	X ug/L	1,3,5 TMB ug/L	1,2,4 TMB ug/L	MTBE ug/L	GRO ug/L	Naphthalene ug/L	DRO mg/L	Lead ug/L	ppm	milli Volts	°C	µmhos/cm	ppm	ppm	
NR 140 ES	5.0	343	700	820	480		80		40		15							
MW-5 was installed on 3/22/90.																		
03/29/90	2600	810	190	1000	NA	NA	680	16000	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/27/90	4800	1200	1300	2600	NA	NA	NA	30000	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
03/28/91	4800	2300	1800	4300	NA	NA	NA	81000	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/25/91	3200	300	620	1300	NA	NA	NA	33000	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
06/22/92	1600	280	520	760	40	210	<10	4600	<20	3	10	NM	NM	NM	NM	NM	NM	NM
10/28/92	2400	140	750	1100	51	320	<100	5300	NA	NA	ND	NM	NM	NM	NM	NM	NM	NM
03/24/93	3700	640	1600	3000	140	280	48	1400	NA	ND	NA	NM	NM	NM	NM	NM	NM	NM
08/15/93	4800	490	1800	2700	100	560	ND	1400	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
08/25/93	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
08/22/93	2700	42	980	1200	48	380	25	7800	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
12/28/93	3000	230	1100	2200	74	460	ND	9800	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
03/22/94	4800	760	1800	4200	180	770	ND	2100	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
08/28/94	3000	280	1100	2500	120	390	<100	14000	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
07/11/94	3800	200	1500	3300	430	650	<10	14000	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
07/14/94	2600	<200	780	2100	<200	380	<200	8000	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
07/20/94	840	100	1300	630	360	1000	22	15000	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/08/94	1600	51	780	630	<1.0	350	<5.0	6300	NA	ND	NA	NM	NM	NM	NM	NM	NM	NM
04/05/95	4200	230	1700	2700	<200	766	<200	13000	NA	NA	NA	1.6	NM	NM	NM	NM	NM	NM
09/14/95	4700	100	1800	5200	NA	800	<50	17000	NA	NA	NA	1.8	NM	NM	NM	NM	NM	NM
06/11/96	2300	67	1400	2200	NA	680	<32	9200	NA	NA	NA	1.5	NM	NM	NM	NM	NM	NM
10/11/96	2200	1900	3300	1200	660	1200	<50	14000	NA	NA	NA	1.5	-89	14.8	1400	7.2	10.0	10.0
12/17/96	1800	120	1800	4300	200	1200	<20	17000	NA	NA	NA	0.3	-78	9.2	1100	6.7	>10	>10
03/27/97	770	86	560	1800	<170	340	250	4900	NA	NA	NA	1.3	-83	7.5	900	7.2	>10	>10
10/08/97	1200	35	690	2400	66	640	1200	9100	97	NA	NA	0.9	-135	18.0	1000	7.2	>10	>10
01/28/98	1400	120	1100	2800	330	670	1500	11000	65	NA	NA	0.4	-113	9.0	200	7.9	+10	+10
04/01/98	1300	100	1000	1800	20	580	1100	7500	87	NA	NA	0.2	-69	10.0	200	7.5	+10	+10
07/07/98	670	15	670	950	<5.8	380	1100	NA	67	NA	NA	0.3	-194	17.0	200	7.7	+10	+10
10/14/98	960	30	890	1800	17	550	1100	7200	67	NA	NA	0.2	-94	16.0	200	7.4	+10	+10
04/20/99	1100	87	1200	3000	50	680	610	10000	88	NA	NA	0.2	-43	NM	NM	NM	NM	NM
10/19/99	840	50	1200	2900	34	760	<10	NS	98	NA	NA	1.8	-111	NM	NM	NM	NM	NM

**TABLE 3  
GROUND WATER ANALYTICAL AND IN-FIELD BIODEGRADATION DATA SUMMARY**

Braaten Oil Company Amoco Station  
610 North Dequette Street  
Dodgeville, Wisconsin  
Delta No. 1096-507

MW-5D (piezometer)												In-field Biodegradation Measurements						
Parameter Date Sampled	Volatile Organic Compounds										DO ppm	REDOX milli Volts	Temp °C	Conductivity µmhos/cm	pH	Iron (T) ppm	Iron (S) ppm	
	B ug/L	T ug/L	E ug/L	X ug/L	1,3,5 TMB ug/L	1,2,4 TMB ug/L	MTBE ug/L	GRO ug/L	Naphthalene ug/L	DRO mg/L								Lead ug/L
NR 140 ES	5.6	343	700	620	180	60	40											
MW-5D was installed on 5/21/92.																		
08/26/92	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	ND	ND	NM	NM	NM	NM	NM	NM	
10/28/92	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	ND	ND	NM	NM	NM	NM	NM	NM	
03/24/93	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	
06/15/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	
08/25/93	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	
09/22/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	
12/28/93	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	
03/22/94	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	
06/28/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	
07/11/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	
07/14/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	
07/20/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	
09/08/94	ND	ND	ND	ND	ND	1.4	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	
04/05/95	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	
09/14/95	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	1.8	NM	NM	NM	NM	NM	
06/11/96	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	1.2	NM	NM	NM	NM	NM	
10/11/96	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	2.2	120	13.9	500	7.0	0.2	
12/17/96	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	4.1	150	NA	NA	NA	NA	
03/27/97	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	<50	NA	NA	NA	2.7	129	6.5	400	7.3	0.2	
10/07/97	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
01/28/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	<50	0.77	NA	NA	1.0	-18	10.0	100	7.9	0.4	
04/01/98	<0.13	<0.20	<0.22	0.28	<0.29	0.34	<0.16	<50	1.2	NA	NA	0.8	18	8.0	400	7.6	1.0	
07/07/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	NA	<0.46	NA	NA	0.7	165	16.0	200	7.7	1.0	
10/14/98	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.2	-198	NM	NM	NM	NM	
04/20/99	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.2	-60	NM	NM	NM	NM	
10/19/99	<0.10	<0.10	<0.25	<0.25	<0.10	<0.10	<0.25	NS	<0.10	NS	NS	2.6	66	NM	NM	NM	NM	

**TABLE 3  
GROUND WATER ANALYTICAL AND IN-FIELD BIODEGRADATION DATA SUMMARY**

Braaten Oil Company Amoco Station  
610 North Bequette Street  
Dodgeville, Wisconsin  
Delta No. 1096-507

MW-6													In-field Biodegradation Measurements					
Parameter Date Sampled	Volatile Organic Compounds								Naphthalene ug/L	DRO mg/L	Lead ug/L	DO ppm	REDOX milli Volts	Temp °C	Conductivity µmhos/cm	pH	Iron (T) ppm	Iron (S) ppm
	B ug/L	T ug/L	E ug/L	X ug/L	1,3,5 TMB ug/L	1,2,4 TMB ug/L	MTBE ug/L	GRO ug/L										
NR 1/0/85	6.0	343	700	820	480		60		40		75							
MW-6 was installed on 3/23/90.																		
03/29/90	1.0	6.0	ND	ND	NA	NA	ND	30	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/27/90	ND	ND	ND	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
03/28/91	ND	ND	ND	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/25/91	ND	ND	ND	ND	NA	NA	NS	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
06/22/92	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	<0.1	<5	NM	NM	NM	NM	NM	NM	NM
10/28/92	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
03/24/93	ND	ND	ND	ND	NA	NA	NS	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/15/93	ND	ND	ND	ND	NA	NA	NS	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
08/25/93	ND	ND	ND	ND	NA	NA	NS	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/25/91	ND	ND	ND	ND	NA	NA	NA	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
06/22/92	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	NM	NM	NM	NM	NM	NM	NM
10/28/92	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	NM	NM	NM	NM	NM	NM	NM
03/24/93	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
09/15/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
08/25/93	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
09/22/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
12/28/93	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
03/22/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
06/28/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
07/11/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
07/14/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
07/20/94	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
09/08/94	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
04/05/95	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
09/14/95	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	3.4	NM	NM	NM	NM	NM	NM
06/11/96	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	6.0	NM	NM	NM	NM	NM	NM
10/11/96	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	4.7	143	14.7	900	7.0	0.2	0.1
12/17/96	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	3.8	179	NA	NA	NA	NA	NA
03/27/97	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	<50	NA	NA	NA	8.5	212	7.0	800	7.2	0.2	0.1
10/07/97	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	1.9	<50	0.53	NA	NA	4.2	39	17.0	900	7.2	3.0	0.4
01/28/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.18	<50	<0.46	NA	NA	1.9	16	10.0	200	7.9	0.1	0.0
03/31/98	<0.13	<0.20	<0.22	0.25	<0.29	0.22	<1.2	<50	1.2	NA	NA	1.7	28	10.0	200	7.8	1.0	0.3
07/07/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	NA	<0.46	NA	NA	1.7	214	17.0	100	7.8	1.0	0.4
10/14/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	<50	<0.46	NA	NA	1.5	157	16.0	100	7.6	0.3	0.1
04/20/99	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	<50	<1.1	NA	NA	1.7	149	NM	NM	NM	NM	NM
10/19/99	<0.10	<0.10	<0.25	<0.25	<0.10	<0.10	<0.25	NS	<0.10	NA	NA	8.3	108	NM	NM	NM	NM	NM

**TABLE 3  
GROUND WATER ANALYTICAL AND IN-FIELD BIODEGRADATION DATA SUMMARY**

Braaten Oil Company Amoco Station  
610 North Bequette Street  
Dodgeville, Wisconsin  
Delta No. 1096-507

Volatile Organic Compounds												In-field Biodegradation Measurements							
Parameter	B	T	E	X	1,3,5 TMB	1,2,4 TMB	MTBE	GRO	Naphthalene	DRO	Lead	DO	REDOX	Temp	Conductivity	pH	Iron (T)	Iron (S)	
Date Sampled	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ppm	milli Volta	°C	µmhos/cm		ppm	ppm	
NR 110 ES	5.0	11	700	620	480	60			40		15								
MW-7 was installed on 5/18/92.																			
06/22/92	11	19	67	85	6.5	29	<1.0	330	NA	<0.1	200	NM	NM	NM	NM	NM	NM	NM	NM
10/28/92	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	<50	NA	NA	<5	NM	NM	NM	NM	NM	NM	NM	NM
03/24/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	NM
06/15/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	NM
08/25/93	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM	NM
09/22/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	NM
12/28/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	NM
03/22/94	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	NM
06/28/94	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	NM
07/11/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM	NM
07/14/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM	NM
07/20/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM	NM
09/08/94	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	NM
04/05/95	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	5.1	NM	NM	NM	NM	NM	NM	NM
09/14/95	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	5.5	NM	NM	NM	NM	NM	NM	NM
06/11/96	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	4.9	NM	NM	NM	NM	NM	NM	NM
10/11/96	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	1.1	138	18.2	1300	7.1	0.1	0.0	
12/17/96	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	0.7	183	NA	NA	NA	NA	NA	
03/27/97	0.34	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	<50	NA	NS	NS	5.3	197	7	700	7.1	0.4	0.2	
10/07/97	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
01/28/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	<50	<0.48	NA	NA	2.2	25	11	300	7.6	0.4	0.1	
03/31/98	<0.13	<0.20	<0.22	<0.23	<0.29	0.36	<2.6	<50	2.0	NA	NA	1.8	38	10	400	7.7	0.4	0.3	
07/07/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	NA	<0.48	NA	NA	1.5	202	16	200	7.7	0.4	0.3	
10/14/98	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.3	147	NM	NM	NM	NM	NM	
04/20/99	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.5	128	NM	NM	NM	NM	NM	
10/19/99	<0.10	<0.10	<0.25	<0.25	<0.10	<0.10	<0.25	NS	<0.10	NS	NS	3.3	115	NM	NM	NM	NM	NM	

**TABLE 3  
GROUND WATER ANALYTICAL AND IN-FIELD BIODEGRADATION DATA SUMMARY**

Braaten Oil Company Amoco Station  
610 North Bequette Street  
Dodgeville, Wisconsin  
Delta No. 1096-507

MW-8	Volatile Organic Compounds											In-field Biodegradation Measurements						
Parameter Date Sampled	B ug/L	T ug/L	E ug/L	X ug/L	1,3,5 TMB ug/L	1,2,4 TMB ug/L	MTBE ug/L	GRO ug/L	Naphthalene ug/L	DRO mg/L	Lead ug/L	DO ppm	REDOX milli Volts	Temp °C	Conductivity µmhos/cm	pH	Iron (T) ppm	Iron (S) ppm
NR 140 ES	5.0	343	700	820	480	60			40		16							
MW-8 was installed on 5/20/92.																		
08/22/92	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	<50	NA	0.1	<5	NM	NM	NM	NM	NM	NM	NM
10/28/92	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
03/24/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	NA	NM	NM	NM	NM	NM	NM	NM
06/15/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
08/25/93	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
09/22/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
12/29/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
03/22/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
06/28/94	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
07/11/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
07/14/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
07/20/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM
09/08/94	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
04/05/95	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	3.7	NM	NM	NM	NM	NM	NM
09/14/95	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	2.7	NM	NM	NM	NM	NM	NM
06/11/96	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	3.4	NM	NM	NM	NM	NM	NM
10/11/96	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	1.5	160	14.9	800	6.9	0.4	0.2
12/17/96	<0.5	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	1.3	20	8.2	2200	6.9	0.1	0.0
03/27/97	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	<50	NA	NA	NA	4.2	161	6.0	600	7.0	0.4	0.2
10/07/97	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<1.5	<50	<0.46	NA	NA	3.6	62	18.0	800	7.2	0.6	0.1
01/28/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<1.5	<50	<0.46	NA	NA	2.0	22	9.0	200	7.7	0.1	0.0
03/31/98	<0.13	<0.20	<0.22	<0.23	<0.29	0.37	<1.3	<50	<1.7	NA	NA	1.7	31	10.0	200	7.8	0.6	0.3
07/07/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	NA	<0.46	NA	NA	1.9	216	23.0	200	7.7	0.6	0.4
10/14/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	<50	<0.46	NA	NA	1.5	177	16.0	200	7.6	1	0.2
04/20/99	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	<50	<1.1	NA	NA	1.7	137	NM	NM	NM	NM	NM
10/19/99	<0.10	<0.10	<0.25	<0.25	<0.10	<0.10	<0.25	NS	<0.10	NA	NA	4.7	119	NM	NM	NM	NM	NM

**TABLE 3  
GROUND WATER ANALYTICAL AND IN-FIELD BIODEGRADATION DATA SUMMARY**

Braaten Oil Company Amoco Station  
610 North Bequette Street  
Dodgeville, Wisconsin  
Delta No. 1096-507

MW-9													In-field Biodegradation Measurements						
Parameter Date Sampled	Volatile Organic Compounds											DO ppm	REDOX milli Volts	Temp °C	Conductivity µmhos/cm	pH	Iron (T) ppm	Iron (S) ppm	
	B ug/L	T ug/L	E ug/L	X ug/L	1,3,5 TMB ug/L	1,2,4 TMB ug/L	MTBE ug/L	GRO ug/L	Naphthalene ug/L	DRO mg/L	Lead ug/L								
NR 140 ES	5.0	343	700	620	480	60	40	15											
MW-9 was installed on 5/20/92.																			
06/26/92	0.2	<1.0	<1.0	1.3	<1.0	<1.0	<1.0	<50	<20	0.2	<5	NM	NM	NM	NM	NM	NM	NM	
10/28/92	110	2.0	7.3	18	<1.0	1.9	10	300	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	
03/24/93	780	5.5	110	73	110	25	12	1300.0	NA	200	NA	NM	NM	NM	NM	NM	NM	NM	
08/15/93	1.3	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	
08/25/93	11	ND	ND	ND	ND	ND	1.0	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	
09/22/93	58	ND	ND	ND	ND	ND	2.1	68	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	
12/28/93	8.4	ND	ND	ND	ND	ND	1.8	ND	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	
03/22/94	16	13	4.5	ND	ND	ND	ND	200	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	
06/28/94	46	ND	ND	ND	ND	ND	12	150	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	
07/11/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM	
07/14/94	NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NM	NM	NM	NM	NM	NM	NM	
07/20/94	1200	15	150	140	12	31	<5.0	2300	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	
09/08/94	690	7.0	78	35	<2.0	14	ND	1200	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM	
04/05/95	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	2.5	NM	NM	NM	NM	NM	NM	
09/14/95	7.1	<1.0	<1.0	<1.0	<1.0	<1.0	1.9	<50	NA	NA	NA	1.6	NM	NM	NM	NM	NM	NM	
06/11/96	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	4.6	NM	NM	NM	NM	NM	NM	
10/11/96	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	NA	NA	NA	2.5	30	14.9	2700	7.1	0.4	0.2	
12/17/96	<0.5	<1.0	<1.0	<3.0	<1.0	<1.0	<2.0	<50	NA	NA	NA	3.5	30	8.2	100	7.3	0.2	0.1	
03/27/97	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	1.2	<50	NA	NA	NA	5.7	94	7.0	3400	7.0	0.4	0.2	
10/07/97	33	<0.20	<0.22	0.35	<0.29	<0.22	1.2	79	<2	NA	NA	2.5	57	17.0	1200	7.0	1.0	0.4	
01/28/98	16	<0.20	0.53	<0.23	<0.29	<0.22	1.40	200	<0.46	NA	NA	0.9	-65	10.0	300	7.9	1.0	0.6	
03/31/98	<0.13	<0.20	<0.22	0.41	<0.29	0.24	<2.4	<50	1.4	NA	NA	1.0	16	10.0	300	7.7	0.4	0.2	
07/07/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	<0.16	NA	<0.46	NA	NA	1.9	211	18.0	300	7.9	0.8	0.3	
10/14/98	0.30	<0.20	<0.22	<0.23	<0.29	<0.22	64	<50	<0.46	NA	NA	1.4	181	16.0	100	7.4	0.6	0.2	
04/20/99	<0.13	<0.20	<0.22	<0.23	<0.29	<0.22	3.4	<50	<1.1	NA	NA	1.2	152	NM	NM	NM	NM	NM	
10/19/99	<0.10	<0.10	<0.25	<0.25	<0.10	<0.10	<0.25	NS	<0.10	NA	NA	3.8	130	NM	NM	NM	NM	NM	

**TABLE 3  
GROUND WATER ANALYTICAL AND IN-FIELD BIODEGRADATION DATA SUMMARY**

Braaten Oil Company Amoco Station  
610 North Bequette Street  
Dodgeville, Wisconsin  
Delta No. 1096-507

MW-10													In-field Biodegradation Measurements						
Parameter Date Sampled	Volatile Organic Compounds								DRO mg/L	Lead ug/L	DO ppm	REDOX milli Volts	Temp °C	Conductivity µmhos/cm	pH	Iron (T) ppm	Iron (S) ppm		
	B ug/L	T ug/L	E ug/L	X ug/L	1,3,5 TMB ug/L	1,2,4 TMB ug/L	MTBE ug/L	GRO ug/L										Naphthalene ug/L	
NR 140 ES	5.0	743	700	820	480		60		40	10									
MW-10 was installed on 3/12/97.																			
03/27/97	7500	5400	3700	18000	760	3100	<16	58000	NS	NS	NS	0.6	-141	7.5	1300	6.9	>10	>10	
10/08/97	5700	2600	2600	14000	910	2900	82	NA	660	NA	NA	0.2	-153	18	1400	6.9	>10	>10	
01/28/98	5400	4100	3800	18000	700	3600	<16	53000	860	NA	NA	0.5	-60	10	200	7.8	+10	+10	
04/01/98	3800	3300	3700	17000	1200	4600	<280	49000	1000	NA	NA	0.2	-142	10	500	7.4	+10	+10	
07/07/98	4300	2800	3500	13000	760	3100	260	NA	700	NA	NA	0.2	-162	19	300	7.7	+10	+10	
10/14/98	6100	5900	6100	19000	1400	5600	270	89000	1690	NA	NA	0.2	-179	17	300	7.2	+10	+10	
04/20/99	2800	2800	3300	13000	1000	4500	470	59000	1400	NA	NA	0.2	-108	NM	NM	NM	NM	NM	
10/19/99	6300	4000	4400	18000	820	3700	<50	NS	740	NA	NA	1.4	-108	NM	NM	NM	NM	NM	

Explanation:			
MW=.....	Monitoring Well	REDOX=.....	Oxidation-Reduction Potential
GW=.....	Ground Water	Iron (T)=.....	Iron; Total
TMB=.....	Tri-methyl Benzene	Iron (S)=.....	Iron; Soluble
MTBE=.....	Methyl Tertiary Butyl Ether	ug/L=.....	micrograms per liter
GRO=.....	Gasoline Range Organic Compounds	mg/L=.....	milligrams per liter
DO=.....	Dissolved Oxygen	°C =.....	Degrees Celsius
NR 140 ES =.....	Wisconsin Adm. Code Ch. NR 140 Enforcement Standard (Rev. 10/96)	ppm=.....	parts per million
		µmhos/cm =.....	micromhos per centimeter
		NA =.....	Not analyzed
		ND =.....	Not detected
		NM =.....	Not measured
		NS =.....	Not sampled

**TABLE 1  
GROUND WATER ELEVATION SUMMARY**

Braaten Oil Company Amoco Station  
610 North Bequette Street  
Dodgeville, Wisconsin  
Delta No. 1096-507

Well No.: MW-1		T.O.C. Elevation: 1196.97 (ft. M.S.L.)		Well Depth: 19.50 (ft. T.O.C.)	
Ground Elevation: 1193.67 (ft. M.S.L.)		Screen Length: 10.00 (ft.)			
Date	GW Depth TOC	GW Elevation	Elevation Change	Water in MW	Recorded By
04/05/95	NM				
09/14/95	15.14	1181.83		4.36	Delta
06/11/96	13.38	1183.59	1.76	6.12	Delta
10/11/96	14.34	1182.63	-0.96	5.16	Delta
12/17/96	15.37	1181.60	-1.03	4.13	Delta
03/27/97	13.52	1183.45	1.85	5.98	Delta
10/07/97	15.22	1181.75	-1.70	4.28	Delta
01/28/98	16.11	1180.86	-0.89	3.39	Delta
04/01/98	12.24	1184.73	3.87	7.26	Delta
07/07/98	13.10	1183.87	-0.86	6.40	Delta
10/14/98	14.27	1182.70	-1.17	5.23	Delta
04/20/99	13.62	1183.35	-0.52	5.88	Delta
10/19/99	14.89	1182.08	-0.62	4.61	Delta

Well No.: MW-2		T.O.C. Elevation: 1195.38 (ft. M.S.L.)		Well Depth: 19.10 (ft. T.O.C.)	
Ground Elevation: 1192.88 (ft. M.S.L.)		Screen Length: 10.00 (ft.)			
Date	GW Depth TOC	GW Elevation	Elevation Change	Water in MW	Recorded By
04/05/95	13.89	1181.49	-0.40	5.21	Delta
09/14/95	14.38	1181.00	-0.49	4.72	Delta
06/11/96	13.00	1182.38	1.38	6.10	Delta
10/11/96	13.98	1181.40	-0.98	5.12	Delta
12/17/96	14.62	1180.76	-0.64	4.48	Delta
03/27/97	12.95	1182.43	1.67	6.15	Delta
10/07/97	14.48	1180.90	-1.53	4.62	Delta
01/28/98	15.14	1180.24	-0.66	3.96	Delta
04/01/98	11.80	1183.58	3.34	7.30	Delta
07/07/98	12.63	1182.75	-0.83	6.47	Delta
10/14/98	13.60	1181.78	-0.97	5.50	Delta
04/20/99	13.02	1182.36	-0.39	6.08	Delta
10/19/99	14.16	1181.22	-0.56	4.94	Delta

**TABLE 1  
GROUND WATER ELEVATION SUMMARY**

Braaten Oil Company Amoco Station  
610 North Bequette Street  
Dodgeville, Wisconsin  
Delta No. I096-507

<b>Well No.:</b> MW-3					
<b>T.O.C. Elevation:</b>	1194.83	(ft. M.S.L.)	<b>Well Depth:</b>	20.25	(ft. T.O.C.)
<b>Ground Elevation:</b>	1192.33	(ft. M.S.L.)	<b>Screen Length:</b>	10.00	(ft.)
<b>Date</b>	<b>GW Depth TOC</b>	<b>GW Elevation</b>	<b>Elevation Change</b>	<b>Water in MW</b>	<b>Recorded By</b>
04/05/95	13.44	1181.39	-0.47	6.81	Delta
09/14/95	ABANDONED				

<b>Well No.:</b> MW-4					
<b>T.O.C. Elevation:</b>	1192.36	(ft. M.S.L.)	<b>Well Depth:</b>	21.10	(ft. T.O.C.)
<b>Ground Elevation:</b>	1192.19	(ft. M.S.L.)	<b>Screen Length:</b>	10.00	(ft.)
<b>Date</b>	<b>GW Depth TOC</b>	<b>GW Elevation</b>	<b>Elevation Change</b>	<b>Water in MW</b>	<b>Recorded By</b>
04/05/95	12.95	1179.41	-0.26	8.15	Delta
09/14/95	ABANDONED				

<b>Well No.:</b> MW-5					
<b>T.O.C. Elevation:</b>	1189.71	(ft. M.S.L.)	<b>Well Depth:</b>	16.10	(ft. T.O.C.)
<b>Ground Elevation:</b>	1187.21	(ft. M.S.L.)	<b>Screen Length:</b>	10.00	(ft.)
<b>Date</b>	<b>GW Depth TOC</b>	<b>GW Elevation</b>	<b>Elevation Change</b>	<b>Water in MW</b>	<b>Recorded By</b>
04/05/95	9.65	1180.06	-0.42	6.45	Delta
09/14/95	9.59	1180.12	0.06	6.51	Delta
06/11/96	9.02	1180.69	0.57	7.08	Delta
10/11/96	10.12	1179.59	-1.10	5.98	Delta
12/17/96	10.21	1179.50	-0.09	5.89	Delta
03/27/97	8.82	1180.89	1.39	7.28	Delta
10/07/97	10.29	1179.42	-1.47	5.81	Delta
01/28/98	10.94	1178.77	-0.65	5.16	Delta
04/01/98	7.58	1182.13	3.36	8.52	Delta
07/07/98	8.67	1181.04	-1.09	7.43	Delta
10/14/98	9.57	1180.14	-0.90	6.53	Delta
04/20/99	9.00	1180.71	-0.33	7.10	Delta
10/19/99	9.92	1179.79	-0.35	6.18	Delta

**TABLE 1  
GROUND WATER ELEVATION SUMMARY**

Braaten Oil Company Amoco Station  
610 North Bequette Street  
Dodgeville, Wisconsin  
Delta No. I096-507

Well No.: MW-5D		T.O.C. Elevation: 1188.42 (ft. M.S.L.)		Well Depth: 44.00 (ft. T.O.C.)	
Ground Elevation: 1186.29 (ft. M.S.L.)		Screen Length: 5.00 (ft.)			
Date	GW Depth TOC	GW Elevation	Elevation Change	Water in MW	Recorded By
04/05/95	NM				
09/14/95	9.53	1178.89		34.47	Delta
06/11/96	6.72	1181.70	2.81	37.28	Delta
10/11/96	9.47	1178.95	-2.75	34.53	Delta
12/17/96	9.89	1178.53	-0.42	34.11	Delta
03/27/97	7.55	1180.87	2.34	36.45	Delta
10/07/97	9.70	1178.72	-2.15	34.30	Delta
01/28/98	10.48	1177.94	-0.78	33.52	Delta
04/01/98	4.67	1183.75	5.81	39.33	Delta
07/07/98	5.68	1182.74	-1.01	38.32	Delta
10/14/98	8.63	1179.79	-2.95	35.37	Delta
04/20/99	6.82	1181.60	-1.14	37.18	Delta
10/19/99	9.50	1178.92	-0.87	34.50	Delta

Well No.: MW-6		T.O.C. Elevation: 1192.65 (ft. M.S.L.)		Well Depth: 16.20 (ft. T.O.C.)	
Ground Elevation: 1190.15 (ft. M.S.L.)		Screen Length: 10.00 (ft.)			
Date	GW Depth TOC	GW Elevation	Elevation Change	Water in MW	Recorded By
04/05/95	NM				
09/14/95	14.32	1178.33		1.88	Delta
06/11/96	12.15	1180.50	2.17	4.05	Delta
10/11/96	13.88	1178.77	-1.73	2.32	Delta
12/17/96	13.06	1179.59	0.82	3.14	Delta
03/27/97	12.11	1180.54	0.95	4.09	Delta
10/07/97	14.16	1178.49	-2.05	2.04	Delta
01/28/98	14.97	1177.68	-0.81	1.23	Delta
04/01/98	10.53	1182.12	4.44	5.67	Delta
07/07/98	12.43	1180.22	-1.90	3.77	Delta
10/14/98	13.64	1179.01	-1.21	2.56	Delta
04/20/99	12.86	1179.79	-0.43	3.34	Delta
10/19/99	14.25	1178.40	-0.61	1.95	Delta

**TABLE 1  
GROUND WATER ELEVATION SUMMARY**

Braaten Oil Company Amoco Station  
610 North Bequette Street  
Dodgeville, Wisconsin  
Delta No. 1096-507

Well No.: MW-7		T.O.C. Elevation: 1194.15 (ft. M.S.L.)		Well Depth: 17.50 (ft. T.O.C.)	
Ground Elevation: 1194.69 (ft. M.S.L.)		Screen Length: 10.00 (ft.)			
Date	GW Depth TOC	GW Elevation	Elevation Change	Water in MW	Recorded By
04/05/95	11.53	1182.62	2.13	5.97	Delta
09/14/95	11.96	1182.19	-0.43	5.54	Delta
06/11/96	10.31	1183.84	1.65	7.19	Delta
10/11/96	10.86	1183.29	-0.55	6.64	Delta
12/17/96	11.96	1182.19	-1.10	5.54	Delta
03/27/97	10.43	1183.72	1.53	7.07	Delta
10/07/97	11.86	1182.29	-1.43	5.64	Delta
01/28/98	13.07	1181.08	-1.21	4.43	Delta
04/01/98	9.28	1184.87	3.79	8.22	Delta
07/07/98	10.49	1183.66	-1.21	7.01	Delta
10/14/98	11.41	1182.74	-0.92	6.09	Delta
04/20/99	10.96	1183.19	-0.47	6.54	Delta
10/19/99	11.82	1182.33	-0.41	5.68	Delta

Well No.: MW-8		T.O.C. Elevation: 1182.61 (ft. M.S.L.)		Well Depth: 13.00 (ft. T.O.C.)	
Ground Elevation: 1183.27 (ft. M.S.L.)		Screen Length: 10.00 (ft.)			
Date	GW Depth TOC	GW Elevation	Elevation Change	Water in MW	Recorded By
04/05/95	4.70	1177.91	0.06	8.30	Delta
09/14/95	4.95	1177.66	-0.25	8.05	Delta
06/11/96	5.00	1177.61	-0.05	8.00	Delta
10/11/96	5.30	1177.31	-0.30	7.70	Delta
12/17/96	5.58	1177.03	-0.28	7.42	Delta
03/27/97	4.91	1177.70	0.67	8.09	Delta
10/07/97	5.57	1177.04	-0.66	7.43	Delta
01/28/98	6.26	1176.35	-0.69	6.74	Delta
04/01/98	4.10	1178.51	2.16	8.90	Delta
07/07/98	4.82	1177.79	-0.72	8.18	Delta
10/14/98	5.26	1177.35	-0.44	7.74	Delta
04/20/99	5.02	1177.59	-0.20	7.98	Delta
10/19/99	5.27	1177.34	-0.01	7.73	Delta

**TABLE 1  
GROUND WATER ELEVATION SUMMARY**


Braaten Oil Company Amoco Station  
610 North Bequette Street  
Dodgeville, Wisconsin  
Delta No. I096-507

Well No.:		MW-9			
T.O.C. Elevation:	1186.25	(ft. M.S.L.)	Well Depth:	13.00	(ft. T.O.C.)
Ground Elevation:	1184.57	(ft. M.S.L.)	Screen Length:	10.00	(ft.)
Date	GW Depth TOC	GW Elevation	Elevation Change	Water in MW	Recorded By
04/05/95	9.06	1177.19	-0.03	3.94	Delta
09/14/95	9.59	1176.66	-0.53	3.41	Delta
06/11/96	8.64	1177.61	0.95	4.36	Delta
10/11/96	9.73	1176.52	-1.09	3.27	Delta
12/17/96	9.82	1176.43	-0.09	3.18	Delta
03/27/97	8.80	1177.45	1.02	4.20	Delta
10/07/97	9.86	1176.39	-1.06	3.14	Delta
01/28/98	10.39	1175.86	-0.53	2.61	Delta
04/01/98	6.19	1180.06	4.20	6.81	Delta
07/07/98	8.65	1179.68	-0.38	4.35	Delta
10/14/98	9.43	1178.90	-0.78	3.57	Delta
04/20/99	8.94	1179.39	-0.29	4.06	Delta
10/19/99	9.57	1178.76	-0.14	3.43	Delta

Well No.:		MW-10			
T.O.C. Elevation:	1188.33	(ft. M.S.L.)	Well Depth:	13.00	(ft. T.O.C.)
Ground Elevation:		(ft. M.S.L.)	Screen Length:	10.00	(ft.)
Date	GW Depth TOC	GW Elevation	Elevation Change	Water in MW	Recorded By
MW-10 was installed on 3/12/97.					
3/27/97	9.72	1178.61		3.28	Delta
10/07/97	11.17	1177.16	-1.45	1.83	Delta
01/28/98	11.95	1176.38	-0.78	1.05	Delta
04/01/98	8.96	1179.37	2.99	4.04	Delta
07/07/98	9.54	1178.79	-0.58	3.46	Delta
10/14/98	10.44	1177.89	-0.90	2.56	Delta
04/20/99	9.96	1178.37	-0.42	3.04	Delta
10/19/99	10.98	1177.35	-0.54	2.02	Delta

Explanation:	
MW = .....	Monitoring Well
T.O.C. = .....	Top Of Casing
ft. M.S.L. = .....	Feet Mean Sea Level
GW = .....	Ground Water
NM = .....	Not Measured

IMPROPERLY ABANDONED  
MONITORING WELL



**LEGEND**

- ⊙ EXISTING MONITORING WELL LOCATIONS
- ⊖ EXISTING VACUUM ENHANCED RECOVERY WELL LOCATIONS
- FIELD TEST AIR SPARGE POINT
- △ FIELD TEST SVE POINT
- ▲ SOIL GAS OBSERVATION POINT LOCATION

Lost Well Map

BRATTEN OIL COMPANY  
DODGEVILLE, WISCONSIN



PROJECT NO.: 1096-507	DRAWN BY: EKO
PREPARED BY: KB	DATE: 11/15/96
FILE NAME: 96507-S	



IMPROPERLY ABANDONED  
MONITORING WELL

State of Wisconsin  
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT  
Form 3300-5 2/2000 Page 1 of 2

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR.141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>		<b>(2) FACILITY/OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County	Facility Name
		IOWA	BRATEN OIL CO.
Common Well Name		Gov't Lot (If applicable)	Facility ID
NE 1/4 of SE 1/4 of Sec. 28		T. 6 N; R. 3 E	MW-3
Grid Location		Street Address of Well	License/Permit/Monitoring No.
		610 N. Bequette St.	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>		City, Village, or Town	Present Well Owner
		Dodgeville WI	SAME
Lat. _____ Long. _____ or _____		Street Address or Route of Owner	Original Owner
		SAME	SAME
Reason For Abandonment		City, State, Zip Code	
Closure		SAME	
WI Unique Well No. of Replacement Well			

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>	
Original Construction Date	If a Well Construction Report is available, please attach.	Pump & Piping Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Liner(s) Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable
Construction Type:		Screen Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Casing Left in Place?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Other (Specify) _____		Was Casing Cut Off Below Surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Formation Type:		Did Sealing Material Rise to Surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did Material Settle After 24 Hours?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Total Well Depth (ft.) _____ Casing Diameter (in.) _____		If Yes, Was Hole Retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No
(From ground surface) Casing Depth (ft.) _____		Required Method of Placing Sealing Material	
Lower Drillhole Diameter (in.) _____		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Screened & Poured (Bentonite Chips)	
If Yes, To What Depth? _____ Feet		Sealing Materials	For monitoring wells and monitoring well boreholes only
Depth to Water (Feet) _____		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Bentonite Chips
		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Granular Bentonite
		<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite - Cement Grout
		<input type="checkbox"/> Clay-Sand Slurry (11 lb/gal. wt.)	<input type="checkbox"/> Bentonite - Sand Slurry
		<input type="checkbox"/> Bentonite-Sand Slurry " "	
		<input type="checkbox"/> Bentonite Chips	

(5)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
		Surface				

(6) Comments: WELL COULD NOT BE LOCATED AND IS PRESUMED TO BE LOST OR DESTROYED DURING CONSTRUCTION ACTIVITIES -

(7) Name of Person or Firm Doing Sealing Work: DATA ENVIRONMENTAL  
 Signature of Person Doing Work: [Signature]  
 Date Signed: 10-16-00  
 Street or Route: 17500 W. Liberty Ln.  
 Telephone Number: (262) 827-4013  
 City, State, Zip Code: New Berlin WI 53146

FOR DNR OR COUNTY USE ONLY

Date Received: \_\_\_\_\_ Noted By: \_\_\_\_\_

Comments: \_\_\_\_\_

IMPROPERLY ABANDONED  
MONITORING WELL

State of Wisconsin  
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT  
Form 3300-5 2/2000 Page 1 of 2

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>		<b>(2) FACILITY/ OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County	Facility Name
		IOWA	BRATTEN OIL CO.
Common Well Name		Gov't Lot (If applicable)	Facility ID
NE 1/4 of SE 1/4 of Sec. 28		T. 6 N.; R. 3 E	MW-4
Grid Location		Street Address of Well	License/Permit/Monitoring No.
_____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		610 N. Bequette St.	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>		City, Village, or Town	Present Well Owner
Lat. _____ Long. _____ or _____		Dodgeville WI	SAME
St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone		Street Address or Route of Owner	Original Owner
Reason For Abandonment		City, State, Zip Code	SAME
Closure			
WI Unique Well No. of Replacement Well			

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>	
Original Construction Date _____		Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable	
<input type="checkbox"/> Monitoring Well		Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable	
<input type="checkbox"/> Water Well		Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable	
<input type="checkbox"/> Borehole / Drillhole		Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No	
If a Well Construction Report is available, please attach.		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Construction Type:		Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug.		Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> Other (Specify) _____		If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Formation Type:		Required Method of Placing Sealing Material	
<input type="checkbox"/> Unconsolidated Formation. <input type="checkbox"/> Bedrock		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Total Well Depth (ft.) _____ Casing Diameter (in.) _____		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain) _____	
(From ground surface) Casing Depth (ft.) _____		Sealing Materials	
Lower Drillhole Diameter (in.) _____		<input type="checkbox"/> Neat Cement Grout	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Sand-Cement (Concrete) Grout	
If Yes, To What Depth? _____ Feet.		<input type="checkbox"/> Concrete	
Depth to Water (Feet) _____		<input type="checkbox"/> Clay-Sand Slurry (11 lb/gal. wt.)	
		<input type="checkbox"/> Bentonite-Sand Slurry " "	
		<input type="checkbox"/> Bentonite Chips	
		For monitoring wells and monitoring well boreholes only	
		<input type="checkbox"/> Bentonite Chips	
		<input type="checkbox"/> Granular Bentonite	
		<input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Bentonite - Sand Slurry	

(5)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
	Surface					

(6) Comments: Well could not be located and is presumed to be lost or destroyed during construction activities

(7) Name of Person or Firm Doing Sealing Work: Delta Environmental  
Signature of Person Doing Work: [Signature]  
Date Signed: 10-16-00  
Street or Route: 17500 W. Liberty Ln.  
Telephone Number: (262) 827-4013  
City, State, Zip Code: New Berlin WI 53146

FOR DNR OR COUNTY USE ONLY

Date Received: \_\_\_\_\_ Noted By: \_\_\_\_\_

Comments: \_\_\_\_\_

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299 Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299 Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>			<b>(2) FACILITY/OWNER INFORMATION</b>		
WI Unique Well No.	DNR Well ID No.	County <b>IOWA</b>	Facility Name <b>BRATTEN OIL Co.</b>	License/Permit/Monitoring No.	
Common Well Name _____ Gov't Lot (If applicable) _____			Facility ID <b>RN-1</b>	Street Address of Well <b>610 N. Bequette St.</b>	
Grid Location <b>NE</b> 1/4 of <b>SE</b> 1/4 of Sec. <b>28</b> ; T. <b>6</b> N.; R. <b>3</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W			City, Village, or Town <b>Dodgeville WI</b>		
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>			Present Well Owner <b>SAME</b>		
Lat. _____ Long. _____ or _____			Original Owner <b>SAME</b>		
St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address or Route of Owner <b>SAME</b>		
Reason For Abandonment <b>Closure</b>		WI Unique Well No. of Replacement Well _____	City, State, Zip Code <b>SAME</b>		

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>			
Original Construction Date _____		Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable			
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug. <input type="checkbox"/> Other (Specify) _____		Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable			
Formation Type: <input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Total Well Depth (ft.) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Lower Drillhole Diameter (in.) _____		Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No			
If Yes, To What Depth? _____ Feet		If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Depth to Water (Feet) _____		Required Method of Placing Sealing Material			
		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain)			
		Sealing Materials		For monitoring wells and monitoring well boreholes only	
		<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Bentonite Chips	
		<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Granular Bentonite	
		<input type="checkbox"/> Concrete		<input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		<input type="checkbox"/> Bentonite - Sand Slurry	
		<input type="checkbox"/> Bentonite-Sand Slurry " "			
		<input type="checkbox"/> Bentonite Chips			

(5)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
		Surface				

(6) Comments: **Well could not be located AND IS PRESUMED TO BE LOST OR DESTROYED DURING CONSTRUCTION ACTIVITIES -**

(7) Name of Person or Firm Doing Sealing Work **DATA ENVIRONMENTAL** Date of Abandonment \_\_\_\_\_

Signature of Person Doing Work **[Signature]** Date Signed **10-16-00**

Street or Route **17500 W. Liberty Ln.** Telephone Number **(262) 827-1013**

City, State, Zip Code **New Berlin WI 53146**

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>			<b>(2) FACILITY/ OWNER INFORMATION</b>		
WI Unique Well No.	DNR Well ID No.	County <b>IOWA</b>	Facility Name <b>BRATEN OIL Co.</b>		
Common Well Name		Gov't Lot (If applicable)	Facility ID <b>RW-2</b>	License/Permit/Monitoring No.	
<b>NE</b> 1/4 of <b>SE</b> 1/4 of Sec. <b>28</b> ; T. <b>6</b> N.; R. <b>3</b> <input checked="" type="checkbox"/> E		Grid Location	Street Address of Well <b>610 N. Bequette St.</b>		
ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>	City, Village, or Town <b>Dodgeville WI</b>		
Lat. _____ Long _____ or _____		St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone	Present Well Owner <b>SAME</b>	Original Owner <b>SAME</b>	
Reason For Abandonment <b>Closure</b>	WI Unique Well No. of Replacement Well		Street Address or Route of Owner <b>SAME</b>		
			City, State, Zip Code <b>SAME</b>		

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>			
Original Construction Date _____		Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable			
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug. <input type="checkbox"/> Other (Specify) _____		Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable			
Formation Type: <input type="checkbox"/> Unconsolidated Formation. <input type="checkbox"/> Bedrock		Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Total Well Depth (ft.) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Lower Drillhole Diameter (in.) _____		Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet.		Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Depth to Water (Feet) _____		If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No			
		Required Method of Placing Sealing Material			
		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain)			
		Sealing Materials		For monitoring wells and monitoring well boreholes only	
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry	

(5)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
	Surface					

(6) Comments: **WELL could NOT be located AND IS PRESUMED TO BE LOST OR DESTROYED DURING CONSTRUCTION ACTIVITIES**

(7) Name of Person or Firm Doing Sealing Work: **DELTA ENVIRONMENTAL**  
 Signature of Person Doing Work: *[Signature]*  
 Date Signed: **10-16-00**  
 Street or Route: **17500 W. Liberty Ln.**  
 City, State, Zip Code: **NEW BERLIN WI 53146**  
 Telephone Number: **(262) 827-4013**

**FOR DNR OR COUNTY USE ONLY**

Date Received: \_\_\_\_\_ Noted By: \_\_\_\_\_

Comments: \_\_\_\_\_

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>		<b>(2) FACILITY/ OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County	Facility Name
		IOWA	BRATTEN OIL CO.
Common Well Name	Gov't Lot (If applicable)	Facility ID	License/Permit/Monitoring No.
		SV-1	
Grid Location	Street Address of Well		
NE 1/4 of SE 1/4 of Sec. 28 ; T. 6 N.; R. 3 E	610 N. Bequette St.		
	City, Village, or Town		
	Dodgeville WI		
Local Grid Origin	Present Well Owner		Original Owner
	SAME		SAME
Lat.	Street Address or Route of Owner		
	SAME		
St. Plane	City, State, Zip Code		
	SAME		
Reason For Abandonment	WI Unique Well No. of Replacement Well		
Closure			

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>	
Original Construction Date	If a Well Construction Report is available, please attach.	Pump & Piping Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Liner(s) Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable
Construction Type:		Screen Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug.		Casing Left in Place?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Other (Specify)		Was Casing Cut Off Below Surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Formation Type:		Did Sealing Material Rise to Surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did Material Settle After 24 Hours?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Total Well Depth (ft.) Casing Diameter (in.)		If Yes, Was Hole Retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No
(From: ground surface) Casing Depth (ft.)		Required Method of Placing Sealing Material	
Lower Drillhole Diameter (in.)		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Screened & Poured (Bentonite Chips)	
If Yes, To What Depth? Feet		Sealing Materials	For monitoring wells and monitoring well boreholes only
Depth to Water (Feet)		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Bentonite Chips
		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Granular Bentonite
		<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite - Cement Grout
		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	<input type="checkbox"/> Bentonite - Sand Slurry
		<input type="checkbox"/> Bentonite-Sand Slurry " "	
		<input type="checkbox"/> Bentonite Chips	

(5)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
	Surface					

(6) Comments: Well could not be located AND IS PRESUMED TO BE LOST OR DESTROYED DURING CONSTRUCTION ACTIVITIES

(7) Name of Person or Firm Doing Sealing Work: DELTA ENVIRONMENTAL  
 Signature of Person Doing Work: [Signature]  
 Date Signed: 10-16-00  
 Street or Route: 17500 W. Liberty Ln.  
 Telephone Number: (262) 827-4013  
 City, State, Zip Code: New Berlin WI 53146

FOR DNR OR COUNTY USE ONLY

Date Received: \_\_\_\_\_ Noted By: \_\_\_\_\_

Comments: \_\_\_\_\_

IMPROPERLY ABANDONED  
MONITORING WELL

State of Wisconsin  
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT  
Form 3300-5 2/2000 Page 1 of 2

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299 Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>		<b>(2) FACILITY/ OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County	Facility Name
		IOWA	BRATTEN OIL CO.
Common Well Name		Gov't Lot (If applicable)	Facility ID
			SV-2
Grid Location		License/Permit/Monitoring No.	
NE 1/4 of SE 1/4 of Sec. 28 ; T. 6 N; R. 3 E			
Street Address of Well		City, Village, or Town	
OLD N. Bequette St.		Dodgeville WI	
Local Grid Origin		Present Well Owner	
(estimated: ) or Well Location		SAME	
Lat. Long. or		Original Owner	
		SAME	
St. Plane		Street Address or Route of Owner	
ft. N. ft. E. Zone		SAME	
Reason for Abandonment		City, State, Zip Code	
Closure		SAME	
WI Unique Well No. of Replacement Well			

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>	
Original Construction Date		Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable	
<input type="checkbox"/> Monitoring Well		Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable	
<input type="checkbox"/> Water Well		Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable	
<input type="checkbox"/> Borehole / Drillhole		Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No	
If a Well Construction Report is available, please attach.		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Construction Type:		Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug.		Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> Other (Specify)		If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Formation Type:		Required Method of Placing Sealing Material	
<input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Total Well Depth (ft.) Casing Diameter (in.)		<input type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain)	
(From ground surface) Casing Depth (ft.)			
Lower Drillhole Diameter (in.)		Sealing Materials	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Neat Cement Grout	
If Yes, To What Depth? Feet.		<input type="checkbox"/> Sand-Cement (Concrete) Grout	
Depth to Water (Feet)		<input type="checkbox"/> Concrete	
		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
		<input type="checkbox"/> Bentonite-Sand Slurry " "	
		<input type="checkbox"/> Bentonite Chips	
		For monitoring wells and monitoring well boreholes only	
		<input type="checkbox"/> Bentonite Chips	
		<input type="checkbox"/> Granular Bentonite	
		<input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Bentonite - Sand Slurry	

(5)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
		Surface				

(6) Comments: WELL could NOT BE located AND IS PRESUMED TO BE LOST OR DESTROYED DURING CONSTRUCTION ACTIVITIES -

(7) Name of Person or Firm Doing Sealing Work: **DELTA ENVIRONMENTAL**  
 Signature of Person Doing Work: *[Signature]*  
 Date Signed: **10-16-00**  
 Street or Route: **17500 W. Liberty Ln.**  
 Telephone Number: **(262) 827-4013**  
 City, State, Zip Code: **NEW BERLIN WI 53146**

**FOR DNR OR COUNTY USE ONLY**

Date Received: \_\_\_\_\_ Noted By: \_\_\_\_\_

Comments: \_\_\_\_\_

IMPROPERLY ABANDONED  
MONITORING WELL

State of Wisconsin  
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT  
Form 3300-5 2/2000 Page 1 of 2

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>		<b>(2) FACILITY/ OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County	Facility Name
		IOWA	BRATTEN OIL CO.
Common Well Name	Gov't Lot (If applicable)	Facility ID	License/Permit/Monitoring No.
		SV-3	
Grid Location		Street Address of Well	
NE 1/4 of SE 1/4 of Sec. 28 ; T. 6 N; R. 3 E		610 N. Bequette St.	
		City, Village, or Town	
		Dodgeville WI	
Local Grid Origin	(estimated: ) or Well Location	Present Well Owner	Original Owner
		SAME	SAME
Lat.	Long.	Street Address or Route of Owner	
		SAME	
St. Plane	ft. N. ft. E.	City, State, Zip Code	
		SAME	
Reason for Abandonment	WI Unique Well No. of Replacement Well		
Closure			

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>	
Original Construction Date		Pump & Piping Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable
<input type="checkbox"/> Monitoring Well	If a Well Construction Report is available, please attach.	Liner(s) Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable
<input type="checkbox"/> Water Well		Screen Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable
<input type="checkbox"/> Borehole / Drillhole		Casing Left in Place?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Construction Type:		Was Casing Cut Off Below Surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug.		Did Sealing Material Rise to Surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Other (Specify)		Did Material Settle After 24 Hours?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Formation Type:		If Yes, Was Hole Retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Unconsolidated Formation. <input type="checkbox"/> Bedrock		Required Method of Placing Sealing Material	
Total Well Depth (ft.) Casing Diameter (in.)		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
(From ground surface) Casing Depth (ft.)		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain)	
Lower Drillhole Diameter (in.)		Sealing Materials	For monitoring wells and monitoring well boreholes only
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Bentonite Chips
If Yes, To What Depth? Feet		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Granular Bentonite
Depth to Water (Feet)		<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite - Cement Grout
		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	<input type="checkbox"/> Bentonite - Sand Slurry
		<input type="checkbox"/> Bentonite-Sand Slurry " "	
		<input type="checkbox"/> Bentonite Chips	

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
	Surface				

(6) Comments: WELL COULD NOT BE LOCATED AND IS PRESUMED TO BE LOST OR DESTROYED DURING CONSTRUCTION ACTIVITIES

(7) Name of Person or Firm Doing Sealing Work: **DATA ENVIRONMENTAL**  
 Signature of Person Doing Work: *[Signature]*  
 Date Signed: **10-16-00**  
 Street or Route: **17500 W. Liberty Ln.**  
 Telephone Number: **(262) 927-4013**  
 City, State, Zip Code: **NEW BERLIN WI 53146**

FOR DNR OR COUNTY USE ONLY

Date Received: \_\_\_\_\_ Noted By: \_\_\_\_\_

Comments: \_\_\_\_\_

IMPROPERLY ABANDONED  
MONITORING WELL

State of Wisconsin  
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT  
Form 3300-5 2/2000 Page 1 of 2

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>			<b>(2) FACILITY/OWNER INFORMATION</b>		
WI Unique Well No.	DNR Well ID No.	County <b>IOWA</b>	Facility Name <b>BRATTEN OIL CO.</b>		
Common Well Name		Gov't Lot (If applicable)	Facility ID <b>AS-1</b>	License/Permit/Monitoring No.	
Grid Location <b>NE 1/4 of SE 1/4 of Sec. 28 ; T. 6 N; R. 3 E</b>			Street Address of Well <b>610 N. Bequette St.</b>		
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>			City, Village, or Town <b>Dodgeville WI</b>		
Lat. _____ Long _____ or			Present Well Owner <b>SAME</b>		Original Owner <b>SAME</b>
St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address or Route of Owner <b>SAME</b>		
Reason for Abandonment <b>Closure</b>		WI Unique Well No. of Replacement Well	City, State, Zip Code <b>SAME</b>		

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>			
Original Construction Date _____		Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable			
<input type="checkbox"/> Monitoring Well		Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable			
<input type="checkbox"/> Water Well		Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable			
<input type="checkbox"/> Borehole / Drillhole		Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No			
If a Well Construction Report is available, please attach.		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Construction Type:		Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No			
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug.		Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No			
<input type="checkbox"/> Other (Specify) _____		If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Formation Type:		Required Method of Placing Sealing Material			
<input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
Total Well Depth (ft.) _____ Casing Diameter (in.) _____		<input type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain)			
(From ground surface) Casing Depth (ft.) _____		(Bentonite Chips)			
Lower Drillhole Diameter (in.) _____		Sealing Materials		For monitoring wells and monitoring well boreholes only	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Bentonite Chips	
If Yes, To What Depth? _____ Feet		<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Granular Bentonite	
Depth to Water (Feet) _____		<input type="checkbox"/> Concrete		<input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		<input type="checkbox"/> Bentonite - Sand Slurry	
		<input type="checkbox"/> Bentonite-Sand Slurry " "		<input type="checkbox"/> Bentonite - Sand Slurry	
		<input type="checkbox"/> Bentonite Chips			

(5)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
		Surface				

(6) Comments: **WELL COULD NOT BE LOCATED AND IS PRESUMED TO BE LOST OR DESTROYED DURING CONSTRUCTION ACTIVITIES -**

(7) Name of Person or Firm Doing Sealing Work **DELTA ENVIRONMENTAL** Date of Abandonment \_\_\_\_\_

Signature of Person Doing Work **[Signature]** Date Signed **10-16-00**

Street or Route **17500 W. Liberty Ln.** Telephone Number **(262) 827-4013**

City, State, Zip Code **NEW BERLIN WI 53146**

FOR DNR OR COUNTY USE ONLY

Date Received \_\_\_\_\_ Noted By \_\_\_\_\_

Comments \_\_\_\_\_

IMPROPERLY ABANDONED  
MONITORING WELL

State of Wisconsin  
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT  
Form 3300-5 2/2000 Page 1 of 2

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>		<b>(2) FACILITY/ OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County	Facility Name
		IOWA	BRATTEN OIL CO.
Common Well Name		Gov't Lot (If applicable)	Facility ID
NE 1/4 of SE 1/4 of Sec. 28		T. 6 N; R. 3 E	AS-2
Grid Location		City, Village, or Town	License/Permit/Monitoring No.
ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		Dodgeville WI	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>		Present Well Owner	Original Owner
Lat. Long. or		SAME	SAME
St. Plane ft. N. ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone		Street Address or Route of Owner	
Reason For Abandonment		City, State, Zip Code	
Closure		SAME	

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>	
Original Construction Date	If a Well Construction Report is available, please attach.	Pump & Piping Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Liner(s) Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable
Construction Type:		Screen Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug.		Casing Left in Place?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Other (Specify)		Was Casing Cut Off Below Surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Formation Type:		Did Sealing Material Rise to Surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did Material Settle After 24 Hours?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Total Well Depth (ft.) Casing Diameter (in.)		If Yes, Was Hole Retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No
(From ground surface) Casing Depth (ft.)		Required Method of Placing Sealing Material	
Lower Drillhole Diameter (in.)		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain)	
If Yes, To What Depth? Feet		Sealing Materials	For monitoring wells and monitoring well boreholes only
Depth to Water (Feet)		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Bentonite Chips
		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Granular Bentonite
		<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite - Cement Grout
		<input type="checkbox"/> Clay-Sand Slurry (11 lb/gal. wt.)	<input type="checkbox"/> Bentonite - Sand Slurry
		<input type="checkbox"/> Bentonite-Sand Slurry " "	
		<input type="checkbox"/> Bentonite Chips	

(5)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
		Surface				

(6) Comments: WELL COULD NOT BE LOCATED AND IS PRESUMED TO BE LOST OR DESTROYED DURING CONSTRUCTION ACTIVITIES

(7) Name of Person or Firm Doing Sealing Work: DATA ENVIRONMENTAL  
 Signature of Person Doing Work: [Signature]  
 Date Signed: 10-16-00  
 Street or Route: 17500 W. Liberty Ln.  
 Telephone Number: (262) 927-4013  
 City, State, Zip Code: New Berlin WI 53146

FOR DNR OR COUNTY USE ONLY

Date Received: \_\_\_\_\_ Noted By: \_\_\_\_\_

Comments: \_\_\_\_\_

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299 Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299 Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>		<b>(2) FACILITY/OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County	Facility Name
		IOWA	BRATTEN OIL CO.
Common Well Name _____ Gov't Lot (If applicable) _____		Facility ID	License/Permit/Monitoring No.
NE 1/4 of SE 1/4 of Sec. 28 ; T. 6 N.; R. 3 E		AS-3	
Grid Location		Street Address of Well	
_____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		610 N. Bequette St.	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>		City, Village, or Town	
Lat. _____ Long. _____ or _____		Dodgeville WI	
St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone		Present Well Owner	Original Owner
Reason For Abandonment		SAME	
Closure		SAME	
WI Unique Well No. of Replacement Well _____		Street Address or Route of Owner	
		SAME	
		City, State, Zip Code	
		SAME	

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>	
Original Construction Date _____		Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable	
<input type="checkbox"/> Monitoring Well		Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable	
<input type="checkbox"/> Water Well		Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable	
<input type="checkbox"/> Borehole / Drillhole		Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No	
If a Well Construction Report is available, please attach.		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Construction Type:		Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug.		Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> Other (Specify) _____		If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Formation Type:		Required Method of Placing Sealing Material	
<input type="checkbox"/> Unconsolidated Formation. <input type="checkbox"/> Bedrock		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Total Well Depth (ft.) _____ Casing Diameter (in.) _____		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain)	
(From ground surface) Casing Depth (ft.) _____		Sealing Materials	
Lower Drillhole Diameter (in.) _____		<input type="checkbox"/> Neat Cement Grout	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Sand-Cement (Concrete) Grout	
If Yes, To What Depth? _____ Feet		<input type="checkbox"/> Concrete	
Depth to Water (Feet) _____		<input type="checkbox"/> Clay-Sand Slurry (11 lb/gal. wt.)	
		<input type="checkbox"/> Bentonite-Sand Slurry " "	
		<input type="checkbox"/> Bentonite Chips	
		For monitoring wells and monitoring well boreholes only	
		<input type="checkbox"/> Bentonite Chips	
		<input type="checkbox"/> Granular Bentonite	
		<input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Bentonite - Sand Slurry	

(5)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
	Surface					

(6) Comments: WELL COULD NOT BE LOCATED AND IS PRESUMED TO BE LOST OR DESTROYED DURING CONSTRUCTION ACTIVITIES -

(7) Name of Person or Firm Doing Sealing Work: **DATA ENVIRONMENTAL**  
Signature of Person Doing Work: *[Signature]*  
Date Signed: **10-16-00**  
Street or Route: **17500 W. Liberty Ln.**  
City, State, Zip Code: **New Berlin WI 53146**  
Telephone Number: **(262) 827-4013**

**FOR DNR OR COUNTY USE ONLY**

Date Received: \_\_\_\_\_ Noted By: \_\_\_\_\_

Comments: \_\_\_\_\_

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>		<b>(2) FACILITY/ OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County	Facility Name
		<b>IOWA</b>	<b>BRATTEN OIL CO.</b>
Common Well Name _____ Gov't Lot (If applicable) _____		Facility ID	License/Permit/Monitoring No.
<b>NE</b> 1/4 of <b>SE</b> 1/4 of Sec. <b>28</b> ; T. <b>6</b> N.; R. <b>3</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W		<b>A24</b>	
Grid Location _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S, _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		Street Address of Well	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>		<b>610 N. Bequette St.</b>	
Lat. _____ Long. _____ or _____		City, Village, or Town	
St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone		<b>Dodgeville WI</b>	
Reason For Abandonment		Present Well Owner	Original Owner
<b>Closure</b>		<b>SAME</b>	<b>SAME</b>
WI Unique Well No. of Replacement Well _____		Street Address or Route of Owner	
		<b>SAME</b>	
		City, State, Zip Code	
		<b>SAME</b>	

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>	
Original Construction Date _____		Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable	
<input type="checkbox"/> Monitoring Well		Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable	
<input type="checkbox"/> Water Well		Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable	
<input type="checkbox"/> Borehole / Drillhole		Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Construction Type:		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug.		Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> Other (Specify) _____		Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Formation Type:		If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> Unconsolidated Formation. <input type="checkbox"/> Bedrock		Required Method of Placing Sealing Material	
Total Well Depth (ft.) _____ Casing Diameter (in.) _____		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
(From ground surface) Casing Depth (ft.) _____		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain) _____	
Lower Drillhole Diameter (in.) _____		Sealing Materials	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Neat Cement Grout	
If Yes, To What Depth? _____ Feet		<input type="checkbox"/> Sand-Cement (Concrete) Grout	
Depth to Water (Feet) _____		<input type="checkbox"/> Concrete	
		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
		<input type="checkbox"/> Bentonite-Sand Slurry " "	
		<input type="checkbox"/> Bentonite Chips	
		For monitoring wells and monitoring well boreholes only	
		<input type="checkbox"/> Bentonite Chips	
		<input type="checkbox"/> Granular Bentonite	
		<input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Bentonite - Sand Slurry	

(5)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
		Surface				

(6) Comments: **Well could not be located and is presumed to be lost or destroyed during construction activities**

(7) Name of Person or Firm Doing Sealing Work: **DATA ENVIRONMENTAL**  
Signature of Person Doing Work: *[Signature]*  
Date Signed: **10-16-00**  
Street or Route: **17500 W. Liberty Ln.**  
City, State, Zip Code: **New Berlin WI 53146**  
Telephone Number: **(262) 827-4013**

**FOR DNR OR COUNTY USE ONLY**

Date Received: \_\_\_\_\_ Noted By: \_\_\_\_\_

Comments: \_\_\_\_\_

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>			<b>(2) FACILITY/ OWNER INFORMATION</b>		
WI Unique Well No.	DNR Well ID No.	County <b>IOWA</b>	Facility Name <b>BRATTEN OIL CO.</b>		
Common Well Name _____ Gov't Lot (If applicable) _____			Facility ID <b>OP-1</b>	License/Permit/Monitoring No.	
Grid Location <b>NE</b> 1/4 of <b>SE</b> 1/4 of Sec. <b>28</b> ; T. <b>6</b> N.; R. <b>3</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W			Street Address of Well <b>610 N. Bequette St.</b>		
_____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S, _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W.			City, Village, or Town <b>Dodgeville WI</b>		
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>			Present Well Owner <b>SAME</b>		
Lat. _____ Long. _____ or _____			Original Owner <b>SAME</b>		
St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address or Route of Owner <b>SAME</b>		
Reason For Abandonment <b>Closure</b>		WI Unique Well No. of Replacement Well _____	City, State, Zip Code <b>SAME</b>		

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>			
Original Construction Date _____		Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable			
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug. <input type="checkbox"/> Other (Specify) _____		Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable			
Formation Type: <input type="checkbox"/> Unconsolidated Formation. <input type="checkbox"/> Bedrock		Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Total Well Depth (ft.) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Lower Drillhole Diameter (in.) _____		Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet.		Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Depth to Water (Feet) _____		If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No			
		Required Method of Placing Sealing Material			
		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain) _____			
		Sealing Materials		For monitoring wells and monitoring well boreholes only	
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry (11 lb/gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry	

(5)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
		Surface				

(6) Comments: **Well could not be located and is presumed to be lost or destroyed during construction activities -**

(7) Name of Person or Firm Doing Sealing Work: **DELTA ENVIRONMENTAL**  
 Signature of Person Doing Work: *[Signature]*  
 Date Signed: **10-16-00**  
 Street or Route: **17500 W. Liberty Ln.**  
 Telephone Number: **(262) 827-4013**  
 City, State, Zip Code: **New Berlin WI 53146**

FOR DNR OR COUNTY USE ONLY

Date Received: \_\_\_\_\_ Noted By: \_\_\_\_\_

Comments: \_\_\_\_\_

IMPROPERLY ABANDONED  
MONITORING WELL

State of Wisconsin  
Department of Natural Resources

WELL/DRILLHOLE/BOREHOLE ABANDONMENT  
Form 3300-5 2/2000 Page 1 of 2

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>			<b>(2) FACILITY/OWNER INFORMATION</b>		
WI Unique Well No.	DNR Well ID No.	County <b>IOWA</b>	Facility Name <b>BRAATEN OIL CO.</b>		
Common Well Name _____ Gov't Lot (If applicable) _____			Facility ID <b>OP-2</b>	License/Permit/Monitoring No.	
Grid Location <b>NE</b> 1/4 of <b>SE</b> 1/4 of Sec. <b>28</b> ; T. <b>6</b> N.; R. <b>3</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W			Street Address of Well <b>610 N. Bequette St.</b>		
_____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S, _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W.			City, Village, or Town <b>Dodgeville WI</b>		
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>			Present Well Owner <b>SAME</b>		
Lat _____ Long _____ or _____			Original Owner <b>SAME</b>		
St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address or Route of Owner <b>SAME</b>		
Reason for Abandonment <b>Closure</b>		WI Unique Well No. of Replacement Well _____	City, State, Zip Code <b>SAME</b>		

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>			
Original Construction Date _____		Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable			
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug. <input type="checkbox"/> Other (Specify) _____		Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable			
Formation Type: <input type="checkbox"/> Unconsolidated Formation. <input type="checkbox"/> Bedrock		Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Total Well Depth (ft.) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Lower Drillhole Diameter (in.) _____		Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet		Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Depth to Water (Feet) _____		If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No			
		Required Method of Placing Sealing Material			
		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain) _____			
		Sealing Materials		For monitoring wells and monitoring well boreholes only	
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry	

(5)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
		Surface				

(6) Comments: **WELL COULD NOT BE LOCATED AND IS PRESUMED TO BE LOST OR DESTROYED DURING CONSTRUCTION ACTIVITIES -**

(7) Name of Person or Firm Doing Sealing Work **DATA ENVIRONMENTAL** Date of Abandonment \_\_\_\_\_

Signature of Person Doing Work **[Signature]** Date Signed **10-16-00**

Street or Route **17500 W. Liberty Ln.** Telephone Number **(262) 827-4013**

City, State, Zip Code **New Berlin WI 53146**

FOR DNR OR COUNTY USE ONLY	
Date Received _____	Noted By _____
Comments _____	

## Impacted Off-Source Property Information

Form 4400-246 (R 3/08)

This fillable form is intended to provide a list of information that must be submitted for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request (Section H). The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

**NOTICE: Completion of this form is mandatory** for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

ACTIVITY NAME:

ID	Off-Source Property Address	Parcel Number	WTM X	WTM Y
<input type="text" value="A"/>	<input type="text" value="604 N Bequette St, Dodgeville, WI (Bob's Electric Property)"/>	<input type="text" value="25-216-0615 &amp; 25-216-0617"/>	<input type="text" value="509175"/>	<input type="text" value="277000"/>
<input type="text" value="B"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="C"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="D"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="E"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="F"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="G"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="H"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="I"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>



**FILE COPY**

*Solving environment-related business problems worldwide*

[www.deltaenv.com](http://www.deltaenv.com)

17500 West Liberty Lane • Suite A  
New Berlin, Wisconsin 53416-2109 USA

262.789.0254 800.477.7411  
Fax 262.789.4583

November 3, 2003

Mr. Robert McNeill  
613 Orchard Ridge Road  
Dodgeville, WI 53533

**Subject: Groundwater Geographic Information System (GIS) Listing Notification**  
Braaten Oil Company  
610 North Bequette Street  
Dodgeville, WI 53533  
BRRTS No. 03-25-000139  
Delta No. I096-507

Dear Mr. McNeill:

Delta Environmental Consultants, Inc. (Delta) is issuing this letter to you on behalf of Braaten Oil Company the owner of the former Amoco service station at 610 North Bequette Street, Dodgeville, Wisconsin. The purpose of this letter is to notify you of our intent to list the above-mentioned property on the Wisconsin Department of Natural Resource's (WDNR's) GIS Database.

Groundwater contamination that appears to have originated on the former Amoco Service Station has migrated onto your property, Bob's Electric, located at 604 North Bequette Street, Dodgeville, Wisconsin 53533. The levels of benzene, ethylbenzene, trimethylbenzene, and naphthalene are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code. However, Delta's investigation of this contamination indicates that this groundwater contaminant plume is stable or receding and will naturally degrade over time.

Delta believes that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapters NR 726 and NR 746 Wisconsin Administrative Code. The WDNR has issued conditional case closure using natural attenuation as the final remedy for this site. Closure means that the Department will not require any further investigation or cleanup action to be taken, other than the reliance on natural attenuation. A fact sheet is enclosed that explains natural attenuation.

Since the source of groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section

**GIS Listing Notification**  
Braaten Oil Company  
November 3, 2003  
Page 2

292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call 1-800-367-6076 for calls originating in Wisconsin, or 608-264-6020 if you are calling from out of state or within the Madison area.

As an affected property owner, you have a right to contact the WDNR within 30 days to provide any technical information that you may have that indicates that your property should not be listed on the GIS registry. If you would like to submit any information to the WDNR that is relevant to our request, you should mail that information to:

Ms. Linda Hanefeld  
Department of Natural Resources  
1500 N. Johns Street  
Dodgeville, Wisconsin 53533

All properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the WDNR's GIS Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the WDNR's internet web site. Enclosed is the property deed that describes the property. Please review the legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the WDNR if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

Once the WDNR fulfills our request to list your site on the GIS Registry, it will issue a final closure letter. You may obtain a copy of this letter by requesting a copy from us, by writing to the agency address given above, or by accessing the WDNR GIS Registry of Closed Remediation Sites on the internet at [www.dnr.state.wi.us/org/at/et/geo/gwur](http://www.dnr.state.wi.us/org/at/et/geo/gwur). A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

**GIS Listing Notification**  
Braaten Oil Company  
November 3, 2003  
Page 3

If you need more information, you may contact me at (262) 827-4800 or you may contact Linda Hanefeld of the WDNR at (608) 935-1948.

Sincerely,

**DELTA ENVIRONMENTAL CONSULTANTS, INC.**



Scott Rademaker, P.G.  
Project Hydrogeologist

Attachments



Track/Confirm - Intranet Item Inquiry - Domestic

Item: 7002 0510 0001 6955 0445

Destination	ZIP Code: 53533	City: DODGEVILLE	State: WI
Origin	ZIP Code:	City:	State:

Event	Date	Time	Location	Scanner ID
DELIVERED	11/17/2003	14:28	DODGEVILLE WI 53533	POS3100635
<a href="#">Request Delivery Record</a>				
<a href="#">View Delivery Signature and Address</a>				
NOTICE LEFT	11/15/2003	12:08	DODGEVILLE WI 53533	M354478

Enter Request Type and Item Number:

Quick Search  Extensive Search

[Explanation of Quick and Extensive Searches](#)

Item Number: \_\_\_\_\_

Inquire on multiple items.

Go to the Product Tracking System Home Page.

Heidi  
Delta Environmental  
Fax 262-789-5483

Direct Query - Intranet

Page 1 of 1



Track/Confirm - Intranet Item Inquiry  
Item Number: 7002 0510 0001 6955 0445

This item was delivered on 11/17/2003 at 14:28.

<b>Delivery Section</b>	
<b>Signature:</b>	<i>Robert McNeill</i> <b>Robert McNeill</b>
<b>Address:</b>	<i>613 Orchard Rd</i>

Enter Request Type and Item Number:

Quick Search  Extensive Search

**Explanation of Quick and Extensive Searches**

Item Number: \_\_\_\_\_

Inquire on multiple items.

Go to the Product Tracking System Home Page.

646001

STATE BAR OF WISCONSIN FORM 3 - 1999  
QUIT CLAIM DEED

Document Number

Vol 0579 PAGE 826

This Deed, made between Robert W. McNeill  
and Helen M. McNeill

Grantor,  
and ROBERT W. MCNEILL and HELEN M. MCNEILL  
as CO-TRUSTEES of the MCNEILL FAMILY TRUST dated  
May 21, 2001

Grantee.  
Grantor quit claims to Grantee the following described real estate in  
IOWA County, State of Wisconsin: (if more space  
is needed, please attach addendum):  
ATTACHED

RECORDED  
Dodgeville WI 53533

MAY 22 2001

11:00 O'CLOCK A.M.  
*Dixie Edge*  
DIXIE L. EDGE, Iowa Co. Register of Deeds

Recording Area

Name and Return Address  
JOHN R. PIPAL  
PO BOX 142  
DODGEVILLE, WI 53533

*16*  
FEE EXEMPT

Together with all appurtenant rights, title and interests.

25-216-1385, 0237,  
0617, 1378, 11, 0615  
Parcel Identification Number (PIN)

This is homestead property.  
(Is) (is not)

Dated this 21st day of May, 2001.

*Robert W McNeill*  
\* Robert W. McNeill

*Helen M. McNeill*  
\* Helen M. McNeill

AUTHENTICATION

Signature(s) Robert W. McNeill and  
Helen M. McNeill  
authenticated this 21st day of May, 2001

\* JOHN R. PIPAL

ACKNOWLEDGMENT

STATE OF WISCONSIN )  
) ss.  
County. )  
Personally came before me this \_\_\_\_\_ day of  
\_\_\_\_\_, \_\_\_\_\_ the above named

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, \_\_\_\_\_  
authorized by § 706.06, Wis. Stats.)

to me known to be the person \_\_\_\_\_ who executed  
the foregoing instrument and acknowledged the same.

THIS INSTRUMENT WAS DRAFTED BY

JOHN R. PIPAL  
PO BOX 142 DODGEVILLE, WI 53533  
(Signatures may be authenticated or acknowledged. Both are  
not necessary.)

Notary Public, State of Wisconsin  
My Commission is permanent. (If not, state expiration date:  
\_\_\_\_\_, \_\_\_\_\_.)

\*Names of persons signing in any capacity must be typed or printed below their signature.

Parcel Number I:

Address: 613 Orchard Ridge Rd. Dodgeville, WI 53533  
Tax Parcel Number: 25-216-1378.1L

Lot Twenty-nine (29), Singer's Addition No. 2, in the City of Dodgeville, Iowa County, Wisconsin.

Parcel Number II:

Address: Vacant Lot Powell Street  
Tax Parcel Number: 25-216-1385

Lot 7, Block 1, School Heights Addition to the City of Dodgeville, Iowa County, Wisconsin.

Parcel Number III:

Address: Monitor Street  
Tax Parcel Number: 25-216-0237

That part of Lots 37 and 38 and vacated Monitor Street in Dodge's Addition to the City of Dodgeville, Iowa County, Wisconsin, described as commencing 170 feet East of the Northwest corner of Lot 33 of said Dodge's Addition, thence Northeasterly on a line forming an angle of 117 degrees and 45 minutes to the North line of vacated Monitor Street, thence East along said North line to the East line of Dacotah Street, thence South along said East line 40 feet to the South line of vacated Monitor Street, thence West 40 feet to the Northeast corner of said Lot 38, thence South 70 feet, thence West to the West line of said Lot 37, thence North 70 feet, more or less, to the South line of vacated Monitor Street, thence West 16 feet, more or less, to the place of beginning;

except all minerals underlying said lands as described in Vol. 141 of Deeds, Page 478 and in Vol. 142 of Deeds, Page 277, Iowa County Registry.

Parcel Number IV:

Address: 604 North Bequette Street, Dodgeville  
Tax Parcel Number: 25-216-0615

Lot Number forty-three (43) in Maddin's Addition to the Village, now City of Dodgeville, Iowa County, Wisconsin.

242581

Parcel Number V:  
Address: 604 N. Bequette St. Dodgeville  
Tax Parcel Number: 25-216-0617

VOL 0579 PAGE 828

The South 60 feet of Lot 47 according to the recorded plat of Minersville, now known as Maddin's Addition, to the village, now city, of Dodgeville, Iowa County, Wisconsin, more particularly described as follows: beginning at the Southwest corner of said Lot, thence 60 feet in a Northerly direction along the West side of said Lot, thence in an Easterly direction to a point on the East side of said Lot 60 feet from the Southeast corner thereof, thence in a Southerly direction to the Southeast corner thereof, thence along the South side of said Lot to the place of beginning. Subject to right to use a right-of-way over the West 10 feet of the South 60 feet of said Lot 47 for the purpose of gaining access to Lots 149 and 45 and for the installation of water and/or sewage.

Parcel Number VI:  
Address: 604 N. Bequette St. Dodgeville  
Tax Parcel Number: 25-216-0615

Lots 45 and 149 in Maddin's Addition to the Village (now City) of Dodgeville, according to Crane's Map. Also Lot 47 according to the recorded plat of Minersville, now known as Maddin's Addition to the Village, (now City) of Dodgeville, except the South 60 feet thereof, more particularly described as follows: Beginning at the Southwest corner of said Lot, thence 60 feet in a northerly direction along the West side of said Lot, thence in an Easterly direction to a point on the East side of said Lot 60 feet from the Southeast corner thereof, thence in a Southerly direction to the Southeast corner thereof, thence along the South side of said Lot to the place of beginning. Also the right to use a right-of-way over the West 10 feet of the South 60 feet of said Lot 47 for the purpose of gaining access to Lots 149 and 45 and for the installation of water and/or sewage. All in Iowa County, Wisconsin.



OFF-SOURCE  
A  
PROPERTY

STATE BAR OF WISCONSIN FORM 3-1982  
**QUIT CLAIM DEED**

THIS SPACE RESERVED FOR RECORDING DATA

155710

VOL 375 ~~399~~

April 5, 1984  
RECORDED

11:35 CLOCK A.M.  
Marian J. Press, Clerk  
REG. OF DEEDS - IOWA COUNTY

ROBERT McNEILL a/k/a ROBERT W. McNEILL

quit-claims to HELEN McNEILL

CONSIDERATION: One Dollar and other good and valuable consideration

the following described real estate in Iowa County, State of Wisconsin:

RETURN TO HAMILTON & MUELLER, S. C.  
Dodgeville, WI 53533

An undivided one-half of the following:

Tax Parcel No: 25216-0615

(A) Lot number 43 in Maddin's Addition to the Village, now City of Dodgeville.

(B) Lots 45 and 149 in Maddin's Addition to the Village, now City of Dodgeville, according to Crane's Map. Also Lot 47 according to the recorded plan to Minersville, now known as Maddin's Addition to the Village, now City of Dodgeville, except the South 60 feet thereof, more particularly described as follows: Beginning at the Southwest corner of said Lot, thence 60 feet in a Northerly direction along the West side of said Lot, thence in an Easterly direction to a point on the East side of said Lot 60 feet from the Southeast corner thereof, thence in a Southerly direction to the Southeast corner thereof, thence along the South side of said Lot to the place of beginning, together with the right to use as a right of way for the purpose of gaining access to Lots 149 and 45 and for the installation of water and sewage the West 10 feet of the South 60 feet of said Lot 47, Iowa County, Wisconsin.

The grantor and the grantee are husband and wife.

FEE  
# 77.258  
EXEMPT

This is not ~~is not~~ homestead property.

Dated this 5th day of April, 1984

\_\_\_\_\_  
(SEAL) Robert W. McNeill (SEAL)  
\_\_\_\_\_  
Robert McNeill  
\_\_\_\_\_  
(SEAL) \_\_\_\_\_ (SEAL)

AUTHENTICATION

Signature(s) \_\_\_\_\_  
authenticated this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_

ACKNOWLEDGMENT

STATE OF WISCONSIN  
Iowa County, } ss.  
Personally came before me this 5th day of April, 1984 the above named Robert McNeill a/k/a Robert W. McNeill

TITLE: MEMBER STATE BAR OF WISCONSIN

(if not authorized by § 706.06, Wis. Stats.) THIS INSTRUMENT WAS DRAFTED BY ATTORNEY FRANK D. HAMILTON

to me known to be the person who executed the foregoing instrument and acknowledge the same.

Frank D. Hamilton  
Notary Public, Iowa County, Wis.  
My Commission is permanent. (If not, state expiration date: \_\_\_\_\_ 19\_\_\_\_)

Dodgeville, Wisconsin 53533  
(Signatures may be authenticated or acknowledged. Both are not necessary.)

\* Names of persons signing in any capacity should be typed or printed below their signatures.

Markham O. Saunders W D  
& Marjorie Saunders, 3/1/1963  
his wife, & in her 3/1/1963,  
own right, 3 P. M.  
To 204 D 521  
Robert W. McNeill. \$1.00....  
Doc 92908

Lots 45 & 49 in Maddin's Add  
to the vil, now city, of Do, Wis,  
acc to Crane's Map.  
Also Lot 47 acc to the rec plat of  
Minersville, now known as Maddin's  
Add to the vil, now city, of Do,  
Wis, exc the S 60 ft thereof, more  
part des as fol: Beg at the SW cor  
of sd Lot, th 60 ft in a Nly dir  
along the E side of sd Lot, th in  
a Erly dir to a pt on the E side  
of sd Lot 10 ft from the SE cor  
thereof, th along the S side of sd  
Lot to the pob.

Pty of the sec part, his heirs &  
assigns, are hereby given the right  
to use a r-o-w over the W 10 ft of  
the S 60 ft of sd Lot 47 for the  
purpose of gaining access to Lots  
49 & 45 & for the installation of

water and/or sewage.  
\$3.85 GRs

115523

VOL. 277 PAGE 480 ✓

THIS DEED, made between Markham O. Saunders and Marjorie M. Saunders a/k/a Marjorie Saunders, his wife, Grantors and Robert W. McNeill, as owner of an undivided onehalf interest thereof as tenant in common with Robert E. Harritz, as owner of an undivided one-sixth interest thereof and as tenants in common with Ernest A. Highley, as owner of an undivided one-sixth interest thereof and as tenants in common with Donald F. Tredinnick and Cathryn J. Tredinnick, his wife, (as joint tenants between themselves) as owners of an undivided one-sixth interest thereof, Grantees,

Witnesseth, That the said Grantors for a valuable consideration of Seventeen Thousand and no/one-hundreths (\$17,000.00) convey to the Grantees the following described real estate in Iowa County, State of Wisconsin:

The South 60 feet of Lot 47 according to the recorded plat of Minersville, now known as Maddin's Addition, to the village, now city, of Dodgeville, Iowa County, Wisconsin, more particularly described as follows: beginning at the Southwest corner of said Lot, thence 60 feet in a Northerly direction along the West side of said Lot, thence in an Easterly direction to a point on the East side of said Lot 60 feet from the Southeast corner thereof, thence in a Southerly direction to the Southeast corner thereof, thence along the South side of said Lot to the place of beginning. Subject to right to use a rightofway over the West 10 feet of the South 60 feet of said Lot 47 for the purpose of gaining access to Lots 149 and 45 and for the installation of water and/or sewage.

Together with all and singular the hereditaments and appurtenances thereunto belonging or in any wise appertaining;

And Markham O. Saunders and Marjorie M. Saunders warrant that the title is good, indefeasible in fee simple and free and clear of encumbrances and will warrant and defend the same.

This is not homestead property.

Executed at Dodgeville, Wisconsin this 30th day of March, 1972.

Markham O. Saunders (SEAL) Marjorie M. Saunders (SEAL)  
Markham O. Saunders Marjorie M. Saunders  
\_\_\_\_\_(SEAL) \_\_\_\_\_(SEAL)

Signatures of Markham O. Saunders and Marjorie M. Saunders authenticated this 30th day of March, 1972.

James R. Pope  
James R. Pope  
Title: Member of State Bar of Wisconsin

This instrument drafted by Attorney James R. Pope, Dodgeville, Wi. 53533.

RECORDED

April 12, 1972

9:30 o'clock a. M

Mildred A. Holmes  
Reg. of Deeds

Margaret L. Anderson  
Deputy

116232

WARRANTY DEED

Vol 279 page 548

THIS DEED, made between Markham O. Saunders and Marjorie M. Saunders a/k/a Marjorie Saunders, his wife, Grantors and Robert W. McNeill, as owner of an undivided one half interest therein as tenant in common with Robert E. Herritz, as owner of an undivided one-sixth interest thereof and as tenants in common with Ernest A. Highley, as owner of an undivided one-sixth interest thereof and as tenants in common with Donald F. Tredinnick and Cathryn J. Tredinnick, his wife, (as joint tenants between themselves) as owners of an undivided one-sixth interest thereof, Grantees,

WITNESSETH, That the said Grantors for a valuable consideration of Seventeen Thousand and no/one-hundreths (\$17,000.00) convey to the Grantees the following described real estate in Iowa County, State of Wisconsin;

The South 60 feet of Lot 47 according to the recorded plat of Minersville, now known as Maddin's Addition, to the village, now city, of Dodgeville, Iowa County, Wisconsin, more particularly described as follows: beginning at the Southwest corner of said Lot, thence 60 feet in a Northerly direction along the West side of said Lot, thence in an Easterly direction to a point on the East side of said Lot 60 feet from the Southeast corner thereof, thence in a Southerly direction to the Southeast corner thereof, thence along the South side of said Lot to the place of beginning. Subject to right to use a right of way over the West 10 feet of the South 60 feet of said Lot 47 for the purpose of gaining access to Lots 149 and 45 and for the installation of water and/or sewage.

Together with all and singular the hereditaments and appurtenances thereunto belonging or in any wise appertaining;

And Markham O. Saunders and Marjorie M. Saunders warrant that the title is good, indefeasible in fee simple and free and clear of encumbrances and will warrant and defend the same.

This is not homestead property.

This deed is given to correct the deed recorded in Volume 277, page 480 wherein the grantee Robert E. Herritz was incorrectly referred to as Robert E. Harritz.

Executed at Dodgeville, Wisconsin this 23 day of JUNE, 1972.

Markham O. Saunders (SEAL) Marjorie M. Saunders (SEAL)

Signatures of Markham O. Saunders and Marjorie M. Saunders authenticated this 23 day of JUNE, 1972.

James R. Pope  
James R. Pope  
Title: Member of State Bar of Wisconsin

This instrument drafted by Roger J. Mueller, Attorney Dodgeville, Wisconsin 53533

RECORDED  
June 28th 1972  
2:45 o'clock.....P.....M  
Madred G. Holmes  
Reg. of Deeds

142197

VOL 342 PAGE 392

QUIT CLAIM DEED  
REGISTER'S OFFICE  
Iowa County, Wisconsin

Ernest A. Highley, as owner of an undivided one-sixth interest thereof  
quit-claims to Robert W. McNeill  
the following described real estate in Iowa County, State of Wisconsin:

Received for record the 16 day of November A.D. 1979 at 3:15 o'clock P.M. and Recorded in Vol 342 of records on Page 392  
Robert W. McNeill  
Dodgeville, WI 53533

Tax Key No. \_\_\_\_\_

The South 60 feet of Lot 47 according to the recorded plat of Minersville, now known as Maddin's Addition, to the village, now city, of Dodgeville, Iowa County, Wisconsin, more particularly described as follows: beginning at the Southwest corner of said Lot, thence 60 feet in a Northerly direction along the West side of said Lot, thence in an Easterly direction to a point on the East side of said Lot 60 feet from the Southeast corner thereof, thence in a Southerly direction to the Southeast corner thereof, thence along the South side of said Lot to the place of beginning. Subject to right to use a right of way over the West 10 feet of the South 60 feet of said Lot 47 for the purpose of gaining access to Lots 149 and 45 and for the installation of water and/or sewage.

TRANSFER  
420  
FEE

This is not homestead property.  
~~(is not)~~

Dated this 25th day of July, 1979.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
(SEAL)  
(SEAL)

\_\_\_\_\_  
Ernest A. Highley  
\_\_\_\_\_  
(SEAL)

**AUTHENTICATION**

Signatures authenticated this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, \_\_\_\_\_ authorized by § 706.06, Wis. Stats.)

This instrument was drafted by

Attorney Paul F. Angel  
Dodgeville, WI 53533

(Signatures may be authenticated, or acknowledged. Both are not necessary.)


**ACKNOWLEDGMENT**

STATE OF WISCONSIN

Dane County, } ss.  
Personally came before me, this 25th day of July, 1979 the above named Ernest A. Highley

to me known to be the person who executed the foregoing instrument and acknowledged the same.

Cyril A. York  
Notary Public, Dane County, Wis.  
My Commission is permanent. (If not, state expiration date: \_\_\_\_\_)



FURNISHED BY





142198

Robert E. Herritz a/k/a Robert E. Harritz, as owner of  
an undivided one-sixth interest thereof  
quit-claims to Robert W. McNeill  
the following described real estate in Iowa County,  
State of Wisconsin:

QUIT CLAIM DEED  
REGISTERED  
Iowa County, Wisconsin

Received for record the 16 day  
November A.D. 1979 at 3:1  
o'clock P. M. and Recorded in V  
342 of records on Page 39  
Robert E. Herritz  
RETURN TO  
Robert W. McNeill  
Dodgeville, WI 53533

The South 60 feet of Lot 47 according to the  
recorded plat of Minersville, now known as Maddin's  
Addition, to the village, now city, of Dodgeville, Iowa  
County, Wisconsin, more particularly described as follows:  
beginning at the Southwest corner of said Lot, thence 60  
feet in a Northerly direction along the West side of said  
Lot, thence in an Easterly direction to a point on the East  
side of said Lot 60 feet from the Southeast corner thereof,  
thence in a Southerly direction to the Southeast corner thereof,  
thence along the South side of said Lot to the place of beginning.  
Subject to right to use a right of way over the West 10 feet of  
the South 60 feet of said Lot 47 for the purpose of gaining access  
to Lots 149 and 45 and for the installation of water and/or sewage.

Tax Key No. \_\_\_\_\_

TRANSFER  
420  
\$3

This not homestead property.  
(is not)  
Dated this 25th day of July, 1979.

\_\_\_\_\_  
(SEAL)  
\_\_\_\_\_  
(SEAL)  
\_\_\_\_\_

Robert E. Herritz  
Robert E. Herritz a/k/a Robert E. Harritz  
\_\_\_\_\_  
(SEAL)

**AUTHENTICATION**

Signatures authenticated this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_

**ACKNOWLEDGMENT**

STATE OF WISCONSIN } ss.  
Dane County, }  
Personally came before me, this 25th day of  
July the above named Robert E.  
Herritz a/k/a Robert E. Harritz

\*  
TITLE: MEMBER STATE BAR OF WISCONSIN

(if not,  
authorized by § 706.06, Wis. Stats.)

This instrument was drafted by


Attorney Paul F. Angel

Dodgeville, WI 53533

(Signatures may be authenticated or acknowledged. Both  
are not necessary.)

to me known to be the person who executed the fore-  
going instrument and acknowledged the same.

\*  
Notary Public Dane County, Wis.  
My Commission is permanent. (If not, state expiration  
date: \_\_\_\_\_)




VOL 342 PAGE 393

FURNISHED BY



Record for Record Map 278 19 1946 at 10 Block S. W.



OFF-SOURCE  
A  
PROPERTY

Scale 200 feet to an inch.



**Delta**  
Environmental  
Consultants, Inc.

*Solving environment-related business problems worldwide*

[www.deltaenv.com](http://www.deltaenv.com)

17500 West Liberty Lane • Suite A  
New Berlin, Wisconsin 53146-2109 USA

262.789.0254 800.477.7411  
Fax 262.789.5483

December 10, 2003

Mike Bisbock  
Director of Public Works  
100 East Fountain Street  
Dodgeville, WI 53533

Subject: **Notification of Residual Petroleum Contamination in Right of Way**  
Braaten Oil/Food Shop  
610 Bequette Street  
Dodgeville, Wisconsin  
WDNR No. 03-25-000139  
Delta No. I096-507

Dear Mr. Bisbock:

On behalf of Mr. Don Braaten owner of the Braaten Oil/Food Shop, Delta Environmental Consultants, Inc. is pursuing site closure of the above referenced petroleum remediation site with the Wisconsin Department of Natural Resources (WDNR). Prior to requesting site closure the WDNR requires notification to right-of-way (ROW) owners of potential residual petroleum impacts, beneath the ROW associated with the subject site. The following information is intended to meet the notification requirement requested by the WDNR.

Residual petroleum contamination likely exists beneath North Bequette Street/State Highway 23 near the west side of the 610 North Bequette Street property. Soil boring locations are shown on the attached Figure 4. Soil analytical results for soil sample locations are presented on Table 2. Residual soil contamination above the Wisconsin Administrative Code Chapter NR 720 Residual Contamination Level were detected in soil boring locations SB-14 and SB-15, located adjacent to City of Dodgeville right of way property.

Should you have any questions or require additional information regarding this site, please contact me at (262) 827-4800.

Sincerely,

  
Scott Radmaker  
Project Hydrogeologist

Attachments

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	
<ul style="list-style-type: none"> <li>■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.</li> <li>■ Print your name and address on the reverse so that we can return the card to you.</li> <li>■ Attach this card to the back of the mailpiece, or on the front if space permits.</li> </ul>	A. Signature X <i>Donelda Seurton</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee	
	B. Received by (Printed Name) <i>Donelda Seurton</i>	C. Date of Delivery <i>12/12/03</i>
1. Article Addressed to:  <i>Mike Bisbock            100 E. Fountain St.            Dodgeville, WI 53533</i>	D. Is delivery address different from item 1? <input type="checkbox"/> Yes if YES, enter delivery address below: <input type="checkbox"/> No	
2. Article Number (Transfer from service label): <i>7002 0510 0001 6955 0377</i>	3. Service Type <input type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.	
	4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes	
PS Form 3811, August 2001 Domestic Return Receipt 102595-02-M-1540		


UNITED STATES POSTAL SERVICE



First-Class Mail  
 Postage & Fees Paid  
 USPS  
 Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

*Delta Environmental  
 17500 W. Liberty Lane  
 New Berlin, WI 53533  
 Attn: Scott Rademaker*



**Scott Rademaker**

**From:** TeBeest, Sharlene [sharlene.tebeest@dot.state.wi.us]  
**Sent:** Wednesday, December 10, 2003 4:47 PM  
**To:** 'srademaker@deltaenv.com'  
**Subject:** RE: Notification of Contamination within Right of Way

Thank you Scott, I've received the notification for Braaten Oil Company.

Shar

Shar Te Beest  
 Hazardous Materials Specialist /District 1 Liaison  
 Wisconsin Department of Transportation  
 Bureau of Equity and Environmental Services  
 Phone (608) 266-1476; Fax (608) 266-7818;  
 Cell (608) 692-4546  
 e-mail: sharlene.tebeest@dot.state.wi.us  
 <mailto:sharlene.tebeest@dot.state.wi.us>

-----Original Message-----

**From:** srademaker@deltaenv.com [mailto:srademaker@deltaenv.com]  
**Sent:** Wednesday, December 10, 2003 3:44 PM  
**To:** sharlene.tebeest@dot.state.wi.us  
**Subject:** FW: Notification of Contamination within Right of Way

> Sharlene,  
 > The purpose of the following information is to notify you of residual  
 > contamination in a Right of Way in Dodgeville, Wisconsin. I have also  
 > attached a letter and figure notifying the City of Dodgeville.  
 >  
 > County: Iowa  
 > Highway: State Highway 23  
 > Site Name: Braaten Oil Company/Food Shop  
 > BRRTS No: 03 -25-000139  
 > PECFA No:  
 > DNR FID No: None  
 > Owner's Name: Braaten Oil Company  
 > Owner's Address: 610 North Bequette Street  
 > Consulting Firm: Delta Environmental Consultants, Inc.  
 > Consulting Contact: Mr. Scott Rademaker  
 > Consultant Address: 17500 W. Liberty Ln. Suite A, New Berlin, WI 53146  
 > Consultant Phone: (262) 827-4800, FAX (262) 853  
 > Soil Contamination: yes  
 > Depth to Cont. Soil: 6 to 10 feet  
 > Groundwater Contamination: Yes  
 > Depth to Groundwater: 12 feet  
 > Description of Contamination: Petroleum contamination. Natural  
 > Attenuation is primary remediation method.  
 > Soil Contamination Plume Map: Attached  
 >  
 > <<CityDodgeville.Notif.GIS.doc>> <<Braaten Oil Soil Boring  
 > Concentrations.pdf>>  
 >  
 >  
 > Scott Rademaker, P.G.  
 > Hydrogeologist  
 > Delta Environmental Consultants, Inc.  
 > New Berlin, Wisconsin  
 > (262) 827-4800

>  
> CONFIDENTIALITY NOTICE: This e-mail and the document(s) accompanying this  
> e-mail contain confidential information which is legally privileged. The  
> information is intended only for the use of the intended recipient named  
> above. If you are not the intended recipient, you are hereby notified  
> that any disclosure, copying, distribution, or the taking of any action in  
> reliance on the contents of this e-mail and its attachments, except its  
> direct delivery to the intended recipient named above, is strictly  
> prohibited. If you have received this e-mail in error, please notify us  
> immediately by telephone.  
>