

GIS REGISTRY
Cover Sheet

July, 2008
(RR 5367)

Source Property Information

CLOSURE DATE:

BRRTS #:

FID #:

ACTIVITY NAME:

DATCP #:

PROPERTY ADDRESS:

COMM #:

MUNICIPALITY:

PARCEL ID #:

***WTM COORDINATES:**

WTM COORDINATES REPRESENT:

X: Y:

Approximate Center Of Contaminant Source

** Coordinates are in
WTM83, NAD83 (1991)*

Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Contamination in ROW

Off-Source Contamination

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Land Use Controls:

Soil: maintain industrial zoning (220)

Cover or Barrier (222)

*(note: soil contamination concentrations
between residential and industrial levels)*

*(note: maintenance plan for
groundwater or direct contact)*

Structural Impediment (224)

Vapor Mitigation (226)

Site Specific Condition (228)

Maintain Liability Exemption (230)

*(note: local government or economic
development corporation)*

Monitoring wells properly abandoned? (234)

Yes No N/A

** Residual Contaminant Level*

*** Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: 03-28-001916

PARCEL ID #: 246-0713-1223-017

ACTIVITY NAME: Country Chef

WTM COORDINATES: X: 608744 Y: 291339

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title:**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: **Title: Site Location Map**
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: **Title: Site Plan**
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 3 **Title: Petroleum Contaminant Plume in Soils**

BRRTS #: 03-28-001916

ACTIVITY NAME: Country Chef

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: 4 Title: Hydrogeologic Cross Section A-A'

Figure #: Title:

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: Title: Groundwater Contamination Map

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 5 Title: Groundwater Contours on 8-3-94

Figure #: Title:

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 2, 3 Title: Soil Analytical Results

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: Title: Groundwater Analytical Summary Results

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: Title: Groundwater Analytical Summary Results

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

Not Applicable

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: Title: Site Plan

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-28-001916

ACTIVITY NAME: Country Chef

NOTIFICATIONS


Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.
Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.
- Number of "Off-Source" Letters:**
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).
- Number of "Governmental Unit/Right-Of-Way Owner" Letters: 1**



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Lloyd L. Eagan, Regional Director

South Central Region Headquarters
3911 Fish Hatchery Road
Fitchburg, Wisconsin 53711-5397
Telephone 608-275-3266
FAX 608-275-3338
TTY Access via relay - 711

November 18, 2008

Bill Loeder
Loeder Oil Co.
160 Sandy Beach Rd.
Lake Mills, WI 53551

SUBJECT: Final Case Closure with Land Use Limitations or Conditions
Country Chef, 819 N. Main Street, Lake Mills, WI
WDNR BRRTS Activity #: 03-28-001916

Dear Mr. Loeder:

On November 7, 2008, the South Central Regional Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases.

On November 14, 2008, the Department received well abandonment forms indicating that you have complied with the requirements of closure.

Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

GIS Registry

The conditions of case closure set out below in this letter require that your site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- Groundwater contamination is present above Chapter NR 140 enforcement standards
- One or more monitoring wells were not located and must be properly abandoned if found

Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line

<http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which you and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. It is the Department's intent to conduct inspections in the future to ensure that the conditions included in this letter including compliance with referenced maintenance plans are met.

Remaining Residual Soil Contamination

Residual soil contamination remains east of the excavated area at borings KW-1 (A-1), KW-2 (A-2), and KW-4 (A-4) as indicated in the information submitted to the Department of Natural Resources. If soil in the specific locations described above is excavated in the future, then pursuant to ch. NR 718 or, if applicable, ch. 289, Stats., and chs. 500 to 536, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken to prevent a direct contact health threat to humans.

Remaining Residual Groundwater Contamination

Groundwater impacted by petroleum-related contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present both on the contaminated property and off the contaminated property. Off-property owners have been notified of the presence of groundwater contamination. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Monitoring Wells that could not be properly abandoned

On September 8, 2006 your consultant, METCO notified the Department that monitoring wells MW-1 and MW-2 located on the subject property could not be properly abandoned because they had been lost due to being paved over, covered or removed during site development activities. On March 18, 2008, your consultant notified the Department that MW-13, located in the right-of-way on the east side of Main Street/Highway 89, could not be properly abandoned because it had also been lost due to being paved over, covered or removed. Your consultant has made a reasonable effort to locate the lost wells to determine whether they were properly abandoned but has been unsuccessful in those efforts. You need to understand that in the future you may be held liable for any problems associated with monitoring wells MW-1, MW-2, and MW-13 if they create a conduit for contaminants to enter groundwater. If in the future any of the lost groundwater monitoring wells is found, the then current owner of the subject property will be required to notify the Department and to properly abandon the

wells in compliance with the requirements in ch. NR 141, Wis. Adm. Code, and to submit the required documentation of that abandonment to the Department.

Because these lost monitoring wells were not properly abandoned, your site will be listed on the DNR Remediation and Redevelopment GIS Registry.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact Rachel Greve at (608)275-3220.

Sincerely,



Patrick McCutcheon

South Central Region Remediation & Redevelopment Team Supervisor

cc: Jason Powell, METCO, 1421 State Road 16, La Crosse, WI 54601
File

1022831

VOL 1113 PAGE 967

Document Number

WARRANTY DEED

This Deed, made between William G. Loeder and Mary Ann Loeder, husband and wife, Grantor, and William G. Loeder and Mary Ann Loeder, trustees or successor trustees of the Loeder Revocable Trust Dated February 25, 1999, Grantee.

Witnesseth, That the said Grantor, for a valuable consideration conveys to Grantee the following described real estate in Jefferson County, State of Wisconsin:

RECEIVED FOR RECORD at 9:05 o'clock A M

JUL 29 1999

Register of Deeds Jefferson County, WI

Recording Area Name and Return Address

Neupert & Wakeman, S.C. P.O. Box 190 Lake Mills, WI 53551

See attached ID numbers (Parcel Identification Number)

See attached descriptions.

EXEMPT# 16

The deed is being executed for the purpose of transferring the real estate described on the attached exhibit to the grantor's revocable trust.

This is homestead property as to 520 North Ferry Drive, Lake Mills, Wisconsin, which is described on the attached exhibit and not homestead as to the remainder of the property set forth.

Together with all and singular hereditaments and appurtenances thereunto belonging; And William G. Loeder and Mary Ann Loeder warrant that the title is good, indefeasible in fee simple and free and clear of encumbrances except: municipal and zoning ordinances and agreements entered under them, recorded easements for the distribution of utility and municipal services, recorded building and use restrictions and covenants, highway easements and taxes and special assessments, if any, levied on or after January 1, 1999, and will warrant and defend the same.

Dated this 28th day of July, 1999.

Signatures of William G. Loeder and Mary Ann Loeder

AUTHENTICATION

ACKNOWLEDGMENT

Signature(s) authenticated this day of signature type or print name

STATE OF WISCONSIN JEFFERSON COUNTY Personally came before me this 29th day of July, 1999 the above named William G. Loeder and Mary Ann Loeder to me known to be the persons who executed the foregoing instrument and acknowledged the same. (Thomas O. Wakeman)

TITLE: MEMBER STATE BAR OF WISCONSIN (If not, authorized by § 706.06, Wis. Stats.)

Notary Public Jefferson County, Wisconsin My commission is permanent. (If not, state expiration date:)

THIS INSTRUMENT WAS DRAFTED BY Attorney Thomas O. Wakeman Neupert & Wakeman, S.C. Lake Mills, WI SBN 1013520

*Names of persons signing in any capacity should be typed or printed below their signatures.

(Signatures may be authenticated or acknowledged. Both are not necessary.)

VOL 1113 PAGE 968

206 Madison Street (Amoco Station in Downtown Lake Mills) 246-0713-1233-085, -084, -083
The Southeast ½ of Lot 8, Block 7 of the Original Plat of the City of Lake Mills, and Lot 9, in Block 7 in the Original Plat of the City of Lake Mills, according to the plat thereof recorded in Volume 1, Page 387, said premises being located at the Northwesterly corner of Main Street and Madison Street in said City of Lake Mills, EXCEPTING the North 85 feet thereof.

160 Sandy Beach Road 246-0713-2311-026
A part of the Northeast Quarter of the Northeast Quarter of Section 23, Township 7 North, Range 13 East, City of Lake Mills, Jefferson County, Wisconsin, bounded and described as follows:
Commencing at the intersection of the Westerly line of South Main Street (formerly Depot Street) and the Southerly line of Sandy Beach Road, said point of intersection being 175 feet North of the center line of the main track of the Chicago and North Western Railway Company measured on a line perpendicular thereto; thence North 89° 44' West on the South line of Sandy Beach Road and parallel with the center line of said main track, 730.89 feet to the point of beginning; thence continuing North 89° 44' West on said South line, 65.25 feet; thence South 0° 16' West, 122.22 feet to a point 9 feet from the center line of a spur track; thence Northeasterly along a line parallel to the center line of said spur track and 9 feet from said center line to a point which is North 84° 19' East, 65.60 feet; thence North 0° 16' East, 115.42 feet to the point of beginning. Said lands lying and being in the City of Lake Mills, County of Jefferson and State of Wisconsin.

160 Sandy Beach Road (former R.R. Property) 018-0713-2311-023
Township 7 North, Range 13 East, Town of Lake Mills, Jefferson County, Wisconsin Section 23:
Part of the NE 1/4 of the NE 1/4 described as:

That part of the former Chicago and Northwestern railroad property (now owned by the State of Wisconsin, Department of Natural Resources) described as beginning at the southeast corner of lands described in Vol. 643, page 536 of Jefferson County Deeds; thence south 30 feet; thence westerly 192.6 feet parallel with the north line of the former Chicago-Northwestern railway property; thence north 30 feet to the North line of said former railroad property; thence east along the North line of said former railroad property to the point of beginning.

520 No. Ferry Drive (246-0713-1141-065)
Lot 4 according to the Certified Survey recorded in the office of the Register of Deeds in and for Jefferson County, Wisconsin on March 5, 1976 in Volume 3 of Certified Surveys on Page 147 as Document Number 729698 in the City of Lake Mills, Jefferson County, Wisconsin.

317 N. Main Street (246-0713-1233-084)
That part of Lot 9 in Block 7 in the Original Plat of the City of Lake Mills, according to the plat thereof recorded in Vol. 1 Page 387, described as: Commencing at the Northeast corner of said Lot 9; thence Northwesterly along the Northeasterly line of said Lot 9, 42.7 feet, more or less, to the most Northerly corner of said Lot 9; thence Southwesterly along the Northwesterly line of said lot, 85 feet; thence Southeasterly parallel to the Northeasterly line of said Lot 9, 87 feet, more or less to the West line of Main Street, in said City of Lake Mills, thence Northeasterly along said Westerly line of Main Street, 95.66 feet, more or less, to the point of beginning.

VOL 1113 PAGE 969

William G. Loeder and Mary Ann Loeder
Jefferson County Marital Property

Country Chef 246-0713-1223-017

Parcel 1: Lot 2 as designated on Certified Survey Map No. 2370 recorded on May 8, 1990 in Vol. 8 of Certified Surveys on Page 207, as Document No. 861768, being a part of the N.W. 1/4 of Section 12, Township 7 North, Range 13 East, Town of Lake Mills, Jefferson County, Wisconsin.

Parcel 2: Non-exclusive easement for the benefit of Parcel 1 as contained in Cross Easement Agreement recorded March 8, 1991 in Vol. 768 of Records P. 336 as Document No. 870952.

Parcel 3: Non-exclusive Cross Easement Agreement recorded in the Jefferson County Register of Deeds Office on January 16, 1997, in Volume 978 of Records on Pages 239 - 247 as Document Number 967865.

Parcel 4: Subject to Highway Easements recorded in the Jefferson County Register of Deed Office in Volume 968 of Records on Page 955, Volume 968 of Records on Page 960, and Volume 968 of Records on Page 964.

303 So. Mains St., Fort Atkinson (Amoco Station) 226-0514-0323-087

Part of Lots 1 and 2, Block 17, Dwight Foster et al Addition to the City of Fort Atkinson, Jefferson County, Wisconsin bounded and described as follows: Beginning at the Northwest corner of Lot (1), block Seventeen (17), Dwight Foster et al addition to the City of Fort Atkinson; thence South along the West line of Lots One (1) and Two (2), One Hundred Fifteen and five-tenths feet (115.5') to a point; thence East Ninety-nine and twelve-hundredths feet (99.12') to a point; thence North One Hundred Fifteen and five-tenths feet (115.5'), more or less, to a point on the North line of Lot One (1) which is One Hundred and eight-tenths feet (100.8') East of the Northwest corner of said Lot One (1); thence West along said line One Hundred and eight-tenths feet (100.8') to the point of beginning.

WDNR BRRTS Case #: 03-28-001916

WDNR Site Name: Country Chef

Geographic Information System (GIS) Registry of Closed Remediation Sites


In compliance with the revisions to the NR 700 rule series requiring certain closed sites to be listed on the Geographic Information System (GIS) Registry of Closed Remediation Sites (Registry) effective Nov., 2001, I have provided the following information.

To the best of my knowledge the legal descriptions provided and attached to this statement are complete and accurate.

Responsible Party: WILLIAM Loedel Pres
(print name/title)

William Loedel 6-13-08
(signature) (date)

TOPOI map printed on 06/23/08 from "wisconsin.tpo" and "Untitled.tpg"
 88°55.000' W WGS84 88°54.000' W





SITE LOCATION MAP - CONTOUR INTERVAL 10 FEET
COUNTRY CHEF - LAKE MILLS, WI
SEAMLESS USGS TOPOGRAPHIC MAPS ON CD-ROM

METCO
 Environmental Consulting, Fuel System Design, Installation and Service

City Hwy V

EXPLANATION

-  A-1 Advent soil boring location with Identifier. Advanced on November 11, 1993.
-  HA-1 Stiles hand auger location with Identifier.
-  B-1 Stiles soil boring location with Identifier. Advanced on July 21, 1995.
-  MW-7 Monitoring well location with Identifier.
-  MW-1 Abandoned monitoring well location with Identifier.
-  Buried gas line.
-  Property line.



SCALE IS APPROXIMATE

FILE: J:\FIGURES\35000\SITEPLDWG

DATE: 03/08/01 DRAWN BY: MLW CHECKED BY: BGN

SOURCE:
Stiles Env., Inc. Site Investigation and Remedial
Action Plan Report and Field Notes

Modified by METCO/BW 5-31-07



LIESCH ENVIRONMENTAL SERVICES, INC.
6000 GISHOLT DRIVE, SUITE 203
MADISON, WI 53713

SITE PLAN
LOEDER OIL AMOCO/COUNTRY CHEF
819 NORTH MAIN STREET
LAKE MILLS, WISCONSIN

FIGURE






Figure 3 - Petroleum Contaminant Plume In Soils

Scale: 1" = 40'


Date: June 28, 1994

Drawn by: Sara

Loeder Property
Lake Mills, Wisconsin

Stiles
Environmental Testing Inc

SECTION A - A'



VERTICAL EXAGGERATION: 3X

EXPLANATION



FILL




SP - FINE TO MEDIUM SAND



CL - SILTY CLAY

USCS SOIL CLASSIFICATION SYSTEM.



SCALE IS APPROXIMATE

FILE: C:\FIGURES\35009\CRSSA.DWG

DATE: 4/22/1997 DRAWN BY: MLW CHECKED BY:

SOURCE:
STILES BORING LOGS



LIESCH ENVIRONMENTAL SERVICES, INC.
6000 GISHOLT DRIVE, SUITE 203
MADISON, WI 53713

HYDROGEOLOGIC CROSS SECTION A-A'
LOEDER OIL AMOCO/COUNTRY CHEF
819 NORTH MAIN STREET
LAKE MILLS, WISCONSIN

FIGURE


4

Groundwater Contamination Map


City Hwy V

EXPLANATION

-  A-1 Advent soil boring location with identifier, Advanced on November 11, 1993.
-  HA-1 Stiles hand auger location with identifier.
-  B-1 Stiles soil boring location with identifier, Advanced on July 21, 1995.
-  MW-7 Monitoring well location with identifier.
-  MW-1 Abandoned monitoring well location with identifier.
-  Buried gas line.
-  Property line.



POSSIBLE COMINGLED PLUME WITH THE UNION 76 STATION.



SCALE IS APPROXIMATE

FILE: J:\FIGURES\35006\SITEPL.DWG
DATE: 03/08/01 DRAWN BY: MLW CHECKED BY: BCN
SOURCE: Stiles Env., Inc. Site Investigation and Remedial Action Plan Report and Field Notes


Modified by METCO 5/12/2008 - AN



LIESCH ENVIRONMENTAL SERVICES, INC.
6000 GISHOLT DRIVE, SUITE 203
MADISON, WI 53713

SITE PLAN
LOEDER OIL AMOCO/COUNTRY CHEF
819 NORTH MAIN STREET
LAKE MILLS, WISCONSIN

FIGURE



Legend

- ▲ Soil Borings By Advent 11 - 11 - 93
- △ Hand Soil Borings/SET 6 - 29 - 94
- Monitoring Wells
- ▲ Soil Borings/SET 9 - 27 - 93



Figure 5 - Groundwater Contours On 8 - 3 - 94

Scale: 1" = 40'

Date: June 28, 1994

Drawn by: Sara

Loeder Property
Lake Mills, Wisconsin

Stiles
Environmental Testing Inc

TABLE 2
SOIL ANALYTICAL RESULTS (mg/kg)
Pump Island and Piping Area
AMOCO/COUNTRY CHEF
Site Remediation and Closure Report

Sample ID	PIWW	PIEW	PIEI	PINW	PIWWB	PIEWB	PISW	PIB	S-1	S-2
Date	9-16-94	9-16-94	9-16-94	9-16-94	9-19-94	9-19-94	9-19-94	9-19-94	9-15-94	9-15-94
Location	Pump Island West Wall	Pump Island East Wall	Pump Island East Island	Pump Island North Wall	Pump Island West Wall	Pump Island East Wall	Pump Island South Wall	Pump Island Bottom	Pump Island South Wall	Pump Island Bottom
Sample Depth (feet)	7	7	6	7	7	7	7	8	7	8
GRO	<5	<5	<5	<5.0	<5	<5	13	<5	<5	<5.5
Benzene	<.1	<.1	<.1	<.1	<.005	<.005	<.005	<.005	<.005	<.11
Ethylbenzene	<.1	<.1	<.1	<.1	<.005	<.005	<.005	<.005	<.1	<.11
Toluene	<.1	<.1	<.1	<.1	<.005	<.005	<.005	<.005	<.1	<.11
Total Xylenes	0.36	<.3	<.3	<.3	<.015	<.015	<.015	<.015	<.3	<.33
n-Butylbenzene	<.1	<.1	<.1	0.11	<.005	<.005	<.005	<.005	<.1	<.11
1,2,4-Trimethylbenzene	.33	0.11	<.1	0.17	.017	<.005	<.005	<.005	<.1	<.11
1,3,5-Trimethylbenzene	0.14.1	<.1	<.1	<.1	.016	.009	.026	.0088	<.1	<.11
Methy-tert butyl ether	<.1	<.1	<.1	<.1	.071	.033	.008	<.005	<.1	<.11
p-Isopropyltoluene	<.1	<.1	<.1	<.1	<.005	<.005	.084	.024	<.1	<.11
Naphthalene	<.1	<.1	<.1	<.1	.020	<.005	<.005	<.005	<.1	<.11
Total Lead	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Only VOCs Detected

NS = Not Sampled

Sample locations are shown on Figure 4

TABLE 2 (continued)
 SOIL ANALYTICAL RESULTS (mg/kg)
 UST Area
 AMOCO/COUNTRY CHEF
 Site Remediation and Closure Report

Sample ID	E-1	E-2	LOE-1	LOE-4	LOE-5	LOE-6	LOE-7	LOE-8	NR 722
Date	9-15-94	9-15-94	9-14-94	9-14-94	9-14-94	9-14-94	9-14-94	9-14-94	ISCL
Location	Pump Island Bottom	Piping Bottom	UST area East Wall	UST area North Wall	UST area Northwest Corner	UST area South Wall	UST area South Wall	UST area Bottom	
Sample Depth (feet)	8	8	7	7	7	6	6	6	
GRO	<5	<5	<5	<5.5	<5	<5.5	<5	14	100
Benzene	<.1	<.1	<.005	<.005	<.005	<.005	<.005	<0.072	0.0055
Ethylbenzene	<.1	<.1	<.005	<.005	<.005	<.005	<.005	<.055	2.9
Toluene	<.1	<.1	<.005	<.005	<.005	<.005	<.005	<.005	1.5
Total Xylenes	<.3	<.3	<.015	<.015	<.015	<.015	<.015	1.6	4.1
1,2,4-Trimethylbenzene	<.1	<.1	<.005	<.005	<.005	<.005	<.005	0.83	0.83
1,3,5-Trimethylbenzene	<.1	<.1	<.005	<.01	<.005	<.005	<.005	.81	.81
Naphthalene	<.1	<.1	NA	NA	NA	NA	NA	NA	NA
Total Lead	NS	NS	NS	NS	NS	NS	NS	9.9	9.9

Only VOCs Detected

NS = Not Sampled

NA = Not Analyzed

Sample locations are shown on Figures 3 and 4

TABLE 2 (continued)
SOIL ANALYTICAL RESULTS (mg/kg)
Diesel, heating fuel, and Waste oil USTs
AMOCO/COUNTRY CHEF
Site Remediation and Closure Report

Sample ID	FOT-1	FOT-2	WOT-1	WOT-2	DTS-1	DTS-2	DTS-3	DTPIS-1
	FOT-1	FOT-2	WOT-1	WOT-2	S-1	S-2	S-3	S-3
Date	9-15-94	9-15-94	9-14-94	9-14-94	9-14-94	9-14-94	9-14-94	9-14-94
Location	Under Tank	Under Pump Island						
Sample Depth (feet)	5	5	5	5	9	9	9	9
DRO	<5	<5	<5	<5	<5.5	<5	<5	<5.5

Sample locations are shown on Figures 3 and 4

TABLE 3
SOIL ANALYTICAL RESULTS (mg/kg)
AMOCO/COUNTRY CHEF
Site Remediation and Closure Report
Data from Site Investigation Report

Sample ID	Date	Depth (ft)	GRO	DRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total Lead
B2	9/24/93	5-7	<5.0	NA	NA	NA	NA	NA	NA
B1	9/24/93	10-11.5	33	NA	NA	NA	NA	NA	NA
HB1A	6/29/94	7-9	<5.0	NA	<0.050	<0.050	<0.050	<0.15	NA
HB2	6/29/94	5-7	<5.0	NA	<0.050	<0.050	<0.050	<0.15	NA
HB3	6/29/94	9-11	<5.0	NA	<0.050	<0.050	<0.050	<0.15	NA
HB4	6/29/94	7-9	<5.0	NA	<0.050	<0.050	<0.050	<0.15	NA
HB5	6/29/94	7-9	<5.5	<5.0	12	0.25	0.056	0.23	NA
HB6	6/29/94	7-9	<5.0	<5.0	<0.050	<0.050	<0.050	<0.15	NA
HB7	6/29/94	7-9	100	NA	<0.050	1.6	1.2	6.1	NA
HB8	6/29/94	7-9	<5.0	NA	<0.050	<0.050	<0.050	<0.15	NA
MW1	6/30/94	12	<5.0	NA	<5.0	<5.0	<5.0	<15	NA
MW2	6/30/94	14	<5.0	NA	<5.0	<5.0	<5.0	<15	NA
WDNR Soil Cleanup Guideline			100	100	0.0055	1.5	2.9	4.1	NS

Only VOCs Detected

NA=Not Analyzed

NS=No Standard Established

Sample locations are shown on Figure 2

 WDNR ISCL/NR 720 exceedance

Groundwater Analytical Results Summary
COUNTRY CHEF BRRTS# 03-28-001916

Well MW-1

PVC Elevation = 844.61 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
7/8/1994	NM	NM	<50	<1.0	<1.0	NS	NS	<1.0	NS	<3.0
7/11/1994	835.49	9.12	NA	<1.0	<1.0	NS	NS	<1.0	NS	<3.0
6/4/1996	NM	NM	3600	<1.0	<1.0	1100	NS	<1.0	<1.0	<1.0
8/1/1996	NM	NM	600	<1.0	240	1800	NS	<1.0	<1.0	470
12/16/1996	NM	NM	220	<1.0	<1.0	480	NS	<1.0	<1.0	<1.0
3/10/1997	NM	NM	280	<0.2	<0.6	430	NS	<1.5	<1.0	<1.8
6/2/1997	NM	NM	<100	0.77	1.1	33	NS	9	<1.0	5.7
9/24/1997	NM	NM	<100	<0.21	<0.68	6.3	NS	<1.5	<1.0	<1.8
12/4/1997	NM	NM	<100	<0.21	<0.68	50	NS	<1.5	<1.0	1.9
4/30/1998	NM	NM	30	<0.20	<0.30	29	NS	<0.20	<0.30	<0.90
7/9/1998	NM	NM	<30	<0.20	<0.30	4.7	NS	<0.20	<0.30	<0.90
10/14/1998	NM	NM	<30	<0.20	<0.30	26	NS	<0.20	<0.30	<0.90
1/14/1999	NM	NM	<50	<0.50	<1.0	102	NS	<1.0	<1.0	<1.0
4/12/1999	NM	NM	92.8	<0.2	<0.5	232	NS	<0.5	<1.0	<1.0
7/29/1999	NM	NM	<50	<0.15	<0.5	<0.15	NS	<0.4	<0.3	<0.35
10/21/1999	NM	NM	<50	<0.15	<0.5	33.4	NS	<0.4	<0.55	<0.55
1/24/2000	NM	NM	69.2	<0.15	<0.5	100	NS	<0.4	<0.55	<0.55
4/10/2000	NM	NM	61.5	<0.15	<0.5	139	NS	<0.4	<0.55	<0.55
7/18/2000	NM	NM	<50	<0.15	<0.5	4.37	NS	<0.4	<0.55	<0.55
11/8/2000	NM	NM	<50	<0.15	<0.5	8.64	NS	<0.4	<0.55	<0.55
2/6/2001	NM	NM	<50	<0.15	<0.5	26.2	NS	<0.4	<0.55	<0.55
5/12/2004	832.74	11.87	20	1.1	<0.42	10	NS	1.2	<0.90	<1.36
8/30/2004	835.96	8.65	71	16	<0.42	9.5	NS	<0.50	<0.99	<1.36
9/7/2006	WELL WAS ABANDONED									

Well MW-1R

PVC Elevation = 844.47 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
4/26/2007	836.50	7.97	NS	63	117	140	NS	170	97	351
7/26/2007	834.25	10.22	NS	440	940	105	NS	1210	1318	3640
10/22/2007	836.09	8.38	NS	68	182	65	NS	5.4	29.2	59.2
1/24/2008	835.75	8.72	NS	67	58	97	NS	2.19	38.3	62.1

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
COUNTRY CHEF BRRTS# 03-28-001916

Well RW-1

PVC Elevation = 844.42 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
6/4/1996	NOT INSTALLED									
8/1/1996	NM	NM	16000	670	770	<1.0	NS	6000	1410	4700
12/16/1996	NM	NM	7400	210	490	140	NS	2000	820	2200
3/10/1997	NM	NM	13000	490	630	57	NS	3900	1030	3160
6/2/1997	NM	NM	8500	250	450	11	NS	2200	690	2100
9/24/1997	NM	NM	5200	74	270	28	NS	1000	570	1300
12/4/1997	NM	NM	3200	89	180	59	NS	520	327	840
4/30/1998	NM	NM	5400	220	470	20	NS	480	800	840
7/9/1998	NM	NM	30000	600	1400	<10	NS	11000	2020	7000
10/14/1998	NM	NM	15000	290	840	<20	NS	3500	1360	4100
1/14/1999	NM	NM	3800	168	327	<10	NS	388	455	1577
4/12/1999	NM	NM	1650	61.1	78	<3.0	NS	59.8	377	302
7/29/1999	NM	NM	6310	134	235	<6.0	NS	649	306.7	738
10/21/1999	NM	NM	13700	290	955	<6.0	NS	3200	1534	4760
1/24/2000	NM	NM	6170	120	540	<3.0	NS	460	762	1130
4/10/2000	NM	NM	4170	81.2	560	<6.0	NS	354	714.1	1042
7/18/2000	NM	NM	10800	177	855	<6.0	NS	2610	1160	3490
11/8/2000	NM	NM	25200	476	1330	<15.0	NS	9190	1248	6940
2/6/2001	NM	NM	18100	131	1030	<6.00	NS	2620	2122	5020
5/12/2004	832.60	11.82	23000	440	1700	440	NS	2300	2490	7000
8/30/2004	835.97	8.45	16000	<45	950	<45	NS	2200	2050	4500
9/7/2006	834.22	10.20	NS	<3.4	8.4	70	NS	<11.8	78-102	30.2
4/26/2007	836.59	7.83	NS	<0.47	<0.38	<0.52	NS	<0.46	3.11-3.48	<0.99
7/26/2007	834.11	10.31	NS	2.72	60	18.8	NS	2.73	66.72	78.2
10/22/2007	835.86	8.56	NS	1.19	40	21.7	NS	1.61	60-60.37	20.3
1/24/2008	835.69	8.73	NS	<0.49	25.1	6.1	NS	2.26	161-161.68	277

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
COUNTRY CHEF BRRTS# 03-28-001916

Well MW-2

PVC Elevation =

844.56 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
7/8/1994	NM	NM	<50	<1.0	<1.0	NS	NS	<1.0	NS	<3.0
7/11/1994	835.23	9.33	NA	<1.0	<1.0	NS	NS	<1.0	NS	<3.0
6/4/1996	NM	NM	<50	<1.0	<1.0	<1.0	NS	<1.0	<1.0	<1.0
8/1/1996	NM	NM	<50	<1.0	3.2	<1.0	NS	<1.0	<1.0	2.7
12/16/1996	NM	NM	<50	<1.0	<1.0	<1.0	NS	<1.0	<1.0	<1.0
3/10/1997	NM	NM	<100	<0.2	<0.6	0.22	NS	<1.5	<1.0	<1.8
6/2/1997	NM	NM	<100	0.265	<0.6	<0.2	NS	3.3	<1.0	3.1
9/24/1997	NM	NM	<100	<0.21	<0.68	<0.21	NS	<1.5	<1.0	<1.8
12/4/1997	NM	NM	<100	<0.21	<0.68	<0.21	NS	<1.5	<1.0	<1.8
4/30/1998	NM	NM	<30	<0.20	<0.30	<0.20	NS	<0.20	<0.60	<0.90
7/9/1998	NM	NM	<30	<0.20	<0.30	<0.20	NS	<0.20	<0.60	<0.90
10/14/1998	NM	NM	<30	<0.20	<0.30	<0.20	NS	<0.20	<0.60	<0.90
1/14/1999	NM	NM	<50	<0.50	<1.0	<1.0	NS	<1.0	<1.0	<1.0
4/12/1999	NM	NM	<50	<0.2	<0.5	<0.3	NS	<0.5	<1.0	<1.0
7/29/1999	NM	NM	<50	<0.15	<0.5	<0.15	NS	<0.4	<0.3	<0.35
10/21/1999	NM	NM	<50	<0.15	<0.5	NS	NS	<0.4	<0.55	<0.55
1/24/2000	NM	NM	<50	<0.15	<0.5	<0.15	NS	<0.4	<0.55	<0.55
4/10/2000	NM	NM	<50	<0.15	<0.5	<0.3	NS	<0.4	<0.55	<0.55
7/18/2000	NM	NM	<50	<0.15	<0.5	<0.3	NS	<0.4	<0.55	<0.55
11/8/2000	NM	NM	<50	<0.15	<0.5	<0.3	NS	0.426	<0.55	<0.55
2/6/2001	NM	NM	<50	<0.15	<0.5	<0.3	NS	<0.4	<0.55	<0.55
5/12/2004	832.71	11.85	<15	<0.45	<0.42	<0.45	NS	<0.50	<0.90	<1.36
8/30/2004	835.76	8.80	<15	<0.45	<0.42	<0.45	NS	<0.50	<0.99	<1.36
9/7/2006	WELL WAS ABANDONED									

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

**Groundwater Analytical Results Summary
COUNTRY CHEF BRRTS# 03-28-001916**

Well MW-3

PVC Elevation = 99.97 (feet)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
7/12/1994	89.64	10.33	96	1.8	<1.0	NS	NS	<1.0	NS	<3.0

Well MW-4

PVC Elevation = 100.00 (feet)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
7/12/1994	NM	NM	<50	<1.0	<1.0	NS	NS	<1.0	NS	<3.0

Well MW-5

PVC Elevation = 0 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
6/4/1996	NM	NM	120	<1.0	<1.0	200	NS	6.5	<1.0	<1.0
8/1/1996	NM	NM	62	1.3	7.6	99	NS	4.5	3	8
12/16/1996	NM	NM	<50	<1.0	<1.0	43	NS	<1.0	<1.0	<1.0
3/10/1997	NM	NM	230	<0.2	<0.6	320	NS	<1.5	<1.0	<1.8
6/2/1997	NM	NM	<100	0.28	<0.6	67	NS	3.6	<1.0	3.3

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
COUNTRY CHEF BRRTS# 03-28-001916

Well MW-6

PVC Elevation = 0 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
6/4/1996	NM	NM	330000	6700	3800	2600	NS	33000	30400	20000
8/1/1996	NM	NM	67000	3300	3500	<1.0	NS	24000	3074	16000
12/16/1996	NM	NM	69000	3300	2800	<1.0	NS	25000	3800	15000
3/10/1997	NM	NM	110000	7500	3500	330	NS	35000	7400	20000
6/2/1997	NM	NM	69000	4500	2800	96	NS	26000	3020	15000

Well MW-7

PVC Elevation = 0 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
6/4/1996	NM	NM	NOT SAMPLED							
8/1/1996	NM	NM	140	14	8.3	3.6	NS	46	9.9	35
12/16/1996	NM	NM	<50	<1.0	<1.0	31	NS	<1.0	<1.0	<1.0
3/10/1997	NM	NM	<100	<0.2	<0.6	2.9	NS	<1.5	<1.0	<1.8
6/2/1997	NM	NM	<100	<0.2	<0.6	1.8	NS	2.4	<1.0	2.5

Well MW-8

PVC Elevation = 844.14 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
6/4/1996	NM	NM	23000	1200	1200	<1.0	NS	9100	1800	4800
8/1/1996	NM	NM	38000	1800	1500	<1.0	NS	17000	2800	7600
12/16/1996	NM	NM	29000	1100	980	<1.0	NS	14000	1270	3900
3/10/1997	NM	NM	63000	2800	2200	57	NS	29000	3600	11000
6/2/1997	NM	NM	39000	1300	1400	<4.2	NS	20000	2140	7300
9/24/1997	NM	NM	34000	1000	1200	<21	NS	14000	2750	7300
12/4/1997	NM	NM	28000	780	1100	<11	NS	12000	1930	5600
4/30/1998	NM	NM	45000	1200	1700	<10	NS	20000	2700	8800
7/9/1998	NM	NM	65000	1600	2200	<10	NS	27000	3300	11000
10/14/1998	NM	NM	22000	440	1200	<10	NS	8000	1460	4000
1/14/1999	NM	NM	29500	794	1290	<100	NS	14700	1572	6080
4/12/1999	NM	NM	17000	311	788	<30	NS	8880	1024	3730
7/29/1999	NM	NM	28100	250	895	<60	NS	9180	1369	4580
10/21/1999	NM	NM	14600	158	579	<30	NS	5400	749	2469
1/24/2000	NM	NM	15800	95.6	618	<60	NS	3940	915	2691
4/10/2000	NM	NM	34500	164	1810	<30	NS	9940	5160	9870
7/18/2000	NM	NM	21700	179	931	<60	NS	9460	1407	4520
11/8/2000	NM	NM	14600	75.7	796	<60	NS	6310	825	2781
2/6/2001	NM	NM	41500	151	2310	<75	NS	15500	2851	9430
5/12/2004	832.45	11.69	7000	160	3800	<89	NS	12000	7600	19600
8/30/2004	835.60	8.54	63000	<50	3300	<89	NS	15000	4900	16500
9/7/2006	834.17	9.97	NS	<3.4	1410	10.4	NS	3900	3590	7220
4/26/2007	836.25	7.89	NS	<23.5	500	<26	NS	216	3690	3280
7/26/2007	833.86	10.28	NS	28.9	1370	<26.5	NS	1610	3330	6330
10/22/2007	835.55	8.59	NS	<0.47	30.9	<0.52	NS	43	93.6	158
1/24/2008	835.50	8.64	NS	<9.8	620	<12.4	NS	810	2620	3040

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
COUNTRY CHEF BRRTS# 03-28-001916

Well BT8

PVC Elevation = 0 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
12/16/1996	NM	NM	<50	<1.0	<1.0	8.7	NS	<1.0	<1.0	<1.0
3/10/1997	NM	NM	<100	<0.2	<0.6	5	NS	<1.5	<1.0	<1.8
6/2/1997	NM	NM	<100	<0.2	<0.6	8.9	NS	<1.5	<1.0	<1.8

Well MW-9

PVC Elevation = 0 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
6/4/1996	NM	NM	3300	<1.0	210	3400	NS	<1.0	380	610
8/1/1996	NM	NM	2100	<1.0	87	<1.0	NS	<1.0	820	99
12/16/1996	NM	NM	1300	<1.0	<1.0	1000	NS	<1.0	<1.0	<1.0
3/10/1997	NM	NM	6000	19	490	870	NS	990	273	1320
6/2/1997	NM	NM	2300	2.6	76	230	NS	7.7	245	150

Well MW-10

PVC Elevation = 0 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
6/4/1996	NM	NM	39000	3400	2200	1100	NS	16000	1860	9100
8/1/1996	NM	NM	49000	4700	3300	1400	NS	18000	3500	14000
12/16/1996	NM	NM	29000	1400	2200	<1.0	NS	13000	1840	9500
3/10/1997	NM	NM	60000	4900	2800	490	NS	22000	2660	13400
6/2/1997	NM	NM	55000	2500	2800	1200	NS	16000	2630	14000

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
COUNTRY CHEF BRRTS# 03-28-001916

Well MW-11

PVC Elevation = 0 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
6/4/1996	NM	NM	10000	540	1000	420	NS	300	850	2800
3/10/1997	NM	NM	20000	3000	1600	2000	NS	130	1720	5100
6/2/1997	NM	NM	33000	3300	2500	440	NS	4400	2580	9000

Well MW-12

PVC Elevation = 842.20 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
4/26/1999	NM	NM	17300	767	978	<30	NS	7200	1004	4380
7/29/1999	NM	NM	18500	938	622	<60	NS	4990	557.5	1392
10/21/1999	NM	NM	372	64	31.5	<0.3	NS	33	32.2	74.4
1/24/2000	NM	NM	342	17	22.1	<0.3	NS	98.6	28.6	89.3
4/10/2000	NM	NM	2940	243	103	<6.0	NS	715	175.2	889
7/18/2000	NM	NM	42200	2140	2530	<75.0	NS	17600	2717	11560
11/8/2000	NM	NM	1950	28.6	284	<1.50	NS	160	186.1	952
2/6/2001	NM	NM	54700	1170	2870	<60.0	NS	19100	3601	12260
5/12/2004	832.66	9.54	72000	450	4100	460	NS	17000	5800	18400
8/30/2004	835.85	6.35	43000	240	2700	<220	NS	13000	3280	12700
9/7/2006	834.37	7.83	NS	48	2380	<6.8	NS	3200	3090	10140
4/26/2007	836.46	5.74	NS	86	2880	<26	NS	7900	4170	13400
7/26/2007	833.94	8.26	NS	39	1780	<53	NS	4900	2700	8020
10/22/2007	835.75	6.45	NS	76	3200	<52	NS	10000	4080	13800
1/24/2008	835.67	6.53	NS	<49	1300	<62	NS	3400	2440	5030

Well MW-13

PVC Elevation = 842.48 (feet) (MSL)



Date	Water Elevation (in feet msl)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
4/26/1999	NM	NM	8120	120	838	18.2	NS	3.02	1487	2728
7/29/1999	NM	NM	1420	30.2	405	<1.5	NS	3.77	140	11.8
10/21/1999	NM	NM	3000	556	665	<3.0	NS	29.7	380	284.6
1/24/2000	NM	NM	2790	362	642	<3.0	NS	11.7	389.4	271.6
4/10/2000	NM	NM	3540	249	689	<3.0	NS	134	387.3	860.1
7/18/2000	NM	NM	1820	6.23	552	<3.0	NS	<4.0	397	11.89
11/8/2000	NM	NM	11000	805	1820	<15.0	NS	224	1122	5470
2/6/2001	NM	NM	31100	2550	3940	<60.0	NS	748	2735	13050
5/12/2004	832.65	9.83	4200	82	850	<22	NS	50	640	835
8/30/2004	835.83	6.65	4200	<23	920	<22	NS	85	480	1270
9/7/2006	834.34	8.14	NS	88	1430	12.2	NS	92	500-524	1367
4/27/2007	836.36	6.12	NS	<23.5	214	<26	NS	<23	<78.5	<49.5
7/26/2007	834.02	8.46	NS	3.8	350	13.8	NS	690	548	893
10/22/2007	COULD NOT LOCATE									
1/24/2008	COULD NOT LOCATE									

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

City Hwy V

EXPLANATION

-  A-1 Advent soil boring location with Identifier. Advanced on November 11, 1993.
-  HA-1 Stiles hand auger location with identifier.
-  B-1 Stiles soil boring location with identifier. Advanced on July 21, 1995.
-  MW-7 Monitoring well location with Identifier.
-  MW-1 Abandoned monitoring well location with identifier.
-  Buried gas line.
-  Property line.



SCALE IS APPROXIMATE

FILE:	J:\FIGURES\335009\SITEPL.DWG
DATE:	03/08/01
DRAWN BY:	MLW
CHECKED BY:	BCP
SOURCE:	Stiles Env., Inc. Site Investigation and Remedial Action Plan Report and Field Notes

Modified by METCO/BW 5-31-07



LIESCH ENVIRONMENTAL SERVICES, INC.
6000 GISHOLT DRIVE, SUITE 203
MADISON, WI 53713

SITE PLAN
LOEDER OIL AMOCO/COUNTRY CHEF
819 NORTH MAIN STREET
LAKE MILLS, WISCONSIN

FIGUR

Facility/Project Name <u>LOADER OIL COMPANY</u>	Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.	Well Name <u>MW1</u>
Facility License, Permit or Monitoring Number	Grid Origin Location Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E.	Wis. Unique Well Number: _____ DNR Well Number: _____
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source <u>S.W. 1/4 of NW 1/4 of Sec. 12, T. 7 N, R. 13 E.</u>	Date Well Installed <u>06/30/94</u> m m d d y y
Distance Well Is From Waste/Source Boundary _____ ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) <u>WISCONSIN SOIL TESTING</u>
Is Well A Point of Enforcement Std. Application? <input type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation _____ ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation <u>99.14</u> ft. MSL	2. Protective cover pipe: a. Inside diameter: <u>10.0</u> in. b. Length: <u>1.0</u> ft. c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
C. Land surface elevation _____ ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
D. Surface seal, bottom _____ ft. MSL or <u>1.0</u> ft.	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 Annular space seal <input type="checkbox"/> Other <input type="checkbox"/>
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal: a. Granular Bentonite <input checked="" type="checkbox"/> 33 b. _____ Lbs/gal mud weight . . . Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 50 e. <u>0.37</u> Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input checked="" type="checkbox"/> 08
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	6. Bentonite seal: a. Bentonite granules <input checked="" type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99	7. Fine sand material: Manufacturer, product name & mesh size a. <u>BODGER MINING; SILICA SAND</u> b. Volume added <u>0.37</u> ft ³
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____	8. Filter pack material: Manufacturer, product name and mesh size a. <u>RED ARROWS; RED FLINT 30/40</u> b. Volume added <u>4.07</u> ft ³
17. Source of water (attach analysis):	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
E. Bentonite seal, top _____ ft. MSL or <u>1.0</u> ft.	10. Screen material: <u>SCHEDULE 40 PVC</u> a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
F. Fine sand, top _____ ft. MSL or <u>3.0</u> ft.	b. Manufacturer _____ c. Slot size: <u>0.010</u> in. d. Slotted length: <u>10.0</u> ft.
G. Filler pack, top _____ ft. MSL or <u>4.0</u> ft.	11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 14 Other <input type="checkbox"/>
H. Screen joint, top _____ ft. MSL or <u>5.0</u> ft.	
I. Well bottom _____ ft. MSL or <u>15.0</u> ft.	
J. Filter pack, bottom _____ ft. MSL or <u>15.5</u> ft.	
K. Borehole, bottom _____ ft. MSL or <u>15.5</u> ft.	
L. Borehole, diameter <u>8.5</u> in.	
M. O.D. well casing <u>2.38</u> in.	
N. I.D. well casing <u>2.07</u> in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: [Signature] Firm: Soils Environmental Testing

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with ch. 144, Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. See instructions for more information including where the completed form should be sent.

Facility/Project Name
LOEDER OIL COMPANY
Facility License, Permit or Monitoring Number

Local Grid Location of Well
ft. N. S. E. W.
Grid Origin Location
Lat. _____ Long. _____ or
St. Plane _____ ft. N. _____ ft. E.

Well Name
MW2
Wis. Unique Well Number - DNR Well Number

Type of Well Water Table Observation Well 11
Piezometer 12

Section Location of Waste/Source
Su 1/4 of NW 1/4 of Sec. 12, T. 2 N, R. 13 E. W.

Date Well Installed
06/30/94
m m d d y y

Distance Well Is From Waste/Source Boundary
ft.

Location of Well Relative to Waste/Source
u Upgradient s Sidegradient
d Downgradient n Not Known

Well Installed By: (Person's Name and Firm)
WISCONSIN SOIL

Is Well A Point of Enforcement Std. Application?
 Yes No

1. Cap and lock? Yes No

A. Protective pipe, top elevation _____ ft. MSL

2. Protective cover pipe:
a. Inside diameter: _____ in.
b. Length: _____ ft.
c. Material: Steel 04
Other

d. Additional protection? Yes No
If yes, describe: _____

B. Well casing, top elevation 99.11 ft. MSL

3. Surface seal:
Bentonite 30
Concrete 01
Other

4. Material between well casing and protective pipe:
Bentonite 30
Annular space seal

C. Land surface elevation _____ ft. MSL

5. Annular space seal:
a. Granular Bentonite 33
b. _____ Lbs/gal mud weight ... Bentonite-sand slurry 35
c. _____ Lbs/gal mud weight ... Bentonite slurry 31
d. _____ % Bentonite ... Bentonite-cement grout 50
e. 0.37 Ft³ volume added for any of the above
f. How installed: Tremie 01
Tremie pumped 02
Gravity 08

6. Bentonite seal:
a. Bentonite granules 33
b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
c. _____ Other

D. Surface seal, bottom _____ ft. MSL or 1.0 ft.

7. Fine sand material: Manufacturer, product name & mesh size
a. BADGER MINING; SILICA SAND
b. Volume added 0.37 ft³

8. Filter pack material: Manufacturer, product name and mesh size
a. RED ARROW; RED FLINT 30/40
b. Volume added 4.07 ft³

12. USCS classification of soil near screen:
GP GM GC GW SW SP
SM SC ML MH CL CH
Bedrock

13. Sieve analysis attached? Yes No

14. Drilling method used: Rotary 50
Hollow Stem Auger 41
Other

15. Drilling fluid used: Water 02 Air 01
Drilling Mud 03 None 99

16. Drilling additives used? Yes No

Describe _____

17. Source of water (attach analysis):

E. Bentonite seal, top _____ ft. MSL or 10 ft.

F. Fine sand, top _____ ft. MSL or 30 ft.

G. Filter pack, top _____ ft. MSL or 40 ft.

H. Screen joint, top _____ ft. MSL or 50 ft.

I. Well bottom _____ ft. MSL or 150 ft.


J. Filter pack, bottom _____ ft. MSL or 15.5 ft.

K. Borehole, bottom _____ ft. MSL or 15.5 ft.

L. Borehole, diameter 8.5 in.

M. O.D. well casing 2.38 in.

N. I.D. well casing 2.07 in.



9. Well casing: Flush threaded PVC schedule 40 23
Flush threaded PVC schedule 80 24
Other

10. Screen material: SCHEDULE 40 PVC
a. Screen type: Factory cut 11
Continuous slot 01
Other

b. Manufacturer _____
c. Slot size: 0.010 in.
d. Slotted length: 10.0 ft.

11. Backfill material (below filter pack): None 14
Other

I hereby certify that the information on this form is true and correct to the best of my knowledge.
Signature [Signature] Firm Wisconsin Environmental Testing

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with ch. 144, Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. See instructions for more information including where the completed form should be sent.

Facility/Project Name: Welder Oil - County Dept
 Facility License, Permit or Monitoring No.: _____
 Facility ID: _____
 Type of Well: _____
 Well Code: _____
 Distance from Waste/Source: _____ ft.
 Enf. Sids. Apply

Local Grid Location of Well: _____ ft. N. _____ ft. E. _____ ft. S. _____ ft. W.
 Local Grid Origin (estimated:) or Well Location
 Lat. _____ Long. _____
 St. Plane _____ ft. N. _____ ft. E. S/C/N _____
 Section Location of Waste/Source: _____
 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. _____
 Location of Well Relative to Waste/Source: Upgradient Sidegradient Downgradient Not Known
 Gov. Lot Number: _____


Well Name: MW-13
 Wis. Unique Well No.: 16298 DNR Well ID No.: _____
 Date Well Installed: 04/23/99
 Well Installed By: Name (first, last) and Firm: Radcof State Drilling

- A. Protective pipe, top elevation _____ ft. MSL
 B. Well casing, top elevation _____ ft. MSL
 C. Land surface elevation _____ ft. MSL
 D. Surface seal, bottom _____ ft. MSL or 1.0 ft.

12. USCS classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock

13. Sieve analysis performed? Yes No
 14. Drilling method used: Rotary 50
 Hollow Stem Auger 41
 Other

15. Drilling fluid used: Water 02 Air 01
 Drilling Mud 03 None 99
 16. Drilling additives used? Yes No
 Describe: _____
 17. Source of water (attach analysis, if required): _____



1. Cap and lock? Yes No
 2. Protective cover pipe:
 a. Inside diameter: 8.0 in.
 b. Length: 1.0 ft.
 c. Material: Steel 04
 Other
 d. Additional protection? Yes No
 If yes, describe: _____
 3. Surface seal: Bentonite 30
 Concrete 01
 Other
 4. Material between well casing and protective pipe: Bentonite 30
 Other
 5. Annular space seal: a. Granular/Chipped Bentonite 33
 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry 35
 c. _____ Lbs/gal mud weight ... Bentonite slurry 31
 d. _____ % Bentonite ... Bentonite-cement grout 50
 e. 1 bag Ft³ volume added for any of the above
 f. How installed: Tremie 01
 Tremie pumped 02
 Gravity 08
 6. Bentonite seal: a. Bentonite granules 33
 b. 1/4 in. 3/8 in. 1/2 in. Bentonite chips 32
 c. None Plug Other
 7. Fine sand material: Manufacturer, product name & mesh size
 a. #7 Radcof
 b. Volume added 1 bag ft³
 8. Filter pack material: Manufacturer, product name & mesh size
 a. 40/60 0/10
 b. Volume added 4 bags ft³
 9. Well casing: Flush threaded PVC schedule 40 23
 Flush threaded PVC schedule 80 24
 Other
 10. Screen material: PVC
 a. Screen type: Factory cut 11
 Continuous slot 01
 Other
 b. Manufacturer 11mco
 c. Slot size: 0.010 in.
 d. Slotted length: 10.0 ft.
 11. Backfill material (below filter pack): None 14
 Other

- E. Bentonite seal, top _____ ft. MSL or 2.0 ft.
 F. Fine sand, top _____ ft. MSL or 3.0 ft.
 G. Filter pack, top _____ ft. MSL or 4.0 ft.
 H. Screen joint, top _____ ft. MSL or 5.0 ft.
 I. Well bottom _____ ft. MSL or 15.0 ft.
 J. Filter pack, bottom _____ ft. MSL or 16.0 ft.
 K. Borehole, bottom _____ ft. MSL or 16.0 ft.
 L. Borehole, diameter 8.0 in.
 M. O.D. well casing 2.37 in.
 N. I.D. well casing 2.06 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.
 Signature: Scott Radcof Firm: Uesch Environmental

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

VOL 1113 PAGE 968

206 Madison Street (Amoco Station in Downtown Lake Mills) 246-0713-1233-085, -084, -083
The Southeast ½ of Lot 8, Block 7 of the Original Plat of the City of Lake Mills, and Lot 9, in Block 7 in the Original Plat of the City of Lake Mills, according to the plat thereof recorded in Volume 1, Page 387, said premises being located at the Northwesterly corner of Main Street and Madison Street in said City of Lake Mills, EXCEPTING the North 85 feet thereof.

160 Sandy Beach Road 246-0713-2311-026
A part of the Northeast Quarter of the Northeast Quarter of Section 23, Township 7 North, Range 13 East, City of Lake Mills, Jefferson County, Wisconsin, bounded and described as follows: Commencing at the intersection of the Westerly line of South Main Street (formerly Depot Street) and the Southerly line of Sandy Beach Road, said point of intersection being 175 feet North of the center line of the main track of the Chicago and North Western Railway Company measured on a line perpendicular thereto; thence North 89° 44' West on the South line of Sandy Beach Road and parallel with the center line of said main track, 730.89 feet to the point of beginning; thence continuing North 89° 44' West on said South line, 65.25 feet; thence South 0° 16' West, 122.22 feet to a point 9 feet from the center line of a spur track; thence Northeasterly along a line parallel to the center line of said spur track and 9 feet from said center line to a point which is North 84° 19' East, 65.60 feet; thence North 0° 16' East, 115.42 feet to the point of beginning. Said lands lying and being in the City of Lake Mills, County of Jefferson and State of Wisconsin.

160 Sandy Beach Road (former R.R. Property) 018-0713-2311-023
Township 7 North, Range 13 East, Town of Lake Mills, Jefferson County, Wisconsin Section 23: Part of the NE ¼ of the NE ¼ described as:

That part of the former Chicago and Northwestern railroad property (now owned by the State of Wisconsin, Department of Natural Resources) described as beginning at the southeast corner of lands described in Vol. 643, page 536 of Jefferson County Deeds; thence south 30 feet; thence westerly 192.6 feet parallel with the north line of the former Chicago-Northwestern railway property; thence north 30 feet to the North line of said former railroad property; thence east along the North line of said former railroad property to the point of beginning.

520 No. Ferry Drive (246-0713-1141-065)
Lot 4 according to the Certified Survey recorded in the office of the Register of Deeds in and for Jefferson County, Wisconsin on March 5, 1976 in Volume 3 of Certified Surveys on Page 147 as Document Number 729698 in the City of Lake Mills, Jefferson County, Wisconsin.

317 N. Main Street (246-0713-1233-084)
That part of Lot 9 in Block 7 in the Original Plat of the City of Lake Mills, according to the plat thereof recorded in Vol. 1 Page 387, described as: Commencing at the Northeast corner of said Lot 9; thence Northwesterly along the Northeasterly line of said Lot 9, 42.7 feet, more or less, to the most Northerly corner of said Lot 9; thence Southwesterly along the Northwesterly line of said lot, 85 feet; thence Southeasterly parallel to the Northeasterly line of said Lot 9, 87 feet, more or less to the West line of Main Street, in said City of Lake Mills, thence Northeasterly along said Westerly line of Main Street, 95.66 feet, more or less, to the point of beginning.

VOL 1113 PAGE 969

William G. Loeder and Mary Ann Loeder
Jefferson County Marital Property

Country Chef 246-0713-1223-017

Parcel 1: Lot 2 as designated on Certified Survey Map No. 2370 recorded on May 8, 1990 in Vol. 8 of Certified Surveys on Page 207, as Document No. 861768, being a part of the N.W. 1/4 of Section 12, Township 7 North, Range 13 East, Town of Lake Mills, Jefferson County, Wisconsin.

Parcel 2: Non-exclusive easement for the benefit of Parcel 1 as contained in Cross Easement Agreement recorded March 8, 1991 in Vol. 768 of Records P. 336 as Document No. 870952.

Parcel 3: Non-exclusive Cross Easement Agreement recorded in the Jefferson County Register of Deeds Office on January 16, 1997, in Volume 978 of Records on Pages 239 - 247 as Document Number 967865.

Parcel 4: Subject to Highway Easements recorded in the Jefferson County Register of Deed Office in Volume 968 of Records on Page 955, Volume 968 of Records on Page 960, and Volume 968 of Records on Page 964.

303 So. Mains St., Fort Atkinson (Amoco Station) 226-0514-0323-087

Part of Lots 1 and 2, Block 17, Dwight Foster et al Addition to the City of Fort Atkinson, Jefferson County, Wisconsin bounded and described as follows: Beginning at the Northwest corner of Lot (1), block Seventeen (17), Dwight Foster et al addition to the City of Fort Atkinson; thence South along the West line of Lots One (1) and Two (2), One Hundred Fifteen and five-tenths feet (115.5') to a point; thence East Ninety-nine and twelve-hundredths feet (99.12') to a point; thence North One Hundred Fifteen and five-tenths feet (115.5'), more or less, to a point on the North line of Lot One (1) which is One Hundred and eight-tenths feet (100.8') East of the Northwest corner of said Lot One (1); thence West along said line One Hundred and eight-tenths feet (100.8') to the point of beginning.



Excellence through experience™

COPY

1421 State Road 16 ♦ La Crosse, WI 54601 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: rona@metcohq.com ♦ www.metcohq.com

October 6, 2008

Sharlene Te Beest
Wisconsin Department of Transportation
4802 Sheboygan Avenue, Room 451
P.O. Box 7965
Madison, WI 53707-7965

Subject: Missing monitoring well from the Country Chef (BRRTS#: 03-28-001916) petroleum investigation located at 819 North Main Street, Lake Mills, WI 53551.

Dear Ms Te Beest,

On September 29, 2006, the Wisconsin Department of Natural Resources (WDNR) was notified that monitoring well MW-13 located in the right of way of State Highway 89 couldn't be located or properly abandoned because it has been damaged or destroyed during construction activities. METCO has made a reasonable effort to locate the lost well to determine whether it was properly abandoned but has been unsuccessful in those efforts. You need to understand that in the future the Wisconsin Department of Transportation may be held responsible for any problems associated with monitoring well MW-13 if it creates a conduit for contaminants to enter groundwater. If in the future the lost monitoring well is found, you will be required to notify the WDNR and to properly abandon the well in compliance with the requirements in ch. NR 141, Wis. Adm. Code, and to submit the required documentation of the abandonment to the WDNR.

Because the lost monitoring well cannot be properly abandoned at this time, it will be listed on the DNR Remediation and Redevelopment GIS Registry.

If you have any questions regarding this matter please contact Rachel Greve of the Department of Natural Resources at (608) 275-3220 or myself at 608-781-8879.

Sincerely,

Jason T. Powell
Project Manager

Attached: Site map with missing monitoring well location

c: Bill Loeder – Loeder Oil Co.

RE: Country Chef Missing Monitoring Well

Subject: RE: Country Chef Missing Monitoring Well
From: "TeBeest, Sharlene" <sharlene.tebeest@dot.state.wi.us>
Date: Mon, 6 Oct 2008 13:04:57 -0500
To: "Diana Symitczek" <dianajs@metcohq.com>

Thanks Dianal

One more for the list....

Shar

-----Original Message-----

From: Diana Symitczek [mailto:dianajs@metcohq.com]
Sent: Monday, October 06, 2008 11:22 AM
To: DOT - Sharlene TeBeest
Subject: Country Chef Missing Monitoring Well

----- Original Message -----

Subject:Message from KMBT_420
Date:Mon, 06 Oct 2008 10:56:35 +0000
From:dianajs@metcohq.com
Reply-To:dianajs@metcohq.com
To:dianajs@metcohq.com

--

Diana Symitczek
METCO
1421 State Road 16
La Crosse, WI 54601
608-781-8879
608-781-8898 Fax

Subject: RE: Country Chef Notification of Contamination within the Right of Way
From: "TeBeest, Sharlene" <sharlene.tebeest@dot.state.wi.us>
Date: Tue, 12 Aug 2008 08:55:04 -0500
To: "Diana Symitczek" <dianajs@metcohq.com>

Thanks Diana,

I've received the notice for the Country Chef site in Jefferson co. BRRTS # 03-28-001916.

Please keep a copy of this e-mail for your files.

Shar

Sharlene Te Beest
Hazardous Materials Specialist
Wisconsin Department of Transportation, Bureau of Equity and Environmental Services
Phone: 608-266-1476; Fax: 608-266-7818; Cell: 608-692-4546
Address: WISDOT- BEES; PO Box 7965; Room 451 HFSTB; Madison, WI 53707-7965

-----Original Message-----

From: Diana Symitczek [mailto:dianajs@metcohq.com]
Sent: Monday, August 11, 2008 2:55 PM
To: DOT - Sharlene TeBeest
Subject: Country Chef Notification of Contamination within the Right of Way

--
Diana Symitczek

METCO

1421 State Road 16
La Crosse, WI 54601
608-781-8879
608-781-8893 Fax



Excellence through experience™

COPY

1421 State Road 16 ♦ La Crosse, WI 54601 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: rona@metcohq.com ♦ www.metcohq.com

July 24, 2008

Mr. James Heilman
City of Lake Mills Clerk
200 D Water Street
Lake Mills, WI 53551

Notification: Country Chef LUST Site (BRRTS # 03-28-001916), Conditional Case Closure Notification

Dear Mr. Heilman

I am writing to inform you that groundwater contamination from the Country Chef site, located at 819 North Main Street, Lake Mills, WI, exists within the Highway 89/Main Street right of way.

As part of the required documentation, you are hereby notified that residual petroleum contamination exists in the groundwater within the Highway 89/Main Street right of way to the east of the Country Chef site. Groundwater contamination was found to exist in the area of the removed underground petroleum storage tanks and dispensers. Groundwater contamination has migrated to the east across the right of way of Highway 89/Main Street. Depth to groundwater in this area is approximately 6-9 feet below ground surface.

If the contaminated groundwater is encountered during future construction, it may pose inhalation or other direct contact hazards. Any contaminated groundwater encountered will require sampling and analysis, as well as proper storage, treatment, and disposal of any excavated material. We are enclosing site maps displaying inferred groundwater contamination plume.

If you have any questions or comments please feel free to call (608-781-8879) or email at jasonp@metcohq.com.

Sincerely,

Jason T. Powell
Staff Scientist

Enclosure: Map

METCO

Environmental Consulting, Fuel System Design, Installation and Service