

GIS REGISTRY INFORMATION

SITE NAME: Casey's General Store
BRRTS #: 03-33-000546 **FID # (if appropriate):**
COMMERCE # (if appropriate):
CLOSURE DATE: Nov. 24, 2004
STREET ADDRESS: 145 South Main Street Tax Parcel 33-216-186.0
CITY: Darlington

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 510368 Y= 245048

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: Craig True Value Hardware, 153 Wells Street, Darlington Tax Parcel 33-216-185.0

GPS COORDINATES (meters in WTM91 projection): X= 510382 Y= 245089

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1:

GPS COORDINATES (meters in WTM91 projection): X= Y=

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter issued x
- Copy of most recent deed, including legal description, for all affected properties x
- Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties x
- County Parcel ID number, if used for county, for all affected properties - noted above x
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site. x
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs. x
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching) x
- Tables of Latest Soil Analytical Results (no shading or cross-hatching) x
- Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction, and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map. x
- GW: Table of water level elevations, with sampling dates, and free product noted if present x
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees) x
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour na
- Geologic cross-sections, if required for SI. (8.5x14" if paper copy) na
- RP certified statement that legal descriptions are complete and accurate x
- Copies of off-source notification letters (if applicable) x
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW) x
- Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure na



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Ruthe E. Badger, Regional Director

Dodgeville Service Center
1500 North Johns Street
Dodgeville, Wisconsin 53533
Telephone 608-935-3368
FAX 608-935-9652

November 24, 2004

Ms. Rebecca Elder
c/o Darlington Casey's, Inc.
145 South Main St.
Darlington, WI 53530

File Ref: 03-33-000546

Subject: Final Case Closure by Project Manager with Conditions Met
Casey's General Store, 145 South Main Street, Darlington, Wisconsin
WDNR BRRTS#: 03-33-000546

Dear Ms. Elder:

On March 24, 2004, the Department of Natural Resources reviewed your site, as described above, for closure. The Department reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On March 29, 2004, you were notified that conditional closure was granted to this case.

On November 23, 2004, the Department received correspondence indicating that you have complied with the conditions of closure. The Department received documentation that the monitoring wells, recovery well and vapor well associated with the investigation and remediation of the site have been abandoned. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm> If your property is listed on the GIS Registry due to groundwater contamination exceeding ch. NR 140, Wis. Adm. Code, standards at the time of closure, and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4)(w). To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at the web address listed above.

If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at the number shown below.

Sincerely,



Linda Hanefeld
Hydrogeologist – Dodgeville Service Center
Bureau for Remediation & Redevelopment
(608) 935-1948

cc: Kristina Tschida, Terracon, 2277 W. Spencer St., Appleton, WI 54914
Valerie Wood, Enecotech, 2915 Waters Rd., Suite 110, Eagan, MN 55121
Alan Hopfensperger/Eric Scott, Comm (e-copy)



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Ruthe E. Badger, Regional Director

Dodgeville Service Center
1500 North Johns Street
Dodgeville, Wisconsin 53533
Telephone 608-935-3368
FAX 608-935-9652

March 29, 2004

Ms. Rebecca Elder
c/o Darlington Casey's, Inc.
145 South Main St.
Darlington, WI 53530

File Ref: 03-33-000546

Subject: Conditional Case Closure

Casey's General Store, 144 South Main Street, Darlington, Wisconsin
WDNR BRRTS#: 03-33-000546

Dear Ms. Elder:

On March 24, 2004, the South Central Region Closure Committee reviewed your request for closure of the case described above. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the petroleum contamination on the site from the vicinity of the former underground storage tanks that were located on the property appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

MONITORING WELL ABANDONMENT

The monitoring wells and vapor extraction well(s) at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to me at the address noted above on Form 3300-5B found at www.dnr.state.wi.us/org/water/dgw/gw/ or provided by the Department of Natural Resources.

When the above condition has been satisfied, please submit a letter to let me know that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>]

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at the number shown below.

Sincerely,



Linda Hanefeld
Hydrogeologist – Dodgeville Service Center
Bureau for Remediation & Redevelopment
(608) 935-1948

cc: Kristina Tschida, Terracon, 2277 W. Spencer St., Appleton, WI 54914
Valerie Wood, Enecotech, 2915 Waters Rd., Suite 110, Eagan, MN 55121
Alan Hopfensperger, Comm (ecopy)

DOCUMENT NO.
223114

STATE BAR OF WISCONSIN-FORM 3
QUIT CLAIM DEED
THIS SPACE RESERVED FOR RECORDING DATA

Velma Craig, individually and as
Personal Representative of the Floyd Craig Estate
quit-claims to Richard J. Craig and Anne Craig,
husband and wife as tenants in common.

REGISTER'S OFFICE } SS, th
LaFayette County, Wis. }
Received for Record this 27 day of
May A.D., 19 81
at 9:05 o'clock A.M., and recorded in
Vol. _____ of _____ on page _____
Henry J. Muller Registrar
Deputy

the following described real estate in Lafayette County,
State of Wisconsin:

Commencing at the Northeast corner of Lot 2
in Block 21 of the original plat of the City
of Darlington, thence West 23 feet to the
place of beginning,
thence South 88 feet,
thence West 59 feet,
thence North 88 feet,
thence East 59 feet to the place of beginning,
all in Lafayette County, Wisconsin.

RETURN TO
B.B.H. #2 - One

Tax Key No. _____

FEE
77.25(5)
EXEMPT

This IS NOT homestead property.
(is) (is not)

Dated this 26th day of May, 19 81.

_____(SEAL) Velma Craig (SEAL)

_____(SEAL) _____ (SEAL)

AUTHENTICATION
Signatures authenticated this 26th day of
May 1981
Steven J. Haverty
* Steven J. Haverty

ACKNOWLEDGMENT
STATE OF WISCONSIN }
_____) ss.
_____) County.)
Personally came before me, this _____ day of
_____ the above named _____







TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, _____
authorized by § 706.06, Wis. Stats.)

This instrument was drafted by
Steven J. Haverty
Darlington, Wisconsin 53530

to me known to be the person, who executed the fore-
going instrument and acknowledged the same.

(Signatures may be authenticated or acknowledged. Both
are not necessary.)







*
Notary Public _____ County, Wis.
My Commission is permanent. (If not, state expiration
date: _____, 19____.)



CORNELIA ST.

PARK ST.







E. CORNELIA ST.



LOUISA ST.

ST.

E. LOUISA ST.



W. ANN ST.

ST.




E. ANN ST.

(ST. HWY NO 23)




ORIGINAL

KEEP








OHIO



CHI. MIL. ST.P. & PAC. (ABANDONED)



DISPOSAL PLANT



LESTER RITER

W. ALICE ST.

E. ALICE ST.

WELLS

WATER ST.

E. RIVER

SPRING ST.

RIVER

JOHN WM. HOWERY ET AL

ETHEL'S BARRIE ET AL

W. ALICE ST.

E. ALICE ST.

WELLS

WATER ST.

E. RIVER

SPRING ST.

LOT 20

LOT 21

LOT 22

LOT 23

LOT 24

LOT 25

LOT 26

LOT 27

LOT 18

LOT 19

LOT 20

LOT 21

LOT 22

LOT 23

LOT 24

LOT 25

LOT 18

LOT 19

LOT 20

LOT 21

LOT 22

LOT 23

LOT 24

LOT 25

LOT 23

LOT 24

LOT 25

LOT 26

LOT 27

LOT 28

LOT 29

LOT 30

LOT 13

LOT 14

LOT 15

LOT 16

LOT 17

LOT 18

LOT 19

LOT 20

CHAS. KNIGHT, ET AL O.L. 20

EDWARD FINLEY & WF.

O.L. 21

O.L. 22

O.L. 23

O.L. 24

O.L. 25

O.L. 26

O.L. 17

O.L. 18

O.L. 19

O.L. 20

O.L. 21

O.L. 22

O.L. 23

O.L. 24

O.L. 17

O.L. 18

O.L. 19

O.L. 20

O.L. 21

O.L. 22

O.L. 23

O.L. 24

O.L. 19

O.L. 20

O.L. 21

O.L. 22

O.L. 23

O.L. 24

O.L. 25

O.L. 26

O.L. 23

O.L. 24

O.L. 25

O.L. 26

O.L. 27

O.L. 28

O.L. 29

O.L. 30

O.L. 13

O.L. 14

O.L. 15

O.L. 16

O.L. 17

O.L. 18

O.L. 19

O.L. 20

MARGARET TAYLOR

LOUISE NELSON

JOHN STUHL & WF.

CITY OF DARLINGTON

LANE LBR. CO.

CITY OF DARLINGTON

DISPOSAL PLANT

GOV'T LOT 1

LANE LBR. CO.

CITY OF DARLINGTON

DISPOSAL PLANT

GOV'T LOT 1

CITY OF DARLINGTON

LANE LBR. CO.

CITY OF DARLINGTON

DISPOSAL PLANT

LANE LBR. CO.

CITY OF DARLINGTON

DISPOSAL PLANT

GOV'T LOT 1

CITY OF DARLINGTON

LANE LBR. CO.

CITY OF DARLINGTON

DISPOSAL PLANT

LANE LBR. CO.

CITY OF DARLINGTON

DISPOSAL PLANT

GOV'T LOT 1

CITY OF DARLINGTON

LANE LBR. CO.

CITY OF DARLINGTON

DISPOSAL PLANT

LANE LBR. CO.

CITY OF DARLINGTON

DISPOSAL PLANT

GOV'T LOT 1

CITY OF DARLINGTON

LANE LBR. CO.

CITY OF DARLINGTON

DISPOSAL PLANT

LANE LBR. CO.

CITY OF DARLINGTON

DISPOSAL PLANT


GOV'T LOT 1

CITY OF DARLINGTON

LANE LBR. CO.

CITY OF DARLINGTON

DISPOSAL PLANT



APPROXIMATE SCALE
ONE INCH = 2000 FEET





DARLINGTON, WISCONSIN QUADRANGLE

FIGURE 1

SITE LOCATION MAP
CASEY'S GENERAL STORE
DARLINGTON, WISCONSIN
TERRACON JOB NO. 41905061
JUNE 13, 1991

Terracon



LEGEND	
	SOIL BORING LOCATION
	MONITORING WELL LOCATION
	PROBE LOCATION
	TEST WELL
	VAPOR EXTRACTION WELL
	GROUNDWATER ELEVATION
	GROUNDWATER CONTOUR/FLOW DIRECTION
	UNDERGROUND WATER UTILITY
	OVERHEAD ELECTRIC
	UNDERGROUND SEWER
	ESTIMATED EXTENT OF BENZENE IMPACTS ABOVE 5 ug/L

FIGURE 1
GROUNDWATER CONTOUR AND ESTIMATED
EXTENT OF BENZENE IMPACTS
MAY 28, 2003

CASEY'S GENERAL STORE
DARLINGTON, WISCONSIN

TERRACON PROJECT NO. 38905061

THE GROUNDWATER CONTOURS ARE BASED ON THE INTERPOLATION AND EXTRAPOLATION OF GROUNDWATER ELEVATION AND ANALYTICAL DATA COLLECTED ON MAY 28, 2003. ACTUAL CONDITIONS MAY VARY.

Table 2
Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061
Ground Water Analytical Summary

Sampling Location	Date	Benzene	Toluene	Ethylbenzene	Total Xylenes	THG/GRO	MTBE	1,3,5-TMB	1,2,4-TMB	1-Methylnaphthalene	2-Methylnaphthalene	Acenaphthene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h)perylene	Benzo(k)fluoranthene	Chrysene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	THD/DRO	Lead	Dissolved Oxygen	Iron	Sulfate	Nitrate	
PALs		0.5	200	140	1,000	NE	12	[96°]		NE	NE	NE	NE	0.02	0.02	NE	NE	0.02	80	80	NE	8	NE	50	NE	1.5					
ES		5	1,000	700	10,000	NE	60	[480°]		NE	NE	NE	NE	0.2	0.2	NE	NE	0.2	400	400	NE	40	NE	250	NE	50					
MW-3	3/22/1995	1,600	57	1,400	940	12000	130	170	1,300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2100	-	-	-	-	-	
MW-3	6/20/1995	960	59	1,100	790	9900	46	110	1,300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-3	9/13/1995	940	58	960	680	11000	320	180	1,200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-3	3/21/1996	1,100	91	1,000	933	9800	23	160	930	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-3	6/26/1996	220	23	480	644	6300	53	84	630	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-3	9/17/1996	650	57	890	541	9600	<10	85	890	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-3	3/11/1997	610	<50	930	520	8800	<250	<50	920	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	
MW-3	10/21/1997	640	24	1,300	840	9800	<5.0	170	1,400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
MW-3	4/23/1998	290	38	960	783	9900	23	34	1,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
MW-3	9/22/1998	220	25	940	218	-	20	8.2	1,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	<1	
MW-3 (DUP.)	9/22/1998	250	24	950	196	-	46	5.6	1,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-3	3/1/1999	310	73	960	653	-	<2.9	19	960	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	<0.1	
MW-3	9/15/1999	250	30	920	434	-	92	75	850	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	<0.1	
MW-3	5/28/2003	27	7.6	480	335	-	14	35	700	40	<1.7	<1.8	<1.2	<1.4	<1.3	<1.6	<1.9	<1.4	<1.3	<1.7	<2.1	14	<1.6	<1.7	-	-	1	3	93	<0.057	
MW-3	8/27/2003	81	12	730	464	-	110	110	880	92	11	0.40	<0.24	<0.28	<0.26	<0.32	<0.38	<0.28	<0.26	<0.34	<0.42	86	<0.32	<0.34	-	-	1	4	4.4	<0.057	
MW-4	4/10/1991	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ND	ND	-	-	-	-	
MW-4	11/19/91	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	10/27/92	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	12/09/93	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	3/16/1994	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	6/9/1994	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	9/13/1995	<1	<1	<1	<1	<100	<5	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	3/21/1996	<0.6	<1	<1	<1	<50	<1	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	10/21/1997	<1.0	<1.0	<1.0	<1.0	<100	<5.0	<1.0	<1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
MW-4	9/22/1998	<0.26	<0.21	<0.24	<1.34	-	<0.22	<0.54	<0.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-
MW-4	3/1/1999	<0.31	<0.32	<0.35	<1.09	-	<0.29	<0.38	<0.36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	0.1	-	-	0.2
MW-4 (DUP.)	3/1/1999	<0.31	<0.32	<0.35	<1.09	-	<0.29	<0.38	<0.36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	0.1	-	-	0.2
MW-4	9/15/1999	<0.26	<0.21	<0.24	<1.7	-	<0.22	<0.54	<0.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	0.1	-	-	0.4
MW-4	5/28/2003	<0.30	<0.58	<0.60	<1.84	-	<0.58	<0.52	<0.66	<0.018	0.017	<0.018	<0.012	<0.014	<0.013	<0.016	<0.019	<0.014	<0.013	<0.017	<0.021	0.028	<0.016	<0.017	-	-	4	0.1	95	12	
MW-4	8/27/2003	<0.30	<0.58	<0.60	<1.84	-	<0.58	<0.52	<0.66	<0.018	<0.017	<0.018	<0.012	<0.014	<0.013	<0.016	<0.019	<0.014	<0.013	<0.017	<0.021	<0.024	<0.016	<0.017	-	-	1	0.1	36	4.6	
MW-5	4/10/1991	ND	1	ND	5	1200	310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ND	ND	-	-	-	-	-
MW-5	11/19/91	6	ND	ND	ND	550	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	10/26/92	4	ND	ND	ND	320	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	12/09/93	ND	ND	ND	ND	180	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	3/16/1994	ND	ND	ND	ND	200	7	ND	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	6/9/1994	5	ND	ND	ND	270	9	ND	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	9/21/1994	8	3	2	<1	390	<5	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	3/22/1995	<1.0	1.3	1.3	1.3	550	<5	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	6/20/1995	7.9	2.5	<1	3	510	<5	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	9/13/1995	3.7	2.5	<1	9.3	490	14	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	3/21/1996	<0.6	<1	1.1	6.6	600	3.1	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	6/26/1996	5.8	<1	1.4	4.4	550	8.7	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	9/17/1996	<0.6	<1	<1	4	520	<1	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	12/11/1996	<0.6	<1.0	<1.0	3.4	420	1.2	<1.0	<1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	3/11/1997	<1.0	<1.0	<1.0	<1.0	390	<5.0	<1.0	<1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
MW-5	6/12/1997	<1.0	<1.0	<1.0	<1.0	340	<5.0	<1.0	<1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
MW-5	10/21/1997	<1.0	<1.0	<1.0	<1.0	270	<5.0	<1.0	<1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
MW-5	12/17/1997	<1.0	<1.0	<1.0	<1.0</																										


Table 2
Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061
Ground Water Analytical Summary

Sampling Location	Date	Benzene	Toluene	Ethylbenzene	Total Xylenes	THG/GRO	MTBE	1,3,5-TMB	1,2,4-TMB	1-Methylnaphthalene	2-Methylnaphthalene	Acenaphthene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(ghi)perylene	Benzo(k)fluoranthene	Chrysene	Fluoranthene	Flourene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	THD/DRO	Lead	Dissolved Oxygen	Iron	Sulfate	Nitrate		
PALs		0.5	200	140	1,000	NE	12	[96']	NE	NE	NE	NE	0.02	0.02	NE	NE	0.02	80	80	NE	8	NE	50	NE	1.5						
ES		5	1,000	700	10,000	NE	60	[480']	NE	NE	NE	NE	0.2	0.2	NE	NE	0.2	400	400	NE	40	NE	250	NE	50						
MW-5	12/15/1998	<0.26	<0.21	0.70	1.2	110	<0.22	<0.54	<0.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	<0.1		
MW-5	3/1/1999	1.2	<0.32	<0.35	0.97	-	<0.29	<0.38	<0.36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	-	<0.1		
MW-5	9/15/1999	<0.26	<0.21	0.51	<1.7	-	<0.22	<0.54	<0.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	-	0.1		
MW-5	12/29/1999	<0.26	0.27	<0.24	<1.34	-	<0.22	<0.54	<0.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	10	-	<0.1		
MW-5	5/28/2003	<0.30	<0.58	<0.60	<1.84	-	<0.58	<0.52	<0.66	<0.018	0.018	<0.018	<0.012	<0.014	<0.013	<0.016	<0.019	<0.014	<0.013	<0.017	<0.021	0.029	<0.016	<0.017	-	-	1	>10	<1.1	<0.057		
MW-6	4/10/1991	93	26	3	6	1800	1,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ND	ND	-	-	-	-		
MW-6	11/19/91	8	ND	ND	ND	270	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-6	10/27/92	ND	ND	ND	ND	150	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-6	12/09/93	24	ND	ND	2.1	120	ND	ND	1.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-6	3/16/1994	2	ND	ND	ND	140	28	ND	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	120	-	-	-	-	-	
MW-6	6/9/1994	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,200	-	-	-	-	-	
MW-6	9/21/1994	<1	<1	<1	<1	*160	<5	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<70	-	-	-	-	-	
MW-6	3/22/1995	<1	<1	<1	<1	<100	<5	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-6	6/20/1995	<1	<1	<1	<1	<100	<5	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-6	3/21/1996	1.4	<1	<1	<1	350	<1	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-6	6/26/1996	19	<1	3.9	<1	<50	<1	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-6	10/21/1997	<1.0	<1.0	<1.0	<1.0	660	<5.0	<1.0	<1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	
MW-6	9/22/1998	<0.26	<0.21	<0.24	0.44	-	<0.22	<0.54	<0.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<1	8	-	<1	-	
MW-6	3/1/1999	<0.31	<0.32	<0.35	0.52	-	<0.29	<0.38	0.49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	<0.1	-	
MW-6	9/15/1999	<0.26	<0.21	<0.24	0.45	-	0.45	<0.54	<0.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-6	5/28/2003	<0.30	<0.58	<0.60	<1.84	-	<0.58	<0.52	<0.66	<0.018	0.018	<0.018	<0.012	<0.014	0.017	0.018	<0.019	<0.014	<0.013	<0.017	<0.021	0.074	<0.016	<0.017	-	-	2	0.4	220	0.15	-	
MW-6	8/27/2003	<0.30	<0.58	<0.60	<1.84	-	1.4	<0.52	<0.66	<0.018	0.017	<0.018	<0.012	<0.014	<0.013	<0.016	<0.019	<0.014	0.014	<0.017	<0.021	0.062	<0.016	<0.017	-	-	1	4	55	<0.057	-	
MW-7	10/27/92	18,000	810	1,100	3,100	37,000	ND	ND	1,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-7	12/09/93	4,600	67	600	620	17000	ND	42	230	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-7	3/16/1994	730	140	100	580	2900	ND	67	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-7	6/9/1994	1,700	25	250	190	3,600	ND	65	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-7	9/21/1994	2,000	300	360	400	11000	<250	67	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-7	12/17/94	11,000	86	1,300	560	17000	<250	13	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-7	3/22/1995	7,500	75	710	490	12000	<250	<10	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-7	6/20/1995	1,300	15	160	87	1900	25	<1	3.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-7	9/13/1995	330	3.2	31	22	940	17	<1	7.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-7	3/21/1996	4,500	28	380	189	7500	64	65	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	6/26/1996	5,300	98	690	423	9900	28	33	390	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	9/17/1996	1,400	21	180	146	3600	<10	<10	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	12/11/1996	5,600	120	760	1,050	8500	<25	<50	350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	3/11/1997	2,600	180	410	700	5100	<50	30	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	6/12/1997	1,700	10	240	360	3200	<50	<10	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7 (DUP.)	6/12/1997	1,700	<10	240	360	3300	<50	16	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	10/21/1997	1,100	<5.0	160	100	1400	<25	<1.0	<1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	12/17/1997	12	<1.0	<1.0	<1.0	110	<5.0	<1.0	<1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	4/23/1998	18	0.28	1.5	1.0	<50	0.40	<0.54	<0.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7 (DUP.)	4/23/1998	15	0.26	1.2	<1.34	<50	0.39	<0.54	<0.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	6/25/1998	120	2.1	22	15.6	320	0.97	0.75	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	9/22/1998	48	1.3	11	11.4	-	2.8	0.64	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	<1	-	
MW-7	12/15/1998	180	5.8	49	74.7	690	0.84	3.6	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	<0.1	-	
MW-7	3/1/1999	210	6.3	55	77.8	-	0.65	3.4	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	<0.1	-	
MW-7																																

Table 2
Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061
Ground Water Analytical Summary

Sampling Location	Date	Benzene	Toluene	Ethylbenzene	Total Xylenes	THG/GRO	MTBE	1,3,5-TMB	1,2,4-TMB	1-Methylnaphthalene	2-Methylnaphthalene	Acenaphthene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(ghi)perylene	Benzo(k)fluoranthene	Chrysene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	THD/DRO	Lead	Dissolved Oxygen	Iron	Sulfate	Nitrate
PALs		0.5	200	140	1,000	NE	12	[96*]		NE	NE	NE	NE	0.02	0.02	NE	NE	0.02	80	80	NE	8	NE	50	NE	1.5				
ES		5	1,000	700	10,000	NE	60	[480*]		NE	NE	NE	NE	0.2	0.2	NE	NE	0.2	400	400	NE	40	NE	250	NE	50				
MW-7	5/28/2003	8	<0.58	<0.60	<1.84	-	<0.58	<0.53	0.77	0.037	0.022	<0.018	<0.012	<0.014	<0.013	0.024	<0.019	<0.014	<0.013	<0.017	<0.021	0.059	<0.016	<0.017	-	-	1	2	490	0.34
MW-7	8/27/2003	<0.30	<0.58	<0.60	<1.84	-	<0.58	<0.52	<0.66	<0.018	0.017	<0.018	<0.012	<0.014	<0.013	<0.016	<0.019	<0.014	<0.013	<0.017	<0.021	<0.024	<0.016	<0.017	-	-	2	10	420	<0.057
MW-8	5/28/2003	<0.30	<0.58	<0.60	<1.84	-	0.95	<0.52	<0.66	<0.018	0.029	<0.018	0.038	0.038	0.03	0.043	0.030	0.038	0.13	<0.017	0.022	0.059	<0.016	0.15	-	-	3	10	3.5	<0.057
MW-8	8/27/2003	<0.30	<0.58	<0.60	<1.84	-	2.3	<0.52	<0.66	<0.018	<0.017	<0.018	0.023	0.020	0.017	0.031	<0.019	0.021	0.060	<0.017	<0.021	0.035	0.033	0.073	-	-	1	>10	<1.1	<0.057

Concentrations are expressed as micrograms per liter (µg/L) which is equivalent to parts-per-billion (ppb)
ND - Not detected at or above method detection limits
- Analysis was not performed
THG/GRO - Total hydrocarbons as gasoline/gasoline range organics
THD/DRO - Total hydrocarbons as fuel oil/diesel range organics
PAL - Ground water preventative action limit per NR 140, Wisconsin Administrative Code
ES - Ground water enforcement standard per NR 140, Wisconsin Administrative Code
NE - Ground water enforcement standard has not been established
B-1 - Borehole ground water sample collected from the soil boring
* - Laboratory analysis detected the presence of an unidentified peak
*The value represents the sum of 1,3,5-TMB and 1,2,4-TMB



LEGEND

- SOIL BORING LOCATION
- ⊕ MONITORING WELL LOCATION
- ⊙ PROBE LOCATION
- TEST WELL
- ⊕ VAPOR EXTRACTION WELL
- 809.52 GROUNDWATER ELEVATION
- GROUNDWATER CONTOUR/FLOW DIRECTION
- - - UNDERGROUND WATER UTILITY
- - - OVERHEAD ELECTRIC
- - - UNDERGROUND SEWER
- - - ESTIMATED EXTENT OF BENZENE IMPACTS ABOVE 5 ug/L





FIGURE 2
GROUNDWATER CONTOUR AND ESTIMATED EXTENT OF BENZENE IMPACTS
 August 27, 2003
CASEY'S GENERAL STORE
DARLINGTON, WISCONSIN
TERRACON PROJECT NO. 38905061

* GROUNDWATER ANALYTICAL DATA WAS COLLECTED FROM MONITORING WELL MW-5 DURING THE MAY 2003 SAMPLING EVENT. THE WELL COULD NOT BE OPENED DURING THE AUGUST 2003 EVENT TO COLLECT SAMPLES.

THE GROUNDWATER CONTOURS ARE BASED ON THE INTERPOLATION AND EXTRAPOLATION OF GROUNDWATER ELEVATION AND ANALYTICAL DATA COLLECTED ON AUGUST 27, 2003. ACTUAL CONDITIONS MAY VARY.

N:\designer\90\905061\061SM-B.DRW





LEGEND

TX-1 SOIL SAMPLE COLLECTED FOR CHEMICAL ANALYSIS
 (8-9 ft.) SAMPLING INTERVAL
 (155 ppm) ORGANIC VAPOR LEVEL OF SOIL SAMPLE (PPM)




FIGURE 3
 EXCAVATION MAP
 CASEY'S GENERAL STORE
 DARLINGTON, WISCONSIN
 TERRACON JOB NO 41905061
 APRIL 8, 1991

TABLE 3

CASEY'S GENERAL STORE
 145 SOUTH MAIN STREET
 DARLINGTON, WISCONSIN
 TERRACON PROJECT NO. 41905061

SUMMARY OF SOIL CHEMISTRY RESULTS

Soil Sample Location	Sampling Date	Benzene	Toluene	Ethyl Benzene	Total Xylenes	THC as Gasoline	Total Lead
-----	-----	-----	-----	-----	-----	-----	-----
TX-1	10/17/90	21,000	44,000	32,000	280,000	2,900,000	NA
TX-2	10/17/90	5,000	9,300	12,000	85,000	1,700,000	NA
TX-3	10/17/90	50,000	110,000	80,000	420,000	4,300,000	NA
TX-4	10/17/90	ND	ND	ND	1	130	NA
SP-1	10/17/90	ND	ND	ND	35,000	1,200,000	27,000

Concentrations are expressed in micrograms per kilogram (ug/Kg) which is equivalent to parts-per-billion (ppb)

ND - Not detected at or above method detection limits

NA - Analysis was not performed

TX-1 - Soil sample collected from the excavation

SP-1 - Soil sample collected from the stockpile

Table 1

Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061

Ground Water Elevations

Well	Date	Depth to Groundwater	Reference Elevation (feet MSL)	Water Table Elevation*	Screened Interval	Volume Purged (gallons)	Product Thicknes s (feet)
MW-1	3/24/1991	6.28	816.78	810.50	802.5 - 812.5	-	-
MW-1	3/25/1991	6.33	816.78	810.45	802.5 - 812.5	-	-
MW-1	4/9/1991	6.64	816.78	810.14	802.5 - 812.5	-	-
MW-1	4/10/1991	6.29	816.78	810.49	802.5 - 812.5	-	-
MW-1	11/19/1991	6.79	816.78	809.99	802.5 - 812.5	-	-
MW-1	11/22/1991	6.92	816.78	809.86	802.5 - 812.5	-	-
MW-1	10/28/1992	7.89	816.78	808.89	802.5 - 812.5	-	-
MW-1	9/8/1993	6.63	816.78	810.15	802.5 - 812.5	-	-
MW-1	10/5/1993	6.90	816.78	809.88	802.5 - 812.5	-	-
MW-1	12/8/1993	7.67	816.78	809.11	802.5 - 812.5	-	-
MW-1	12/9/1993	7.69	816.78	809.09	802.5 - 812.5	-	-
MW-1	12/16/1993	7.77	816.78	809.01	802.5 - 812.5	-	-
MW-1	12/21/1993		816.78		802.5 - 812.5	-	-
MW-1	1/13/1993		816.78		802.5 - 812.5	-	-
MW-1	3/16/1994	6.97	816.78	809.81	802.5 - 812.5	-	-
MW-1	4/14/1994	7.00	816.78	809.78	802.5 - 812.5	-	-
MW-1	5/17/1994	7.46	816.78	809.32	802.5 - 812.5	-	-
MW-1	6/9/1994	7.64	816.78	809.14	802.5 - 812.5	-	-
MW-1	8/1/1994	7.59	816.78	809.19	802.5 - 812.5	-	-
MW-1	9/21/1994	7.94	816.78	808.84	802.5 - 812.5	-	-
MW-1	10/12/1994	7.80	816.78	808.98	802.5 - 812.5	-	-
MW-1	11/30/1994	7.91	816.78	808.87	802.5 - 812.5	-	-
MW-1	3/22/1995	7.82	816.78	808.96	802.5 - 812.5	-	-
MW-1	4/26/1995	7.23	816.78	809.55	802.5 - 812.5	-	-
MW-1	5/23/1995	7.04	816.78	809.74	802.5 - 812.5	-	-
MW-1	6/20/1995	7.39	816.78	809.39	802.5 - 812.5	-	-
MW-1	7/25/1995	7.31	816.78	809.47	802.5 - 812.5	-	-
MW-1	8/30/1995	7.67	816.78	809.11	802.5 - 812.5	-	-
MW-1	9/13/1995	7.74	816.78	809.04	802.5 - 812.5	-	-
MW-1	9/26/1995	7.77	816.78	809.01	802.5 - 812.5	-	-
MW-1	3/21/1996	8.14	816.78	808.64	802.5 - 812.5	-	-
MW-1	4/8/1996	8.01	816.78	808.77	802.5 - 812.5	-	-
MW-1	6/26/1996	6.16	816.78	810.62	802.5 - 812.5	-	-
MW-1	9/17/1996	7.99	816.78	808.79	802.5 - 812.5	-	-
MW-1	11/22/1996	8.05	816.78	808.73	802.5 - 812.5	-	-
MW-1	12/11/1996	8.11	816.78	808.67	802.5 - 812.5	-	-

Table 1

Casey's General Store
 Darlington, Wisconsin
 Terracon Project No. 38905061

Ground Water Elevations

Well	Date	Depth to Groundwater	Reference Elevation (feet MSL)	Water Table Elevation*	Screened Interval	Volume Purged (gallons)	Product Thickness (feet)
MW-1	3/11/1997	6.65	816.78	810.13	802.5 - 812.5	-	-
MW-1	6/10/1997	7.37	816.78	809.41	802.5 - 812.5	-	-
MW-1	8/6/1997	7.48	816.78	809.30	802.5 - 812.5	-	-
MW-1	10/21/1997	8.04	816.78	808.74	802.5 - 812.5	-	-
MW-1	12/17/1997		816.78		802.5 - 812.5	-	-
MW-1	1/16/1998	8.02	816.78	808.76	802.5 - 812.5	-	-
MW-1	4/23/1998	6.24	816.78	810.54	802.5 - 812.5	-	-
MW-1	6/25/1998	6.42	816.78	810.36	802.5 - 812.5	-	-
MW-1	9/22/1998	7.17	816.78	809.61	802.5 - 812.5	-	-
MW-1	12/15/1998	12.94	816.78	803.84	802.5 - 812.5	-	-
MW-1	3/1/1999	7.87	816.78	808.91	802.5 - 812.5	-	-
MW-1	6/23/1999	6.94	816.78	809.84	802.5 - 812.5	-	-
MW-1	9/15/1999	7.85	816.78	808.93	802.5 - 812.5	-	-
MW-1	12/29/1999	7.31	816.78	809.47	802.5 - 812.5	-	-
MW-1	7/11/2002	7.62	816.78	809.16	802.5 - 812.5	-	-
MW-1	5/28/2003	7.43	816.78	809.35	802.5 - 812.5	-	-
MW-1	8/27/2003	8.53	816.78	808.25	802.5 - 812.5	-	-
MW-2	3/24/1991	4.83	816.15	811.32	801.8 - 811.8	-	-
MW-2	3/25/1991	4.67	816.15	811.48	801.8 - 811.8	-	-
MW-2	4/9/1991	4.67	816.15	811.48	801.8 - 811.8	-	-
MW-2	4/10/1991	4.68	816.15	811.47	801.8 - 811.8	-	-
MW-2	11/19/1991	5.62	816.15	810.53	801.8 - 811.8	-	-
MW-2	11/22/1991	5.23	816.15	810.92	801.8 - 811.8	-	-
MW-2	10/28/1992	6.28	816.15	809.87	801.8 - 811.8	-	-
MW-2	9/8/1993	4.87	816.15	811.28	801.8 - 811.8	-	-
MW-2	10/5/1993	4.87	816.15	811.28	801.8 - 811.8	-	-
MW-2	12/8/1993	6.10	816.15	810.05	801.8 - 811.8	-	-
MW-2	12/9/1993	6.77	816.15	809.38	801.8 - 811.8	-	-
MW-2	12/16/1993	7.25	816.15	808.90	801.8 - 811.8	-	-
MW-2	12/21/1993	7.27	816.15	808.88	801.8 - 811.8	-	-
MW-2	1/13/1994	7.18	816.15	808.97	801.8 - 811.8	-	-
MW-2	3/16/1994	5.51	816.15	810.64	801.8 - 811.8	-	-
MW-2	4/14/1994	5.59	816.15	810.56	801.8 - 811.8	-	-
MW-2	5/17/1994	6.07	816.15	810.08	801.8 - 811.8	-	-
MW-2	6/9/1994	6.25	816.15	809.90	801.8 - 811.8	-	-

Table 1

Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061

Ground Water Elevations

Well	Date	Depth to Groundwater	Reference Elevation (feet MSL)	Water Table Elevation*	Screened Interval	Volume Purged (gallons)	Product Thicknes s (feet)
MW-2	8/1/1994	5.77	816.15	810.38	801.8 - 811.8	-	-
MW-2	9/21/1994	7.55	816.15	808.60	801.8 - 811.8	-	-
MW-2	10/12/1994	6.31	816.15	809.84	801.8 - 811.8	-	-
MW-2	11/30/1994	6.80	816.15	809.35	801.8 - 811.8	-	-
MW-2	3/22/1995	6.62	816.15	809.53	801.8 - 811.8	-	-
MW-2	4/26/1995	7.02	816.15	809.16	801.8 - 811.8	-	0.04
MW-2	5/23/1995	6.25	816.15	809.92	801.8 - 811.8	-	0.03
MW-2	6/20/1995	6.66	816.15	809.56	801.8 - 811.8	-	0.08
MW-2	7/25/1995	5.70	816.15	810.51	801.8 - 811.8	-	0.07
MW-2	8/30/1995	5.92	816.15	810.39	801.8 - 811.8	-	0.20
MW-2	9/13/1995	6.40	816.15	809.75	801.8 - 811.8	-	-
MW-2	9/26/1995	6.43	816.15	809.72	801.8 - 811.8	-	-
MW-2	3/21/1996	6.92	816.15	809.33	801.8 - 811.8	-	0.13
MW-2	4/8/1996	6.94	816.15	809.34	801.8 - 811.8	-	0.17
MW-2	4/25/1996	6.70	816.15	809.57	801.8 - 811.8	-	0.15
MW-2	6/26/1996		816.15		801.8 - 811.8	-	0.35
MW-2	7/26/1996	6.38	816.15	810.05	801.8 - 811.8	-	0.35
MW-2	8/21/1996	5.80	816.15	810.38	801.8 - 811.8	-	0.04
MW-2	9/17/1996	6.68	816.15	809.55	801.8 - 811.8	-	0.10
MW-2	10/8/1996	6.54	816.15	809.93	801.8 - 811.8	21	0.40
MW-2	11/22/1996	6.70	816.15	809.67	801.8 - 811.8	20	0.28
MW-2	12/11/1996	7.04	816.15	809.45	801.8 - 811.8	8	0.43
MW-2	1/8/1997	7.15	816.15	809.20	801.8 - 811.8	6.5	0.25
MW-2	1/23/1997	7.87	816.15	808.60	801.8 - 811.8	7.5	0.40
MW-2	2/5/1997	7.27	816.15	809.09	801.8 - 811.8	6.5	0.26
MW-2	2/26/1997	4.91	816.15	811.26	801.8 - 811.8	15	0.03
MW-2	3/11/1997	4.92	816.15	811.23	801.8 - 811.8	13	-
MW-2	3/27/1997	5.12	816.15	811.05	801.8 - 811.8	15.5	0.03
MW-2	4/8/1997	4.99	816.15	811.16	801.8 - 811.8	10	-
MW-2	4/25/1997	4.95	816.15	811.26	801.8 - 811.8	14	0.07
MW-2	5/7/1997	4.61	816.15	811.54	801.8 - 811.8	15	-
MW-2	5/27/1997	5.03	816.15	811.13	801.8 - 811.8	12.5	0.01
MW-2	6/10/1997	5.28	816.15	811.00	801.8 - 811.8	7	0.16
MW-2	6/27/1997	4.72	816.15	811.45	801.8 - 811.8	12	0.03
MW-2	7/8/1997	5.04	816.15	811.11	801.8 - 811.8	7	-
MW-2	7/23/1997	5.03	816.15	811.21	801.8 - 811.8	12	0.12

Table 1

Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061

Ground Water Elevations

Well	Date	Depth to Groundwater	Reference Elevation (feet MSL)	Water Table Elevation*	Screened Interval	Volume Purged (gallons)	Product Thicknes s (feet)
MW-2	8/6/1997	6.14	816.15	810.31	801.8 - 811.8	6	0.38
MW-2	8/23/1997	6.08	816.15	810.28	801.8 - 811.8	10	0.27
MW-2	9/3/1997	6.58	816.15	809.78	801.8 - 811.8	5	0.27
MW-2	9/26/1997	6.46	816.15	809.83	801.8 - 811.8	10.5	0.18
MW-2	10/21/1997	7.15	816.15	809.23	801.8 - 811.8	9	0.29
MW-2	10/31/1997	6.59	816.15	809.62	801.8 - 811.8	8	0.07
MW-2	11/26/1997	7.46	816.15	808.86	801.8 - 811.8	6	0.21
MW-2	12/17/1997	7.10	816.15	809.14	801.8 - 811.8	5	0.12
MW-2	12/31/1997	7.28	816.15	808.93	801.8 - 811.8	8	0.07
MW-2	1/16/1998	7.34	816.15	808.98	801.8 - 811.8	4	0.22
MW-2	1/30/1998	5.61	816.15	810.55	801.8 - 811.8	8	0.01
MW-2	2/18/1998	6.90	816.15	809.25	801.8 - 811.8	10	-
MW-2	2/24/1998	5.82	816.15	810.33	801.8 - 811.8	9.5	-
MW-2	3/5/1998	5.30	816.15	810.85	801.8 - 811.8	6	-
MW-2	4/23/1998	4.92	816.15	811.23	801.8 - 811.8	4	-
MW-2	6/25/1998	4.67	816.15	811.48	801.8 - 811.8	5	-
MW-2	9/22/1998	8.84	816.15	807.31	801.8 - 811.8	18	-
MW-2	10/7/1998	4.70	816.15	811.45	801.8 - 811.8	9	-
MW-2	10/22/1998	4.38	816.15	811.77	801.8 - 811.8	11.5	-
MW-2	11/17/1998	5.61	816.15	810.56	801.8 - 811.8	3	0.03
MW-2	11/30/1998	5.94	816.15	810.37	801.8 - 811.8	8	0.20
MW-2	12/15/1998	6.06	816.15	810.35	801.8 - 811.8	9	0.33
MW-2	12/31/1998	6.21	816.15	809.97	801.8 - 811.8	10.5	0.04
MW-2	1/15/1999	6.29	816.15	810.01	801.8 - 811.8	9	0.19
MW-2	1/31/1999	6.02	816.15	810.21	801.8 - 811.8	12	0.10
MW-2	3/1/1999	6.06	816.15	810.15	801.8 - 811.8	13	0.07
MW-2	3/20/1999	5.79	816.15	810.38	801.8 - 811.8	12	0.03
MW-2	4/20/1999	4.91	816.15	811.25	801.8 - 811.8	11.5	0.01
MW-2	5/7/1999	4.56	816.15	811.61	801.8 - 811.8	11.5	0.02
MW-2	5/20/1999	4.02	816.15	812.14	801.8 - 811.8	11.5	0.01
MW-2	6/5/1999	4.47	816.15	811.68	801.8 - 811.8	12.5	-
MW-2	6/23/1999	4.52	816.15	811.63	801.8 - 811.8	11.5	-
MW-2	7/9/1999	4.85	816.15	811.32	801.8 - 811.8	10	0.03
MW-2	7/27/1999	4.65	816.15	811.51	801.8 - 811.8	12	0.01
MW-2	8/9/1999	4.76	816.15	811.40	801.8 - 811.8	10	0.01
MW-2	8/29/1999	5.07	816.15	811.24	801.8 - 811.8	11	0.20

Table 1

Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061

Ground Water Elevations

Well	Date	Depth to Groundwater	Reference Elevation (feet MSL)	Water Table Elevation*	Screened Interval	Volume Purged (gallons)	Product Thicknes s (feet)
MW-2	9/15/1999	5.84	816.15	810.61	801.8 - 811.8	13	0.38
MW-2	10/8/1999	5.48	816.15	810.90	801.8 - 811.8	10.5	0.29
MW-2	10/25/1999	5.92	816.15	810.39	801.8 - 811.8	11.5	0.20
MW-2	11/18/1999	6.11	816.15	810.04	801.8 - 811.8	9	-
MW-2	12/9/1999	6.21	816.15	810.12	801.8 - 811.8	10	0.23
MW-2	12/29/1999	6.41	816.15	809.91	801.8 - 811.8	9	0.22
MW-2	1/20/2000	6.47	816.15	809.78	801.8 - 811.8	10	0.13
MW-2	1/28/2000	6.64	816.15	809.66	801.8 - 811.8	8	0.19
MW-2	2/23/2000	6.12	816.15	810.03	801.8 - 811.8	10.5	-
MW-2	3/8/2000	5.78	816.15	810.38	801.8 - 811.8	8	0.01
MW-2	3/22/2000	5.68	816.15	810.47	801.8 - 811.8	8	-
MW-2	5/24/2000	5.21	816.15	810.95	801.8 - 811.8	11	0.01
MW-2	7/7/2000	4.67	816.15	811.48	801.8 - 811.8	11	-
MW-2	8/18/2000	5.25	816.15	810.91	801.8 - 811.8	8	0.01
MW-2	9/28/2000	5.39	816.15	810.76	801.8 - 811.8	8	-
MW-2	12/5/2000	6.49	816.15	809.68	801.8 - 811.8	8	0.02
MW-2	1/15/2001	6.85	816.15	809.43	801.8 - 811.8	6.5	0.17
MW-2	2/11/2001	6.58	816.15	809.57	801.8 - 811.8	10	-
MW-2	3/4/2001	6.09	816.15	810.06	801.8 - 811.8	12	-
MW-2	4/11/2001	4.54	816.15	811.61	801.8 - 811.8	10	-
MW-2	5/9/2001	4.68	816.15	811.47	801.8 - 811.8	11	-
MW-2	6/1/2001	4.74	816.15	811.41	801.8 - 811.8	12	-
MW-2	6/18/2001	4.42	816.15	811.73	801.8 - 811.8	14	-
MW-2	7/31/2001	5.48	816.15	810.67	801.8 - 811.8	11	-
MW-2	8/31/2001	5.48	816.15	810.67	801.8 - 811.8	11	-
MW-2	10/1/2001	4.45	816.15	811.70	801.8 - 811.8	10	-
MW-2	11/7/2001	5.49	816.15	810.66	801.8 - 811.8	6	-
MW-2	12/4/2001	5.67	816.15	810.48	801.8 - 811.8	5	-
MW-2	3/7/2002	6.32	816.15	809.83	801.8 - 811.8	8	-
MW-2	4/19/2002	5.52	816.15	810.63	801.8 - 811.8	9	-
MW-2	6/12/2002	4.70	816.15	811.45	801.8 - 811.8	10	-
MW-2	7/11/2002	5.38	816.15	810.77	801.8 - 811.8	10	-
MW-2	5/28/2003	5.31	816.15	810.84	801.8 - 811.8	10	-
MW-2	8/27/2003	6.72	816.15	809.52	801.8 - 811.8	7	0.11

Table 1

Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061

Ground Water Elevations

Well	Date	Depth to Groundwater	Reference Elevation (feet MSL)	Water Table Elevation*	Screened Interval	Volume Purged (gallons)	Product Thicknes s (feet)
MW-3	3/24/1991	9.54	821.56	812.02	805.4 - 815.4	-	-
MW-3	3/25/1991	9.53	821.56	812.03	805.4 - 815.4	-	-
MW-3	4/9/1991	9.70	821.56	811.86	805.4 - 815.4	-	-
MW-3	4/10/1991	9.46	821.56	812.10	805.4 - 815.4	-	-
MW-3	11/19/1991	9.44	821.56	812.12	805.4 - 815.4	-	-
MW-3	11/22/1991	9.75	821.56	811.81	805.4 - 815.4	-	-
MW-3	10/28/1992	11.52	821.56	810.04	805.4 - 815.4	-	-
MW-3	9/8/1993	9.93	821.56	811.63	805.4 - 815.4	-	-
MW-3	10/5/1993	10.13	821.56	811.43	805.4 - 815.4	-	-
MW-3	12/8/1993	11.09	821.56	810.47	805.4 - 815.4	-	-
MW-3	12/9/1993	11.06	821.56	810.50	805.4 - 815.4	-	-
MW-3	12/16/1993	11.40	821.56	810.16	805.4 - 815.4	-	-
MW-3	12/21/1993	11.44	821.56	810.12	805.4 - 815.4	-	-
MW-3	1/13/1994	11.93	821.56	809.63	805.4 - 815.4	-	-
MW-3	3/16/1994	10.25	821.56	811.31	805.4 - 815.4	-	-
MW-3	4/14/1994	10.32	821.56	811.24	805.4 - 815.4	-	-
MW-3	5/17/1994	10.95	821.56	810.61	805.4 - 815.4	-	-
MW-3	6/9/1994	11.20	821.56	810.36	805.4 - 815.4	-	-
MW-3	8/1/1994	11.11	821.56	810.45	805.4 - 815.4	-	-
MW-3	9/21/1994	11.75	821.56	809.81	805.4 - 815.4	-	-
MW-3	10/12/1994	11.40	821.56	810.16	805.4 - 815.4	-	-
MW-3	11/30/1994	11.12	821.56	810.44	805.4 - 815.4	-	-
MW-3	3/22/1995	11.92	821.56	809.64	805.4 - 815.4	-	-
MW-3	4/26/1995	10.46	821.56	811.10	805.4 - 815.4	-	-
MW-3	5/23/1995	10.45	821.56	811.11	805.4 - 815.4	-	-
MW-3	6/20/1995	11.02	821.56	810.54	805.4 - 815.4	-	-
MW-3	7/25/1995	10.67	821.56	810.89	805.4 - 815.4	-	-
MW-3	8/30/1995	11.21	821.56	810.35	805.4 - 815.4	-	-
MW-3	9/13/1995	11.08	821.56	810.48	805.4 - 815.4	-	-
MW-3	9/26/1995	11.36	821.56	810.20	805.4 - 815.4	-	-
MW-3	3/21/1996	12.27	821.56	809.29	805.4 - 815.4	-	-
MW-3	4/8/1996	11.98	821.56	809.58	805.4 - 815.4	-	-
MW-3	6/26/1996	8.14	821.56	813.42	805.4 - 815.4	-	-
MW-3	9/17/1996	11.61	821.56	809.95	805.4 - 815.4	-	-
MW-3	11/22/1996	11.58	821.56	809.98	805.4 - 815.4	-	-
MW-3	12/11/1996	11.74	821.56	809.82	805.4 - 815.4	-	-

Table 1

Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061

Ground Water Elevations

Well	Date	Depth to Groundwater	Reference Elevation (feet MSL)	Water Table Elevation*	Screened Interval	Volume Purged (gallons)	Product Thicknes s (feet)
MW-3	3/11/1997	10.50	821.56	811.06	805.4 - 815.4	-	-
MW-3	6/10/1997		821.56		805.4 - 815.4	-	-
MW-3	8/6/1997		821.56		805.4 - 815.4	-	-
MW-3	10/21/1997	11.64	821.56	809.92	805.4 - 815.4	-	-
MW-3	12/17/1997		821.56		805.4 - 815.4	-	-
MW-3	1/16/1998	14.03	821.56	807.53	805.4 - 815.4	-	-
MW-3	4/23/1998	9.46	821.56	812.10	805.4 - 815.4	-	-
MW-3	6/25/1998	9.54	821.56	812.02	805.4 - 815.4	-	-
MW-3	9/22/1998	9.93	821.56	811.63	805.4 - 815.4	-	-
MW-3	12/15/1998	11.60	821.56	809.96	805.4 - 815.4	-	-
MW-3	3/1/1999	11.27	821.56	810.29	805.4 - 815.4	-	-
MW-3	6/23/1999	9.61	821.56	811.95	805.4 - 815.4	-	-
MW-3	9/15/1999	11.24	821.56	810.32	805.4 - 815.4	-	-
MW-3	12/29/1999	11.87	821.56	809.69	805.4 - 815.4	-	-
MW-3	7/11/2002	10.06	821.56	811.50	805.4 - 815.4	-	-
MW-3	5/28/2003	9.78	821.56	811.78	805.4 - 815.4	-	-
MW-3	8/27/2003	11.41	821.56	810.15	805.4 - 815.4	-	-
MW-4	3/24/1991	6.27	817.56	811.29	803.3 - 813.3	-	-
MW-4	3/25/1991	6.25	817.56	811.31	803.3 - 813.3	-	-
MW-4	4/9/1991	6.32	817.56	811.24	803.3 - 813.3	-	-
MW-4	4/10/1991	6.30	817.56	811.26	803.3 - 813.3	-	-
MW-4	11/19/1991	6.65	817.56	810.91	803.3 - 813.3	-	-
MW-4	11/22/1991	6.64	817.56	810.92	803.3 - 813.3	-	-
MW-4	10/28/1992	7.60	817.56	809.96	803.3 - 813.3	-	-
MW-4	9/8/1993	6.39	817.56	811.17	803.3 - 813.3	-	-
MW-4	10/5/1993		817.56		803.3 - 813.3	-	-
MW-4	12/8/1993	7.46	817.56	810.10	803.3 - 813.3	-	-
MW-4	12/9/1993	7.67	817.56	809.89	803.3 - 813.3	-	-
MW-4	12/16/1993	7.82	817.56	809.74	803.3 - 813.3	-	-
MW-4	12/21/1993	7.80	817.56	809.76	803.3 - 813.3	-	-
MW-4	3/16/1994	7.01	817.56	810.55	803.3 - 813.3	-	-
MW-4	4/14/1994	6.94	817.56	810.62	803.3 - 813.3	-	-
MW-4	5/17/1994	7.42	817.56	810.14	803.3 - 813.3	-	-
MW-4	6/9/1994	7.47	817.56	810.09	803.3 - 813.3	-	-
MW-4	8/1/1994		817.56		803.3 - 813.3	-	-

Table 1

Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061

Ground Water Elevations

Well	Date	Depth to Groundwater	Reference Elevation (feet MSL)	Water Table Elevation*	Screened Interval	Volume Purged (gallons)	Product Thicknes s (feet)
MW-4	9/21/1994	8.34	817.56	809.22	803.3 - 813.3	-	-
MW-4	10/12/1994	7.73	817.56	809.83	803.3 - 813.3	-	-
MW-4	11/30/1994	8.12	817.56	809.44	803.3 - 813.3	-	-
MW-4	3/22/1995	7.96	817.56	809.60	803.3 - 813.3	-	-
MW-4	4/26/1995		817.56		803.3 - 813.3	-	-
MW-4	5/23/1995		817.56		803.3 - 813.3	-	-
MW-4	6/20/1995	7.18	817.56	810.38	803.3 - 813.3	-	-
MW-4	7/25/1995	7.23	817.56	810.33	803.3 - 813.3	-	-
MW-4	8/30/1995		817.56		803.3 - 813.3	-	-
MW-4	9/13/1995	7.59	817.56	809.97	803.3 - 813.3	-	-
MW-4	9/26/1995	7.69	817.56	809.87	803.3 - 813.3	-	-
MW-4	3/21/1996	8.08	817.56	809.48	803.3 - 813.3	-	-
MW-4	4/8/1996	7.78	817.56	809.78	803.3 - 813.3	-	-
MW-4	6/26/1996	5.61	817.56	811.95	803.3 - 813.3	-	-
MW-4	9/17/1996	7.35	817.56	810.21	803.3 - 813.3	-	-
MW-4	11/22/1996	7.45	817.56	810.11	803.3 - 813.3	-	-
MW-4	12/11/1996		817.56		803.3 - 813.3	-	-
MW-4	3/11/1997	6.34	817.56	811.22	803.3 - 813.3	-	-
MW-4	6/10/1997		817.56		803.3 - 813.3	-	-
MW-4	8/6/1997		817.56		803.3 - 813.3	-	-
MW-4	10/21/1997	7.64	817.56	809.92	803.3 - 813.3	-	-
MW-4	12/17/1997	7.70	817.56	809.86	803.3 - 813.3	-	-
MW-4	1/16/1998	7.71	817.56	809.85	803.3 - 813.3	-	-
MW-4	4/23/1998	6.03	817.56	811.53	803.3 - 813.3	-	-
MW-4	6/25/1998	6.01	817.56	811.55	803.3 - 813.3	-	-
MW-4	9/22/1998	6.11	817.56	811.45	803.3 - 813.3	-	-
MW-4	12/15/1998	6.87	817.56	810.69	803.3 - 813.3	-	-
MW-4	3/1/1999	5.40	817.56	812.16	803.3 - 813.3	-	-
MW-4	6/23/1999	5.64	817.56	811.92	803.3 - 813.3	-	-
MW-4	9/15/1999	6.22	817.56	811.34	803.3 - 813.3	-	-
MW-4	12/29/1999	6.68	817.56	810.88	803.3 - 813.3	-	-
MW-4	7/11/2002	7.21	817.56	810.35	803.3 - 813.3	-	-
MW-4	5/28/2003	7.11	817.56	810.45	803.3 - 813.3	-	-
MW-4	8/27/2003	8.49	817.56	809.07	803.3 - 813.3	-	-

Table 1

Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061

Ground Water Elevations

Well	Date	Depth to Groundwater	Reference Elevation (feet MSL)	Water Table Elevation*	Screened Interval	Volume Purged (gallons)	Product Thicknes s (feet)
MW-5	3/24/1991	6.21	817.07	810.86	802.8 - 812.8	-	-
MW-5	3/25/1991	6.10	817.07	810.97	802.8 - 812.8	-	-
MW-5	4/9/1991	6.23	817.07	810.84	802.8 - 812.8	-	-
MW-5	4/10/1991	6.25	817.07	810.82	802.8 - 812.8	-	-
MW-5	11/19/1991	6.63	817.07	810.44	802.8 - 812.8	-	-
MW-5	11/22/1991	6.58	817.07	810.49	802.8 - 812.8	-	-
MW-5	10/28/1992	7.43	817.07	809.64	802.8 - 812.8	-	-
MW-5	9/8/1993	6.14	817.07	810.93	802.8 - 812.8	-	-
MW-5	10/5/1993		817.07		802.8 - 812.8	-	-
MW-5	12/8/1993	7.22	817.07	809.85	802.8 - 812.8	-	-
MW-5	12/9/1993	7.30	817.07	809.77	802.8 - 812.8	-	-
MW-5	12/16/1993	7.53	817.07	809.54	802.8 - 812.8	-	-
MW-5	12/21/1993	7.52	817.07	809.55	802.8 - 812.8	-	-
MW-5	1/13/1994	7.88	817.07	809.19	802.8 - 812.8	-	-
MW-5	3/16/1994	6.59	817.07	810.48	802.8 - 812.8	-	-
MW-5	4/14/1994	6.62	817.07	810.45	802.8 - 812.8	-	-
MW-5	5/17/1994	7.11	817.07	809.96	802.8 - 812.8	-	-
MW-5	6/9/1994	7.18	817.07	809.89	802.8 - 812.8	-	-
MW-5	8/1/1994	6.98	817.07	810.09	802.8 - 812.8	-	-
MW-5	9/21/1994	7.72	817.07	809.35	802.8 - 812.8	-	-
MW-5	10/12/1994	7.42	817.07	809.65	802.8 - 812.8	-	-
MW-5	11/30/1994	7.80	817.07	809.27	802.8 - 812.8	-	-
MW-5	3/22/1995	7.67	817.07	809.40	802.8 - 812.8	-	-
MW-5	4/26/1995	7.06	817.07	810.01	802.8 - 812.8	-	-
MW-5	5/23/1995	6.69	817.07	810.38	802.8 - 812.8	-	-
MW-5	6/20/1995	6.86	817.07	810.21	802.8 - 812.8	-	-
MW-5	7/25/1995	6.84	817.07	810.23	802.8 - 812.8	-	-
MW-5	8/30/1995	7.11	817.07	809.96	802.8 - 812.8	-	-
MW-5	9/13/1995	7.26	817.07	809.81	802.8 - 812.8	-	-
MW-5	9/26/1995	7.27	817.07	809.80	802.8 - 812.8	-	-
MW-5	3/21/1996	7.75	817.07	809.32	802.8 - 812.8	-	-
MW-5	4/8/1996	7.52	817.07	809.55	802.8 - 812.8	-	-
MW-5	6/26/1996	5.62	817.07	811.45	802.8 - 812.8	-	-
MW-5	9/17/1996	7.39	817.07	809.68	802.8 - 812.8	-	-
MW-5	11/22/1996	7.47	817.07	809.60	802.8 - 812.8	-	-
MW-5	12/11/1996	7.52	817.07	809.55	802.8 - 812.8	-	-

Table 1

Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061

Ground Water Elevations

Well	Date	Depth to Groundwater	Reference Elevation (feet MSL)	Water Table Elevation*	Screened Interval	Volume Purged (gallons)	Product Thicknes s (feet)
MW-5	3/11/1997	6.13	817.07	810.94	802.8 - 812.8		
MW-5	6/10/1997	6.54	817.07	810.53	802.8 - 812.8		
MW-5	8/6/1997	6.67	817.07	810.40	802.8 - 812.8		
MW-5	10/21/1997	7.33	817.07	809.74	802.8 - 812.8		
MW-5	12/17/1997	7.90	817.07	809.17	802.8 - 812.8	-	-
MW-5	1/16/1998	8.29	817.07	808.78	802.8 - 812.8	-	-
MW-5	4/23/1998	5.93	817.07	811.14	802.8 - 812.8	-	-
MW-5	6/25/1998	5.93	817.07	811.14	802.8 - 812.8	-	-
MW-5	9/22/1998	6.35	817.07	810.72	802.8 - 812.8	-	-
MW-5	12/15/1998	6.87	817.07	810.20	802.8 - 812.8	-	-
MW-5	3/1/1999	6.50	817.07	810.57	802.8 - 812.8	-	-
MW-5	6/23/1999	5.77	817.07	811.30	802.8 - 812.8	-	-
MW-5	9/15/1999	6.63	817.07	810.44	802.8 - 812.8	-	-
MW-5	12/29/1999	7.07	817.07	810.00	802.8 - 812.8	-	-
MW-5	5/28/2003	6.93	817.07	810.14	802.8 - 812.8	-	-
MW-6	3/24/1991	5.56	817.52	811.96	803.8 - 813.8		
MW-6	3/25/1991	5.43	817.52	812.09	803.8 - 813.8	-	
MW-6	4/9/1991	5.90	817.52	811.62	803.8 - 813.8	-	-
MW-6	4/10/1991	5.74	817.52	811.78	803.8 - 813.8	-	-
MW-6	11/19/1991	5.85	817.52	811.67	803.8 - 813.8	-	-
MW-6	11/22/1991	5.98	817.52	811.54	803.8 - 813.8	-	-
MW-6	10/28/1992	7.58	817.52	809.94	803.8 - 813.8	-	-
MW-6	9/8/1993	6.07	817.52	811.45	803.8 - 813.8	-	-
MW-6	10/5/1993	6.22	817.52	811.30	803.8 - 813.8	-	-
MW-6	12/8/1993	6.22	817.52	811.30	803.8 - 813.8	-	-
MW-6	12/9/1993	7.24	817.52	810.28	803.8 - 813.8	-	-
MW-6	12/16/1993	7.50	817.52	810.02	803.8 - 813.8	-	-
MW-6	12/21/1993	7.54	817.52	809.98	803.8 - 813.8	-	-
MW-6	1/13/1994	8.07	817.52	809.45	803.8 - 813.8	-	-
MW-6	3/16/1994	6.42	817.52	811.10	803.8 - 813.8	-	-
MW-6	4/14/1994	6.61	817.52	810.91	803.8 - 813.8	-	-
MW-6	5/17/1994	7.09	817.52	810.43	803.8 - 813.8	-	-
MW-6	6/9/1994	7.30	817.52	810.22	803.8 - 813.8	-	-
MW-6	8/1/1994		817.52		803.8 - 813.8	-	-
MW-6	9/21/1994	7.92	817.52	809.60	803.8 - 813.8	-	-

Table 1

Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061

Ground Water Elevations

Well	Date	Depth to Groundwater	Reference Elevation (feet MSL)	Water Table Elevation*	Screened Interval	Volume Purged (gallons)	Product Thicknes s (feet)
MW-6	10/12/1994	7.55	817.52	809.97	803.8 - 813.8	-	-
MW-6	11/30/1994	7.42	817.52	810.10	803.8 - 813.8	-	-
MW-6	3/22/1995	8.01	817.52	809.51	803.8 - 813.8	-	-
MW-6	4/26/1995	6.66	817.52	810.86	803.8 - 813.8	-	-
MW-6	5/23/1995	6.61	817.52	810.91	803.8 - 813.8	-	-
MW-6	6/20/1995	7.13	817.52	810.39	803.8 - 813.8	-	-
MW-6	7/25/1995	6.81	817.52	810.71	803.8 - 813.8	-	-
MW-6	8/30/1995	7.40	817.52	810.12	803.8 - 813.8	-	-
MW-6	9/13/1995	7.30	817.52	810.22	803.8 - 813.8	-	-
MW-6	9/26/1995	7.58	817.52	809.94	803.8 - 813.8	-	-
MW-6	3/21/1996	10.07	817.52	807.45	803.8 - 813.8	-	-
MW-6	4/8/1996		817.52		803.8 - 813.8	-	-
MW-6	6/26/1996	7.32	817.52	810.20	803.8 - 813.8	-	-
MW-6	9/17/1996	9.49	817.52	808.03	803.8 - 813.8	-	-
MW-6	11/22/1996	8.73	817.52	808.79	803.8 - 813.8	-	-
MW-6	12/11/1996	9.73	817.52	807.79	803.8 - 813.8	-	-
MW-6	3/11/1997	8.76	817.52	808.76	803.8 - 813.8	-	-
MW-6	6/10/1997		817.52		803.8 - 813.8	-	-
MW-6	8/6/1997		817.52		803.8 - 813.8	-	-
MW-6	10/21/1997	9.69	817.52	807.83	803.8 - 813.8	-	-
MW-6	12/17/1997		817.52		803.8 - 813.8	-	-
MW-6	1/16/1998	9.83	817.52	807.69	803.8 - 813.8	-	-
MW-6	4/23/1998	7.53	817.52	809.99	803.8 - 813.8	-	-
MW-6	6/25/1998	7.65	817.52	809.87	803.8 - 813.8	-	-
MW-6	9/22/1998	4.51	817.52	813.01	803.8 - 813.8	-	-
MW-6	12/15/1998	9.06	817.52	808.46	803.8 - 813.8	-	-
MW-6	3/1/1999	9.03	817.52	808.49	803.8 - 813.8	-	-
MW-6	6/23/1999	8.07	817.52	809.45	803.8 - 813.8	-	-
MW-6	9/15/1999	8.71	817.52	808.81	803.8 - 813.8	-	-
MW-6	12/29/1999		817.52		803.8 - 813.8	-	-
MW-6	5/28/2003	6.38	817.52	811.14	803.8 - 813.8	-	-
MW-6	8/27/2003	7.85	817.52	809.67	803.8 - 813.8	-	-
MW-7	10/28/1992	6.00	816.16	810.16	801.2 - 811.2	-	-
MW-7	9/8/1993	4.58	816.16	811.58	801.2 - 811.2	-	-
MW-7	10/5/1993	5.02	816.16	811.14	801.2 - 811.2	-	-

Table 1

Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061

Ground Water Elevations

Well	Date	Depth to Groundwater	Reference Elevation (feet MSL)	Water Table Elevation*	Screened Interval	Volume Purged (gallons)	Product Thicknes s (feet)
MW-7	12/8/1993	6.04	816.16	810.12	801.2 - 811.2	-	-
MW-7	12/9/1993	6.10	816.16	810.06	801.2 - 811.2	-	-
MW-7	12/16/1993	6.35	816.16	809.81	801.2 - 811.2	-	-
MW-7	12/21/1993	6.25	816.16	809.91	801.2 - 811.2	-	-
MW-7	1/13/1994	7.01	816.16	809.15	801.2 - 811.2	-	-
MW-7	3/16/1994	4.99	816.16	811.17	801.2 - 811.2	-	-
MW-7	4/14/1994	5.16	816.16	811.00	801.2 - 811.2	-	-
MW-7	5/17/1994	5.62	816.16	810.54	801.2 - 811.2	-	-
MW-7	6/9/1994	5.99	816.16	810.17	801.2 - 811.2	-	-
MW-7	8/1/1994	5.97	816.16	810.19	801.2 - 811.2	-	-
MW-7	9/21/1994	6.62	816.16	809.54	801.2 - 811.2	-	-
MW-7	10/12/1994	6.22	816.16	809.94	801.2 - 811.2	-	-
MW-7	11/30/1994	6.91	816.16	809.25	801.2 - 811.2	-	-
MW-7	3/22/1995	6.71	816.16	809.45	801.2 - 811.2	-	-
MW-7	4/26/1995	6.09	816.16	810.07	801.2 - 811.2	-	-
MW-7	5/23/1995	5.80	816.16	810.36	801.2 - 811.2	-	-
MW-7	6/20/1995	5.90	816.16	810.26	801.2 - 811.2	-	-
MW-7	7/25/1995	5.71	816.16	810.45	801.2 - 811.2	-	-
MW-7	8/30/1995	5.99	816.16	810.17	801.2 - 811.2	-	-
MW-7	9/13/1995	6.06	816.16	810.10	801.2 - 811.2	-	-
MW-7	9/26/1995	5.95	816.16	810.21	801.2 - 811.2	-	-
MW-7	3/21/1996	6.83	816.16	809.33	801.2 - 811.2	-	-
MW-7	4/8/1996	6.52	816.16	809.64	801.2 - 811.2	-	-
MW-7	4/25/1996	6.05	816.16	810.11	801.2 - 811.2	-	-
MW-7	6/26/1996	4.79	816.16	811.37	801.2 - 811.2	-	-
MW-7	7/26/1996	5.61	816.16	810.55	801.2 - 811.2	-	-
MW-7	8/21/1996	5.40	816.16	810.76	801.2 - 811.2	-	-
MW-7	9/17/1996	6.43	816.16	809.73	801.2 - 811.2	-	-
MW-7	10/8/1996	6.07	816.16	810.09	801.2 - 811.2	23	-
MW-7	11/22/1996	6.50	816.16	809.66	801.2 - 811.2	-	-
MW-7	12/11/1996	6.47	816.16	809.69	801.2 - 811.2	10	-
MW-7	1/8/1997	7.23	816.16	808.93	801.2 - 811.2	5	-
MW-7	1/23/1997	7.68	816.16	808.48	801.2 - 811.2	6	-
MW-7	2/5/1997	7.61	816.16	808.55	801.2 - 811.2	7.5	-
MW-7	2/26/1997	5.11	816.16	811.05	801.2 - 811.2	7.5	-
MW-7	3/11/1997	5.01	816.16	811.15	801.2 - 811.2	13	-

Table 1
Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061

Ground Water Elevations

Well	Date	Depth to Groundwater	Reference Elevation (feet MSL)	Water Table Elevation*	Screened Interval	Volume Purged (gallons)	Product Thickness (feet)
MW-7	3/27/1997	5.38	816.16	810.78	801.2 - 811.2	7	
MW-7	4/8/1997	5.28	816.16	810.88	801.2 - 811.2	8	
MW-7	4/25/1997	5.17	816.16	810.99	801.2 - 811.2	9	
MW-7	5/7/1997	4.72	816.16	811.44	801.2 - 811.2	13	
MW-7	5/27/1997	5.01	816.16	811.15	801.2 - 811.2	9.5	-
MW-7	6/10/1997	5.96	816.16	810.20	801.2 - 811.2	6.5	-
MW-7	6/27/1997	4.80	816.16	811.36	801.2 - 811.2	8	-
MW-7	7/8/1997	5.03	816.16	811.13	801.2 - 811.2	6	-
MW-7	7/23/1997	4.92	816.16	811.24	801.2 - 811.2	9.5	-
MW-7	8/6/1997	5.12	816.16	811.04	801.2 - 811.2	8	-
MW-7	8/23/1997	5.27	816.16	810.89	801.2 - 811.2	8	-
MW-7	9/3/1997	5.66	816.16	810.50	801.2 - 811.2	6.5	-
MW-7	9/26/1997	6.02	816.16	810.14	801.2 - 811.2	7	-
MW-7	10/21/1997	6.32	816.16	809.84	801.2 - 811.2	10	-
MW-7	10/31/1997	6.50	816.16	809.66	801.2 - 811.2	8	
MW-7	11/26/1997	7.49	816.16	808.67	801.2 - 811.2	5	
MW-7	12/17/1997	6.35	816.16	809.81	801.2 - 811.2	5	
MW-7	12/31/1997	5.50	816.16	810.66	801.2 - 811.2	4	
MW-7	1/16/1998	7.52	816.16	808.64	801.2 - 811.2	4	-
MW-7	1/30/1998	5.80	816.16	810.36	801.2 - 811.2	5	-
MW-7	2/18/1998	5.41	816.16	810.75	801.2 - 811.2	13	-
MW-7	2/24/1998	5.61	816.16	810.55	801.2 - 811.2	6	-
MW-7	3/5/1998	5.43	816.16	810.73	801.2 - 811.2	4.5	-
MW-7	4/23/1998	4.47	816.16	811.69	801.2 - 811.2	5	-
MW-7	6/25/1998	4.53	816.16	811.63	801.2 - 811.2	5	
MW-7	9/22/1998	4.51	816.16	811.65	801.2 - 811.2	26	
MW-7	10/7/1998	4.94	816.16	811.22	801.2 - 811.2	24	
MW-7	10/22/1998	4.90	816.16	811.26	801.2 - 811.2	24	
MW-7	11/17/1998	4.97	816.16	811.19	801.2 - 811.2	13.5	
MW-7	11/30/1998	5.32	816.16	810.84	801.2 - 811.2	16.5	
MW-7	12/15/1998	5.71	816.16	810.45	801.2 - 811.2	16	-
MW-7	12/31/1998	6.07	816.16	810.09	801.2 - 811.2	12	-
MW-7	1/15/1999	6.18	816.16	809.98	801.2 - 811.2	7	-
MW-7	1/31/1999	6.05	816.16	810.11	801.2 - 811.2	10.5	-
MW-7	3/1/1999	5.61	816.16	810.55	801.2 - 811.2	22	-
MW-7	3/20/1999	5.35	816.16	810.81	801.2 - 811.2	22	-

Table 1

Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061

Ground Water Elevations


Well	Date	Depth to Groundwater	Reference Elevation (feet MSL)	Water Table Elevation*	Screened Interval	Volume Purged (gallons)	Product Thicknes s (feet)
MW-7	4/20/1999	4.88	816.16	811.28	801.2 - 811.2	22	-
MW-7	5/7/1999	4.47	816.16	811.69	801.2 - 811.2	10.5	-
MW-7	5/20/1999	4.20	816.16	811.96	801.2 - 811.2	31	-
MW-7	6/5/1999	4.31	816.16	811.85	801.2 - 811.2	11.5	-
MW-7	6/23/1999	4.31	816.16	811.85	801.2 - 811.2	11.5	-
MW-7	7/9/1999	4.64	816.16	811.52	801.2 - 811.2	10	-
MW-7	7/27/1999	4.46	816.16	811.70	801.2 - 811.2	19	-
MW-7	8/9/1999	4.63	816.16	811.53	801.2 - 811.2	26	-
MW-7	8/29/1999	4.80	816.16	811.36	801.2 - 811.2	11.5	-
MW-7	9/15/1999	5.22	816.16	810.94	801.2 - 811.2	29	-
MW-7	10/8/1999	5.48	816.16	810.68	801.2 - 811.2	22	-
MW-7	10/25/1999	5.49	816.16	810.67	801.2 - 811.2	10.5	-
MW-7	11/18/1999	6.34	816.16	809.82	801.2 - 811.2	14	-
MW-7	12/9/1999	5.88	816.16	810.28	801.2 - 811.2	9.5	-
MW-7	12/29/1999	6.52	816.16	809.64	801.2 - 811.2	12	-
MW-7	1/20/2000	6.47	816.16	809.69	801.2 - 811.2	10	-
MW-7	1/28/2000	6.65	816.16	809.51	801.2 - 811.2	9	-
MW-7	2/23/2000	5.88	816.16	810.28	801.2 - 811.2	11.5	-
MW-7	3/8/2000	5.68	816.16	810.48	801.2 - 811.2	13	-
MW-7	3/22/2000	7.64	816.16	808.52	801.2 - 811.2	12	-
MW-7	5/24/2000	5.46	816.16	810.70	801.2 - 811.2	12	-
MW-7	7/7/2000	4.74	816.16	811.42	801.2 - 811.2	15	-
MW-7	8/18/2000	5.04	816.16	811.12	801.2 - 811.2	12	-
MW-7	9/28/2000	5.08	816.16	811.08	801.2 - 811.2	9	-
MW-7	12/5/2000	6.28	816.16	809.88	801.2 - 811.2	10.5	-
MW-7	1/15/2001	6.93	816.16	809.23	801.2 - 811.2	8.5	-
MW-7	2/11/2001	6.71	816.16	809.45	801.2 - 811.2	8	-
MW-7	3/4/2001	5.52	816.16	810.64	801.2 - 811.2	11	-
MW-7	4/11/2001	4.86	816.16	811.30	801.2 - 811.2	11	-
MW-7	5/9/2001	4.69	816.16	811.47	801.2 - 811.2	17.5	-
MW-7	6/1/2001	4.45	816.16	811.71	801.2 - 811.2	18	-
MW-7	6/18/2001	4.34	816.16	811.82	801.2 - 811.2	15	-
MW-7	7/31/2001	5.01	816.16	811.15	801.2 - 811.2	16	-
MW-7	8/31/2001	5.01	816.16	811.15	801.2 - 811.2	16	-
MW-7	10/1/2001	5.00	816.16	811.16	801.2 - 811.2	10.5	-
MW-7	11/7/2001	4.86	816.16	811.30	801.2 - 811.2	10	-


Table 1


Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061

Ground Water Elevations

Well	Date	Depth to Groundwater	Reference Elevation (feet MSL)	Water Table Elevation*	Screened Interval	Volume Purged (gallons)	Product Thicknes s (feet)
MW-7	12/4/2001	5.11	816.16	811.05	801.2 - 811.2	11	-
MW-7	3/7/2002	6.54	816.16	809.62	801.2 - 811.2	7.5	-
MW-7	4/19/2002	5.41	816.16	810.75	801.2 - 811.2	10	-
MW-7	6/12/2002	4.65	816.16	811.51	801.2 - 811.2	15	-
MW-7	7/11/2002	4.81	816.16	811.35	801.2 - 811.2	-	-
MW-7	5/28/2003	5.19	816.16	810.97	801.2 - 811.2	-	-
MW-7	8/27/2003	7.01	816.16	809.15	801.2 - 811.2	-	-
MW-8	5/28/2003	7.12	816.38	809.26	800.0 - 810.0	-	-
MW-8	8/27/2003	8.34	816.38	808.04	800.0 - 810.0	-	-
RW-1	10/28/1992	9.02	818.88	809.86	796.6 - 808.6	-	-
RW-1	10/5/1993	7.52	818.88	811.36	796.6 - 808.6	-	-
RW-1	12/8/1993	8.88	818.88	810.00	796.6 - 808.6	-	-
RW-1	12/9/1993	18.70	818.88	800.18	796.6 - 808.6	-	-
RW-1	12/21/1993	19.05	818.88	799.83	796.6 - 808.6	-	-
RW-1	4/14/1994	15.15	818.88	803.73	796.6 - 808.6	-	-
RW-1	6/9/1994	8.82	818.88	810.06	796.6 - 808.6	-	-
RW-1	8/1/1994	6.50	818.88	812.38	796.6 - 808.6	-	-
RW-1	9/21/1994	17.67	818.88	801.21	796.6 - 808.6	-	-
RW-1	10/12/1994	9.14	818.88	809.74	796.6 - 808.6	-	-
RW-1	11/30/1994	10.25	818.88	808.63	796.6 - 808.6	-	-
RW-1	3/22/1995	19.18	818.88	799.70	796.6 - 808.6	-	-
RW-1	4/26/1995	19.41	818.88	799.47	796.6 - 808.6	-	-
RW-1	5/23/1995	11.52	818.88	807.36	796.6 - 808.6	-	-
RW-1	6/20/1995	10.24	818.88	808.64	796.6 - 808.6	-	-
RW-1	7/25/1995	12.74	818.88	806.14	796.6 - 808.6	-	-
RW-1	8/30/1995	15.13	818.88	803.75	796.6 - 808.6	-	-
RW-1	3/21/1996	18.10	818.88	800.78	796.6 - 808.6	-	-
RW-1	4/8/1996	18.75	818.88	800.13	796.6 - 808.6	-	-
RW-1	6/26/1996	19.38	818.88	799.50	796.6 - 808.6	-	-
RW-1	9/17/1996	19.40	818.88	799.48	796.6 - 808.6	-	-
RW-1	12/11/1996	18.84	818.88	800.04	796.6 - 808.6	-	-
RW-1	3/11/1997	13.35	818.88	805.53	796.6 - 808.6	-	-
RW-1	8/6/1997	18.25	818.88	800.63	796.6 - 808.6	-	-
RW-1	10/21/1997	18.55	818.88	800.33	796.6 - 808.6	-	-







LEGEND

- MONITORING WELL LOCATION
- [808.87] GROUND WATER ELEVATION

THE GROUND WATER CONTOURS ARE BASED ON THE INTERPOLATION AND EXTRAPOLATION OF GROUND WATER ELEVATIONS MEASURED ON SEPTEMBER 22, 1998. THE ACTUAL CONDITIONS MAY VARY.







FIGURE 2

GROUND WATER CONTOUR MAP
CASEY'S GENERAL STORE
DARLINGTON, WISCONSIN
TERRACON JOB NO. 41905061
SEPTEMBER, 1998



THE GROUND WATER CONTOURS ARE BASED ON THE INTERPOLATION AND EXTRAPOLATION OF GROUND WATER ELEVATIONS MEASURED ON SEPTEMBER 17, 1996. THE ACTUAL CONDITIONS MAY VARY.

FIGURE 3
 GROUND WATER CONTOUR MAP
 CASEY'S GENERAL STORE
 DARLINGTON, WISCONSIN
 TERRACON JOB NO. 41905061
 OCTOBER, 1996

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:
 Mr. Richard J. & Mrs. Anne Craig
 1141 Clay St.
 Darlington, WI 53530

COMPLETE THIS SECTION ON DELIVERY

A. Signature *Anne Craig* Agent Addressee

B. Received by (Printed Name) *Anne Craig* Date of Delivery *8/16/02*

D. Is delivery address different from item 1? Yes No
 If YES, enter delivery address below:

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number **7002 0860 0006 9864 0527**
 (Transfer from service label)
 PS Form 3811, August 2001 Domestic Return Receipt 102995-02-M-0835

August 16, 2002
 1141 Clay Street
 Darlington, Wisconsin 53530

Attn: Mr. Richard J. and Mrs. Anne Craig

RE: GIS Registry Off-site Contamination Notification
 Casey's General Store
 145 South Main Street
 Darlington, Wisconsin
 WDNR BRRTS # 03-33-000546
 Terracon Project No. 38905061

Dear Mr. And Mrs. Craig:

Groundwater contamination that appears to have originated at property located at 145 South Main Street, Darlington, Wisconsin, and property at 153 Wells Street, Darlington, Wisconsin, containing ethylbenzene, and trimethylbenzene contamination in the area above the state groundwater enforcement standards for

Administrative Code. However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable or receding and will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726 Wisconsin Administrative Code, and I will be requesting that the Department of Natural Resources accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call 1-800-367-6076 for calls originating in Wisconsin, or 608-264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination.

The Department of Natural Resources will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the

Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department of Natural Resources that is relevant to this closure request, you should mail that information to: WDNR 1500 North Johns Street, Dodgeville, Wisconsin 53533, attention Ms. Linda Hanefeld.

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the Department of Natural Resources if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

Once the Department makes a decision on my closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at 1347 East Ln., La Crescent, MN 55947 or you may contact Ms. Linda Hanefeld, with WDNR at 1500 North Johns Street, Dodgeville, Wisconsin, 53533 telephone number (608) 935-1948.

Sincerely,

A handwritten signature in black ink that reads "Jack Elder". The signature is written in a cursive style with a long horizontal stroke at the end.

Mr. Jack Elder

August 16, 2002

P.O. Box 207
Darlington, Wisconsin 53530

Attn: Mr. Tommy Johns – Director of Public Works

Re: Notification of Contamination with Right of Way
Casey's General Store
145 South Main Street
Darlington, Wisconsin
WDNR BRRTS # 03-33-000546
Terracon Project No. 38905061

Dear Mr. Johns:

As required in NR 726.05 (2)(b)4, Wisconsin Administrative Code, this letter serves as notification of contamination within the right of way described herein.

County: Lafayette

Right of Way: Main Street/Hwy 21

Site Address: 145 South Main Street, Darlington, Wisconsin

WDNR BRRTS No: 03-33-000546

PECFA No: 53530-1421-45

DNR FID No: 133021570

Owner's Name: Becky Elder

Owner's Address: 1347 East Lane, LaCrescent, Minnesota 55947

Consulting Firm: Terracon

Consultant Contact: Blaine R. Schroyer

Consultant Address: 2277 West Spencer Street, Appleton, Wisconsin 54914

Consultant Phone: (920) 993-9096

Consultant Fax: (920) 993-9108

Consultant Email: brschroyer@terracon.com

Soil Contamination: No

Depth to Contaminated Soil: N/A

Vertical Extent of Contaminated Soil: N/A

Groundwater Contamination: yes

Depth to Water Table: Between 4 and 8 feet below grade

Description of the type(s) of contamination present: Benzene, ethylbenzene, trimethylbenzenes (petroleum hydrocarbons)

Brief summary of cleanup activities: Limited soil excavation during tank removal in 1990, a groundwater extraction and soil vapor extraction system operated from December 1993 through May 1998.

Current plume map (soil): N/A
Current plume map (groundwater): Attached

If you have questions or require additional information regarding this letter, please contact me in writing at the above-referenced address or by telephone at (507) 895-2093.

Sincerely,



Mr. Jack Elder

Attachement

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<p>Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits.</p>	<p>A. Signature <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee</p>
<p>1. Article Addressed to:</p>	<p>B. Received by (Printed Name) PHIL KISSERAW</p> <p>C. Date of Delivery 10-7-08</p>
<p>Mr Tommy Johns PO Box 207 Darlington, WI 53530</p>	<p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>
<p>2. Article Number (Transfer to service)</p>	<p>DARLINGTON WI 53530 OCT 7 2008</p>
<p>PS Form 3811, August 2001</p>	<p>3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>
<p>7002 0860 0006 9864 0510</p>	
<p>Domestic Return Receipt 102595-02-M-0835</p>	

Tschida, Kristina

From: TeBeest, Sharlene [sharlene.tebeest@dot.state.wi.us]
Sent: Thursday, August 22, 2002 11:01 AM
To: 'kjtschida@terracon.com'
Subject: RE: Notification of Contamination within Right of Way

Thank you for the notification for Casey's General Store in Darlington.

Shar Te Beest
Hazardous Materials Specialist
Wisconsin Department of Transportation
Bureau of Environment
Phone (608) 266-1476; Fax (608) 266-7818
e-mail: sharlene.tebeest@dot.state.wi.us

-----Original Message-----

From: Tschida, Kristina [mailto:kjtschida@terracon.com]
Sent: Friday, August 16, 2002 12:14 PM
To: sharlene.tebeest@dot.state.wi.us
Subject: Notification of Contamination within Right of Way

Wisconsin Department of Transportation

Attn: Ms. Te Beest

Re: Notification of Contamination with Right of Way
Casey's General Store
145 South Main Street
Darlington, Wisconsin
WDNR BRRTS # 03-33-000546
Terracon Project No. 38905061

Dear Ms. Te Beest:

As required in NR 726.05 (2)(b)4, Wisconsin Administrative Code, this letter serves as notification of contamination within the right of way described herein.

County: Lafayette
Right of Way: Main Street/Hwy 21
Site Address: 145 South Main Street, Darlington, Wisconsin
WDNR BRRTS No: 03-33-000546
PECFA No: 53530-1421-45
DNR FID No: 133021570
Owner's Name: Jack Elder
Owner's Address: 1347 East Lane, LaCrescent, Minnesota 55947
Consulting Firm: Terracon
Consultant Contact: Blaine R. Schroyer
Consultant Address: 2277 West Spencer Street, Appleton, Wisconsin 54914
Consultant Phone: (920) 993-9096
Consultant Fax: (920) 993-9108
Consultant Email: brschroyer@terracon.com
Soil Contamination: No
Depth to Contaminated Soil: N/A
Vertical Extent of Contaminated Soil: N/A
Groundwater Contamination: yes
Depth to Water Table: Between 4 and 8 feet below grade
Description of the type(s) of contamination present: Benzene, ethyl benzene, trimethylbenzenes (petroleum hydrocarbons)
Brief summary of cleanup activities: Limited soil excavation during tank

removal in 1990, a groundwater extraction and soil vapor extraction system operated from December 1993 through May 1998.
Current plume map (soil): N/A
Current plume map (groundwater): Attached

Kristina J. Tschida
Environmental Scientist
Terracon
2277 West Spencer Street
Appleton, Wisconsin 54914
(p) 920-993-9096
(f) 920-993-9108
kjtschida@terracon.com

WTM91 PROJECTION COORDINATES

Casey's General Store
Darlington, Wisconsin
Terracon Project No. 38905061
DNR BRRTS No. 03-33-000546

LOCATION	SITE ADDRESS	COORDINATES	
Subject Site	145 S. Main Street	510368	245048
Craig True Value Hardware	153 Wells Street	510382	245089

Statement of Accurate Legal Descriptions

To the best of my knowledge, the attached property legal descriptions are complete, accurate, and identify those parcels with groundwater impacts originating from the property located at 145 South Main Street, Darlington, Wisconsin 53530.



Signature



Date



Print Name